

11. LITERATURE CITED

- Allen, R. P. (1952). The whooping crane. *National Audubon Society Resource Report 3*. New York: National Audubon Society.
- Ballou, J. D., Gilpin, M., & Foose, T.J. (1995). Population management for survival and recovery. In M.C. Pearl (Ed.). *Methods and cases in conservation science*. New York: Columbia Univ. Press.
- Banks, R. (1978). The size of the early whooping crane populations. *Whooping crane coordinator files*. Albuquerque, New Mexico. United States Fish and Wildlife Service. Unpublished report.
- Brook, B. W., Cannon, J.R., Lacy, R.C., Mirande, C., & Frankham, R. (1999). A comparison of the population viability analysis packages GAPPS, INMAT, RAMAS, and VORTEX for the whooping crane *Grus americana*. *Anim. Conserv.*, 2(1), 23-31.
- Brown, W. M., Drewien, R.C., & Bizeau, E.G. (1987). Mortality of cranes and waterfowl from power line collisions in the San Luis Valley, Colorado. In J. C. Lewis, (Ed.), *Proc. 1985 Crane Workshop* (pp. 128-136). Grand Island, NE: Platte River Whooping Crane Habitat Maintenance Trust.
- Brown, W. M., & Drewien, R.C. (1995). Evaluation of two power line markers to reduce crane and waterfowl collision mortality. *Wildl. Soc. Bull.*, 23(2), 217-227.
- Canadian Wildlife Service and U.S. Fish and Wildlife Service (2006). International recovery plan for the whooping crane (revised). Ottawa: Recovery of Nationally Endangered Wildlife (RENEW), and U.S. Fish and Wildlife Service, Albuquerque, New Mexico.
- Carpenter, J. W. (1993). Infectious and parasitic diseases of cranes. In M. E. Fowler, (Ed.), *Zoo and wild animal medicine, Current therapy 3* (pp. 229-237). Philadelphia, PA: W. B. Saunders Co.
- Carr, C. F. (Ed.). 1890. A list of the birds known to nest within the boundaries of Wisconsin, with a few notes thereon. *The Wisconsin Naturalist*, 1(2-6).
- Dein, F. J., Carpenter, J. W., Clark, G. G., Montali, R. J., Crabbs, C. L., Tsai, T. F., & Docherty, D. E. (1986). Mortality of captive whooping cranes caused by eastern equine encephalitis virus. *J. Am. Vet. Med. Assoc.*, 189, 1006-1010.
- Drewien, R.C., Brown, W.M., and Kendall, W.L. (1995). Recruitment in Rocky Mountain greater sandhill cranes and comparison with other N. Am. Crane populations. *J. Wildl. Manage.*, 59(2), 339-356.
- Drewien, R.C., Tautin, J., Courville, M. L., & Gomez, G. M. (2001). Whooping cranes breeding at White Lake, Louisiana, 1939: observations by John J. Lynch, U.S. Bureau of Biological Survey. *Proc. N. Am. Crane Workshop 8*, 24-30.

- Ellis, D.H., Lewis, J.C., & Mirande, C.M. (Eds.). (1996). *Cranes: Their biology, husbandry, and conservation*. Washington, D.C.: Natl. Biological Service and International Crane Foundation.
- Folk, M., Nesbitt, S.A., Parker, J., Spalding, M.G., Baynes, S., & Candelora, K.L. (2006). Current status of the non-migratory whooping cranes (*Grus Americana*) in Florida. *Proc. N. Am. Crane Workshop, 10*. Zacatecas, Mexico. Unpublished report.
- Frankel, O.H., & Soule, M.E. (1981). Design criteria for nature reserves. In *Conservation and evolution* (pp. 98-122). Cambridge, London: Cambridge University Press.
- Friend, M., & Franson, J. C. (Eds.). (1999). *Field manual of wildlife diseases: General field procedures and diseases of birds*. Washington, D.C.: U.S. Department of the Interior, U.S. Geological Survey Biological Resources Division.
- Glenn, T.C., Stephan, W., & Braun, M.J. (1999). Effects of a population bottleneck on mitochondrial DNA variation in whooping cranes. *Conserv. Biol.*, 13(5), 1097-1107.
- Gomez, G. M. (1992). Whooping cranes in southwest Louisiana: History and human attitudes. *Proc. N. Am. Crane Workshop, 6*, 19-23.
- Hayes, M.A., Hartup, B.K., Pittman, J.M., & Barzen, J.A. (2003). Capture of sandhill cranes using alpha-chloralose. *J. Wildl. Dis.*, 39(4), 859-868.
- Hayes, M.A., & Barzen, J.A. (2003) *Proc. N. Am. Crane Workshop, 9*. Sacramento, CA. Unpublished report.
- Hoy, P.R. (1885). Man's influence on the avifauna of southeastern Wisconsin. *Proc. Natural History Society of Wisconsin (March, 1885)*, 4-9.
- The International Ecotourism Society. (September 2005). *Ecotourism fact sheet*. Retrieved June 30, 2006 from the World Wide Web: www.ecotourism.org
- Johns, B. W. (1998a). Whooping cranes nesting in Alberta. *Blue Jay, 56*, 31-33.
- Johns, B. W. (1998b). 1997 - Year of the crane. *Alberta Naturalist, 28*, 3-4.
- Jones, K. L., & Lacy, B. (2006). *Whooping crane master plan for 2006*. Unpublished report for Tom Stehn, USFWS and the International Whooping Crane Recovery Team.
- Kumlien, L., & Hollister, N. (1903). The birds of Wisconsin. *Bulletin of the Wisconsin Natural History Society, 2*, 1-143.
- Kuyt, E. (1992). Aerial radio-tracking of whooping cranes migrating between Wood Buffalo National Park and Aransas National Wildlife Refuge, 1981-84. *Occas. Pap. 74*. Ottawa: Canadian Wildlife Service.
- Lewis, J.C., Kuyt, E., Schwindt, K.E., & Stehn, T.V. (1992a). Mortality in fledged cranes of the Aransas-Wood Buffalo population. In D.A. Wood, (Ed.), *Proc. 1988 N. Am. Crane Workshop* (pp. 145-148). Tallahassee, FL: Florida Game and Fresh Water Fish Commission.

- Lewis, J. C., Drewien, R. C., Kuyt, E., & Sanchez, Jr., C. (1992b). Contaminants in habitat, tissue, and eggs of whooping cranes. *Proc. N. Am. Crane Workshop*, 6, 159-165.
- Lewis, J.C. (1997). Alerting the birds. *Endangered Species Bulletin*, XXII(2).
- Manville, A.M., II. (in press). Bird strikes and electrocutions at power lines, communication towers, and wind turbines: State of the art and state of the science – next steps toward mitigation. In C.J. Ralph and T. D. Rich, (Eds.) *Bird conservation implementation in the Americas: Proceedings 3rd International Partners in Flight Conference 2002* (GTR-PSW-191). Albany, CA: U.S.D.A. Forest Service.
- Meine, C. D., & Archibald, G. W. (Comps.) (1996). *The cranes: Status survey and conservation action plan*. Gland, Switzerland AND Cambridge, UK: IUCN SSC Crane Specialist Group.
- Mirande, C., Lacy, R., & Seal, U. (1991). *Whooping crane (Grus Americana) conservation viability assessment workshop report*. Apple Valley, MN: IUCN SSC Captive Breeding Specialist Group.
- Mirande, C., Lacy, R., & Seal, U. (1993). *Whooping crane (Grus americana) conservation viability assessment workshop report*. Apple Valley, MN: Captive Breeding Specialist Group, IUCN.
- Mirande, C.R., Cannon, J. R., Agzigian, K., Bogart, R. E., Christiansen, S., Dubow, J., Fernandez, A. K., Howarth, D. K., Jones, C., Munson, K. G., Pandya, S. I., Sedaghatkish, G., Skeri, K. L., Stenquist, S. A., & Wheeler, J. (1997). Computer simulations of possible futures for two flocks of whooping cranes. *Proc. N. Am. Crane Workshop*, 7, 181-200.
- Montague, C. L., & Weigert, R. G. (1990). Salt marshes. In R.L Meyers & J.J. Ewel (Eds.), *Ecosystems of Florida* (pp. 481-516). Gainesville, FL: University Press of Florida.
- Morkill, A. E. (1990). *Effectiveness of markers in reducing sandhill crane collisions with power lines*. Unpublished master thesis. University of Wyoming, Laramie.
- Morkill, A. E., & Anderson, S. H. (1991). Effectiveness of marking power lines to reduce sandhill crane collisions. *Wildl. Soc. Bull*, 19, 442-449.
- Morkill, A. E., & Anderson, S. H. (1993). Effectiveness of yellow aviation balls in reducing sandhill crane collisions with power lines. In *Proc. International Workshop on Avian Interactions with Utility Structures* (pp. 21-1 to 21-17). Pleasant Hill, CA: Elect. Power Res. Institute.
- Nesbitt, S.A. (1982). The past, present, and future of the whooping crane in Florida. In J.C. Lewis (Ed.). *Proc. 1981 International Crane Workshop* (pp. 151-154). Tavernier, FL: National Audubon Society.
- Nesbitt, S.A., & Williams, K.S. (1990). Home range and habitat use of Florida sandhill cranes. *J. Wildl. Manage.* 54, 92-96.
- Nesbitt, S. A., Folk, M. J., Spalding, M. G., Schmidt, J. A., Schwikert, S. T., Nicolich, J. M., Wellington, M., Lewis, J. C., & Logan, T. H. (1997). An experimental release of whooping cranes in Florida – the first three years. *Proc. N. Am. Crane Workshop* 7, 79-85.

- Northeast Furbearer Resources Technical Committee. (2001). *Trapping and furbearer management in North American wildlife conservation*. United States and Canada: Northeast Furbearer Resources Technical Committee.
- Olsen, G. H., Langenberg, J. A., & Carpenter, J. W. (1996). Medicine and surgery. In D. H. Ellis, G. F. Gee, & C. M. Mirande (Eds). *Cranes: their biology, husbandry, and conservation* (pp. 137-174). Washington D.C.: National Biological Service.
- Outdoor Industry Foundation. (2005). *Outdoor recreation participation and spending study: A state by state perspective*. Retrieved July 9, 2006 from the World Wide Web: <http://www.outdoorindustry.org/found.wild.report.html>
- Pohlman, J.D., Bartelt, G.A., Hanson, A.C., III, Scott, P.H., & Thompson, C.D. (Eds.). (2006). *Wisconsin land legacy report: An inventory of places to meet Wisconsin's future conservation and recreation needs*. Madison, WI: Wisconsin Department of Natural Resources.
- Robbins, S.D. (1991). *Wisconsin birdlife*. Madison, WI: University of Wisconsin Press.
- Snyder, S. B., Richard, M. J., Thilsted, J.P., Drewien, R.C., & Lewis, J.C. (1992). Lead poisoning in a whooping crane. In D. A. Wood (Ed.), *Proc. 1988 N. Am. Crane Workshop, Florida* (pp. 207-211). (Nongame Wildlife Program Technical Report 12). Tallahassee, FL: Florida Game and Fresh Water Fish Commission.
- Stehn, T., & Johnson, E. F. (1987). The distribution of winter territories of the whooping crane on the Texas coast. In J. C. Lewis & J. W. Ziewitz (Eds.), *Proc. 1985 Crane Workshop* (pp. 180-195). Grand Island, NE: Platte River Whooping Crane Habitat Maintenance Trust and USFWS.
- Stys, B. (1997). *Ecology of the Florida sandhill crane*. (Nongame Wildlife Technical Report #15). Tallahassee, FL: Florida Game and Fresh Water Fish Commission.
- U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS). (2000). *Wisconsin wetlands reserve program*. Retrieved July 12, 2006 on the World Wide Web: <http://www.nrcs.usda.gov/PROGRAMS/wrp/states/wi.html>
- U.S. Fish and Wildlife Service & U.S. Census Bureau. (2002). *2001 National survey of fishing, hunting, and wildlife-associated recreation*. Retrieved July 10, 2006 on the World Wide Web: <http://www.census.gov/prod/2002pubs/FHW01.pdf>
- Urbanek, R. P., & Bookhout, T. A. (1994). Performance of captive-reared cranes released into a migration route in eastern North America. In H. Higuchi & J. Minton (Eds.), *The future of cranes and wetlands* (pp.121-129). Tokyo, Japan: Wild Bird Society.
- Wisconsin Department of Natural Resources Wetland Team. (December 2000). *Restoring the loss: A strategy for protecting & restoring wetlands in Wisconsin* (WI DNR Publication No. FH-232-2000). Madison, WI: Wisconsin Department of Natural Resources.

Wisconsin Department of Natural Resources. (2006) *Wisconsin land legacy report: An inventory of places to meet Wisconsin's future conservation and recreation needs* (WI DNR Publication No. LF-040-2006). Pohlman, J. D., Bartelt, G. A., Hanson III, A. C., Scott, P. H. & Thompson, C. D., (Eds.). Madison, WI: Wisconsin Department of Natural Resources.

Wood, D. A., & Nesbitt, S. A. (2001). Sandhill crane. In D.A. Wood (Ed.), *Florida's fragile wildlife: Conservation and management* (pp. 108-123). Gainesville,FL: University of Florida Press.

