



November 3, 2009

Mr. Joe Rabideau
1461 West Mason Street
Green Bay, Wisconsin 54303

Re: Documentation of Remedial Action and Groundwater Monitoring
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, Wisconsin
WDNR BRRTS #: 02-05-521419
Bonestroo File No.: 004230-09001-0

Dear Mr. Rabideau:

Bonestroo, Inc. (Bonestroo) (formerly known as Northern Environmental Technologies, Incorporated) conducted a Wisconsin Department of Natural Resources (WDNR)-approved remedial action and continues to monitor groundwater quality at the former Econocare Cleaners located at 719 South Fisk Street, Green Bay, Wisconsin (the Site). This letter report summarizes remedial action and groundwater monitoring activities completed at the Site since 2008.

BACKGROUND INFORMATION

The Site owned by Mr. Joe Rabideau is vacant and covered with asphalt pavement and a slab-on grade foundation from the former dry cleaning business. The Site historically operated as a commercial dry cleaner from approximately 1965 to 1995. The adjacent parcel (1458 Shirley Street) to the east is owned by the responsible party and for the purpose of this cleanup is considered part of the Site. The site layout is shown in Figure 1.

During December 2003, Alpha Terra Science completed a Phase II environmental site assessment (ESA) to determine if chlorinated solvents had been released during dry cleaning operations at the Site. The Phase II ESA documented the presence of tetrachloroethylene (PCE) in soil and groundwater at the Site. Based on the results of the Phase II ESA, a release was reported to the WDNR. The WDNR required a site investigation to evaluate the extent of the chlorinated solvent release.

During 2004, Mr. Rabideau retained Giles to investigate the extent of the chlorinated solvent release. Between July 2004 and December 2006, Giles collected soil samples from 38 boreholes, and installed sixteen monitoring wells/piezometers. Giles collected groundwater samples from the monitoring wells and piezometer during four sampling events between 2004 and 2006. Based on the results of the site investigation, the WDNR agreed that the extent of chlorinated solvent contamination in soil and groundwater had been adequately defined.

During June 2006, Giles also conducted air monitoring at four adjacent properties to evaluate the potential for vapor intrusion into residential structures. PCE was detected in an air sample collected from a sealed basement sump in the residence located at 1457 Shirley Street (Figure 1). During December 2006, vapor mitigation systems (sub-slab depressurization) were installed in the 1457 Shirley Street residence to mitigate PCE vapors present in the basement and the 805 South Fisk Street residence to prevent the potential migration of PCE vapors into the basement.

On May 8, 2007, the WDNR approved the site investigation report and authorized Mr. Rabideau to proceed with remedial action. During April 2008, Bonestroo submitted a remedial action proposal to Mr. Rabideau and the WDNR. During August 2008, Mr. Rabideau retained Bonestroo to complete a remedial action and subsequent groundwater monitoring. The following report describes the remedial action, indoor air monitoring, and groundwater quality monitoring.

REMEDIAL ACTION

The objective of the remedial action was to remediate chlorinated compounds in soil at the Site in excess of the calculated soil saturation limits. A secondary remedial action goal was to remediate the most highly contaminated soil to improve groundwater quality. To achieve these objectives, remedial activities included excavating and off-site disposal of soil, collecting soil samples for laboratory analysis from the final walls and floor of the excavation, and backfilling and compacting the excavation. A project contact list for the soil remedial action is included in Attachment A.

Between December 9 and 12, 2008, Bonestroo personnel observed and documented excavation activities. The area of excavation included concrete paved surfaces and the former Econocare Cleaners building concrete slab. The former building slab was thicker than anticipated, and an unexpected footing was encountered resulting in twice as much concrete (approximately 20.8 tons) being removed as estimated. Since the concrete footing was in contact with highly contaminated soil, a sample of the concrete was laboratory analyzed for volatile organic compounds (VOCs) to characterize the concrete for disposal. The concrete was transported to Waste Management's Ridgeview Recycling and Disposal facility. Documentation of concrete laboratory analysis and disposal is included in Appendix B.

After removing the concrete surface, Bonestroo personnel observed and documented the **excavation of approximately 312 tons of contaminated soil**. Excavated soil was transported by Clean Harbors to Sarnia, Ontario for disposal in its solid waste landfill.

The final excavation measured roughly 27 feet long, 22 feet wide. Excavation to the east was limited by the presence of concrete block footings associated with the former building that extended more than 6 feet below grade (fbg). Since the tonnage limit estimate in the remedial action plan for concrete and highly contaminated soil removal had been reached, no additional excavation was conducted east of the footings. The WDNR was contacted and concurred with leaving the concrete footings in place and not extending the excavation further to the east.

Soil excavation to the west, north, and south was guided by field screening results and analytical data obtained during the site investigation from nearby boreholes. The excavation extended to a maximum depth of 12 fbg. The excavation was backfilled with clean pit run material and finished with approximately 6 inches of gravel. The extent of the remedial excavation is shown in Figure 2. Soil disposal documentation is included in Attachment B.

Bonestroo collected 41 soil samples (S1 through S41) from the walls and floor of the excavation to guide and confirm removal of contaminated soil. These samples were collected to evaluate the vertical and lateral extent of the chlorinated soil-affected soil and to guide the remedial excavation. The soil samples were examined, described, and field screened for the presence of VOCs using a photoionization detector (PID). Sidewall profiling consisted of collecting soil samples for PID and potential laboratory analysis vertically at 2-foot intervals. Generally, the soil sample exhibiting the highest field screening result from each sidewall profile was submitted for laboratory analysis. Five soil samples from the final walls of the excavation (S9, S17, S36, S40, and S41) and one floor soil sample (S13) were laboratory analyzed to confirm the success of the remedial excavation. Soil samples for laboratory analysis were courier transported under chain-of-custody to Synergy Environmental laboratory, Incorporated for VOC analysis using U.S. Environmental Protection Agency (USEPA) Method 8260.

Strong solvent-like odors and high field screening results (i.e., PID readings greater than 1000 instrument units as isobutylene [iui]) were observed in most of the soil excavated for off-site disposal. Field screening results of soil samples collected from the source area were significantly less (less than 210 iui). PCE was the only compound detected in the laboratory analyzed soil samples. The reported PCE concentrations were well below the soil saturation limit of 2,400,000 micrograms per kilogram ($\mu\text{g}/\text{kg}$) but above the USEPA site-specific soil screening levels for soil to groundwater, ingestion, and inhalation. The final excavation extent and soil sample locations are shown in Figure 2. Soil sample field screening, laboratory analysis results, and soil screening levels are summarized in Table 1. Laboratory analytical reports and chain-of-custody records are included in Attachment C.

AIR MONITORING

Between April 1 and 3, 2009, Bonestroo collected ambient indoor air quality samples from the basements of the residences at 805 Fisk Street and 1457 Shirley Street. Bonestroo also collected an ambient outdoor air sample from the vacant lot at 1459 Shirley Street. On October 6, 2009 Bonestroo collected an indoor air quality sample from the 1457 Shirley Street residence basement. All air samples were collected over an 8-hour or 24-hour period using 6-liter evacuated stainless steel canisters (SummaTM canisters) with air flow control regulators. Air samples collected in the SummaTM canisters were laboratory analyzed by Pace Analytical Services, Incorporated for the chlorinated volatile organic compounds (CVOCs) 1,2-dichloroethane, cis 1,2-dichloroethene (cis 1,2-DCE), PCE, trans 1,2-dichloroethene, and vinyl chloride using the EPA Modified Method TO-15.

CVOCs were not detected in the outdoor air sample collected at 1459 Shirley Street or in the indoor air sample collected at 805 Fisk Street. VOCs were not detected in the indoor air sample collected at 1457 Shirley Street with the exception of 6.55 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) PCE during April 2009 and 1.4 $\mu\text{g}/\text{m}^3$ during October 2009. The PCE concentrations during April exceeded the USEPA risk-based screening level for residential air (4.1 $\mu\text{g}/\text{m}^3$) representing a 1 in 100,000 cancer risk. Air sampling results are summarized in Table 2. Laboratory reports and chain-of-custody records are included in Attachment D.

GROUNDWATER MONITORING

The groundwater monitoring well network was sampled during March, June, and September 2009 to evaluate groundwater quality. Before well sampling, Bonestroo personnel measured the depth to water in the monitoring well network to determine shallow groundwater flow direction and hydraulic gradient. All wells were sampled using low-flow sampling techniques in general conformance to WDNR guidelines. During sampling, Bonestroo collected field measurements for temperature, pH, conductivity, oxygen reduction potential (ORP), dissolved oxygen (DO), and/or carbon dioxide. During March, June, and September 2009, monitoring wells MW1 through MW4, MW6 through MW9, PZ1, and PZ2 were laboratory analyzed for VOCs using EPA Method 8260B. In addition, MW5, MW10, MW11, PZ3, PZ4, and PZ5 were laboratory analyzed for VOCs during March and June 2009. Select wells were laboratory analyzed for nitrate, Kjeldahl nitrogen, iron, manganese, sulfate, alkalinity, total organic carbon, ethane, ethene, methane, phosphorus, and/or chlorides during each sampling event.

Groundwater flow is generally to the southeast at and downgradient of the Site. The horizontal hydraulic gradients are approximately 0.0125 foot/foot and 0.033 foot/foot at and downgradient of the Site, respectively. Vertical hydraulic gradients of groundwater elevation measurements from water table monitoring wells adjacent to piezometers show the following.

- PZ1/MW1 – slightly upward gradient
- PZ2/MW7 – slightly downward gradient
- PZ3/MW9 – downward gradient
- PZ4/MW10 – slightly downward gradient
- PZ5/MW11 – no gradient

Groundwater flow on July 29, 2009 is illustrated in Figure 4 and is consistent with historic groundwater flow. Groundwater elevation data is summarized in Table 3.

The primary and most highly concentrated CVOC present in groundwater is PCE. Lesser concentrations of cis 1,2-DCE, and trichloroethene (TCE) are also present. Highly elevated PCE concentrations in groundwater (i.e. >900 µg/l) were present in monitoring wells MW1, MW2, and MW7, which are located adjacent to or downgradient of the CVOC release source area. Since March 2009, PCE concentrations in groundwater above the Chapter NR 140 Wisconsin Administrative Code (NR 140 Wis. Adm. Code) enforcement standard (ES) have been present in MW1, MW2, MW3, MW6, MW7, MW9, PZ1, and PZ3. In addition, cis 1,2-DCE and/or TCE concentrations in groundwater above the NR 140 Wis. Adm. Code ES were present in MW6, MW7, PZ1, and PZ2. The remainder of the monitoring wells did not contain VOC concentrations above their respective NR 140 Wis. Adm. Code preventive action limit (PAL). The extent of PCE in groundwater during September 2009 is depicted in Figure 4. VOC monitoring results from the monitoring well network are summarized in Table 4. Laboratory analysis reports and chain-of-custody records are included in Attachment E.

Inorganic parameters in groundwater were also measured to evaluate the effectiveness of natural attenuation processes in reducing CVOC contaminant concentrations at the Site. DO concentrations of less than 1 milligram per liter and ORP measurements less than 0 indicate groundwater conditions commonly favorable for anaerobic degradation of CVOCs (i.e., PCE and TCE) and are the strongest indicators of the reducing environment in required groundwater for reductive dechlorination of CVOCs. The other measured inorganic parameters can also provide additional evidence of reductive dechlorination.


DO and ORP were depressed in groundwater monitoring wells within the contaminant plume compared to background locations (MW4) and suggest slightly reducing groundwater conditions. The other inorganic parameters measured do not provide clear evidence of reductive dechlorination of chlorinated compounds. Natural attenuation parameters are summarized in Table 5.

CONCLUSIONS AND RECOMMENDATIONS

The remedial excavation successfully removed contaminated soil with PCE concentrations above the soil saturation limit. However, soil containing PCE concentrations above USEPA soil screening levels remains at the Site. The most-recent indoor air samples collected from adjacent residences with operating sub-slab vapor mitigation systems did not contain CVOCs above the USEPA Risk-Based Screening Levels. Therefore, the vapor mitigation systems appear to be reducing the risk of CVOC vapor intrusion into the residences. PCE-contaminated groundwater is present adjacent to and hydraulically downgradient from the remedial excavation area. Additional groundwater monitoring is required to evaluate natural attenuation of CVOCs as an acceptable final remedial alternative.


We trust this information meets your needs. Please contact us if you have any questions or require additional information.

Sincerely,
BONESTROO


Christopher C. Hatfield, PG
Project Manager

CCH/lmh
Attachments

√ c: Kristin Dufresne, Wisconsin Department of Natural Resources



- LEGEND**
- SUBJECT PROPERTY LINE
 - PROPERTY LINE
 - OVERHEAD ELECTRIC
 - BURIED ELECTRIC
 - WATER MAIN
 - SANITARY SEWER
 - STORM SEWER
 - GAS LINE

- MW11 GROUNDWATER MONITORING WELL LOCATION (GILES)
 - PZ5 PIEZOMETER LOCATION (GILES)
 - MANHOLE LOCATION
 - UTILITY POLE LOCATION
 - CATCH BASIN LOCATION
- FORMER OBJECTS**
- (A) FORMER DRYCLEANING MACHINE LOCATION
 - (B) FORMER VACUUM
 - (C) FORMER SHED

NOTE:
 MAP BASED ON ALPHA TERRA "BORING LOCATIONS AND SOIL CHEMISTRY RESULTS" (DATED 12/23/03) AND PLAN VIEW OBTAINED THROUGH DIGGERS HOTLINE




330 South 4th Avenue
 Park Falls, Wisconsin 54552
 P: 800-498-3913 F: 715-762-1844


This drawing and all information contained thereon is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 01/20/09 DRAWN BY: NLB REVISED: 10/26/09 MSM PROJECT NUMBER: 004230-09001-0

MONITORING WELL LOCATIONS

FORMER ECONOCARE CLEANERS
 719 SOUTH FISK STREET
 GREEN BAY, WISCONSIN





EXTENT OF EXCAVATION & SOIL SAMPLE LOCATIONS

FORMER ECONOCARE CLEANERS
 719 SOUTH FISK STREET
 GREEN BAY, WISCONSIN

PROJECT NUMBER: 004230-09001-0

DATE: 01/20/09

DRAWN BY: NLB

REVISED: 11/02/09 MSM

FIGURE 2


330 South 4th Avenue
 Park Falls, Wisconsin 54552
 P: 800-498-3913 F: 715-762-1844



This drawing and all information contained therein is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

- LEGEND:**
- G — NATURAL GAS LINE
 - - - - - EXTENT OF REMEDIAL EXCAVATION
 - MW1 GROUNDWATER MONITORING WELL (GILES)
 - PZ1 PIEZOMETER LOCATION (GILES)
 - GP19 GEOPROBE BORING/SOIL BORING
 - B1 GEOPROBE BORING (ALPHA TERRA)
 - SOIL SAMPLE LOCATION
 - SOIL SAMPLE LOCATION (SUBMITTED FOR LAB ANALYSIS)
- FORMER OBJECTS**
- (A) FORMER DRY CLEANING MACHINE
 - (B) FORMER VACUUM
 - (C) FORMER SHED

NOTE:
 MAP BASED ON ALPHA TERRA "BORING LOCATIONS AND SOIL CHEMISTRY RESULTS" (DATED 12/23/03) AND PLAN VIEW OBTAINED THROUGH DIGGERS HOTLINE




LEGEND

- SUBJECT PROPERTY LINE
- PROPERTY LINE
- OVERHEAD ELECTRIC
- BURIED ELECTRIC
- WATER MAIN
- SANITARY SEWER
- STORM SEWER
- GAS LINE
- GROUNDWATER CONTOUR LINE - DASHED WHERE INFERRED
- GROUNDWATER FLOW DIRECTION
- PCE ISOCONCENTRATION LINE (MICROGRAMS PER LITER)

NOTE:

MAP BASED ON ALPHA TERRA "BORING LOCATIONS AND SOIL CHEMISTRY RESULTS" (DATED 12/23/03) AND PLAN VIEW OBTAINED THROUGH DIGGERS HOTLINE




ND = NOT HISTORICALLY DETECTED

- MW11 639.56 <0.42 GROUNDWATER MONITORING WELL LOCATION & GROUNDWATER ELEVATION (FT) & PCE CONCENTRATION IN GROUNDWATER (MICROGRAMS PER LITER)
- PZ5 PIEZOMETER LOCATION (GILES)

FORMER OBJECTS

- MANHOLE LOCATION
- UTILITY POLE LOCATION
- CATCH BASIN LOCATION
- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED



Bonestroo

330 South 4th Avenue
Park Falls, Wisconsin 54552
P: 800-498-3913 F: 715-762-1844

This drawing and all information contained thereon is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 01/20/09	DRAWN BY: NLB	REVISED: 10/27/09 MSM	
----------------	---------------	-----------------------	--

**GROUNDWATER ELEVATION CONTOUR MAP
AND EXTENT OF PCE IN GROUNDWATER
SEPTEMBER 29, 2009**

FORMER ECONOCARE CLEANERS
719 SOUTH FISK STREET
GREEN BAY, WISCONSIN

PROJECT NUMBER: 004230-09001-0	FIGURE 3
--------------------------------	----------

Table 1 Soil Sample Field Screening and Volatile Organic Compound Laboratory Results, Former Econocare Cleaners, Green Bay, Wisconsin

Sample Number	Sample					Detected Volatile Organic Compounds (microgram per kilogram)				
	Date	Depth (feet below grade)	PID Response (iui)	Odor	Description	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	Naphthalene	Tetrachloroethene (PCE)	Trichloroethene (TCE)
U.S. Environmental Protection Agency Site-Specific Soil Screening Level for Soils in Groundwater						27	98	440	4.1	3.7
U.S. Environmental Protection Agency Site-Specific Soil Screening Level for Ingestion						156,000	313,000	313,000	1230	160
U.S. Environmental Protection Agency Site-Specific Soil Screening Level for Inhalation of Volatiles						NR	NR	68,000	2100	14
Section NR 720.11, Wisconsin Administrative Code Residual Contaminant Levels for Protection from Direct Contact						NE	NE	NE	NE	NE
Soil Saturation Limit						1,300,000	3,200,000	NE	2,400,000	1,300,000
S1	12/9/2008	2	4	None	Silty Clay	-	-	-	-	-
S2	12/10/2008	3.5	2500+	Strong solvent	Silty Clay	-	-	-	-	-
S3	12/10/2008	7	5000+	Strong solvent	Silty Clay	-	-	-	-	-
S4	12/10/2008	11	408	Strong solvent	Clayey Silt	-	-	-	-	-
S5	12/10/2008	5	5000+	Strong solvent	Silty Clay	-	-	-	-	-
S6	12/10/2008	4	1750	Strong solvent	Silty Clay	-	-	-	-	-
S7	12/10/2008	4	5000+	Strong solvent	Silty Clay	-	-	-	-	-
S8	12/10/2008	2	37	Slight solvent	Silty Clay	-	-	-	-	-
*S9	12/10/2008	4	39	Slight solvent	Silty Clay	<24	<29	<117	4200	<20
S10	12/10/2008	6	12	None	Silty Clay	-	-	-	-	-
S11	12/10/2008	8	9	None	Silty Clay	-	-	-	-	-
S12	12/10/2008	10	14	None	Silty Clay	-	-	-	-	-
*S13	12/10/2008	12	10	None	Sand	<24	<29	<117	165	<20
S14	12/11/2008	8	1446+	Strong solvent	Silty Clay	-	-	-	-	-
S15	12/11/2008	5	2301+	Strong solvent	Silty Clay	-	-	-	-	-
S16	12/11/2008	6	5000+	Strong solvent	Silty Clay	-	-	-	-	-
*S17	12/11/2008	2	30	Slight solvent	Silty Clay	<24	<29	<117	8800	<20
S18	12/11/2008	4	6	None	Silty Clay	-	-	-	-	-
S19	12/11/2008	6	6	None	Silty Clay	-	-	-	-	-
S20	12/11/2008	8	9	None	Silty Clay	-	-	-	-	-
S21	12/11/2008	10	0	None	Silty Clay	-	-	-	-	-
S22	12/11/2008	2	94	Strong solvent	Silty Clay	-	-	-	-	-
S23	12/11/2008	4	292	Strong solvent	Silty Clay	-	-	-	-	-
S24	12/11/2008	6	335	Strong solvent	Silty Clay	-	-	-	-	-
S25	12/11/2008	8	199	Strong solvent	Silty Clay	-	-	-	-	-
S26	12/11/2008	10	270	Strong solvent	Silty Clay	-	-	-	-	-
S27	12/11/2008	5	2010+	Strong solvent	Silty Clay	-	-	-	-	-
S28	12/11/2008	12	18	None	Silty Clay	-	-	-	-	-
S29	12/11/2008	10	51	Slight solvent	Clay	-	-	-	-	-
S30	12/11/2008	8	2000+	Strong solvent	Clay	-	-	-	-	-
S31	12/11/2008	8	2337+	Strong solvent	Clay	-	-	-	-	-
S32	12/11/2008	2	20	None	Silty Clay	-	-	-	-	-
S33	12/12/2008	6	1500+	Strong solvent	Clay	-	-	-	-	-
S34	12/12/2008	2	184	Strong solvent	Clay	-	-	-	-	-
S35	12/12/2008	4	199	Strong solvent	Clay	-	-	-	-	-
*S36	12/12/2008	6	210	Strong solvent	Clay	<24	<29	<117	19,000	<20
S37	12/12/2008	8	171	Strong solvent	Clay	-	-	-	-	-
S38	12/12/2008	10	109	Strong solvent	Clay	-	-	-	-	-
S39	12/12/2008	6	58	None	Clay	-	-	-	-	-
*S40	12/12/2008	6	1250+	Strong solvent	Clay	<24	<29	<117	74,000	<20
*S41	12/12/2008	3	40	None	Clay	<24	<29	<117	4700	<20

Note: U.S. Environmental Protection Agency (USEPA) soil screening levels were calculated using the USEPA website (<http://rais.ornl.gov/cqi-bin/epa/ss12.cgi>) and input data was modified according to the Wisconsin Department of Natural Resources guidance document PUB-RR-682.

- PID = photoionization detector
- iui = instrument units as isobutylene
- NE = not established by Wisconsin Administrative Code (Wis. Adm. Code) or not suggested by WDNR
- NC = not calculated since compound not included in USEPA list of parameters
- NR = inhalation risk factor not assigned by USEPA
- <x = compound not detected to a detection limit of x
- = not laboratory analyzed
- J = analyte detected between the limit of detection and the limit of quantitation

XXX = exceeds U.S. Environmental Protection Agency site-specific soil screening level for soils in groundwater

XXX = exceeds U.S. Environmental Protection Agency site-specific soil screening level for ingestion

XXX = exceeds U.S. Environmental Protection Agency site-specific soil screening level for inhalation risk (volatiles)

Table 2 Air Monitoring Results, Former Econocare Cleaners, Green Bay, Wisconsin

Sample Address	Date	Sample Location	Description	Duration (Hours)	Detected CVOCs ($\mu\text{g}/\text{m}^3$)	
					Tetrachloroethene (PCE)	Trichloroethene (TCE)
U.S. Environmental Protection Agency Region III Risk-Based Air Screening Levels ^(a)					0.41^(b)	1.2^(b)
					4.1^(c)	12^(c)
805 South Fisk Street	06/16/06	Basement Air	Sample collected before VMS installation	8	<24.82	ND
	03/01/07	Basement Air	Sample collected after VMS installation	8	<4.83	<0.7
	04/03/09	Basement Air	Sample collected while VMS was operating	24	<4.8	<0.7
815 South Fisk Street	12/06/06	Sump/Draintile System Air	Sump sealed for 8 hours and sampled	8	<4.83	<0.7
1451 Shirley Street	12/04/06	Sump/Draintile System Air	Sump sealed for 8 hours and sampled	8	<4.83	<0.7
1457 Shirley Street	06/16/06	Sump/Draintile System Air	Sump sealed for 8 hours and sampled	8	126.18	ND
	03/01/07	Basement Air	After VMS installation	8	37.92	<0.7
	04/01/09	Basement Air	Sample collected while VMS was operating	24	6.55	<0.7
	10/06/09	Basement Air	Sample collected while VMS was operating	24	1.4 "J"	1.3 "J"
1459 Shirley Street (vacant lot)	04/01/09	Ambient Outdoor Air	Sample collected from center of lot	24	<4.8	<0.7

Notes:

CVOCs = chlorinated volatile organic compounds

^(a) U.S. Environmental Protection Agency Mid-Atlantic Risk Assessment - Region 3 Human Health Risk Assessment Screening Level Table (April 2009)

^(b) Ambient air concentration obtained from the Risk-Based Concentration Table (equivalent to a 1 in 1 million lifetime cancer risk)

^(c) Ambient air concentration revised from the Risk-Based Concentration Table (equivalent to a 1 in 100,000 lifetime cancer risk)

VMS = vapor mitigation system

ND = no detect

"J" = analyte detected between limit of detection and limit of quantification

XXX = Analyte concentration exceeding USEPA Region III Risk-Based Air Screening Level for 1 in 1 million cancer risk

XXX = Analyte concentration exceeding USEPA Region III Risk-Based Air Screening Level for 1 in 100,000 cancer risk

Table 3 Water Level Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well I.D.	Ground Surface Elevation (msl)	Reference Point Elevation (msl)	Top / Bottom Well Screen Elevation (msl/fbg)	Date	Depth to Water (feet)		Water Table Elevation (feet)
					Below Riser	Below Grade	
MW1	654.87	654.47	651.77 / 641.77	03/25/09	0.74	1.14	653.73
				06/26/09	3.95	4.35	650.52
				09/29/09	6.66	7.06	647.81
MW2	654.53	654.02	651.52 / 641.52	03/25/09	2.37	2.88	651.65
				06/26/09	4.58	5.09	649.44
				09/29/09	6.61	7.12	647.41
MW3	654.28	653.85	651.35 / 641.35	03/25/09	0.42	0.85	653.43
				06/26/09	4.10	4.53	649.75
				09/29/09	6.52	6.95	647.33
MW4	656.07	655.56	652.86 / 642.86	03/25/09	3.20	3.71	652.36
				06/26/09	4.90	5.41	650.66
				09/29/09	7.83	8.34	647.73
MW5	655.85	655.46	652.96 / 642.96	03/25/09	3.70	4.09	651.76
				06/26/09	5.15	5.54	650.31
				09/29/09	7.30	7.69	648.16
MW6	652.02	651.54	648.04 / 638.04	03/25/09	0.90	1.38	650.64
				06/26/09	3.15	3.63	648.39
				09/29/09	4.52	5.00	647.02
MW7	653.83	653.27	649.77 / 639.77	03/25/09	3.29	3.85	649.98
				06/26/09	5.02	5.58	648.25
				09/29/09	6.56	7.12	646.71
MW8	655.45	654.89	651.39 / 641.39	03/25/09	4.58	5.14	650.31
				06/26/09	5.91	6.47	648.98
				09/29/09	7.36	7.92	647.53
MW9	650.67	650.29	646.79 / 636.79	03/25/09	0.92	1.30	649.37
				06/26/09	3.14	3.52	647.15
				09/29/09	3.75	4.13	646.54
MW10	651.88	651.51	648.01 / 638.01	03/25/09	4.22	4.59	647.29
				06/26/09	5.85	6.22	645.66
				09/29/09	8.35	8.72	643.16
MW11	648.01	647.63	644.13 / 634.13	03/25/09	0.30	0.68	647.33
				06/26/09	3.21	3.59	644.42
				09/29/09	8.07	8.45	639.56

Table 3 Water Level Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well I.D.	Ground Surface Elevation (msl)	Reference Point Elevation (msl)	Top / Bottom Well Screen Elevation (msl/fbg)	Date	Depth to Water (feet)		Water Table Elevation (feet)
					Below Riser	Below Grade	
PZ1	654.85	654.55	635.35 / 630.35	03/25/09	1.35	1.65	653.20
				06/26/09	4.13	4.43	650.42
				09/29/09	6.64	6.94	647.91
PZ2	653.73	653.23	633.23 / 628.23	03/25/09	3.83	4.33	649.40
				06/26/09	5.29	5.79	647.94
				09/29/09	6.70	7.20	646.53
PZ3	650.65	650.11	630.11 / 625.11	03/25/09	7.42	7.96	642.69
				06/26/09	7.57	8.11	642.54
				09/29/09	8.80	9.34	641.31
PZ4	652.46	652.01	632.01 / 627.01	03/25/09	5.92	6.37	646.09
				06/26/09	6.82	7.27	645.19
				09/29/09	9.62	10.07	642.39
PZ5	647.99	647.67	627.67 / 622.67	03/25/09	0.50	0.82	647.17
				06/26/09	3.43	3.75	644.24
				09/29/09	8.10	8.42	639.57

Notes

- * = Well Screen Submerged
- msl = Mean Sea Level
- fbg = Feet Below Grade
- = Not Collected

- Note: 1) Benchmark is XXX
 2) Reference Point is XXX

Well ID	Date Sampled	Water Table Elevation (feet below grade)	Relevant and Significant Volatile Organic Compounds Analytical Results (micrograms per liter)													
			Benzene	Chloromethane	1,2-Dichlorobenzene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Ethylbenzene	Methyl-Tert-Butyl-Ether	Tetrachloroethene (PCE)	Toluene	Trichloroethene (TCE)	Trimethylbenzene	Vinyl Chloride	Xylenes
Chapter NR 140, Wisconsin Administrative Code PAL			0.5	0.3	60	0.7	7	20	140	12	0.5	200	0.5	96	0.02	1000
Chapter NR 140, Wisconsin Administrative Code ES			5	3	600	7	70	100	700	60	5	1000	5	480	0.2	10,000
PZ2	10/19/05		< 1.0	< 0.20	< 1.0	---	< 2.5	< 0.50	---	---	280	< 1.0	30	< 2.0	---	---
	06/16/06		< 1.0	< 1.0	< 1.0	---	< 2.5	< 2.5	---	---	360	< 1.0	35	< 2.0	---	---
	12/5&6/06		< 1.0	< 1.0	< 1.0	---	9.2	< 2.5	---	---	690	< 1.0	110	< 2.0	---	---
	03/27/09	649.40	< 0.24	< 0.5	< 0.88	0.92 "J"	68	1.87 "J"	< 0.35	0.74 "J"	1970	< 0.39	360	< 0.74	0.41 "J"	< 1.67
	06/26/09	647.94	< 4.1	< 5	< 6.6	< 4.7	191	< 6.1	< 8.7	< 5	1690	< 5.1	380	< 26	< 2	< 21.3
	09/29/09	646.53	< 8.2	< 10	< 13.2	< 9.4	320	< 12.2	< 17.4	< 10	600	< 10.2	420	< 52	< 4	< 42.6
PZ3	06/29/06		< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06		< 0.20	< 0.20	< 0.20	---	< 0.20	< 0.20	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	03/27/09	642.69	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	< 0.5	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	642.54	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	< 0.42	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
PZ4	06/17/06		< 0.20	1.2	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06		< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	0.23 "J"	< 0.20	< 0.40	---	---
	03/27/09	646.09	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	< 0.5	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	645.19	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	< 0.42	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
PZ5	06/16/06		< 0.20	0.51 "J"	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06		< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	03/27/09	647.17	< 0.24	< 0.5	< 0.88	0.92 "J"	< 0.44	< 0.61	< 0.35	< 0.7	< 0.5	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	644.24	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	< 0.42	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13

Note:

- "J" = Analyte detected between Limit of Detection and Limit of Quantitation
-
- *

- XXX** = exceeds Chapter NR 140, Wisconsin Administrative Code Preventive Action Limit (PAL)
- XXX** = exceeds Chapter NR 140, Wisconsin Administrative Code Enforcement Standard (ES)

Table 5 Inorganic Groundwater Quality Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well Number	Sample Date	Temperature (°F)	pH (su)	Conductivity (µS/cm)	O.R.P. (mV)	Dissolved Oxygen (mg/l)	Carbon Dioxide (mg/l)	Nitrate (mg/l)	Kjeldahl Nitrogen (µg/l)	Iron (mg/l)	Manganese (mg/l)	Sulfate (mg/l)	Alkalinity (mg/l)	Total Organic Carbon (µg/l)	Ethane (µg/l)	Ethene (µg/l)	Methane (µg/l)	Phosphorus (µg/l)	Total Chloride (mg/l)
MW1	03/27/09	35.74	8.37	166	17.6	19.34	< 10	0.1 J	760	140 J	< 4.8	7.02	60	2200	< 1	< 1	< 2	380	7
	06/26/09	51.49	7.8	372	8.7	4.5	10	0.33	1500	>10	0.35	14.8	220	4600	<1	<1	<1	2200	5.26 "J"
	09/29/09	57.74	6.63	727	47	1.25	35	---	---	---	---	104	---	3200	<1	<1	<1	---	55
MW2	03/27/09	40.35	6.94	667	44.7	26.04	16	1.61	1200	< 60	< 4.8	96.6	340	5700	< 1	< 1	< 2	< 19	158
	06/26/09	60.77	6.59	1670	15.6	0.85	50	---	---	---	---	769	---	5600	<1	<1	2.9 "J"	---	83
	09/29/09	59.87	6.6	812	23.9	2.21	30	---	---	---	---	135	---	---	<1	<1	<1	---	69
MW3	03/27/09	38.02	6.9	23.5	23.5	8.17	19	2.84	1100	< 60	< 4.8	305	380	4000	< 1	< 1	< 2	< 19	118
	06/26/09	50.92	6.84	1270	17.3	2.26	90	2.62	190	0	0.1	159	400	3600	< 1	< 1	1.1 "J"	<19	80.4
	09/29/09	59.87	6.6	812	23.9	2.21	30	---	---	---	---	135	---	---	<1	<1	<1	---	69
MW4	03/27/09	41.36	6.78	688	50.7	16.97	13	2.04	610	< 60	< 4.8	226	230	2200	< 1	< 1	< 2	< 19	290
	06/26/09	53.99	7.14	807	37.8	6.32	50	1.85	1000	0	0.1	42.1	280	1600	<1	<1	<1	77 "J"	92.1
	09/29/09	60.99	6.72	611	58.6	4.03	35	---	---	---	---	29	---	---	<1	<1	<1	---	79
MW6	03/27/09	39.81	6.91	624	-26.7	1.48	15	0.42	400	< 60	10.3	81.9	190	18,000	< 1	< 1	4.8	110	83
	06/26/09	53.66	7.05	839	-12.9	1.46	90	2.19	800	0	0.1	34.8	390	5400	<1	<1	<1	< 19	37.9
	09/29/09	64.26	6.05	441	17.5	0.62	65	---	---	---	---	39	---	---	<1	<1	<1	---	22
MW7	03/27/09	42.96	6.84	1116	16.4	5.71	15	< 0.1	310	< 60	24.4	212	700	8500	< 1	< 1	2.6 "J"	< 19	297
	06/26/09	49.2	6.8	2117	-39.1	1.39	>100	< 0.1	590	2	0.3	87.3	600	8800	< 1	< 1	2.8 "J"	110	311
	09/29/09	56.75	6.51	1152	-33.9	0.49	45	---	---	---	---	93	---	2700	<1	<1	<1	---	276
MW8	09/29/09	59.07	6.61	6035	-26.6	0.43	50	---	---	---	---	97	---	---	<1	<1	<1	---	233 "J"
MW9	09/29/09	62.49	6.57	879	-3.5	0.41	50	---	---	---	---	27	---	---	<1	<1	<1	---	150
MW11	03/27/09	41.56	7.19	881	11.9	5.34	10	< 0.1	360	150 J	67.3	66	280	8400	< 1	< 1	2.8 J	< 19	171
	06/26/09	50.02	6.93	1399	-45.2	1.66	60	< 0.1	390	0.4	0.1	77.6	420	720	<1	<1	<1	53 "J"	252
PZ1	03/27/09	47.64	7.66	585	41.9	2.97	< 10	< 0.1	180	< 60	7.2	269	270	3500	< 1	< 1	3.8	< 19	92.6
	06/26/09	51.85	7.43	624	-23.8	1.51	20	< 0.1	1100	0	0.1	104	240	1300	< 1	< 1	1.4 "J"	31 "J"	24.6
	09/29/09	56.59	6.92	495	23.5	1.47	20	---	---	---	---	97	---	---	<1	<1	<1	---	30
PZ2	03/27/09	49.47	7.33	1440	-61.7	1.04	13	< 0.1	65 J	< 60	156	163	350	3900	< 1	< 1	37.9	< 19	351
	06/26/09	49.65	6.9	1405	32.7	1.4	55	< 0.1	530	0	0.15	53.4	320	4700	< 1	< 1	1.3 "J"	< 19	325
	09/29/09	54.57	6.7	1164	-20.5	1.47	35	---	---	---	---	63	---	2300	<1	<1	<1	---	273
PZ5	03/27/09	48.05	7.64	718	-11.6	1.72	10	< 0.1	500	< 60	129	186	220	9600	< 1	< 1	4.1	< 19	141
	06/26/09	47.33	7.33	535	-169.6	1.8	20	< 0.1	360	0.6	0.1	45.6	210	4200	<1	<1	<1	23 "J"	65.4

Key:

- °F = degrees Fahrenheit
- SU = standard units
- µS/cm = microsiemens per centimeter
- O.R.P. = oxygen-reduction potential
- mV = millivolts
- mg/l = milligrams per liter
- µg/l = micrograms per liter
- = not analyzed
- J = Estimated concentration below laboratory quantitation level.

ATTACHMENT A – PROJECT CONTACTS

PROJECT CONTACTS

Site Owner: Mr. Joe Rabideau
1461 West Mason Street
Green Bay, Wisconsin 54303
(920) 592-0726

Project Consultant: Mr. Christopher C. Hatfield, PG
Bonestroo, Inc.
12075 North Corporate Parkway, Suite 200
Mequon, Wisconsin 53092
(262) 643-9171

Excavation Contractor: Clean Harbors Environmental Services
5401 North Park Drive
Butler, Wisconsin 53007
(262) 373-0901

Soil Disposal Contractor: Clean Harbors Environmental Services
5401 North Park Drive
Butler, Wisconsin 53007
(262) 373-0901

Laboratory: Synergy Environmental Lab, LLC
(WDNR Certification #445037560)
500 West Franklin Street
Appleton, Wisconsin 54911
(920) 830-2455

ATTACHMENT B – DOCUMENTATION OF CONCRETE AND SOIL DISPOSAL

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

LYNELLE CAINE
NORTHERN ENVIRONMENTAL
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 28-Aug-08

Project Name GREEN BAY
Project # 400-1297

Invoice # E17720

Lab Code 5017720A
Sample ID CONCRETE
Sample Matrix Soil
Sample Date 8/21/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B	8/26/2008	8/26/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B	8/26/2008	8/26/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	8/26/2008	8/26/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B	8/26/2008	8/26/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	8/26/2008	8/26/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	8/26/2008	8/26/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	8/26/2008	8/26/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	8/26/2008	8/26/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	8/26/2008	8/26/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B	8/26/2008	8/26/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B	8/26/2008	8/26/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B	8/26/2008	8/26/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	8/26/2008	8/26/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	8/26/2008	8/26/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	8/26/2008	8/26/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	8/26/2008	8/26/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	8/26/2008	8/26/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	8/26/2008	8/26/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	8/26/2008	8/26/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	8/26/2008	8/26/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	8/26/2008	8/26/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	8/26/2008	8/26/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	8/26/2008	8/26/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	8/26/2008	8/26/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B	8/26/2008	8/26/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B	8/26/2008	8/26/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E17720

Lab Code 5017720A
Sample ID CONCRETE
Sample Matrix Soil
Sample Date 8/21/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/26/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/26/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/26/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/26/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/26/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/26/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/26/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/26/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/26/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/26/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/26/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/26/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/26/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/26/2008	CJR	1
Tetrachloroethene	470	ug/kg	18	57	1	8260B		8/26/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/26/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/26/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/26/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/26/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/26/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/26/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/26/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/26/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/26/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/26/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/26/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/26/2008	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature 

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

1214 W. Venture Ct.
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023

647 Academy Drive
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552

203 West Upham Street
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

Project No: 400-1297		Task No:		Laboratory: Synergy			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No							
Project Location: Green Bay		Wisconsin DNR Certification #: 445037560		Method of shipment: Dunham			Contents Temperature: On Ice °C Refrigerator No. _____							
Project Manager: Lynelle Caine				Laboratory Contact: Mike Rickes			ANALYSES REQUESTED							
Sampler: (name) Jeff Brand		Sampler: (Signature) <i>[Signature]</i>		Price Quote:			DRO (WI Modified Method)	GRO (WI Modified Method)	BETX (EPA Method 8020)	PVOC (EPA Method 8020)	VOC (EPA Method 8021)	PAH (EPA Method)	Pb (EPA Method)	
Sampling Date(s): 8-21-08		TURNAROUND TIME REQUIRED												
Reports to be Sent to: Lynelle Caine		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush Date Needed: _____												
Lab ID No.	Sample No.	Collection		No. of Containers, Size & Type	Description			Preservative						
		Date	Time		Water	Soil	Other							
01770A	Concrete	8-21-08	1310	1-2oz			X	methanol				X		

Packed for Shipping by: Jeff Brand		Comments:			
Shipment Date: 8/22/08					
Relinquished By: <i>[Signature]</i>	Date: 8/22/08	Relinquished By: Joann M. Vail	Date: 8/22/08	Relinquished By:	Date:
Company: Northern Environmental	Time: 11:40 am	Company: Northern Env.	Time: 1140 am	Company:	Time:
Received By: <i>[Signature]</i>	Date: 8/22/08	Received By: <i>[Signature]</i>	Date: 11:40	Received By:	Date:
Company: DUNHAM EXPRESS	Time: 11:35	Company: Synergy	Time: 8-23-08	Company:	Time:

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

LYNELLE CAINE
NORTHERN ENVIRONMENTAL
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 28-Aug-08

Project Name GREEN BAY
Project # 400-1297

Invoice # E17720

Lab Code 5017720A
Sample ID CONCRETE
Sample Matrix Soil
Sample Date 8/21/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		8/26/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		8/26/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		8/26/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		8/26/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		8/26/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		8/26/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		8/26/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		8/26/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		8/26/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		8/26/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		8/26/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		8/26/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		8/26/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		8/26/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		8/26/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/26/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/26/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		8/26/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/26/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/26/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/26/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/26/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/26/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/26/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/26/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/26/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5017720A
Sample ID CONCRETE
Sample Matrix Soil
Sample Date 8/21/2008

Invoice # E17720

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/26/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/26/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/26/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/26/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/26/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/26/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/26/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/26/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/26/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/26/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/26/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/26/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/26/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/26/2008	CJR	1
Tetrachloroethene	470	ug/kg	18	57	1	8260B		8/26/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/26/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/26/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/26/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/26/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/26/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/26/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/26/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/26/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/26/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/26/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/26/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/26/2008	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature 

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

1214 W. Venture Ct.
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
FAX 715-762-1844

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023

647 Academy Drive
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552

203 West Upham Street
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

Project No: 400-1297		Task No:		Laboratory: Synergy			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no																														
Project Location: Green Bay		Wisconsin DNR Certification #: 445037560			Method of shipment: Dunham			Contents Temperature: On Ice °C Refrigerator No. _____																													
Project Manager: Lynelle Caine				Laboratory Contact: Mike Rickes			ANALYSES REQUESTED																														
Sampler: (name) Jeff Brand		Price Quote:			<table border="1"> <tr> <td>DFO (WI Modified Method)</td> <td>GFO (WI Modified Method)</td> <td>BETX (EPA Method 8020)</td> <td>PVOC (EPA Method 8020)</td> <td>VOC (EPA Method 8021)</td> <td>PAH (EPA Method)</td> <td>Pb (EPA Method)</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>								DFO (WI Modified Method)	GFO (WI Modified Method)	BETX (EPA Method 8020)	PVOC (EPA Method 8020)	VOC (EPA Method 8021)	PAH (EPA Method)	Pb (EPA Method)																		
DFO (WI Modified Method)	GFO (WI Modified Method)	BETX (EPA Method 8020)	PVOC (EPA Method 8020)	VOC (EPA Method 8021)									PAH (EPA Method)	Pb (EPA Method)																							
Sampler: (Signature) Jeff Brand		TURNAROUND TIME REQUIRED <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush																																			
Sampling Date(s): 8-21-08																																					
Reports to be Sent to: Lynelle Caine				Date Needed: _____																																	
Lab ID No.	Sample No.	Collection		No. of Containers, Size & Type	Description			Preservative	DFO (WI Modified Method)	GFO (WI Modified Method)	BETX (EPA Method 8020)	PVOC (EPA Method 8020)	VOC (EPA Method 8021)	PAH (EPA Method)	Pb (EPA Method)																						
		Date	Time		Water	Soil	Other																														
1770A	Concrete	8-21-08	1310	1-2oz			X	methanol						X																							

Packed for Shipping by: Jeff Brand		Comments:													
Shipment Date: 8/22/08															
Relinquished By: Jeff Brand		Date: 8/22/08	Relinquished By: Joann M. Vail		Date: 8/22/08	Relinquished By:		Date:							
Company: Northern Environmental		Time: 11:40 am	Company: Northern Env.		Time: 11:40 am	Company:		Time:							
Received By: M. [Signature]		Date: 8/22/08	Received By: [Signature]		Date: 8/22/08	Received By:		Date:							
Company: Dunham Express		Time: 11:35	Company: Synergy		Time: 8-23-08	Company:		Time:							



INVOICE

REMIT TO:

Clean Harbors Env. Services
 PO Box 3442
 Boston, MA 02241-3442

OFFICE:

Clean Harbors Env Services Inc
 42 Longwater Drive
 Norwell, MA 02061
 (781) 792-5800

If you have any questions regarding this invoice, please contact your customer service representative at the telephone number listed above

SOLD TO:

Lynelle Caine
 Mason and Fisk - Mr Joe Rabideau
 719 Fisk Street
 Green Bay, WI 54303- 0000

JOB SITE/GENERATOR:

Mason and Fisk - Mr Joe Rabideau
 719 Fisk Street
 Green Bay, WI 54303

Job Description: Remediation

**** Payable in USD funds ****

Last Service Date	Invoice No	Customer	Sales Order	Purchase Order	Terms
19 Dec 2008	EJ0873925	MR0226	EJ2160214	*WORKBENCH*	CERTIFIED CHECK

Last Service Date	Task	Task Type	Description	Total
19 Dec 2008	EJ2160214-001	GENERAL	Remediation	\$6,688.80
19 Dec 2008	EJ2160214-002	GENERAL	Concrete Removal	\$2,032.22
17 Dec 2008	EJ2160214-003	GENERAL	Excavate & Load	\$8,354.74
17 Dec 2008	EJ2160214-006	GENERAL	Backfill	\$7,446.92
17 Dec 2008	EJ2160214-007	GENERAL	#6 Surface Stone Backfill	\$1,356.80
12 Dec 2008	EJ2160214-008	DISPOSAL	Trans and Disposal to Sarnia	\$107,484.52
SUBTOTAL				\$133,364.00
TAX				\$0.00
INVOICE TOTAL				\$133,364.00

Interest will be charged at a rate of 1.5% per month for all past due amounts.



INVOICE

TASK EJ2160214-001 - Remediation

Manifest Info	Item ID	Description	Manifest Qty	Manifest UOM	Billing Qty	Billing UOM	Unit Price	Amount
19 Dec 2008								
	CUSTOM	Mob / De-Mob			1.000	EA	6,688.8000	\$6,688.80
SUBTOTAL								\$6,688.80
TAX								\$0.00
TASK TOTAL								\$6,688.80

TASK EJ2160214-002 - Concrete Removal

Item ID	Description	Qty	Units	Unit Price	Amount
19 Dec 2008					
FIXD	Ton	20.790	Ton	97.7500	\$2,032.22
SUBTOTAL					\$2,032.22
TAX					\$0.00
TASK TOTAL					\$2,032.22

TASK EJ2160214-003 - Excavate & Load

Item ID	Description	Qty	Units	Unit Price	Amount
17 Dec 2008					
FIXD	Ton	312.210	Ton	26.7600	\$8,354.74
SUBTOTAL					\$8,354.74
TAX					\$0.00
TASK TOTAL					\$8,354.74

TASK EJ2160214-006 - Backfill

Item ID	Description	Qty	Units	Unit Price	Amount
17 Dec 2008					
FIXD	Ton	292.380	Ton	25.4700	\$7,446.92
SUBTOTAL					\$7,446.92
TAX					\$0.00
TASK TOTAL					\$7,446.92

TASK EJ2160214-007 - #6 Surface Stone Backfill

Item ID	Description	Qty	Units	Unit Price	Amount
17 Dec 2008					
FIXD	Ton	20.000	Ton	67.8400	\$1,356.80
SUBTOTAL					\$1,356.80
TAX					\$0.00
TASK TOTAL					\$1,356.80

TASK EJ2160214-008 - Trans and Disposal to Sarnia

Manifest Info	Item ID	Description	Manifest Qty	Manifest UOM	Billing Qty	Billing UOM	Unit Price	Amount
---------------	---------	-------------	--------------	--------------	-------------	-------------	------------	--------

09 Dec 2008



INVOICE

TASK EJ2160214-008 - Trans and Disposal to Sarnia

Manifest Info	Item ID	Description	Manifest Qty	Manifest UOM	Billing Qty	Billing UOM	Unit Price	Amount
002225981FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	22,540	KG	25.190	TON	344.2700	\$8,672.16
10 Dec 2008								
002225982FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	20,980	KG	23.270	TON	344.2700	\$8,011.16
002225983FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	20,176	KG	22.530	TON	344.2700	\$7,756.40
002225984FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	19,220	KG	21.080	TON	344.2700	\$7,257.21
002225985FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	22,870	KG	25.270	TON	344.2700	\$8,699.70
002225986FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	21,490	KG	23.730	TON	344.2700	\$8,169.53
002225987FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	20,730	KG	22.900	TON	344.2700	\$7,883.78
11 Dec 2008								
002225988FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	22,643	KG	24.960	TON	344.2700	\$8,592.98
002225989FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	21,949	KG	24.110	TON	344.2700	\$8,300.35
002225990FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	21,020	KG	23.290	TON	344.2700	\$8,018.05
12 Dec 2008								
002225991FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	22,150	KG	24.460	TON	344.2700	\$8,420.84
002225992FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	23,090	KG	25.480	TON	344.2700	\$8,772.00
002225993FLE 1	DISPSL / CCRL	Chlorinated volatile organic impacted soil CH342728B	51,780	KG	25.940	TON	344.2700	\$8,930.36

SUBTOTAL	\$107,484.52
TAX	\$0.00
TASK TOTAL	\$107,484.52

ATTACHMENT C – SOIL SAMPLE LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY RECORDS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JEFF BRAND
NORTHERN ENVIRONMENTAL
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 22-Dec-08

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300A
Sample ID S9
Sample Matrix Soil
Sample Date 12/10/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.4	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/15/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/15/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/15/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/15/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/15/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/15/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/15/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/15/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/15/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/15/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/15/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/15/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/15/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/15/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/15/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/15/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/15/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/15/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/15/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/15/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300A
Sample ID S9
Sample Matrix Soil
Sample Date 12/10/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/15/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/15/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/15/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/15/2008	CJR	7
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/15/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/15/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/15/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/15/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/15/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/15/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/15/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		12/15/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/15/2008	CJR	1
Tetrachloroethene	4200	ug/kg	18	57	1	8260B		12/15/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/15/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/15/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/15/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		12/15/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/15/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/15/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/15/2008	CJR	1

Lab Code 5018300B
Sample ID S17
Sample Matrix Soil
Sample Date 12/11/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.7	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/15/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/15/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/15/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/15/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/15/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300B
Sample ID S17
Sample Matrix Soil
Sample Date 12/11/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/15/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/15/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/15/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/15/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/15/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/15/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/15/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/15/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/15/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/15/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/15/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/15/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/15/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/15/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/15/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/15/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/15/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/15/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/15/2008	CJR	7
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/15/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/15/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/15/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/15/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/15/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/15/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/15/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		12/15/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/15/2008	CJR	1
Tetrachloroethene	8800	ug/kg	18	57	1	8260B		12/15/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/15/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/15/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/15/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		12/15/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/15/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/15/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/15/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/15/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300C
Sample ID S13
Sample Matrix Soil
Sample Date 12/10/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.1	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/18/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/18/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/18/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/18/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/18/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/18/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/18/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/18/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/18/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/18/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/18/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/18/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/18/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/18/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/18/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/18/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/18/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/18/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/18/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/18/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		12/18/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/18/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/18/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
Tetrachloroethene	165	ug/kg	18	57	1	8260B		12/18/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/18/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300C
Sample ID S13
Sample Matrix Soil
Sample Date 12/10/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/18/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/18/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/18/2008	CJR	1
Trichloroethene (TCE)	38 "J"	ug/kg	20	65	1	8260B		12/18/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/18/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/18/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/18/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/18/2008	CJR	1

Lab Code 5018300D
Sample ID S36
Sample Matrix Soil
Sample Date 12/12/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.2	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/18/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/18/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/18/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/18/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/18/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/18/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/18/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/18/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/18/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/18/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/18/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/18/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/18/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/18/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/18/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/18/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/18/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18300

Lab Code 5018300D
Sample ID S36
Sample Matrix Soil
Sample Date 12/12/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/18/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/18/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/18/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		12/18/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/18/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/18/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
Tetrachloroethene	19000	ug/kg	180	570	10	8260B		12/19/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/18/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/18/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/18/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/18/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		12/18/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/18/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/18/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/18/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/18/2008	CJR	1

Lab Code 5018300E
Sample ID S40
Sample Matrix Soil
Sample Date 12/12/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.5	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/18/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/18/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/18/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/18/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/18/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/18/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/18/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5018300E
Sample ID S40
Sample Matrix Soil
Sample Date 12/12/2008

Invoice # E18300

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/18/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/18/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/18/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/18/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/18/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/18/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/18/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/18/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/18/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/18/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/18/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/18/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/18/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		12/18/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/18/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/18/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
Tetrachloroethene	74000	ug/kg	900	2850	50	8260B		12/19/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/18/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/18/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/18/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/18/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		12/18/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/18/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/18/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/18/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/18/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5018300F
Sample ID S41
Sample Matrix Soil
Sample Date 12/12/2008

Invoice # E18300

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.5	%			1	5021		12/16/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		12/18/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		12/18/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		12/18/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		12/18/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		12/18/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		12/18/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		12/18/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		12/18/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		12/18/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		12/18/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		12/18/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		12/18/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		12/18/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		12/18/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		12/18/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		12/18/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		12/18/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		12/18/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		12/18/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		12/18/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		12/18/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		12/18/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		12/18/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		12/18/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		12/18/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
Naphthalene	129 "J"	ug/kg	117	373	1	8260B		12/18/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		12/18/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		12/18/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		12/18/2008	CJR	1
Tetrachloroethene	4700	ug/kg	18	57	1	8260B		12/18/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		12/18/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		12/18/2008	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5018300F
Sample ID S41
Sample Matrix Soil
Sample Date 12/12/2008

Invoice # E18300

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		12/18/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		12/18/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		12/18/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		12/18/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		12/18/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		12/18/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		12/18/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		12/18/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		12/18/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		12/18/2008	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.
7	The LCS not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature 

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

1214 W. Venture Ct.
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023

647 Academy Drive
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552

203 West Upham Street
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

Project No: <u>400-1297</u>		Task No:		Laboratory: <u>Synergy</u>			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no Method of shipment <u>SEALED</u> Contents Temperature <u>21.1°C</u> °C Refrigerator No. _____														
Project Location: (city) <u>Green Bay</u>				Wisconsin DNR Certification #: <u>445037560</u>			ANALYSES REQUESTED														
Project Manager: <u>Lynette Cairne</u>				Laboratory Contact: <u>Mike Riches</u>																	
Sampler: (name) <u>Jeff Brand</u>				Price Quote:																	
Sampler: (Signature) <u>Jeff Brand</u>				TURNAROUND TIME REQUIRED																	
Sampling Date(s): <u>12-10-08 → 12-12-08</u>				<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush			DRO (WI Modified Method) GRO (WI Modified Method) BETX (EPA Method 8020) PVOC (EPA Method 8020) VOC (EPA Method 8021) PAH (EPA Method) Pb (EPA Method)														
Reports to be Sent to: <u>Jeff Brand</u>				Date Needed _____																	
Lab ID No.	Sample No.	Collection		No. of Containers, Size & Type	Description			Preservative													
		Date	Time		Water	Soil	Other														
<u>501 8300A</u>	<u>S9</u>	<u>12-10-08</u>	<u>1125</u>	<u>1-40-1 + Syg.</u>	<input checked="" type="checkbox"/>			<u>meth</u>													
<u>B</u>	<u>S17</u>	<u>12-11-08</u>	<u>1040</u>	<u>↓</u>	<input checked="" type="checkbox"/>			<u>ICE</u>													
<u>C</u>	<u>S13</u>	<u>12-10-08</u>	<u>1130</u>	<u>↓</u>	<input checked="" type="checkbox"/>			<u>meth</u>													
<u>D</u>	<u>S36</u>	<u>12-12-08</u>	<u>925</u>	<u>↓</u>	<input checked="" type="checkbox"/>			<u>ICE</u>													
<u>E</u>	<u>S40</u>	<u>12-12-08</u>	<u>942</u>	<u>↓</u>	<input checked="" type="checkbox"/>			<u>meth</u>													
<u>F</u>	<u>S41</u>	<u>12-12-08</u>	<u>943</u>	<u>↓</u>	<input checked="" type="checkbox"/>			<u>meth</u>													

Packed for Shipping by: <u>Jeff Brand</u>		Comments:					
Shipment Date:							
Relinquished By: <u>Jeff Brand</u>	Date: <u>12/13/08</u>	Relinquished By:	Date:	Relinquished By:	Date:	Relinquished By:	Date:
Company: <u>North Environmental</u>	Time: <u>11:30 AM</u>	Company:	Time:	Company:	Time:	Company:	Time:
Received By: <u>Mark</u>	Date: <u>12/13/08</u>	Received By:	Date:	Received By:	Date:	Received By:	Date:
Company: <u>SYNERGY ENV LAR</u>	Time: <u>11:30 AM</u>	Company:	Time:	Company:	Time:	Company:	Time:

ATTCHMENT D – AIR SAMPLE LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY RECORDS



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Northern Environmental Lab Project Number: 1092478
 Phone: 262-643-9172 Project Name: Frmr EconoCareCleaners400-12
 Lab Sample No: 1092478001 ProjSampleNum: 1092478001 Date Collected: 04/01/09 12:05
 Client Sample ID: Ambient Air Can #0448 Matrix: Air Date Received: 04/07/09 12:20

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
Air							
TO-15							
1,2-Dichloroethane	0.7	ND	2.9	ND	1.34	04/14/09 23:17 LCW	107-06-2
cis-1,2-Dichloroethene	0.7	ND	2.8	ND	1.34	04/14/09 23:17 LCW	156-59-2
Tetrachloroethene	0.7	ND	4.8	ND	1.34	04/14/09 23:17 LCW	127-18-4
trans-1,2-Dichloroethene	1.3	ND	5.2	ND	1.34	04/14/09 23:17 LCW	156-60-5
Trichloroethene	0.7	ND	3.8	ND	1.34	04/14/09 23:17 LCW	79-01-6
Vinyl chloride	0.68	ND	1.8	ND	1.34	04/14/09 23:17 LCW	75-01-4

Lab Sample No: 1092478002 ProjSampleNum: 1092478002 Date Collected: 04/01/09 12:00
 Client Sample ID: 1457 Shirley Can# 1036 Matrix: Air Date Received: 04/07/09 12:20

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
Air							
TO-15							
1,2-Dichloroethane	0.7	ND	2.9	ND	1.34	04/14/09 23:48 LCW	107-06-2
cis-1,2-Dichloroethene	0.7	ND	2.8	ND	1.34	04/14/09 23:48 LCW	156-59-2
Tetrachloroethene	0.7	0.95	4.8	6.55	1.34	04/14/09 23:48 LCW	127-18-4
trans-1,2-Dichloroethene	1.3	ND	5.2	ND	1.34	04/14/09 23:48 LCW	156-60-5
Trichloroethene	0.7	ND	3.8	ND	1.34	04/14/09 23:48 LCW	79-01-6
Vinyl chloride	0.68	ND	1.8	ND	1.34	04/14/09 23:48 LCW	75-01-4

Lab Sample No: 1092478003 ProjSampleNum: 1092478003 Date Collected: 04/03/09 13:55
 Client Sample ID: 805 Fisk Can#0958 Matrix: Air Date Received: 04/07/09 12:20

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
Air							
TO-15							
1,2-Dichloroethane	0.7	ND	2.9	ND	1.34	04/15/09 0:19 LCW	107-06-2
cis-1,2-Dichloroethene	0.7	ND	2.8	ND	1.34	04/15/09 0:19 LCW	156-59-2
Tetrachloroethene	0.7	ND	4.8	ND	1.34	04/15/09 0:19 LCW	127-18-4
trans-1,2-Dichloroethene	1.3	ND	5.2	ND	1.34	04/15/09 0:19 LCW	156-60-5
Trichloroethene	0.7	ND	3.8	ND	1.34	04/15/09 0:19 LCW	79-01-6
Vinyl chloride	0.68	ND	1.8	ND	1.34	04/15/09 0:19 LCW	75-01-4

SUPPLEMENTAL REPORT

Units Conversion Request



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

102478

Section A Required Client Information: Company: <u>Northern Environmental</u> Address: <u>554 Circle Drive</u> <u>Green Bay WI 54304</u> Email To: Phone: <u>920 592 8400</u> Fax: <u>920 592 8444</u> Requested Due Date/TAT:	Section B Required Project Information: Report To: <u>Jeff Brand</u> Copy To: Purchase Order No.: Project Name: <u>Home Ecozone Cleaners</u> Project Number: <u>400-1297</u>	Section C Invoice Information: Attention: Company Name: <u>SAME</u> Address: Pace Quote Reference: Pace Project Manager: Pace Profile #:	Page: <u>102478</u> of <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 24pt; font-weight: bold;">1308639</div> REGULATORY AGENCY: <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER Site Location STATE: <u>WI</u>
--	---	--	--

ITEM #	SAMPLE ID (A-Z 0-9 / -) Sample IDs MUST BE UNIQUE	Matrix Codes MATRIX / CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.		
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	N ₂ S ₂ O ₈	Methanol	Other	Analysis Test ↓															
					DATE	TIME	DATE	TIME																										
1	Ambisat Air Can # 0448		AR		3-31-09	1205	4-1-09	1205	1									X	X	X	X	X											001	
2	1457 Shirley Can # 1036		AR		3-31-09	1200	4-1-09	1200	1									X	X	X	X	X											002	
3	805 Fisk Can # 0958		AR		4-2-09	1355	4-3-09	1355	1									X	X	X	X	X											003	
4																																		
5	<div style="border: 1px solid black; border-radius: 50%; padding: 10px; width: fit-content; margin: auto;"> <p style="font-size: 18pt; font-weight: bold;">(TO-15 Summa Canister)</p> </div>																																	
6																																		
7																																		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
		4-6-09	1000		4/7/09	1200	AMB N N y

ORIGINAL

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Jeff Brand

SIGNATURE of SAMPLER:

DATE Signed
(MM/DD/YY)

4-6-09

Temp in °C

Received on Ice (Y/N)

Custody Sealed Cooler (Y/N)

amples Intact (Y/N)

Sample Condition Upon Receipt

Face Analytical

Client Name: Northern Environmental Project # 102478

Courier: Fed Ex UPS USPS Client Commercial Pace Other Speedee

Tracking #: No tracking number on package

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional:
Proj. Due Date:
Proj. Name:

Packing Material: Bubble Wrap Bubble Bags None Other _____ Temp Blank: Yes _____ No /

Thermometer Used: 80344042, 179425 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature: Amb Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 4/7/09

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. Client Sample ID was NOT written on samples. Client wrote canister numbers on COC next to Sample ID's.
-Includes date/time/ID/Analysis Matrix: <u>Air (Sun)</u>		
All containers needing acid/base preservation have been checked. Noncompliance are noted in 13.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exemptions: VOA, Coliform, TOC, Oil and Grease, W-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Initial when completed _____ Lot # of added preservative _____
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: 3 cans, 3 Fev's

Project Manager Review: _____

Date: 4/7/09

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

October 16, 2009

Mr. Chris Hatfield
Bonestroo
954 Circle Drive
Green Bay, WI 54304

RE: Project: 004230-09001-0 Fmr Econocare
Pace Project No.: 10114169

Dear Mr. Hatfield:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2009. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Colin Schuft

colin.schuft@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 8

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 004230-09001-0 Frmr Econocare
Pace Project No.: 10114169

Minnesota Certification IDs

1700 Elm Street SE, Suite 200 Minneapolis, MN 55414
Alaska Certification #: UST-078
Washington Certification #: C754
Tennessee Certification #: 02818
Pennsylvania Certification #: 68-00563
Oregon Certification #: MN200001
North Dakota Certification #: R-036
North Carolina Certification #: 530
New York Certification #: 11647
New Jersey Certification #: MN-002
Montana Certification #: MT CERT0092

Minnesota Certification #: 027-053-137
Maine Certification #: 2007029
Louisiana Certification #: LA080009
Louisiana Certification #: 03086
Kansas Certification #: E-10167
Iowa Certification #: 368
Illinois Certification #: 200011
Florida/NELAP Certification #: E87605
California Certification #: 01155CA
Arizona Certification #: AZ-0014
Wisconsin Certification #: 999407970

SAMPLE SUMMARY

Project: 004230-09001-0 Frmr Econocare
Pace Project No.: 10114169

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10114169001	1457 SHIRLEY AVE	Air	10/06/09 08:27	10/07/09 08:03

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 004230-09001-0 Fmr Econocare
Pace Project No.: 10114169

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10114169001	1457 SHIRLEY AVE	TO-15	CJR	6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 004230-09001-0 Frmr Econocare
Pace Project No.: 10114169

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

U - Indicates the compound was analyzed for, but not detected.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 004230-09001-0 Frmr Econocare
Pace Project No.: 10114169

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10114169001	1457 SHIRLEY AVE	TO-15	AIR/9214		



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10114169

00566

Page: 1 of 1

Section A
Required Client Information:

Section B
Required Project Information:

Section C
Invoice Information:

Company: **Bonestroo**
Address: **954 Circle Drive
Green Bay, WI 54304**
Email To: **Chris.Hatfield@Bonestroo.com**
Phone: **(262) 643-9171** Fax:
Requested Due Date/TAT:

Report To: **Chris Hatfield**
Copy To:
Purchase Order No.:
Project Name: **Former Chlorine Cleaners**
Project Number: **004230-09001-0**

Attention: **Chris Hatfield**
Company Name: **Bonestroo**
Address: **12075 Corporate Parkway, Suite 200, Mequon, WI 53092**
Pace Quote Reference:
Pace Project Manager/Sales Rep.
Pace Profile #: **22492**

Program
 UST Superfund Emmissions Clean Air Act
 Voluntary Clean Up Dry Clean RCRA Other
Location of Sampling by State
Reporting Units
ug/m³ mg/m³
PPBV PPMV
Other
Report Level II III IV Other

ITEM #	Section D Required Client Information		Valid Media Codes MEDIA CODE	SAMPLE TYPE G=Grab C=Composite	COLLECTED				Canister Pressure (Initial Field)	Canister Pressure (Final Field)	Summa Can Number	Method: TO-2 BTEX+THM(mg/m ³) TO-3M PMV/ME 3C: Fixed Gas (%) TO-14a VOCs TO-15 (S+VOCs) TO-15 Low Level TO-13 (PAH) TO-4 (PCBs) PM10	Pace Lab ID
	AIR SAMPLE ID				COMPOSITE START		COMPOSITE - END/GRAB						
	One Character per box. (A-Z, 0-9 / -)				DATE	TIME	DATE	TIME					
1	1457	SHIRLEY AVE	GC	G	10/5/09	08:58	10/6/09	08:27	-27	0	1225	X	10114169001
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

Additional Comments:
PCE detector limit of
4.1 ug/m³ or less is required
for this sample. KRE
* Analytes Requested:
ORIGINAL
1,2-DCA; cis, 1,2-DCE; PCE; Trans-1,2-DCE; TCE + VC

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
<i>K. Rabby</i>	10/6/09	10:28	<i>W. [unclear]</i>	10/6/09	10:28	N/A	Y/N	Y/N	Y/N
<i>W. [unclear]</i>	10/6/09		<i>W. [unclear]</i>	10/6/09	17:30	Y/N	Y/N	Y/N	Y/N
			<i>Chris Hatfield</i>	10/7/09	08:03	Y/N	Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER: **Kevin R. Eibenholz**
SIGNATURE of SAMPLER: *Kevin R. Eibenholz*
DATE Signed (MM/DD/YY): **10/6/09**

Temp in °C
Received on Ice
Custody Sealed Cooler
Samples Intact

* Note: Air sample was supposed to be 8 hrs; however, after 8 hrs, vacuum had only
Aval and from -27 in the to -17 in the. Sample was allowed to run 24 hrs.



AIR Sample Condition Upon Receipt

Client Name: BONESTROOS

Project # 10114169

Courier: Fed Ex UPS USPS Client Commercial Pace Other WALTEO

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Optional
Proj. Due Date:
Proj. Name:

Tracking #: _____

Comments:

Date and Initials of person examining contents: 10-7-09 JK

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Media: <u>HR (CAN)</u>		11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.

Samples Received: 1 CAN, 1 FC

Canisters		Flow Controllers		Stand Alone G		Tedlar Bags	
Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
<u>1457 SHIRAZ ST</u>	<u>1225</u>		<u>PA105</u>				

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 10/7/09

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)
A106 Rev.01 (22May2009)

ATTACHMENT E – GROUNDWATER LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY RECORDS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
 BONESTROO
 954 CIRCLE DRIVE
 GREEN BAY WI 54304

Report Date 20-Oct-09

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666A
 Sample ID MW1
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
VOC's										
Benzene	< 205	ug/l	205	650	500	8260B		10/3/2009	CJR	1
Bromobenzene	< 215	ug/l	215	700	500	8260B		10/3/2009	CJR	1
Bromodichloromethane	< 205	ug/l	205	650	500	8260B		10/3/2009	CJR	1
Bromoform	< 230	ug/l	230	750	500	8260B		10/3/2009	CJR	1
tert-Butylbenzene	< 230	ug/l	230	750	500	8260B		10/3/2009	CJR	1
sec-Butylbenzene	< 215	ug/l	215	700	500	8260B		10/3/2009	CJR	1
n-Butylbenzene	< 750	ug/l	750	2400	500	8260B		10/3/2009	CJR	1
Carbon Tetrachloride	< 215	ug/l	215	700	500	8260B		10/3/2009	CJR	1
Chlorobenzene	< 195	ug/l	195	600	500	8260B		10/3/2009	CJR	1
Chloroethane	< 750	ug/l	750	2400	500	8260B		10/3/2009	CJR	1
Chloroform	< 240	ug/l	240	750	500	8260B		10/3/2009	CJR	1
Chloromethane	< 250	ug/l	250	800	500	8260B		10/3/2009	CJR	1
2-Chlorotoluene	< 185	ug/l	185	600	500	8260B		10/3/2009	CJR	1
4-Chlorotoluene	< 315	ug/l	315	1000	500	8260B		10/3/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1000	ug/l	1000	3150	500	8260B		10/3/2009	CJR	1
Dibromochloromethane	< 380	ug/l	380	1200	500	8260B		10/3/2009	CJR	1
1,4-Dichlorobenzene	< 385	ug/l	385	1250	500	8260B		10/3/2009	CJR	1
1,3-Dichlorobenzene	< 170	ug/l	170	550	500	8260B		10/3/2009	CJR	1
1,2-Dichlorobenzene	< 330	ug/l	330	1050	500	8260B		10/3/2009	CJR	1
Dichlorodifluoromethane	< 225	ug/l	225	700	500	8260B		10/3/2009	CJR	1
1,2-Dichloroethane	< 215	ug/l	215	700	500	8260B		10/3/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666A
 Sample ID MW1
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethane	< 220	ug/l	220	700	500	8260B		10/3/2009	CJR	1
1,1-Dichloroethene	< 235	ug/l	235	750	500	8260B		10/3/2009	CJR	1
cis-1,2-Dichloroethene	< 340	ug/l	340	1100	500	8260B		10/3/2009	CJR	1
trans-1,2-Dichloroethene	< 305	ug/l	305	950	500	8260B		10/3/2009	CJR	1
1,2-Dichloropropane	< 130	ug/l	130	410	500	8260B		10/3/2009	CJR	1
2,2-Dichloropropane	< 445	ug/l	445	1400	500	8260B		10/3/2009	CJR	1
1,3-Dichloropropane	< 245	ug/l	245	800	500	8260B		10/3/2009	CJR	1
Di-isopropyl ether	< 160	ug/l	160	500	500	8260B		10/3/2009	CJR	1
EDB (1,2-Dibromoethane)	< 260	ug/l	260	800	500	8260B		10/3/2009	CJR	1
Ethylbenzene	< 435	ug/l	435	1400	500	8260B		10/3/2009	CJR	1
Hexachlorobutadiene	< 750	ug/l	750	2350	500	8260B		10/3/2009	CJR	1
Isopropylbenzene	< 195	ug/l	195	600	500	8260B		10/3/2009	CJR	1
p-Isopropyltoluene	< 285	ug/l	285	900	500	8260B		10/3/2009	CJR	1
Methylene chloride	< 750	ug/l	750	2400	500	8260B		10/3/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 250	ug/l	250	800	500	8260B		10/3/2009	CJR	1
Naphthalene	< 850	ug/l	850	2700	500	8260B		10/3/2009	CJR	1
n-Propylbenzene	< 165	ug/l	165	500	500	8260B		10/3/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 275	ug/l	275	900	500	8260B		10/3/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 270	ug/l	270	850	500	8260B		10/3/2009	CJR	1
Tetrachloroethene	20300	ug/l	210	650	500	8260B		10/3/2009	CJR	1
Toluene	< 255	ug/l	255	800	500	8260B		10/3/2009	CJR	1
1,2,4-Trichlorobenzene	< 1050	ug/l	1050	3300	500	8260B		10/3/2009	CJR	1
1,2,3-Trichlorobenzene	< 800	ug/l	800	2550	500	8260B		10/3/2009	CJR	1
1,1,1-Trichloroethane	< 230	ug/l	230	700	500	8260B		10/3/2009	CJR	1
1,1,2-Trichloroethane	< 205	ug/l	205	650	500	8260B		10/3/2009	CJR	1
Trichloroethene (TCE)	< 195	ug/l	195	600	500	8260B		10/3/2009	CJR	1
Trichlorofluoromethane	< 360	ug/l	360	1150	500	8260B		10/3/2009	CJR	1
1,2,4-Trimethylbenzene	< 550	ug/l	550	1750	500	8260B		10/3/2009	CJR	1
1,3,5-Trimethylbenzene	< 750	ug/l	750	2450	500	8260B		10/3/2009	CJR	1
Vinyl Chloride	< 100	ug/l	100	320	500	8260B		10/3/2009	CJR	1
m&p-Xylene	< 800	ug/l	800	2550	500	8260B		10/3/2009	CJR	1
o-Xylene	< 265	ug/l	265	850	500	8260B		10/3/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	104	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Organic Carbon	3200	ug/l	200	1000	1	EPA 9060		10/5/2009	ESC	1
Total Chlorides	55	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Lab Code 5019666B
 Sample ID MW2
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Methane	2.9 "J"	ug/l	1	3	1	8015		10/1/2009	MJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666B
 Sample ID MW2
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
VOC's										
Benzene	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Bromobenzene	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Bromoform	< 460	ug/l	460	1500	1000	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 460	ug/l	460	1500	1000	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
Chlorobenzene	< 390	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1
Chloroethane	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Chloroform	< 480	ug/l	480	1500	1000	8260B		9/30/2009	CJR	1
Chloromethane	< 500	ug/l	500	1600	1000	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 370	ug/l	370	1200	1000	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 630	ug/l	630	2000	1000	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2000	ug/l	2000	6300	1000	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 760	ug/l	760	2400	1000	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 770	ug/l	770	2500	1000	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 340	ug/l	340	1100	1000	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 660	ug/l	660	2100	1000	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 450	ug/l	450	1400	1000	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 440	ug/l	440	1400	1000	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 470	ug/l	470	1500	1000	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 680	ug/l	680	2200	1000	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 610	ug/l	610	1900	1000	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 260	ug/l	260	820	1000	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 890	ug/l	890	2800	1000	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 490	ug/l	490	1600	1000	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 320	ug/l	320	1000	1000	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 520	ug/l	520	1600	1000	8260B		9/30/2009	CJR	1
Ethylbenzene	< 870	ug/l	870	2800	1000	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1500	ug/l	1500	4700	1000	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 390	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 570	ug/l	570	1800	1000	8260B		9/30/2009	CJR	1
Methylene chloride	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 500	ug/l	500	1600	1000	8260B		9/30/2009	CJR	1
Naphthalene	< 1700	ug/l	1700	5400	1000	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 330	ug/l	330	1000	1000	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 550	ug/l	550	1800	1000	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 540	ug/l	540	1700	1000	8260B		9/30/2009	CJR	1
Tetrachloroethene	92000	ug/l	420	1300	1000	8260B		9/30/2009	CJR	1
Toluene	< 510	ug/l	510	1600	1000	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2100	ug/l	2100	6600	1000	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1600	ug/l	1600	5100	1000	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 460	ug/l	460	1400	1000	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	< 390	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 720	ug/l	720	2300	1000	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666B
Sample ID MW2
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	< 1100	ug/l	1100	3500	1000	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1500	ug/l	1500	4900	1000	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 200	ug/l	200	640	1000	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1600	ug/l	1600	5100	1000	8260B		9/30/2009	CJR	1
o-Xylene	< 530	ug/l	530	1700	1000	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	769	mg/L	17	53	10	300.0		10/13/2009	CWT	1
Total Organic Carbon	5600	ug/l	200	1000	1	EPA 9060		10/5/2009	ESC	1
Total Chlorides	83	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Lab Code 5019666C
Sample ID MW3
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666C
Sample ID MW3
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	196	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	135	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Chlorides	69	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Lab Code 5019666D
Sample ID MW4
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666D
 Sample ID MW4
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	5.4	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	29	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Chlorides	79	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666E
 Sample ID MW6
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	37	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	1.24	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666E
 Sample ID MW6
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	39	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Chlorides	22	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Lab Code 5019666F
 Sample ID MW7
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Methane	32.1	ug/l	1	3	1	8015		10/1/2009	MJR	1
VOC's										
Benzene	< 41	ug/l	41	130	100	8260B		10/3/2009	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B		10/3/2009	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B		10/3/2009	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B		10/3/2009	CJR	1
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B		10/3/2009	CJR	1
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B		10/3/2009	CJR	1
n-Butylbenzene	< 150	ug/l	150	480	100	8260B		10/3/2009	CJR	1
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B		10/3/2009	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		10/3/2009	CJR	1
Chloroethane	< 150	ug/l	150	480	100	8260B		10/3/2009	CJR	1
Chloroform	< 48	ug/l	48	150	100	8260B		10/3/2009	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B		10/3/2009	CJR	1
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B		10/3/2009	CJR	1
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B		10/3/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B		10/3/2009	CJR	1
Dibromochloromethane	< 76	ug/l	76	240	100	8260B		10/3/2009	CJR	1
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B		10/3/2009	CJR	1
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B		10/3/2009	CJR	1
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B		10/3/2009	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B		10/3/2009	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B		10/3/2009	CJR	1
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B		10/3/2009	CJR	1
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B		10/3/2009	CJR	1
cis-1,2-Dichloroethene	< 68	ug/l	68	220	100	8260B		10/3/2009	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B		10/3/2009	CJR	1
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B		10/3/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666F
 Sample ID MW7
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B		10/3/2009	CJR	1
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B		10/3/2009	CJR	1
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B		10/3/2009	CJR	1
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B		10/3/2009	CJR	1
Ethylbenzene	< 87	ug/l	87	280	100	8260B		10/3/2009	CJR	1
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B		10/3/2009	CJR	1
Isopropylbenzene	< 39	ug/l	39	120	100	8260B		10/3/2009	CJR	1
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B		10/3/2009	CJR	1
Methylene chloride	< 150	ug/l	150	480	100	8260B		10/3/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B		10/3/2009	CJR	1
Naphthalene	< 170	ug/l	170	540	100	8260B		10/3/2009	CJR	1
n-Propylbenzene	< 33	ug/l	33	100	100	8260B		10/3/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B		10/3/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B		10/3/2009	CJR	1
Tetrachloroethene	8900	ug/l	42	130	100	8260B		10/3/2009	CJR	1
Toluene	< 51	ug/l	51	160	100	8260B		10/3/2009	CJR	1
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B		10/3/2009	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B		10/3/2009	CJR	1
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B		10/3/2009	CJR	1
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B		10/3/2009	CJR	1
Trichloroethene (TCE)	350	ug/l	39	120	100	8260B		10/3/2009	CJR	1
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B		10/3/2009	CJR	1
1,2,4-Trimethylbenzene	< 110	ug/l	110	350	100	8260B		10/3/2009	CJR	1
1,3,5-Trimethylbenzene	< 150	ug/l	150	490	100	8260B		10/3/2009	CJR	1
Vinyl Chloride	< 20	ug/l	20	64	100	8260B		10/3/2009	CJR	1
m&p-Xylene	< 160	ug/l	160	510	100	8260B		10/3/2009	CJR	1
o-Xylene	< 53	ug/l	53	170	100	8260B		10/3/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	93	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Organic Carbon	2700	ug/l	200	1000	1	EPA 9060		10/5/2009	ESC	1
Total Chlorides	276	mg/l	17	53	10	300.0		10/8/2009	CWT	1

Lab Code 5019666G
 Sample ID MW8
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666G
 Sample ID MW8
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	4.7	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	97	mg/L	3.4	10.6	2	300.0	10/8/2009	CWT	1
Total Chlorides	233 "J"	mg/l	85	265	50	300.0	10/8/2009	CWT	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666H
 Sample ID MW9
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	4.0	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666H
 Sample ID MW9
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	27	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Chlorides	150	mg/l	17	53	10	300.0		10/8/2009	CWT	1

Lab Code 5019666I
 Sample ID PZ1
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		9/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	6.0	ug/l	0.68	2.2	1	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	2.91	ug/l	0.61	1.9	1	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666I
Sample ID PZ1
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		9/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		9/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		9/30/2009	CJR	1
Tetrachloroethene	11.7	ug/l	0.42	1.3	1	8260B		9/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	55	ug/l	0.39	1.2	1	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		9/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		9/30/2009	CJR	1

Wet Chemistry
General

Sulfate, Dissolved	97	mg/L	3.4	10.6	2	300.0		10/8/2009	CWT	1
Total Chlorides	30	mg/l	3.4	10.6	2	300.0		10/8/2009	CWT	1

Lab Code 5019666J
Sample ID PZ2
Sample Matrix Water
Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		10/1/2009	MJR	1
Methane	32.1	ug/l	1	3	1	8015		10/1/2009	MJR	1
VOC's										
Benzene	< 8.2	ug/l	8.2	26	20	8260B		9/30/2009	CJR	1
Bromobenzene	< 8.6	ug/l	8.6	28	20	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 8.2	ug/l	8.2	26	20	8260B		9/30/2009	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 9.2	ug/l	9.2	30	20	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 8.6	ug/l	8.6	28	20	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 30	ug/l	30	96	20	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 8.6	ug/l	8.6	28	20	8260B		9/30/2009	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666J
 Sample ID PZ2
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloroethane	< 30	ug/l	30	96	20	8260B		9/30/2009	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B		9/30/2009	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 7.4	ug/l	7.4	24	20	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 40	ug/l	40	126	20	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 15.2	ug/l	15.2	48	20	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 15.4	ug/l	15.4	50	20	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 6.8	ug/l	6.8	22	20	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 13.2	ug/l	13.2	42	20	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	28	20	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 8.8	ug/l	8.8	28	20	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 9.4	ug/l	9.4	30	20	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	320	ug/l	13.6	44	20	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	38	20	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 5.2	ug/l	5.2	16.4	20	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 17.8	ug/l	17.8	56	20	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 9.8	ug/l	9.8	32	20	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 6.4	ug/l	6.4	20	20	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 10.4	ug/l	10.4	32	20	8260B		9/30/2009	CJR	1
Ethylbenzene	< 17.4	ug/l	17.4	56	20	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	94	20	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24	20	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 11.4	ug/l	11.4	36	20	8260B		9/30/2009	CJR	1
Methylene chloride	< 30	ug/l	30	96	20	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 10	ug/l	10	32	20	8260B		9/30/2009	CJR	1
Naphthalene	< 34	ug/l	34	108	20	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	20	20	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 11	ug/l	11	36	20	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 10.8	ug/l	10.8	34	20	8260B		9/30/2009	CJR	1
Tetrachloroethene	600	ug/l	8.4	26	20	8260B		9/30/2009	CJR	1
Toluene	< 10.2	ug/l	10.2	32	20	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 42	ug/l	42	132	20	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	102	20	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 9.2	ug/l	9.2	28	20	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 8.2	ug/l	8.2	26	20	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	420	ug/l	7.8	24	20	8260B		9/30/2009	CJR	1
Trichlorofluoromethane	< 14.4	ug/l	14.4	46	20	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	70	20	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	98	20	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 4	ug/l	4	12.8	20	8260B		9/30/2009	CJR	1
m&p-Xylene	< 32	ug/l	32	102	20	8260B		9/30/2009	CJR	1
o-Xylene	< 10.6	ug/l	10.6	34	20	8260B		9/30/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	63	mg/L	3.4	10.6	2	300.0	10/8/2009	CWT	1
Total Chlorides	273	mg/l	17	53	10	300.0	10/8/2009	CWT	1
Total Organic Carbon	2300	ug/l	200	1000	1	EPA 9060	10/5/2009	ESC	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666K
 Sample ID DUP mw 7
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Bromobenzene	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
Bromodichloromethane	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Bromoform	< 460	ug/l	460	1500	1000	8260B		9/30/2009	CJR	1
tert-Butylbenzene	< 460	ug/l	460	1500	1000	8260B		9/30/2009	CJR	1
sec-Butylbenzene	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
n-Butylbenzene	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Carbon Tetrachloride	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
Chlorobenzene	< 390	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1
Chloroethane	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Chloroform	< 480	ug/l	480	1500	1000	8260B		9/30/2009	CJR	1
Chloromethane	< 500	ug/l	500	1600	1000	8260B		9/30/2009	CJR	1
2-Chlorotoluene	< 370	ug/l	370	1200	1000	8260B		9/30/2009	CJR	1
4-Chlorotoluene	< 630	ug/l	630	2000	1000	8260B		9/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2000	ug/l	2000	6300	1000	8260B		9/30/2009	CJR	1
Dibromochloromethane	< 760	ug/l	760	2400	1000	8260B		9/30/2009	CJR	1
1,4-Dichlorobenzene	< 770	ug/l	770	2500	1000	8260B		9/30/2009	CJR	1
1,3-Dichlorobenzene	< 340	ug/l	340	1100	1000	8260B		9/30/2009	CJR	1
1,2-Dichlorobenzene	< 660	ug/l	660	2100	1000	8260B		9/30/2009	CJR	1
Dichlorodifluoromethane	< 450	ug/l	450	1400	1000	8260B		9/30/2009	CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1400	1000	8260B		9/30/2009	CJR	1
1,1-Dichloroethane	< 440	ug/l	440	1400	1000	8260B		9/30/2009	CJR	1
1,1-Dichloroethene	< 470	ug/l	470	1500	1000	8260B		9/30/2009	CJR	1
cis-1,2-Dichloroethene	< 680	ug/l	680	2200	1000	8260B		9/30/2009	CJR	1
trans-1,2-Dichloroethene	< 610	ug/l	610	1900	1000	8260B		9/30/2009	CJR	1
1,2-Dichloropropane	< 260	ug/l	260	820	1000	8260B		9/30/2009	CJR	1
2,2-Dichloropropane	< 890	ug/l	890	2800	1000	8260B		9/30/2009	CJR	1
1,3-Dichloropropane	< 490	ug/l	490	1600	1000	8260B		9/30/2009	CJR	1
Di-isopropyl ether	< 320	ug/l	320	1000	1000	8260B		9/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 520	ug/l	520	1600	1000	8260B		9/30/2009	CJR	1
Ethylbenzene	< 870	ug/l	870	2800	1000	8260B		9/30/2009	CJR	1
Hexachlorobutadiene	< 1500	ug/l	1500	4700	1000	8260B		9/30/2009	CJR	1
Isopropylbenzene	< 390	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1
p-Isopropyltoluene	< 570	ug/l	570	1800	1000	8260B		9/30/2009	CJR	1
Methylene chloride	< 1500	ug/l	1500	4800	1000	8260B		9/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 500	ug/l	500	1600	1000	8260B		9/30/2009	CJR	1
Naphthalene	< 1700	ug/l	1700	5400	1000	8260B		9/30/2009	CJR	1
n-Propylbenzene	< 330	ug/l	330	1000	1000	8260B		9/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 550	ug/l	550	1800	1000	8260B		9/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 540	ug/l	540	1700	1000	8260B		9/30/2009	CJR	1
Tetrachloroethene	12200	ug/l	420	1300	1000	8260B		9/30/2009	CJR	1
Toluene	< 510	ug/l	510	1600	1000	8260B		9/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2100	ug/l	2100	6600	1000	8260B		9/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1600	ug/l	1600	5100	1000	8260B		9/30/2009	CJR	1
1,1,1-Trichloroethane	< 460	ug/l	460	1400	1000	8260B		9/30/2009	CJR	1
1,1,2-Trichloroethane	< 410	ug/l	410	1300	1000	8260B		9/30/2009	CJR	1
Trichloroethene (TCE)	440 "J"	ug/l	390	1200	1000	8260B		9/30/2009	CJR	1

Project Name GREEN BAY
 Project # 004230-09001-0

Invoice # E19666

Lab Code 5019666K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 9/29/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 720	ug/l	720	2300	1000	8260B		9/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1100	ug/l	1100	3500	1000	8260B		9/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1500	ug/l	1500	4900	1000	8260B		9/30/2009	CJR	1
Vinyl Chloride	< 200	ug/l	200	640	1000	8260B		9/30/2009	CJR	1
m&p-Xylene	< 1600	ug/l	1600	5100	1000	8260B		9/30/2009	CJR	1
o-Xylene	< 530	ug/l	530	1700	1000	8260B		9/30/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

CWT denotes sub contract lab - Certification #445126660

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature Michael J. Ricker

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

330 South 4th Avenue
Park Falls, WI 54952
715-762-1544
Fax 715-762-1844

85 Ravere Drive, Suite H
Northbrook, IL 60062
847-562-8577
FAX 847-562-8652

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

12075 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

1203 Stoybeck Drive
Waupun, WI 53983
920-324-8600
FAX 920-324-3023

101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 Sanborn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No: 004230-09001-0		Task No:		Laboratory: Synergy			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no Method of shipment: <u>SYNERGY</u> Contents Temperature: <u>5°C</u> °C Refrigerator No. _____													
Project Location: Green Bay		Wisconsin DNR Certification #: 445037560			Laboratory Contact: Mike Kicker			ANALYSES REQUESTED DRO (WI Modified Method) <input type="checkbox"/> GRO (WI Modified Method) <input type="checkbox"/> BETX (EPA Method 8020) <input type="checkbox"/> PYOC (EPA Method 8020) <input type="checkbox"/> VOC (EPA Method 8021) <input type="checkbox"/> PAH (EPA Method) <input type="checkbox"/> Pb (EPA Method) <input type="checkbox"/> Sulfate <input checked="" type="checkbox"/> Chloride <input checked="" type="checkbox"/> Methane / Ethane / Volume <input checked="" type="checkbox"/> TOL <input checked="" type="checkbox"/>												
Project Manager: Chris Hatfield		Price Quote:			TURNAROUND TIME REQUIRED <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush															
Sampler: (name) Kevin Eibenholz		Date Needed: _____			Reports to be Sent to: Chris Hatfield @ Bonestroo.com															
Sampler: (Signature) <i>Kevin Eibenholz</i>		Sampling Date(s): 9/29/09			Lab ID No.															
Sampling Date(s): 9/29/09		Collection Date		Time		No. of Containers, Size & Type		Description			Preservative									
9166 A		mw1		9/29/09 11:00		5-40ml, 2-250ml		Water X			Soil			Other			HCL			
B		mw2		1310		↓		X												
C		mw3		1347		3-40ml, 2-250ml		X												
D		mw4		1230		↓		X												
E		mw6		1428		↓		X												
F		mw7		1519		5-40ml, 2-250ml		X												
G		mw8		1636		3-40ml, 2-250ml		X												
H		mw9		1519		↓		X												
I		P21		1142		↓		X												
J		P22		1809		5-40ml, 2-250ml		X												
Packed for Shipping by:		Comments:																		
Shipmont Date:																				
Relinquished By: <i>Ken Kalk</i>		Date: 9/30/09		Relinquished By:			Date:			Relinquished By:			Date:							
Company: Bonestroo		Time: 8:15 AM		Company:			Time:			Company:			Time:							
Received By: <i>M. Olson</i>		Date: 9/29/09		Received By:			Date:			Received By:			Date:							
Company: SPHEMIL ENV LMS		Time: 8:15 AM		Company:			Time:			Company:			Time:							

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JEFF BRAND
NORTHERN ENVIRONMENTAL
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 20-Jul-09

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207A
Sample ID MW5
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	6/29/2009	6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	6/29/2009	6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	6/29/2009	6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207A
Sample ID MW5
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207B
Sample ID MW8
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207B
 Sample ID MW8
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	6/29/2009	6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	6/29/2009	6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	6/29/2009	6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	6/29/2009	6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	6/29/2009	6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Tetrachloroethene	4.4	ug/l	0.42	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichloroethene (TCE)	0.48 "J"	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	6/29/2009	6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	6/29/2009	6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	6/29/2009	6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	6/29/2009	6/29/2009	CJR	1

Lab Code 5019207C
 Sample ID MW9
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207C
Sample ID MW9
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	6/29/2009	6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	6/29/2009	6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	6/29/2009	6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	6/29/2009	6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	6/29/2009	6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	6/29/2009	6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Tetrachloroethene	5.4	ug/l	0.42	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	6/29/2009	6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	6/29/2009	6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207C
Sample ID MW9
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207D
Sample ID PZ3
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207D
Sample ID PZ3
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207E
Sample ID MW10
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207E
Sample ID MW10
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207F
Sample ID PZ4
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207F
Sample ID PZ4
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207G
Sample ID MW4
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207G
 Sample ID MW4
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	2.57	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207G
Sample ID MW4
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Wet Chemistry

General

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Alkalinity, Total	280	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	1.82	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	1000	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	77 "J"	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	42.1	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	92.1	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	1600	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Lab Code 5019207H
Sample ID MW2
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	4.1	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 41	ug/l	41	130	100	8260B		6/30/2009	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B		6/30/2009	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B		6/30/2009	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B		6/30/2009	CJR	1
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B		6/30/2009	CJR	1
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B		6/30/2009	CJR	1
n-Butylbenzene	< 150	ug/l	150	480	100	8260B		6/30/2009	CJR	1
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B		6/30/2009	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		6/30/2009	CJR	1
Chloroethane	< 150	ug/l	150	480	100	8260B		6/30/2009	CJR	1
Chloroform	< 48	ug/l	48	150	100	8260B		6/30/2009	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B		6/30/2009	CJR	1
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B		6/30/2009	CJR	1
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B		6/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B		6/30/2009	CJR	1
Dibromochloromethane	< 76	ug/l	76	240	100	8260B		6/30/2009	CJR	1
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B		6/30/2009	CJR	1
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B		6/30/2009	CJR	1
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B		6/30/2009	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B		6/30/2009	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B		6/30/2009	CJR	1
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B		6/30/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207H
Sample ID MW2
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B		6/30/2009	CJR	1
cis-1,2-Dichloroethene	< 68	ug/l	68	220	100	8260B		6/30/2009	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B		6/30/2009	CJR	1
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B		6/30/2009	CJR	1
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B		6/30/2009	CJR	1
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B		6/30/2009	CJR	3
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B		6/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B		6/30/2009	CJR	1
Ethylbenzene	< 87	ug/l	87	280	100	8260B		6/30/2009	CJR	1
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B		6/30/2009	CJR	1
Isopropylbenzene	< 39	ug/l	39	120	100	8260B		6/30/2009	CJR	1
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B		6/30/2009	CJR	1
Methylene chloride	< 150	ug/l	150	480	100	8260B		6/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B		6/30/2009	CJR	1
Naphthalene	< 170	ug/l	170	540	100	8260B		6/30/2009	CJR	1
n-Propylbenzene	< 33	ug/l	33	100	100	8260B		6/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B		6/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B		6/30/2009	CJR	1
Tetrachloroethene	131000	ug/l	840	2600	2000	8260B		7/1/2009	CJR	1
Toluene	< 51	ug/l	51	160	100	8260B		6/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B		6/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B		6/30/2009	CJR	1
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B		6/30/2009	CJR	1
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B		6/30/2009	CJR	1
Trichloroethene (TCE)	63 "J"	ug/l	39	120	100	8260B		6/30/2009	CJR	1
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B		6/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 110	ug/l	110	350	100	8260B		6/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 150	ug/l	150	490	100	8260B		6/30/2009	CJR	1
Vinyl Chloride	< 20	ug/l	20	64	100	8260B		6/30/2009	CJR	1
m&p-Xylene	< 160	ug/l	160	510	100	8260B		6/30/2009	CJR	1
o-Xylene	< 53	ug/l	53	170	100	8260B		6/30/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	220	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	24.4	mg/L	0.2	0.62	2	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	850	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	340	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	736	mg/L	17	53	10	300.0		7/13/2009	CWT	1
Total Chlorides	93.5	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	5800	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207I
Sample ID MW1
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B		7/1/2009	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 38	ug/l	38	120	50	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B		7/1/2009	CJR	1
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 23.5	ug/l	23.5	75	50	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B		7/1/2009	CJR	1
Ethylbenzene	< 43.5	ug/l	43.5	140	50	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B		7/1/2009	CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B		7/1/2009	CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	50	50	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B		7/1/2009	CJR	1
Tetrachloroethene	1470	ug/l	21	65	50	8260B		7/1/2009	CJR	1
Toluene	< 25.5	ug/l	25.5	80	50	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207I
Sample ID MW1
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 55	ug/l	55	175	50	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	245	50	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		7/1/2009	CJR	1
m&p-Xylene	< 80	ug/l	80	255	50	8260B		7/1/2009	CJR	1
o-Xylene	< 26.5	ug/l	26.5	85	50	8260B		7/1/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	220	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	0.33	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	1500	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	2200	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	14.8	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	4600	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1
Total Chlorides	5.26 "J"	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1

Lab Code 5019207J
Sample ID PZ1
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	1.4 "J"	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		7/1/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207J
Sample ID PZ1
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	7.4	ug/l	0.68	2.2	1	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	1.89 "J"	ug/l	0.61	1.9	1	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		7/1/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		7/1/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		7/1/2009	CJR	1
Tetrachloroethene	14.2	ug/l	0.42	1.3	1	8260B		7/1/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		7/1/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	70	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		7/1/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		7/1/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	240	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	1100	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	31 "J"	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	104	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	1300	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1
Total Chlorides	24.6	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207K
 Sample ID MW3
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	1.1 "J"	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		7/1/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		7/1/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		7/1/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		7/1/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		7/1/2009	CJR	1
Tetrachloroethene	45	ug/l	0.42	1.3	1	8260B		7/1/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207K
Sample ID MW3
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		7/1/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		7/1/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	400	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	2.62	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	190	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	159	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	80.4	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	3600	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Lab Code 5019207L
Sample ID MW6
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207L
 Sample ID MW6
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	80	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	1.1 "J"	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	390	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	2.19	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	800	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	34.8	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	37.9	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	5400	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207M
 Sample ID MW7
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	2.8 "J"	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		7/1/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		7/1/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	21.1	ug/l	0.68	2.2	1	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		7/1/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		7/1/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		7/1/2009	CJR	1
Tetrachloroethene	938	ug/l	4.2	13	10	8260B		7/2/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207M
Sample ID MW7
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	74	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		7/1/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		7/1/2009	CJR	1

Wet Chemistry

General

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Alkalinity, Total	600	mg/l	30	20	10	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	590	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	110	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	87.3	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	311	mg/l	17	53	10	300.0		7/8/2009	CWT	1
Total Organic Carbon	8800	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Lab Code 5019207N
Sample ID PZ2
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	1.3 "J"	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 4.1	ug/l	4.1	13	10	8260B		7/1/2009	CJR	1
Bromobenzene	< 4.3	ug/l	4.3	14	10	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 4.1	ug/l	4.1	13	10	8260B		7/1/2009	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 4.6	ug/l	4.6	15	10	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 4.3	ug/l	4.3	14	10	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 15	ug/l	15	48	10	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 4.3	ug/l	4.3	14	10	8260B		7/1/2009	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		7/1/2009	CJR	1
Chloroethane	< 15	ug/l	15	48	10	8260B		7/1/2009	CJR	1
Chloroform	< 4.8	ug/l	4.8	15	10	8260B		7/1/2009	CJR	1
Chloromethane	< 5	ug/l	5	16	10	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 3.7	ug/l	3.7	12	10	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 20	ug/l	20	63	10	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 7.6	ug/l	7.6	24	10	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 7.7	ug/l	7.7	25	10	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207N
Sample ID PZ2
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichlorobenzene	< 3.4	ug/l	3.4	11	10	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 6.6	ug/l	6.6	21	10	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 4.3	ug/l	4.3	14	10	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 4.4	ug/l	4.4	14	10	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 4.7	ug/l	4.7	15	10	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	191	ug/l	6.8	22	10	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 6.1	ug/l	6.1	19	10	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 2.6	ug/l	2.6	8.2	10	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 8.9	ug/l	8.9	28	10	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 4.9	ug/l	4.9	16	10	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 3.2	ug/l	3.2	10	10	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 5.2	ug/l	5.2	16	10	8260B		7/1/2009	CJR	1
Ethylbenzene	< 8.7	ug/l	8.7	28	10	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	47	10	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12	10	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 5.7	ug/l	5.7	18	10	8260B		7/1/2009	CJR	1
Methylene chloride	< 15	ug/l	15	48	10	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 5	ug/l	5	16	10	8260B		7/1/2009	CJR	1
Naphthalene	< 17	ug/l	17	54	10	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	10	10	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 5.5	ug/l	5.5	18	10	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 5.4	ug/l	5.4	17	10	8260B		7/1/2009	CJR	1
Tetrachloroethene	1690	ug/l	4.2	13	10	8260B		7/1/2009	CJR	1
Toluene	< 5.1	ug/l	5.1	16	10	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 21	ug/l	21	66	10	8260B		7/1/2009	CJR	1
1,2,3-Trichlorobenzene	< 16	ug/l	16	51	10	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 4.6	ug/l	4.6	14	10	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 4.1	ug/l	4.1	13	10	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	380	ug/l	3.9	12	10	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 7.2	ug/l	7.2	23	10	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 11	ug/l	11	35	10	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	49	10	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.4	10	8260B		7/1/2009	CJR	1
m&p-Xylene	< 16	ug/l	16	51	10	8260B		7/1/2009	CJR	1
o-Xylene	< 5.3	ug/l	5.3	17	10	8260B		7/1/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	320	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	530	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	53.4	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	325	mg/l	17	53	10	300.0		7/8/2009	CWT	1
Total Organic Carbon	4700	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 50192070
 Sample ID PZ5
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		7/1/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		7/1/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		7/1/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		7/1/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		7/1/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		7/1/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		7/1/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		7/1/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207O
Sample ID PZ5
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		7/1/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		7/1/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		7/1/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	210	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	360	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	23 "J"	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	45.6	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Organic Carbon	4200	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1
Total Chlorides	65.4	mg/l	3.4	10.6	2	300.0		7/8/2009	CWT	1

Lab Code 5019207P
Sample ID MW11
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/8/2009	MJR	1
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/30/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/30/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/30/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/30/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/30/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/30/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/30/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/30/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/30/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/30/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/30/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/30/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/30/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/30/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/30/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/30/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/30/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207P
Sample ID MW11
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/30/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/30/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/30/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/30/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/30/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/30/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/30/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/30/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/30/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/30/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/30/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/30/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/30/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/30/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/30/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/30/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/30/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/30/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/30/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/30/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/30/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/30/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/30/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/30/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/30/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/30/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/30/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/30/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/30/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/30/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/30/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/30/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/30/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/30/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/30/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/30/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	420	mg/l	3	20	1	310.2		7/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		7/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	390	ug/l	32	100	1	EPA 351.2		7/9/2009	ESC	1
Phosphorus, Total	53 "J"	ug/l	19	100	1	EPA 365.1		7/2/2009	ESC	1
Sulfate, Dissolved	77.6	mg/L	3.4	10.6	2	300.0		7/8/2009	CWT	1
Total Chlorides	252	mg/l	17	53	10	300.0		7/8/2009	CWT	1
Total Organic Carbon	7200	ug/l	200	1000	1	EPA 9060		7/3/2009	ESC	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E19207

Lab Code 5019207Q
 Sample ID FIELD
 Sample Matrix Water
 Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207Q
Sample ID FIELD
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		6/29/2009	CJR	1

Lab Code 5019207R
Sample ID DUP
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		7/1/2009	CJR	1
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B		7/1/2009	CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B		7/1/2009	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		7/1/2009	CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B		7/1/2009	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		7/1/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B		7/1/2009	CJR	1
Dibromochloromethane	< 38	ug/l	38	120	50	8260B		7/1/2009	CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B		7/1/2009	CJR	1
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B		7/1/2009	CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B		7/1/2009	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		7/1/2009	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B		7/1/2009	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B		7/1/2009	CJR	1
1,1-Dichloroethene	< 23.5	ug/l	23.5	75	50	8260B		7/1/2009	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B		7/1/2009	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B		7/1/2009	CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B		7/1/2009	CJR	1
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B		7/1/2009	CJR	1
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B		7/1/2009	CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B		7/1/2009	CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B		7/1/2009	CJR	1
Ethylbenzene	< 43.5	ug/l	43.5	140	50	8260B		7/1/2009	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B		7/1/2009	CJR	1
Isopropylbenzene	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B		7/1/2009	CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B		7/1/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207R
Sample ID DUP
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B		7/1/2009	CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B		7/1/2009	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	50	50	8260B		7/1/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B		7/1/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B		7/1/2009	CJR	1
Tetrachloroethane	1010	ug/l	21	65	50	8260B		7/1/2009	CJR	1
Toluene	< 25.5	ug/l	25.5	80	50	8260B		7/1/2009	CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B		7/1/2009	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B		7/1/2009	CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B		7/1/2009	CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B		7/1/2009	CJR	1
Trichloroethene (TCE)	< 19.5	ug/l	19.5	60	50	8260B		7/1/2009	CJR	1
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B		7/1/2009	CJR	1
1,2,4-Trimethylbenzene	< 55	ug/l	55	175	50	8260B		7/1/2009	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	245	50	8260B		7/1/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		7/1/2009	CJR	1
m&p-Xylene	< 80	ug/l	80	255	50	8260B		7/1/2009	CJR	1
o-Xylene	< 26.5	ug/l	26.5	85	50	8260B		7/1/2009	CJR	1

Lab Code 5019207S
Sample ID TRIP
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/29/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/29/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/29/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		6/29/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		6/29/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		6/29/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		6/29/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/29/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		6/29/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		6/29/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		6/29/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		6/29/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		6/29/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/29/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/29/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		6/29/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E19207

Lab Code 5019207S
Sample ID TRIP
Sample Matrix Water
Sample Date 6/26/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	6/29/2009	6/29/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	6/29/2009	6/29/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	6/29/2009	6/29/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	6/29/2009	6/29/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	6/29/2009	6/29/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/29/2009	6/29/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	6/29/2009	6/29/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	6/29/2009	6/29/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	6/29/2009	6/29/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	6/29/2009	6/29/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	6/29/2009	6/29/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	6/29/2009	6/29/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	6/29/2009	6/29/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	6/29/2009	6/29/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.

CWT denotes sub contract lab - Certification #445126660

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature



Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

85 Revera Drive, Suite H
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0460
FAX 319-365-0464

12079 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

1203 Starbeck Drive
Waupesa, WI 53093
920-324-8600
FAX 920-324-3023

101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 Sanborn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No: <u>400-1297</u>		Task No:		Laboratory: <u>Synergy</u>			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <u>SYNERGY</u> Method of shipment _____ Contents Temperature <u>20°C</u> °C Refrigerator No. _____																		
Project Location (city): <u>Green Bay</u>		Wisconsin DNR Certification #: <u>445037560</u>			Laboratory Contact: <u>Mike Rickes</u>					ANALYSES REQUESTED DBO (WI Modified Method) _____ GPO (WI Modified Method) _____ BTEX (EPA Method 8020) _____ PYOC (EPA Method 8020) _____ VOC (EPA Method 8021) _____ PAH (EPA Method _____) Pb (EPA Method _____) _____ Nitrites _____ Sulfides _____ Chloride _____ Alkalinity _____ Toc _____ Total Phosphorus _____ Total Kjeldahl Nitrogen _____ ethane, ethane _____ methane _____															
Project Manager: <u>Lyndelle Coine</u>		Price Quote:			Date Needed _____																				
Sampler (name): <u>Jeff Brand</u>		TURNAROUND TIME REQUIRED <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush			Reports to be Sent to: <u>Jeff Brand</u>																				
Sampler (Signature): <u>[Signature]</u>																									
Sampling Date(s): <u>6-26-09</u>																									
Reports to be Sent to: <u>Jeff Brand</u>																									
Lab ID No.	Sample No.	Collection		No. of Containers, Size & Type	Description			Preservative	DBO (WI Modified Method)	GPO (WI Modified Method)	BTEX (EPA Method 8020)	PYOC (EPA Method 8020)	VOC (EPA Method 8021)	PAH (EPA Method _____)	Pb (EPA Method _____)	_____	Nitrites	Sulfides	Chloride	Alkalinity	Toc	Total Phosphorus	Total Kjeldahl Nitrogen	ethane, ethane	methane
		Date	Time		Water	Soil	Other																		
<u>207A</u>	<u>mw5</u>	<u>6-26-09</u>	<u>6:37</u>	<u>3-40-1</u>	<u>X</u>			<u>HCL</u>					<u>X</u>												
<u>B</u>	<u>mw9</u>		<u>6:42</u>		<u>X</u>								<u>X</u>												
<u>C</u>	<u>mw9</u>		<u>8:55</u>		<u>X</u>								<u>X</u>												
<u>D</u>	<u>P23</u>		<u>9:01</u>		<u>X</u>								<u>X</u>												
<u>E</u>	<u>mw10</u>		<u>8:45</u>		<u>X</u>								<u>X</u>												
<u>F</u>	<u>P24</u>		<u>8:50</u>		<u>X</u>								<u>X</u>												
<u>G</u>	<u>mw4</u>		<u>7:40</u>	<u>4-40-1, 2-250-1 (-500ml, 1-250ml)</u>	<u>X</u>			<u>HCL, H2SO4</u>					<u>X</u>				<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>
<u>H</u>	<u>mw2</u>		<u>7:16</u>		<u>X</u>								<u>X</u>				<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>
<u>I</u>	<u>mw1</u>		<u>7:04</u>		<u>X</u>								<u>X</u>				<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>
<u>J</u>	<u>P21</u>		<u>7:28</u>		<u>X</u>								<u>X</u>				<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>
Packed for Shipping by: <u>Jeff Brand</u>		Comments:																							
Shipment Date:																									
Relinquished By: <u>[Signature]</u>		Date: <u>6/29/09</u>		Relinquished By:		Date:		Relinquished By:		Date:		Relinquished By:		Date:		Relinquished By:		Date:		Relinquished By:		Date:			
Company: <u>Banister/NETI</u>		Time: <u>7:50 AM</u>		Company:		Time:		Company:		Time:		Company:		Time:		Company:		Time:		Company:		Time:			
Received By: <u>[Signature]</u>		Date: <u>6/29/09</u>		Received By:		Date:		Received By:		Date:		Received By:		Date:		Received By:		Date:		Received By:		Date:			
Company: <u>SYNERGY</u>		Time: <u>7:50 AM</u>		Company:		Time:		Company:		Time:		Company:		Time:		Company:		Time:		Company:		Time:			

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JEFF BRAND
NORTHERN ENVIRONMENTAL
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 08-Apr-09

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749A
Sample ID MW5
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749A
 Sample ID MW5
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749B
 Sample ID MW8
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749B
Sample ID MW8
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	0.75 "J"	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749C
Sample ID MW9
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749C
 Sample ID MW9
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	3.09	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749C
Sample ID MW9
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749D
Sample ID PZ3
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749D
 Sample ID PZ3
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749E
 Sample ID MW10
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749E
Sample ID MW10
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749F
Sample ID PZ4
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749F
 Sample ID PZ4
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Lab Code 5018749G
 Sample ID MW4
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	< 4.8	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1

Organic

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749G
 Sample ID MW4
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	< 2	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	1.61	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749G
 Sample ID MW4
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	230	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	2.04	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	610	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	226	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	2200	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1
Total Chlorides	290	mg/l	8.5	26.5	5	300.0		3/30/2009	CWT	1

Lab Code 5018749H
 Sample ID MW2
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	< 4.8	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	2.1 "J"	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 24	ug/l	24	75	100	8260B		4/2/2009	CJR	1
Bromobenzene	< 44	ug/l	44	140	100	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 30	ug/l	30	94	100	8260B		4/2/2009	CJR	1
Bromoform	< 70	ug/l	70	220	100	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 32	ug/l	32	100	100	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 73	ug/l	73	230	100	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 55	ug/l	55	180	100	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 30	ug/l	30	96	100	8260B		4/2/2009	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		4/2/2009	CJR	1
Chloroethane	< 97	ug/l	97	310	100	8260B		4/2/2009	CJR	1
Chloroform	< 47	ug/l	47	150	100	8260B		4/2/2009	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 41	ug/l	41	130	100	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 30	ug/l	30	96	100	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749H
 Sample ID MW2
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 170	ug/l	170	550	100	8260B	4/2/2009	4/2/2009	CJR	1
Dibromochloromethane	< 40	ug/l	40	130	100	8260B	4/2/2009	4/2/2009	CJR	1
1,4-Dichlorobenzene	< 74	ug/l	74	230	100	8260B	4/2/2009	4/2/2009	CJR	1
1,3-Dichlorobenzene	< 67	ug/l	67	210	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichlorobenzene	< 88	ug/l	88	280	100	8260B	4/2/2009	4/2/2009	CJR	1
Dichlorodifluoromethane	< 76	ug/l	76	240	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichloroethane	< 41	ug/l	41	130	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1-Dichloroethane	< 59	ug/l	59	190	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1-Dichloroethene	< 50	ug/l	50	160	100	8260B	4/2/2009	4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 44	ug/l	44	140	100	8260B	4/2/2009	4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	200	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichloropropane	< 27	ug/l	27	85	100	8260B	4/2/2009	4/2/2009	CJR	1
2,2-Dichloropropane	< 53	ug/l	53	170	100	8260B	4/2/2009	4/2/2009	CJR	1
1,3-Dichloropropane	< 40	ug/l	40	130	100	8260B	4/2/2009	4/2/2009	CJR	1
Di-isopropyl ether	< 37	ug/l	37	120	100	8260B	4/2/2009	4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 76	ug/l	76	240	100	8260B	4/2/2009	4/2/2009	CJR	1
Ethylbenzene	< 35	ug/l	35	110	100	8260B	4/2/2009	4/2/2009	CJR	1
Hexachlorobutadiene	< 170	ug/l	170	530	100	8260B	4/2/2009	4/2/2009	CJR	1
Isopropylbenzene	< 60	ug/l	60	190	100	8260B	4/2/2009	4/2/2009	CJR	1
p-Isopropyltoluene	< 77	ug/l	77	250	100	8260B	4/2/2009	4/2/2009	CJR	1
Methylene chloride	< 99	ug/l	99	310	100	8260B	4/2/2009	4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 70	ug/l	70	220	100	8260B	4/2/2009	4/2/2009	CJR	1
Naphthalene	< 180	ug/l	180	570	100	8260B	4/2/2009	4/2/2009	CJR	1
n-Propylbenzene	< 54	ug/l	54	170	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 50	ug/l	50	160	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 32	ug/l	32	100	100	8260B	4/2/2009	4/2/2009	CJR	1
Tetrachloroethene	7800	ug/l	50	160	100	8260B	4/2/2009	4/2/2009	CJR	1
Toluene	< 39	ug/l	39	120	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 110	ug/l	110	350	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	500	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1,1-Trichloroethane	< 28	ug/l	28	90	100	8260B	4/2/2009	4/2/2009	CJR	1
1,1,2-Trichloroethane	< 39	ug/l	39	120	100	8260B	4/2/2009	4/2/2009	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	150	100	8260B	4/2/2009	4/2/2009	CJR	1
Trichlorofluoromethane	< 81	ug/l	81	260	100	8260B	4/2/2009	4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 51	ug/l	51	160	100	8260B	4/2/2009	4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 23	ug/l	23	74	100	8260B	4/2/2009	4/2/2009	CJR	1
Vinyl Chloride	< 20	ug/l	20	63	100	8260B	4/2/2009	4/2/2009	CJR	1
m&p-Xylene	< 100	ug/l	100	320	100	8260B	4/2/2009	4/2/2009	CJR	1
o-Xylene	< 67	ug/l	67	210	100	8260B	4/2/2009	4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	340	mg/l	1.1	10	1	310.2	4/1/2009	4/1/2009	ESC	3
Nitrite Plus Nitrate, Dissolved	1.61	mg/L	0.1	0.31	1	4500B/F	4/2/2009	4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	1200	ug/l	31	100	1	EPA 351.2	4/2/2009	4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1	4/3/2009	4/3/2009	ESC	1
Sulfate, Dissolved	96.6	mg/L	8.5	26.5	5	300.0	3/30/2009	3/30/2009	CWT	1
Total Chlorides	158	mg/l	8.5	26.5	5	300.0	3/30/2009	3/30/2009	CWT	1
Total Organic Carbon	5700	ug/l	310	1000	1	EPA 9060	4/6/2009	4/6/2009	ESC	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749I
 Sample ID MW1
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	140 "J"	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	< 4.8	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	< 2	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 12	ug/l	12	37.5	50	8260B		4/2/2009	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		4/2/2009	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 27.5	ug/l	27.5	90	50	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		4/2/2009	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		4/2/2009	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		4/2/2009	CJR	1
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		4/2/2009	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 22	ug/l	22	70	50	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	100	50	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		4/2/2009	CJR	1
Ethylbenzene	< 17.5	ug/l	17.5	55	50	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 30	ug/l	30	95	50	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		4/2/2009	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		4/2/2009	CJR	1
Naphthalene	< 90	ug/l	90	285	50	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 27	ug/l	27	85	50	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749I
 Sample ID MW1
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		4/2/2009	CJR	1
Tetrachloroethene	2950	ug/l	25	80	50	8260B		4/2/2009	CJR	1
Toluene	< 19.5	ug/l	19.5	60	50	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	75	50	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 25.5	ug/l	25.5	80	50	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 11.5	ug/l	11.5	37	50	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B		4/2/2009	CJR	1
m&p-Xylene	< 50	ug/l	50	160	50	8260B		4/2/2009	CJR	1
o-Xylene	< 33.5	ug/l	33.5	105	50	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	60	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	0.1 "J"	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	760	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	380	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	7.02	mg/L	1.7	5.3	1	300.0		4/1/2009	CWT	1
Total Organic Carbon	2200	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1
Total Chlorides	7.04	mg/l	1.7	5.3	1	300.0		3/30/2009	CWT	1

Lab Code 5018749J
 Sample ID PZ1
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	7.2	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	3.8	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749J
 Sample ID PZ1
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	4/2/2009	4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B	4/2/2009	4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B	4/2/2009	4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	4/2/2009	4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B	4/2/2009	4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B	4/2/2009	4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B	4/2/2009	4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B	4/2/2009	4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B	4/2/2009	4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B	4/2/2009	4/2/2009	CJR	1
cis-1,2-Dichloroethene	8.2	ug/l	0.44	1.4	1	8260B	4/2/2009	4/2/2009	CJR	1
trans-1,2-Dichloroethene	1.93 "J"	ug/l	0.61	2	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B	4/2/2009	4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B	4/2/2009	4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	4/2/2009	4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B	4/2/2009	4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B	4/2/2009	4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	4/2/2009	4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B	4/2/2009	4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B	4/2/2009	4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B	4/2/2009	4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B	4/2/2009	4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B	4/2/2009	4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B	4/2/2009	4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B	4/2/2009	4/2/2009	CJR	1
Tetrachloroethene	6.8	ug/l	0.5	1.6	1	8260B	4/2/2009	4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B	4/2/2009	4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B	4/2/2009	4/2/2009	CJR	1
Trichloroethene (TCE)	45	ug/l	0.47	1.5	1	8260B	4/2/2009	4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B	4/2/2009	4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B	4/2/2009	4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B	4/2/2009	4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	4/2/2009	4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B	4/2/2009	4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	4/2/2009	4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	270	mg/l	1.1	10	1	310.2	4/1/2009	4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F	4/2/2009	4/2/2009	CWT	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749J
Sample ID PZ1
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Nitrogen, kjeldahl (TKN)	180	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	269	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	3500	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1
Total Chlorides	92.6	mg/l	8.5	26.5	5	300.0		3/30/2009	CWT	1

Lab Code 5018749K
Sample ID MW3
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	< 4.8	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	< 2	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749K
Sample ID MW3
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	55	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	380	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	2.84	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	1100	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	305	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Chlorides	118	mg/l	17	53	10	300.0		3/30/2009	CWT	1
Total Organic Carbon	4000	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1

Lab Code 5018749L
Sample ID MW6
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	10.3	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749L
 Sample ID MW6
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	4.8	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	23.7	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749L
 Sample ID MW6
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	0.70 "J"	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	190	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	0.42	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	400	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	110	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	81.9	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	18000	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1
Total Chlorides	83.0	mg/l	8.5	26.5	5	300.0		3/30/2009	CWT	1

Lab Code 5018749M
 Sample ID MW7
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	24.4	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	2.6 "J"	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5018749M
Sample ID MW7
Sample Matrix Water
Sample Date 3/27/2009

Invoice # E18749

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	1.82	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	75	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	4.5	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	700	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	310	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	212	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	8500	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1
Total Chlorides	297	mg/l	8.5	26.5	5	300.0		3/30/2009	CWT	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749N
 Sample ID PZ2
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	156	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	37.9	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/2/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/2/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/2/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	0.92 "J"	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	68	ug/l	0.44	1.4	1	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	1.87 "J"	ug/l	0.61	2	1	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/2/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/2/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	0.74 "J"	ug/l	0.7	2.2	1	8260B		4/2/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749N
 Sample ID PZ2
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/2/2009	CJR	1
Tetrachloroethene	1970	ug/l	0.5	1.6	1	8260B		4/2/2009	CJR	10 46
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	360	ug/l	0.47	1.5	1	8260B		4/2/2009	CJR	10 46
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/2/2009	CJR	1
Vinyl Chloride	0.41 "J"	ug/l	0.2	0.63	1	8260B		4/2/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/2/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/2/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	350	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	65 "J"	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	163	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	3900	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	2
Total Chlorides	351	mg/l	17	53	10	300.0		4/1/2009	CWT	1

Lab Code 5018749O
 Sample ID PZ5
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 60	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	129	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	4.1	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/6/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/6/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/6/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/6/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 50187490
 Sample ID PZ5
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/6/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/6/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/6/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/6/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/6/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/6/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/6/2009	CJR	4
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/6/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/6/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/6/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/6/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/6/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/6/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/6/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/6/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/6/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/6/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/6/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/6/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/6/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/6/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/6/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/6/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	220	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749O
 Sample ID PZ5
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Nitrogen, kjeldahl (TKN)	500	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	186	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Chlorides	141	mg/l	17	53	10	300.0		3/30/2009	CWT	1
Total Organic Carbon	9600	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1

Lab Code 5018749P
 Sample ID MW11
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	150 "J"	ug/L	60	210	1	200.7		4/2/2009	CWT	1
Manganese, Dissolved	67.3	ug/L	4.8	15.4	1	200.7		4/2/2009	CWT	1
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		3/31/2009	MJR	1
Methane	2.8 "J"	ug/l	2	6	1	8015		3/31/2009	MJR	1
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/6/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/6/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/6/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/6/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/6/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/6/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/6/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/6/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/6/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/6/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/6/2009	CJR	4

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749P
 Sample ID MW11
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/6/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/6/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/6/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/6/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/6/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/6/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/6/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/6/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/6/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/6/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/6/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/6/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/6/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/6/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/6/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/6/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1

Wet Chemistry

General

Alkalinity, Total	280	mg/l	1.1	10	1	310.2		4/1/2009	ESC	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/L	0.1	0.31	1	4500B/F		4/2/2009	CWT	1
Nitrogen, kjeldahl (TKN)	360	ug/l	31	100	1	EPA 351.2		4/2/2009	ESC	1
Phosphorus, Total	< 19	ug/l	19	100	1	EPA 365.1		4/3/2009	ESC	1
Sulfate, Dissolved	66.0	mg/L	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Chlorides	171	mg/l	8.5	26.5	5	300.0		3/30/2009	CWT	1
Total Organic Carbon	8400	ug/l	310	1000	1	EPA 9060		4/6/2009	ESC	1

Lab Code 5018749Q
 Sample ID FIELD
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/6/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/6/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297
Lab Code 5018749Q
Sample ID FIELD
Sample Matrix Water
Sample Date 3/27/2009

Invoice # E18749

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/6/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/6/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/6/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/6/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/6/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/6/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/6/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/6/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/6/2009	CJR	4
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/6/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/6/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/6/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/6/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/6/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/6/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/6/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/6/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/6/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/6/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/6/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/6/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/6/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/6/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/6/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/6/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749R
 Sample ID DUP
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 24	ug/l	24	75	100	8260B		4/2/2009	CJR	1
Bromobenzene	< 44	ug/l	44	140	100	8260B		4/2/2009	CJR	1
Bromodichloromethane	< 30	ug/l	30	94	100	8260B		4/2/2009	CJR	1
Bromoform	< 70	ug/l	70	220	100	8260B		4/2/2009	CJR	1
tert-Butylbenzene	< 32	ug/l	32	100	100	8260B		4/2/2009	CJR	1
sec-Butylbenzene	< 73	ug/l	73	230	100	8260B		4/2/2009	CJR	1
n-Butylbenzene	< 55	ug/l	55	180	100	8260B		4/2/2009	CJR	1
Carbon Tetrachloride	< 30	ug/l	30	96	100	8260B		4/2/2009	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		4/2/2009	CJR	1
Chloroethane	< 97	ug/l	97	310	100	8260B		4/2/2009	CJR	1
Chloroform	< 47	ug/l	47	150	100	8260B		4/2/2009	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B		4/2/2009	CJR	1
2-Chlorotoluene	< 41	ug/l	41	130	100	8260B		4/2/2009	CJR	1
4-Chlorotoluene	< 30	ug/l	30	96	100	8260B		4/2/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 170	ug/l	170	550	100	8260B		4/2/2009	CJR	1
Dibromochloromethane	< 40	ug/l	40	130	100	8260B		4/2/2009	CJR	1
1,4-Dichlorobenzene	< 74	ug/l	74	230	100	8260B		4/2/2009	CJR	1
1,3-Dichlorobenzene	< 67	ug/l	67	210	100	8260B		4/2/2009	CJR	1
1,2-Dichlorobenzene	< 88	ug/l	88	280	100	8260B		4/2/2009	CJR	1
Dichlorodifluoromethane	< 76	ug/l	76	240	100	8260B		4/2/2009	CJR	1
1,2-Dichloroethane	< 41	ug/l	41	130	100	8260B		4/2/2009	CJR	1
1,1-Dichloroethane	< 59	ug/l	59	190	100	8260B		4/2/2009	CJR	1
1,1-Dichloroethene	< 50	ug/l	50	160	100	8260B		4/2/2009	CJR	1
cis-1,2-Dichloroethene	< 44	ug/l	44	140	100	8260B		4/2/2009	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	200	100	8260B		4/2/2009	CJR	1
1,2-Dichloropropane	< 27	ug/l	27	85	100	8260B		4/2/2009	CJR	1
2,2-Dichloropropane	< 53	ug/l	53	170	100	8260B		4/2/2009	CJR	1
1,3-Dichloropropane	< 40	ug/l	40	130	100	8260B		4/2/2009	CJR	1
Di-isopropyl ether	< 37	ug/l	37	120	100	8260B		4/2/2009	CJR	1
EDB (1,2-Dibromoethane)	< 76	ug/l	76	240	100	8260B		4/2/2009	CJR	1
Ethylbenzene	< 35	ug/l	35	110	100	8260B		4/2/2009	CJR	1
Hexachlorobutadiene	< 170	ug/l	170	530	100	8260B		4/2/2009	CJR	1
Isopropylbenzene	< 60	ug/l	60	190	100	8260B		4/2/2009	CJR	1
p-Isopropyltoluene	< 77	ug/l	77	250	100	8260B		4/2/2009	CJR	1
Methylene chloride	< 99	ug/l	99	310	100	8260B		4/2/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 70	ug/l	70	220	100	8260B		4/2/2009	CJR	1
Naphthalene	< 180	ug/l	180	570	100	8260B		4/2/2009	CJR	1
n-Propylbenzene	< 54	ug/l	54	170	100	8260B		4/2/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 50	ug/l	50	160	100	8260B		4/2/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 32	ug/l	32	100	100	8260B		4/2/2009	CJR	1
Tetrachloroethene	2510	ug/l	50	160	100	8260B		4/2/2009	CJR	1
Toluene	< 39	ug/l	39	120	100	8260B		4/2/2009	CJR	1
1,2,4-Trichlorobenzene	< 110	ug/l	110	350	100	8260B		4/2/2009	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	500	100	8260B		4/2/2009	CJR	1
1,1,1-Trichloroethane	< 28	ug/l	28	90	100	8260B		4/2/2009	CJR	1
1,1,2-Trichloroethane	< 39	ug/l	39	120	100	8260B		4/2/2009	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	150	100	8260B		4/2/2009	CJR	1

Project Name GREEN BAY
Project # 400-1297

Invoice # E18749

Lab Code 5018749R
Sample ID DUP
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 81	ug/l	81	260	100	8260B		4/2/2009	CJR	1
1,2,4-Trimethylbenzene	< 51	ug/l	51	160	100	8260B		4/2/2009	CJR	1
1,3,5-Trimethylbenzene	< 23	ug/l	23	74	100	8260B		4/2/2009	CJR	1
Vinyl Chloride	< 20	ug/l	20	63	100	8260B		4/2/2009	CJR	1
m&p-Xylene	< 100	ug/l	100	320	100	8260B		4/2/2009	CJR	1
o-Xylene	< 67	ug/l	67	210	100	8260B		4/2/2009	CJR	1

Lab Code 5018749S
Sample ID TB
Sample Matrix Water
Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		4/6/2009	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		4/6/2009	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		4/6/2009	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		4/6/2009	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		4/6/2009	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/6/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		4/6/2009	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		4/6/2009	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		4/6/2009	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		4/6/2009	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/6/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		4/6/2009	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		4/6/2009	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		4/6/2009	CJR	4
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/6/2009	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		4/6/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		4/6/2009	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/6/2009	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		4/6/2009	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		4/6/2009	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		4/6/2009	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		4/6/2009	CJR	1

Project Name GREEN BAY
 Project # 400-1297

Invoice # E18749

Lab Code 5018749S
 Sample ID TB
 Sample Matrix Water
 Sample Date 3/27/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		4/6/2009	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		4/6/2009	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		4/6/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		4/6/2009	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/6/2009	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/6/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		4/6/2009	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		4/6/2009	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		4/6/2009	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/6/2009	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/6/2009	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/6/2009	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		4/6/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		4/6/2009	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		4/6/2009	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		4/6/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

- 1 Laboratory QC within limits.
- 2 Relative percent difference failed for laboratory spiked samples.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.
- 10 Linear range of calibration curve exceeded.
- 46 Insufficient sample to reshoot.

CWT denotes sub contract lab - Certification #445126660

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature 

Check office originating request

- 954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444
- 330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844
- 85 Revere Drive, Suite H
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552
- 3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464
- 12075 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222
- 1203 Storbeck Drive
Waupun, WI 53983
920-324-8600
FAX 920-324-3023
- 101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313
- 15851 S. U.S. 27 - Bldg. 30, Suite 319
Lansing, MI 48906
517-702-0470
FAX 517-702-0477
- 315 Sanborn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No: <u>400-1297</u>		Task No:		Laboratory: <u>Synergy</u>			Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																				
Project Location: (city) <u>Green Bay</u>		Wisconsin DNR Certification #: <u>445037560</u>			Method of shipment: <u>SYNERGY</u>																						
Project Manager: <u>Lynelle Coine</u>		Laboratory Contact: <u>Mike Richer</u>			Contents Temperature: <u>ON ICE</u> °C Refrigerator No.:																						
Sampler: (name) <u>Jeff Brand</u>		Price Quote:			ANALYSES REQUESTED																						
Sampler: (Signature) <u>Jeff Brand</u>		TURNAROUND TIME REQUIRED			DRO (WI Modified Method) GFO (WI Modified Method) BETX (EPA Method 8020) PVOC (EPA Method 8020) VOC (EPA Method 8021) PAH (EPA Method) Pb (EPA Method) Manganese Ferrrous Iron Nitrites Sulfates Chloride alk TOC Total Phosphorus Kjeldahl Nitrogen (Total) Ethane, ethene methane																						
Sampling Date(s): <u>3-27-09</u>		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush																									
Reports to be Sent to: <u>Jeff Brand</u>		Date Needed:																									
Lab ID No.	Sample No.	Collection		No. of Containers, Size & Type	Description			Preservative	DRO	GFO	BETX	PVOC	VOC	PAH	Pb	Manganese	Ferrrous Iron	Nitrites	Sulfates	Chloride	alk	TOC	Total Phosphorus	Kjeldahl Nitrogen (Total)	Ethane, ethene	methane	
		Date	Time		Water	Soil	Other																				
5749A	MW 5	3-27-09	953	3-40-	X			HCL					X														
B	MW 8		113		X								X														
C	MW 9		1218		X								X														
D	Pz 3		1227		X								X														
E	MW 10		1207		X								X														
F	Pz 4		1212		X								X														
G	MW 4		908	4-40 ml, 3-250 ml (1-500 ml) 1-	X			HCL, H ₂ SO ₄ , HNO ₃					X			X	X	X	X	X	X	X	X	X	X	X	
H	MW 2		936		X								X			X	X	X	X	X	X	X	X	X	X		
I	MW 1		1004		X								X			X	X	X	X	X	X	X	X	X	X		
J	Pz 1		1029		X								X			X	X	X	X	X	X	X	X	X	X		
Packed for Shipping by: <u>Jeff Brand</u>		Comments:																									
Shipment Date:																											
Relinquished By: <u>Jeff Brand</u>		Date: <u>3/27/09</u>		Relinquished By:				Date:		Relinquished By:				Date:													
Company: <u>North Environmental</u>		Time: <u>7:30 AM</u>		Company:				Time:		Company:				Time:													
Received By: <u>M. Richer</u>		Date: <u>3/31/09</u>		Received By:				Date:		Received By:				Date:													
Company: <u>SYNERGY</u>		Time: <u>7:30 AM</u>		Company:				Time:		Company:				Time:													

