




October 20, 2008

Mr. Constantine Tsoris
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Madison, Wisconsin 53711



RE: Site Investigation Report
Former Nemitz Laundry
614 Michigan Avenue, Wisconsin Dells, Wisconsin

Dear Mr. Tsoris:

In July and August 2008, RSV Engineering, Inc. (RSV) performed an environmental investigation of the former Nemitz Laundry site (Figure 1) to assess potential impacts to soil and groundwater from the release of tetrachloroethene (PCE) on the property.

Objectives:

The site investigation objectives included:

- Defining the hydrogeologic conditions and characteristics of the study area.
- Documenting horizontal groundwater flow conditions by installing three monitoring wells (with a fourth well as an optional task).
- Delineating the horizontal and vertical extents of contamination, characterizing the sources of contamination and identifying the nature of the waste.
- Verifying or disputing the results of any previous investigations or data if appropriate.
- Determining whether additional site investigation or remedial actions are appropriate.

Methods:

All work was performed in accordance with RSV's June 25, 2008 Work Plan, which included the construction and sampling of three water table monitoring wells and eight shallow hand auger borings. The hand auger borings were completed on July 8, 2008 to delineate the lateral extent of PCE impacts in shallow soil beneath the site in the areas of the former underground storage tank (UST) and above ground storage tank (AST; Figure 2). Soil samples from these borings were visually logged and screened with a photoionization detector (PID) and 8 samples were selected and submitted for volatile organic compound (VOC) analyses.

Monitoring well drilling was completed on August 20 through 22, 2008. Prior to drilling, well locations were selected on-site to maximize characterization of groundwater beneath the subject

property and in light of site accessibility issues. Monitoring wells MW-1 and MW-2 were placed as close as possible to the eastern property border, on the northern and southern portions of the property, respectively, in expected sidegradient locations. Monitoring well MW-3 was placed in the southeast corner of the property, in an expected upgradient location (Figure 2).

Well drilling was completed using a truck-mounted hollow-stem auger drill rig to refusal on bedrock, approximately 2 to 3 feet below ground surface (bgs). Following auger refusal, drilling proceeded utilizing air rotary methods to depth. Boreholes were terminated approximately 10 feet below the water table. Soil and rock descriptions were logged by a staff geologist (Attachment A).

Monitoring wells were constructed in accordance with the requirements of Wisconsin Administrative Code ch. NR 141, with 2-inch Schedule 40 flush-threaded PVC and 15-foot factory-slotted screens set at depths approximately 10 feet below the water table (Attachment B). Wells were completed with flushmount protective covers, inner expandable caps and locks.

Wells were developed by purging and surging, with compressed air immediately following well construction, and with bailers prior to collecting groundwater samples (Attachment C). On August 26, 2008 RSV returned to the site to measure groundwater elevations, purge the wells, collect groundwater samples and submit them to a WDNR-certified environmental laboratory (Test America) for analysis of VOCs. Following sample collection, in-field hydraulic conductivity (slug) tests were performed on wells MW-2 and MW-3 to determine the hydraulic conductivity of the screened formation, as required by NR 700 (Attachment D).

All purge water and drill cuttings were contained in clean DOT-approved 55 gallon drums pending analyses. Subsequent to the completion of drilling and sampling, a composite sample was collected from the cuttings for analyses of toxicity characteristic leaching procedure (TCLP) VOCs. The material was determined to be non-hazardous and was disposed of by Advanced Waste Services on September 4, 2008.

Well locations and elevations were surveyed to the nearest 0.01 foot, relative to mean sea level, on October 16, 2008.

Results

Geology and Hydrogeology

Approximately 2 to 3 feet of surficial brown sand was present at the site, overlying the Cambrian sandstone bedrock. The Cambrian sandstone aquifer is the main source of potable water in the area. It extends to at least 85 feet bgs below the site and is likely approximately 400 feet thick in the area, based on WDNR well construction logs of City of Wisconsin Dells high-capacity wells in the vicinity of the site (Attachment E). Slug test data collected were analyzed using the Bower and Rice method (Attachment D). The analyses indicate that the hydraulic conductivity of the Cambrian sandstone formation ranges from 0.2 to 1.1 feet per day, well within the expected range of conductivities for a weakly to moderately cemented, fine to medium-grained sandstone.

Groundwater was encountered at depths of approximately 66 to 68 feet bgs at the site (Table 1). Groundwater elevation contours constructed from elevation data collected on August 26, 2008 indicate that groundwater flows to the southeast, contrary to previous assumptions that flow would be west towards the Wisconsin River, similar to regional flow patterns (Figure 3). Groundwater flow

may be affected by pumpage from two high-capacity municipal wells, one located at the corner of Race and Washington Streets, and one just north of that location, in the SE ¼ of the SE ¼ of Section 3. Both wells are approximately 2,000 feet east-southeast of the subject property. Normal pumpage for the wells are approximately 240,000 gallons per day and 360,000 gallons per day, respectively (Attachment E).

To determine whether pumpage from the two wells could be affecting groundwater flow, RSV constructed a 2-dimensional groundwater flow model, using the USGS model MODFLOW. For purposes of this exercise, the Wisconsin River was simulated as a constant head boundary, and recharge was based on published averages for the area (*Ground-Water Resources and Geology of Columbia County, Wisconsin*, C.A. Harr, L.C. Trotta, R.G. Borman, 1978). The simulated hydraulic conductivity was based on slug test results from the Nemitz site (discussed above). Figure 4 shows the simulated flow directions with no high capacity wells. As the figure shows, the flow is toward the Wisconsin River, as would be expected. However, when the two City of Wisconsin Dells municipal wells located southeast of the site (shown on Figures 4 and 5) are simulated at the stated average daily flow rate, the model indicated the site was in the transitional area, near the edge of the radius of influence of the wells, as shown on Figure 5, with a southeasterly flow component. Consequently, RSV believes that it is likely the operation of the two wells could induce flow from the site to the wells.

Soil

A total of 11 soil samples were collected from the deepest unlithified material present in each of the hand auger and monitoring well borehole locations. All samples were submitted for laboratory analyses of VOCs (Table 2). PCE was generally the only VOC detected in any soil sample collected, with the exception of methylene chloride, a common laboratory contaminant, detected in the sample collected from MW-3 at a concentration of 81 µg/kg (Attachment F). As expected, PCE concentrations were highest in the vicinity of the former PCE tank on the western edge of the property (Figure 6), and ranged from 170 to 7,000 µg/kg in that area.

PCE was also detected in the sample collected from boring HA-6 on the south side of the building, at a concentration of 190 µg/kg. PCE was not detected in any other soil sample collected by RSV on the south side of the building, or the soil sample collected from the borehole for MW-1 on the north side of the building.

Groundwater

PCE was the only VOC detected in any groundwater sample collected from site monitoring wells (Attachment F). PCE concentrations ranged from 5,700 µg/L in the sample collected from MW-2 in the southwest corner of the property to 3,900 µg/L in the sample collected from MW-1 in the northwest corner of the property (Figure 7).

Recommendations

The horizontal extent of unsaturated zone impacts (soil and bedrock) remain undefined and additional investigation is needed to the west and southwest of the former PCE tank area. Additionally, the horizontal and vertical extents of groundwater concentrations exceeding ch. NR 140 standards have also not been defined. Furthermore, given the discrepancy between expected and observed groundwater flow patterns, and the likely influence of pumpage from municipal wells on groundwater flow patterns, additional monitoring of groundwater elevations to assess seasonality trends is necessary. At least one piezometer should be installed in the expected downgradient direction with respect to the source area adjacent to the former location of the PCE tank, to assess vertical gradients within the sandstone, and vertical profiling of contaminant concentrations in this location may also be advantageous. Additional wells at the anticipated leading edge of the plume, in the center of the plume and on the northern and southern margins of the plume are also recommended. These locations may need to be selected following further assessment of groundwater flow patterns.

As discussed above, WDNR records indicate there are high-capacity municipal drinking water wells in the vicinity of the site (Attachment E). Consequently, adequate definition of the plume's horizontal and vertical extents is essential to determine whether any potential receptors may be impacted. As there is a potential for these wells to be impacted by contaminants migrating from the site, RSV recommends samples be collected from the two wells for VOC analyses. Additional information regarding the actual pumping rates from the wells is also necessary to further assess what impact the pumpage may have on groundwater flow and the migration of the contaminant plume.

RSV appreciates the opportunity to assist you in this matter. Please do not hesitate to contact the undersigned should you have any questions, comments or concerns regarding the contents of this report.

Sincerely,
RSV ENGINEERING, INC.



Paula A. Richardson, P.G.
Project Hydrogeologist




Robert J. Nauta, P.G.
Vice President

Enclosures:

Figures 1 through 7
Tables 1 and 2
Attachments A through F

FIGURES



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC MAP,
WISCONSIN DELLS NORTH, WISCONSIN, 1981.



Engineering, Inc.


Engineers • Land Surveyors • Environmental Scientists

146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

NEMITZ LAUNDRY
WISCONSIN DELLS, WISCONSIN
SITE LOCATION MAP

FIGURE
1

DRAWN BY	PROJ. No.	DATE	FILE NAME
RN	08-736	22 NOV 07	SITE LOC




Engineers • Land Surveyors • Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

**NEMITZ LAUNDRY
WISCONSIN DELLS, WISCONSIN
SIMULATED FLOW - NO WELLS**

**FIGURE
4**

DRAWN BY	PROJ. No.	DATE	FILE NAME
RN	08-736	16 SEP 08	NO PUMP



RSV
Engineering, Inc.

Engineers • Land Surveyors • Environmental Scientists


146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

**NEMITZ LAUNDRY
WISCONSIN DELLS, WISCONSIN
SIMULATED FLOW - WELLS OPERATING**

DRAWN BY	PROJ. No.	DATE	FILE NAME
RN	08-736	16 SEP 08	WELLS

**FIGURE
5**

MICHIGAN AVENUE




- METCO SAMPLE LOCATION
- △ RSV SOIL SAMPLE LOCATION


⊕ MONITORING WELL LOCATION



NORTH



MICHIGAN AVENUE




- METCO SAMPLE LOCATION
- △ RSV SAMPLE LOCATION

TETRACHLOROETHENE CONCENTRATIONS
INDICATED IN ug/kg; "HA", "MW" AND "HS"
SAMPLES COLLECTED BETWEEN 2 AND 3
FEET BELOW GROUNDSURFACE (BGS); G-1
IS 3.5 TO 5 FEET BGS AND G-2 IS 5 TO 6.5 FEET BGS.



NORTH

MICHIGAN AVENUE



⊕ MONITORING WELL LOCATION
5,000 PCE CONCENTRATION IN GROUNDWATER ($\mu\text{g/L}$)



Engineers • Land Surveyors • Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

WISCONSIN DEPARTMENT OF
NATURAL RESOURCES
NEMITZ LAUNDRY
GROUNDWATER ANALYTICAL SUMMARY

FIGURE
7

DRAWN BY	PROJ. No.	DATE	FILE NAME
PAR	08-736	10 SEP 08	SOIL SAMP

TABLES

TABLE 1
NEMITZ LAUNDRY
WISCONSIN DELLS, WI
GROUNDWATER ELEVATIONS

Well Location	Date	Top of Casing Elevation (feet)	Top of Screen Elevation (feet)	Depth to Water from TOC (feet)	Water Table Elevation (feet)
MW-1	8/26/2008	918.15	855.27	67.41	850.74
MW-2	8/26/2008	915.52	853.67	65.18	850.34
MW-3	8/26/2008	915.91	854.72	66	849.91

TOC : Top of casing.

bgs: Below ground surface.

Elevations referenced to mean sea level.

TABLE 2
NEMITZ LAUNDRY
WISCONSIN DELLS, WI
SOIL ANALYSES
Concentrations in µg/kg

PARAMETER	LOCATION, DEPTH (ft) AND DATE COLLECTED										
	HA-1	HA-2	HA-3	HA-4	HA-5	HA-6	HA-7	HA-8	MW-1	MW-2	MW-3
	Jul-08	Jul-08	Jul-08	Jul-08	Jul-08	Jul-08	Jul-08	Jul-08	Aug-08	Aug-08	Aug-08
Tetrachloroethene	2	2	2	2	2.5	2	2.5	2.5	2-3	2-3	2-3
	170	230	5,400	7,000	<29	190	<28	<28	<30	<28	<27

Tetrachloroethene was generally the only VOC detected in any sample collected, with the exception of methylene chloride, a common laboratory contaminant, detected in the sample collected from MW-3 at a concentration of 81 µg/kg.

ATTACHMENT A

SOIL BORING LOGS

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name Nenitz Cleaners			License/Permit/Monitoring Number		Boring Number M.W-1	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: Alex Last Name: Firm: Badger State Drilling			Date Drilling Started 08/20/2008	Date Drilling Completed 08/20/2008	Drilling Method Air Rotary	
WI Unique Well No.	DNR Well ID No.	Well Name M.W-1	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 6 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N. _____ E			Lat 0° 0' "	Local Grid Location <input type="checkbox"/> N _____ <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
1/4 of	1/4 of Section	T N, R	Long 0° 0' "	<input type="checkbox"/> N _____ <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID		County Columbia	County Code	Civil Town/City or Village Wisconsin Dells		

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/TID	Soil Properties					P 200	RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index			
				O-3 F. Sand (SP), brown, dry 3'-85' Cambrian Peter Sandstone, bds. f-m grained, well-sorted, poorly cemented @ 18' 6" dolomite layer water @ 75' while drilling, stabilized @ 68' Set screen @ 78' 15' screen 78'-63' - End of Boring @ 85'	SP										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Pawel Pichler Firm RSV Engineering, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name <i>Nernitz Laundry</i>		License/Permit/Monitoring Number		Boring Number <i>MW-2</i>
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Alex</i> Last Name: <i>Badger State Drilling</i>		Date Drilling Started <i>08/21/2008</i>	Date Drilling Completed <i>08/21/2008</i>	Drilling Method <i>Air Rotary</i>
WI Unique Well No.	DNR Well ID No. <i>MW-2</i>	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 6 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N. _____ E		Lat <u>0</u> ° <u>0</u> ' <u>0</u> "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W	
1/4 of _____	1/4 of Section _____ T _____ N, R _____	Long <u>0</u> ° <u>0</u> ' <u>0</u> "		
Facility ID	County <i>Columbia Stevens</i>	County Code	Civil Town/City or Village <i>Wisconsin Dells</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				O-1.5' F.Sand (SP) brown, dry @ 1.5'-80 Cambrian Bdx St. Peter's bdx Sandstone, weakly cemented lt. orange to strong brown, f-m, sand dry wtr. @ 69' while drilling Stabilized @ 67 Set well @ 77' 15' screen EOB @ 80'	SP									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Pam Thi Firm RSV Engineering, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name <i>Nemitz Laundry</i>			License/Permit/Monitoring Number		Boring Number <i>M16-3</i>
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Alex</i> Last Name: Firm: <i>Badger State Drilling</i>			Date Drilling Started <i>08/21/2008</i>	Date Drilling Completed <i>08/22/2008</i>	Drilling Method <i>Air Rotary</i>
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 6 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N. _____ E			Lat <i>0° 0' 0"</i>	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E	
1/4 of _____ 1/4 of Section _____ T. N, R.			Long <i>0° 0' 0"</i>	Feet <input type="checkbox"/> S	Feet <input type="checkbox"/> W
Facility ID	County <i>Columbia</i>	County Code	Civil Town/City or Village <i>Wisconsin Dells</i>		

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit		USCS	Graphic Log	Well Diagram	P/L/D/F/D	Soil Properties					RQD/Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				0-1.5' f. sand, brown, dry 1.5'-80' St. Peter Cambrian sandstone, f-m grained, dry f. orange to lt. brown		SP odx									TD = 79.9 DTW = 66.5
				wtr @ ~68' while drilling stabilized @ 66.5' set well @ 77' 15' screen EOB @ 80											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Richard Jinoor P.E.* Firm *RSV Engineering, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

ATTACHMENT B

MONITORING WELL CONSTRUCTION FORMS

Facility/Project Name <i>Nenitz Laundry</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW-1</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> Long. <input type="checkbox"/> " or	Wis. Unique Well No. <input type="checkbox"/> DNR Well ID No. <input type="checkbox"/>
Facility ID	St. Plane <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> S/C/N	Date Well Installed <i>08/20/2003</i> <i>m m d d y y y y</i>
Type of Well	Section Location of Waste/Source 1/4 of <input type="checkbox"/> 1/4 of Sec. <input type="checkbox"/> T. <input type="checkbox"/> N.R. <input type="checkbox"/> E.W.	Well Installed By: Name (first, last) and Firm <i>Alex Badger State Drilling</i>
Distance from Waste/Source <i>50</i> ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number
A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>8 in.</i> b. Length: <i>10 ft.</i> c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/> <i>SS</i>
C. Land surface elevation	ft. MSL	d. Additional protection? If yes, describe: <input type="checkbox"/> Yes <input type="checkbox"/> No
D. Surface seal, bottom	ft. MSL or <input type="checkbox"/> ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/> <i>SS</i>
12. USCS classification of soil near screen:	GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Other <input checked="" type="checkbox"/> <i>SS</i>
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight..... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
14. Drilling method used:	Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/> <i>Air</i>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/> <i>SS</i>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input checked="" type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. <i>Ond 40/60</i>	
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	b. Volume added <input type="checkbox"/> ft ³
17. Source of water (soil analysis, if required):	<i>None</i>	8. Filter pack material: Manufacturer, product name & mesh size a. <i>Ond 40/60</i>
E. Bentonite seal, top	ft. MSL or <input type="checkbox"/> ft.	b. Volume added <input type="checkbox"/> ft ³
F. Fine sand, top	ft. MSL or <i>60</i> ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80. <input type="checkbox"/> 2.4 Other <input type="checkbox"/> <i>SS</i>
G. Filter pack, top	ft. MSL or <i>61</i> ft.	
H. Screen joint, top	ft. MSL or <i>63</i> ft.	
I. Well bottom	ft. MSL or <i>70</i> ft.	
J. Filter pack, bottom	ft. MSL or <i>85</i> ft.	
K. Borehole, bottom	ft. MSL or <i>85</i> ft.	
L. Borehole, diameter	<i>6</i> in.	
M. O.D. well casing	<i>2.33</i> in.	
N. I.D. well casing	<i>2.07</i> in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Pat Pen* Firm *RSU Engineering, Inc.*

Facility/Project Name <i>Nermitz Laundry</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW-2</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. S/C/N	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N.R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed <i>08/21/2008</i> m m d d y y v v
Type of Well Well Code <i>MW1</i>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: Name (first, last) and Firm <i>Alex</i> <i>Badger State Drilling</i>
Distance from Waste/ Source ft.	Enf. Stds. Apply <input checked="" type="checkbox"/>	Gov. Lot Number _____
<p>A. Protective pipe, top elevation - - - - - ft. MSL</p> <p>B. Well casing, top elevation - - - - - ft. MSL</p> <p>C. Land surface elevation - - - - - ft. MSL</p> <p>D. Surface seal, bottom - - - - - ft. MSL or - - - - - ft.</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/> <i>Air</i></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input checked="" type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): <i>VINYL</i></p> <p>E. Bentonite seal, top - - - - - ft. MSL or - - - - - ft.</p> <p>F. Fine sand, top - - - - - ft. MSL or - - - - - <i>59</i> ft.</p> <p>G. Filter pack, top - - - - - ft. MSL or - - - - - <i>60</i> ft.</p> <p>H. Screen joint, top - - - - - ft. MSL or - - - - - <i>62</i> ft.</p> <p>I. Well bottom - - - - - ft. MSL or - - - - - <i>77</i> ft.</p> <p>J. Filter pack, bottom - - - - - ft. MSL or - - - - - <i>80</i> ft.</p> <p>K. Borehole, bottom - - - - - ft. MSL or - - - - - <i>80</i> ft.</p> <p>L. Borehole, diameter - - - - - in. <i>6</i> in.</p> <p>M. O.D. well casing - - - - - in. <i>2.33</i> in.</p> <p>N. I.D. well casing - - - - - in. <i>2.07</i> in.</p> <p>1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: - - - - - in. <i>8</i> in. b. Length: - - - - - ft. <i>1</i> ft. c. Material: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> 04 Other <input type="checkbox"/> <i>Steel</i> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/> <i>None</i></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Other <input checked="" type="checkbox"/> <i>Sand</i></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. ____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. ____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. ____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. ____ Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. Other <input type="checkbox"/> <i>None</i></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. <i>Ohio 40/60</i></p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. <i>Ohio #5</i></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/> <i>None</i></p> <p>10. Screen material: a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/> <i>None</i> b. Manufacturer _____ c. Slot size: <i>0.010</i> in. d. Slotted length: <i>15</i> ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/> <i>None</i></p>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Pan R.* Firm *RSV Engineering, Inc.*

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name <i>Nomitz Laundry</i>		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name <i>MW-3</i>
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. S/C/N _____		Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.		Date Well Installed <i>08/22/2008</i> m m d d y y y y
Type of Well Well Code _____ /		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Well Installed By: Name (first, last) and Firm <i>Alex</i> <i>Badger State Drilling</i>
Distance from Waste/ Source ft.	Enf. Stds. Apply <input checked="" type="checkbox"/>			
<p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or _____ ft.</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/> 22</p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input checked="" type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): <i>None</i></p>				
<p>1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: _____ in. b. Length: _____ ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> 2.5 <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> 2.5</p> <p>4. Material between well casing and protective pipe: Sand Bentonite <input type="checkbox"/> 3.0 Other <input type="checkbox"/> 2.5</p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight..... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> 2.5</p> <p>7. Fine sand material: Manufacturer, product name & mesh size <i>Ohio 40/60</i></p> <p>8. Filter pack material: Manufacturer, product name & mesh size <i>Ohio #5</i></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> 2.5</p> <p>10. Screen material: a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> 2.5</p> <p>b. Manufacturer _____ c. Slot size: _____ d. Slotted length: _____ ft³ <input type="checkbox"/> 0.0 in. _____ in. <input type="checkbox"/> 1.5 in.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1.4 Other <input type="checkbox"/> 2.5</p>				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Pam Pen* Firm *RSV Engineering, Inc.*

ATTACHMENT C

MONITORING WELL DEVELOPMENT FORMS

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Nemitz Laundry</u>	County Name <u>Sauk</u>	Well Name <u>MW-1</u>
Facility License, Permit or Monitoring Number	County Code <u>67</u>	Wis. Unique Well Number _____
DNR Well ID Number _____		
1. Can this well be purged dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development After Development	
2. Well development method surged with bailer and bailed <input checked="" type="checkbox"/> 41 surged with bailer and pumped <input type="checkbox"/> 61 surged with block and bailed <input type="checkbox"/> 42 surged with block and pumped <input type="checkbox"/> 62 surged with block, bailed and pumped <input type="checkbox"/> 70 compressed air <input checked="" type="checkbox"/> 20 bailed only <input type="checkbox"/> 10 pumped only <input type="checkbox"/> 51 pumped slowly <input type="checkbox"/> 50 Other _____	11. Depth to Water (from top of well casing) a. <u>67.50</u> ft. <u>67.41</u> ft.	Date b. <u>08/26/2008</u> <u>08/26/2008</u> m m d d y y y y
3. Time spent developing well _____ 90 min.	Time c. <u>11:00</u> <input checked="" type="checkbox"/> a.m. <u>12:00</u> <input checked="" type="checkbox"/> p.m.	12. Sediment in well bottom _____ inches
4. Depth of well (from top of well casing) <u>77.9</u> ft.	13. Water clarity Clear <input type="checkbox"/> 10 <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 <input checked="" type="checkbox"/> 25 (Describe) <u>milky orange-brown</u> <u>much lighter</u>	_____ inches
5. Inside diameter of well <u>2.07</u> in.		
6. Volume of water in filter pack and well casing <u>7.0</u> gal.		
7. Volume of water removed from well <u>75</u> gal.		
8. Volume of water added (if any) <u>0.0</u> gal.		
9. Source of water added <u>n/a</u>		
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Fill in if drilling fluids were used and well is at solid waste facility: 14. Total suspended _____ mg/l _____ mg/l solids
17. Additional comments on development: <i>Developed with compressed air immediately following well construction, surged with bailer and bailed prior to first sampling event on date above</i>		15. COD _____ mg/l _____ mg/l
Name and Address of Facility Contact/Owner/Responsible Party First Name: <u>Constantine</u> Last Name: <u>Torri</u>	I hereby certify that the above information is true and correct to the best of my knowledge.	
Facility/Firm: <u>WDNR</u>	Signature: <u>Paula Richardson</u>	
Street: <u>3911 Fish Hatchery Rd.</u>	Print Name: <u>Paula Richardson</u>	
City/State/Zip: <u>Fitchburg, WI 53711</u>	Firm: <u>RSV Engineering, Inc.</u>	

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater

Waste Management

Remediation/Redevelopment

Other

Facility/Project Name <u>Nemitz Laundry</u>	County Name <u>Sauk</u>	Well Name <u>MW - 2</u>
Facility License, Permit or Monitoring Number	County Code <u>67</u>	Wis. Unique Well Number DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed
- surged with bailer and pumped
- surged with block and bailed
- surged with block and pumped
- surged with block, bailed and pumped
- compressed air
- bailed only
- pumped only
- pumped slowly
- Other _____

3. Time spent developing well _____ 90 min.

4. Depth of well (from top of well casing) _____ 76.9 ft.

5. Inside diameter of well _____ 2.07 in.

6. Volume of water in filter pack and well casing _____ 8.0 gal.

7. Volume of water removed from well _____ 75. gal.

8. Volume of water added (if any) _____ 0.0 gal.

9. Source of water added _____ n/a

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

Developed with compressed air immediately following well construction, surged with bailer and bailed prior to first sampling event on date above

Name and Address of Facility Contact/Owner/Responsible Party

First Name: Constantine Last Name: Tsoris

Facility/Firm: WDNR

Street: 3911 Fish Hatchery Rd.

City/State/Zip: Titchburg, WI 53711

Before Development After Development

11. Depth to Water
(from top of well casing) a. 69.30 ft. 65.18 ft.

Date 08/26/2008 m m d d y y y y 08/26/2008 m m d d y y y y

Time 9:30 a.m. 10:30 a.m. 10:30 p.m. 10:30 p.m.

12. Sediment in well bottom _____ inches _____ inches

13. Water clarity Clear 1.0 Turbid 1.5 (Describe) milky orange-brown much lighter

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: Paula Last Name: Richardson
Firm: RSV Engineering

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Paula Richardson

Print Name: Paula Richardson

Firm: RSV Engineering, Inc.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Nenitz Laundry</u>	County Name <u>Sequoia</u>	Well Name <u>MW-3</u>
Facility License, Permit or Monitoring Number	County Code <u>67</u>	Wis. Unique Well Number _____

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed
- surged with bailer and pumped
- surged with block and bailed
- surged with block and pumped
- surged with block, bailed and pumped
- compressed air
- bailed only
- pumped only
- pumped slowly
- Other _____

3. Time spent developing well _____ 90 min.

4. Depth of well (from top of well casing) _____ 76.2 ft.

5. Inside diameter of well _____ 2.07 in.

6. Volume of water in filter pack and well casing _____ 7.0 gal.

7. Volume of water removed from well _____ 75 gal.

8. Volume of water added (if any) _____ 0.0 gal.

9. Source of water added _____ n/a

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

Developed with compressed air immediately following well construction, surged with bailer and bailed prior to first sampling event on date above

Name and Address of Facility Contact/Owner/Responsible Party
First Name: Constantine Last Name: Tsonis

Facility/Firm: WDNR

Street: 3911 Fish Hatchery Rd.

City/State/Zip: Fitchburg, WI 53711

Before Development After Development

11. Depth to Water
(from top of well casing) _____ 65.98 ft. _____ 66.00 ft.

Date b.08/26/2008 08/26/2008
m m d d y y y y

Time a. 9:30 a.m. 10:40 p.m.

12. Sediment in well bottom _____ inches _____ inches

13. Water clarity Clear 10 Turbid 15
(Describe) milky Clear 20 Turbid 25
(Describe) orange-brown much lighter

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended _____ mg/l _____ mg/l
solids

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Paula Last Name: Richardson
Firm: RSV Engineering

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Paula Richardson

Print Name: Paula Richardson

Firm: RSV Engineering, Inc.

ATTACHMENT D

SLUG TEST ANALYSES

WELL ID: NEMITZ LAUNDRY MW-2



INPUT	
Construction:	
Casing dia. (d_c)	2 Inch
Annulus dia. (d_w)	6 Inch
Screen Length (L)	15 Feet
Depths to:	
water level (DTW)	65.23 Feet
top of screen (TOS)	62 Feet
Base of Aquifer (DTB)	400 Feet
Annular Fill:	
across screen -- Coarse Sand	
above screen -- Bentonite	
Aquifer Material -- Fine-Grained Sandstone	

COMPUTED	
L_{wetted}	11.77 Feet
D	334.77 Feet
H	11.77 Feet
$L/r_w \doteq$	47.08
y_0 -DISPLACEMENT =	1.70 Feet
y_0 -SLUG =	1.97 Feet
From look-up table using L/r_w	
Partial penetrate A =	3.024
B =	0.485
$\ln(Re/r_w) =$	2.429
Re =	2.84 Feet
Slope =	$0.001426 \log_{10}/sec$
$t_{90\%}$ recovery =	701 sec

Input is consistent.

K =	0.2 Feet/Day
-----	--------------

Local ID: MW-2
Date: 8/26/2008
Time: 12:00



Entry	Reduced Data	
	Time, Hr:Min:Sec	Water Level
1	12:00:01.0	66.94
2	12:00:30.0	65.79
3	12:01:00.0	65.65
4	12:01:30.0	65.57
5	12:02:00.0	65.52
6	12:02:30.0	65.48
7	12:03:00.0	65.44
8	12:03:30.0	65.41
9	12:04:00.0	65.39
10	12:04:30.0	65.37
11	12:05:00.0	65.36
12	12:06:00.0	65.34
13	12:07:00.0	65.31
14	12:08:00.0	65.30
15	12:09:00.0	65.29
16	12:10:00.0	65.28
17	12:15:00.0	65.26
18	12:20:00.0	65.24
19	0:00:00.0	0.00


REMARKS:

Bouwer and Rice analysis of slug test, WRR 1976


WELL ID: NEMITZ LAUNDRY MW-3

INPUT	
Construction:	
Casing dia. (d_c)	2 Inch
Annulus dia. (d_w)	6 Inch
Screen Length (L)	15 Feet
Depths to:	
water level (DTW)	65.95 Feet
top of screen (TOS)	62 Feet
Base of Aquifer (DTB)	400 Feet
Annular Fill:	
across screen --	Coarse Sand
above screen --	Bentonite
Aquifer Material -- Medium-Grained Sandstone	

COMPUTED	
L_{wetted}	11.05 Feet
D =	334.05 Feet
H =	11.05 Feet
L/r_w =	44.20
γ_0 -DISPLACEMENT =	1.66 Feet
γ_0 -SLUG =	1.97 Feet
From look-up table using L/r_w	
Partial penetrate A =	2.953
B =	0.475
$\ln(R_e/r_w)$ =	2.372
R_e =	2.68 Feet
Slope =	$0.007481 \log_{10}/sec$
$t_{90\%}$ recovery =	134 sec
Input is consistent.	
K = 1.1 Feet/Day	



Reduced Data		
Entry	Time, Hr:Min:Sec	Water Level
1	12:00:01.0	67.61
2	12:00:20.0	66.30
3	12:00:30.0	66.18
4	12:01:00.0	66.09
5	12:01:30.0	66.04
6	12:02:00.0	66.00
7	12:02:30.0	65.99
8	12:03:00.0	65.97
9	12:03:30.0	65.96
10	12:04:00.0	65.95
11	0:00:00.0	0.00



REMARKS:

Bouwer and Rice analysis of slug test, WRR 1976

ATTACHMENT E

WDNR HIGH-CAPACITY WELL LOGS

Owner 81212 003
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

Operator 81212 003
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

Well Numbers Perm. 76722
 WUWN WCR BF380
 WUWN GRN BF380
 Image file

Approved Capacity 600 GPM
 Normal Pumpage 240,000GPD
 Max pumpage 864,000GPD
 Status ACTIVE

Approved 04/16/1953
 Completed
 Co Apprvl # 12

General Well Information	Drilled by: LAYNE NORTHWEST CO	582	Gravel Pack
Total Depth ft 454.0	Drill Method:		Screened? N
Feet to rock 0.0	Aquifer SANDSTONE	Screen Type	
First Rock is	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter 20.0	Screen Diameter
Surface Sand 15.0	Upper Drillhole Depth-Ft 51.0	Screen Length
Surface Clay	Lower Drillhole Diameter 16.0	Sealing Material Depth 51.0
Devonian	Lower Drillhole Length 403.0	Hours of Yield Test 12.0
Silurian	More than 2 Drillholes? N	GPM of Yield Test 400.0
Maquoketa	Primary Casing Diameter	Static Water (feet) 85
Sinnippe	Primary Casing Depth 51.0	Pumping Water Level (ft) 166.6
Ancell	Liner Casing Diameter 16.0	Specific Capacity(GPM/Ft) 4.9
Prairie du Chien	Liner Casing Length	
Cambrian 439.0	Liner Casing Depth	WGNHS Log No.
Precambrian		

mapped

(4)

Owner		81212	006	LOCATION	
WISCONSIN DELLS(CITY)-UTILITY 712 OAK ST WISCONSIN DELLS		WI	53965	Region	SOUTH CENTRAL REGION
Phone				Major Basin	
				County SAUK	Civil Town WISCONSIN DELLS(CIT)
Operator		81212	006		
WISCONSIN DELLS(CITY)-UTILITY 712 OAK ST WISCONSIN DELLS		WI	53965	Govt Lot	or SE 1/4 of the SE 1/4
Phone				Sec. 3	, T 13, Rg. 6 E/W E
				Lat deg	Lat Min
				Long deg	Long Min
				Street	
				Mailing City	
				File Location	57 - 9 - 13
				PWS ID	111011340
Well Numbers	Perm.	Approved Capacity		Approved	
WUWN WCR	AC717	518	Normal Pumpage	500 GPM	04/14/1989
WUWN GRN	AC717		Max pumpage	360,000 GPD	Completed 09/20/1989
Image file	CO688.TIF		Status	720,000 GPD	Co Apprvl # 13
		ACTIVE			
General Well Information		Drilled by: LAYNE NORTHWEST CO		582	Gravel Pack
Total Depth ft	400.0	Drill Method: ROTARY-AIR WITH DRILLING MUD			Screened? N
Feet to rock	10.0	Aquifer	SANDSTONE	Screen Type	
First Rock is	MAQUOKETA	Multiple Aquifers? N		Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness		Upper Drillhole Diameter	Screen Diameter
Surface Sand	7.0	24.0	Screen Length
Surface Clay	3.0	Upper Drillhole Depth-Ft 10.0	Sealing Material Depth 180.0
Devonian		Lower Drillhole Diameter 17.2	Hours of Yield Test 22.0
Silurian		Lower Drillhole Length 390.0	GPM of Yield Test 801.0
Maquoketa		More than 2 Drillholes? N	Static Water (feet) 92
Sinnippe		Primary Casing Diameter 18.0	Pumping Water Level (ft) 172
Ancell		Primary Casing Depth 10.0	Specific Capacity(GPM/Ft) 10.0
Prairie du Chien		Liner Casing Diameter 24.0	
Cambrian		Liner Casing Length 180.0	
Precambrian		Liner Casing Depth 180.0	WGNHS Log No.

48130 ft³/d mapped

(1)

Owner 81212 001
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

LOCATION
 Region SOUTH CENTRAL REGION
 Major Basin
 County COLUMBIA Civil Town WISCONSIN DELLS(CITY)

Operator 81212 001
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

Govt Lot _____ or SW 1/4 of the NW 1/4
 Sec. 3, T 13, Rg. 6 E/W E
 Lat deg _____ Lat Min _____ LatLong Meth
 Long deg _____ Long Min _____
 Street **ILLINOIS AVENUE**
 Mailing City
 File Location 11 - 9 - 12
 PWS ID 111011340

Well Numbers Perm. 76720
 WUWN WCR BF378
 WUWN GRN BF378
 Image file CO689.TIF

Approved Capacity 580 GPM
 Normal Pumpage 418,000GPD
 Max pumpage 836,000GPD
 Status ACTIVE

Approved
 Completed 11/16/1982
 Co Apprvl # 12

General Well Information	Drilled by: MILAEGER WELL DRILLING	82	Gravel Pack
Total Depth ft 395.0	Drill Method: CABLE TOOL		Screened? N
Feet to rock 32.0	Aquifer SANDSTONE	Screen Type	
First Rock Is MAQUOKETA	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter 12.0	Screen Diameter
Surface Sand	Upper Drillhole Depth-Ft 155.0	Screen Length
Surface Clay	Lower Drillhole Diameter 8.0	Sealing Material Depth 70.0
Devonian	Lower Drillhole Length 240.0	Hours of Yield Test 3.5
Silurian	More than 2 Drillholes? N	GPM of Yield Test 470.0
Maquoketa	Primary Casing Diameter 10.0	Static Water (feet) 22
Sinnippe	Primary Casing Depth 32.0	Pumping Water Level (ft) 65
Ancell	Liner Casing Diameter 12.0	Specific Capacity(GPM/Ft) 10.9
Prairie du Chien	Liner Casing Length 71.0	
Cambrian 395.0	Liner Casing Depth 70.0	WGNHS Log No.
Precambrian		

Owner 81212 002
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

LOCATION
 Region SOUTH CENTRAL REGION
 Major Basin
 County COLUMBIA Civil Town WISCONSIN DELLS(CITY)

Operator 81212 002
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

Govt Lot _____ or SW 1/4 of the NW 1/4
 Sec. 3, T 13, Rg. 6 EW E
 Lat deg _____ Lat Min _____ LatLong Meth
 Long deg _____ Long Min _____
 Street ILLINOIS AVE
 Mailing City
 File Location 11 - 9 - 12
 PWS ID 111011340

Well Numbers Perm. **76721**
 WUWN WCR **BF379**
 WUWN GRN **BF379**
 Image file

Approved Capacity **450 GPM**
 Normal Pumpage **324,000GPD**
 Max pumpage **648,000GPD**
 Status **ACTIVE**

Approved
 Completed
 Co Apprvl # **12**

General Well Information	Drilled by: LAYNE NORTHWEST RECONST	582	Gravel Pack
Total Depth ft 390.0	Drill Method:		Screened? N
Feet to rock 0.0	Aquifer SANDSTONE	Screen Type	
First Rock Is	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter 10.0	Screen Diameter
Surface Sand	Upper Drillhole Depth-Ft 155.0	Screen Length
Surface Clay	Lower Drillhole Diameter 8.0	Sealing Material Depth 55.0
Devonian	Lower Drillhole Length 235.0	Hours of Yield Test
Silurian	More than 2 Drillholes? Y	GPM of Yield Test 430.0
Maquoketa	Primary Casing Diameter	Static Water (feet) 24.5
Sinnippe	Primary Casing Depth 55.0	Pumping Water Level (ft) 40.5
Ancell	Liner Casing Diameter 10.0	Specific Capacity(GPM/Ft) 26.9
Prairie du Chien	Liner Casing Length	WGNHS Log No.
Cambrian	Liner Casing Depth	
Precambrian		

Owner 9481 001 WISCONSIN DELLS SCHOOL DISTRICT 811 COUNTY TRK HWY H WISCONSIN DELLS WI 53965 Phone			LOCATION Region SOUTH CENTRAL REGION Major Basin County SAUK Civil Town TOWN OF DELTON		
Operator 9480 003 LAKE DELTON ELEMENTARY SCHOOL BOX 280 LAKE DELTON WI 53940 Phone			Govt Lot _____ or NW 1/4 of the SW 1/4 Sec. 21, T 13, Rg. 6 E/W E Lat deg _____ Lat Min _____ Long deg _____ Long Min _____ Street _____ Mailing City _____ File Location 57 - 5 - 6 PWS ID 111027620		
Well Numbers Perm. WUWN WCR DF113 WUWN GRN DF113 Image file		Approved Capacity 60 GPM Normal Pumpage 5,000GPD Max pumpage 6,000GPD Status INACTIVE		Approved 01/29/1990 Completed 02/24/1990 Co Apprvl # 6	
General Well Information Total Depth ft 298.0 Feet to rock 8.0 First Rock Is MAQUOKETA		Drilled by: SAMS ROTARY DRILLER 370 Drill Method: ROTARY-AIR WITH DRILLING MUD Aquifer SANDSTONE Multiple Aquifers? N		Gravel Pack Screened? N Screen Type Seal Material CEMENT GROUT	
Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)					
Formation Thickness Surface Sand 8.0 Surface Clay Devonian Silurian Maquoketa Sinnippe Ancell Prairie du Chien Cambrian 290.0 Precambrian		Upper Drillhole Diameter 10.0 Upper Drillhole Depth-Ft 189.0 Lower Drillhole Diameter 6.0 Lower Drillhole Length 109.0 More than 2 Drillholes? N Primary Casing Diameter 5.0 Primary Casing Depth 189.0 Liner Casing Diameter 6.0 Liner Casing Length 179.0 Liner Casing Depth 189.0		Screen Diameter Screen Length Sealing Material Depth 189.0 Hours of Yield Test 2.0 GPM of Yield Test 60.0 Static Water (feet) 55 Pumping Water Level (ft) 74 Specific Capacity(GPM/Ft) 3.2 WGNHS Log No.	

Owner 81212 004
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

LOCATION
SOUTH CENTRAL REGION
 Region Major Basin
 County SAUK Civil Town DELTON(NORTH PART)

Govt Lot _____ or NW 1/4 of the NW 1/4

Sec. 9 , T 13 , Rg. 6 E/W E

Lat deg Lat Min LatLong Meth

Long deg Long Min

Street HWY H

Mailing City

File Location 57 - 9 - 13

PWS ID 111012110

Operator 81212 004
 WISCONSIN DELLS(CITY)-UTILITY
 712 OAK ST
 WISCONSIN DELLS WI 53965
 Phone

Well Numbers Perm. 85923
 WUWN WCR BG952
 WUWN GRN BG952
 Image file

Approved Capacity 625 GPM
 Normal Pumpage 100,000GPD
 Max pumpage 899,000GPD
 Status ACTIVE

Approved 02/11/1970
 Completed
 Co Apprvl # 13

General Well Information	Drilled by: ACE WELL DRILLING	637	Gravel Pack
Total Depth ft 200.0	Drill Method: ROTARY-AIR WITH DRILLING MUD		Screened? N
Feet to rock 10.0	Aquifer SANDSTONE	Screen Type	
First Rock is MAQUOKETA	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter 20.0	Screen Diameter
Surface Sand 10.0	Upper Drillhole Depth-Ft 50.0	Screen Length
Surface Clay	Lower Drillhole Diameter 15.3	Sealing Material Depth 50.3
Devonian	Lower Drillhole Length 150.0	Hours of Yield Test
Silurian	More than 2 Drillholes? Y	GPM of Yield Test 1,000.0
Maquoketa	Primary Casing Diameter	Static Water (feet) 13
Sinnippe	Primary Casing Depth 50.3	Pumping Water Level (ft) 73
Ancell	Liner Casing Diameter 16.0	Specific Capacity(GPM/Ft) 16.7
Prairie du Chien	Liner Casing Length	
Cambrian 190.0	Liner Casing Depth	WGNHS Log No.
Precambrian		

Owner 81212 005
WISCONSIN DELLS(CITY)-UTILITY
712 OAK ST
WISCONSIN DELLS WI 53965
Phone

LOCATION
SOUTH CENTRAL REGION
Region Major Basin
County SAUK Civil Town **DELTON(NORTH PART)**

Govt Lot _____ or NE 1/4 of the SE 1/4
Sec. 9, T 13, Rg. 6 E/W E
Lat deg Lat Min LatLong Meth
Long deg Long Min
Street **UNITY DRIVE**
Mailing City
File Location **57 - 9 - 13**
PWS ID **111012110**

Well Numbers Perm. **85924**
WUWN WCR **BG953**
WUWN GRN **BG953**
Image file **SK801.TIF**

Approved Capacity **840 GPM**
Normal Pumpage **605,000GPD**
Max pumpage **1,210,000GPD**
Status **ACTIVE**

Approved **08/26/1986**
Completed **10/03/1986**
Co Apprvl # **13**

General Well Information	Drilled by: HOLZEM, MARVIN	637	Gravel Pack
Total Depth ft 410.0	Drill Method: ROTARY-AIR WITH DRILLING MUD		Screened? N
Feet to rock 130.0	Aquifer SANDSTONE	Screen Type	
First Rock Is MAQUOKETA	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	
Surface Sand 130.0	Upper Drillhole Diameter 22.0
Surface Clay	Upper Drillhole Depth-Ft 180.0
Devonian	Lower Drillhole Diameter 17.0
Silurian	Lower Drillhole Length 230.0
Maquoketa	More than 2 Drillholes? N
Sinnippe	Primary Casing Diameter 18.0
Ancell	Primary Casing Depth 20.0
Prairie du Chien	Liner Casing Diameter 24.0
Cambrian 280.0	Liner Casing Length 180.0
Precambrian	Liner Casing Depth 180.0

Screen Diameter	
Screen Length	
Sealing Material Depth 180.0	
Hours of Yield Test 48.0	
GPM of Yield Test 1,200.0	
Static Water (feet) 103	
Pumping Water Level (ft) 220	
Specific Capacity(GPM/Ft) 10.3	
WGNHS Log No.	

Owner 9481 001
WISCONSIN DELLS SCHOOL DISTRICT
811 COUNTY TRK HWY H
WISCONSIN DELLS WI 53965
Phone

Operator 9419 001
BRIGGSVILLE ELEMENTARY SCHOOL
400 WASHINGTON AVENUE
WISCONSIN DELLS WI 53965
Phone

LOCATION
Region NORTHEAST REGION
Major Basin
County MARQUETTE Civil Town DOUGLAS

Govt Lot _____ or SE 1/4 of the SE 1/4
Sec. 30, T 14, Rg. 8 E/W E
Lat deg Lat Min LatLong Meth
Long deg Long Min
Street
Mailing City
File Location 39 - 5 - 4
PWS ID 111014310

Well Numbers Perm. **90364**
WUWN WCR
WUWN GRN BH919
Image file

Approved Capacity 20 GPM
Normal Pumpage 1,000GPD
Max pumpage 2,000GPD
Status INACTIVE

Approved 08/08/1984
Completed 11/06/1983
Co Apprvl # 4

General Well Information	Drilled by: ACE WELL DRILLING	393	Gravel Pack Y
Total Depth ft 105.0	Drill Method:		Screened? Y
Feet to rock 0.0	Aquifer SAND/GRAVEL	Screen Type	
First Rock Is	Multiple Aquifers? N	Seal Material	

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter	Screen Diameter
Surface Sand	Upper Drillhole Depth-Ft	Screen Length
Surface Clay	Lower Drillhole Diameter	Sealing Material Depth
Devonian	Lower Drillhole Length	Hours of Yield Test
Silurian	More than 2 Drillholes? N	GPM of Yield Test
Maquoketa	Primary Casing Diameter	Static Water (feet)
Sinnippe	Primary Casing Depth	Pumping Water Level (ft)
Ancell	Liner Casing Diameter	Specific Capacity(GPM/Ft)
Prairie du Chien	Liner Casing Length	
Cambrian	Liner Casing Depth	
Precambrian		WGNHS Log No.

FILE 39- 5 -4

Property Class SCHOOL

Well Use

Owner 9481 002
 WISCONSIN DELLS SCHOOL DISTRICT
 811 COUNTY TRK HGWY H
 WISCONSIN DELLS WI 53965
 Phone

Operator 9419 000
 BRIGGSVILLE ELEMENTARY SCHOOL
 400 WASHINGTON AVENUE
 WISCONSIN DELLS WI 53965
 Phone

LOCATION
 Region NORTHEAST REGION
 Major Basin
 County MARQUETTE Civil Town DOUGLAS

Govt Lot _____ or SE 1/4 of the SE 1/4
 Sec. 30, T 14, Rg. 8 E/W E
 Lat deg Lat Min LatLong Meth
 Long deg Long Min
 Street
 Mailing City
 File Location 39 - 5 - 4
 PWS ID 111014310

Well Numbers Perm. 90369
 WUWN WCR
 WUWN GRN BH924
 Image file

Approved Capacity 20 GPM
 Normal Pumpage 1,000GPD
 Max pumpage 2,000GPD
 Status INACTIVE

Approved 08/21/1984
 Completed 08/22/1984
 Co Apprvl # 4

General Well Information	Drilled by: ACE DRILLING-HOLZEM	393	Gravel Pack Y
Total Depth ft 77.0	Drill Method:		Screened? Y
Feet to rock 0.0	Aquifer SAND/GRAVEL	Screen Type	
First Rock Is	Multiple Aquifers? N	Seal Material	

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter	Screen Diameter
Surface Sand	Upper Drillhole Depth-Ft	Screen Length
Surface Clay	Lower Drillhole Diameter	Sealing Material Depth
Devonian	Lower Drillhole Length	Hours of Yield Test
Silurian	More than 2 Drillholes? N	GPM of Yield Test
Maquoketa	Primary Casing Diameter	Static Water (feet)
Sinnippe	Primary Casing Depth	Pumping Water Level (ft)
Ancell	Liner Casing Diameter	Specific Capacity(GPM/Ft)
Prairie du Chien	Liner Casing Length	
Cambrian	Liner Casing Depth	
Precambrian		WGNHS Log No.

Owner 9481 001
 WISCONSIN DELLS SCHOOL DISTRICT
 811 COUNTY TRK HWY H
 WISCONSIN DELLS WI 53965
Phone

LOCATION
 Region NORTHEAST REGION
 Major Basin
 County MARQUETTE Civil Town DOUGLAS

Govt Lot _____ or SW 1/4 of the NE 1/4
 Sec. 31, T 14, Rg. 8 E/W E
 Lat deg _____ Lat Min _____
 Long deg _____ Long Min _____
 Street _____
 Mailing City _____
 File Location 39 - 5 - 6
 PWS ID _____

Operator 9538 004
 NEENAH CREEK ELEM
 P.O. BOX 68
 BRIGGSVILLE WI 53920
Phone 608 254 7769

Well Numbers	Perm.	90474	Approved Capacity	45 GPM	Approved	06/09/1993
WUWN WCR	GF272		Normal Pumpage	1,000GPD	Completed	06/21/1993
WUWN GRN	GF272		Max pumpage	3,000GPD	Co Apprvl #	6
Image file			Status	ACTIVE		

General Well Information	Drilled by: ACE WELL DRILLING	393	Gravel Pack
Total Depth ft 150.0	Drill Method: ROTARY-AIR WITH DRILLING MUD		Screened? N
Feet to rock 90.0	Aquifer SANDSTONE	Screen Type	
First Rock is MAQUOKETA	Multiple Aquifers? N	Seal Material	CEMENT GROUT

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness	Upper Drillhole Diameter	Screen Diameter
Surface Sand 55.0	Upper Drillhole Depth-Ft 85.0	Screen Length
Surface Clay 35.0	Lower Drillhole Diameter 6.0	Sealing Material Depth 85.0
Devonian	Lower Drillhole Length 65.0	Hours of Yield Test 4.0
Silurian	More than 2 Drillholes? Y	GPM of Yield Test 50.0
Maquoketa	Primary Casing Diameter	Static Water (feet) 18
Sinnippe	Primary Casing Depth 102.0	Pumping Water Level (ft) 60
Ancell	Liner Casing Diameter 6.0	Specific Capacity(GPM/Ft) 1.2
Prairie du Chien	Liner Casing Length	WGNHS Log No.
Cambrian 60.0	Liner Casing Depth	
Precambrian		

ATTACHMENT F

LABORATORY ANALYTICAL REPORTS

July 16, 2008

Client:	RSV ENGINEERING, INC. 146 East Milwaukee Street PO Box 298 Jefferson, WI 53549	Work Order:	WRG0255
		Project Name:	Nemitz Laundry
		Project Number:	08-736
Attn:	Mr. Bob Nauta	Date Received:	07/08/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
HA-1 2'	WRG0255-01	07/08/08 08:15
HA-2 2'	WRG0255-02	07/08/08 08:25
HA-3 2'	WRG0255-03	07/08/08 08:45
HA-4 2'	WRG0255-04	07/08/08 09:00
HA-5 2.5'	WRG0255-05	07/08/08 09:30
HA-6 2.0'	WRG0255-06	07/08/08 09:50
HA-7 2.5'	WRG0255-07	07/08/08 10:15
HA-8 2.5'	WRG0255-08	07/08/08 10:35
Trip Blank	WRG0255-09	07/08/08

Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530

The Chain of Custody, 1 page, is included and is an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

Page 1 of 32

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-01 (HA-1 2' - Solid/Soil)									
General Chemistry Parameters									
Sampled: 07/08/08 08:15									
% Solids	87		%	NA	1	07/10/08 15:03	Ier	8070238	SW 5035
VOCs by SW8260B									
Benzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Bromobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Bromochloromethane	<40		ug/kg dry	40	1	07/14/08 17:06	Ick	8070304	SW 8260B
Bromodichloromethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Bromoform	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Bromomethane	<120		ug/kg dry	120	1	07/14/08 17:06	Ick	8070304	SW 8260B
n-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
sec-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
tert-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Carbon Tetrachloride	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Chlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Chlorodibromomethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Chloroethane	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
Chloroform	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Chloromethane	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
2-Chlorotoluene	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
4-Chlorotoluene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2-Dibromo-3-chloropropane	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2-Dibromoethane (EDB)	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Dibromomethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,3-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,4-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Dichlorodifluoromethane	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1-Dichloroethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2-Dichloroethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1-Dichloroethene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
cis-1,2-Dichloroethene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
trans-1,2-Dichloroethene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2-Dichloropropane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,3-Dichloropropane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
2,2-Dichloropropane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1-Dichloropropene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
cis-1,3-Dichloropropene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
trans-1,3-Dichloropropene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
2,3-Dichloropropene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Isopropyl Ether	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Ethylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	40	1	07/14/08 17:06	Ick	8070304	SW 8260B
Isopropylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
p-Isopropyltoluene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Methylene Chloride	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
Methyl tert-Butyl Ether	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Naphthalene	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
n-Propylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Styrene	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-01 (HA-1 2' - Solid/Soil) - cont.								Sampled: 07/08/08 08:15	
VOCs by SW8260B - cont.									
Tetrachloroethene	170		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Toluene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2,3-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2,4-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1,1-Trichloroethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/14/08 17:06	Ick	8070304	SW 8260B
Trichloroethene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Trichlorofluoromethane	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2,3-Trichloropropane	<58		ug/kg dry	58	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,2,4-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
1,3,5-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 17:06	Ick	8070304	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/14/08 17:06	Ick	8070304	SW 8260B
Xylenes, total	<98		ug/kg dry	98	1	07/14/08 17:06	Ick	8070304	SW 8260B
<i>Surr: Dibromoform (82-112%)</i>	107 %								
<i>Surr: Toluene-d8 (91-106%)</i>	101 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	89 %								

Sample ID: WRG0255-02 (HA-2 2' - Solid/Soil)
Sampled: 07/08/08 08:25

General Chemistry Parameters

% Solids	95	%	NA	1	07/10/08 15:03	ler	8070238	SW 5035
VOCs by SW8260B								
Benzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Bromobenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Bromochloromethane	<37	ug/kg dry	37	1	07/14/08 17:33	Ick	8070304	SW 8260B
Bromodichloromethane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Bromoform	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Bromomethane	<110	ug/kg dry	110	1	07/14/08 17:33	Ick	8070304	SW 8260B
n-Butylbenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
sec-Butylbenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
tert-Butylbenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Carbon Tetrachloride	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Chlorobenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Chlorodibromomethane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Chloroethane	<53	ug/kg dry	53	1	07/14/08 17:33	Ick	8070304	SW 8260B
Chloroform	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Chloromethane	<53	ug/kg dry	53	1	07/14/08 17:33	Ick	8070304	SW 8260B
2-Chlorotoluene	<53	ug/kg dry	53	1	07/14/08 17:33	Ick	8070304	SW 8260B
4-Chlorotoluene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,2-Dibromo-3-chloropropane	<53	ug/kg dry	53	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,2-Dibromoethane (EDB)	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Dibromomethane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,2-Dichlorobenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,3-Dichlorobenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,4-Dichlorobenzene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
Dichlorodifluoromethane	<53	ug/kg dry	53	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,1-Dichloroethane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,2-Dichloroethane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,1-Dichloroethene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
cis-1,2-Dichloroethene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
trans-1,2-Dichloroethene	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,2-Dichloropropane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B
1,3-Dichloropropane	<26	ug/kg dry	26	1	07/14/08 17:33	Ick	8070304	SW 8260B

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-02 (HA-2 2' - Solid/Soil) - cont.								Sampled: 07/08/08 08:25	
VOCs by SW8260B - cont.									
2,2-Dichloropropane	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,1-Dichloropropene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
cis-1,3-Dichloropropene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
trans-1,3-Dichloropropene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
2,3-Dichloropropene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Isopropyl Ether	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Ethylbenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Hexachlorobutadiene	<37		ug/kg dry	37	1	07/14/08 17:33	lck	8070304	SW 8260B
Isopropylbenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
p-Isopropyltoluene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Methylene Chloride	<53		ug/kg dry	53	1	07/14/08 17:33	lck	8070304	SW 8260B
Methyl tert-Butyl Ether	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Naphthalene	<53		ug/kg dry	53	1	07/14/08 17:33	lck	8070304	SW 8260B
n-Propylbenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Styrene	<53		ug/kg dry	53	1	07/14/08 17:33	lck	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Tetrachloroethene	230		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Toluene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,2,3-Trichlorobenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<37		ug/kg dry	37	1	07/14/08 17:33	lck	8070304	SW 8260B
Trichloroethene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Trichlorofluoromethane	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<53		ug/kg dry	53	1	07/14/08 17:33	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<26		ug/kg dry	26	1	07/14/08 17:33	lck	8070304	SW 8260B
Vinyl chloride	<37		ug/kg dry	37	1	07/14/08 17:33	lck	8070304	SW 8260B
Xylenes, total	<89		ug/kg dry	89	1	07/14/08 17:33	lck	8070304	SW 8260B
<i>Surr: Dibromoformmethane (82-112%)</i>	<i>105 %</i>								
<i>Surr: Toluene-d8 (91-106%)</i>	<i>101 %</i>								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	<i>90 %</i>								

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-03 (HA-3 2' - Solid/Soil)								Sampled: 07/08/08 08:45	
General Chemistry Parameters									
% Solids	87		%	NA	1	07/10/08 15:03	Ier	8070238	SW 5035
VOCs by SW8260B									
Benzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Bromobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Bromoform	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Bromochloromethane	<40		ug/kg dry	40	1	07/14/08 20:41	Ick	8070304	SW 8260B
Bromodichloromethane	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
n-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
sec-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
tert-Butylbenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Carbon Tetrachloride	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Chlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Chlorodibromomethane	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Chloroethane	<58		ug/kg dry	58	1	07/14/08 20:41	Ick	8070304	SW 8260B
Chloroform	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Chloromethane	<58		ug/kg dry	58	1	07/14/08 20:41	Ick	8070304	SW 8260B
2-Chlorotoluene	<58		ug/kg dry	58	1	07/14/08 20:41	Ick	8070304	SW 8260B
4-Chlorotoluene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,2-Dibromo-3-chloropropane	<58		ug/kg dry	58	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,2-Dibromoethane (EDB)	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Dibromomethane	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,2-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,3-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,4-Dichlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Dichlorodifluoromethane	<58		ug/kg dry	58			Ick	8070304	SW 8260B
1,1-Dichloroethane	<29		ug/kg dry	29			Ick	8070304	SW 8260B
1,2-Dichloroethane	<29		ug/kg dry	29			Ick	8070304	SW 8260B
1,1-Dichloroethene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
cis-1,2-Dichloroethene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
trans-1,2-Dichloroethene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
1,2-Dichloropropane	<29		ug/kg dry	29			Ick	8070304	SW 8260B
1,3-Dichloropropane	<29		ug/kg dry	29			Ick	8070304	SW 8260B
2,2-Dichloropropane	<29		ug/kg dry	29			Ick	8070304	SW 8260B
1,1-Dichloropropene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
cis-1,3-Dichloropropene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
trans-1,3-Dichloropropene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
2,3-Dichloropropene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
Isopropyl Ether	<29		ug/kg dry	29			Ick	8070304	SW 8260B
Ethylbenzene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	40			Ick	8070304	SW 8260B
Isopropylbenzene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
p-Isopropyltoluene	<29		ug/kg dry	29			Ick	8070304	SW 8260B
Methylene Chloride	<58		ug/kg dry	58			Ick	8070304	SW 8260B
Methyl tert-Butyl Ether	<29		ug/kg dry	29			Ick	8070304	SW 8260B
Naphthalene	<58		ug/kg dry	58			Ick	8070304	SW 8260B
n-Propylbenzene	<29		ug/kg dry	29		07/14/08 20:41	Ick	8070304	SW 8260B
Styrene	<58		ug/kg dry	58		07/14/08 20:41	Ick	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Tetrachloroethene	5400		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B
Toluene	<29		ug/kg dry	29	1	07/14/08 20:41	Ick	8070304	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-03 (HA-3 2' - Solid/Soil) - cont.								Sampled: 07/08/08 08:45	
VOCs by SW8260B - cont.									
1,2,3-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/14/08 20:41	lck	8070304	SW 8260B
Trichloroethene	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
Trichlorofluoromethane	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<58		ug/kg dry	58	1	07/14/08 20:41	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 20:41	lck	8070304	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/14/08 20:41	lck	8070304	SW 8260B
Xylenes, total	<98		ug/kg dry	98	1	07/14/08 20:41	lck	8070304	SW 8260B
<i>Surr: Dibromoform (82-112%)</i>	105 %								
<i>Surr: Toluene-d8 (91-106%)</i>	99 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	89 %								
Sample ID: WRG0255-04 (HA-4 2' - Solid/Soil)								Sampled: 07/08/08 09:00	
General Chemistry Parameters									
% Solids	87	%	NA	1		07/10/08 15:03	ler	8070238	SW 5035
VOCs by SW8260B									
Benzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Bromobenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Bromochloromethane	<40	ug/kg dry	40	1		07/15/08 12:42	lck	8070344	SW 8260B
Bromodichloromethane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Bromoform	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Bromomethane	<120	ug/kg dry	120	1		07/15/08 12:42	lck	8070344	SW 8260B
n-Butylbenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
sec-Butylbenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
tert-Butylbenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Carbon Tetrachloride	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Chlorobenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Chlorodibromomethane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Chloroethane	<58	ug/kg dry	58	1		07/15/08 12:42	lck	8070344	SW 8260B
Chloroform	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Chloromethane	<58	ug/kg dry	58	1		07/15/08 12:42	lck	8070344	SW 8260B
2-Chlorotoluene	<58	ug/kg dry	58	1		07/15/08 12:42	lck	8070344	SW 8260B
4-Chlorotoluene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,2-Dibromo-3-chloropropane	<58	ug/kg dry	58	1		07/15/08 12:42	lck	8070344	SW 8260B
1,2-Dibromoethane (EDB)	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Dibromomethane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,2-Dichlorobenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,3-Dichlorobenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,4-Dichlorobenzene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
Dichlorodifluoromethane	<58	ug/kg dry	58	1		07/15/08 12:42	lck	8070344	SW 8260B
1,1-Dichloroethane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,2-Dichloroethane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,1-Dichloroethene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
cis-1,2-Dichloroethene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
trans-1,2-Dichloroethene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,2-Dichloropropane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,3-Dichloropropane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
2,2-Dichloropropane	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B
1,1-Dichloropropene	<29	ug/kg dry	29	1		07/15/08 12:42	lck	8070344	SW 8260B

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-04RE1 (HA-4 2' - Solid/Soil) - cont.								Sampled: 07/08/08 09:00	
VOCs by SW8260B - cont.									
cis-1,3-Dichloropropene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
trans-1,3-Dichloropropene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
2,3-Dichloropropene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Isopropyl Ether	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Ethylbenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	40	1	07/15/08 12:42	lck	8070344	SW 8260B
Isopropylbenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
p-Isopropyltoluene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Methylene Chloride	<58		ug/kg dry	58	1	07/15/08 12:42	lck	8070344	SW 8260B
Methyl tert-Butyl Ether	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Naphthalene	<58		ug/kg dry	58	1	07/15/08 12:42	lck	8070344	SW 8260B
n-Propylbenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Styrene	<58		ug/kg dry	58	1	07/15/08 12:42	lck	8070344	SW 8260B
1,1,1,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,1,2,2-Tetrachloroethane	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Tetrachloroethene	7000		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Toluene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,2,3-Trichlorobenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,2,4-Trichlorobenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,1,1-Trichloroethane	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/15/08 12:42	lck	8070344	SW 8260B
Trichloroethene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Trichlorofluoromethane	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,2,3-Trichloropropane	<58		ug/kg dry	58	1	07/15/08 12:42	lck	8070344	SW 8260B
1,2,4-Trimethylbenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
1,3,5-Trimethylbenzene	<29		ug/kg dry	29	1	07/15/08 12:42	lck	8070344	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/15/08 12:42	lck	8070344	SW 8260B
Xylenes, total	<98		ug/kg dry	98	1	07/15/08 12:42	lck	8070344	SW 8260B
Surr: Dibromoiodomethane (82-112%)	107 %								
Surr: Toluene-d8 (91-106%)	100 %								
Surr: 4-Bromoiodobenzene (89-110%)	90 %								

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method		
Sample ID: WRG0255-05 (HA-5 2.5' - Solid/Soil)								Sampled: 07/08/08 09:30			
General Chemistry Parameters											
% Solids	87	%	NA	1	07/10/08 15:03	Ier	8070238	SW 5035			
VOCs by SW8260B											
Benzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Bromobenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Bromochloromethane	<40	ug/kg dry	40	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Bromodichloromethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Bromoform	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Bromomethane	<110	ug/kg dry	110	1	07/14/08 18:00	Ick	8070304	SW 8260B			
n-Butylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
sec-Butylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
tert-Butylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Carbon Tetrachloride	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Chlorobenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Chlorodibromomethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Chloroethane	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Chloroform	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Chloromethane	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
2-Chlorotoluene	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
4-Chlorotoluene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,2-Dibromo-3-chloropropane	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,2-Dibromoethane (EDB)	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Dibromomethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,2-Dichlorobenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,3-Dichlorobenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,4-Dichlorobenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Dichlorodifluoromethane	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,1-Dichloroethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,2-Dichloroethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,1-Dichloroethene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
cis-1,2-Dichloroethene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
trans-1,2-Dichloroethene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,2-Dichloropropane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,3-Dichloropropane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
2,2-Dichloropropane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,1-Dichloropropene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
cis-1,3-Dichloropropene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
trans-1,3-Dichloropropene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
2,3-Dichloropropene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Isopropyl Ether	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Ethylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Hexachlorobutadiene	<40	ug/kg dry	40	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Isopropylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
p-Isopropyltoluene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Methylene Chloride	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Methyl tert-Butyl Ether	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Naphthalene	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
n-Propylbenzene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Styrene	<57	ug/kg dry	57	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,1,1,2-Tetrachloroethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
1,1,2,2-Tetrachloroethane	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Tetrachloroethene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			
Toluene	<29	ug/kg dry	29	1	07/14/08 18:00	Ick	8070304	SW 8260B			

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-05 (HA-5 2.5' - Solid/Soil) - cont.								Sampled: 07/08/08 09:30	
VOCs by SW8260B - cont.									
1,2,3-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/14/08 18:00	lck	8070304	SW 8260B
Trichloroethene	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
Trichlorofluoromethane	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<57		ug/kg dry	57	1	07/14/08 18:00	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<29		ug/kg dry	29	1	07/14/08 18:00	lck	8070304	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/14/08 18:00	lck	8070304	SW 8260B
Xylenes, total	<97		ug/kg dry	97	1	07/14/08 18:00	lck	8070304	SW 8260B
Surr: Dibromoform (82-112%)	107 %								
Surr: Toluene-d8 (91-106%)	100 %								
Surr: 4-Bromofluorobenzene (89-110%)	90 %								
Sample ID: WRG0255-06 (HA-6 2.0' - Solid/Soil)								Sampled: 07/08/08 09:50	
General Chemistry Parameters									
% Solids	88	%	NA	1	07/10/08 15:03	ler	8070238	SW 5035	
VOCs by SW8260B									
Benzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Bromobenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Bromochloromethane	<40	ug/kg dry	40	1	07/14/08 18:27	lck	8070304	SW 8260B	
Bromodichloromethane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Bromoform	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Bromomethane	<110	ug/kg dry	110	1	07/14/08 18:27	lck	8070304	SW 8260B	
n-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
sec-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
tert-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Carbon Tetrachloride	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Chlorobenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Chlorodibromomethane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Chloroethane	<57	ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B	
Chloroform	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Chloromethane	<57	ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B	
2-Chlorotoluene	<57	ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B	
4-Chlorotoluene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,2-Dibromo-3-chloropropane	<57	ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,2-Dibromoethane (EDB)	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Dibromomethane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,2-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,3-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,4-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
Dichlorodifluoromethane	<57	ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,1-Dichloroethane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,2-Dichloroethane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,1-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
cis-1,2-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
trans-1,2-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,2-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,3-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
2,2-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	
1,1-Dichloropropene	<28	ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B	

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-06 (HA-6 2.0' - Solid/Soil) - cont.								Sampled: 07/08/08 09:50	
VOCs by SW8260B - cont.									
cis-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
trans-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
2,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Isopropyl Ether	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Ethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	40	1	07/14/08 18:27	lck	8070304	SW 8260B
Isopropylbenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
p-Isopropyltoluene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Methylene Chloride	<57		ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B
Methyl tert-Butyl Ether	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Naphthalene	<57		ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B
n-Propylbenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Styrene	<57		ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Tetrachloroethene	190		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Toluene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,2,3-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/14/08 18:27	lck	8070304	SW 8260B
Trichloroethene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Trichlorofluoromethane	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<57		ug/kg dry	57	1	07/14/08 18:27	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:27	lck	8070304	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/14/08 18:27	lck	8070304	SW 8260B
Xylenes, total	<97		ug/kg dry	97	1	07/14/08 18:27	lck	8070304	SW 8260B
Surr: Dibromoformmethane (82-112%)	106 %								
Surr: Toluene-d8 (91-106%)	102 %								
Surr: 4-Bromofluorobenzene (89-110%)	90 %								

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-07 (HA-7 2.5' - Solid/Soil)									
General Chemistry Parameters									
% Solids	89		%	NA	1	07/10/08 15:03	Ier	8070238	SW 5035
VOCs by SW8260B									
Benzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Bromobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Bromochloromethane	<40		ug/kg dry	40	1	07/14/08 18:53	Ick	8070304	SW 8260B
Bromodichloromethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Bromoform	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Bromomethane	<110		ug/kg dry	110	1	07/14/08 18:53	Ick	8070304	SW 8260B
n-Butylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
sec-Butylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
tert-Butylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Carbon Tetrachloride	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Chlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Chlorodibromomethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Chloroethane	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
Chloroform	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Chloromethane	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
2-Chlorotoluene	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
4-Chlorotoluene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,2-Dibromo-3-chloropropane	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,2-Dibromoethane (EDB)	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Dibromomethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,2-Dichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,3-Dichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,4-Dichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Dichlorodifluoromethane	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,1-Dichloroethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,2-Dichloroethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,1-Dichloroethene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
cis-1,2-Dichloroethene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
trans-1,2-Dichloroethene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,2-Dichloropropane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,3-Dichloropropane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
2,2-Dichloropropane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,1-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
cis-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
trans-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
2,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Isopropyl Ether	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Ethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	40	1	07/14/08 18:53	Ick	8070304	SW 8260B
Isopropylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
p-Isopropyltoluene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Methylene Chloride	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
Methyl tert-Butyl Ether	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Naphthalene	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
n-Propylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Styrene	<56		ug/kg dry	56	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Tetrachloroethene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B
Toluene	<28		ug/kg dry	28	1	07/14/08 18:53	Ick	8070304	SW 8260B

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-07 (HA-7 2.5' - Solid/Soil) - cont.								Sampled: 07/08/08 10:15	
VOCs by SW8260B - cont.									
1,2,3-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	40	1	07/14/08 18:53	lck	8070304	SW 8260B
Trichloroethylene	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
Trichlorofluoromethane	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<56		ug/kg dry	56	1	07/14/08 18:53	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 18:53	lck	8070304	SW 8260B
Vinyl chloride	<40		ug/kg dry	40	1	07/14/08 18:53	lck	8070304	SW 8260B
Xylenes, total	<96		ug/kg dry	96	1	07/14/08 18:53	lck	8070304	SW 8260B
<i>Surr: Dibromoform (82-112%)</i>	105 %								
<i>Surr: Toluene-d8 (91-106%)</i>	102 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	90 %								
Sample ID: WRG0255-08 (HA-8 2.5' - Solid/Soil)								Sampled: 07/08/08 10:35	
General Chemistry Parameters									
% Solids	89	%	NA	1	07/10/08 15:03	ler	8070238	SW 5035	
VOCs by SW8260B									
Benzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Bromobenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Bromochloromethane	<39	ug/kg dry	39	1	07/14/08 19:20	lck	8070304	SW 8260B	
Bromodichloromethane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Bromoform	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Bromomethane	<110	ug/kg dry	110	1	07/14/08 19:20	lck	8070304	SW 8260B	
n-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
sec-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
tert-Butylbenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Carbon Tetrachloride	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Chlorobenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Chlorodibromomethane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Chloroethane	<56	ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B	
Chloroform	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Chloromethane	<56	ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B	
2-Chlorotoluene	<56	ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B	
4-Chlorotoluene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,2-Dibromo-3-chloropropane	<56	ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,2-Dibromoethane (EDB)	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Dibromomethane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,2-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,3-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,4-Dichlorobenzene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
Dichlorodifluoromethane	<56	ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,1-Dichloroethane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,2-Dichloroethane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,1-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
cis-1,2-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
trans-1,2-Dichloroethene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,2-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,3-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
2,2-Dichloropropane	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	
1,1-Dichloropropene	<28	ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B	

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-08 (HA-8 2.5' - Solid/Soil) - cont.								Sampled: 07/08/08 10:35	
VOCs by SW8260B - cont.									
cis-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
trans-1,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
2,3-Dichloropropene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Isopropyl Ether	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Ethylbenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Hexachlorobutadiene	<39		ug/kg dry	39	1	07/14/08 19:20	lck	8070304	SW 8260B
Isopropylbenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
p-Isopropyltoluene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Methylene Chloride	<56		ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B
Methyl tert-Butyl Ether	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Naphthalene	<56		ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B
n-Propylbenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Styrene	<56		ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B
1,1,1,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,1,2,2-Tetrachloroethane	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Tetrachloroethene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Toluene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,2,3-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,2,4-Trichlorobenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,1,1-Trichloroethane	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,1,2-Trichloroethane	<39		ug/kg dry	39	1	07/14/08 19:20	lck	8070304	SW 8260B
Trichloroethene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Trichlorofluoromethane	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,2,3-Trichloropropane	<56		ug/kg dry	56	1	07/14/08 19:20	lck	8070304	SW 8260B
1,2,4-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
1,3,5-Trimethylbenzene	<28		ug/kg dry	28	1	07/14/08 19:20	lck	8070304	SW 8260B
Vinyl chloride	<39		ug/kg dry	39	1	07/14/08 19:20	lck	8070304	SW 8260B
Xylenes, total	<95		ug/kg dry	95	1	07/14/08 19:20	lck	8070304	SW 8260B
<i>Surr: Dibromoiodomethane (82-112%)</i>	106 %								
<i>Surr: Toluene-d8 (91-106%)</i>	100 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	90 %								

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-09 (Trip Blank - Misc. Liquid)								Sampled: 07/08/08	
VOCs by SW8260B									
Benzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Bromobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Bromoform	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Bromomethane	<100		ug/kg wet	100	1	07/11/08 18:20	lck	8070253	SW 8260B
n-Butylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
sec-Butylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
tert-Butylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Carbon Tetrachloride	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Chlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Chlorodibromomethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Chloroethane	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
Chloroform	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Chloromethane	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
2-Chlorotoluene	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
4-Chlorotoluene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2-Dibromo-3-chloropropane	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2-Dibromoethane (EDB)	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Dibromomethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2-Dichlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,3-Dichlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,4-Dichlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Dichlorodifluoromethane	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1-Dichloroethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2-Dichloroethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1-Dichloroethene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
cis-1,2-Dichloroethene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
trans-1,2-Dichloroethene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2-Dichloropropane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,3-Dichloropropane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
2,2-Dichloropropane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1-Dichloropropene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
cis-1,3-Dichloropropene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
trans-1,3-Dichloropropene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
2,3-Dichloropropene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Isopropyl Ether	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Ethylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Hexachlorobutadiene	<35		ug/kg wet	35	1	07/11/08 18:20	lck	8070253	SW 8260B
Isopropylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
p-Isopropyltoluene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Methylene Chloride	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
Methyl tert-Butyl Ether	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Naphthalene	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
n-Propylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Styrene	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1,2-Tetrachloroethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1,2,2-Tetrachloroethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Tetrachloroethene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Toluene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2,3-Trichlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2,4-Trichlorobenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRG0255-09 (Trip Blank - Misc. Liquid) - cont.								Sampled: 07/08/08	
VOCs by SW8260B - cont.									
1,1,1-Trichloroethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,1,2-Trichloroethane	<35		ug/kg wet	35	1	07/11/08 18:20	lck	8070253	SW 8260B
Trichloroethene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Trichlorofluoromethane	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2,3-Trichloropropane	<50		ug/kg wet	50	1	07/11/08 18:20	lck	8070253	SW 8260B
1,2,4-Trimethylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
1,3,5-Trimethylbenzene	<25		ug/kg wet	25	1	07/11/08 18:20	lck	8070253	SW 8260B
Vinyl chloride	<35		ug/kg wet	35	1	07/11/08 18:20	lck	8070253	SW 8260B
Xylenes, total	<85		ug/kg wet	85	1	07/11/08 18:20	lck	8070253	SW 8260B
<i>Surr: Dibromofluoromethane (82-112%)</i>	105 %								
<i>Surr: Toluene-d8 (91-106%)</i>	100 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	90 %								

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8070253			ug/kg wet	N/A	25	<25						
Bromobenzene	8070253			ug/kg wet	N/A	25	<25						
Bromochloromethane	8070253			ug/kg wet	N/A	35	<35						
Bromodichloromethane	8070253			ug/kg wet	N/A	25	<25						
Bromoform	8070253			ug/kg wet	N/A	25	<25						
Bromomethane	8070253			ug/kg wet	N/A	100	<100						
n-Butylbenzene	8070253			ug/kg wet	N/A	25	<25						
sec-Butylbenzene	8070253			ug/kg wet	N/A	25	<25						
tert-Butylbenzene	8070253			ug/kg wet	N/A	25	<25						
Carbon Tetrachloride	8070253			ug/kg wet	N/A	25	<25						
Chlorobenzene	8070253			ug/kg wet	N/A	25	<25						
Chlorodibromomethane	8070253			ug/kg wet	N/A	25	<25						
Chloroethane	8070253			ug/kg wet	N/A	50	<50						
Chloroform	8070253			ug/kg wet	N/A	25	<25						
Chloromethane	8070253			ug/kg wet	N/A	50	<50						
2-Chlorotoluene	8070253			ug/kg wet	N/A	50	<50						
4-Chlorotoluene	8070253			ug/kg wet	N/A	25	<25						
1,2-Dibromo-3-chloropropane	8070253			ug/kg wet	N/A	50	<50						
1,2-Dibromoethane (EDB)	8070253			ug/kg wet	N/A	25	<25						
Dibromomethane	8070253			ug/kg wet	N/A	25	<25						
1,2-Dichlorobenzene	8070253			ug/kg wet	N/A	25	<25						
1,3-Dichlorobenzene	8070253			ug/kg wet	N/A	25	<25						
1,4-Dichlorobenzene	8070253			ug/kg wet	N/A	25	<25						
Dichlorodifluoromethane	8070253			ug/kg wet	N/A	50	<50						
1,1-Dichloroethane	8070253			ug/kg wet	N/A	25	<25						
1,2-Dichloroethane	8070253			ug/kg wet	N/A	25	<25						
1,1-Dichloroethene	8070253			ug/kg wet	N/A	25	<25						
cis-1,2-Dichloroethene	8070253			ug/kg wet	N/A	25	<25						
trans-1,2-Dichloroethene	8070253			ug/kg wet	N/A	25	<25						
1,2-Dichloropropane	8070253			ug/kg wet	N/A	25	<25						
1,3-Dichloropropane	8070253			ug/kg wet	N/A	25	<25						
2,2-Dichloropropane	8070253			ug/kg wet	N/A	25	<25						
1,1-Dichloropropene	8070253			ug/kg wet	N/A	25	<25						
cis-1,3-Dichloropropene	8070253			ug/kg wet	N/A	25	<25						
trans-1,3-Dichloropropene	8070253			ug/kg wet	N/A	25	<25						
2,3-Dichloropropene	8070253			ug/kg wet	N/A	25	<25						
Isopropyl Ether	8070253			ug/kg wet	N/A	25	<25						
Ethylbenzene	8070253			ug/kg wet	N/A	25	<25						
Hexachlorobutadiene	8070253			ug/kg wet	N/A	35	<35						
Isopropylbenzene	8070253			ug/kg wet	N/A	25	<25						
p-Isopropyltoluene	8070253			ug/kg wet	N/A	25	<25						
Methylene Chloride	8070253			ug/kg wet	N/A	50	<50						
Methyl tert-Butyl Ether	8070253			ug/kg wet	N/A	25	<25						
Naphthalene	8070253			ug/kg wet	N/A	50	<50						
n-Propylbenzene	8070253			ug/kg wet	N/A	25	<25						

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8070253		ug/kg wet	N/A	50		<50							
1,1,1,2-Tetrachloroethane	8070253		ug/kg wet	N/A	25		<25							
1,1,2,2-Tetrachloroethane	8070253		ug/kg wet	N/A	25		<25							
Tetrachloroethene	8070253		ug/kg wet	N/A	25		<25							
Toluene	8070253		ug/kg wet	N/A	25		<25							
1,2,3-Trichlorobenzene	8070253		ug/kg wet	N/A	25		<25							
1,2,4-Trichlorobenzene	8070253		ug/kg wet	N/A	25		<25							
1,1,1-Trichloroethane	8070253		ug/kg wet	N/A	25		<25							
1,1,2-Trichloroethane	8070253		ug/kg wet	N/A	35		<35							
Trichloroethene	8070253		ug/kg wet	N/A	25		<25							
Trichlorofluoromethane	8070253		ug/kg wet	N/A	25		<25							
1,2,3-Trichloropropane	8070253		ug/kg wet	N/A	50		<50							
1,2,4-Trimethylbenzene	8070253		ug/kg wet	N/A	25		<25							
1,3,5-Trimethylbenzene	8070253		ug/kg wet	N/A	25		<25							
Vinyl chloride	8070253		ug/kg wet	N/A	35		<35							
Xylenes, total	8070253		ug/kg wet	N/A	85		<85							
Surrogate: Dibromoform	8070253		ug/kg wet					106						
Surrogate: Toluene-d8	8070253		ug/kg wet					100						
Surrogate: 4-Bromofluorobenzene	8070253		ug/kg wet					92						
Benzene	8070304		ug/kg wet	N/A	25		<25							
Bromobenzene	8070304		ug/kg wet	N/A	25		<25							
Bromochloromethane	8070304		ug/kg wet	N/A	35		<35							
Bromodichloromethane	8070304		ug/kg wet	N/A	25		<25							
Bromoform	8070304		ug/kg wet	N/A	25		<25							
Bromomethane	8070304		ug/kg wet	N/A	100		<100							
n-Butylbenzene	8070304		ug/kg wet	N/A	25		<25							
sec-Butylbenzene	8070304		ug/kg wet	N/A	25		<25							
tert-Butylbenzene	8070304		ug/kg wet	N/A	25		<25							
Carbon Tetrachloride	8070304		ug/kg wet	N/A	25		<25							
Chlorobenzene	8070304		ug/kg wet	N/A	25		<25							
Chlorodibromomethane	8070304		ug/kg wet	N/A	25		<25							
Chlororoethane	8070304		ug/kg wet	N/A	50		<50							
Chloroform	8070304		ug/kg wet	N/A	25		<25							
Chloromethane	8070304		ug/kg wet	N/A	50		<50							
2-Chlorotoluene	8070304		ug/kg wet	N/A	50		<50							
4-Chlorotoluene	8070304		ug/kg wet	N/A	25		<25							
1,2-Dibromo-3-chloropropane	8070304		ug/kg wet	N/A	50		<50							
1,2-Dibromoethane (EDB)	8070304		ug/kg wet	N/A	25		<25							
Dibromomethane	8070304		ug/kg wet	N/A	25		<25							
1,2-Dichlorobenzene	8070304		ug/kg wet	N/A	25		<25							
1,3-Dichlorobenzene	8070304		ug/kg wet	N/A	25		<25							
1,4-Dichlorobenzene	8070304		ug/kg wet	N/A	25		<25							
Dichlorodifluoromethane	8070304		ug/kg wet	N/A	50		<50							
1,1-Dichloroethane	8070304		ug/kg wet	N/A	25		<25							

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD Limit	Q
VOCs by SW8260B												
1,2-Dichloroethane	8070304		ug/kg wet	N/A	25		<25					
1,1-Dichloroethene	8070304		ug/kg wet	N/A	25		<25					
cis-1,2-Dichloroethene	8070304		ug/kg wet	N/A	25		<25					
trans-1,2-Dichloroethene	8070304		ug/kg wet	N/A	25		<25					
1,2-Dichloropropane	8070304		ug/kg wet	N/A	25		<25					
1,3-Dichloropropane	8070304		ug/kg wet	N/A	25		<25					
2,2-Dichloropropane	8070304		ug/kg wet	N/A	25		<25					
1,1-Dichloropropene	8070304		ug/kg wet	N/A	25		<25					
cis-1,3-Dichloropropene	8070304		ug/kg wet	N/A	25		<25					
trans-1,3-Dichloropropene	8070304		ug/kg wet	N/A	25		<25					
2,3-Dichloropropene	8070304		ug/kg wet	N/A	25		<25					
Isopropyl Ether	8070304		ug/kg wet	N/A	25		<25					
Ethylbenzene	8070304		ug/kg wet	N/A	25		<25					
Hexachlorobutadiene	8070304		ug/kg wet	N/A	35		<35					
Isopropylbenzene	8070304		ug/kg wet	N/A	25		<25					
p-Isopropyltoluene	8070304		ug/kg wet	N/A	25		<25					
Methylene Chloride	8070304		ug/kg wet	N/A	50		<50					
Methyl tert-Butyl Ether	8070304		ug/kg wet	N/A	25		<25					
Naphthalene	8070304		ug/kg wet	N/A	50		<50					
n-Propylbenzene	8070304		ug/kg wet	N/A	25		<25					
Styrene	8070304		ug/kg wet	N/A	50		<50					
1,1,1,2-Tetrachloroethane	8070304		ug/kg wet	N/A	25		<25					
1,1,2,2-Tetrachloroethane	8070304		ug/kg wet	N/A	25		<25					
Tetrachloroethene	8070304		ug/kg wet	N/A	25		<25					
Toluene	8070304		ug/kg wet	N/A	25		<25					
1,2,3-Trichlorobenzene	8070304		ug/kg wet	N/A	25		<25					
1,2,4-Trichlorobenzene	8070304		ug/kg wet	N/A	25		<25					
1,1,1-Trichloroethane	8070304		ug/kg wet	N/A	25		<25					
1,1,2-Trichloroethane	8070304		ug/kg wet	N/A	35		<35					
Trichloroethene	8070304		ug/kg wet	N/A	25		<25					
Trichlorofluoromethane	8070304		ug/kg wet	N/A	25		<25					
1,2,3-Trichloropropane	8070304		ug/kg wet	N/A	50		<50					
1,2,4-Trimethylbenzene	8070304		ug/kg wet	N/A	25		<25					
1,3,5-Trimethylbenzene	8070304		ug/kg wet	N/A	25		<25					
Vinyl chloride	8070304		ug/kg wet	N/A	35		<35					
Xylenes, total	8070304		ug/kg wet	N/A	85		<85					
Surrogate: Dibromofluoromethane	8070304		ug/kg wet					108		82-112		
Surrogate: Toluene-d8	8070304		ug/kg wet					100		91-106		
Surrogate: 4-Bromofluorobenzene	8070304		ug/kg wet					90		89-110		

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Benzene	8070344			ug/kg wet	N/A	25	<25							
Bromobenzene	8070344			ug/kg wet	N/A	25	<25							
Bromoform	8070344			ug/kg wet	N/A	25	<25							
Bromomethane	8070344			ug/kg wet	N/A	100	<100							
n-Butylbenzene	8070344			ug/kg wet	N/A	25	<25							
sec-Butylbenzene	8070344			ug/kg wet	N/A	25	<25							
tert-Butylbenzene	8070344			ug/kg wet	N/A	25	<25							
Carbon Tetrachloride	8070344			ug/kg wet	N/A	25	<25							
Chlorobenzene	8070344			ug/kg wet	N/A	25	<25							
Chlorodibromomethane	8070344			ug/kg wet	N/A	25	<25							
Chloroethane	8070344			ug/kg wet	N/A	50	<50							
Chloroform	8070344			ug/kg wet	N/A	25	<25							
Chloromethane	8070344			ug/kg wet	N/A	50	<50							
2-Chlorotoluene	8070344			ug/kg wet	N/A	50	<50							
4-Chlorotoluene	8070344			ug/kg wet	N/A	25	<25							
1,2-Dibromo-3-chloropropane	8070344			ug/kg wet	N/A	50	<50							
1,2-Dibromoethane (EDB)	8070344			ug/kg wet	N/A	25	<25							
Dibromomethane	8070344			ug/kg wet	N/A	25	<25							
1,2-Dichlorobenzene	8070344			ug/kg wet	N/A	25	<25							
1,3-Dichlorobenzene	8070344			ug/kg wet	N/A	25	<25							
1,4-Dichlorobenzene	8070344			ug/kg wet	N/A	25	<25							
Dichlorodifluoromethane	8070344			ug/kg wet	N/A	50	<50							
1,1-Dichloroethane	8070344			ug/kg wet	N/A	25	<25							
1,2-Dichloroethane	8070344			ug/kg wet	N/A	25	<25							
1,1-Dichloroethene	8070344			ug/kg wet	N/A	25	<25							
cis-1,2-Dichloroethene	8070344			ug/kg wet	N/A	25	<25							
trans-1,2-Dichloroethene	8070344			ug/kg wet	N/A	25	<25							
1,2-Dichloropropane	8070344			ug/kg wet	N/A	25	<25							
1,3-Dichloropropane	8070344			ug/kg wet	N/A	25	<25							
2,2-Dichloropropane	8070344			ug/kg wet	N/A	25	<25							
1,1-Dichloropropene	8070344			ug/kg wet	N/A	25	<25							
cis-1,3-Dichloropropene	8070344			ug/kg wet	N/A	25	<25							
trans-1,3-Dichloropropene	8070344			ug/kg wet	N/A	25	<25							
2,3-Dichloropropene	8070344			ug/kg wet	N/A	25	<25							
Isopropyl Ether	8070344			ug/kg wet	N/A	25	<25							
Ethylbenzene	8070344			ug/kg wet	N/A	25	<25							
Hexachlorobutadiene	8070344			ug/kg wet	N/A	35	<35							
Isopropylbenzene	8070344			ug/kg wet	N/A	25	<25							
p-Isopropyltoluene	8070344			ug/kg wet	N/A	25	<25							
Methylene Chloride	8070344			ug/kg wet	N/A	50	<50							
Methyl tert-Butyl Ether	8070344			ug/kg wet	N/A	25	<25							
Naphthalene	8070344			ug/kg wet	N/A	50	<50							
n-Propylbenzene	8070344			ug/kg wet	N/A	25	<25							

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8070344			ug/kg wet	N/A	50	<50						
1,1,1,2-Tetrachloroethane	8070344			ug/kg wet	N/A	25	<25						
1,1,2,2-Tetrachloroethane	8070344			ug/kg wet	N/A	25	<25						
Tetrachloroethene	8070344			ug/kg wet	N/A	25	<25						
Toluene	8070344			ug/kg wet	N/A	25	<25						
1,2,3-Trichlorobenzene	8070344			ug/kg wet	N/A	25	<25						
1,2,4-Trichlorobenzene	8070344			ug/kg wet	N/A	25	<25						
1,1,1-Trichloroethane	8070344			ug/kg wet	N/A	25	<25						
1,1,2-Trichloroethane	8070344			ug/kg wet	N/A	35	<35						
Trichloroethene	8070344			ug/kg wet	N/A	25	<25						
Trichlorofluoromethane	8070344			ug/kg wet	N/A	25	<25						
1,2,3-Trichloropropane	8070344			ug/kg wet	N/A	50	<50						
1,2,4-Trimethylbenzene	8070344			ug/kg wet	N/A	25	<25						
1,3,5-Trimethylbenzene	8070344			ug/kg wet	N/A	25	<25						
Vinyl chloride	8070344			ug/kg wet	N/A	35	<35						
Xylenes, total	8070344			ug/kg wet	N/A	85	<85						
Surrogate: Dibromofluoromethane	8070344			ug/kg wet				108		82-112			
Surrogate: Toluene-d8	8070344			ug/kg wet				100		91-106			
Surrogate: 4-Bromofluorobenzene	8070344			ug/kg wet				90		89-110			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8G11007	2500.0	ug/kg wet	N/A	N/A	2600		104			80-120			
1,1,1,2-Tetrachloroethane	8G11007	2500.0	ug/kg wet	N/A	N/A	2860		114			80-120			
1,1,2,2-Tetrachloroethane	8G11007	2500.0	ug/kg wet	N/A	N/A	2460		98			80-120			
Tetrachloroethylene	8G11007	2500.0	ug/kg wet	N/A	N/A	2490		99			80-120			
Toluene	8G11007	2500.0	ug/kg wet	N/A	N/A	2470		99			80-120			
1,2,3-Trichlorobenzene	8G11007	2500.0	ug/kg wet	N/A	N/A	2260		90			80-120			
1,2,4-Trichlorobenzene	8G11007	2500.0	ug/kg wet	N/A	N/A	2330		93			80-120			
1,1,1-Trichloroethane	8G11007	2500.0	ug/kg wet	N/A	N/A	2620		105			80-120			
1,1,2-Trichloroethane	8G11007	2500.0	ug/kg wet	N/A	N/A	2470		99			80-120			
Trichloroethylene	8G11007	2500.0	ug/kg wet	N/A	N/A	2430		97			80-120			
Trichlorofluoromethane	8G11007	2500.0	ug/kg wet	N/A	N/A	2320		93			80-120			
1,2,3-Trichloropropane	8G11007	2500.0	ug/kg wet	N/A	N/A	2440		98			80-120			
1,2,4-Trimethylbenzene	8G11007	2500.0	ug/kg wet	N/A	N/A	2550		102			80-120			
1,3,5-Trimethylbenzene	8G11007	2500.0	ug/kg wet	N/A	N/A	2570		103			80-120			
Vinyl chloride	8G11007	2500.0	ug/kg wet	N/A	N/A	2420		97			80-120			
Xylenes, Total	8G11007	7500.0	ug/kg wet	N/A	N/A	7790		104			80-120			
Surrogate: Dibromofluoromethane	8G11007		ug/kg wet					100			80-120			
Surrogate: Toluene-d8	8G11007		ug/kg wet					102			80-120			
Surrogate: 4-Bromofluorobenzene	8G11007		ug/kg wet					101			80-120			
Benzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2460		98			80-120			
Bromobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2330		93			80-120			
Bromochloromethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2340		94			80-120			
Bromodichloromethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2500		100			80-120			
Bromoform	8G14012	2500.0	ug/kg wet	N/A	N/A	2110		85			80-120			
Bromomethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2700		108			80-120			
n-Butylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2500		100			80-120			
sec-Butylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2430		97			80-120			
tert-Butylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2420		97			80-120			
Carbon Tetrachloride	8G14012	2500.0	ug/kg wet	N/A	N/A	2430		97			80-120			
Chlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2380		95			80-120			
Chlorodibromomethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2540		102			80-120			
Chloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2570		103			80-120			
Chloroform	8G14012	2500.0	ug/kg wet	N/A	N/A	2370		95			80-120			
Chloromethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2330		93			80-120			
2-Chlorotoluene	8G14012	2500.0	ug/kg wet	N/A	N/A	2370		95			80-120			
4-Chlorotoluene	8G14012	2500.0	ug/kg wet	N/A	N/A	2410		97			80-120			
1,2-Dibromo-3-chloropropane	8G14012	2500.0	ug/kg wet	N/A	N/A	2140		86			80-120			
1,2-Dibromoethane (EDB)	8G14012	2500.0	ug/kg wet	N/A	N/A	2460		98			80-120			
Dibromomethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2410		96			80-120			
1,2-Dichlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2380		95			80-120			
1,3-Dichlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2380		95			80-120			
1,4-Dichlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2350		94			80-120			
Dichlorodifluoromethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2200		88			80-120			
1,1-Dichloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2400		96			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2350	94			80-120			
1,1-Dichloroethene	8G14012	2500.0	ug/kg wet	N/A	N/A	2320	93			80-120			
cis-1,2-Dichloroethene	8G14012	2500.0	ug/kg wet	N/A	N/A	2370	95			80-120			
trans-1,2-Dichloroethene	8G14012	2500.0	ug/kg wet	N/A	N/A	2410	96			80-120			
1,2-Dichloropropane	8G14012	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
1,3-Dichloropropane	8G14012	2500.0	ug/kg wet	N/A	N/A	2400	96			80-120			
2,2-Dichloropropane	8G14012	2500.0	ug/kg wet	N/A	N/A	2600	104			80-120			
1,1-Dichloropropene	8G14012	2500.0	ug/kg wet	N/A	N/A	2500	100			80-120			
cis-1,3-Dichloropropene	8G14012	2500.0	ug/kg wet	N/A	N/A	2670	107			80-120			
trans-1,3-Dichloropropene	8G14012	2500.0	ug/kg wet	N/A	N/A	2340	94			80-120			
2,3-Dichloropropene	8G14012	2500.0	ug/kg wet	N/A	N/A	2510	100			80-120			
Isopropyl Ether	8G14012	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
Ethylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
Hexachlorobutadiene	8G14012	2500.0	ug/kg wet	N/A	N/A	2320	93			80-120			
Isopropylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2530	101			80-120			
p-Isopropyltoluene	8G14012	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
Methylene Chloride	8G14012	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
Methyl tert-Butyl Ether	8G14012	2500.0	ug/kg wet	N/A	N/A	2390	96			80-120			
Naphthalene	8G14012	2500.0	ug/kg wet	N/A	N/A	2590	103			80-120			
n-Propylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2430	97			80-120			
Styrene	8G14012	2500.0	ug/kg wet	N/A	N/A	2540	102			80-120			
1,1,1,2-Tetrachloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2580	103			80-120			
1,1,2,2-Tetrachloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2370	95			80-120			
Tetrachloroethene	8G14012	2500.0	ug/kg wet	N/A	N/A	2340	93			80-120			
Toluene	8G14012	2500.0	ug/kg wet	N/A	N/A	2390	96			80-120			
1,2,3-Trichlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2500	100			80-120			
1,2,4-Trichlorobenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2490	99			80-120			
1,1,1-Trichloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2400	96			80-120			
1,1,2-Trichloroethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2410	96			80-120			
Trichloroethene	8G14012	2500.0	ug/kg wet	N/A	N/A	2380	95			80-120			
Trichlorofluoromethane	8G14012	2500.0	ug/kg wet	N/A	N/A	2360	95			80-120			
1,2,3-Trichloropropane	8G14012	2500.0	ug/kg wet	N/A	N/A	2420	97			80-120			
1,2,4-Trimethylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
1,3,5-Trimethylbenzene	8G14012	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
Vinyl chloride	8G14012	2500.0	ug/kg wet	N/A	N/A	2340	94			80-120			
Xylenes, total	8G14012	7500.0	ug/kg wet	N/A	N/A	7510	100			80-120			
Surrogate: Dibromofluoromethane	8G14012		ug/kg wet				101			80-120			
Surrogate: Toluene-d8	8G14012		ug/kg wet				101			80-120			
Surrogate: 4-Bromofluorobenzene	8G14012		ug/kg wet				102			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2460	99			80-120			
Bromobenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2390	95			80-120			
Bromochloromethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2340	94			80-120			
Bromodichloromethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2520	101			80-120			
Bromoform	8G15007	2500.0	ug/kg wet	N/A	N/A	2240	89			80-120			
Bromomethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2560	103			80-120			
n-Butylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2580	103			80-120			
sec-Butylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
tert-Butylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
Carbon Tetrachloride	8G15007	2500.0	ug/kg wet	N/A	N/A	2550	102			80-120			
Chlorobenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2400	96			80-120			
Chlorodibromomethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2600	104			80-120			
Chloroethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2500	100			80-120			
Chloroform	8G15007	2500.0	ug/kg wet	N/A	N/A	2340	94			80-120			
Chloromethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2270	91			80-120			
2-Chlorotoluene	8G15007	2500.0	ug/kg wet	N/A	N/A	2440	98			80-120			
4-Chlorotoluene	8G15007	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
1,2-Dibromo-3-chloropropane	8G15007	2500.0	ug/kg wet	N/A	N/A	2380	95			80-120			
1,2-Dibromoethane (EDB)	8G15007	2500.0	ug/kg wet	N/A	N/A	2530	101			80-120			
Dibromomethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2470	99			80-120			
1,2-Dichlorobenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
1,3-Dichlorobenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2460	98			80-120			
1,4-Dichlorobenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2420	97			80-120			
Dichlorodifluoromethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2040	82			80-120			
1,1-Dichloroethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2380	95			80-120			
1,2-Dichloroethane	8G15007	2500.0	ug/kg wet	N/A	N/A	2360	94			80-120			
1,1-Dichloroethene	8G15007	2500.0	ug/kg wet	N/A	N/A	2320	93			80-120			
cis-1,2-Dichloroethene	8G15007	2500.0	ug/kg wet	N/A	N/A	2380	95			80-120			
trans-1,2-Dichloroethene	8G15007	2500.0	ug/kg wet	N/A	N/A	2370	95			80-120			
1,2-Dichloropropane	8G15007	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			
1,3-Dichloropropane	8G15007	2500.0	ug/kg wet	N/A	N/A	2450	98			80-120			
2,2-Dichloropropane	8G15007	2500.0	ug/kg wet	N/A	N/A	2650	106			80-120			
1,1-Dichloropropene	8G15007	2500.0	ug/kg wet	N/A	N/A	2490	100			80-120			
cis-1,3-Dichloropropene	8G15007	2500.0	ug/kg wet	N/A	N/A	2710	108			80-120			
trans-1,3-Dichloropropene	8G15007	2500.0	ug/kg wet	N/A	N/A	2420	97			80-120			
2,3-Dichloropropene	8G15007	2500.0	ug/kg wet	N/A	N/A	2530	101			80-120			
Isopropyl Ether	8G15007	2500.0	ug/kg wet	N/A	N/A	2390	96			80-120			
Ethylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2520	101			80-120			
Hexachlorobutadiene	8G15007	2500.0	ug/kg wet	N/A	N/A	2430	97			80-120			
Isopropylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2590	103			80-120			
p-Isopropyltoluene	8G15007	2500.0	ug/kg wet	N/A	N/A	2540	101			80-120			
Methylene Chloride	8G15007	2500.0	ug/kg wet	N/A	N/A	2450	98			80-120			
Methyl tert-Butyl Ether	8G15007	2500.0	ug/kg wet	N/A	N/A	2360	95			80-120			
Naphthalene	8G15007	2500.0	ug/kg wet	N/A	N/A	2780	111			80-120			
n-Propylbenzene	8G15007	2500.0	ug/kg wet	N/A	N/A	2480	99			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

CCV QC DATA

Analyte	Seq/ Batch	Source	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8G15007		2500.0	ug/kg wet	N/A	N/A	2570	103		80-120			
1,1,1,2-Tetrachloroethane	8G15007		2500.0	ug/kg wet	N/A	N/A	2690	107		80-120			
1,1,2,2-Tetrachloroethane	8G15007		2500.0	ug/kg wet	N/A	N/A	2520	101		80-120			
Tetrachloroethene	8G15007		2500.0	ug/kg wet	N/A	N/A	2360	95		80-120			
Toluene	8G15007		2500.0	ug/kg wet	N/A	N/A	2410	97		80-120			
1,2,3-Trichlorobenzene	8G15007		2500.0	ug/kg wet	N/A	N/A	2610	104		80-120			
1,2,4-Trichlorobenzene	8G15007		2500.0	ug/kg wet	N/A	N/A	2580	103		80-120			
1,1,1-Trichloroethane	8G15007		2500.0	ug/kg wet	N/A	N/A	2430	97		80-120			
1,1,2-Trichloroethane	8G15007		2500.0	ug/kg wet	N/A	N/A	2450	98		80-120			
Trichloroethene	8G15007		2500.0	ug/kg wet	N/A	N/A	2380	95		80-120			
Trichlorofluoromethane	8G15007		2500.0	ug/kg wet	N/A	N/A	2370	95		80-120			
1,2,3-Trichloropropane	8G15007		2500.0	ug/kg wet	N/A	N/A	2590	104		80-120			
1,2,4-Trimethylbenzene	8G15007		2500.0	ug/kg wet	N/A	N/A	2500	100		80-120			
1,3,5-Trimethylbenzene	8G15007		2500.0	ug/kg wet	N/A	N/A	2500	100		80-120			
Vinyl chloride	8G15007		2500.0	ug/kg wet	N/A	N/A	2300	92		80-120			
Xylenes, total	8G15007		7500.0	ug/kg wet	N/A	N/A	7610	101		80-120			
Surrogate: Dibromofluoromethane	8G15007			ug/kg wet				100		80-120			
Surrogate: Toluene-d8	8G15007			ug/kg wet				102		80-120			
Surrogate: 4-Bromofluorobenzene	8G15007			ug/kg wet				102		80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8070253	2500.0	ug/kg wet	N/A	N/A	2460	99			64-124			
Bromobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
Bromochloromethane	8070253	2500.0	ug/kg wet	N/A	N/A	2390	96			70-130			
Bromodichloromethane	8070253	2500.0	ug/kg wet	N/A	N/A	2670	107			70-130			
Bromoform	8070253	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
Bromomethane	8070253	2500.0	ug/kg wet	N/A	N/A	2580	103			70-130			
n-Butylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2650	106			70-130			
sec-Butylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2580	103			70-130			
tert-Butylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2590	103			70-130			
Carbon Tetrachloride	8070253	2500.0	ug/kg wet	N/A	N/A	2860	114			70-130			
Chlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2490	99			80-123			
Chlorodibromomethane	8070253	2500.0	ug/kg wet	N/A	N/A	2910	116			70-130			
Chloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2530	101			70-130			
Chloroform	8070253	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
Chloromethane	8070253	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
2-Chlorotoluene	8070253	2500.0	ug/kg wet	N/A	N/A	2500	100			70-130			
4-Chlorotoluene	8070253	2500.0	ug/kg wet	N/A	N/A	2530	101			70-130			
1,2-Dibromo-3-chloropropane	8070253	2500.0	ug/kg wet	N/A	N/A	2400	96			70-130			
1,2-Dibromoethane (EDB)	8070253	2500.0	ug/kg wet	N/A	N/A	2540	101			70-130			
Dibromomethane	8070253	2500.0	ug/kg wet	N/A	N/A	2400	96			70-130			
1,2-Dichlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2490	100			70-130			
1,3-Dichlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2500	100			70-130			
1,4-Dichlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
Dichlorodifluoromethane	8070253	2500.0	ug/kg wet	N/A	N/A	2250	90			70-130			
1,1-Dichloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
1,2-Dichloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2390	96			70-130			
1,1-Dichloroethene	8070253	2500.0	ug/kg wet	N/A	N/A	2380	95			43-141			
cis-1,2-Dichloroethene	8070253	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
trans-1,2-Dichloroethene	8070253	2500.0	ug/kg wet	N/A	N/A	2410	97			70-130			
1,2-Dichloropropane	8070253	2500.0	ug/kg wet	N/A	N/A	2490	100			70-130			
1,3-Dichloropropane	8070253	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
2,2-Dichloropropane	8070253	2500.0	ug/kg wet	N/A	N/A	2760	110			70-130			
1,1-Dichloropropene	8070253	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
cis-1,3-Dichloropropene	8070253	2500.0	ug/kg wet	N/A	N/A	2770	111			70-130			
trans-1,3-Dichloropropene	8070253	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
Ethylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2600	104			79-122			
Hexachlorobutadiene	8070253	2500.0	ug/kg wet	N/A	N/A	2520	101			70-130			
Isopropylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2240	90			70-130			
p-Isopropyltoluene	8070253	2500.0	ug/kg wet	N/A	N/A	2620	105			70-130			
Methylene Chloride	8070253	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
Methyl tert-Butyl Ether	8070253	2406.2	ug/kg wet	N/A	N/A	2440	101			55-137			
Naphthalene	8070253	2500.0	ug/kg wet	N/A	N/A	2650	106			70-130			
n-Propylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
Styrene	8070253	2500.0	ug/kg wet	N/A	N/A	2650	106			70-130			
1,1,1,2-Tetrachloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2900	116			70-130			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,2,2-Tetrachloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
Tetrachloroethene	8070253	2500.0	ug/kg wet	N/A	N/A	2490	99			70-130			
Toluene	8070253	2500.0	ug/kg wet	N/A	N/A	2490	100			78-120			
1,2,3-Trichlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2560	102			70-130			
1,2,4-Trichlorobenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2630	105			70-130			
1,1,1-Trichloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2680	107			70-130			
1,1,2-Trichloroethane	8070253	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
Trichloroethene	8070253	2500.0	ug/kg wet	N/A	N/A	2480	99			78-124			
Trichlorofluoromethane	8070253	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
1,2,3-Trichloropropane	8070253	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
1,2,4-Trimethylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2570	103			75-128			
1,3,5-Trimethylbenzene	8070253	2500.0	ug/kg wet	N/A	N/A	2580	103			76-127			
Vinyl chloride	8070253	2500.0	ug/kg wet	N/A	N/A	2280	91			70-130			
Xylenes, total	8070253	7500.0	ug/kg wet	N/A	N/A	7880	105			79-122			
<i>Surrogate: Dibromofluoromethane</i>	8070253		ug/kg wet				101			82-112			
<i>Surrogate: Toluene-d8</i>	8070253		ug/kg wet				100			91-106			
<i>Surrogate: 4-Bromofluorobenzene</i>	8070253		ug/kg wet				102			89-110			
Benzene	8070304	2500.0	ug/kg wet	N/A	N/A	2520	101			64-124			
Bromobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
Bromochloromethane	8070304	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
Bromodichloromethane	8070304	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
Bromoform	8070304	2500.0	ug/kg wet	N/A	N/A	2280	91			70-130			
Bromomethane	8070304	2500.0	ug/kg wet	N/A	N/A	2790	111			70-130			
n-Butylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2670	107			70-130			
sec-Butylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
tert-Butylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2590	104			70-130			
Carbon Tetrachloride	8070304	2500.0	ug/kg wet	N/A	N/A	2730	109			70-130			
Chlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2510	100			80-123			
Chlorodibromomethane	8070304	2500.0	ug/kg wet	N/A	N/A	2740	110			70-130			
Chloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2660	106			70-130			
Chloroform	8070304	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
Chloromethane	8070304	2500.0	ug/kg wet	N/A	N/A	2550	102			70-130			
2-Chlorotoluene	8070304	2500.0	ug/kg wet	N/A	N/A	2540	102			70-130			
4-Chlorotoluene	8070304	2500.0	ug/kg wet	N/A	N/A	2560	102			70-130			
1,2-Dibromo-3-chloropropane	8070304	2500.0	ug/kg wet	N/A	N/A	2310	92			70-130			
1,2-Dibromoethane (EDB)	8070304	2500.0	ug/kg wet	N/A	N/A	2550	102			70-130			
Dibromomethane	8070304	2500.0	ug/kg wet	N/A	N/A	2430	97			70-130			
1,2-Dichlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2520	101			70-130			
1,3-Dichlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2540	102			70-130			
1,4-Dichlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2490	100			70-130			
Dichlorodifluoromethane	8070304	2500.0	ug/kg wet	N/A	N/A	2410	96			70-130			
1,1-Dichloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
1,2-Dichloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
1,1-Dichloroethene	8070304	2500.0	ug/kg wet	N/A	N/A	2400	96			43-141			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
cis-1,2-Dichloroethene	8070304	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
trans-1,2-Dichloroethene	8070304	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
1,2-Dichloropropane	8070304	2500.0	ug/kg wet	N/A	N/A	2560	102			70-130			
1,3-Dichloropropane	8070304	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
2,2-Dichloropropane	8070304	2500.0	ug/kg wet	N/A	N/A	2870	115			70-130			
1,1-Dichloropropene	8070304	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
cis-1,3-Dichloropropene	8070304	2500.0	ug/kg wet	N/A	N/A	2750	110			70-130			
trans-1,3-Dichloropropene	8070304	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
Ethylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2620	105			79-122			
Hexachlorobutadiene	8070304	2500.0	ug/kg wet	N/A	N/A	2490	100			70-130			
Isopropylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2240	89			70-130			
p-Isopropyltoluene	8070304	2500.0	ug/kg wet	N/A	N/A	2630	105			70-130			
Methylene Chloride	8070304	2500.0	ug/kg wet	N/A	N/A	2540	102			70-130			
Methyl tert-Butyl Ether	8070304	2406.2	ug/kg wet	N/A	N/A	2500	104			55-137			
Naphthalene	8070304	2500.0	ug/kg wet	N/A	N/A	2690	107			70-130			
n-Propylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
Styrene	8070304	2500.0	ug/kg wet	N/A	N/A	2640	106			70-130			
1,1,1,2-Tetrachloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2800	112			70-130			
1,1,2,2-Tetrachloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
Tetrachloroethene	8070304	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
Toluene	8070304	2500.0	ug/kg wet	N/A	N/A	2500	100			78-120			
1,2,3-Trichlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2590	104			70-130			
1,2,4-Trichlorobenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2640	106			70-130			
1,1,1-Trichloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
1,1,2-Trichloroethane	8070304	2500.0	ug/kg wet	N/A	N/A	2520	101			70-130			
Trichloroethene	8070304	2500.0	ug/kg wet	N/A	N/A	2500	100			78-124			
Trichlorofluoromethane	8070304	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
1,2,3-Trichloropropane	8070304	2500.0	ug/kg wet	N/A	N/A	2530	101			70-130			
1,2,4-Trimethylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2630	105			75-128			
1,3,5-Trimethylbenzene	8070304	2500.0	ug/kg wet	N/A	N/A	2600	104			76-127			
Vinyl chloride	8070304	2500.0	ug/kg wet	N/A	N/A	2400	96			70-130			
Xylenes, total	8070304	7500.0	ug/kg wet	N/A	N/A	7900	105			79-122			
Surrogate: Dibromoform	8070304		ug/kg wet				101			82-112			
Surrogate: Toluene-d8	8070304		ug/kg wet				101			91-106			
Surrogate: 4-Bromofluorobenzene	8070304		ug/kg wet				102			89-110			
Benzene	8070344	2500.0	ug/kg wet	N/A	N/A	2640	106			64-124			
Bromobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
Bromochloromethane	8070344	2500.0	ug/kg wet	N/A	N/A	2520	101			70-130			
Bromodichloromethane	8070344	2500.0	ug/kg wet	N/A	N/A	2750	110			70-130			
Bromoform	8070344	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
Bromomethane	8070344	2500.0	ug/kg wet	N/A	N/A	2920	117			70-130			
n-Butylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2830	113			70-130			
sec-Butylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2740	110			70-130			
tert-Butylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2740	110			70-130			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRG0255
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 07/08/08
 Reported: 07/16/08 12:46

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Carbon Tetrachloride	8070344	2500.0	ug/kg wet	N/A	N/A	2950	118			70-130			
Chlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2620	105			80-123			
Chlorodibromomethane	8070344	2500.0	ug/kg wet	N/A	N/A	2890	116			70-130			
Chloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2830	113			70-130			
Chloroform	8070344	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
Chloromethane	8070344	2500.0	ug/kg wet	N/A	N/A	2710	108			70-130			
2-Chlorotoluene	8070344	2500.0	ug/kg wet	N/A	N/A	2680	107			70-130			
4-Chlorotoluene	8070344	2500.0	ug/kg wet	N/A	N/A	2710	109			70-130			
1,2-Dibromo-3-chloropropane	8070344	2500.0	ug/kg wet	N/A	N/A	2490	99			70-130			
1,2-Dibromoethane (EDB)	8070344	2500.0	ug/kg wet	N/A	N/A	2660	106			70-130			
Dibromomethane	8070344	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
1,2-Dichlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2630	105			70-130			
1,3-Dichlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2680	107			70-130			
1,4-Dichlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2630	105			70-130			
Dichlorodifluoromethane	8070344	2500.0	ug/kg wet	N/A	N/A	2620	105			70-130			
1,1-Dichloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
1,2-Dichloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
1,1-Dichloroethene	8070344	2500.0	ug/kg wet	N/A	N/A	2580	103			43-141			
cis-1,2-Dichloroethene	8070344	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
trans-1,2-Dichloroethene	8070344	2500.0	ug/kg wet	N/A	N/A	2580	103			70-130			
1,2-Dichloropropane	8070344	2500.0	ug/kg wet	N/A	N/A	2630	105			70-130			
1,3-Dichloropropane	8070344	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
2,2-Dichloropropane	8070344	2500.0	ug/kg wet	N/A	N/A	3090	123			70-130			
1,1-Dichloropropene	8070344	2500.0	ug/kg wet	N/A	N/A	2720	109			70-130			
cis-1,3-Dichloropropene	8070344	2500.0	ug/kg wet	N/A	N/A	2880	115			70-130			
trans-1,3-Dichloropropene	8070344	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
Ethylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2760	110			79-122			
Hexachlorobutadiene	8070344	2500.0	ug/kg wet	N/A	N/A	2680	107			70-130			
Isopropylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
p-Isopropyltoluene	8070344	2500.0	ug/kg wet	N/A	N/A	2770	111			70-130			
Methylene Chloride	8070344	2500.0	ug/kg wet	N/A	N/A	2640	105			70-130			
Methyl tert-Butyl Ether	8070344	2406.2	ug/kg wet	N/A	N/A	2560	106			55-137			
Naphthalene	8070344	2500.0	ug/kg wet	N/A	N/A	2890	115			70-130			
n-Propylbenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2760	110			70-130			
Styrene	8070344	2500.0	ug/kg wet	N/A	N/A	2790	112			70-130			
1,1,1,2-Tetrachloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2990	120			70-130			
1,1,2,2-Tetrachloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2600	104			70-130			
Tetrachloroethene	8070344	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
Toluene	8070344	2500.0	ug/kg wet	N/A	N/A	2640	105			78-120			
1,2,3-Trichlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2800	112			70-130			
1,2,4-Trichlorobenzene	8070344	2500.0	ug/kg wet	N/A	N/A	2790	112			70-130			
1,1,1-Trichloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2760	110			70-130			
1,1,2-Trichloroethane	8070344	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
Trichloroethene	8070344	2500.0	ug/kg wet	N/A	N/A	2640	106			78-124			
Trichlorofluoromethane	8070344	2500.0	ug/kg wet	N/A	N/A	2660	106			70-130			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRG0255
Project: Nemitz Laundry
Project Number: 08-736

Received: 07/08/08
Reported: 07/16/08 12:46

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,2,3-Trichloropropane	8070344		2500.0	ug/kg wet	N/A	N/A	2630		105		70-130			
1,2,4-Trimethylbenzene	8070344		2500.0	ug/kg wet	N/A	N/A	2760		110		75-128			
1,3,5-Trimethylbenzene	8070344		2500.0	ug/kg wet	N/A	N/A	2760		110		76-127			
Vinyl chloride	8070344		2500.0	ug/kg wet	N/A	N/A	2560		102		70-130			
Xylenes, total	8070344		7500.0	ug/kg wet	N/A	N/A	8360		111		79-122			
Surrogate: Dibromofluoromethane	8070344			ug/kg wet					99		82-112			
Surrogate: Toluene-d8	8070344			ug/kg wet					101		91-106			
Surrogate: 4-Bromofluorobenzene	8070344			ug/kg wet					101		89-110			

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

Page 31 of 32

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRH0826
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 08/21/08
 Reported: 08/29/08 10:16

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0826-03 (MW-3 (2-3) - Solid/Soil) - cont.								Sampled: 08/21/08 14:45	
VOCs by SW8260B - cont.									
1,2,3-Trichlorobenzene	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
1,2,4-Trichlorobenzene	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
1,1,1-Trichloroethane	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
1,1,2-Trichloroethane	<38		ug/kg dry	38	1	08/28/08 12:11	lck	8080684	SW 8260B
Trichloroethene	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
Trichlorofluoromethane	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
1,2,3-Trichloropropane	<55		ug/kg dry	55	1	08/28/08 12:11	lck	8080684	SW 8260B
1,2,4-Trimethylbenzene	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
1,3,5-Trimethylbenzene	<27		ug/kg dry	27	1	08/28/08 12:11	lck	8080684	SW 8260B
Vinyl chloride	<38		ug/kg dry	38	1	08/28/08 12:11	lck	8080684	SW 8260B
Xylenes, total	<93		ug/kg dry	93	1	08/28/08 12:11	lck	8080684	SW 8260B
<i>Surr: Dibromoform (82-112%)</i>	95 %								
<i>Surr: Toluene-d8 (91-106%)</i>	99 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	91 %								
Sample ID: WRII0826-04 (Trip Blank - Solid/Soil)								Sampled: 08/20/08	
VOCs by SW8260B									
Benzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Bromobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Bromochloromethane	<35		ug/kg wet	35	1	08/27/08 11:23	lck	8080641	SW 8260B
Bromodichloromethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Bromoform	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Bromomethane	<100		ug/kg wet	100	1	08/27/08 11:23	lck	8080641	SW 8260B
n-Butylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
sec-Butylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
tert-Butylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Carbon Tetrachloride	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Chlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Chlorodibromomethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Chloroethane	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
Chloroform	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Chloromethane	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
2-Chlorotoluene	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
4-Chlorotoluene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2-Dibromo-3-chloropropane	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2-Dibromoethane (EDB)	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Dibromomethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2-Dichlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,3-Dichlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,4-Dichlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Dichlorodifluoromethane	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1-Dichloroethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2-Dichloroethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1-Dichloroethene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
cis-1,2-Dichloroethene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
trans-1,2-Dichloroethene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2-Dichloropropane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,3-Dichloropropane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
2,2-Dichloropropane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1-Dichloropropene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
cis-1,3-Dichloropropene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
trans-1,3-Dichloropropene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0826-04 (Trip Blank - Solid/Soil) - cont.									
VOCs by SW8260B - cont.									
2,3-Dichloropropene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Isopropyl Ether	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Ethylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Hexachlorobutadiene	<35		ug/kg wet	35	1	08/27/08 11:23	lck	8080641	SW 8260B
Isopropylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
p-Isopropyltoluene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Methylene Chloride	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
Methyl tert-Butyl Ether	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Naphthalene	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
n-Propylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Styrene	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1,1,2-Tetrachloroethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1,2,2-Tetrachloroethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Tetrachloroethene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Toluene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2,3-Trichlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2,4-Trichlorobenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1,1-Trichloroethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,1,2-Trichloroethane	<35		ug/kg wet	35	1	08/27/08 11:23	lck	8080641	SW 8260B
Trichloroethene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Trichlorofluoromethane	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2,3-Trichloropropane	<50		ug/kg wet	50	1	08/27/08 11:23	lck	8080641	SW 8260B
1,2,4-Trimethylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
1,3,5-Trimethylbenzene	<25		ug/kg wet	25	1	08/27/08 11:23	lck	8080641	SW 8260B
Vinyl chloride	<35		ug/kg wet	35	1	08/27/08 11:23	lck	8080641	SW 8260B
Xylenes, total	<85		ug/kg wet	85	1	08/27/08 11:23	lck	8080641	SW 8260B
Surr: Dibromofluoromethane (82-112%)	101 %								
Surr: Toluene-d8 (91-106%)	97 %								
Surr: 4-Bromofluorobenzene (89-110%)	91 %								

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8080641		ug/kg wet	N/A	25		<25						
Bromobenzene	8080641		ug/kg wet	N/A	25		<25						
Bromochloromethane	8080641		ug/kg wet	N/A	35		<35						
Bromodichloromethane	8080641		ug/kg wet	N/A	25		<25						
Bromoform	8080641		ug/kg wet	N/A	25		<25						
Bromomethane	8080641		ug/kg wet	N/A	100		<100						
n-Butylbenzene	8080641		ug/kg wet	N/A	25		<25						
sec-Butylbenzene	8080641		ug/kg wet	N/A	25		<25						
tert-Butylbenzene	8080641		ug/kg wet	N/A	25		<25						
Carbon Tetrachloride	8080641		ug/kg wet	N/A	25		<25						
Chlorobenzene	8080641		ug/kg wet	N/A	25		<25						
Chlorodibromomethane	8080641		ug/kg wet	N/A	25		<25						
Chloroethane	8080641		ug/kg wet	N/A	50		<50						
Chloroform	8080641		ug/kg wet	N/A	25		<25						
Chloromethane	8080641		ug/kg wet	N/A	50		<50						
2-Chlorotoluene	8080641		ug/kg wet	N/A	50		<50						
4-Chlorotoluene	8080641		ug/kg wet	N/A	25		<25						
1,2-Dibromo-3-chloropropane	8080641		ug/kg wet	N/A	50		<50						
1,2-Dibromoethane (EDB)	8080641		ug/kg wet	N/A	25		<25						
Dibromomethane	8080641		ug/kg wet	N/A	25		<25						
1,2-Dichlorobenzene	8080641		ug/kg wet	N/A	25		<25						
1,3-Dichlorobenzene	8080641		ug/kg wet	N/A	25		<25						
1,4-Dichlorobenzene	8080641		ug/kg wet	N/A	25		<25						
Dichlorodifluoromethane	8080641		ug/kg wet	N/A	50		<50						
1,1-Dichloroethane	8080641		ug/kg wet	N/A	25		<25						
1,2-Dichloroethane	8080641		ug/kg wet	N/A	25		<25						
1,1-Dichloroethene	8080641		ug/kg wet	N/A	25		<25						
cis-1,2-Dichloroethene	8080641		ug/kg wet	N/A	25		<25						
trans-1,2-Dichloroethene	8080641		ug/kg wet	N/A	25		<25						
1,2-Dichloropropane	8080641		ug/kg wet	N/A	25		<25						
1,3-Dichloropropane	8080641		ug/kg wet	N/A	25		<25						
2,2-Dichloropropane	8080641		ug/kg wet	N/A	25		<25						
1,1-Dichloropropene	8080641		ug/kg wet	N/A	25		<25						
cis-1,3-Dichloropropene	8080641		ug/kg wet	N/A	25		<25						
trans-1,3-Dichloropropene	8080641		ug/kg wet	N/A	25		<25						
2,3-Dichloropropene	8080641		ug/kg wet	N/A	25		<25						
Isopropyl Ether	8080641		ug/kg wet	N/A	25		<25						
Ethylbenzene	8080641		ug/kg wet	N/A	25		<25						
Hexachlorobutadiene	8080641		ug/kg wet	N/A	35		<35						
Isopropylbenzene	8080641		ug/kg wet	N/A	25		<25						
p-Isopropyltoluene	8080641		ug/kg wet	N/A	25		<25						
Methylene Chloride	8080641		ug/kg wet	N/A	50		<50						
Methyl tert-Butyl Ether	8080641		ug/kg wet	N/A	25		<25						
Naphthalene	8080641		ug/kg wet	N/A	50		<50						
n-Propylbenzene	8080641		ug/kg wet	N/A	25		<25						

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8080641		ug/kg wet	N/A	50	<50							
1,1,1,2-Tetrachloroethane	8080641		ug/kg wet	N/A	25	<25							
1,1,2,2-Tetrachloroethane	8080641		ug/kg wet	N/A	25	<25							
Tetrachloroethene	8080641		ug/kg wet	N/A	25	<25							
Toluene	8080641		ug/kg wet	N/A	25	<25							
1,2,3-Trichlorobenzene	8080641		ug/kg wet	N/A	25	<25							
1,2,4-Trichlorobenzene	8080641		ug/kg wet	N/A	25	<25							
1,1,1-Trichloroethane	8080641		ug/kg wet	N/A	25	<25							
1,1,2-Trichloroethane	8080641		ug/kg wet	N/A	35	<35							
Trichloroethene	8080641		ug/kg wet	N/A	25	<25							
Trichlorofluoromethane	8080641		ug/kg wet	N/A	25	<25							
1,2,3-Trichloropropane	8080641		ug/kg wet	N/A	50	<50							
1,2,4-Trimethylbenzene	8080641		ug/kg wet	N/A	25	<25							
1,3,5-Trimethylbenzene	8080641		ug/kg wet	N/A	25	<25							
Vinyl chloride	8080641		ug/kg wet	N/A	35	<35							
Xylenes, total	8080641		ug/kg wet	N/A	85	<85							
Surrogate: Dibromofluoromethane	8080641		ug/kg wet				102				82-112		
Surrogate: Toluene-d8	8080641		ug/kg wet				97				91-106		
Surrogate: 4-Bromofluorobenzene	8080641		ug/kg wet				91				89-110		
Benzene	8080684		ug/kg wet	N/A	25	<25							
Bromobenzene	8080684		ug/kg wet	N/A	25	<25							
Bromochloromethane	8080684		ug/kg wet	N/A	35	<35							
Bromodichloromethane	8080684		ug/kg wet	N/A	25	<25							
Bromoform	8080684		ug/kg wet	N/A	25	<25							
Bromomethane	8080684		ug/kg wet	N/A	100	<100							
n-Butylbenzene	8080684		ug/kg wet	N/A	25	<25							
sec-Butylbenzene	8080684		ug/kg wet	N/A	25	<25							
tert-Butylbenzene	8080684		ug/kg wet	N/A	25	<25							
Carbon Tetrachloride	8080684		ug/kg wet	N/A	25	<25							
Chlorobenzene	8080684		ug/kg wet	N/A	25	<25							
Chlorodibromomethane	8080684		ug/kg wet	N/A	25	<25							
Chloroethane	8080684		ug/kg wet	N/A	50	<50							
Chloroform	8080684		ug/kg wet	N/A	25	<25							
Chloromethane	8080684		ug/kg wet	N/A	50	<50							
2-Chlorotoluene	8080684		ug/kg wet	N/A	50	<50							
4-Chlorotoluene	8080684		ug/kg wet	N/A	25	<25							
1,2-Dibromo-3-chloropropane	8080684		ug/kg wet	N/A	50	<50							
1,2-Dibromoethane (EDB)	8080684		ug/kg wet	N/A	25	<25							
Dibromomethane	8080684		ug/kg wet	N/A	25	<25							
1,2-Dichlorobenzene	8080684		ug/kg wet	N/A	25	<25							
1,3-Dichlorobenzene	8080684		ug/kg wet	N/A	25	<25							
1,4-Dichlorobenzene	8080684		ug/kg wet	N/A	25	<25							
Dichlorodifluoromethane	8080684		ug/kg wet	N/A	50	<50							
1,1-Dichloroethane	8080684		ug/kg wet	N/A	25	<25							

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	8080684		ug/kg wet	N/A	25	<25							
1,1-Dichloroethene	8080684		ug/kg wet	N/A	25	<25							
cis-1,2-Dichloroethene	8080684		ug/kg wet	N/A	25	<25							
trans-1,2-Dichloroethene	8080684		ug/kg wet	N/A	25	<25							
1,2-Dichloropropane	8080684		ug/kg wet	N/A	25	<25							
1,3-Dichloropropane	8080684		ug/kg wet	N/A	25	<25							
2,2-Dichloropropane	8080684		ug/kg wet	N/A	25	<25							
1,1-Dichloropropene	8080684		ug/kg wet	N/A	25	<25							
cis-1,3-Dichloropropene	8080684		ug/kg wet	N/A	25	<25							
trans-1,3-Dichloropropene	8080684		ug/kg wet	N/A	25	<25							
2,3-Dichloropropene	8080684		ug/kg wet	N/A	25	<25							
Isopropyl Ether	8080684		ug/kg wet	N/A	25	<25							
Ethylbenzene	8080684		ug/kg wet	N/A	25	<25							
Hexachlorobutadiene	8080684		ug/kg wet	N/A	35	<35							
Isopropylbenzene	8080684		ug/kg wet	N/A	25	<25							
p-Isopropyltoluene	8080684		ug/kg wet	N/A	25	<25							
Methylene Chloride	8080684		ug/kg wet	N/A	50	<50							
Methyl tert-Butyl Ether	8080684		ug/kg wet	N/A	25	<25							
Naphthalene	8080684		ug/kg wet	N/A	50	<50							
n-Propylbenzene	8080684		ug/kg wet	N/A	25	<25							
Styrene	8080684		ug/kg wet	N/A	50	<50							
1,1,1,2-Tetrachloroethane	8080684		ug/kg wet	N/A	25	<25							
1,1,2,2-Tetrachloroethane	8080684		ug/kg wet	N/A	25	<25							
Tetrachloroethene	8080684		ug/kg wet	N/A	25	<25							
Toluene	8080684		ug/kg wet	N/A	25	<25							
1,2,3-Trichlorobenzene	8080684		ug/kg wet	N/A	25	<25							
1,2,4-Trichlorobenzene	8080684		ug/kg wet	N/A	25	<25							
1,1,1-Trichloroethane	8080684		ug/kg wet	N/A	25	<25							
1,1,2-Trichloroethane	8080684		ug/kg wet	N/A	35	<35							
Trichloroethene	8080684		ug/kg wet	N/A	25	<25							
Trichlorofluoromethane	8080684		ug/kg wet	N/A	25	<25							
1,2,3-Trichloropropane	8080684		ug/kg wet	N/A	50	<50							
1,2,4-Trimethylbenzene	8080684		ug/kg wet	N/A	25	<25							
1,3,5-Trimethylbenzene	8080684		ug/kg wet	N/A	25	<25							
Vinyl chloride	8080684		ug/kg wet	N/A	35	<35							
Xylenes, total	8080684		ug/kg wet	N/A	85	<85							
Surrogate: Dibromofluoromethane	8080684		ug/kg wet				95				82-112		
Surrogate: Toluene-d8	8080684		ug/kg wet				99				91-106		
Surrogate: 4-Bromofluorobenzene	8080684		ug/kg wet				91				89-110		

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8H27006	2500.0	ug/L	N/A	N/A	2420	97			80-120			
Bromobenzene	8H27006	2500.0	ug/L	N/A	N/A	2490	100			80-120			
Bromochloromethane	8H27006	2500.0	ug/L	N/A	N/A	2390	96			80-120			
Bromodichloromethane	8H27006	2500.0	ug/L	N/A	N/A	2450	98			80-120			
Bromoform	8H27006	2500.0	ug/L	N/A	N/A	2570	103			80-120			
Bromomethane	8H27006	2500.0	ug/L	N/A	N/A	2330	93			80-120			
n-Butylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2360	94			80-120			
sec-Butylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2350	94			80-120			
tert-Butylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2370	95			80-120			
Carbon Tetrachloride	8H27006	2500.0	ug/L	N/A	N/A	2340	93			80-120			
Chlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2350	94			80-120			
Chlorodibromomethane	8H27006	2500.0	ug/L	N/A	N/A	2540	101			80-120			
Chloroethane	8H27006	2500.0	ug/L	N/A	N/A	2090	84			80-120			
Chloroform	8H27006	2500.0	ug/L	N/A	N/A	2310	92			80-120			
Chloromethane	8H27006	2500.0	ug/L	N/A	N/A	2470	99			80-120			
2-Chlorotoluene	8H27006	2500.0	ug/L	N/A	N/A	2370	95			80-120			
4-Chlorotoluene	8H27006	2500.0	ug/L	N/A	N/A	2360	95			80-120			
1,2-Dibromo-3-chloropropane	8H27006	2500.0	ug/L	N/A	N/A	2530	101			80-120			
1,2-Dibromoethane (EDB)	8H27006	2500.0	ug/L	N/A	N/A	2370	95			80-120			
Dibromomethane	8H27006	2500.0	ug/L	N/A	N/A	2390	96			80-120			
1,2-Dichlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2470	99			80-120			
1,3-Dichlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2360	94			80-120			
1,4-Dichlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2430	97			80-120			
Dichlorodifluoromethane	8H27006	2500.0	ug/L	N/A	N/A	2380	95			80-120			
1,1-Dichloroethane	8H27006	2500.0	ug/L	N/A	N/A	2300	92			80-120			
1,2-Dichloroethane	8H27006	2500.0	ug/L	N/A	N/A	2240	90			80-120			
1,1-Dichloroethene	8H27006	2500.0	ug/L	N/A	N/A	2400	96			80-120			
cis-1,2-Dichloroethene	8H27006	2500.0	ug/L	N/A	N/A	2370	95			80-120			
trans-1,2-Dichloroethene	8H27006	2500.0	ug/L	N/A	N/A	2820	113			80-120			
1,2-Dichloropropane	8H27006	2500.0	ug/L	N/A	N/A	2430	97			80-120			
1,3-Dichloropropane	8H27006	2500.0	ug/L	N/A	N/A	2380	95			80-120			
2,2-Dichloropropane	8H27006	2500.0	ug/L	N/A	N/A	2330	93			80-120			
1,1-Dichloropropene	8H27006	2500.0	ug/L	N/A	N/A	2530	101			80-120			
cis-1,3-Dichloropropene	8H27006	2500.0	ug/L	N/A	N/A	2610	104			80-120			
trans-1,3-Dichloropropene	8H27006	2500.0	ug/L	N/A	N/A	2590	104			80-120			
2,3-Dichloropropene	8H27006	2500.0	ug/L	N/A	N/A	2570	103			80-120			
Isopropyl Ether	8H27006	2500.0	ug/L	N/A	N/A	2540	102			80-120			
Ethylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2400	96			80-120			
Hexachlorobutadiene	8H27006	2500.0	ug/L	N/A	N/A	2290	92			80-120			
Isopropylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2380	95			80-120			
p-Isopropyltoluene	8H27006	2500.0	ug/L	N/A	N/A	2410	96			80-120			
Methylene Chloride	8H27006	2500.0	ug/L	N/A	N/A	2360	94			80-120			
Methyl tert-Butyl Ether	8H27006	2500.0	ug/L	N/A	N/A	2640	106			80-120			
Naphthalene	8H27006	2500.0	ug/L	N/A	N/A	2450	98			80-120			
n-Propylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2380	95			80-120			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8H27006	2500.0	ug/L	N/A	N/A	2460		98			80-120			
1,1,1,2-Tetrachloroethane	8H27006	2500.0	ug/L	N/A	N/A	2540		102			80-120			
1,1,2,2-Tetrachloroethane	8H27006	2500.0	ug/L	N/A	N/A	2380		95			80-120			
Tetrachloroethene	8H27006	2500.0	ug/L	N/A	N/A	2310		92			80-120			
Toluene	8H27006	2500.0	ug/L	N/A	N/A	2390		95			80-120			
1,2,3-Trichlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2500		100			80-120			
1,2,4-Trichlorobenzene	8H27006	2500.0	ug/L	N/A	N/A	2420		97			80-120			
1,1,1-Trichloroethane	8H27006	2500.0	ug/L	N/A	N/A	2270		91			80-120			
1,1,2-Trichloroethane	8H27006	2500.0	ug/L	N/A	N/A	2330		93			80-120			
Trichloroethene	8H27006	2500.0	ug/L	N/A	N/A	2350		94			80-120			
Trichlorofluoromethane	8H27006	2500.0	ug/L	N/A	N/A	2220		89			80-120			
1,2,3-Trichloropropane	8H27006	2500.0	ug/L	N/A	N/A	2200		88			80-120			
1,2,4-Trimethylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2410		96			80-120			
1,3,5-Trimethylbenzene	8H27006	2500.0	ug/L	N/A	N/A	2440		97			80-120			
Vinyl chloride	8H27006	2500.0	ug/L	N/A	N/A	2500		100			80-120			
Xylenes, Total	8H27006	7500.0	ug/L	N/A	N/A	7270		97			80-120			
Surrogate: Dibromofluoromethane	8H27006		ug/L					97			80-120			
Surrogate: Toluene-d8	8H27006		ug/L					99			80-120			
Surrogate: 4-Bromofluorobenzene	8H27006		ug/L					98			80-120			
Benzene	8H28008	2500.0	ug/L	N/A	N/A	2440		98			80-120			
Bromobenzene	8H28008	2500.0	ug/L	N/A	N/A	2460		98			80-120			
Bromochloromethane	8H28008	2500.0	ug/L	N/A	N/A	2360		94			80-120			
Bromo dichloromethane	8H28008	2500.0	ug/L	N/A	N/A	2300		92			80-120			
Bromoform	8H28008	2500.0	ug/L	N/A	N/A	2390		96			80-120			
Bromomethane	8H28008	2500.0	ug/L	N/A	N/A	2180		87			80-120			
n-Butylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2490		100			80-120			
sec-Butylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2480		99			80-120			
tert-Butylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2450		98			80-120			
Carbon Tetrachloride	8H28008	2500.0	ug/L	N/A	N/A	2250		90			80-120			
Chlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2380		95			80-120			
Chlorodibromomethane	8H28008	2500.0	ug/L	N/A	N/A	2370		95			80-120			
Chloroethane	8H28008	2500.0	ug/L	N/A	N/A	2010		80			80-120			
Chloroform	8H28008	2500.0	ug/L	N/A	N/A	2260		90			80-120			
Chloromethane	8H28008	2500.0	ug/L	N/A	N/A	2510		100			80-120			
2-Chlorotoluene	8H28008	2500.0	ug/L	N/A	N/A	2410		96			80-120			
4-Chlorotoluene	8H28008	2500.0	ug/L	N/A	N/A	2390		96			80-120			
1,2-Dibromo-3-chloropropane	8H28008	2500.0	ug/L	N/A	N/A	2380		95			80-120			
1,2-Dibromoethane (EDB)	8H28008	2500.0	ug/L	N/A	N/A	2310		92			80-120			
Dibromomethane	8H28008	2500.0	ug/L	N/A	N/A	2290		92			80-120			
1,2-Dichlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2460		98			80-120			
1,3-Dichlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2400		96			80-120			
1,4-Dichlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2470		99			80-120			
Dichlorodifluoromethane	8H28008	2500.0	ug/L	N/A	N/A	2390		95			80-120			
1,1-Dichloroethane	8H28008	2500.0	ug/L	N/A	N/A	2290		92			80-120			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichloroethane	8H28008	2500.0	ug/L	N/A	N/A	2120		85			80-120			
1,1-Dichloroethene	8H28008	2500.0	ug/L	N/A	N/A	2370		95			80-120			
cis-1,2-Dichloroethene	8H28008	2500.0	ug/L	N/A	N/A	2440		97			80-120			
trans-1,2-Dichloroethene	8H28008	2500.0	ug/L	N/A	N/A	2800		112			80-120			
1,2-Dichloropropane	8H28008	2500.0	ug/L	N/A	N/A	2450		98			80-120			
1,3-Dichloropropane	8H28008	2500.0	ug/L	N/A	N/A	2340		94			80-120			
2,2-Dichloropropane	8H28008	2500.0	ug/L	N/A	N/A	2280		91			80-120			
1,1-Dichloropropene	8H28008	2500.0	ug/L	N/A	N/A	2550		102			80-120			
cis-1,3-Dichloropropene	8H28008	2500.0	ug/L	N/A	N/A	2540		102			80-120			
trans-1,3-Dichloropropene	8H28008	2500.0	ug/L	N/A	N/A	2500		100			80-120			
2,3-Dichloropropene	8H28008	2500.0	ug/L	N/A	N/A	2520		101			80-120			
Isopropyl Ether	8H28008	2500.0	ug/L	N/A	N/A	2480		99			80-120			
Ethylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2430		97			80-120			
Hexachlorobutadiene	8H28008	2500.0	ug/L	N/A	N/A	2300		92			80-120			
Isopropylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2470		99			80-120			
p-Isopropyltoluene	8H28008	2500.0	ug/L	N/A	N/A	2510		100			80-120			
Methylene Chloride	8H28008	2500.0	ug/L	N/A	N/A	2300		92			80-120			
Methyl tert-Butyl Ether	8H28008	2500.0	ug/L	N/A	N/A	2490		100			80-120			
Naphthalene	8H28008	2500.0	ug/L	N/A	N/A	2400		96			80-120			
n-Propylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2490		100			80-120			
Styrene	8H28008	2500.0	ug/L	N/A	N/A	2500		100			80-120			
1,1,1,2-Tetrachloroethane	8H28008	2500.0	ug/L	N/A	N/A	2420		97			80-120			
1,1,2,2-Tetrachloroethane	8H28008	2500.0	ug/L	N/A	N/A	2340		93			80-120			
Tetrachloroethene	8H28008	2500.0	ug/L	N/A	N/A	2360		94			80-120			
Toluene	8H28008	2500.0	ug/L	N/A	N/A	2410		97			80-120			
1,2,3-Trichlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2410		96			80-120			
1,2,4-Trichlorobenzene	8H28008	2500.0	ug/L	N/A	N/A	2390		96			80-120			
1,1,1-Trichloroethane	8H28008	2500.0	ug/L	N/A	N/A	2220		89			80-120			
1,1,2-Trichloroethane	8H28008	2500.0	ug/L	N/A	N/A	2280		91			80-120			
Trichloroethene	8H28008	2500.0	ug/L	N/A	N/A	2370		95			80-120			
Trichlorofluoromethane	8H28008	2500.0	ug/L	N/A	N/A	2110		84			80-120			
1,2,3-Trichloropropane	8H28008	2500.0	ug/L	N/A	N/A	2140		85			80-120			
1,2,4-Trimethylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2480		99			80-120			
1,3,5-Trimethylbenzene	8H28008	2500.0	ug/L	N/A	N/A	2480		99			80-120			
Vinyl chloride	8H28008	2500.0	ug/L	N/A	N/A	2530		101			80-120			
Xylenes, Total	8H28008	7500.0	ug/L	N/A	N/A	7380		98			80-120			
Surrogate: Dibromofluoromethane	8H28008		ug/L					94			80-120			
Surrogate: Toluene-d8	8H28008		ug/L					99			80-120			
Surrogate: 4-Bromofluorobenzene	8H28008		ug/L					96			80-120			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WRH0826-03													
% Solids	8080673	91.0	%	N/A	N/A		90.9				0	20	

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

Page 14 of 18

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8080641	2500.0	ug/kg wet	N/A	N/A	2320	93			64-124			
Bromobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
Bromochloromethane	8080641	2500.0	ug/kg wet	N/A	N/A	2270	91			70-130			
Bromodichloromethane	8080641	2500.0	ug/kg wet	N/A	N/A	2310	92			70-130			
Bromoform	8080641	2500.0	ug/kg wet	N/A	N/A	2460	99			70-130			
Bromomethane	8080641	2500.0	ug/kg wet	N/A	N/A	2300	92			70-130			
n-Butylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
sec-Butylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2350	94			70-130			
tert-Butylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
Carbon Tetrachloride	8080641	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
Chlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2300	92			80-123			
Chlorodibromomethane	8080641	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
Chloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2200	88			70-130			
Chloroform	8080641	2500.0	ug/kg wet	N/A	N/A	2190	88			70-130			
Chloromethane	8080641	2500.0	ug/kg wet	N/A	N/A	2770	111			70-130			
2-Chlorotoluene	8080641	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
4-Chlorotoluene	8080641	2500.0	ug/kg wet	N/A	N/A	2340	94			70-130			
1,2-Dibromo-3-chloropropane	8080641	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
1,2-Dibromoethane (EDB)	8080641	2500.0	ug/kg wet	N/A	N/A	2270	91			70-130			
Dibromomethane	8080641	2500.0	ug/kg wet	N/A	N/A	2240	90			70-130			
1,2-Dichlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
1,3-Dichlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
1,4-Dichlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2360	94			70-130			
Dichlorodifluoromethane	8080641	2500.0	ug/kg wet	N/A	N/A	2620	105			70-130			
1,1-Dichloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2300	92			70-130			
1,2-Dichloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2100	84			70-130			
1,1-Dichloroethene	8080641	2500.0	ug/kg wet	N/A	N/A	2510	100			43-141			
cis-1,2-Dichloroethene	8080641	2500.0	ug/kg wet	N/A	N/A	2410	96			70-130			
trans-1,2-Dichloroethene	8080641	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
1,2-Dichloropropane	8080641	2500.0	ug/kg wet	N/A	N/A	2310	92			70-130			
1,3-Dichloropropane	8080641	2500.0	ug/kg wet	N/A	N/A	2270	91			70-130			
2,2-Dichloropropane	8080641	2500.0	ug/kg wet	N/A	N/A	2340	93			70-130			
1,1-Dichloropropene	8080641	2500.0	ug/kg wet	N/A	N/A	2410	97			70-130			
cis-1,3-Dichloropropene	8080641	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
trans-1,3-Dichloropropene	8080641	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
Ethylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2310	92			79-122			
Hexachlorobutadiene	8080641	2500.0	ug/kg wet	N/A	N/A	2180	87			70-130			
Isopropylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2300	92			70-130			
p-Isopropyltoluene	8080641	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
Methylene Chloride	8080641	2500.0	ug/kg wet	N/A	N/A	2360	94			70-130			
Methyl tert-Butyl Ether	8080641	2406.2	ug/kg wet	N/A	N/A	2380	99			55-137			
Naphthalene	8080641	2500.0	ug/kg wet	N/A	N/A	2250	90			70-130			
n-Propylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2410	96			70-130			
Styrene	8080641	2500.0	ug/kg wet	N/A	N/A	2340	94			70-130			
1,1,1,2-Tetrachloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,2,2-Tetrachloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2350	94			70-130			
Tetrachloroethene	8080641	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
Toluene	8080641	2500.0	ug/kg wet	N/A	N/A	2290	92			78-120			
1,2,3-Trichlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2240	90			70-130			
1,2,4-Trichlorobenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2290	92			70-130			
1,1,1-Trichloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2260	91			70-130			
1,1,2-Trichloroethane	8080641	2500.0	ug/kg wet	N/A	N/A	2220	89			70-130			
Trichloroethene	8080641	2500.0	ug/kg wet	N/A	N/A	2300	92			78-124			
Trichlorofluoromethane	8080641	2500.0	ug/kg wet	N/A	N/A	2250	90			70-130			
1,2,3-Trichloropropane	8080641	2500.0	ug/kg wet	N/A	N/A	2110	84			70-130			
1,2,4-Trimethylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2400	96			75-128			
1,3,5-Trimethylbenzene	8080641	2500.0	ug/kg wet	N/A	N/A	2430	97			76-127			
Vinyl chloride	8080641	2500.0	ug/kg wet	N/A	N/A	2580	103			70-130			
Xylenes, total	8080641	7500.0	ug/kg wet	N/A	N/A	7010	93			79-122			
<i>Surrogate: Dibromofluoromethane</i>	8080641		ug/kg wet				95			82-112			
<i>Surrogate: Toluene-d8</i>	8080641		ug/kg wet				99			91-106			
<i>Surrogate: 4-Bromofluorobenzene</i>	8080641		ug/kg wet				96			89-110			
Benzene	8080684	2500.0	ug/kg wet	N/A	N/A	2340	94			64-124			
Bromobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2410	96			70-130			
Bromochloromethane	8080684	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
Bromodichloromethane	8080684	2500.0	ug/kg wet	N/A	N/A	2250	90			70-130			
Bromoform	8080684	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
Bromomethane	8080684	2500.0	ug/kg wet	N/A	N/A	2190	88			70-130			
n-Butylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2410	96			70-130			
sec-Butylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
tert-Butylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2340	94			70-130			
Carbon Tetrachloride	8080684	2500.0	ug/kg wet	N/A	N/A	2230	89			70-130			
Chlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2350	94			80-123			
Chlorodibromomethane	8080684	2500.0	ug/kg wet	N/A	N/A	2400	96			70-130			
Chloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2020	81			70-130			
Chloroform	8080684	2500.0	ug/kg wet	N/A	N/A	2230	89			70-130			
Chloromethane	8080684	2500.0	ug/kg wet	N/A	N/A	2840	114			70-130			
2-Chlorotoluene	8080684	2500.0	ug/kg wet	N/A	N/A	2350	94			70-130			
4-Chlorotoluene	8080684	2500.0	ug/kg wet	N/A	N/A	2340	93			70-130			
1,2-Dibromo-3-chloropropane	8080684	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
1,2-Dibromoethane (EDB)	8080684	2500.0	ug/kg wet	N/A	N/A	2300	92			70-130			
Dibromomethane	8080684	2500.0	ug/kg wet	N/A	N/A	2200	88			70-130			
1,2-Dichlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
1,3-Dichlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2340	94			70-130			
1,4-Dichlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2410	97			70-130			
Dichlorodifluoromethane	8080684	2500.0	ug/kg wet	N/A	N/A	2640	106			70-130			
1,1-Dichloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2300	92			70-130			
1,2-Dichloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2110	84			70-130			
1,1-Dichloroethene	8080684	2500.0	ug/kg wet	N/A	N/A	2450	98			43-141			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
cis-1,2-Dichloroethene	8080684	2500.0	ug/kg wet	N/A	N/A	2430	97			70-130			
trans-1,2-Dichloroethene	8080684	2500.0	ug/kg wet	N/A	N/A	2350	94			70-130			
1,2-Dichloropropane	8080684	2500.0	ug/kg wet	N/A	N/A	2370	95			70-130			
1,3-Dichloropropane	8080684	2500.0	ug/kg wet	N/A	N/A	2290	92			70-130			
2,2-Dichloropropane	8080684	2500.0	ug/kg wet	N/A	N/A	2290	92			70-130			
1,1-Dichloropropene	8080684	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
cis-1,3-Dichloropropene	8080684	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
trans-1,3-Dichloropropene	8080684	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
Ethylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2350	94			79-122			
Hexachlorobutadiene	8080684	2500.0	ug/kg wet	N/A	N/A	2310	92			70-130			
Isopropylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
p-Isopropyltoluene	8080684	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
Methylene Chloride	8080684	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
Methyl tert-Butyl Ether	8080684	2406.2	ug/kg wet	N/A	N/A	2300	96			55-137			
Naphthalene	8080684	2500.0	ug/kg wet	N/A	N/A	2460	98			70-130			
n-Propylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2390	96			70-130			
Styrene	8080684	2500.0	ug/kg wet	N/A	N/A	2420	97			70-130			
1,1,1,2-Tetrachloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2440	98			70-130			
1,1,2,2-Tetrachloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2310	92			70-130			
Tetrachloroethene	8080684	2500.0	ug/kg wet	N/A	N/A	2320	93			70-130			
Toluene	8080684	2500.0	ug/kg wet	N/A	N/A	2350	94			78-120			
1,2,3-Trichlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2520	101			70-130			
1,2,4-Trichlorobenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
1,1,1-Trichloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2230	89			70-130			
1,1,2-Trichloroethane	8080684	2500.0	ug/kg wet	N/A	N/A	2280	91			70-130			
Trichloroethene	8080684	2500.0	ug/kg wet	N/A	N/A	2290	92			78-124			
Trichlorofluoromethane	8080684	2500.0	ug/kg wet	N/A	N/A	2130	85			70-130			
1,2,3-Trichloropropane	8080684	2500.0	ug/kg wet	N/A	N/A	2120	85			70-130			
1,2,4-Trimethylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2400	96			75-128			
1,3,5-Trimethylbenzene	8080684	2500.0	ug/kg wet	N/A	N/A	2390	96			76-127			
Vinyl chloride	8080684	2500.0	ug/kg wet	N/A	N/A	2610	105			70-130			
Xylenes, total	8080684	7500.0	ug/kg wet	N/A	N/A	7220	96			79-122			
Surrogate: Dibromoiodomethane	8080684		ug/kg wet				95			82-112			
Surrogate: Toluene-d8	8080684		ug/kg wet				99			91-106			
Surrogate: 4-Bromofluorobenzene	8080684		ug/kg wet				96			89-110			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0826
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/21/08
Reported: 08/29/08 10:16

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
SW 5035	Solid/Soil	X	X
SW 8260B	Solid/Soil	X	X

DATA QUALIFIERS AND DEFINITIONS

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.



Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone: 920-261-1660
Fax: 920-261-8120

WR#0826

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name: RSJ Engineering Client #: _____
Address: 146 E Milwaukee St
City/State/Zip Code: Jefferson, WI
Project Manager: Bob Nanta
Telephone Number: 920-674-3411 Fax: 920-674-3481
Sampler Name: (Print Name) Pearla Richardson
Sampler Signature: Pearl Richardson

Project Name: Nenity Laundry
Project #: 08-7310
Site/Location ID: _____ State: WI
Report To: Bob Nanta
Invoice To: Bob Nanta
Quote #: _____ PO#: _____

TAT	Standard	Rush (surcharges may apply)	Date Needed:	Fax Results: Y N	SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix Preservation & # of Containers										Analyze For:										QC Deliverables		
										SL - Sludge	DW - Drinking Water	DW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Plastic Bag	Other (Specify)	VOCs								
-01	MW-1(2-5)	8/21/08	10a	G	S			X	/							X																
-02	MW-2(2-3)	8/21/08	10a		S			X	/							X																
-03	MW-3(2-3)	8/21/08	2:45p		S			X	/							X																
-04	Trip Plant				Meat											X																
Special Instructions: <i>Only wt containers on their way - Rec'd TS on 8/22 a</i>																				LABORATORY COMMENTS: <i>IC ICR</i>												
Relinquished By:	Date:	Time:	Received By:	T. Sprinkle	Date:	Time:	Init Lab Temp:																									
Relinquished By:	Date:	Time:	Received By:		Date:	Time:	Rec Lab Temp:																									
Relinquished By:	Date:	Time:	Received By:		Date:	Time:	Custody Seals: Y N <i>N/A</i>																									
Relinquished By:	Date:	Time:	Received By:		Date:	Time:	Bottles Supplied by TestAmerica: O N																									
																				Method of Shipment: Client												

8/21/08

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

September 08, 2008

Client: RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549

Work Order: WRH0917
Project Name: Nemitz Laundry
Project Number: 08-736

Attn: Mr. Bob Nauta

Date Received: 08/26/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW-1	WRH0917-01	08/26/08 12:00
MW-2	WRH0917-02	08/26/08 10:30
MW-3	WRH0917-03	08/26/08 10:40
QC-01	WRH0917-04	08/26/08 11:30
Trip Blank	WRH0917-05	08/26/08


Samples were received on ice into laboratory at a temperature of 3 °C.

Wisconsin Certification Number: 128053530

The Chain of Custody, 1 page, is included and is an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-01 (MW-1 - Ground Water)										Sampled: 08/26/08 12:00
VOCs by SW8260B										
Benzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Bromobenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Bromochloromethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Bromodichloromethane	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Bromoform	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Bromomethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
n-Butylbenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
sec-Butylbenzene	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
tert-Butylbenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Carbon Tetrachloride	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Chlorobenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Chlorodibromomethane	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Chloroethane	<50		ug/L	50	170	50	09/05/08 15:01	mae	8090105	SW 8260B
Chloroform	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Chloromethane	<15	C	ug/L	15	50	50	09/05/08 15:01	mae	8090105	SW 8260B
2-Chlorotoluene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
4-Chlorotoluene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2-Dibromo-3-chloropropane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2-Dibromoethane (EDB)	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Dibromomethane	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2-Dichlorobenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
1,3-Dichlorobenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
1,4-Dichlorobenzene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Dichlorodifluoromethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1-Dichloroethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2-Dichloroethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1-Dichloroethene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
cis-1,2-Dichloroethene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
trans-1,2-Dichloroethene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2-Dichloropropane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,3-Dichloropropane	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
2,2-Dichloropropane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1-Dichloropropene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
cis-1,3-Dichloropropene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
trans-1,3-Dichloropropene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
2,3-Dichloropropene	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
Isopropyl Ether	<25	C	ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Ethylbenzene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Hexachlorobutadiene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Isopropylbenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
p-Isopropyltoluene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Methylene Chloride	<50		ug/L	50	170	50	09/05/08 15:01	mae	8090105	SW 8260B
Methyl tert-Butyl Ether	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	09/08/08 10:10	MAE	8090142	SW 8260B
n-Propylbenzene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Styrene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1,1,2-Tetrachloroethane	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1,2,2-Tetrachloroethane	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Tetrachloroethene	3900		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Toluene	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-01 (MW-1 - Ground Water) - cont.										Sampled: 08/26/08 12:00
VOCs by SW8260B - cont.										
1,2,3-Trichlorobenzene	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2,4-Trichlorobenzene	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1,1-Trichloroethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,1,2-Trichloroethane	<12		ug/L	12	42	50	09/05/08 15:01	mae	8090105	SW 8260B
Trichloroethene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Trichlorofluoromethane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2,3-Trichloropropane	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
1,2,4-Trimethylbenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
1,3,5-Trimethylbenzene	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Vinyl chloride	<10		ug/L	10	33	50	09/05/08 15:01	mae	8090105	SW 8260B
Xylenes, Total	<25		ug/L	25	83	50	09/05/08 15:01	mae	8090105	SW 8260B
Surr: Dibromofluoromethane (89-119%)	91 %									
Surr: Dibromofluoromethane (89-119%)	107 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	91 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									
Sample ID: WRH0917-02 (MW-2 - Ground Water)										Sampled: 08/26/08 10:30
VOCs by SW8260B										
Benzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Bromobenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Bromochloromethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Bromodichloromethane	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Bromoform	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Bromomethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
n-Butylbenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
sec-Butylbenzene	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
tert-Butylbenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Carbon Tetrachloride	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Chlorobenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Chlorodibromomethane	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Chloroethane	<80		ug/L	80	270	80	09/05/08 15:28	mae	8090105	SW 8260B
Chloroform	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Chloromethane	<24	C	ug/L	24	80	80	09/05/08 15:28	mae	8090105	SW 8260B
2-Chlorotoluene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
4-Chlorotoluene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2-Dibromo-3-chloropropane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2-Dibromoethane (EDB)	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Dibromomethane	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2-Dichlorobenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
1,3-Dichlorobenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
1,4-Dichlorobenzene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Dichlorodifluoromethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1-Dichloroethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2-Dichloroethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1-Dichloroethene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
cis-1,2-Dichloroethene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
trans-1,2-Dichloroethene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2-Dichloropropane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,3-Dichloropropane	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
2,2-Dichloropropane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-02 (MW-2 - Ground Water) - cont.									Sampled: 08/26/08 10:30	
VOCs by SW8260B - cont.										
1,1-Dichloropropene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
cis-1,3-Dichloropropene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
trans-1,3-Dichloropropene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
2,3-Dichloropropene	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
Isopropyl Ether	<40	C	ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Ethylbenzene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Hexachlorobutadiene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Isopropylbenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
p-Isopropyltoluene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Methylene Chloride	<80		ug/L	80	270	80	09/05/08 15:28	mae	8090105	SW 8260B
Methyl tert-Butyl Ether	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Naphthalene	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
n-Propylbenzene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Styrene	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1,1,2-Tetrachloroethane	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1,2,2-Tetrachloroethane	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Tetrachloroethene	5700		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
Toluene	<40		ug/L	40	130	80	09/05/08 15:28	mac	8090105	SW 8260B
1,2,3-Trichlorobenzene	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2,4-Trichlorobenzene	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1,1-Trichloroethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,1,2-Trichloroethane	<20		ug/L	20	67	80	09/05/08 15:28	mae	8090105	SW 8260B
Trichloroethene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Trichlorofluoromethane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2,3-Trichloropropane	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
1,2,4-Trimethylbenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
1,3,5-Trimethylbenzene	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Vinyl chloride	<16		ug/L	16	53	80	09/05/08 15:28	mae	8090105	SW 8260B
Xylenes, Total	<40		ug/L	40	130	80	09/05/08 15:28	mae	8090105	SW 8260B
<i>Surr: Dibromoformmethane (89-119%)</i>	90 %									
<i>Surr: Toluene-d8 (91-109%)</i>	98 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	96 %									

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRH0917
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 08/26/08
 Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-03RE1 (MW-3 - Ground Water)										
VOCs by SW8260B										
Benzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Bromobenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Bromochloromethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Bromodichloromethane	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Bromoform	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Bromomethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
n-Butylbenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
sec-Butylbenzene	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
tert-Butylbenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Carbon Tetrachloride	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Chlorobenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Chlorodibromomethane	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Chloroethane	<100		ug/L	100	330	100	09/08/08 10:37	MAE	8090142	SW 8260B
Chloroform	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Chloromethane	<30		ug/L	30	100	100	09/08/08 10:37	MAE	8090142	SW 8260B
2-Chlorotoluene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
4-Chlorotoluene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2-Dibromo-3-chloropropane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2-Dibromoethane (EDB)	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Dibromomethane	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2-Dichlorobenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,3-Dichlorobenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,4-Dichlorobenzene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Dichlorodifluoromethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1-Dichloroethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2-Dichloroethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1-Dichloroethene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
cis-1,2-Dichloroethene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
trans-1,2-Dichloroethene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2-Dichloropropane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,3-Dichloropropane	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
2,2-Dichloropropane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1-Dichloropropene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
cis-1,3-Dichloropropene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
trans-1,3-Dichloropropene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
2,3-Dichloropropene	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
Isopropyl Ether	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Ethylbenzene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Hexachlorobutadiene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Isopropylbenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
p-Isopropyltoluene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Methylene Chloride	<100		ug/L	100	330	100	09/08/08 10:37	MAE	8090142	SW 8260B
Methyl tert-Butyl Ether	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Naphthalene	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
n-Propylbenzene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
Styrene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1,1,2-Tetrachloroethane	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1,2,2-Tetrachloroethane	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Tetrachloroethene	5000		ug/L	80	270	160	09/05/08 15:54	mae	8090105	SW 8260B
Toluene	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2,3-Trichlorobenzene	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2,4-Trichlorobenzene	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-03RE1 (MW-3 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,1,2-Trichloroethane	<25		ug/L	25	83	100	09/08/08 10:37	MAE	8090142	SW 8260B
Trichloroethene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Trichlorofluoromethane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2,3-Trichloropropane	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,2,4-Trimethylbenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
1,3,5-Trimethylbenzene	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Vinyl chloride	<20		ug/L	20	67	100	09/08/08 10:37	MAE	8090142	SW 8260B
Xylenes, Total	<50		ug/L	50	170	100	09/08/08 10:37	MAE	8090142	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	90 %									
<i>Surr: Dibromofluoromethane (89-119%)</i>	106 %									
<i>Surr: Toluene-d8 (91-109%)</i>	102 %									
<i>Surr: Toluene-d8 (91-109%)</i>	100 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	97 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	101 %									
Sample ID: WRH0917-04RE1 (QC-01 - Ground Water)										
VOCs by SW8260B										
Benzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromobenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromoform	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromochloromethane	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromodichloromethane	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromoform	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Bromomethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
n-Butylbenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
sec-Butylbenzene	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
tert-Butylbenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Carbon Tetrachloride	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Chlorobenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Chlorodibromomethane	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Chloroethane	<80		ug/L	80	270	80	09/08/08 11:05	MAE	8090142	SW 8260B
Chloroform	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Chloromethane	<24		ug/L	24	80	80	09/08/08 11:05	MAE	8090142	SW 8260B
2-Chlorotoluene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
4-Chlorotoluene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2-Dibromo-3-chloropropane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2-Dibromoethane (EDB)	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Dibromomethane	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2-Dichlorobenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,3-Dichlorobenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,4-Dichlorobenzene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Dichlorodifluoromethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1-Dichloroethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2-Dichloroethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1-Dichloroethene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
cis-1,2-Dichloroethene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
trans-1,2-Dichloroethene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2-Dichloropropane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,3-Dichloropropane	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
2,2-Dichloropropane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1-Dichloropropene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
cis-1,3-Dichloropropene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-04RE1 (QC-01 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
trans-1,3-Dichloropropene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
2,3-Dichloropropene	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
Isopropyl Ether	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Ethylbenzene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Hexachlorobutadiene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Isopropylbenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
p-Isopropyltoluene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Methylene Chloride	<80		ug/L	80	270	80	09/08/08 11:05	MAE	8090142	SW 8260B
Methyl tert-Butyl Ether	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Naphthalene	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
n-Propylbenzene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
Styrene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1,1,2-Tetrachloroethane	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1,2,2-Tetrachloroethane	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Tetrachloroethene	3800		ug/L	50	170	100	09/08/08 16:21	mae	8090105	SW 8260B
Toluene	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2,3-Trichlorobenzene	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2,4-Trichlorobenzene	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1,1-Trichloroethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,1,2-Trichloroethane	<20		ug/L	20	67	80	09/08/08 11:05	MAE	8090142	SW 8260B
Trichloroethene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Trichlorofluoromethane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2,3-Trichloropropane	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,2,4-Trimethylbenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
1,3,5-Trimethylbenzene	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Vinyl chloride	<16		ug/L	16	53	80	09/08/08 11:05	MAE	8090142	SW 8260B
Xylenes, Total	<40		ug/L	40	130	80	09/08/08 11:05	MAE	8090142	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	94 %									
<i>Surr: Dibromofluoromethane (89-119%)</i>	105 %									
<i>Surr: Toluene-d8 (91-109%)</i>	94 %									
<i>Surr: Toluene-d8 (91-109%)</i>	100 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	96 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	101 %									

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-05 (Trip Blank - DI)									Sampled: 08/26/08	
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Bromomethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	09/05/08 09:43	mae	8090105	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Chloromethane	<0.30	C	ug/L	0.30	1.0	1	09/05/08 09:43	mae	8090105	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
1,4-Dichlorobenzene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
Isopropyl Ether	<0.50	C	ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	09/05/08 09:43	mae	8090105	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Styrene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
Toluene	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRH0917-05 (Trip Blank - DI) - cont.									Sampled: 08/26/08	
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	09/05/08 09:43	mae	8090105	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	09/05/08 09:43	mae	8090105	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	09/05/08 09:43	mae	8090105	SW 8260B
<i>Surr: Dibromoiodomethane (89-119%)</i>	94 %									
<i>Surr: Toluene-d8 (91-109%)</i>	97 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	97 %									

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8090105			ug/L	0.20	0.67	<0.20						
Bromobenzene	8090105			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8090105			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8090105			ug/L	0.20	0.67	<0.20						
Bromoform	8090105			ug/L	0.20	0.67	<0.20						
Bromomethane	8090105			ug/L	0.50	1.7	<0.50						
n-Butylbenzene	8090105			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8090105			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8090105			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8090105			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8090105			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8090105			ug/L	0.20	0.67	<0.20						
Chloroethane	8090105			ug/L	1.0	3.3	<1.0						
Chloroform	8090105			ug/L	0.20	0.67	<0.20						
Chloromethane	8090105			ug/L	0.30	1.0	<0.30						C
2-Chlorotoluene	8090105			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8090105			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8090105			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8090105			ug/L	0.20	0.67	<0.20						
Dibromomethane	8090105			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8090105			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8090105			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8090105			ug/L	0.50	1.7	<0.50						
Dichlorodifluoromethane	8090105			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8090105			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8090105			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8090105			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8090105			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8090105			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8090105			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8090105			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8090105			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8090105			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8090105			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8090105			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8090105			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8090105			ug/L	0.50	1.7	<0.50						C
Ethylbenzene	8090105			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8090105			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8090105			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8090105			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8090105			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8090105			ug/L	0.50	1.7	<0.50						
Naphthalene	8090105			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8090105			ug/L	0.50	1.7	<0.50						

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8090105			ug/L	0.50	1.7	<0.50						
1,1,1,2-Tetrachloroethane	8090105			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8090105			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8090105			ug/L	0.50	1.7	<0.50						
Toluene	8090105			ug/L	0.50	1.7	<0.50						
1,2,3-Trichlorobenzene	8090105			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8090105			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8090105			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8090105			ug/L	0.25	0.83	<0.25						
Trichloroethene	8090105			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8090105			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8090105			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8090105			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8090105			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8090105			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8090105			ug/L	0.50	1.7	<0.50						
<i>Surrogate: Dibromofluoromethane</i>	8090105			ug/L				98		89-119			
<i>Surrogate: Toluene-d8</i>	8090105			ug/L				102		91-109			
<i>Surrogate: 4-Bromo fluorobenzene</i>	8090105			ug/L				101		89-114			
Benzene	8090142			ug/L	0.20	0.67	<0.20						
Bromobenzene	8090142			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8090142			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8090142			ug/L	0.20	0.67	<0.20						
Bromoform	8090142			ug/L	0.20	0.67	<0.20						
Bromomethane	8090142			ug/L	0.50	1.7	<0.50						
n-Butylbenzene	8090142			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8090142			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8090142			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8090142			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8090142			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8090142			ug/L	0.20	0.67	<0.20						
Chloroethane	8090142			ug/L	1.0	3.3	<1.0						
Chloroform	8090142			ug/L	0.20	0.67	<0.20						
Chloromethane	8090142			ug/L	0.30	1.0	<0.30						
2-Chlorotoluene	8090142			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8090142			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8090142			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8090142			ug/L	0.20	0.67	<0.20						
Dibromomethane	8090142			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8090142			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8090142			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8090142			ug/L	0.50	1.7	<0.50						
Dichlorodifluoromethane	8090142			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8090142			ug/L	0.50	1.7	<0.50						

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichloroethane	8090142			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethene	8090142			ug/L	0.50	1.7	<0.50							
cis-1,2-Dichloroethene	8090142			ug/L	0.50	1.7	<0.50							
trans-1,2-Dichloroethene	8090142			ug/L	0.50	1.7	<0.50							
1,2-Dichloropropane	8090142			ug/L	0.50	1.7	<0.50							
1,3-Dichloropropane	8090142			ug/L	0.25	0.83	<0.25							
2,2-Dichloropropane	8090142			ug/L	0.50	1.7	<0.50							
1,1-Dichloropropene	8090142			ug/L	0.50	1.7	<0.50							
cis-1,3-Dichloropropene	8090142			ug/L	0.20	0.67	<0.20							
trans-1,3-Dichloropropene	8090142			ug/L	0.20	0.67	<0.20							
2,3-Dichloropropene	8090142			ug/L	0.25	0.83	<0.25							
Isopropyl Ether	8090142			ug/L	0.50	1.7	<0.50							
Ethylbenzene	8090142			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	8090142			ug/L	0.50	1.7	<0.50							
Isopropylbenzene	8090142			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	8090142			ug/L	0.20	0.67	<0.20							
Methylene Chloride	8090142			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	8090142			ug/L	0.50	1.7	<0.50							
Naphthalene	8090142			ug/L	0.25	0.83	<0.25							
n-Propylbenzene	8090142			ug/L	0.50	1.7	<0.50							
Styrene	8090142			ug/L	0.50	1.7	<0.50							
1,1,1,2-Tetrachloroethane	8090142			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	8090142			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	8090142			ug/L	0.50	1.7	<0.50							
Toluene	8090142			ug/L	0.50	1.7	<0.50							
1,2,3-Trichlorobenzene	8090142			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	8090142			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	8090142			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	8090142			ug/L	0.25	0.83	<0.25							
Trichloroethene	8090142			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	8090142			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	8090142			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	8090142			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	8090142			ug/L	0.20	0.67	<0.20							
Vinyl chloride	8090142			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8090142			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	8090142			ug/L				101						89-119
Surrogate: Toluene-d8	8090142			ug/L				100						91-109
Surrogate: 4-Bromofluorobenzene	8090142			ug/L				101						89-114

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRH0917
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 08/26/08
 Reported: 09/08/08 11:45

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Benzene	8I05001	50.000	ug/L	N/A	N/A	N/A	54.2	108	80-120					
Bromobenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.2	102	80-120					
Bromoform	8I05001	50.000	ug/L	N/A	N/A	N/A	52.0	104	80-120					
Bromomethane	8I05001	50.000	ug/L	N/A	N/A	N/A	45.4	91	80-120					
n-Butylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	55.6	111	80-120					
sec-Butylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.5	107	80-120					
tert-Butylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	49.1	98	80-120					
Carbon Tetrachloride	8I05001	50.000	ug/L	N/A	N/A	N/A	49.9	100	80-120					
Chlorobenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.5	103	80-120					
Chlorodibromomethane	8I05001	50.000	ug/L	N/A	N/A	N/A	55.1	110	80-120					
Chloroethane	8I05001	50.000	ug/L	N/A	N/A	N/A	53.4	107	80-120					
Chloroform	8I05001	50.000	ug/L	N/A	N/A	N/A	50.8	102	80-120					
Chloromethane	8I05001	50.000	ug/L	N/A	N/A	N/A	63.9	128	80-120					C
2-Chlorotoluene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.9	104	80-120					
4-Chlorotoluene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.5	107	80-120					
1,2-Dibromo-3-chloropropane	8I05001	50.000	ug/L	N/A	N/A	N/A	51.5	103	80-120					
1,2-Dibromoethane (EDB)	8I05001	50.000	ug/L	N/A	N/A	N/A	50.3	101	80-120					
Dibromomethane	8I05001	50.000	ug/L	N/A	N/A	N/A	55.0	110	80-120					
1,2-Dichlorobenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.2	102	80-120					
1,3-Dichlorobenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	52.0	104	80-120					
1,4-Dichlorobenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	49.5	99	80-120					
Dichlorodifluoromethane	8I05001	50.000	ug/L	N/A	N/A	N/A	52.1	104	80-120					
1,1-Dichloroethane	8I05001	50.000	ug/L	N/A	N/A	N/A	52.8	106	80-120					
1,2-Dichloroethane	8I05001	50.000	ug/L	N/A	N/A	N/A	50.0	100	80-120					
1,1-Dichloroethene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.0	106	80-120					
cis-1,2-Dichloroethene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.0	106	80-120					
trans-1,2-Dichloroethene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.6	103	80-120					
1,2-Dichloropropane	8I05001	50.000	ug/L	N/A	N/A	N/A	56.3	113	80-120					
1,3-Dichloropropane	8I05001	50.000	ug/L	N/A	N/A	N/A	53.3	107	80-120					
2,2-Dichloropropane	8I05001	50.000	ug/L	N/A	N/A	N/A	51.7	103	80-120					
1,1-Dichloropropene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.6	107	80-120					
cis-1,3-Dichloropropene	8I05001	50.000	ug/L	N/A	N/A	N/A	54.0	108	80-120					
trans-1,3-Dichloropropene	8I05001	50.000	ug/L	N/A	N/A	N/A	56.9	114	80-120					
2,3-Dichloropropene	8I05001	50.000	ug/L	N/A	N/A	N/A	57.4	115	80-120					
Isopropyl Ether	8I05001	50.000	ug/L	N/A	N/A	N/A	60.7	121	80-120					C
Ethylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	53.5	107	80-120					
Hexachlorobutadiene	8I05001	50.000	ug/L	N/A	N/A	N/A	51.8	104	80-120					
Isopropylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	49.2	98	80-120					
p-Isopropyltoluene	8I05001	50.000	ug/L	N/A	N/A	N/A	50.6	101	80-120					
Methylene Chloride	8I05001	50.000	ug/L	N/A	N/A	N/A	53.9	108	80-120					
Methyl tert-Butyl Ether	8I05001	50.000	ug/L	N/A	N/A	N/A	50.1	100	80-120					
Naphthalene	8I05001	50.000	ug/L	N/A	N/A	N/A	54.2	108	80-120					
n-Propylbenzene	8I05001	50.000	ug/L	N/A	N/A	N/A	52.7	105	80-120					

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8I05001	50.000	ug/L	N/A	N/A	53.0	106			80-120			
1,1,1,2-Tetrachloroethane	8I05001	50.000	ug/L	N/A	N/A	51.0	102			80-120			
1,1,2,2-Tetrachloroethane	8I05001	50.000	ug/L	N/A	N/A	54.2	108			80-120			
Tetrachloroethene	8I05001	50.000	ug/L	N/A	N/A	49.5	99			80-120			
Toluene	8I05001	50.000	ug/L	N/A	N/A	53.8	108			80-120			
1,2,3-Trichlorobenzene	8I05001	50.000	ug/L	N/A	N/A	56.1	112			80-120			
1,2,4-Trichlorobenzene	8I05001	50.000	ug/L	N/A	N/A	56.5	113			80-120			
1,1,1-Trichloroethane	8I05001	50.000	ug/L	N/A	N/A	51.4	103			80-120			
1,1,2-Trichloroethane	8I05001	50.000	ug/L	N/A	N/A	57.6	115			80-120			
Trichloroethene	8I05001	50.000	ug/L	N/A	N/A	49.3	99			80-120			
Trichlorofluoromethane	8I05001	50.000	ug/L	N/A	N/A	54.9	110			80-120			
1,2,3-Trichloropropane	8I05001	50.000	ug/L	N/A	N/A	49.2	98			80-120			
1,2,4-Trimethylbenzene	8I05001	50.000	ug/L	N/A	N/A	53.8	108			80-120			
1,3,5-Trimethylbenzene	8I05001	50.000	ug/L	N/A	N/A	52.6	105			80-120			
Vinyl chloride	8I05001	50.000	ug/L	N/A	N/A	57.3	115			80-120			
Xylenes, Total	8I05001	150.00	ug/L	N/A	N/A	159	106			80-120			
Surrogate: Dibromofluoromethane	8I05001		ug/L				98			80-120			
Surrogate: Toluene-d8	8I05001		ug/L				102			80-120			
Surrogate: 4-Bromofluorobenzene	8I05001		ug/L				100			80-120			
Benzene	8I08002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
Bromobenzene	8I08002	50.000	ug/L	N/A	N/A	49.3	99			80-120			
Bromochloromethane	8I08002	50.000	ug/L	N/A	N/A	48.5	97			80-120			
Bromodichloromethane	8I08002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
Bromoform	8I08002	50.000	ug/L	N/A	N/A	53.5	107			80-120			
Bromomethane	8I08002	50.000	ug/L	N/A	N/A	50.8	102			80-120			
n-Butylbenzene	8I08002	50.000	ug/L	N/A	N/A	51.3	103			80-120			
sec-Butylbenzene	8I08002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
tert-Butylbenzene	8I08002	50.000	ug/L	N/A	N/A	50.0	100			80-120			
Carbon Tetrachloride	8I08002	50.000	ug/L	N/A	N/A	51.9	104			80-120			
Chlorobenzene	8I08002	50.000	ug/L	N/A	N/A	48.8	98			80-120			
Chlorodibromomethane	8I08002	50.000	ug/L	N/A	N/A	50.6	101			80-120			
Chloroethane	8I08002	50.000	ug/L	N/A	N/A	52.1	104			80-120			
Chloroform	8I08002	50.000	ug/L	N/A	N/A	50.6	101			80-120			
Chloromethane	8I08002	50.000	ug/L	N/A	N/A	46.3	93			80-120			
2-Chlorotoluene	8I08002	50.000	ug/L	N/A	N/A	44.7	89			80-120			
4-Chlorotoluene	8I08002	50.000	ug/L	N/A	N/A	49.4	99			80-120			
1,2-Dibromo-3-chloropropane	8I08002	50.000	ug/L	N/A	N/A	48.4	97			80-120			
1,2-Dibromoethane (EDB)	8I08002	50.000	ug/L	N/A	N/A	49.8	100			80-120			
Dibromomethane	8I08002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
1,2-Dichlorobenzene	8I08002	50.000	ug/L	N/A	N/A	48.8	98			80-120			
1,3-Dichlorobenzene	8I08002	50.000	ug/L	N/A	N/A	48.9	98			80-120			
1,4-Dichlorobenzene	8I08002	50.000	ug/L	N/A	N/A	48.6	97			80-120			
Dichlorodifluoromethane	8I08002	50.000	ug/L	N/A	N/A	51.4	103			80-120			
1,1-Dichloroethane	8I08002	50.000	ug/L	N/A	N/A	51.5	103			80-120			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichloroethane	8I08002	50.000	ug/L	N/A	N/A	N/A	51.5	103	80-120					
1,1-Dichloroethene	8I08002	50.000	ug/L	N/A	N/A	N/A	52.4	105	80-120					
cis-1,2-Dichloroethene	8I08002	50.000	ug/L	N/A	N/A	N/A	51.4	103	80-120					
trans-1,2-Dichloroethene	8I08002	50.000	ug/L	N/A	N/A	N/A	51.5	103	80-120					
1,2-Dichloropropane	8I08002	50.000	ug/L	N/A	N/A	N/A	47.7	95	80-120					
1,3-Dichloropropane	8I08002	50.000	ug/L	N/A	N/A	N/A	49.2	98	80-120					
2,2-Dichloropropane	8I08002	50.000	ug/L	N/A	N/A	N/A	53.9	108	80-120					
1,1-Dichloropropene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.1	100	80-120					
cis-1,3-Dichloropropene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.4	99	80-120					
trans-1,3-Dichloropropene	8I08002	50.000	ug/L	N/A	N/A	N/A	48.5	97	80-120					
2,3-Dichloropropene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.1	98	80-120					
Isopropyl Ether	8I08002	50.000	ug/L	N/A	N/A	N/A	50.7	101	80-120					
Ethylbenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	48.9	98	80-120					
Hexachlorobutadiene	8I08002	50.000	ug/L	N/A	N/A	N/A	48.4	97	80-120					
Isopropylbenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.3	99	80-120					
p-Isopropyltoluene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.7	101	80-120					
Methylene Chloride	8I08002	50.000	ug/L	N/A	N/A	N/A	51.3	103	80-120					
Methyl tert-Butyl Ether	8I08002	50.000	ug/L	N/A	N/A	N/A	52.2	104	80-120					
Naphthalene	8I08002	50.000	ug/L	N/A	N/A	N/A	45.3	91	80-120					
n-Propylbenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.0	100	80-120					
Styrene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.3	101	80-120					
1,1,1,2-Tetrachloroethane	8I08002	50.000	ug/L	N/A	N/A	N/A	50.4	101	80-120					
1,1,2,2-Tetrachloroethane	8I08002	50.000	ug/L	N/A	N/A	N/A	48.8	98	80-120					
Tetrachloroethene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.2	100	80-120					
Toluene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.0	98	80-120					
1,2,3-Trichlorobenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	47.9	96	80-120					
1,2,4-Trichlorobenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.2	98	80-120					
1,1,1-Trichloroethane	8I08002	50.000	ug/L	N/A	N/A	N/A	51.4	103	80-120					
1,1,2-Trichloroethane	8I08002	50.000	ug/L	N/A	N/A	N/A	48.7	97	80-120					
Trichloroethene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.9	100	80-120					
Trichlorofluoromethane	8I08002	50.000	ug/L	N/A	N/A	N/A	53.2	106	80-120					
1,2,3-Trichloropropane	8I08002	50.000	ug/L	N/A	N/A	N/A	49.0	98	80-120					
1,2,4-Trimethylbenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	49.6	99	80-120					
1,3,5-Trimethylbenzene	8I08002	50.000	ug/L	N/A	N/A	N/A	50.1	100	80-120					
Vinyl chloride	8I08002	50.000	ug/L	N/A	N/A	N/A	50.4	101	80-120					
Xylenes, Total	8I08002	150.00	ug/L	N/A	N/A	N/A	147	98	80-120					
Surrogate: Dibromoformmethane	8I08002		ug/L					106	80-120					
Surrogate: Toluene-d8	8I08002		ug/L					100	80-120					
Surrogate: 4-Bromofluorobenzene	8I08002		ug/L					100	80-120					

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRH0917
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 08/26/08
 Reported: 09/08/08 11:45

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRH0893-09														
Benzene	8090105	0.450	50.000	ug/L	0.20	0.67	52.6	51.7	104	103	80-121	2	11	
Bromobenzene	8090105	<0.20	50.000	ug/L	0.20	0.67	47.8	51.6	96	103	70-130	8	20	
Bromochloromethane	8090105	<0.50	50.000	ug/L	0.50	1.7	48.4	48.8	97	98	70-130	1	20	
Bromodichloromethane	8090105	<0.20	50.000	ug/L	0.20	0.67	49.1	45.9	98	92	70-130	7	20	
Bromoform	8090105	<0.20	50.000	ug/L	0.20	0.67	48.9	51.1	98	102	70-130	4	20	
Bromomethane	8090105	<0.50	50.000	ug/L	0.50	1.7	44.8	39.6	90	79	70-130	12	20	
n-Butylbenzene	8090105	19.6	50.000	ug/L	0.20	0.67	90.5	75.5	142	112	70-130	18	20	M11
sec-Butylbenzene	8090105	15.0	50.000	ug/L	0.25	0.83	74.9	66.5	120	103	70-130	12	20	
tert-Butylbenzene	8090105	2.12	50.000	ug/L	0.20	0.67	59.1	56.0	114	108	70-130	5	20	
Carbon Tetrachloride	8090105	<0.50	50.000	ug/L	0.50	1.7	51.6	51.4	103	103	70-130	0	20	
Chlorobenzene	8090105	<0.20	50.000	ug/L	0.20	0.67	49.7	54.2	99	108	85-116	9	9	
Chlorodibromomethane	8090105	<0.20	50.000	ug/L	0.20	0.67	50.8	47.9	102	96	70-130	6	20	
Chloroethane	8090105	<1.0	50.000	ug/L	1.0	3.3	56.4	58.5	113	117	70-130	4	20	
Chloroform	8090105	<0.20	50.000	ug/L	0.20	0.67	49.5	47.4	99	95	70-130	4	20	
Chloromethane	8090105	<0.30	50.000	ug/L	0.30	1.0	67.6	65.4	135	131	70-130	3	20	C
2-Chlorotoluene	8090105	<0.50	50.000	ug/L	0.50	1.7	54.6	52.1	109	104	70-130	5	20	
4-Chlorotoluene	8090105	<0.20	50.000	ug/L	0.20	0.67	56.4	54.6	113	109	70-130	3	20	
1,2-Dibromo-3-chloropropane	8090105	<0.50	50.000	ug/L	0.50	1.7	54.2	51.4	108	103	70-130	5	20	
1,2-Dibromoethane (EDB)	8090105	<0.20	50.000	ug/L	0.20	0.67	48.3	48.0	97	96	70-130	1	20	
Dibromomethane	8090105	<0.20	50.000	ug/L	0.20	0.67	48.4	49.9	97	100	70-130	3	20	
1,2-Dichlorobenzene	8090105	<0.20	50.000	ug/L	0.20	0.67	51.6	49.3	103	99	70-130	4	20	
1,3-Dichlorobenzene	8090105	<0.20	50.000	ug/L	0.20	0.67	50.1	50.2	100	100	70-130	0	20	
1,4-Dichlorobenzene	8090105	<0.50	50.000	ug/L	0.50	1.7	50.1	49.7	100	99	70-130	1	20	
Dichlorodifluoromethane	8090105	<0.50	50.000	ug/L	0.50	1.7	55.6	51.6	111	103	70-130	7	20	
1,1-Dichloroethane	8090105	<0.50	50.000	ug/L	0.50	1.7	51.7	50.7	103	101	70-130	2	20	
1,2-Dichloroethane	8090105	<0.50	50.000	ug/L	0.50	1.7	49.1	49.4	98	99	70-130	1	20	
1,1-Dichloroethene	8090105	<0.50	50.000	ug/L	0.50	1.7	56.4	55.5	113	111	72-131	2	17	
cis-1,2-Dichloroethene	8090105	<0.50	50.000	ug/L	0.50	1.7	54.1	49.6	108	99	70-130	9	20	
trans-1,2-Dichloroethene	8090105	<0.50	50.000	ug/L	0.50	1.7	54.0	54.2	108	108	70-130	0	20	
1,2-Dichloropropene	8090105	<0.50	50.000	ug/L	0.50	1.7	47.3	45.9	95	92	70-130	3	20	
1,3-Dichloropropene	8090105	<0.25	50.000	ug/L	0.25	0.83	50.7	49.3	101	99	70-130	3	20	
2,2-Dichloropropane	8090105	<0.50	50.000	ug/L	0.50	1.7	54.0	50.7	108	101	70-130	6	20	
1,1-Dichloropropene	8090105	<0.50	50.000	ug/L	0.50	1.7	52.4	52.2	105	104	70-130	0	20	
cis-1,3-Dichloropropene	8090105	<0.20	50.000	ug/L	0.20	0.67	53.8	51.1	108	102	70-130	5	20	
trans-1,3-Dichloropropene	8090105	<0.20	50.000	ug/L	0.20	0.67	53.1	51.1	106	102	70-130	4	20	
Isopropyl Ether	8090105	<0.50	50.000	ug/L	0.50	1.7	53.7	51.8	107	104	68-128	4	16	C
Ethylbenzene	8090105	1.23	50.000	ug/L	0.50	1.7	50.8	55.9	99	109	83-118	10	13	
Hexachlorobutadiene	8090105	<0.50	50.000	ug/L	0.50	1.7	65.7	58.3	131	117	70-130	12	20	M11
Isopropylbenzene	8090105	10.2	50.000	ug/L	0.20	0.67	64.5	65.3	109	110	70-130	1	20	
p-Isopropyltoluene	8090105	2.18	50.000	ug/L	0.20	0.67	62.0	61.4	120	118	70-130	1	20	
Methylene Chloride	8090105	<1.0	50.000	ug/L	1.0	3.3	50.4	48.8	101	98	70-130	3	20	
Methyl tert-Butyl Ether	8090105	<0.50	50.000	ug/L	0.50	1.7	48.0	50.9	96	102	71-127	6	22	
Naphthalene	8090105	4.18	50.000	ug/L	0.25	0.83	72.8	64.3	137	120	70-130	12	20	
n-Propylbenzene	8090105	33.2	50.000	ug/L	0.50	1.7	97.8	83.8	129	101	70-130	15	20	
Styrene	8090105	<0.50	50.000	ug/L	0.50	1.7	51.5	55.1	103	110	70-130	7	20	

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Mr. Bob Nauta

Work Order: WRH0917
 Project: Nemitz Laundry
 Project Number: 08-736

Received: 08/26/08
 Reported: 09/08/08 11:45

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRH0893-09													
1,1,1,2-Tetrachloroethane	8090105	<0.25	50.000	ug/L	0.25	0.83	46.6	51.4	93	103	70-130	10	20
1,1,2,2-Tetrachloroethane	8090105	<0.20	50.000	ug/L	0.20	0.67	51.5	47.7	103	95	70-130	8	20
Tetrachloroethene	8090105	<0.50	50.000	ug/L	0.50	1.7	49.9	55.2	100	110	70-130	10	20
Toluene	8090105	1.43	50.000	ug/L	0.50	1.7	53.4	56.2	104	110	82-116	5	11
1,2,3-Trichlorobenzene	8090105	<0.25	50.000	ug/L	0.25	0.83	61.4	57.8	123	116	70-130	6	20
1,2,4-Trichlorobenzene	8090105	<0.25	50.000	ug/L	0.25	0.83	60.8	59.4	122	119	70-130	2	20
1,1,1-Trichloroethane	8090105	<0.50	50.000	ug/L	0.50	1.7	52.3	51.0	105	102	70-130	2	20
1,1,2-Trichloroethane	8090105	<0.25	50.000	ug/L	0.25	0.83	130	88.5	261	177	70-130	38	20
Trichloroethylene	8090105	<0.20	50.000	ug/L	0.20	0.67	52.4	54.0	105	108	80-117	3	13
Trichlorofluoromethane	8090105	<0.50	50.000	ug/L	0.50	1.7	57.4	47.9	115	96	70-130	18	20
1,2,3-Trichloropropane	8090105	<0.50	50.000	ug/L	0.50	1.7	48.8	49.8	98	100	70-130	2	20
1,2,4-Trimethylbenzene	8090105	188	50.000	ug/L	0.20	0.67	227	183	77	-10	80-122	21	14
1,3,5-Trimethylbenzene	8090105	86.1	50.000	ug/L	0.20	0.67	59.0	53.2	-54	-66	83-122	10	12
Vinyl chloride	8090105	<0.20	50.000	ug/L	0.20	0.67	62.8	66.8	126	134	70-130	6	20
Xylenes, Total	8090105	4.93	150.00	ug/L	0.50	1.7	159	168	102	109	84-119	6	12
Surrogate: Dibromofluoromethane	8090105			ug/L					92	94	89-119		
Surrogate: Toluene-d8	8090105			ug/L					102	101	91-109		
Surrogate: 4-Bromofluorobenzene	8090105			ug/L					95	99	89-114		

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Mr. Bob Nauta

Work Order: WRH0917
Project: Nemitz Laundry
Project Number: 08-736

Received: 08/26/08
Reported: 09/08/08 11:45

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
SW 8260B	Water - NonPotable	X	X

DATA QUALIFIERS AND DEFINITIONS

- C** Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
M11 The MS and/or MSD were above the acceptance limits. See calibration verification (CCV)
M12 The MS and/or MSD were below the acceptance limits. See calibration verification (CCV)

ADDITIONAL COMMENTS

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

**Watertown Division
602 Commerce Drive
Watertown, WI 53094**

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WRH 09/17

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring

Client Name: RSV Engineering Client #: _____
Address: 146 E. Milwaukee St.
City/State/Zip Code: Jefferson, WI 53549
Project Manager: Bob Nanta
Telephone Number: 920-674-3411 Fax: 920-674-3481
Sampler Name: (Print Name) Paula Richardson / Rick Jirsa
Sampler Signature: Paula Richardson

Project Name: Nenitz Laundry
Project #: 08-736
Site/Location ID: _____ State: _____
Report To: Bob Nanta
Invoice To: Bob Nanta
Quote #: _____ PO#: _____

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp: 32 °C

Rec Lab Temp

Custody Seals: Y N N/A
Bottles Supplied by TestAmerica: Y N

Method of Shipment: Cica

<i>Pan Pan</i> Relinquished By:	Date: 8/26/08	Time: 15:11	Received By: <i>T. S. Parada</i>	Date: 8/26/08	Time: 15:11
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

