



2525 Advance Road
Madison, WI 53718
608.221.8700 Phone
608.221.4889 Fax

August 13, 2014

Chris Kubacki
ARCADIS
126 N Jefferson St., Ste 400
Milwaukee, WI 53202
RE: Madison Kipp - Madison, WI

Enclosed are the analytical results for the samples received by the laboratory on 08/12/2014.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. These results are in compliance with the 2009 NELAC Standards and the appropriate agencies listed below, unless otherwise noted in the case narrative. This analytical report should be reproduced in its entirety.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jessica Esser
Project Manager

Certification List

Expires

DODELAP	DOD ELAP Accreditation (A2LA)	3269.01	03/31/2016
ILEPA	Illinois Secondary NELAP Accreditation	003174	04/30/2015
KDHE	Kansas Secondary NELAP Accreditation	E-10384	04/30/2015
LELAP	Louisiana Primary NELAP Accreditation	04165	06/30/2015
NJDEP	New Jersey Secondary NELAP Accreditation	WI004	06/30/2015
WDNR	Wisconsin Certification under NR 149	113289110	08/31/2014



ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: W1001368
Project Manager: Chris Kubacki

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
RG-36	A143304-01	Soil	08/12/2014	08/12/2014
RG-37	A143304-02	Soil	08/12/2014	08/12/2014
RG-38	A143304-03	Soil	08/12/2014	08/12/2014
RG-39	A143304-04	Soil	08/12/2014	08/12/2014
DUP-01	A143304-05	Soil	08/12/2014	08/12/2014
EB-01	A143304-06	Water	08/12/2014	08/12/2014
TB-01	A143304-07	Water	08/12/2014	08/12/2014

CASE NARRATIVE

Sample Receipt Information:

7 samples were received on 8/12/2014. Samples were hand delivered. Samples were received in acceptable condition.

Please see the chain of custody (COC) document at the end of this report for additional information.



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

RG-36
A143304-01 (Soil)

Date Sampled
08/12/2014 13:00

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408022

PCB-1016	ND	0.018	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
PCB-1221	ND	0.0099	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
PCB-1232	ND	0.0068	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
PCB-1242	ND	0.011	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
PCB-1248	ND	0.013	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
PCB-1254	0.026	0.011	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	J
PCB-1260	ND	0.0058	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	
Total PCBs	0.026	0.018	0.24	mg/kg dry	1	08/12/2014	08/12/2014 16:57	EPA 8082A	J
<i>Surrogate: Decachlorobiphenyl</i>			99.6 %	59.1-127		08/12/2014	08/12/2014 16:57	EPA 8082A	
<i>Surrogate: Tetrachloro-meta-xylene</i>			98.6 %	77.4-119		08/12/2014	08/12/2014 16:57	EPA 8082A	

Classical Chemistry Parameters

Preparation Batch: A408036

% Solids	82.7		0.00	% by Weight	1	08/12/2014	08/13/2014 09:00	SM 2540B	
-----------------	-------------	--	------	-------------	---	------------	------------------	----------	--



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

RG-37
A143304-02 (Soil)

Date Sampled
 08/12/2014 13:05

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408022

PCB-1016	0.70	0.016	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1221	ND	0.0090	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1232	ND	0.0061	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1242	ND	0.0096	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1248	ND	0.012	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1254	1.1	0.0096	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
PCB-1260	ND	0.0053	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	
Total PCBs	1.8	0.016	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:22	EPA 8082A	

Surrogate: Decachlorobiphenyl

95.5 % 59.1-127

08/12/2014

08/12/2014 17:22

EPA 8082A

Surrogate: Tetrachloro-meta-xylene

100 % 77.4-119

08/12/2014

08/12/2014 17:22

EPA 8082A

Classical Chemistry Parameters

Preparation Batch: A408036

% Solids	91.2	0.00	% by Weight	1	08/12/2014	08/13/2014 09:00	SM 2540B		
-----------------	-------------	------	-------------	---	------------	------------------	----------	--	--



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

RG-38
A143304-03 (Soil)

Date Sampled
 08/12/2014 13:10

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408022

PCB-1016	0.080	0.016	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	J
PCB-1221	ND	0.0089	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
PCB-1232	ND	0.0061	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
PCB-1242	ND	0.0095	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
PCB-1248	ND	0.011	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
PCB-1254	0.24	0.0095	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
PCB-1260	ND	0.0052	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	
Total PCBs	0.32	0.016	0.22	mg/kg dry	1	08/12/2014	08/12/2014 17:47	EPA 8082A	

Surrogate: Decachlorobiphenyl

96.4 % 59.1-127

08/12/2014

08/12/2014 17:47

EPA 8082A

Surrogate: Tetrachloro-meta-xylene

105 % 77.4-119

08/12/2014

08/12/2014 17:47

EPA 8082A

Classical Chemistry Parameters

Preparation Batch: A408036

% Solids	92.5	0.00	% by Weight	1	08/12/2014	08/13/2014 09:00	SM 2540B		
-----------------	-------------	------	-------------	---	------------	------------------	----------	--	--



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

RG-39
A143304-04 (Soil)

Date Sampled
 08/12/2014 13:15

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408022

PCB-1016	1.3	0.017	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1221	ND	0.0092	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1232	ND	0.0063	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1242	ND	0.0099	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1248	ND	0.012	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1254	4.4	0.0099	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
PCB-1260	ND	0.0054	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	
Total PCBs	5.7	0.017	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:12	EPA 8082A	

Surrogate: Decachlorobiphenyl

98.5 % 59.1-127

08/12/2014

08/12/2014 18:12

EPA 8082A

Surrogate: Tetrachloro-meta-xylene

105 % 77.4-119

08/12/2014

08/12/2014 18:12

EPA 8082A

Classical Chemistry Parameters

Preparation Batch: A408036

% Solids	88.8	0.00	% by Weight	1	08/12/2014	08/13/2014 09:00	SM 2540B		
-----------------	-------------	------	-------------	---	------------	------------------	----------	--	--



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

DUP-01
A143304-05 (Soil)

Date Sampled
 08/12/2014 00:00

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408022

PCB-1016	2.5	0.017	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1221	ND	0.0095	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1232	ND	0.0065	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1242	ND	0.010	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1248	ND	0.012	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1254	3.7	0.010	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
PCB-1260	ND	0.0056	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	
Total PCBs	6.2	0.017	0.23	mg/kg dry	1	08/12/2014	08/12/2014 18:37	EPA 8082A	

Surrogate: Decachlorobiphenyl

101 % 59.1-127

08/12/2014

08/12/2014 18:37

EPA 8082A

Surrogate: Tetrachloro-meta-xylene

110 % 77.4-119

08/12/2014

08/12/2014 18:37

EPA 8082A

Classical Chemistry Parameters

Preparation Batch: A408036

% Solids	86.0	0.00	% by Weight	1	08/12/2014	08/13/2014 09:00	SM 2540B		
-----------------	-------------	------	-------------	---	------------	------------------	----------	--	--



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

EB-01
A143304-06 (Water)

Date Sampled
08/12/2014 13:30

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408031

PCB-1016	ND	0.035	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1221	ND	0.020	0.25	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1232	ND	0.037	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1242	ND	0.038	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1248	ND	0.020	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1254	ND	0.0090	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
PCB-1260	ND	0.025	0.13	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
Total PCBs	ND	0.038	0.25	ug/L	1	08/12/2014	08/12/2014 22:48	EPA 8082A	
<i>Surrogate: Decachlorobiphenyl</i>			95.5 %	75.4-168		08/12/2014	08/12/2014 22:48	EPA 8082A	
<i>Surrogate: Tetrachloro-meta-xylene</i>			97.8 %	74.3-141		08/12/2014	08/12/2014 22:48	EPA 8082A	



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

TB-01
A143304-07 (Water)

Date Sampled
 08/12/2014 00:00

Analyte	Result	Limit of Detection	Limit of Quantitation	Units	Dilution	Prepared	Analyzed	Method	Qualifiers
---------	--------	--------------------	-----------------------	-------	----------	----------	----------	--------	------------

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A408031

PCB-1016	ND	0.035	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1221	ND	0.020	0.25	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1232	ND	0.037	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1242	ND	0.038	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1248	ND	0.020	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1254	ND	0.0090	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
PCB-1260	ND	0.025	0.13	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
Total PCBs	ND	0.038	0.25	ug/L	1	08/12/2014	08/12/2014 23:13	EPA 8082A	
<i>Surrogate: Decachlorobiphenyl</i>			93.0 %	75.4-168		08/12/2014	08/12/2014 23:13	EPA 8082A	
<i>Surrogate: Tetrachloro-meta-xylene</i>			98.1 %	74.3-141		08/12/2014	08/12/2014 23:13	EPA 8082A	



ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: W1001368
Project Manager: Chris Kubacki

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control
ECCS

Analyte	Result	Limit of Quantitation	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch A408022 - EPA 3570

Blank (A408022-BLK1)

Prepared: 08/12/2014 Analyzed: 08/12/2014 13:11

PCB-1016	ND	0.20	mg/kg wet							
PCB-1221	ND	0.20	mg/kg wet							
PCB-1232	ND	0.20	mg/kg wet							
PCB-1242	ND	0.20	mg/kg wet							
PCB-1248	ND	0.20	mg/kg wet							
PCB-1254	ND	0.20	mg/kg wet							
PCB-1260	ND	0.20	mg/kg wet							
Total PCBs	ND	0.20	mg/kg wet							
Surrogate: Decachlorobiphenyl	0.294		mg/kg wet	0.3168		92.7	59.1-127			
Surrogate: Tetrachloro-meta-xylene	0.226		mg/kg wet	0.2400		94.0	77.4-119			

LCS (A408022-BS1)

Prepared: 08/12/2014 Analyzed: 08/12/2014 13:36

PCB-1260	3.72	0.20	mg/kg wet	4.000		93.1	73.1-132			
Surrogate: Decachlorobiphenyl	0.304		mg/kg wet	0.3168		95.8	59.1-127			
Surrogate: Tetrachloro-meta-xylene	0.237		mg/kg wet	0.2400		98.8	77.4-119			

Matrix Spike (A408022-MS1)

Source: A143304-03

Prepared: 08/12/2014 Analyzed: 08/12/2014 19:02

PCB-1260	4.24	0.22	mg/kg dry	4.326	ND	97.9	62.1-148			
Surrogate: Decachlorobiphenyl	0.336		mg/kg dry	0.3426		98.0	59.1-127			
Surrogate: Tetrachloro-meta-xylene	0.261		mg/kg dry	0.2596		100	77.4-119			

Matrix Spike Dup (A408022-MSD1)

Source: A143304-03

Prepared: 08/12/2014 Analyzed: 08/12/2014 19:27

PCB-1260	4.18	0.22	mg/kg dry	4.326	ND	96.6	62.1-148	1.37	20	
Surrogate: Decachlorobiphenyl	0.332		mg/kg dry	0.3426		96.8	59.1-127			
Surrogate: Tetrachloro-meta-xylene	0.271		mg/kg dry	0.2596		104	77.4-119			

Batch A408031 - EPA 3511

Blank (A408031-BLK1)

Prepared: 08/12/2014 Analyzed: 08/12/2014 21:33

PCB-1016	ND	0.13	ug/L							
PCB-1221	ND	0.25	ug/L							
PCB-1232	ND	0.13	ug/L							
PCB-1242	ND	0.13	ug/L							
PCB-1248	ND	0.13	ug/L							
PCB-1254	ND	0.13	ug/L							
PCB-1260	ND	0.13	ug/L							
Total PCBs	ND	0.25	ug/L							
Surrogate: Decachlorobiphenyl	0.983		ug/L	0.9900		99.2	75.4-168			
Surrogate: Tetrachloro-meta-xylene	0.754		ug/L	0.7500		100	74.3-141			



ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: W1001368
 Project Manager: Chris Kubacki

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

ECCS

Analyte	Result	Limit of Quantitation	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch A408031 - EPA 3511

LCS (A408031-BS1)

Prepared: 08/12/2014 Analyzed: 08/12/2014 21:58

PCB-1260	11.8	0.13	ug/L	12.50		94.6	70-130			
<i>Surrogate: Decachlorobiphenyl</i>	<i>1.00</i>		<i>ug/L</i>	<i>0.9900</i>		<i>101</i>	<i>75.4-168</i>			
<i>Surrogate: Tetrachloro-meta-xylene</i>	<i>0.761</i>		<i>ug/L</i>	<i>0.7500</i>		<i>101</i>	<i>74.3-141</i>			

LCS Dup (A408031-BSD1)

Prepared: 08/12/2014 Analyzed: 08/12/2014 22:23

PCB-1260	11.8	0.13	ug/L	12.50		94.7	70-130	0.190	20	
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.942</i>		<i>ug/L</i>	<i>0.9900</i>		<i>95.1</i>	<i>75.4-168</i>			
<i>Surrogate: Tetrachloro-meta-xylene</i>	<i>0.766</i>		<i>ug/L</i>	<i>0.7500</i>		<i>102</i>	<i>74.3-141</i>			



2525 Advance Road
Madison, WI 53718
608.221.8700 Phone
608.221.4889 Fax

ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: W1001368
Project Manager: Chris Kubacki

Classical Chemistry Parameters - Quality Control

ECCS

Analyte	Result	Limit of Quantitation	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch A408036 - % Solids

Duplicate (A408036-DUP1)	Source: A143307-11	Prepared: 08/12/2014	Analyzed: 08/13/2014 09:00		
% Solids	89.0	0.00 % by Weight	88.2	0.854	20



ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: W1001368
Project Manager: Chris Kubacki

Notes and Definitions

- J Analyte was detected but is below the reporting limit. The concentration is estimated.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis. If the word 'dry' does not appear after the units, results are reported on an as-is basis.
- RPD Relative Percent Difference



**Environmental Chemistry
Consulting Services, Inc.**
2525 Advance Road
Madison, WI 53718
608-221-8700 (phone)
608-221-4889 (fax)

CHAIN OF CUSTODY

Project Number: <u>W1001368</u>				Lab Work Order #: <u>A143304</u>				Mail Report To: <u>Chris Kobacki</u>				
Project Name: <u>Madison Wipp</u>				Analyses Requested				Company:				
Project Location: <u>Madison, WI</u>				Preservation Codes				Address:				
Turn Around (circle one): Normal <u>(Rush) 24 hr.</u>				Matrix	Total # of Containers	<u>3</u>	<u>PCS</u>	E-mail Address:				
If Rush, Report Due Date:								Invoice To:				
Sampled By (Print): <u>Jay Reed</u>								Company:				
								Address:				
Sample Description	Collection		Matrix	Total # of Containers						Comments	Lab ID	Lab Receipt Time
	Date	Time										
<u>RG-36</u>	<u>8/12/14</u>	<u>13:00</u>	<u>SO</u>	<u>3</u>	<u>X</u>					<u>MS/MSD</u>	<u>01</u>	
<u>RG-37</u>	<u> </u>	<u>13:05</u>	<u>SO</u>	<u>1</u>	<u>X</u>						<u>02</u>	
<u>RG-38</u>	<u> </u>	<u>13:10</u>	<u>SO</u>	<u>1</u>	<u>X</u>						<u>03</u>	
<u>RG-39</u>	<u> </u>	<u>13:15</u>	<u>SO</u>	<u>1</u>	<u>X</u>						<u>04</u>	
<u>DUP-01</u>	<u> </u>	<u>-</u>	<u>SO</u>	<u>1</u>	<u>X</u>					<u>Duplicate</u>	<u>05</u>	
<u>EB-01</u>	<u> </u>	<u>13:30</u>	<u>W</u>	<u>1</u>	<u>X</u>					<u>Equipment blank</u>	<u>06</u>	
<u>TB-01</u>	<u>√</u>	<u>-</u>	<u>W</u>	<u>1</u>	<u>X</u>						<u>07</u>	
Preservation Codes A=None B=HCL C=H ₂ SO ₄ D=HNO ₃ E=EnCore F=Methanol G=NaOH O=Other (Indicate)				Relinquished By: <u>[Signature]</u>		Date: <u>8/12/14</u>	Time: <u>14:01</u>	Received By: <u>[Signature]</u>		Date: <u>8/12/14</u>	Time: <u>14:05</u>	
Matrix Codes A=Air S=Soil W=Water O=Other				Custody Seal: Present/Absent Intact/Not Intact Seal #s		Shipped Via: <u>Dropped</u>		Receipt Temp: Temp Blank Y N				