

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW3D3	35.1	06/16/12	28	1.7	<1.5	<7	<3.3
MW3D3	36.2	06/16/12	26	1.7	<1.5	<7	<3.3
MW3D3	39.8	06/16/12	21	1.9	<1.5	<7	<3.3
MW3D3	40.2	06/16/12	17	1.5	<1.5	<7	<3.3
MW3D3	42	06/16/12	28	2.8	<1.5	<7	<3.3
MW3D3	42.8	06/16/12	27	2.7	<1.5	<7	<3.3
MW3D3	44.6	06/16/12	8.4	0.78	<1.5	<7	<3.3
MW3D3	45.6	06/16/12	2.8	<0.18	<1.5	<7	<3.3
MW3D3	46.9	06/16/12	61	7.9	<1.5	12	<3.3
MW3D3	48.2	06/16/12	12	1.8	<1.5	<7	<3.3
MW3D3	49.9	06/16/12	63	8.6	<1.5	15	<3.3
MW3D3	51	06/16/12	57	8.8	<1.5	17	<3.3
MW3D3	52.2	06/16/12	48	6.7	<1.5	13	<3.3
MW3D3	54.6	06/16/12	53	7.3	<1.5	9.1	<3.3
MW3D3	56	06/16/12	32	3.3	<1.5	8.8	<3.3
MW3D3	59.4	06/16/12	52	5.1	<1.5	12	<3.3
MW3D3	60.7	06/16/12	26	1.8	<1.5	<7	<3.3
MW3D3	61.5	06/16/12	59	5.5	<1.5	10	<3.3
MW3D3	64.6	06/16/12	33	1.5	<1.5	<7	<3.3
MW3D3	65.4	06/16/12	46	2.4	<1.5	<7	<3.3
MW3D3	66.4	06/16/12	84	3.7	<1.5	4.9 J	<3.3
MW3D3	67.3	06/16/12	85	4.9	<1.5	9.6	<3.3
MW3D3	68.5	06/16/12	110	6.1	<1.5	8.8	<3.3
MW3D3	70.2	06/16/12	82	5	<1.5	6.4 J	<3.3
MW3D3	70.6	06/16/12	48	3.5	<1.5	<7	<3.3
MW3D3	71.7	06/16/12	25	1.2	<1.5	<7	<3.3
MW3D3	72.9	06/16/12	74	5.6	5.7 J	9.5	<3.3
MW3D3	74.7	06/16/12	52	3.5	<1.5	<7	<3.3
MW3D3	75.5	06/16/12	49	3	<1.5	4.6 J	<3.3
MW3D3	76.6	06/16/12	31	2.2	<1.5	<7	<3.3
MW3D3	78.1	06/16/12	20	1.2	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
 Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW3D3	79.7	06/17/12	15	0.57 J	<1.5	<7	<3.3
MW3D3	80.6	06/17/12	78	5.5	<1.5	9.9	<3.3
MW3D3	81.4	06/17/12	31	2.1	<1.5	<7	<3.3
MW3D3	82.3	06/17/12	50	3.6	<1.5	6.5 J	<3.3
MW3D3	84.7	06/17/12	82	5	<1.5	6.3 J	<3.3
MW3D3	85.6	06/17/12	23	0.87 J	<1.5	<7	<3.3
MW3D3	86.3	06/17/12	50	3	<1.5	<7	<3.3
MW3D3	88	06/17/12	60	4.2	<1.5	6.6 J	<3.3
MW3D3	90.5	06/17/12	110	7.6	<1.5	10	<3.3
MW3D3	91.2	06/17/12	54	3.6	<1.5	<7	<3.3
MW3D3	92	06/17/12	5.4	<0.18	<1.5	<7	<3.3
MW3D3	92.8	06/17/12	2.1	<0.18	<1.5	<7	<3.3
MW3D3	94.6	06/17/12	1.3	<0.18	<1.5	<7	<3.3
MW3D3	95.5	06/17/12	31	6.9	<1.5	7.5 J	<3.3
MW3D3	96.4	06/17/12	34	8.1	<1.5	8.3	<3.3
MW3D3	97.5	06/17/12	2.9	0.55 J	<1.5	<7	<3.3
MW3D3	98.3	06/17/12	1.8	0.22 J	<1.5	<7	<3.3
MW3D3	99.5	06/17/12	16	6.1	<1.5	5.1 J	<3.3
MW3D3	100.8	06/17/12	0.59 J	<0.18	<1.5	<7	<3.3
MW3D3	102	06/17/12	4.2	<0.18	<1.5	<7	<3.3
MW3D3	103.1	06/17/12	2.7	<0.18	<1.5	<7	<3.3
MW3D3	105.1	06/17/12	4.4	<0.18	<1.5	<7	<3.3
MW3D3	106.4	06/17/12	7.2	<0.18	<1.5	<7	<3.3
MW3D3	107.5	06/17/12	20	1.7	<1.5	<7	<3.3
MW3D3	108.3	06/17/12	4.2	<0.18	<1.5	<7	<3.3
MW3D3	110.3	06/17/12	13	0.81	<1.5	<7	<3.3
MW3D3	111.5	06/17/12	37	2.1	<1.5	<7	<3.3
MW3D3	112.1	06/17/12	90	4.2	<1.5	<7	<3.3
MW3D3	112.9	06/17/12	3.2	<0.18	<1.5	<7	<3.3
MW3D3	114.6	06/17/12	26	0.91	<1.5	<7	<3.3
MW3D3	115.5	06/17/12	190	7.1	<1.5	11	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW3D3	116.9	06/17/12	82	3.1	<1.5	<7	<3.3
MW3D3	118.1	06/17/12	66	2.2	<1.5	<7	<3.3
MW3D3	119.6	06/17/12	160	6.4	<1.5	12	<3.3
MW3D3	120.9	06/17/12	91	3.6	<1.5	<7	<3.3
MW3D3	121.9	06/17/12	45	1.5	<1.5	<7	<3.3
MW3D3	122.7	06/17/12	36	1.1	<1.5	<7	<3.3
MW3D3	124.7	06/17/12	120	4.4	<1.5	<7	<3.3
MW3D3	125.7	06/17/12	24	0.37 J	<1.5	<7	<3.3
MW3D3	126.7	06/17/12	53	1.8	<1.5	<7	<3.3
MW3D3	127.5	06/17/12	57	1.7	<1.5	<7	<3.3
MW3D3	128.4	06/17/12	3.8	<0.18	<1.5	<7	<3.3
MW3D3	130	06/17/12	140	4.6	<1.5	9.3 J	<3.3
MW3D3	130.8	06/17/12	180	5.5	<1.5	9.5	<3.3
MW3D3	131.9	06/17/12	11	<0.18	<1.5	<7	<3.3
MW3D3	132.7	06/17/12	51	0.88 J	<1.5	<7	<3.3
MW3D3	133.3	06/17/12	140	3.6	<1.5	7.1	<3.3
MW3D3	135.2	06/17/12	1.9	<0.18	<1.5	<7	<3.3
MW3D3	136.4	06/17/12	0.92	<0.18	<1.5	<7	<3.3
MW3D3	137.8	06/17/12	6.6	<0.18	<1.5	<7	<3.3
MW3D3	139.9	06/17/12	2.7	<0.18	<1.5	<7	<3.3
MW3D3	141.3	06/17/12	9.1	<0.18	<1.5	<7	<3.3
MW3D3	142.3	06/17/12	1.7	<0.18	<1.5	<7	<3.3
MW3D3	143	06/17/12	0.72	<0.18	<1.5	<7	<3.3
MW3D3	144.8	06/18/12	39	0.54 J	<1.5	<7	<3.3
MW3D3	146.1	06/18/12	8.5	<0.18	<1.5	<7	<3.3
MW3D3	147.1	06/18/12	51	1.2	<1.5	<7	<3.3
MW3D3	149.6	06/18/12	13	<0.18	<1.5	<7	<3.3
MW3D3	151	06/18/12	9.7	<0.18	<1.5	<7	<3.3
MW3D3	152	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	153.4	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	154.7	06/18/12	<0.27	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW3D3	156.1	06/18/12	2.7	<0.18	<1.5	<7	<3.3
MW3D3	157.2	06/18/12	8.7	0.37 J	<1.5	<7	<3.3
MW3D3	160	06/18/12	19	0.37 J	<1.5	14	<3.3
MW3D3	161	06/18/12	79	2.6	<1.5	7.5	<3.3
MW3D3	161.9	06/18/12	46	1.3	<1.5	6.3 J	<3.3
MW3D3	164.4	06/18/12	3	<0.18	<1.5	<7	<3.3
MW3D3	165.6	06/18/12	20	0.37 J	<1.5	7.8 J	<3.3
MW3D3	166.6	06/18/12	3.4	<0.18	<1.5	<7	<3.3
MW3D3	167.5	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	169.9	06/18/12	4.9	0.23 J	<1.5	<7	<3.3
MW3D3	170.8	06/18/12	5.4	0.31 J	<1.5	<7	<3.3
MW3D3	171.6	06/18/12	2.4	0.38 J	<1.5	<7	<3.3
MW3D3	172.5	06/18/12	1.7	<0.18	<1.5	<7	<3.3
MW3D3	173.1	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	174.4	06/18/12	5.8	0.38 J	<1.5	<7	<3.3
MW3D3	175.9	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	176.7	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	177.2	06/18/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	180.7	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	181.7	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	182.5	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	184.5	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	185.6	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	186.4	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	187.1	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	189.7	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	190.4	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	191.4	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	192.4	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	193.2	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	195	06/28/12	0.29 J	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW3D3	195.8	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	196.8	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	197.4	06/28/12	0.17 J	<0.18	<1.5	<7	<3.3
MW3D3	199.6	06/28/12	0.30 J	<0.18	<1.5	<7	<3.3
MW3D3	200.6	06/28/12	0.27 J	<0.18	<1.5	<7	<3.3
MW3D3	202	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	203.3	06/28/12	0.20 J	<0.18	<1.5	<7	<3.3
MW3D3	205.2	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	206.1	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	207.1	06/28/12	0.28 J	<0.18	<1.5	<7	<3.3
MW3D3	207.8	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	214.4	06/28/12	2.8	<0.18	<1.5	<7	<3.3
MW3D3	215.7	06/28/12	1.6	<0.18	<1.5	<7	<3.3
MW3D3	216.5	06/28/12	1.5	<0.18	<1.5	<7	<3.3
MW3D3	217.2	06/28/12	1.3	<0.18	<1.5	<7	<3.3
MW3D3	219.6	06/28/12	0.99	<0.18	<1.5	<7	<3.3
MW3D3	220.6	06/28/12	2.3	<0.18	<1.5	<7	<3.3
MW3D3	221.6	06/28/12	1.2	<0.18	<1.5	<7	<3.3
MW3D3	222.5	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	224.6	06/28/12	0.43 J	<0.18	<1.5	<7	<3.3
MW3D3	225.9	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	227	06/28/12	0.27 J	<0.18	<1.5	<7	<3.3
MW3D3	228.3	06/28/12	0.64	<0.18	<1.5	<7	<3.3
MW3D3	229.5	06/28/12	1.4	<0.18	<1.5	<7	<3.3
MW3D3	230.6	06/28/12	0.28 J	<0.18	<1.5	<7	<3.3
MW3D3	231.6	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	232.3	06/28/12	<0.27	<0.18	<1.5	<7	<3.3
MW3D3	233.2	06/28/12	<0.27	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	38.6	06/14/12	13	<0.18	<1.5	<7	<3.3
MW5D3	39.7	06/14/12	36	0.48 J	<1.5	<7	<3.3
MW5D3	41.1	06/14/12	11	<0.18	<1.5	<7	<3.3
MW5D3	41.8	06/14/12	64	1.7	<1.5	<7	<3.3
MW5D3	43.4	06/14/12	59	1.3	<1.5	<7	<3.3
MW5D3	44.2	06/14/12	31	0.46 J	<1.5	<7	<3.3
MW5D3	44.8	06/14/12	3.8	<0.18	<1.5	<7	3.9 J
MW5D3	46.1	06/14/12	4.6	<0.18	<1.5	<7	<3.3
MW5D3	49.8	06/14/12	0.22 J	<0.18	<1.5	<7	<3.3
MW5D3	50.8	06/14/12	0.79	<0.18	<1.5	<7	<3.3
MW5D3	51.1	06/14/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	52.2	06/14/12	0.24 J	<0.18	<1.5	<7	<3.3
MW5D3	52.9	06/14/12	1.3	<0.18	<1.5	<7	<3.3
MW5D3	54.7	06/14/12	0.62 J	<0.18	<1.5	<7	<3.3
MW5D3	56.2	06/14/12	20	1.4	<1.5	4.6 J	<3.3
MW5D3	57	06/14/12	79	5.1	<1.5	16	<3.3
MW5D3	59.7	06/14/12	180	8.8	<1.5	24	<3.3
MW5D3	61.1	06/14/12	140	4	<1.5	<7	<3.3
MW5D3	62.1	06/14/12	210	5.3	<1.5	7.3	<3.3
MW5D3	64.25	06/14/12	85	3.5	<1.5	<7	<3.3
MW5D3	65.3	06/14/12	48	2.5	<1.5	<7	<3.3
MW5D3	66.4	06/14/12	32	1.9	<1.5	<7	<3.3
MW5D3	67	06/14/12	72	4.2	<1.5	<7	<3.3
MW5D3	69.9	06/14/12	1.7	<0.18	<1.5	<7	<3.3
MW5D3	70.8	06/14/12	0.95	<0.18	<1.5	<7	<3.3
MW5D3	74.5	06/14/12	18	2.5	<1.5	<7	<3.3
MW5D3	75.7	06/14/12	56	7.3	<1.5	<7	<3.3
MW5D3	76.6	06/14/12	1	<0.18	<1.5	<7	<3.3
MW5D3	77.8	06/14/12	10	1.5	<1.5	<7	<3.3
MW5D3	78.5	06/14/12	34	4.7	<1.5	<7	<3.3
MW5D3	79.7	06/14/12	44	6.2	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	80.5	06/14/12	35	4.7	<1.5	<7	<3.3
MW5D3	81.9	06/14/12	20	2.5	<1.5	<7	<3.3
MW5D3	82.7	06/14/12	5	0.49 J	<1.5	<7	<3.3
MW5D3	84.6	06/15/12	12	1.4	<1.5	<7	<3.3
MW5D3	85.8	06/15/12	3.3	0.17 J	<1.5	<7	<3.3
MW5D3	86.9	06/15/12	29	3.1	<1.5	<7	<3.3
MW5D3	87.8	06/15/12	0.88	<0.18	<1.5	<7	<3.3
MW5D3	89.3	06/15/12	63	6.3	<1.5	<7	<3.3
MW5D3	90.3	06/15/12	90	9.2	<1.5	<7	<3.3
MW5D3	91.9	06/15/12	95	9.1	<1.5	<7	<3.3
MW5D3	92.9	06/15/12	32	2.8	<1.5	<7	<3.3
MW5D3	94.5	06/15/12	59	5.1	<1.5	<7	<3.3
MW5D3	95.5	06/15/12	39	3	<1.5	<7	<3.3
MW5D3	96.8	06/15/12	100	6.5	<1.5	13	<3.3
MW5D3	97.9	06/15/12	150	8.3	<1.5	20	<3.3
MW5D3	99.4	06/15/12	120	6.2	<1.5	20	<3.3
MW5D3	100.3	06/15/12	0.42 J	<0.18	<1.5	<7	<3.3
MW5D3	100.6	06/15/12	0.78 J	<0.18	<1.5	<7	<3.3
MW5D3	102.2	06/15/12	13	0.58 J	<1.5	<7	<3.3
MW5D3	102.8	06/15/12	130	7.2	<1.5	15	<3.3
MW5D3	104.6	06/15/12	36 J	2.1 J	<1.5 J	<7 J	<3.3 J
MW5D3	106.2	06/15/12	140	5.1	<1.5	15	<3.3
MW5D3	106.7	06/15/12	240	7.5	<1.5	26	<3.3
MW5D3	107.7	06/15/12	170	5.1	<1.5	17	<3.3
MW5D3	109.8	06/15/12	31	0.70 J	<1.5	<7	<3.3
MW5D3	111	06/15/12	46	1.3	<1.5	<7	<3.3
MW5D3	111.9	06/15/12	0.41 J	<0.18	<1.5	<7	<3.3
MW5D3	114.6	06/15/12	1.4	<0.18	<1.5	<7	<3.3
MW5D3	115.4	06/15/12	0.60 J	<0.18	<1.5	<7	<3.3
MW5D3	116.4	06/15/12	0.66 J	<0.18	<1.5	<7	<3.3
MW5D3	116.7	06/15/12	0.47 J	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	117.8	06/15/12	1.6	<0.18	<1.5	<7	<3.3
MW5D3	120.4	06/15/12	54	0.68 J	<1.5	<7	<3.3
MW5D3	121.5	06/15/12	130	2.3	<1.5	<7	<3.3
MW5D3	122	06/15/12	28	0.13 J	<1.5	<7	<3.3
MW5D3	122.8	06/15/12	32	0.20 J	<1.5	<7	<3.3
MW5D3	124.4	06/15/12	65	1	<1.5	<7	<3.3
MW5D3	125.8	06/15/12	82	1.5	<1.5	<7	<3.3
MW5D3	126.3	06/15/12	68	1.2	<1.5	<7	<3.3
MW5D3	127.4	06/15/12	150	3.4	<1.5	<7	<3.3
MW5D3	128	06/15/12	44	0.70 J	<1.5	<7	<3.3
MW5D3	130	06/15/12	96	2.9	<1.5	<7	<3.3
MW5D3	131.1	06/15/12	0.86	<0.18	<1.5	<7	<3.3
MW5D3	131.8	06/15/12	48	1.2	<1.5	<7	<3.3
MW5D3	132.3	06/15/12	31	0.79	<1.5	<7	<3.3
MW5D3	135	06/15/12	12	<0.18	<1.5	<7	<3.3
MW5D3	135.9	06/15/12	4.6	<0.18	<1.5	<7	<3.3
MW5D3	136.9	06/15/12	150	4.4	<1.5	<7	<3.3
MW5D3	137.9	06/15/12	14	<0.18	<1.5	<7	<3.3
MW5D3	139.8	06/15/12	110	3.4	<1.5	<7	<3.3
MW5D3	140.8	06/15/12	14	<0.18	<1.5	<7	<3.3
MW5D3	141.5	06/15/12	5.1	<0.18	<1.5	<7	<3.3
MW5D3	142	06/15/12	1.9	<0.18	<1.5	<7	<3.3
MW5D3	145	06/15/12	30	0.30 J	<1.5	<7	<3.3
MW5D3	146	06/15/12	100	2.3	<1.5	<7	<3.3
MW5D3	147.1	06/15/12	8	<0.18	<1.5	<7	<3.3
MW5D3	148.2	06/15/12	4.4	<0.18	<1.5	<7	<3.3
MW5D3	150.1	06/15/12	20	<0.18	<1.5	<7	<3.3
MW5D3	151.5	06/15/12	71	0.93	<1.5	<7	<3.3
MW5D3	152.5	06/15/12	260	4.2	<1.5	<7	<3.3
MW5D3	153.3	06/15/12	7.5	<0.18	<1.5	<7	<3.3
MW5D3	155	06/15/12	10	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	155.9	06/15/12	3.8	<0.18	<1.5	<7	<3.3
MW5D3	157	06/15/12	6	<0.18	<1.5	<7	<3.3
MW5D3	158	06/15/12	9.6	<0.18	<1.5	<7	<3.3
MW5D3	159.9	06/16/12	3.1	<0.18	<1.5	<7	<3.3
MW5D3	161	06/16/12	4.9	<0.18	<1.5	<7	<3.3
MW5D3	161.8	06/16/12	1.6	<0.18	<1.5	<7	<3.3
MW5D3	162.8	06/16/12	1.1	<0.18	<1.5	<7	<3.3
MW5D3	164.6	06/16/12	2.4	<0.18	<1.5	<7	<3.3
MW5D3	165.4	06/16/12	0.64 J	<0.18	<1.5	<7	<3.3
MW5D3	166.2	06/16/12	4.3	<0.18	<1.5	<7	<3.3
MW5D3	166.7	06/16/12	1.3	<0.18	<1.5	<7	<3.3
MW5D3	167.6	06/16/12	2.4	<0.18	<1.5	<7	<3.3
MW5D3	170.1	06/16/12	4.1	<0.18	<1.5	<7	<3.3
MW5D3	171.4	06/16/12	4	<0.18	<1.5	<7	<3.3
MW5D3	171.9	06/16/12	3.2	<0.18	<1.5	<7	<3.3
MW5D3	173	06/16/12	2.1	<0.18	<1.5	<7	<3.3
MW5D3	174.6	06/16/12	1.9	<0.18	<1.5	<7	<3.3
MW5D3	175.5	06/16/12	1.2	<0.18	<1.5	<7	<3.3
MW5D3	176.9	06/16/12	0.29 J	<0.18	<1.5	<7	<3.3
MW5D3	178.3	06/16/12	1.1	<0.18	<1.5	<7	<3.3
MW5D3	180.5	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	181.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	184.9	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	186.3	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	187.2	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	187.9	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	189.5	06/27/12	0.25 J	<0.18	<1.5	<7	<3.3
MW5D3	190.9	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	191.7	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	192.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	194.6	06/27/12	<0.27	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	195.4	06/27/12	0.40 J	<0.18	<1.5	<7	<3.3
MW5D3	196.3	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	196.8	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	197.9	06/27/12	0.21 J	<0.18	<1.5	<7	<3.3
MW5D3	199.7	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	200.6	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	201.6	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	203	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	204.6	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	205.8	06/27/12	0.24 J	<0.18	<1.5	<7	<3.3
MW5D3	206.2	06/27/12	0.60 J	<0.18	<1.5	<7	<3.3
MW5D3	206.9	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	209.8	06/27/12	0.27 J	<0.18	<1.5	<7	<3.3
MW5D3	211.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	212.2	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	213.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	214.8	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	216.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	219.8	06/27/12	0.25 J	<0.18	<1.5	<7	<3.3
MW5D3	221.2	06/27/12	0.24 J	<0.18	<1.5	<7	<3.3
MW5D3	222.6	06/27/12	0.48 J	<0.18	<1.5	<7	<3.3
MW5D3	224.8	06/27/12	0.26 J	<0.18	<1.5	<7	<3.3
MW5D3	226.3	06/27/12	0.43 J	<0.18	<1.5	<7	<3.3
MW5D3	227.4	06/27/12	0.37 J	<0.18	<1.5	<7	<3.3
MW5D3	228	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	229.5	06/27/12	0.31 J	<0.18	<1.5	<7	<3.3
MW5D3	230.9	06/27/12	0.27 J	<0.18	<1.5	<7	<3.3
MW5D3	232	06/27/12	0.31 J	<0.18	<1.5	<7	<3.3

Footnotes on Page 11.

DRAFT  
Privileged and Confidential

**Summary of Bedrock CORE<sup>DFN</sup> VOC Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Boring ID	Sample Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	Methylene Chloride
MW5D3	233.1	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	234.8	06/27/12	<0.27	<0.18	<1.5	<7	<3.3
MW5D3	236	06/27/12	<0.27	<0.18	<1.5	<7	<3.3

Concentrations reported in micrograms per kilogram.

- CORE<sup>DFN</sup> Characterization of Rock Environments utilizing a Discrete Fracture Network approach.
- J Estimated.
- RCL Residual Contaminant Level.
- VOC Volatile Organic Compound.