Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft	14 - 24 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/08/2010	03/29/2011	04/11/2012	01/15/2013	04/21/2013	07/18/2013	10/09/2013	04/22/2014	10/23/2014	04/14/2015	10/21/2015	10/13/2016	10/04/2017
VOCs															
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	***1.1***	***0.95***	***0.94 J***	***0.84 J***	< 0.31	< 0.31	0.62 J	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	7.5 BJ
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.75 BJ	2.2
cis-1,2-Dichloroethene	7	70	***51***	***58***	***38***	***41***	***23***	***25***	***27***	***25***	***22***	***20***	***8***	3.6	2.8
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 1	< 1	***8.5***	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14
Naphthalene	10	100	< 0.25	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.07 BJ
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***32***	***9***	***23***	***22***	***10***	***11***	***18***	***19***	***16***	***16***	***4.4***	***5.5***	***4***
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053
trans-1,2-Dichloroethene	20	100	0.97	0.93	0.77 J	0.78 J	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	0.22 J	0.16 J
Trichloroethene	0.5	5	***33***	***20***	***24***	***25***	***23***	***18***	***23***	***28***	***19***	***21***	***6.2***	***3.8***	***2***
Vinyl chloride	0.02	0.2	***1.5***	***1.1***	***0.86***	***0.63***	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids															
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/08/2010	03/30/2011	04/11/2012	01/14/2013	04/20/2013	07/18/2013	10/10/2013	04/17/2014	10/16/2014
VOCs											
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
Methylene chloride	0.5	5	< 1	< 1	***8.6***	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	< 0.25	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	***1.6***	***1.3***	***1.2***	***1.3***	***1.3***	***0.81 J***	***1.1***	***1.3***	***1***
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068
Total PCBs											
Aroclor-1016	0.003	0.03	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	ND	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids											
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft	39 - 44 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/08/2010	10/01/2010	03/30/2011	04/11/2012	01/15/2013	04/20/2013	07/18/2013	10/10/2013	04/17/2014	10/16/2014	04/14/2015	10/21/2015	01/25/2016	04/21/2016	07/19/2016	10/13/2016	1/19/2017	04/12/2017	10/04/2017	04/05/2018
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 8	< 0.25	< 4	< 0.31	< 0.5	< 0.5	< 0.25	< 0.25	< 0.25	< 0.50	< 0.25	< 0.46	< 0.55	< 1.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 16	< 0.5	< 8	< 0.26	< 0.4	< 0.4	< 0.2	< 0.2	< 0.20	< 0.40	< 0.20	< 0.38	< 0.50	< 1.0	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 8	< 0.25	< 4	< 0.3	< 0.56	< 0.56	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.35	< 0.50	< 1.0	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 16	< 0.5	< 8	< 0.29	< 0.62	< 0.62	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.39	< 0.70	< 1.4	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 6.4	< 0.2	< 3.2	< 0.22	< 0.28	< 0.28	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.36	< 0.30	< 0.60	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 6.4	< 0.2	< 3.2	< 0.45	< 0.72	< 0.72	< 0.36	< 0.36	< 0.36	< 0.72	< 0.36	< 0.39	< 0.65	< 1.3	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 6.4	< 0.2	< 3.2	< 0.21	< 0.54	< 0.54	< 0.27	< 0.27	< 0.27	< 0.54	< 0.27	< 0.33	0.45 J	< 0.76	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 16	< 0.5	< 8	< 0.36	< 0.4	< 0.4	< 0.2	< 0.2	< 0.20	< 0.40	< 0.20	< 0.43	< 0.50	< 1.0	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 8	< 0.25	< 4	< 0.36	< 0.48	< 0.48	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.46	< 0.23	< 0.45	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	0.050 J
1,2,4-Trichlorobenzene	14	70	< 8	< 0.25	< 4	< 0.22	< 0.62	< 0.62	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.34	0.85 J	< 0.77	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 6.4	< 0.2	< 3.2	< 0.23	< 0.36	< 0.36	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.25	< 0.38	< 0.75	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 15	< 30	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 4.8	< 9.5	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.9	< 7.7	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 17	< 34	< 3.4	< 3.4	< 3.4	15 BJ	< 3.4	< 3.4
Benzene	0.5	5	< 6.4	< 0.2	< 3.2	< 0.12	< 0.15	< 0.15	< 0.074	< 0.074	< 0.074	< 0.15	< 0.074	< 0.15	< 0.45	< 0.89	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 6.4	< 0.2	< 3.2	< 0.23	< 0.34	< 0.34	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.37	< 0.39	< 0.77	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 6.4	< 0.2	< 3.2	< 0.45	< 0.56	< 0.56	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.48	< 0.44	< 0.88	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 16	< 0.5	< 8	< 0.49	< 0.62	< 0.62	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.80	< 3.0	< 5.9	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.27	< 0.53	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 26	< 0.8	< 13	< 0.28	< 0.52	< 0.52	< 0.26	< 0.26	< 0.26	< 0.52	< 0.26	< 0.38	< 0.19	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 6.4	< 0.2	< 3.2	< 0.25	< 0.4	< 0.4	< 0.2	< 0.2	< 0.20	< 0.40	< 0.20	< 0.37	< 0.31	< 0.62	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 9.6	< 0.3	< 4.8	< 0.24	< 0.36	< 0.36	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.32	< 0.80	< 1.6	0.20 J	0.81 BJ	0.33 BJ	0.30 J+	1.4 J	0.28 J+
cis-1,2-Dichloroethene	7	70	< 16	0.67	< 8	< 0.22	< 0.24	< 0.24	< 0.12	< 0.12	< 0.12	< 0.24	< 0.12	< 0.41	< 0.55	< 1.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 16	< 0.5	< 8	< 0.26	< 0.4	< 0.4	< 0.2	< 0.2	< 0.20	< 0.40	< 0.20	< 0.54	< 0.55	< 1.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	0.15 J+
Ethylbenzene	140	700	< 16	< 0.5	< 8	< 0.14	< 0.26	< 0.26	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.18	< 0.27	< 0.54	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 6.4	< 0.2	< 3.2	< 0.21	< 0.28	< 0.28	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.39	< 0.41	< 0.81	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.29	< 0.57	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 16	< 0.5	< 8	< 0.28	< 0.48	< 0.48	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.39	< 0.70	< 1.4	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 32	< 1	< 16	***8.1***	< 1.4	< 1.4	< 0.68	< 0.68	< 0.68	< 1.4	< 0.68	< 1.6	< 0.70	< 1.4	< 0.14	< 0.14	***0.82 BJ***	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 8	< 0.25	< 4	< 0.24	< 0.32	< 0.32	< 0.16	< 0.16	< 0.16	< 0.32	< 0.16	< 0.34	< 0.44	< 0.88	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	0.33 J
n-Butylbenzene	NE	NE	< 6.4	< 0.2	< 3.2	< 0.21	< 0.26	< 0.26	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.39	< 0.70	< 1.4	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 16	< 0.5	< 8	< 0.19	< 0.26	< 0.26	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.41	< 0.50	< 1.0	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.29	< 0.58	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 6.4	< 0.2	< 3.2	< 0.24	< 0.34	< 0.34	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.36	< 0.43	< 0.85	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 8	< 0.25	< 4	< 0.19	< 0.3	< 0.3	< 0.15	< 0.15	< 0.15	< 0.30	< 0.15	< 0.40	< 0.65	< 1.3	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 16	< 0.5	< 8	< 0.26	< 0.2	< 0.2	< 0.1	< 0.1	< 0.10	< 0.20	< 0.10	< 0.39	< 0.33	< 0.65	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 6.4	< 0.2	< 3.2	< 0.24	< 0.28	< 0.28	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.40	< 0.60	< 1.2	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***1400***	***1300***	***1000***	***610***	***720***	***910***	***580***	***440***	***450***	***540***	***250***	***210***	***85***	***290***	***81***	***28***	***22***	***19***	***38***	***29***
Toluene	160	800	< 16	< 0.5	< 8	< 0.15	< 0.22	< 0.22	< 0.11	< 0.11	< 0.11	< 0.22	< 0.11	< 0.15	0.30 J	< 0.53	< 0.053	0.090 J	0.090 BJ	< 0.053	< 0.053	0.060 J
trans-1,2-Dichloroethene	20	100	< 16	< 0.5	< 8	< 0.27	< 0.5	< 0.5	< 0.25	< 0.25	< 0.25	< 0.50	< 0.25	< 0.35	< 0.55	< 1.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Trichloroethene	0.5	5	***20***	***16***	***9.8***	***5.4***	***5.1***	***6.4***	***4.1***	***3***	***2.5***	***2.1***	***1.2***	***0.73***	***0.60 J***	< 0.62	0.24 J	0.10 J	0.12 BJ	0.12 J	0.09 J	< 0.062
Vinyl chloride	0.02	0.2	< 6.4	< 0.2	< 3.2	< 0.13	< 0.2	< 0.2	< 0.1	< 0.1	< 0.10	< 0.20	< 0.10	< 0.20	< 0.80	< 1.6	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 16	< 0.5	< 8	< 0.3	< 0.14	< 0.14	< 0.068	< 0.068	< 0.068	< 0.14	< 0.068	< 0.22	< 0.29	< 0.58	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	< 0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	< 0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S[1]	MW-3S[1,3]	MW-3S	MW-3S[1]	MW-3S[1]	MW-3S	MW-3S	MW-3S[1]	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft	19 - 29 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/07/2010	03/29/2011	04/12/2012	11/30/2012	12/18/2012	12/19/2012	12/28/2012	01/03/2013	01/15/2013	01/15/2013	01/31/2013	02/12/2013	02/12/2013	02/12/2013	02/12/2013	02/28/2013	03/12/2013	04/16/2013	07/16/2013	10/10/2013	04/16/2014	10/22/2014	04/13/2015	10/21/2015	10/13/2016	10/05/2017
VOCs																												
1,1,1,2-Tetrachloroethane	7	70	< 8	< 6.3	< 1.6	< 1.3	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.5	< 0.5	< 1.3	< 0.25	< 1.3	< 0.92	< 2.2	< 2.8
1,1,1-Trichloroethane	40	200	< 16	< 13	< 1.3	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.4	< 0.4	< 1.0	< 0.20	< 1.0	< 0.76	< 2.0	< 2.5
1,1,2-Trichloroethane	0.5	5	< 8	< 6.3	< 1.5	< 1.4	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.56	< 0.56	< 1.4	< 0.28	< 1.4	< 0.70	< 2.0	< 2.5
1,1-Dichloroethene	0.7	7	< 16	< 13	< 1.5	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.62	< 0.62	< 1.6	< 0.31	< 1.6	< 0.78	< 2.8	< 3.5
1,2,4-Trimethylbenzene	96	480	< 6.4	< 5	< 1.1	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.28	< 0.28	< 0.70	< 0.14	< 0.70	< 0.72	< 1.2	< 1.5
1,2-Dibromoethane	0.005	0.05	< 6.4	< 5	< 2.3	< 1.8	NA	NA	NA	NA	NA	< 0.36	NA	NA	NA	< 0.36	< 0.36	NA	< 0.36	< 0.36	< 0.72	< 0.72	< 1.8	< 0.36	< 1.8	< 0.77	< 2.6	< 3.3
1,2-Dichlorobenzene	60	600	< 6.4	< 5	< 1.1	< 1.4	NA	NA	NA	NA	NA	< 0.27	NA	NA	NA	< 0.27	< 0.27	NA	< 0.27	< 0.27	< 0.54	< 0.54	< 1.4	< 0.27	< 1.4	< 0.67	< 1.5	< 1.9
1,2-Dichloropropane	0.5	5	< 16	< 13	< 1.8	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.4	< 0.4	< 1.0	< 0.20	< 1.0	< 0.86	< 2.0	< 2.5
1,2,3-Trichlorobenzene	NE	NE	< 8	< 6.3	< 1.8	< 1.2	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.48	< 0.48	< 1.2	< 0.24	< 1.2	< 0.92	< 0.90	< 1.1
1,2,4-Trichlorobenzene	14	70	< 8	< 6.3	< 1.1	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.62	< 0.62	< 1.6	< 0.31	< 1.6	< 0.68	< 1.5	< 1.9
1,3,5-Trimethylbenzene	96	480	< 6.4	< 5	< 1.2	< 0.9	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.36	< 0.36	< 0.90	< 0.18	< 0.90	< 0.51	< 1.5	< 1.9
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 60	< 75
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 19	< 24
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 15	< 19
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 68	< 85
Benzene	0.5	5	< 6.4	< 5	< 0.6	***1.5 J***	NA	NA	NA	NA	NA	0.42 J	NA	NA	NA	***0.88***	***0.9***	NA	***1***	***0.6***	***0.70 J***	***1***	< 0.37	***0.67***	< 0.37	< 0.29	< 1.8	< 2.2
Bromodichloromethane	0.06	0.6	< 6.4	< 5	< 1.2	< 0.85	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.34	< 0.34	< 0.85	< 0.17	< 0.85	< 0.74	< 1.5	< 1.9
Bromoform	0.44	4.4	< 6.4	< 5	< 2.3	< 1.4	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.56	< 0.56	< 1.4	< 0.28	< 1.4	< 0.97	< 1.8	< 2.2
Bromomethane	1	10	< 16	< 13	< 2.5	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.62	< 0.62	< 1.6	< 0.31	< 1.6	< 1.6	< 12	< 15
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 1.3
Carbon tetrachloride	0.5	5	< 26	< 20	< 1.4	< 1.3	NA	NA	NA	NA	NA	< 0.26	NA	NA	NA	< 0.26	< 0.26	NA	< 0.26	< 0.26	< 0.52	< 0.52	< 1.3	< 0.26	< 1.3	< 0.77	< 0.76	< 0.95
Chloroform	0.6	6	< 6.4	< 5	***3.7 J***	***5***	NA	NA	NA	NA	NA	***1.6***	NA	NA	NA	***3***	***3.2***	NA	***4.1***	***2.7***	***2.8***	***3.7***	***3.4 J***	***2.4***	< 1.0	***3***	< 1.2	< 1.6
Chloromethane	3	30	< 9.6	< 7.5	< 1.2	< 0.9	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.36	< 0.36	< 0.90	< 0.18	< 0.90	< 0.64	***11 BJ***	< 4
cis-1,2-Dichloroethene	7	70	***83***	***37***	***89***	***98***	NA	NA	NA	NA	NA	< 0.12	NA	NA	NA	1.6	1.8	NA	5.0	< 0.12	***14***	***58***	< 0.60	***35***	***54***	***36***	***29***	***20***
Dichlorodifluoromethane	200	1000	< 16	< 13	< 1.3	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.4	< 0.4	< 1.0	< 0.20	< 1.0	< 1.1	< 2.2	< 2.8
Ethylbenzene	140	700	< 16	< 13	< 0.7	< 0.65	NA	NA	NA	NA	NA	0.36 J	NA	NA	NA	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.26	< 0.26	< 0.65	< 0.13	< 0.65	< 0.37	< 1.1	< 1.4
Isopropylbenzene	NE	NE	< 6.4	< 5	< 1.1	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.28	< 0.28	< 0.70	< 0.14	< 0.70	< 0.77	< 1.6	< 2
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 1.4
Methyl tert-butyl ether	12	60	< 16	< 13	< 1.4	< 1.2	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.48	< 0.48	< 1.2	< 0.24	< 1.2	< 0.79	< 2.8	< 3.5
Methylene chloride	0.5	5	< 32	< 25	< 3.2	< 3.4	NA	NA	NA	NA	NA	< 0.68	NA	NA	NA	< 0.68	< 0.68	NA	< 0.68	< 0.68	< 1.4	< 1.4	< 3.4	< 0.68	< 3.4	***17***	< 2.8	< 3.5
Naphthalene	10	100	< 8	< 6.3	< 1.2	< 0.8	NA	NA	NA	NA	NA	< 0.16	NA	NA	NA	< 0.16	< 0.16	NA	< 0.16	< 0.16	< 0.32	< 0.32	< 0.80	< 0.16	< 0.80	< 0.67	< 1.8	< 2.2
n-Butylbenzene	NE	NE	< 6.4	< 5	< 1.1	< 0.65	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.26	< 0.26	< 0.65	< 0.13	< 0.65	< 0.78	< 2.8	< 3.5
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 4.2	< 5.3
n-Propylbenzene	NE	NE	< 16	< 13	< 0.95	< 0.65	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.26	< 0.26	< 0.65	< 0.13	< 0.65	< 0.83	< 2.0	< 2.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.2	< 1.5
p-Isopropyltoluene	NE	NE	< 6.4	< 5	< 1.2	< 0.85	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.34	< 0.34	< 0.85	< 0.17	< 0.85	< 0.72	< 1.7	< 2.1
sec-Butylbenzene	NE	NE	< 8	< 6.3	< 0.95	< 0.75	NA	NA	NA	NA	NA	< 0.15	NA	NA	NA	< 0.15	< 0.15	NA	< 0.15	< 0.15	< 0.3	< 0.3	< 0.75	< 0.15	< 0.75	< 0.80	< 2.6	< 3.3
Styrene	10	100	< 16	< 13	< 1.3	< 0.5	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.1	< 0.1	NA	< 0.1	< 0.1	< 0.2	< 0.2	< 0.50	< 0.10	< 0.50	< 0.77	< 1.3	< 1.6
tert-Butylbenzene	NE	NE	< 6.4	< 5	< 1.2	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.28	< 0.28	< 0.70	< 0.14	< 0.70	< 0.80	< 2.4	< 3
Tetrachloroethene	0.5	5	***2000***	***1100***	***1600***	***2400***	NA	NA	NA	NA	NA	***88***	NA	NA	NA	***600***	***600***	NA	***750***	***20***	***840***	***1000***	***630***	***770***	***1300***	***1300***	***860***	***690 B***
Toluene	160	800	< 16	< 13	< 0.75	< 0.55	NA	NA	NA	NA	NA	0.38 J	NA	NA	NA	< 0.11	< 0.11	NA	< 0.11	< 0.11	< 0.22	< 0.22	< 0.55	< 0.11	< 0.55	< 0.30	< 1.1	< 1.3
trans-1,2-Dichloroethene	20	100	< 16	< 13	5.4	6.0	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.5	4.9	< 1.3	2.7	< 1.3	3.1	3.4 J	< 2.8
Trichloroethene	0.5	5	***130***	***66***	***120***	***160***	NA	NA	NA	NA	NA	< 0.19	NA	NA	NA	***6.8***	***6.7***	NA	***16***	< 0.19	***26***	***100***	***6.9***	***82***	***120***	***90***	***86***	***65***
Vinyl chloride	0.02	0.2	< 6.4	< 5	< 0.65	< 0.5	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.1	< 0.1	NA	< 0.1	< 0.1	< 0.2	< 0.2	< 0.50	< 0.10	< 0.50	< 0.41	< 3.2	< 4
Xylenes, Total	400	2000	< 16	< 13	< 1.5	< 0.34	NA	NA	NA	NA	NA	2.4	NA	NA	NA	< 0.068	< 0.068	NA	< 0.068	< 0.068	< 0.14	< 0.14	< 0.34	< 0.068	< 0.34	< 0.44	< 1.2	< 2.9
Total PCBs																												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																												
Total Dissolved Solids	NE	NE	NA	NA	NA	2500	12000	7100	3400	3800	2700	3400	4700	8600	8200	NA	NA	13000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/07/2010	10/01/2010	03/30/2011	04/12/2012	11/30/2012	12/19/2012	12/28/2012	01/03/2013	01/16/2013	01/31/2013	02/12/2013	02/12/2013	02/28/2013	03/13/2013	04/16/2013
VOCs																	
1,1,1,2-Tetrachloroethane	7	70	< 8	< 0.25	< 5	< 0.31	< 1.3	NA	NA	NA	< 0.25	NA	NA	< 0.25	NA	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 16	< 0.5	< 10	< 0.26	< 1	NA	NA	NA	< 0.2	NA	NA	< 0.2	NA	< 0.2	< 0.2
1,1,2-Trichloroethane	0.5	5	< 8	< 0.25	< 5	< 0.3	< 1.4	NA	NA	NA	< 0.28	NA	NA	< 0.28	NA	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 16	< 0.5	< 10	< 0.29	< 1.6	NA	NA	NA	< 0.31	NA	NA	< 0.31	NA	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 6.4	< 0.2	< 4	< 0.22	< 0.7	NA	NA	NA	< 0.14	NA	NA	< 0.14	NA	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 6.4	< 0.2	< 4	< 0.45	< 1.8	NA	NA	NA	< 0.36	NA	NA	< 0.36	NA	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 6.4	< 0.2	< 4	< 0.21	< 1.4	NA	NA	NA	< 0.27	NA	NA	< 0.27	NA	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 16	< 0.5	< 10	< 0.36	< 1	NA	NA	NA	< 0.2	NA	NA	< 0.2	NA	< 0.2	< 0.2
1,2,3-Trichlorobenzene	NE	NE	< 8	< 0.25	< 5	< 0.36	< 1.2	NA	NA	NA	< 0.24	NA	NA	< 0.24	NA	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 8	< 0.25	< 5	< 0.22	< 1.6	NA	NA	NA	< 0.31	NA	NA	< 0.31	NA	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 6.4	< 0.2	< 4	< 0.23	< 0.9	NA	NA	NA	< 0.18	NA	NA	< 0.18	NA	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 6.4	0.31	< 4	0.39 J	< 0.37	NA	NA	NA	0.32 J	NA	NA	0.29 J	NA	< 0.074	0.27 J
Bromodichloromethane	0.06	0.6	< 6.4	< 0.2	< 4	< 0.23	< 0.85	NA	NA	NA	< 0.17	NA	NA	< 0.17	NA	< 0.17	< 0.17
Bromoform	0.44	4.4	< 6.4	< 0.2	< 4	< 0.45	< 1.4	NA	NA	NA	< 0.28	NA	NA	< 0.28	NA	< 0.28	< 0.28
Bromomethane	1	10	< 16	< 0.5	< 10	< 0.49	< 1.6	NA	NA	NA	< 0.31	NA	NA	< 0.31	NA	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 26	< 0.8	< 16	< 0.28	< 1.3	NA	NA	NA	< 0.26	NA	NA	< 0.26	NA	< 0.26	< 0.26
Chloroform	0.6	6	< 6.4	***0.78***	< 4	***0.93 J***	< 1	NA	NA	NA	***0.89 J***	NA	NA	< 0.2	NA	< 0.2	< 0.2
Chloromethane	3	30	< 9.6	< 0.3	< 6	< 0.24	< 0.9	NA	NA	NA	< 0.18	NA	NA	< 0.18	NA	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	***510***	***310***	***300***	***350***	***520***	NA	NA	NA	***290***	NA	NA	***200***	NA	***54***	***210***
Dichlorodifluoromethane	200	1000	< 16	< 0.5	< 10	< 0.26	< 1	NA	NA	NA	< 0.2	NA	NA	< 0.2	NA	< 0.2	< 0.2
Ethylbenzene	140	700	< 16	< 0.5	< 10	< 0.14	< 0.65	NA	NA	NA	< 0.13	NA	NA	< 0.13	NA	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 6.4	< 0.2	< 4	< 0.21	< 0.7	NA	NA	NA	< 0.14	NA	NA	< 0.14	NA	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 16	< 0.5	< 10	< 0.28	< 1.2	NA	NA	NA	< 0.24	NA	NA	< 0.24	NA	< 0.24	< 0.24
Methylene chloride	0.5	5	< 32	< 1	< 20	< 0.63	< 3.4	NA	NA	NA	< 0.68	NA	NA	< 0.68	NA	< 0.68	< 0.68
Naphthalene	10	100	< 8	< 0.25	< 5	< 0.24	< 0.8	NA	NA	NA	< 0.16	NA	NA	< 0.16	NA	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 6.4	< 0.2	< 4	< 0.21	< 0.65	NA	NA	NA	< 0.13	NA	NA	< 0.13	NA	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 16	< 0.5	< 10	< 0.19	< 0.65	NA	NA	NA	< 0.13	NA	NA	< 0.13	NA	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 6.4	< 0.2	< 4	< 0.24	< 0.85	NA	NA	NA	< 0.17	NA	NA	< 0.17	NA	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 8	< 0.25	< 5	< 0.19	< 0.75	NA	NA	NA	< 0.15	NA	NA	< 0.15	NA	< 0.15	< 0.15
Styrene	10	100	< 16	< 0.5	< 10	< 0.26	< 0.5	NA	NA	NA	< 0.1	NA	NA	< 0.1	NA	< 0.1	< 0.1
tert-Butylbenzene	NE	NE	< 6.4	< 0.2	< 4	< 0.24	< 0.7	NA	NA	NA	< 0.14	NA	NA	< 0.14	NA	< 0.14	< 0.14
Tetrachloroethene	0.5	5	***1700***	***1500***	***1200***	***1100***	***1800***	NA	NA	NA	***660***	NA	NA	***760***	NA	***150***	***740***
Toluene	160	800	< 16	< 0.5	< 10	< 0.15	< 0.55	NA	NA	NA	< 0.11	NA	NA	< 0.11	NA	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 16	6.6	< 10	5.9	7.7	NA	NA	NA	6.0	NA	NA	4.0	NA	1.1	4.2
Trichloroethene	0.5	5	***270***	***200***	***170***	***160***	***250***	NA	NA	NA	***140***	NA	NA	***130***	NA	***30***	***120***
Vinyl chloride	0.02	0.2	< 6.4	< 0.2	< 4	< 0.13	< 0.5	NA	NA	NA	< 0.1	NA	NA	< 0.1	NA	< 0.1	< 0.1
Xylenes, Total	400	2000	< 16	< 0.5	< 10	< 0.3	< 0.34	NA	NA	NA	< 0.068	NA	NA	< 0.068	NA	< 0.068	< 0.068
Total PCBs																	
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	< 0.096	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA
Dissolved PCBs																	
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																	
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	1700	2100	2400	2200	2000	480	4400	4200	5200	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D[3]	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft	48 - 53 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	07/16/2013	10/10/2013	04/18/2014	10/16/2014	04/14/2015	10/21/2015	01/25/2016	04/22/2016	04/22/2016	07/20/2016	10/13/2016	1/19/2017	04/12/2017	10/05/2017	04/06/2018	04/06/2018
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 0.25	< 0.50	< 0.50	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 1.1
1,1,1-Trichloroethane	40	200	< 0.4	< 0.2	< 0.40	< 0.40	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 1.0
1,1,2-Trichloroethane	0.5	5	< 0.56	< 0.28	< 0.56	< 0.56	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 1.0
1,1-Dichloroethene	0.7	7	< 0.62	< 0.31	< 0.62	< 0.62	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 1.4
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.14	< 0.28	< 0.28	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060	< 0.60
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.36	< 0.72	< 0.72	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 1.3
1,2-Dichlorobenzene	60	600	< 0.54	< 0.27	< 0.54	< 0.54	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.76
1,2-Dichloropropane	0.5	5	< 0.4	< 0.2	< 0.40	< 0.40	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 1.0
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.24	< 0.48	< 0.48	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	0.18 BJ	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.45
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.31	< 0.62	< 0.62	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	0.16 BJ	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.77
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.18	< 0.36	< 0.36	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.75
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	< 3.0	4.0 J	5.7 J	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0	< 30
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 9.5
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 7.7
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	< 3.4	14 J	15 J	< 3.4	12 J	33	18 BJ	40	7.5 J+	42 J+
Benzene	0.5	5	< 0.15	0.36 J	< 0.15	***0.55 J***	0.40 J	< 0.15	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	0.36 BJ	0.34 J	0.38 J	0.21 J	< 0.89
Bromodichloromethane	0.06	0.6	< 0.34	< 0.17	< 0.34	< 0.34	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.77
Bromoform	0.44	4.4	< 0.56	< 0.28	< 0.56	< 0.56	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.88
Bromomethane	1	10	< 0.62	< 0.31	< 0.62	< 0.62	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 5.9
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	0.18 J	0.44 J	0.38 J	0.39 J	0.14 J	< 0.053	< 0.053	< 0.53
Carbon tetrachloride	0.5	5	< 0.52	< 0.26	< 0.52	< 0.52	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.38
Chloroform	0.6	6	< 0.4	***0.85 J***	< 0.40	< 0.40	***0.88 J***	***0.90 J***	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	0.19 BJ	< 0.062	0.43 J	0.39 J	***0.90 J***
Chloromethane	3	30	< 0.36	< 0.18	< 0.36	< 0.36	< 0.18	< 0.32	< 0.16	< 0.16	< 0.16	< 0.16	0.31 BJ	0.30 BJ	0.18 J+	2.1	< 0.16	< 1.6
cis-1,2-Dichloroethene	7	70	***200***	***180***	***170***	***170***	***82***	***48***	0.87	0.77	0.69	***13***	3.6	***7.3***	***10***	1.7	***44***	***43***
Dichlorodifluoromethane	200	1000	< 0.4	< 0.2	< 0.40	< 0.40	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 1.1
Ethylbenzene	140	700	< 0.26	< 0.13	< 0.26	< 0.26	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.54
Isopropylbenzene	NE	NE	< 0.28	< 0.14	< 0.28	< 0.28	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	0.11 J	0.12 J	< 0.81
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	0.060 J	< 0.57
Methyl tert-butyl ether	12	60	< 0.48	< 0.24	< 0.48	< 0.48	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 1.4
Methylene chloride	0.5	5	< 1.4	< 0.68	< 1.4	< 1.4	< 0.68	< 1.6	0.33 J	< 0.14	< 0.14	< 0.14	0.31 J	0.45 BJ	< 0.14	< 0.14	< 0.14	***1.5 J+***
Naphthalene	10	100	< 0.32	< 0.16	< 0.32	< 0.32	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	0.31 BJ	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.88
n-Butylbenzene	NE	NE	< 0.26	< 0.13	< 0.26	< 0.26	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 1.4
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	0.21 J	< 0.21	< 0.21	< 2.1
n-Propylbenzene	NE	NE	< 0.26	< 0.13	< 0.26	< 0.26	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 1.0
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.58
p-Isopropyltoluene	NE	NE	< 0.34	< 0.17	< 0.34	< 0.34	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.85
sec-Butylbenzene	NE	NE	< 0.3	< 0.15	< 0.30	< 0.30	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 1.3
Styrene	10	100	< 0.2	< 0.1	< 0.20	< 0.20	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065	0.15 J	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.65
tert-Butylbenzene	NE	NE	< 0.28	< 0.14	< 0.28	< 0.28	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 1.2
Tetrachloroethene	0.5	5	***920***	***620***	***730***	***1100***	***850***	***140***	***3.5***	***2.3***	***1.8***	***4.1***	***13***	***5.4 B***	0.43 BJ	***13 B***	***310***	***330***
Toluene	160	800	< 0.22	< 0.11	< 0.22	< 0.22	< 0.11	< 0.15	0.12 J	< 0.053	< 0.053	0.11 J	< 0.053	0.44 BJ	0.10 J	< 0.053	0.10 J	< 0.53
trans-1,2-Dichloroethene	20	100	4.8	5.2	6.4	9.3	4.3	3.1	< 0.11	< 0.11	< 0.11	0.17 J	< 0.11	< 0.11	< 0.11	< 0.11	3.4 J	4.3 J+
Trichloroethene	0.5	5	***130***	***100***	***130***	***170***	***92***	***51***	***0.86***	***0.63***	***0.5***	***2.2***	***3.9***	***11***	***4.4***	***2***	***43***	***40***
Vinyl chloride	0.02	0.2	< 0.2	< 0.1	< 0.20	< 0.20	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	***0.56***	< 1.6
Xylenes, Total	400	2000	< 0.14	< 0.068	< 0.14	< 0.14	< 0.068	< 0.22	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12	< 1.2
Total PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3D2	MW-3D2	MW-3D2	MW-3D2	MW-3D2	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2	MW-3D2	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[1]	MW-3D2[1]	MW-3D2[3]	MW-3D2
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/31/2009	04/07/2010	07/01/2010	10/01/2010	03/30/2011	04/12/2012	04/12/2012	11/30/2012	11/30/2012	12/19/2012	12/28/2012	01/03/2013	01/16/2013	01/16/2013	01/31/2013	02/12/2013	02/12/2013	02/28/2013	03/13/2013	04/16/2013	04/16/2013	07/16/2013
VOCs																								
1,1,1,2-Tetrachloroethane	7	70	< 6.3	< 13	< 13	< 0.25	< 13	< 1.6	< 1.6	< 1.3	< 1.3	NA	NA	NA	< 0.5	< 0.5	NA	< 0.25	< 0.5	NA	< 0.25	< 0.25	< 0.5	< 0.25
1,1,1-Trichloroethane	40	200	< 13	< 25	< 25	< 0.5	< 25	< 1.3	< 1.3	< 1	< 1	NA	NA	NA	< 0.4	< 0.4	NA	< 0.2	< 0.4	NA	< 0.2	< 0.2	< 0.4	< 0.2
1,1,2-Trichloroethane	0.5	5	< 6.3	< 13	< 13	< 0.25	< 13	< 1.5	< 1.5	< 1.4	< 1.4	NA	NA	NA	< 0.56	< 0.56	NA	< 0.28	< 0.56	NA	< 0.28	< 0.28	< 0.56	< 0.28
1,1-Dichloroethene	0.7	7	< 13	< 25	< 25	< 0.5	< 25	< 1.5	< 1.5	< 1.6	< 1.6	NA	NA	NA	< 0.62	< 0.62	NA	< 0.31	< 0.62	NA	< 0.31	< 0.31	< 0.62	< 0.31
1,2,4-Trimethylbenzene	96	480	< 5	< 10	< 10	< 0.2	< 10	< 1.1	< 1.1	< 0.7	< 0.7	NA	NA	NA	< 0.28	< 0.28	NA	< 0.14	< 0.28	NA	< 0.14	< 0.14	< 0.28	< 0.14
1,2-Dibromoethane	0.005	0.05	< 5	< 10	< 10	< 0.2	< 10	< 2.3	< 2.3	< 1.8	< 1.8	NA	NA	NA	< 0.72	< 0.72	NA	< 0.36	< 0.72	NA	< 0.36	< 0.36	< 0.72	< 0.36
1,2-Dichlorobenzene	60	600	< 5	< 10	< 10	< 0.2	< 10	< 1.1	< 1.1	< 1.4	< 1.4	NA	NA	NA	< 0.54	< 0.54	NA	< 0.27	< 0.54	NA	< 0.27	< 0.27	< 0.54	< 0.27
1,2-Dichloropropane	0.5	5	< 13	< 25	< 25	< 0.5	< 25	< 1.8	< 1.8	< 1	< 1	NA	NA	NA	< 0.4	< 0.4	NA	< 0.2	< 0.4	NA	< 0.2	< 0.2	< 0.4	< 0.2
1,2,3-Trichlorobenzene	NE	NE	< 6.3	< 13	< 13	< 0.25	< 13	< 1.8	< 1.8	< 1.2	< 1.2	NA	NA	NA	< 0.48	< 0.48	NA	< 0.24	< 0.48	NA	< 0.24	< 0.24	< 0.48	< 0.24
1,2,4-Trichlorobenzene	14	70	< 6.3	< 13	< 13	< 0.25	< 13	< 1.1	< 1.1	< 1.6	< 1.6	NA	NA	NA	< 0.62	< 0.62	NA	< 0.31	< 0.62	NA	< 0.31	< 0.31	< 0.62	< 0.31
1,3,5-Trimethylbenzene	96	480	< 5	< 10	< 10	< 0.2	< 10	< 1.2	< 1.2	< 0.9	< 0.9	NA	NA	NA	< 0.36	< 0.36	NA	< 0.18	< 0.36	NA	< 0.18	< 0.18	< 0.36	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 5	< 10	< 10	< 0.2	< 10	< 0.6	< 0.6	< 0.37	< 0.37	NA	NA	NA	< 0.15	< 0.15	NA	< 0.074	< 0.15	NA	< 0.074	< 0.074	< 0.15	< 0.074
Bromodichloromethane	0.06	0.6	< 5	< 10	< 10	< 0.2	< 10	< 1.2	< 1.2	< 0.85	< 0.85	NA	NA	NA	< 0.34	< 0.34	NA	< 0.17	< 0.34	NA	< 0.17	< 0.17	< 0.34	< 0.17
Bromoform	0.44	4.4	< 5	< 10	< 10	< 0.2	< 10	< 2.3	< 2.3	< 1.4	< 1.4	NA	NA	NA	< 0.56	< 0.56	NA	< 0.28	< 0.56	NA	< 0.28	< 0.28	< 0.56	< 0.28
Bromomethane	1	10	< 13	< 25	< 25	< 0.5	< 25	< 2.5	< 2.5	< 1.6	< 1.6	NA	NA	NA	< 0.62	< 0.62	NA	< 0.31	< 0.62	NA	< 0.31	< 0.31	< 0.62	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 20	< 40	< 40	< 0.8	< 40	< 1.4	< 1.4	< 1.3	< 1.3	NA	NA	NA	< 0.52	< 0.52	NA	< 0.26	< 0.52	NA	< 0.26	< 0.26	< 0.52	< 0.26
Chloroform	0.6	6	< 5	< 10	< 10	0.37	< 10	< 1.3	< 1.3	< 1	< 1	NA	NA	NA	< 0.4	< 0.4	NA	< 0.2	< 0.4	NA	< 0.2	< 0.2	< 0.4	< 0.2
Chloromethane	3	30	< 7.5	< 15	< 15	< 0.3	< 15	< 1.2	< 1.2	< 0.9	< 0.9	NA	NA	NA	< 0.36	< 0.36	NA	< 0.18	< 0.36	NA	< 0.18	< 0.18	< 0.36	< 0.18
cis-1,2-Dichloroethene	7	70	***520***	***510***	***460***	***400***	***440***	***440***	***440***	***420***	***400***	NA	NA	NA	***320***	***300***	NA	***250***	***260***	NA	***100***	***45***	< 0.24	***10***
Dichlorodifluoromethane	200	1000	< 13	< 25	< 25	< 0.5	< 25	< 1.3	< 1.3	< 1	< 1	NA	NA	NA	< 0.4	< 0.4	NA	< 0.2	< 0.4	NA	< 0.2	< 0.2	< 0.4	< 0.2
Ethylbenzene	140	700	< 13	< 25	< 25	< 0.5	< 25	< 0.7	< 0.7	< 0.65	< 0.65	NA	NA	NA	< 0.26	< 0.26	NA	< 0.13	< 0.26	NA	< 0.13	< 0.13	< 0.26	< 0.13
Isopropylbenzene	NE	NE	< 5	< 10	< 10	< 0.2	< 10	< 1.1	< 1.1	< 0.7	< 0.7	NA	NA	NA	< 0.28	< 0.28	NA	< 0.14	< 0.28	NA	< 0.14	< 0.14	< 0.28	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 13	< 25	< 25	< 0.5	< 25	< 1.4	< 1.4	< 1.2	< 1.2	NA	NA	NA	< 0.48	< 0.48	NA	< 0.24	< 0.48	NA	< 0.24	< 0.24	< 0.48	< 0.24
Methylene chloride	0.5	5	< 25	< 50	< 50	< 1	< 50	< 3.2	< 3.2	< 3.4	< 3.4	NA	NA	NA	< 1.4	< 1.4	NA	***7.3***	< 1.4	NA	< 0.68	< 0.68	< 1.4	< 0.68
Naphthalene	10	100	< 6.3	< 13	***240***	< 0.25	***13***	< 1.2	< 1.2	< 0.8	< 0.8	NA	NA	NA	< 0.32	< 0.32	NA	< 0.16	< 0.32	NA	< 0.16	< 0.16	< 0.32	< 0.16
n-Butylbenzene	NE	NE	< 5	< 10	< 10	< 0.2	< 10	< 1.1	< 1.1	< 0.65	< 0.65	NA	NA	NA	< 0.26	< 0.26	NA	< 0.13	< 0.26	NA	< 0.13	< 0.13	< 0.26	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 13	< 25	< 25	< 0.5	< 25	< 0.95	< 0.95	< 0.65	< 0.65	NA	NA	NA	< 0.26	< 0.26	NA	< 0.13	< 0.26	NA	< 0.13	< 0.13	< 0.26	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 5	< 10	< 10	< 0.2	< 10	< 1.2	< 1.2	< 0.85	< 0.85	NA	NA	NA	< 0.34	< 0.34	NA	< 0.17	< 0.34	NA	< 0.17	< 0.17	< 0.34	< 0.17
sec-Butylbenzene	NE	NE	< 6.3	< 13	< 13	< 0.25	< 13	< 0.95	< 0.95	< 0.75	< 0.75	NA	NA	NA	< 0.3	< 0.3	NA	< 0.15	< 0.3	NA	< 0.15	< 0.15	< 0.3	< 0.15
Styrene	10	100	< 13	< 25	< 25	< 0.5	< 25	< 1.3	< 1.3	< 0.5	< 0.5	NA	NA	NA	< 0.2	< 0.2	NA	< 0.1	< 0.2	NA	< 0.1	< 0.1	< 0.2	< 0.1
tert-Butylbenzene	NE	NE	< 5	< 10	< 10	< 0.2	< 10	< 1.2	< 1.2	< 0.7	< 0.7	NA	NA	NA	< 0.28	< 0.28	NA	< 0.14	< 0.28	NA	< 0.14	< 0.14	< 0.28	< 0.14
Tetrachloroethene	0.5	5	***4900***	***4400***	***3900***	***3900***	***3800***	***2600***	***2600***	***2800***	***2800***	NA	NA	NA	***1200***	***1100***	NA	***1700***	***1700***	NA	***800***	***850***	***710***	***440***
Toluene	160	800	< 13	< 25	< 25	< 0.5	< 25	< 0.75	< 0.75	< 0.55	< 0.55	NA	NA	NA	< 0.22	< 0.22	NA	< 0.11	< 0.22	NA	< 0.11	< 0.11	< 0.22	< 0.11
trans-1,2-Dichloroethene	20	100	< 13	< 25	< 25	7.0	< 25	6.4	5.8	5.6	5.6	NA	NA	NA	4.9	4.5	NA	3.2	3.5	NA	0.62 J	< 0.25	< 0.5	< 0.25
Trichloroethene	0.5	5	***280***	***240***	***240***	***240***	***230***	***190***	***190***	***190***	***180***	NA	NA	NA	***110***	***120***	NA	***120***	***120***	NA	***50***	***24***	< 0.38	***8.7***
Vinyl chloride	0.02	0.2	< 5	< 10	< 10	***0.65***	< 10	< 0.65	< 0.65	< 0.5	< 0.5	NA	NA	NA	< 0.2	< 0.2	NA	***0.22 J***	< 0.2	NA	< 0.1	< 0.1	< 0.2	< 0.1
Xylenes, Total	400	2000	< 13	< 25	< 25	< 0.5	< 25	< 1.5	< 1.5	< 0.34	< 0.34	NA	NA	NA	< 0.14	< 0.14	NA	< 0.068	< 0.14	NA	< 0.068	< 0.068	< 0.14	< 0.068
Total PCBs																								
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.093	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																								
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																								
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	730	730	1300	1800	1500	1000	NA	870	720	NA	1300	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2[3]	MW-3D2	MW-3D2	MW-3D2	MW-3D2
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft	76 - 81 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	07/16/2013	10/10/2013	10/10/2013	04/16/2014	04/16/2014	10/23/2014	10/23/2014	04/14/2015	04/14/2015	10/22/2015	10/22/2015	01/25/2016	01/25/2016	04/22/2016	07/20/2016	07/20/2016	10/13/2016	10/13/2016	1/19/2017	04/12/2017	10/05/2017	04/06/2018
VOCs																								
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 0.25	< 0.25	< 1.3	< 1.3	< 0.50	< 0.50	< 1.3	< 1.3	< 4.6	< 4.6	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.4	< 0.2	< 0.2	< 1.0	< 1.0	< 0.40	< 0.40	< 1.0	< 1.0	< 3.8	< 3.8	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.56	< 0.28	< 0.28	< 1.4	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 3.5	< 3.5	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.62	< 0.31	< 0.31	< 1.6	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 3.9	< 3.9	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	0.26 J
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.14	< 0.14	< 0.70	< 0.70	< 0.28	< 0.28	< 0.70	< 0.70	< 3.6	< 3.6	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.36	< 0.36	< 1.8	< 1.8	< 0.72	< 0.72	< 1.8	< 1.8	< 3.9	< 3.9	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.54	< 0.27	< 0.27	< 1.4	< 1.4	< 0.54	< 0.54	< 1.4	< 1.4	< 3.3	< 3.3	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.4	< 0.2	< 0.2	< 1.0	< 1.0	< 0.40	< 0.40	< 1.0	< 1.0	< 4.3	< 4.3	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.24	< 0.24	< 1.2	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 4.6	< 4.6	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.31	< 0.31	< 1.6	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 3.4	< 3.4	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.18	< 0.18	< 0.90	< 0.90	< 0.36	< 0.36	< 0.90	< 0.90	< 2.5	< 2.5	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	2.0 J	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	14 BJ	25	< 3.4
Benzene	0.5	5	< 0.15	< 0.074	< 0.074	< 0.37	< 0.37	< 0.15	< 0.15	< 0.37	< 0.37	< 1.5	< 1.5	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.34	< 0.17	< 0.17	< 0.85	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 3.7	< 3.7	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.56	< 0.28	< 0.28	< 1.4	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 4.8	< 4.8	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.62	< 0.31	< 0.31	< 1.6	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 8.0	< 8.0	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	< 0.053	0.14 J	0.35 J	< 0.053	0.22 J	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.52	< 0.26	< 0.26	< 1.3	< 1.3	< 0.52	< 0.52	< 1.3	< 1.3	< 3.8	< 3.8	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.4	< 0.2	< 0.2	< 1.0	< 1.0	< 0.40	< 0.40	< 1.0	< 1.0	< 3.7	< 3.7	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	0.19 J
Chloromethane	3	30	< 0.36	< 0.18	< 0.18	< 0.90	< 0.90	< 0.36	< 0.36	< 0.90	< 0.90	< 3.2	< 3.2	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	0.75 BJ	0.63 J	0.52 BJ	< 0.16	***5.1***	< 0.16
cis-1,2-Dichloroethene	7	70	***11***	***21***	***20***	***210***	***220***	***230***	***240***	***270***	***230***	***230***	***220***	2.5	2.5	0.84	3.0	3.6	***15***	***17***	***30***	2.1	***34***	***33***
Dichlorodifluoromethane	200	1000	< 0.4	< 0.2	< 0.2	< 1.0	< 1.0	< 0.40	< 0.40	< 1.0	< 1.0	< 5.4	< 5.4	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	1.0
Ethylbenzene	140	700	< 0.26	< 0.13	< 0.13	< 0.65	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 1.8	< 1.8	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.28	< 0.14	< 0.14	< 0.70	< 0.70	< 0.28	< 0.28	< 0.70	< 0.70	< 3.9	< 3.9	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	0.080 J
Methyl tert-butyl ether	12	60	< 0.48	< 0.24	< 0.24	< 1.2	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 3.9	< 3.9	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 1.4	< 0.68	< 0.68	< 3.4	< 3.4	< 1.4	< 1.4	< 3.4	< 3.4	< 16	< 16	0.31 J	0.19 J	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	***0.68 BJ***	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 0.32	< 0.16	< 0.16	< 0.80	< 0.80	< 0.32	< 0.32	< 0.80	< 0.80	< 3.4	< 3.4	< 0.088	< 0.088	< 0.088	0.11 BJ	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	0.09 BJ	< 0.088
n-Butylbenzene	NE	NE	< 0.26	< 0.13	< 0.13	< 0.65	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 3.9	< 3.9	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.26	< 0.13	< 0.13	< 0.65	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 4.1	< 4.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.34	< 0.17	< 0.17	< 0.85	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 3.6	< 3.6	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.3	< 0.15	< 0.15	< 0.75	< 0.75	< 0.30	< 0.30	< 0.75	< 0.75	< 4.0	< 4.0	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.2	< 0.1	< 0.1	< 0.50	< 0.50	< 0.20	< 0.20	< 0.50	< 0.50	< 3.9	< 3.9	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.28	< 0.14	< 0.14	< 0.70	< 0.70	< 0.28	< 0.28	< 0.70	< 0.70	< 4.0	< 4.0	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***840***	***150***	***150***	***1800***	***1700***	***1700***	***1700***	***1800***	***1800***	***2200***	***2200***	***12***	***13***	***7.4***	***18***	***19***	***20***	***18***	***14***	***2.3 B***	***0.92 B***	***610***
Toluene	160	800	< 0.22	< 0.11	< 0.11	< 0.55	< 0.55	< 0.22	< 0.22	< 0.55	< 0.55	< 1.5	< 1.5	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	0.11 BJ	< 0.053	< 0.053	0.080 J
trans-1,2-Dichloroethene	20	100	< 0.5	0.52 J	< 0.25	3.1 J	3.9 J	3.0	3.3	4.6 J	< 1.3	< 3.5	< 3.5	< 0.11	0.11 J	< 0.11	0.13 J	0.13 J	0.22 J	0.17 J	0.22 J	< 0.11	0.28 J	0.68
Trichloroethene	0.5	5	***12***	***9.8***	***9.9***	***120***	***130***	***140***	***140***	***160***	***140***	***130***	***130***	***2.4***	***2.5***	***0.84***	***2.4***	***2.7***	***6.7***	***7.2***	***19***	***4.4***	***0.8***	***86***
Vinyl chloride	0.02	0.2	< 0.2	< 0.1	< 0.1	< 0.50	< 0.50	< 0.20	< 0.20	< 0.50	< 0.50	< 2.0	< 2.0	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	***0.17 J***	< 0.16	< 0.16	< 0.16	***0.30 J***
Xylenes, Total	400	2000	< 0.14	< 0.068	< 0.068	< 0.34	< 0.34	< 0.14	< 0.14	< 0.34	< 0.34	< 2.2	< 2.2	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																								
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																								
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																								
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-3D3	MW-3D3[3]	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3	MW-3D3
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft	214 - 224 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	07/24/2012	07/24/2012	11/27/2012	12/19/2012	12/31/2012	01/03/2013	01/18/2013	01/31/2013	02/15/2013	02/27/2013	03/13/2013	04/19/2013	07/16/2013	10/07/2013	04/16/2014	10/16/2014	04/13/2015	10/19/2015	10/13/2016	10/05/2017
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	NA	NA	NA	< 0.36	NA	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	NA	NA	NA	< 0.27	NA	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	NA	NA	NA	0.30 J	NA	< 0.074	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31 *	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	NA	NA	NA	< 0.26	NA	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.79 BJ	0.58 J
cis-1,2-Dichloroethene	7	70	2.2	2.2	6.8	NA	NA	NA	***15***	NA	***7.7***	NA	6.2	4.0	1.2	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	NA	NA	NA	< 0.68	NA	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	NA	NA	NA	< 0.16	NA	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	0.1 BJ
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	NA	NA	NA	< 0.15	NA	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***6.6***	***6.6***	***1.7***	NA	NA	NA	***1.3***	NA	***0.72 J***	NA	***0.95 J***	***0.63 J***	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	0.49 J	0.15 BJ
Toluene	160	800	< 0.11	< 0.11	< 0.11	NA	NA	NA	0.21 J	NA	< 0.11	NA	< 0.11	0.53	2.8	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.10 J	0.07 J
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	***1.1***	***1.2***	***1.1***	NA	NA	NA	0.40 J	NA	< 0.19	NA	< 0.19	< 0.19	0.31 J	***0.5***	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	NA	NA	NA	< 0.068	NA	< 0.068	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	410	350	360	320	300	340	380	670	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-4S	MW-4S[3]	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft	35 - 50 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/08/2010	04/08/2010	03/30/2011	04/10/2012	01/15/2013	04/18/2013	07/18/2013	10/08/2013	04/17/2014	10/17/2014	10/05/2017	04/04/2018	04/04/2018
VOCs															
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	NA
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	NA
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	NA
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	NA
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	NA	NA	NA
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA	NA
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	NA
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA	NA
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	NA
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	NA	NA	NA
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	NA
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	NA
Bromomethane	1	10	< 0.5	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	NA	NA	NA
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	NA	NA	NA
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	NA
Chloromethane	3	30	< 0.3	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	NA	NA	NA
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	NA
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	NA	NA	NA
Methylene chloride	0.5	5	< 1	< 1	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	NA	NA	NA
Naphthalene	10	100	1.4	1.4	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA	NA
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	NA
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA	NA
Styrene	10	100	< 0.5	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA	NA
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Tetrachloroethene	0.5	5	***1.5***	***1.7***	***1.6***	***0.96 J***	***1.4***	***1.8***	***0.90 J***	***1.2***	***1.9***	***1.4***	NA	NA	NA
Toluene	160	800	< 0.5	< 0.5	< 0.5	0.20 J	< 0.11	< 0.11	0.26 J	< 0.11	< 0.11	< 0.11	NA	NA	NA
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	NA
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA	NA
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	0.28 J	< 0.068	< 0.068	< 0.068	NA	NA	NA
Total PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	< 0.035	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA	< 0.037	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	< 0.038	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	< 0.02	< 0.020	< 0.020
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	ND	ND
Dissolved PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids															
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3750	2960	2910
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	1.0 J

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft	65 - 70 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/08/2010	03/30/2011	04/10/2012	01/16/2013	04/18/2013	07/17/2013	10/08/2013	04/17/2014	10/17/2014	10/12/2017	04/04/2018
VOCs													
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	NA	NA
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	NA	NA
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	NA	NA
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	NA	NA
Chloroform	0.6	6	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	NA	NA
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	NA	NA
Methylene chloride	0.5	5	< 1	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	NA	NA
Naphthalene	10	100	< 0.25	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA
Tetrachloroethene	0.5	5	***0.9***	***0.7***	< 0.22	< 0.17	***0.51 J***	< 0.17	< 0.17	***0.58 J***	< 0.17	NA	NA
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.11	< 0.11	0.36 J	< 0.11	< 0.11	< 0.11	NA	NA
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	NA	NA
Total PCBs													
Aroclor-1016	0.003	0.03	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	NA	NA	NA	< 0.093	NA	NA	NA	NA	NA	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	< 0.02	< 0.020
Total Detected PCBs	0.003	0.03	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	ND
Dissolved PCBs													
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids													
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	672	714
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.6	1.2 J

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2[3]	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft	91 - 96 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	03/30/2011	04/10/2012	01/16/2013	04/18/2013	07/18/2013	10/07/2013	04/17/2014	10/17/2014	10/21/2015	01/22/2016	04/20/2016	07/19/2016	07/19/2016	10/12/2016	1/19/2017	04/11/2017	10/05/2017	04/04/2018
VOCs																				
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.38	< 0.10	0.13 J	0.17 J	0.18 J	0.27 J	0.24 J	0.30 J	< 0.1	0.38 J
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	0.17 J
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4
Benzene	0.5	5	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089	< 0.089	0.34 J	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.16	0.20 J	0.18 J	0.52 BJ	0.26 BJ	< 0.16	0.93 J	< 0.16
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	0.40 J	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	0.13 BJ	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***1.9***	***0.73 J***	***1.2***	***0.92 J***	***1.2***	***0.84 J***	***1.5***	***1***	0.48 J	***0.8***	***0.76***	0.45 J	***0.55***	***0.65***	0.38 BJ	0.46 BJ	***0.61 B***	0.31 J
Toluene	160	800	< 0.5	0.40 J	< 0.11	0.45 J	0.39 J	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053	< 0.053	< 0.053	0.13 J	0.11 BJ	< 0.053	< 0.053	0.10 J
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Trichloroethene	0.5	5	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	1.8	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	< 0.16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	< 0.087	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																				
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-5S	MW-5S	MW-5S	MW-5S[3]	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft	34 - 44 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/07/2010	10/01/2010	04/12/2012	04/12/2012	11/28/2012	01/17/2013	02/13/2013	04/19/2013	07/18/2013	10/04/2013	04/15/2014	10/21/2014	04/13/2015	10/21/2015	10/12/2016	10/04/2017
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.22	< 0.11
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.26	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.20	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.20	< 0.1
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.29	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.28	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.12	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.26	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.15	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.20	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.090	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.15	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.15	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.9	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.5	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.8	3.5 J
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	0.40 J	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.18	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.15	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.18	< 0.088
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.49	< 0.31	0.73 J	< 0.31 *	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 1.2	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.053
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	***1.2***	< 0.28	***1.1***	< 0.26	***1.4***	***1.1***	***1.3***	***1.3***	< 0.26	***0.79 J***	< 0.26	***1***	< 0.076	***0.81***
Chloroform	0.6	6	< 0.2	0.55	***0.84 J***	***0.88 J***	***0.79 J***	***0.79 J***	< 0.2	< 0.2	< 0.2	***0.61 J***	< 0.20	< 0.20	< 0.20	< 0.37	< 0.12	< 0.062
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	1.2 BJ	1.3 J
cis-1,2-Dichloroethene	7	70	1.4	***10***	***13***	***14***	4.2	3.8	2.7	2.0	2.9	2.9	< 0.12	< 0.12	< 0.12	< 0.41	< 0.22	< 0.11
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.22	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.11	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.16	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	0.06 BJ
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.28	< 0.14
Methylene chloride	0.5	5	< 1	< 1	< 0.63	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.28	< 0.14
Naphthalene	10	100	1.4	< 0.25	< 0.24	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.18	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.28	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.42	< 0.21
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.20	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.17	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.26	< 0.13
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.13	< 0.065
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.24	< 0.12
Tetrachloroethene	0.5	5	***41***	***670***	***360***	***370***	***240***	***260***	***210***	***130***	***190***	***170***	***47***	***75***	***100***	***110***	***58***	***46***
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.22 J	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.5	0.50	< 0.27	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.22	< 0.11
Trichloroethene	0.5	5	***1***	***13***	***9.8***	***10***	***4.7***	***4.4***	***3.8***	***2.8***	***3***	***2.9***	< 0.19	***1.2***	***0.99***	***0.79***	< 0.12	0.15 J
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.13	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.32	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.12	< 0.12
Total PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	960	930	970	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-5D	MW-5D[3]	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D[3]	MW-5D	MW-5D	MW-5D[3]	MW-5D	MW-5D	MW-5D	MW-5D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft	75 - 80 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/07/2010	04/07/2010	04/12/2012	11/28/2012	01/17/2013	02/13/2013	04/19/2013	07/18/2013	10/04/2013	04/15/2014	10/21/2014	04/13/2015	10/19/2015	01/21/2016	04/21/2016	04/21/2016	07/18/2016	10/12/2016	10/12/2016	1/18/2017	04/12/2017	10/04/2017	04/03/2018
VOCs																									
1,1,1,2-Tetrachloroethane	7	70	< 5	< 5	< 0.31	< 1.3	< 0.5	< 0.5	< 0.5	< 1.3	< 1.3	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	0.51	< 11	< 11	< 0.55	< 0.22	< 0.11
1,1,1-Trichloroethane	40	200	< 10	< 10	< 0.26	< 1	< 0.4	< 0.4	< 0.4	< 1	< 1	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 10	< 10	< 0.50	< 0.2	< 0.10
1,1,2-Trichloroethane	0.5	5	< 5	< 5	< 0.3	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 1.4	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 10	< 10	< 0.50	< 0.2	< 0.10
1,1-Dichloroethene	0.7	7	< 10	< 10	< 0.29	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 1.6	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 14	< 14	< 0.70	< 0.28	< 0.14
1,2,4-Trimethylbenzene	96	480	< 4	< 4	< 0.22	< 0.7	< 0.28	< 0.28	< 0.28	< 0.7	< 0.7	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 6.0	< 6.0	< 0.30	< 0.12	< 0.060
1,2-Dibromoethane	0.005	0.05	< 4	< 4	< 0.45	< 1.8	< 0.72	< 0.72	< 0.72	< 1.8	< 1.8	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 13	< 13	< 0.65	< 0.26	< 0.13
1,2-Dichlorobenzene	60	600	< 4	< 4	< 0.21	< 1.4	< 0.54	< 0.54	< 0.54	< 1.4	< 1.4	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 7.6	< 7.6	< 0.38	< 0.15	< 0.076
1,2-Dichloropropane	0.5	5	< 10	< 10	< 0.36	< 1	< 0.4	< 0.4	< 0.4	< 1	< 1	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 10	< 10	< 0.50	< 0.2	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 5	< 5	< 0.36	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 1.2	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	0.23 BJ	< 0.045	< 4.5	< 4.5	< 0.23	< 0.09	< 0.045
1,2,4-Trichlorobenzene	14	70	< 5	< 5	< 0.22	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 1.6	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	0.13 BJ	< 0.077	< 7.7	< 7.7	< 0.39	< 0.15	< 0.077
1,3,5-Trimethylbenzene	96	480	< 4	< 4	< 0.23	< 0.9	< 0.36	< 0.36	< 0.36	< 0.9	< 0.9	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 7.5	< 7.5	< 0.38	< 0.15	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 300	< 300	< 15	< 6	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 95	< 95	< 4.8	< 1.9	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 77	< 77	< 3.9	< 1.5	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 340	< 340	< 17	< 6.8	< 3.4
Benzene	0.5	5	< 4	< 4	0.29 J	***1.1 J***	***1.2***	***1***	***0.88 J***	***1.5 J***	***2.8***	0.30 J	0.22 J	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089	< 0.089	***5.7***	< 8.9	***9.0 J***	< 0.45	< 0.18	< 0.089
Bromodichloromethane	0.06	0.6	< 4	< 4	< 0.23	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.85	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 7.7	< 7.7	< 0.39	< 0.15	< 0.077
Bromoform	0.44	4.4	< 4	< 4	< 0.45	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 1.4	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 8.8	< 8.8	< 0.44	< 0.18	< 0.088
Bromomethane	1	10	< 10	< 10	< 0.49	< 1.6	< 0.62	< 0.62 *	< 0.62	< 1.6	< 1.6	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 59	< 59	< 3.0	< 1.2	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	0.11 J	< 0.053	< 0.053	< 5.3	15 J	0.70 J	< 0.11	0.10 J
Carbon tetrachloride	0.5	5	< 16	< 16	< 0.28	< 1.3	< 0.52	< 0.52	< 0.52	< 1.3	< 1.3	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 3.8	< 3.8	< 0.19	< 0.076	< 0.038
Chloroform	0.6	6	< 4	< 4	< 0.25	< 1	***1.0 J***	< 0.4	< 0.4	< 1	< 1	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	***1***	< 6.2	***11 BJ***	< 0.31	< 0.12	< 0.062
Chloromethane	3	30	< 6	< 6	< 0.24	< 0.9	< 0.36	< 0.36	< 0.36	< 0.9	< 0.9	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.16	< 0.16	< 0.16	0.57 BJ	***100 J***	< 16	< 0.80	1.4 J	< 0.16
cis-1,2-Dichloroethene	7	70	***48***	***48***	***26***	***93***	***110***	***94***	***100***	***120***	***140***	***77***	***100***	***190***	***10***	0.94	***11***	***13***	3.0	***210***	***270***	***230***	***13***	4	5.8
Dichlorodifluoromethane	200	1000	< 10	< 10	< 0.26	< 1	< 0.4	< 0.4	< 0.4	< 1	< 1	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 11	< 11	< 0.55	< 0.22	< 0.11
Ethylbenzene	140	700	< 10	< 10	< 0.14	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.65	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 5.4	< 5.4	< 0.27	< 0.11	< 0.054
Isopropylbenzene	NE	NE	< 4	< 4	< 0.21	< 0.7	< 0.28	< 0.28	< 0.28	< 0.7	< 0.7	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 8.1	< 8.1	< 0.41	< 0.16	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 5.7	8.0 BJ	< 0.29	< 0.11	0.060 J
Methyl tert-butyl ether	12	60	< 10	< 10	< 0.28	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 1.2	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	0.75	< 14	< 14	< 0.70	< 0.28	< 0.14
Methylene chloride	0.5	5	< 20	< 20	< 0.63	< 3.4	< 1.4	< 1.4	< 1.4	< 3.4	< 3.4	< 0.68	< 0.68	< 0.68	< 1.6	0.18 J	< 0.14	< 0.14	< 0.14	< 0.14	< 14	***18 BJ***	***1.3 J***	< 0.28	0.17 J
Naphthalene	10	100	< 5	< 5	< 0.24	< 0.8	< 0.32	< 0.32	< 0.32	< 0.8	< 0.8	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	0.22 BJ	< 0.088	< 8.8	< 8.8	< 0.44	< 0.18	< 0.088
n-Butylbenzene	NE	NE	< 4	< 4	< 0.21	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.65	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 14	< 14	< 0.70	< 0.28	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 21	< 21	< 1.1	< 0.42	< 0.21
n-Propylbenzene	NE	NE	< 10	< 10	< 0.19	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.65	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 10	< 10	< 0.50	< 0.2	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 5.8	< 5.8	< 0.29	< 0.12	< 0.058
p-Isopropyltoluene	NE	NE	< 4	< 4	< 0.24	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.85	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 8.5	< 8.5	< 0.43	< 0.17	< 0.085
sec-Butylbenzene	NE	NE	< 5	< 5	< 0.19	< 0.75	< 0.3	< 0.3	< 0.3	< 0.75	< 0.75	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 13	< 13	< 0.65	< 0.26	< 0.13
Styrene	10	100	< 10	< 10	< 0.26	< 0.5	< 0.2	< 0.2	< 0.2	< 0.5	< 0.5	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065	0.24 J	< 0.065	< 6.5	< 6.5	< 0.33	< 0.13	< 0.065
tert-Butylbenzene	NE	NE	< 4	< 4	< 0.24	< 0.7	< 0.28	< 0.28	< 0.28	< 0.7	< 0.7	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 12	< 12	< 0.60	< 0.24	< 0.12
Tetrachloroethene	0.5	5	***1100***	***890***	***400***	***2000***	***1800***	***1700***	***1200***	***2000***	***2000***	< 0.17	***8.4***	***66***	***110***	***10***	***7.5***	***7.1***	***8.2***	***3600***	***4100***	***3500***	***190***	***68***	***57***
Toluene	160	800	< 10	< 10	0.30 J	< 0.55	< 0.22	< 0.22	< 0.22	< 0.55	< 0.55	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053	< 0.053	< 0.053	0.10 J	11 J	16 BJ	< 0.27	< 0.11	0.060 J
trans-1,2-Dichloroethene	20	100	< 10	< 10	1.3	3.9 J	3.9	3.1	3.4	3.8 J	2.9 J	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11	0.11 J	< 0.11	3.6	< 11	< 11	< 0.55	< 0.22	0.28 J
Trichloroethene	0.5	5	***100***	***97***	***48***	***190***	***180***	***180***	***170***	***160***	***110***	< 0.19	***2.5***	***31***	***6.4***	***0.64***	***3***	***3***	***0.7***	***150***	***180***	***120 B***	***9.1***	***3.7***	***3.2***
Vinyl chloride	0.02	0.2	< 4	< 4	< 0.13	< 0.5	< 0.2	< 0.2	< 0.2	< 0.5	< 0.5	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 16	< 16	< 0.80	< 0.32	< 0.16
Xylenes, Total	400	2000	< 10	< 10	< 0.3	< 0.34	< 0.14	< 0.14	< 0.14	< 0.34	< 0.34	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 5.8	< 12	< 0.58	< 0.23	< 0.12
Total PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	< 0.094	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																									
Total Dissolved Solids	NE	NE	NA	NA	NA	980	930	960	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2[3]	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft	165.8 - 170.8 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/30/2012	01/17/2013	02/13/2013	04/19/2013	07/18/2013	10/09/2013	04/15/2014	10/21/2014	04/15/2015	10/22/2015	01/21/2016	01/21/2016	04/21/2016	07/18/2016	10/12/2016	1/20/2017	04/12/2017	10/04/2017	04/03/2018
VOCs																					
1,1,1,2-Tetrachloroethane	7	70	NA	< 0.25	< 0.25	< 0.25	< 0.5	< 0.25	< 0.50	< 0.25	< 0.50	< 0.92	< 1.1	< 1.1	< 4.4	< 1.1	< 2.2	< 2.2	< 2.2	< 2.2	< 0.55
1,1,1-Trichloroethane	40	200	NA	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 0.76	< 1.0	< 1.0	< 4.0	< 1.0	< 2.0	< 2.0	< 2.0	< 2	< 0.50
1,1,2-Trichloroethane	0.5	5	NA	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.56	< 0.70	< 1.0	< 1.0	< 4.0	< 1.0	< 2.0	< 2.0	< 2.0	< 2	< 0.50
1,1-Dichloroethene	0.7	7	NA	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 0.78	< 1.4	< 1.4	< 5.6	< 1.4	< 2.8	< 2.8	< 2.8	< 2.8	< 0.70
1,2,4-Trimethylbenzene	96	480	NA	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.72	< 0.60	< 0.60	< 2.4	< 0.60	< 1.2	< 1.2	< 1.2	< 1.2	< 0.30
1,2-Dibromoethane	0.005	0.05	NA	< 0.36	< 0.36	< 0.36	< 0.72	< 0.36	< 0.72	< 0.36	< 0.72	< 0.77	< 1.3	< 1.3	< 5.2	< 1.3	< 2.6	< 2.6	< 2.6	< 2.6	< 0.65
1,2-Dichlorobenzene	60	600	NA	< 0.27	< 0.27	< 0.27	< 0.54	< 0.27	< 0.54	< 0.27	< 0.54	< 0.67	< 0.76	< 0.76	< 3.0	< 0.76	< 1.5	< 1.5	< 1.5	< 1.5	< 0.38
1,2-Dichloropropane	0.5	5	NA	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 0.86	< 1.0	< 1.0	< 4.0	< 1.0	< 2.0	< 2.0	< 2.0	< 2	< 0.50
1,2,3-Trichlorobenzene	NE	NE	NA	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.48	< 0.92	< 0.45	< 0.45	7.2 BJ	< 0.45	< 0.90	< 0.90	< 0.90	< 0.9	< 0.23
1,2,4-Trichlorobenzene	14	70	NA	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 0.68	< 0.77	< 0.77	5.2 J	< 0.77	< 1.5	< 1.5	< 1.5	< 1.5	< 0.39
1,3,5-Trimethylbenzene	96	480	NA	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.36	< 0.51	< 0.75	< 0.75	< 3.0	< 0.75	< 1.5	< 1.5	< 1.5	< 1.5	< 0.38
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 30	< 30	< 120	< 30	< 60	< 60	< 60	< 60	< 15
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5	< 9.5	< 38	< 9.5	< 19	< 19	< 19	< 19	< 4.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 7.7	< 7.7	< 31	< 7.7	< 15	< 15	< 15	< 15	< 3.9
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 34	< 34	< 140	< 34	< 68	< 68	< 68	< 68	< 17
Benzene	0.5	5	NA	< 0.074	< 0.074	< 0.074	< 0.15	< 0.074	< 0.15	< 0.074	< 0.15	< 0.29	< 0.89	< 0.89	< 3.6	< 0.89	< 1.8	< 1.8	< 1.8	< 1.8	< 0.45
Bromodichloromethane	0.06	0.6	NA	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.34	< 0.74	< 0.77	< 0.77	< 3.1	< 0.77	< 1.5	< 1.5	< 1.5	< 1.5	< 0.39
Bromoform	0.44	4.4	NA	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.56	< 0.97	< 0.88	< 0.88	< 3.5	< 0.88	< 1.8	< 1.8	< 1.8	< 1.8	< 0.44
Bromomethane	1	10	NA	< 0.31	< 0.31 *	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 1.6	< 5.9	< 5.9	< 24	< 5.9	< 12	< 12	< 12	< 12	< 3.0
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.53	< 0.53	< 2.1	< 0.53	< 1.1	< 1.1	< 1.1	< 1.1	< 0.27
Carbon tetrachloride	0.5	5	NA	< 0.26	< 0.26	< 0.26	< 0.52	< 0.26	< 0.52	< 0.26	< 0.52	< 0.77	< 0.38	< 0.38	< 1.5	< 0.38	< 0.76	< 0.76	< 0.76	< 0.76	< 0.19
Chloroform	0.6	6	NA	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 0.74	< 0.62	< 0.62	< 2.5	< 0.62	< 1.2	< 1.2	***2.2 J***	< 1.2	< 0.31
Chloromethane	3	30	NA	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.36	< 0.64	< 1.6	< 1.6	< 6.4	< 1.6	***11 BJ***	***5.8 BJ***	< 3.2	***4.2 J+***	< 0.80
cis-1,2-Dichloroethene	7	70	NA	6.6	***9.2***	4.7	3.6	1.5	< 0.24	0.79 J	2.1	2.9	1.4 J	1.6 J	< 4.4	6.1	< 2.2	< 2.2	2.2 J	4.8 J	< 0.55
Dichlorodifluoromethane	200	1000	NA	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 1.1	< 1.1	< 1.1	< 4.4	< 1.1	< 2.2	< 2.2	< 2.2	< 2.2	< 0.55
Ethylbenzene	140	700	NA	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.37	< 0.54	< 0.54	< 2.2	< 0.54	< 1.1	< 1.1	< 1.1	< 1.1	< 0.27
Isopropylbenzene	NE	NE	NA	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.77	< 0.81	< 0.81	< 3.2	< 0.81	< 1.6	< 1.6	< 1.6	< 1.6	< 0.41
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57	< 0.57	< 2.3	< 0.57	< 1.1	1.6 BJ	< 1.1	1.2 BJ	< 0.29
Methyl tert-butyl ether	12	60	NA	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.48	< 0.79	< 1.4	< 1.4	< 5.6	< 1.4	< 2.8	< 2.8	< 2.8	< 2.8	< 0.70
Methylene chloride	0.5	5	NA	< 0.68	< 0.68	< 0.68	< 1.4	***5.7***	< 1.4	< 0.68	< 1.4	< 3.3	< 1.4	< 1.4	< 5.6	< 1.4	< 2.8	***3.4 BJ***	< 2.8	< 2.8	***0.90 J+***
Naphthalene	10	100	NA	< 0.16	< 0.16	< 0.16	< 0.32	< 0.16	< 0.32	< 0.16	< 0.32	< 0.67	< 0.88	< 0.88	***12 BJ***	< 0.88	< 1.8	< 1.8	< 1.8	< 1.8	< 0.44
n-Butylbenzene	NE	NE	NA	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.78	< 1.4	< 1.4	< 5.6	< 1.4	< 2.8	< 2.8	< 2.8	< 2.8	< 0.70
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.1	< 2.1	< 8.4	< 2.1	< 4.2	< 4.2	< 4.2	< 4.2	< 1.1
n-Propylbenzene	NE	NE	NA	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.83	< 1.0	< 1.0	< 4.0	< 1.0	< 2.0	< 2.0	< 2.0	< 2	< 0.50
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58	< 0.58	< 2.3	< 0.58	< 1.2	1.4 BJ	< 1.2	< 1.2	< 0.29
p-Isopropyltoluene	NE	NE	NA	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.34	< 0.72	< 0.85	< 0.85	< 3.4	< 0.85	< 1.7	< 1.7	< 1.7	< 1.7	< 0.43
sec-Butylbenzene	NE	NE	NA	< 0.15	< 0.15	< 0.15	< 0.3	< 0.15	< 0.30	< 0.15	< 0.30	< 0.80	< 1.3	< 1.3	< 5.2	< 1.3	< 2.6	< 2.6	< 2.6	< 2.6	< 0.65
Styrene	10	100	NA	< 0.1	< 0.1	< 0.1	< 0.2	< 0.1	< 0.20	< 0.10	< 0.20	< 0.77	< 0.65	< 0.65	< 2.6	< 0.65	< 1.3	< 1.3	< 1.3	1.4 BJ	< 0.33
tert-Butylbenzene	NE	NE	NA	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.80	< 1.2	< 1.2	< 4.8	< 1.2	< 2.4	< 2.4	< 2.4	< 2.4	< 0.60
Tetrachloroethene	0.5	5	NA	***650***	***650***	***640***	***710***	***110***	***520***	***47***	***700***	***640***	***380***	***380***	***160***	***970***	***550***	***570***	***670***	***940***	***210***
Toluene	160	800	NA	0.70	0.22 J	0.35 J	2.4	0.43 J	< 0.22	< 0.11	< 0.22	< 0.30	< 0.53	< 0.53	< 2.1	< 0.53	< 1.1	3.2 BJ	< 1.1	1.2 BJ	< 0.27
trans-1,2-Dichloroethene	20	100	NA	< 0.25	< 0.25	< 0.25	< 0.5	< 0.25	< 0.50	< 0.25	< 0.50	< 0.70	< 1.1	< 1.1	< 4.4	< 1.1	< 2.2	< 2.2	< 2.2	< 2.2	< 0.55
Trichloroethene	0.5	5	NA	***9.5***	***8.4***	***7.4***	***8.1***	***6.1***	***7.1***	***2.2***	***8.2***	***9.1***	***4.7 J***	***5.5***	< 2.5	***13***	***8.4 J***	***6.6 BJ***	***7.8 J***	***12***	***2.3 J***
Vinyl chloride	0.02	0.2	NA	< 0.1	< 0.1	< 0.1	< 0.2	< 0.1	< 0.20	< 0.10	< 0.20	< 0.41	< 1.6	< 1.6	< 6.4	< 1.6	< 3.2	< 3.2	< 3.2	< 3.2	< 0.80
Xylenes, Total	400	2000	NA	< 0.068	< 0.068	< 0.068	< 0.14	< 0.068	< 0.14	< 0.068	< 0.14	< 0.44	< 0.58	< 0.58	< 2.3	< 0.58	< 1.2	3.0 BJ	< 2.3	< 2.3	< 0.58
Total PCBs																					
Aroclor-1016	0.003	0.03	NA	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																					
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																					
Total Dissolved Solids	NE	NE	720	590	610	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3	MW-5D3
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft	225 - 235 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/28/2012	01/18/2013	02/13/2013	04/21/2013	07/17/2013	10/07/2013	04/16/2014	10/20/2014	04/13/2015	10/21/2015	01/21/2016	04/21/2016	07/20/2016	10/12/2016	1/19/2017	04/12/2017	10/04/2017	04/03/2018
VOCs																				
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	0.18 J	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	0.13 J	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	9.6 J+	15 BJ	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	0.28 J	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089	0.19 J	0.15 BJ	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	0.10 J	< 0.053	< 0.053	< 0.053	< 0.053	0.080 J
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.16	< 0.16	0.67 BJ	0.37 BJ	< 0.16	0.22 J+	< 0.16
cis-1,2-Dichloroethene	7	70	3.1	***12***	***12***	1.6	2.1	4.5	< 0.12	< 0.12	< 0.12	< 0.41	0.19 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	0.11 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	0.32 J	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	0.18 J	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	0.49 J	< 0.057	< 0.057	< 0.057	0.06 BJ	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.16 J	< 0.14	< 0.14	< 0.14	0.17 BJ	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	0.36 BJ	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	0.24 J	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***19***	***0.59 J***	***0.83 J***	***1.8***	***0.78 J***	***1.5***	< 0.17	< 0.17	< 0.17	< 0.37	0.14 J	< 0.081	0.10 J	0.22 J	< 0.081	0.25 BJ	< 0.081	< 0.081
Toluene	160	800	< 0.11	< 0.11	< 0.11	0.29 J	0.53	0.20 J	< 0.11	< 0.11	< 0.11	< 0.15	0.080 J	< 0.053	< 0.053	0.15 J	0.17 BJ	< 0.053	0.08 BJ	0.12 J
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Trichloroethene	0.5	5	***2.6***	< 0.19	< 0.19	< 0.19	< 0.19	0.29 J	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062	< 0.062	< 0.062	0.16 BJ	0.18 J	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	0.68 J	< 0.068	< 0.068	< 0.068	< 0.068	0.25 J	< 0.058	< 0.058	0.73	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																				
Aroclor-1016	0.003	0.03	NA	< 0.16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	< 0.09	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																				
Total Dissolved Solids	NE	NE	360	290	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S	MW-6S[3]	MW-6S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft	31.4 - 41.4 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/31/2009	04/07/2010	07/01/2010	10/01/2010	12/28/2010	04/11/2012	01/17/2013	04/20/2013	07/18/2013	10/07/2013	04/17/2014	10/16/2014	04/14/2015	10/22/2015	10/12/2016	10/09/2017	10/09/2017	04/04/2018
VOCs																				
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	NA
1,1,1-Trichloroethane	40	200	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1	< 0.1	NA
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1	< 0.1	NA
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	NA
1,2,4-Trimethylbenzene	96	480	4.3	3.3	1.3	2.2	3.2	4.8	12	0.92 J	< 0.14	1.4	2.0	0.96 J	1.4	1.3	0.83	0.37 J	0.3 J	NA
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	NA
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	NA
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1	< 0.1	NA
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	0.07 BJ	< 0.045	NA
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	NA
1,3,5-Trimethylbenzene	96	480	0.92	7.3	0.27	4.6	0.39	1.5	3.4	< 0.18	< 0.18	< 0.18	0.73 J	< 0.18	1.1	1.7	0.45 J	0.17 J	0.15 J	NA
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3	< 3	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	NA
Benzene	0.5	5	***7.6***	***7.9***	***5***	***5.3***	***5***	***4.1***	***9.3***	***1.9***	0.34 J	***2.6***	***2.8***	***2.1***	***3.3***	***3.8***	***2.9***	***0.71***	***0.65***	NA
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	***1.2***	< 0.077	< 0.077	< 0.077	NA
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	NA
Bromomethane	1	10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	NA
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	NA
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	NA
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	NA
Chloromethane	3	30	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.62 BJ	2.2	***3.6***	NA
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11	< 0.11	NA
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11	NA
Ethylbenzene	140	700	23	14	6.0	13	15	9.8	40	0.18 J	< 0.13	8.0	7.5	3.5	6.4	7.1	2.0	0.79	0.75	NA
Isopropylbenzene	NE	NE	12	9.4	5.3	7.5	6.4	4.1	12	< 0.14	< 0.14	3.2	2.6	2.1	2.9	3.7	1.4	0.53	0.52	NA
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.78 J	0.37 J	0.35 J	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14	NA
Methylene chloride	0.5	5	< 1	< 1	< 1	< 1	< 1	***8.3***	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	***9.4 cn***	< 0.14	< 0.14	< 0.14	NA
Naphthalene	10	100	***26***	***14***	6.4	***10***	***16***	***19***	***43***	< 0.16	< 0.16	3.8	4.2	1.9	6.6	9.8	2.0 J	0.69 BJ	0.29 BJ	NA
n-Butylbenzene	NE	NE	1.6	1.6	0.92	1.2	0.86	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	NA
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	NA
n-Propylbenzene	NE	NE	4.9	3.7	1.9	3.3	3.0	1.8	6.8	< 0.13	< 0.13	1.3	1.5	< 0.13	1.2	1.5	0.46 J	0.19 J	< 0.1	NA
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.17 J	0.11 J	0.1 J	NA
p-Isopropyltoluene	NE	NE	1.7	1.6	0.72	1.1	0.83	< 0.24	2.4	< 0.17	< 0.17	< 0.17	0.56 J	< 0.17	< 0.17	0.95 J	0.35 J	0.16 J	0.14 J	NA
sec-Butylbenzene	NE	NE	1.9	1.8	1.5	1.5	1.0	0.56 J	1.8	< 0.15	< 0.15	< 0.15	0.82 J	< 0.15	< 0.15	0.86 J	0.38 J	0.13 J	< 0.13	NA
Styrene	10	100	0.53	0.51	< 0.5	< 0.5	1.1	< 0.26	0.64 J	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.1 BJ	0.07 J	NA
tert-Butylbenzene	NE	NE	0.27	0.31	0.22	0.24	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	NA
Tetrachloroethene	0.5	5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.22	< 0.17	***0.53 J***	< 0.17	< 0.17	***0.66 J***	< 0.17	< 0.17	< 0.37	***0.6***	< 0.081	< 0.081	NA
Toluene	160	800	3.3	3.3	1.2	1.8	2.0	2.5	6.3	0.82	< 0.11	1.1	1.1	< 0.11	1.9	2.4	0.75	0.32 BJ	0.32 J	NA
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11	< 0.11	NA
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062	< 0.062	NA
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	NA
Xylenes, Total	400	2000	9.6	8.2	2.6	4.5	6.4	7.8	25	1.8	< 0.068	3.3	2.8	1.9	3.3	3.7	0.95	0.48 J	0.45 J	NA
Total PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.094	NA	NA	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	< 0.02	< 0.02	< 0.020
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND
Dissolved PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																				
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3970	3910	3400
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.2 J	1.2 J	7.4

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-6D	MW-6D	MW-6D	MW-6D	MW-6D	MW-6D	MW-6D	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/31/2009	04/07/2010	07/01/2010	10/01/2010	12/28/2010	03/31/2011	04/12/2012	01/16/2013	01/16/2013	04/20/2013	04/20/2013	07/18/2013	07/18/2013	10/07/2013	10/07/2013	04/17/2014
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 13	< 20	< 13	< 0.25	< 2.5	< 10	< 0.62	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.25	< 0.25	< 0.50
1,1,1-Trichloroethane	40	200	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.52	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.2	< 0.2	< 0.40
1,1,2-Trichloroethane	0.5	5	< 13	< 20	< 13	< 0.25	< 2.5	< 10	< 0.6	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.28	< 0.28	< 0.56
1,1-Dichloroethene	0.7	7	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.58	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.31	< 0.31	< 0.62
1,2,4-Trimethylbenzene	96	480	***330***	***130***	***130***	***160***	***180***	74	19	23	25	11	6.1	16	17	41	38	9.7
1,2-Dibromoethane	0.005	0.05	***15***	< 16	< 10	***11***	***9.7***	< 8	< 0.9	< 0.72	< 0.72	< 0.72	< 0.72	< 0.72	< 0.72	< 0.36	< 0.36	< 0.72
1,2-Dichlorobenzene	60	600	< 10	< 16	< 10	< 0.2	< 2	< 8	< 0.42	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	< 0.27	< 0.27	< 0.54
1,2-Dichloropropane	0.5	5	< 25	< 40	< 25	***7.2***	***6***	< 20	< 0.72	< 0.4	< 0.4	***1.9 J***	***1.7 J***	< 0.4	< 0.4	< 0.2	< 0.2	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 13	< 20	< 13	< 0.25	< 2.5	< 10	< 0.72	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.24	< 0.24	< 0.48
1,2,4-Trichlorobenzene	14	70	< 13	< 20	< 13	< 0.25	< 2.5	< 10	< 0.44	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.31	< 0.31	< 0.62
1,3,5-Trimethylbenzene	96	480	23	< 16	< 10	13	13	< 8	< 0.46	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	0.71 J	< 0.18	< 0.36
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	***3900***	***3200***	***2900***	< 0.2	***2900***	***2100***	***1500***	***1300***	***1400***	***600***	***500***	***810***	***800***	***1000***	***840***	***650***
Bromodichloromethane	0.06	0.6	< 10	< 16	< 10	< 0.2	< 2	< 8	< 0.46	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.17	< 0.17	< 0.34
Bromoform	0.44	4.4	< 10	< 16	< 10	< 0.2	< 2	< 8	< 0.9	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.28	< 0.28	< 0.56
Bromomethane	1	10	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.98	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.31	< 0.31	< 0.62
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 40	< 64	< 40	< 0.8	< 8	< 32	< 0.56	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.26	< 0.26	< 0.52
Chloroform	0.6	6	< 10	< 16	< 10	< 0.2	< 2	< 8	***3.6***	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.2	< 0.2	< 0.40
Chloromethane	3	30	< 15	< 24	< 15	< 0.3	< 3	< 12	< 0.48	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.18	< 0.18	< 0.36
cis-1,2-Dichloroethene	7	70	< 25	< 40	< 25	1.4	< 5	< 20	< 0.44	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	0.89 J	< 0.12	2.8
Dichlorodifluoromethane	200	1000	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.52	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.2	< 0.2	< 0.40
Ethylbenzene	140	700	47	< 40	26	39	35	< 20	8.7	7.5	7.9	3.5	2.8	7.1	7.9	8.1	7.5	6.7
Isopropylbenzene	NE	NE	54	43	32	45	40	35	23	30	32	16	12	27	30	29	27	22
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.56	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.24	< 0.24	< 0.48
Methylene chloride	0.5	5	< 50	< 80	< 50	< 1	< 10	< 40	< 1.3	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.68	< 0.68	< 1.4
Naphthalene	10	100	***380***	***280***	***370***	***370***	***360***	***190***	***110***	***54***	***58***	3.9	2.8	***50***	***64***	***72***	***71***	***12***
n-Butylbenzene	NE	NE	12	< 16	< 10	10	7.9	< 8	< 0.42	< 0.26	< 0.26	< 0.26	< 0.26	5.0	6.3	< 0.13	4.3	< 0.26
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	49	< 40	27	36	31	21	11	13	14	5.4	3.6	12	13	14	13	9.2
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 10	< 16	< 10	6.5	5.1	< 8	2.6	3.8	3.9	1.7 J	1.2 J	3.2	3.6	3.4	< 0.17	2.7
sec-Butylbenzene	NE	NE	< 13	< 20	< 13	4.7	4.2	< 10	2.2	3.4	3.8	2.0	1.3 J	3.2	3.6	3.2	3.0	3.0
Styrene	10	100	< 25	< 40	< 25	3.5	***12***	< 20	< 0.52	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	1.0	< 0.1	< 0.20
tert-Butylbenzene	NE	NE	< 10	< 16	< 10	< 0.2	< 2	< 8	< 0.48	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.14	< 0.14	< 0.28
Tetrachloroethene	0.5	5	***36***	***45***	***27***	***30***	***26***	***28***	***20***	***25***	***26***	***22***	***17***	***23***	***25***	***17***	***16***	***10***
Toluene	160	800	130	100	88	120	120	58	36	30	31	9.4	7.8	24	27	38	35	25
trans-1,2-Dichloroethene	20	100	< 25	< 40	< 25	< 0.5	< 5	< 20	< 0.54	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.25	< 0.25	< 0.50
Trichloroethene	0.5	5	< 10	< 16	< 10	***4.5***	***4.5***	< 8	***3.9***	***11***	***11***	***13***	***11***	***12***	< 0.38	***18***	***17***	***24***
Vinyl chloride	0.02	0.2	< 10	< 16	< 10	< 0.2	< 2	< 8	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.1	< 0.1	< 0.20
Xylenes, Total	400	2000	***630***	320	250	***450***	***400***	130	40	40	41	12	8.3	34	39	63	58	16
Total PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	< 0.094	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D	MW-6D	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D[3]	MW-6D	MW-6D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft	65.5 - 70.5 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/17/2014	10/16/2014	10/16/2014	04/14/2015	04/14/2015	10/22/2015	10/22/2015	01/22/2016	04/20/2016	07/19/2016	10/12/2016	10/12/2016	1/20/2017	1/20/2017	04/11/2017	04/11/2017	10/09/2017	04/04/2018
VOCs																				
1,1,1,2-Tetrachloroethane	7	70	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.46	< 0.92	< 2.2	< 5.5	< 1.1	< 5.5	< 5.5	< 11	< 5.5	< 11	< 1.1	< 5.5	< 0.11
1,1,1-Trichloroethane	40	200	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40	< 0.38	< 0.76	< 2.0	< 5.0	< 1.0	< 5.0	< 5.0	< 10	< 5.0	< 10	< 1.0	< 5	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.35	< 0.70	< 2.0	< 5.0	< 1.0	< 5.0	< 5.0	< 10	< 5.0	< 10	< 1.0	< 5	< 0.10
1,1-Dichloroethene	0.7	7	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.39	< 0.78	< 2.8	< 7.0	< 1.4	< 7.0	< 7.0	< 14	< 7.0	< 14	< 1.4	< 7	< 0.14
1,2,4-Trimethylbenzene	96	480	8.9	13	13	4.0	4.2	6.9	6.6	9.0 J	15 J	57	***100***	***110***	***110 B***	***110***	***96***	***110***	***170***	***140***
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.72	< 0.72	< 0.72	< 0.72	< 0.39	< 0.77	< 2.6	< 6.5	< 1.3	< 6.5	< 6.5	< 13	< 6.5	< 13	< 1.3	< 6.5	< 0.13
1,2-Dichlorobenzene	60	600	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	< 0.33	< 0.67	< 1.5	< 3.8	< 0.76	< 3.8	< 3.8	< 7.6	< 3.8	< 7.6	< 0.76	< 3.8	< 0.076
1,2-Dichloropropane	0.5	5	***2.3***	***2.4***	< 0.40	***2.2***	< 0.40	< 0.43	< 0.86	< 2.0	< 5.0	< 1.0	< 5.0	< 5.0	< 10	< 5.0	< 10	< 1.0	< 5	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.46	< 0.92	< 0.90	< 2.3	< 0.45	< 2.3	< 2.3	< 4.5	< 2.3	< 4.5	< 0.45	< 2.3	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.34	< 0.68	< 1.5	< 3.9	< 0.77	< 3.9	< 3.9	< 7.7	< 3.9	< 7.7	< 0.77	< 3.9	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.25	< 0.51	< 1.5	< 3.8	< 0.75	< 3.8	< 3.8	< 7.5	< 3.8	< 7.5	< 0.75	< 3.8	2.1
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	< 60	< 150	< 30	< 150	< 150	< 300	< 150	< 300	< 30	< 150	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	< 19	< 48	< 9.5	< 48	< 48	< 95	< 48	< 95	< 9.5	< 48	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	< 15	< 39	< 7.7	< 39	< 39	< 77	< 39	< 77	< 7.7	< 39	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	< 68	< 170	< 34	< 170	< 170	< 340	< 170	< 340	< 34	< 170	20
Benzene	0.5	5	***710***	***990***	***980***	***790***	***700***	***660***	***560***	***610***	***810***	***1400***	***1600***	***1700***	***2100***	***2200***	***1700***	***1700***	***2000***	***2200***
Bromodichloromethane	0.06	0.6	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.37	< 0.74	< 1.5	< 3.9	< 0.77	< 3.9	< 3.9	< 7.7	< 3.9	< 7.7	< 0.77	< 3.9	< 0.077
Bromoform	0.44	4.4	< 0.56	< 0.56	< 0.56	< 0.56	< 0.56	< 0.48	< 0.97	< 1.8	< 4.4	< 0.88	< 4.4	< 4.4	< 8.8	< 4.4	< 8.8	< 0.88	< 4.4	< 0.088
Bromomethane	1	10	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.80	< 1.6	< 12	< 30	< 5.9	< 30	< 30	< 59	< 30	< 59	< 5.9	< 30	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 2.7	< 0.53	8.5 J	< 2.7	< 5.3	< 2.7	< 5.3	< 0.53	< 2.7	< 0.053
Carbon tetrachloride	0.5	5	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.38	< 0.77	< 0.76	< 1.9	< 0.38	< 1.9	< 1.9	< 3.8	< 1.9	< 3.8	< 0.38	< 1.9	< 0.038
Chloroform	0.6	6	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40	< 0.37	< 0.74	< 1.2	***5.5 BJ***	< 0.62	< 3.1	< 3.1	< 6.2	< 3.1	< 6.2	< 0.62	< 3.1	< 0.062
Chloromethane	3	30	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.32	< 0.64	< 3.2	< 8.0	< 1.6	***45 BJ***	***47 J***	***28 BJ***	***9.5 BJ***	< 16	< 1.6	***19 J***	< 0.16
cis-1,2-Dichloroethene	7	70	2.5	2.4	2.2	2.9	3.4	3.1	3.2	3.6 J	< 5.5	3.8 J	< 5.5	< 5.5	< 11	< 5.5	< 11 J	***7.3 J***	< 5.5	***8.3***
Dichlorodifluoromethane	200	1000	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40	< 0.54	< 1.1	< 2.2	< 5.5	< 1.1	< 5.5	< 5.5	< 11	< 5.5	< 11	< 1.1	< 5.5	< 0.11
Ethylbenzene	140	700	6.3	8.0	7.2	3.3	3.5	4.7	4.5	4.0 J	6.0 J	11	18 J	20 J	21 J	20 J	23 J	22	36	47
Isopropylbenzene	NE	NE	21	24	20	13	13	17	16	5.8 J	22 J	31	31	28	29 BJ	31	33 J	34	33	30
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	8.2 J	22 J	98	140	130	110 B	110 B	73 J	80	140	55
Methyl tert-butyl ether	12	60	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.39	< 0.79	< 2.8	< 7.0	< 1.4	< 7.0	< 7.0	< 14	< 7.0	< 14	< 1.4	< 7	< 0.14
Methylene chloride	0.5	5	< 1.4	***76***	***61***	< 1.4	< 1.4	< 1.6	< 3.3	< 2.8	< 7.0	***51***	< 7.0	< 7.0	< 14	< 7.0	< 14	< 1.4	< 7	< 0.14
Naphthalene	10	100	***10***	***18***	***15***	< 0.32	< 0.32	2.9	2.6	< 1.8	7.0 BJ	***67***	***110 J***	***110 J***	***140 BJ***	***140 J***	***81 J***	***110 J***	***140 BJ***	***65***
n-Butylbenzene	NE	NE	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.39	< 0.78	< 2.8	< 7.0	5.5	< 7.0	< 7.0	< 14	< 7.0	< 14 J	6.3 J	< 7	4.2
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	< 4.2	< 11	< 2.1	< 11	< 11	< 21	< 11	< 21	< 2.1	< 11	< 0.21
n-Propylbenzene	NE	NE	8.6	7.9	7.5	3.8	4.0	5.5	5.5	2.6 J	10 J	17	20 J	19 J	23 J	21 J	24 J	24	28	30
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	2.6 J	< 2.9	5.3	8.0 J	6.5 J	13 BJ	11 BJ	9.0 J	8.7	9.5 J	6.8
p-Isopropyltoluene	NE	NE	2.5	2.5	2.2	< 0.34	< 0.34	< 0.36	< 0.72	< 1.7	< 4.3	3.6 J	< 4.3	< 4.3	< 8.5	< 4.3	< 8.5	< 0.85	< 4.3	3.7
sec-Butylbenzene	NE	NE	2.8	2.8	2.3	< 0.30	< 0.30	2.3	2.3	< 2.6	< 6.5	3.4 J	< 6.5	< 6.5	< 13	< 6.5	< 13	< 1.3	< 6.5	3.8
Styrene	10	100	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.39	< 0.77	< 1.3	< 3.3	1.7 J	< 3.3	< 3.3	< 6.5	< 3.3	< 6.5	< 0.65	6 J	< 0.065
tert-Butylbenzene	NE	NE	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.40	< 0.80	< 2.4	< 6.0	< 1.2	< 6.0	< 6.0	< 12	< 6.0	< 12	< 1.2	< 6	0.35 J
Tetrachloroethene	0.5	5	***8.9***	***4***	***3.1***	< 0.34	< 0.34	***0.97 J***	***1.6 J***	***1.8 J***	< 4.1	***2.7 J***	***7.0 J***	***9.0 J***	< 8.1	< 4.1	< 8.1	***0.90 J***	***9 BJ***	***0.53***
Toluene	160	800	24	26	27	17	17	22	22	13	23 J	65	90	95	120 B	110 B	100	110	140	140
trans-1,2-Dichloroethene	20	100	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.35	< 0.70	< 2.2	< 5.5	< 1.1	< 5.5	< 5.5	< 11	< 5.5	< 11 J	1.8 J	< 5.5	3.3
Trichloroethene	0.5	5	***23***	***31***	***28***	***21***	***22***	***19***	***18***	***8.4 J***	***24 J***	***25***	***24 J***	***22 J***	***23 BJ***	***20 BJ***	***23 J***	***26***	***20 J***	***15***
Vinyl chloride	0.02	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.41	< 3.2	< 8.0	< 1.6	< 8.0	< 8.0	< 16	< 8.0	< 16	< 1.6	< 8	< 0.16
Xylenes, Total	400	2000	15	25	24	8.6	9.1	16	16	10.8	22	103.3	148	136.5	120 BJ	120 B	82 J	89	150	62
Total PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																				
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	08/26/2011	04/10/2012	01/14/2013	04/16/2013	07/17/2013	10/03/2013	08/26/2011	04/10/2012	01/15/2013	04/16/2013	07/17/2013	10/03/2013
VOCs														
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2
Chloromethane	3	30	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2
Ethylbenzene	140	700	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24
Methylene chloride	0.5	5	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1
tert-Butylbenzene	NE	NE	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	< 0.5	< 0.22	< 0.17	< 0.17	< 0.17	< 0.17	< 0.5	< 0.22	< 0.17	< 0.17	< 0.17	< 0.17
Toluene	160	800	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes, Total	400	2000	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068
Total PCBs														
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs														
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids														
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-9D	MW-9D	MW-9D[3]	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D	MW-9D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft	44 - 49 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	09/09/2011	04/11/2012	04/11/2012	01/15/2013	04/18/2013	07/18/2013	10/04/2013	04/16/2014	10/14/2014	04/09/2015	10/20/2015	10/13/2016	10/04/2017
VOCs															
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.31	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.5	< 0.26	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.3	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.5	< 0.29	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.22	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.45	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.21	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.36	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.36	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.22	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.23	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	17 BJ
Benzene	0.5	5	< 0.2	< 0.12	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.23	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.45	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.5	< 0.49	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.16 J	< 0.053
Carbon tetrachloride	0.5	5	< 0.8	< 0.28	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	0.09 J
Chloroform	0.6	6	< 0.2	< 0.25	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.3	< 0.24	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.63 BJ	***4.7***
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.22	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.5	< 0.26	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.14	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.21	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.5	< 0.28	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 1	***9***	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14
Naphthalene	10	100	< 0.25	< 0.24	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.21	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.5	< 0.19	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.24	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.19	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.5	< 0.26	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.08 BJ
tert-Butylbenzene	NE	NE	< 0.2	< 0.24	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	< 0.5	< 0.22	< 0.22	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	0.20 J	< 0.081
Toluene	160	800	< 0.5	< 0.15	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.27	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	< 0.2	< 0.18	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.2	< 0.13	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.3	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids															
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2	MW-9D2
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft	64 - 69 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	09/09/2011	04/11/2012	01/15/2013	04/18/2013	07/18/2013	10/04/2013	04/16/2014	10/14/2014	04/10/2015	10/20/2015	01/21/2016	04/20/2016	07/19/2016	10/13/2016	1/19/2017	04/12/2017	10/04/2017	04/05/2018
VOCs																				
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	6.4 BJ	< 3.4
Benzene	0.5	5	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	0.11 J	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	0.09 J	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.29 J	< 0.16	0.40 J	0.55 BJ	0.49 BJ	< 0.16	1.4 J+	< 0.16
cis-1,2-Dichloroethene	7	70	***12***	***11***	***14***	***16***	***16***	***18***	***19***	***24***	***26***	***32***	3.9	***34***	***31***	***35***	1.0 B	1.5	***32***	1.7
Dichlorodifluoromethane	200	1000	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	0.36 J	0.48 J	0.46 J	< 0.11	< 0.11	0.63	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	7.4	9.3	***20***	10	***12***	***15***	9.6	***12***	***17***	***24***	***18***	***21***	***28***	***29***	2.9 J+	2.4	***38***	< 0.14
Methylene chloride	0.5	5	< 1	***8.8***	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.17 J	< 0.14	< 0.14	< 0.14	***1.4 BJ***	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	0.08 BJ	< 0.065
tert-Butylbenzene	NE	NE	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***29***	***10***	***26***	***28***	***30***	***34***	***26***	***41***	***37***	***41***	***11***	***58***	***44***	***61***	***2.6 B***	***5.5***	***49***	***5.9***
Toluene	160	800	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053	< 0.053	< 0.053	0.15 BJ	< 0.053	< 0.053	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	0.61	0.58	0.64	< 0.11	< 0.11	0.65	0.14 J+
Trichloroethene	0.5	5	***5***	***3.8***	***5.5***	***6***	***6.3***	***7.4***	***6.5***	***9.6***	***9.5***	***11***	***2.8***	***13***	***13***	***16***	***0.95 B***	***1.7***	***14***	***1.6***
Vinyl chloride	0.02	0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	***0.17 J***	< 0.16	< 0.16	< 0.16	***0.59***	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																				
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																				
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-10S	MW-10S	MW-10S	MW-10S	MW-10S	MW-10S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-12S	MW-12S	MW-12S	MW-12S	MW-12S	MW-12S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	11 - 21 ft	11 - 21 ft	11 - 21 ft	11 - 21 ft	11 - 21 ft	11 - 21 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	24 - 34 ft	3 - 13 ft	3 - 13 ft	3 - 13 ft	3 - 13 ft	3 - 13 ft	3 - 13 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/10/2012	05/09/2012	01/15/2013	04/17/2013	07/17/2013	10/09/2013	04/12/2012	05/09/2012	01/15/2013	04/17/2013	07/18/2013	10/04/2013	10/09/2017	04/05/2018	04/12/2012	05/09/2012	01/16/2013	04/17/2013	07/18/2013	10/04/2013
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1,2-Trichloroethane	0.5	5	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	0.76 J	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	0.55 J	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	1.2	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	NA	NA	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA	< 0.21	< 0.27	0.79 J	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,2,3-Trichlorobenzene	NE	NE	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	NA	NA	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	NA	NA	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chloromethane	3	30	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	NA	NA	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Ethylbenzene	140	700	0.20 J	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
Methylene chloride	0.5	5	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	NA	NA	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	NA	NA	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
tert-Butylbenzene	NE	NE	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	< 0.22	< 0.17	***0.85 J***	< 0.17	< 0.17	< 0.17	< 0.22	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	***0.78 J***	***1.7***	***0.93 J***	< 0.17	***1.3***	***1.5***
Toluene	160	800	0.54	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	0.73	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	NA	NA	0.64	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	< 0.18	0.26 J	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	NA	NA	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes, Total	400	2000	0.83 J	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	0.86 J	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	NA	NA	1.6	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.02	< 0.020	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1960	1650	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft	44 - 48 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/06/2012	01/19/2013	02/21/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017
VOCs														
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.5	< 0.25	< 0.25	< 0.50	< 0.50	< 0.50	< 0.46	< 1.1	< 0.44
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.40	< 0.38	< 1.0	< 0.4
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.35	< 1.0	< 0.4
1,1-Dichloroethene	0.7	7	***0.92 J***	***1.1***	***0.88 J***	< 0.62	***0.85 J***	***1.1***	***1.3 J***	< 0.62	***1.4 J***	***0.73 J***	< 1.4	< 0.56
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.36	< 0.60	< 0.24
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.72	< 0.36	< 0.36	< 0.72	< 0.72	< 0.72	< 0.39	< 1.3	< 0.52
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.54	< 0.27	< 0.27	< 0.54	< 0.54	< 0.54	< 0.33	< 0.76	< 0.3
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.40	< 0.43	< 1.0	< 0.4
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.24	< 0.48	< 0.48	< 0.48	< 0.46	< 0.45	< 0.18
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.34	< 0.77	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.25	< 0.75	< 0.3
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 30	< 12
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5	< 3.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 7.7	< 3.1
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 34	< 14
Benzene	0.5	5	0.34 J	0.38 J	0.32 J	0.38 J	0.34 J	0.46 J	< 0.15	< 0.15	< 0.15	< 0.15	< 0.89	< 0.36
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.37	< 0.77	< 0.31
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.48	< 0.88	< 0.35
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.31	< 0.62	< 0.62 *	< 0.62	< 0.80	< 5.9	< 2.4
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.53	< 0.21
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.52	< 0.26	< 0.26	< 0.52	< 0.52	< 0.52	< 0.38	< 0.38	< 0.15
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.40	< 0.37	< 0.62	< 0.25
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.32	***4.3 BJ***	< 0.64
cis-1,2-Dichloroethene	7	70	***540***	***450***	***460***	***460***	***430***	***480***	***450***	***440***	***360***	***220***	***97***	***50***
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.40	< 0.54	< 1.1	< 0.44
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.18	< 0.54	< 0.22
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.39	< 0.81	< 0.32
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57	< 0.23
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.24	< 0.48	< 0.48	< 0.48	< 0.39	< 1.4	< 0.56
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 1.4	< 0.68	< 0.68	< 1.4	< 1.4	< 1.4	< 1.6	< 1.4	< 0.56
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.32	< 0.16	< 0.16	< 0.32	< 0.32	< 0.32	< 0.34	< 0.88	< 0.35
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.39	< 1.4	< 0.56
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.1	< 0.84
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.41	< 1.0	< 0.4
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58	< 0.23
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.36	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.3	< 0.15	< 0.15	< 0.30	< 0.30	< 0.30	< 0.40	< 1.3	< 0.52
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.2	< 0.1	< 0.1	< 0.20	< 0.20	< 0.20	< 0.39	< 0.65	< 0.26
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.40	< 1.2	< 0.48
Tetrachloroethene	0.5	5	***640***	***760***	***630***	***680***	***720***	***800***	***750***	***750***	***580***	***360***	***240***	***160***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.22	< 0.11	< 0.11	< 0.22	< 0.22	< 0.22	< 0.15	< 0.53	< 0.21
trans-1,2-Dichloroethene	20	100	7.3	6.7	6.1	6.9	6.9	8.4	8.5	7.7	8.4	4.0	< 1.1	0.68 J
Trichloroethene	0.5	5	***230***	***200***	***220***	***230***	***220***	***290***	***300***	***260***	***320***	***170***	***93***	***59***
Vinyl chloride	0.02	0.2	***15***	***17***	***17***	***13***	***13***	***17***	***14***	***16***	***16***	***8.6***	***3.7 J***	***1.5 J***
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.14	< 0.068	< 0.068	< 0.14	< 0.14	< 0.14	< 0.22	< 0.58	< 0.46
Total PCBs														
Aroclor-1016	0.003	0.03	< 0.16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.085	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs														
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids														
Total Dissolved Solids	NE	NE	1400	1400	1400	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft	67 - 71 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/06/2012	01/19/2013	02/21/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017
VOCs														
1,1,1,2-Tetrachloroethane	7	70	< 1.3	< 1.3	< 1.3	< 2.5	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.92	< 1.1	< 0.22
1,1,1-Trichloroethane	40	200	< 1	< 1	< 1	< 2	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.76	< 1.0	< 0.2
1,1,2-Trichloroethane	0.5	5	< 1.4	< 1.4	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.70	< 1.0	< 0.2
1,1-Dichloroethene	0.7	7	***2.8 J***	***3.1 J***	< 1.6	< 3.1	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.78	< 1.4	< 0.28
1,2,4-Trimethylbenzene	96	480	< 0.7	< 0.7	< 0.7	< 1.4	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.72	< 0.60	< 0.12
1,2-Dibromoethane	0.005	0.05	< 1.8	< 1.8	< 1.8	< 3.6	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 0.77	< 1.3	< 0.26
1,2-Dichlorobenzene	60	600	< 1.4	< 1.4	< 1.4	< 2.7	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.67	< 0.76	< 0.15
1,2-Dichloropropane	0.5	5	< 1	< 1	< 1	< 2	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.86	< 1.0	< 0.2
1,2,3-Trichlorobenzene	NE	NE	< 1.2	< 1.2	< 1.2	< 2.4	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.92	< 0.45	< 0.09
1,2,4-Trichlorobenzene	14	70	< 1.6	< 1.6	< 1.6	< 3.1	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.68	< 0.77	< 0.15
1,3,5-Trimethylbenzene	96	480	< 0.9	< 0.9	< 0.9	< 1.8	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 0.51	< 0.75	< 0.15
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 30	< 6
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5	< 1.9
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 7.7	< 1.5
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 34	< 6.8
Benzene	0.5	5	< 0.37	***1.1 J***	< 0.37	< 0.74	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.29	< 0.89	< 0.18
Bromodichloromethane	0.06	0.6	< 0.85	< 0.85	< 0.85	< 1.7	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.74	< 0.77	< 0.15
Bromoform	0.44	4.4	< 1.4	< 1.4	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.97	< 0.88	< 0.18
Bromomethane	1	10	< 1.6	< 1.6	< 1.6	< 3.1	< 1.6	< 1.6	< 1.6	< 1.6 *	< 1.6	< 1.6	< 5.9	< 1.2
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.53	< 0.11
Carbon tetrachloride	0.5	5	< 1.3	< 1.3	< 1.3	< 2.6	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.77	< 0.38	< 0.076
Chloroform	0.6	6	< 1	< 1	< 1	< 2	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.74	< 0.62	0.18 J
Chloromethane	3	30	< 0.9	< 0.9	< 0.9	< 1.8	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 0.64	***4.7 BJ***	< 0.32
cis-1,2-Dichloroethene	7	70	***3500***	***3100***	***2900***	***3200***	***2300***	***1500***	***1300***	***810***	***710***	***470***	***89***	***24***
Dichlorodifluoromethane	200	1000	< 1	< 1	< 1	< 2	< 1	< 1	< 1.0	< 1.0	< 1.0	< 1.1	< 1.1	< 0.22
Ethylbenzene	140	700	< 0.65	< 0.65	< 0.65	< 1.3	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.37	< 0.54	< 0.11
Isopropylbenzene	NE	NE	< 0.7	< 0.7	< 0.7	< 1.4	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.77	< 0.81	< 0.16
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57	< 0.11
Methyl tert-butyl ether	12	60	< 1.2	< 1.2	< 1.2	< 2.4	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.79	< 1.4	< 0.28
Methylene chloride	0.5	5	< 3.4	< 3.4	< 3.4	< 6.8	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.3	< 1.4	< 0.28
Naphthalene	10	100	< 0.8	< 0.8	< 0.8	< 1.6	< 0.8	< 0.8	< 0.80	< 0.80	< 0.80	< 0.67	< 0.88	< 0.18
n-Butylbenzene	NE	NE	< 0.65	< 0.65	< 0.65	< 1.3	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.78	< 1.4	< 0.28
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.1	< 0.42
n-Propylbenzene	NE	NE	< 0.65	< 0.65	< 0.65	< 1.3	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.83	< 1.0	< 0.2
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58	< 0.12
p-Isopropyltoluene	NE	NE	< 0.85	< 0.85	< 0.85	< 1.7	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.72	< 0.85	< 0.17
sec-Butylbenzene	NE	NE	< 0.75	< 0.75	< 0.75	< 1.5	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.80	< 1.3	< 0.26
Styrene	10	100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.77	< 0.65	< 0.13
tert-Butylbenzene	NE	NE	< 0.7	< 0.7	< 0.7	< 1.4	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.80	< 1.2	< 0.24
Tetrachloroethene	0.5	5	***3800***	***4300***	***2900***	***3800***	***2800***	***2000***	***1600***	***1600***	***1200***	***970***	***270***	***84***
Toluene	160	800	< 0.55	< 0.55	< 0.55	< 1.1	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.30	< 0.53	< 0.11
trans-1,2-Dichloroethene	20	100	***60***	***56***	***48***	***52***	***37***	***27***	***23***	12	11	< 0.70	< 1.1	0.48 J
Trichloroethene	0.5	5	***1100***	***1000***	***800***	***940***	***630***	***510***	***440***	***260***	***270***	***180***	***55***	***18***
Vinyl chloride	0.02	0.2	***150***	***180***	***140***	***130***	***110***	***92***	***83***	***45***	***50***	< 0.41	***3.2 J***	***0.6 J***
Xylenes, Total	400	2000	< 0.34	< 0.34	< 0.34	< 0.68	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.44	< 0.58	< 0.23
Total PCBs														
Aroclor-1016	0.003	0.03	< 0.16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.085	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs														
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids														
Total Dissolved Solids	NE	NE	1100	1100	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13	MP-13[3]	MP-13	MP-13[3]	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft	81 - 85 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/06/2012	12/12/2012	01/19/2013	01/19/2013	02/21/2013	02/21/2013	04/17/2013	04/17/2013	07/22/2013	07/22/2013	10/07/2013	10/07/2013	04/16/2014	04/16/2014	10/14/2014	04/14/2015	04/14/2015	10/16/2015	10/16/2015	10/10/2016	10/03/2017
VOCs																							
1,1,1,2-Tetrachloroethane	7	70	< 2.5	NA	4.8 J	4.1 J	4.5 J	4.8 J	< 5	< 2.5	< 2.5	< 2.5	< 1.3	< 1.3	< 2.5	< 5.0	< 2.5	< 2.5	< 2.5	< 9.2	< 9.2	< 22	< 11
1,1,1-Trichloroethane	40	200	< 2	NA	< 2	< 2	< 1	< 1	< 4	< 2	< 2	< 2	< 1	< 1	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 7.6	< 7.6	< 20	< 10
1,1,2-Trichloroethane	0.5	5	< 2.8	NA	< 2.8	< 2.8	< 1.4	< 1.4	< 5.6	< 2.8	< 2.8	< 2.8	< 1.4	< 1.4	< 2.8	< 5.6	< 2.8	< 2.8	< 2.8	< 7.0	< 7.0	< 20	< 10
1,1-Dichloroethene	0.7	7	< 3.1	NA	< 3.1	***4.2 J***	***4.2 J***	***3.5 J***	< 6.2	< 3.1	< 3.1	< 3.1	< 1.6	< 1.6	< 3.1	< 6.2	< 3.1	< 3.1	< 3.1	< 7.8	< 7.8	< 28	< 14
1,2,4-Trimethylbenzene	96	480	< 1.4	NA	< 1.4	< 1.4	< 0.7	< 0.7	< 2.8	< 1.4	< 1.4	< 1.4	< 0.7	< 0.7	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 7.2	< 7.2	< 12	< 6
1,2-Dibromoethane	0.005	0.05	< 3.6	NA	< 3.6	< 3.6	< 1.8	< 1.8	< 7.2	< 3.6	< 3.6	< 3.6	< 1.8	< 1.8	< 3.6	< 7.2	< 3.6	< 3.6	< 3.6	< 7.7	< 7.7	< 26	< 13
1,2-Dichlorobenzene	60	600	< 2.7	NA	< 2.7	< 2.7	< 1.4	< 1.4	< 5.4	< 2.7	< 2.7	< 2.7	< 1.4	< 1.4	< 2.7	< 5.4	< 2.7	< 2.7	< 2.7	< 6.7	< 6.7	< 15	< 7.6
1,2-Dichloropropane	0.5	5	< 2	NA	< 2	< 2	< 1	< 1	< 4	< 2	< 2	< 2	< 1	< 1	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 8.6	< 8.6	< 20	< 10
1,2,3-Trichlorobenzene	NE	NE	< 2.4	NA	< 2.4	< 2.4	< 1.2	< 1.2	< 4.8	< 2.4	< 2.4	< 2.4	< 1.2	< 1.2	< 2.4	< 4.8	< 2.4	< 2.4	< 2.4	< 9.2	< 9.2	< 9.0	< 4.5
1,2,4-Trichlorobenzene	14	70	< 3.1	NA	< 3.1	< 3.1	< 1.6	< 1.6	< 6.2	< 3.1	< 3.1	< 3.1	< 1.6	< 1.6	< 3.1	< 6.2	< 3.1	< 3.1	< 3.1	< 6.8	< 6.8	< 15	< 7.7
1,3,5-Trimethylbenzene	96	480	< 1.8	NA	< 1.8	< 1.8	< 0.9	< 0.9	< 3.6	< 1.8	< 1.8	< 1.8	< 0.9	< 0.9	< 1.8	< 3.6	< 1.8	< 1.8	< 1.8	< 5.1	< 5.1	< 15	< 7.5
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 600	< 300
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 190	< 95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 150	< 77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 680	500 J
Benzene	0.5	5	< 0.74	NA	< 0.74	< 0.74	< 0.37	< 0.37	< 1.5	< 0.74	< 0.74	< 0.74	< 0.37	< 0.37	< 0.74	< 1.5	< 0.74	< 0.74	< 0.74	< 2.9	< 2.9	< 18	< 8.9
Bromodichloromethane	0.06	0.6	< 1.7	NA	< 1.7	< 1.7	< 0.85	< 0.85	< 3.4	< 1.7	< 1.7	< 1.7	< 0.85	< 0.85	< 1.7	< 3.4	< 1.7	< 1.7	< 1.7	< 7.4	< 7.4	< 15	< 7.7
Bromoform	0.44	4.4	< 2.8	NA	< 2.8	< 2.8	< 1.4	< 1.4	< 5.6	< 2.8	< 2.8	< 2.8	< 1.4	< 1.4	< 2.8	< 5.6	< 2.8	< 2.8	< 2.8	< 9.7	< 9.7	< 18	< 8.8
Bromomethane	1	10	< 3.1	NA	< 3.1	< 3.1	< 1.6	< 1.6	< 6.2	< 3.1	< 3.1	< 3.1	< 1.6	< 1.6	< 3.1	< 6.2	< 3.1 *	< 3.1	< 3.1	< 16	< 16	< 120	< 59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 11	< 5.3
Carbon tetrachloride	0.5	5	< 2.6	NA	< 2.6	< 2.6	< 1.3	< 1.3	< 5.2	< 2.6	< 2.6	< 2.6	< 1.3	< 1.3	< 2.6	< 5.2	< 2.6	< 2.6	< 2.6	< 7.7	< 7.7	< 7.6	< 3.8
Chloroform	0.6	6	< 2	NA	< 2	< 2	< 1	< 1	< 4	< 2	< 2	< 2	< 1	< 1	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 7.4	< 7.4	< 12	< 6.2
Chloromethane	3	30	< 1.8	NA	< 1.8	< 1.8	< 0.9	< 0.9	< 3.6	< 1.8	< 1.8	< 1.8	< 0.9	< 0.9	< 1.8	< 3.6	< 1.8	< 1.8	< 1.8	< 6.4	< 6.4	< 32	< 16
cis-1,2-Dichloroethene	7	70	***1900***	NA	***1800***	***1800***	***2100***	***2300***	***2700***	***2400***	***1700***	***1800***	***1200***	***1200***	***2200***	***2400***	***1700***	***1600***	***2000***	***1900***	***1800***	***930***	***670***
Dichlorodifluoromethane	200	1000	< 2	NA	< 2	< 2	< 1	< 1	< 4	< 2	< 2	< 2	< 1	< 1	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 11	< 11	< 22	< 11
Ethylbenzene	140	700	< 1.3	NA	< 1.3	< 1.3	< 0.65	< 0.65	< 2.6	< 1.3	< 1.3	< 1.3	< 0.65	< 0.65	< 1.3	< 2.6	< 1.3	< 1.3	< 1.3	< 3.7	< 3.7	< 11	< 5.4
Isopropylbenzene	NE	NE	< 1.4	NA	< 1.4	< 1.4	< 0.7	< 0.7	< 2.8	< 1.4	< 1.4	< 1.4	< 0.7	< 0.7	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 7.7	< 7.7	< 16	< 8.1
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 11	6 BJ
Methyl tert-butyl ether	12	60	< 2.4	NA	< 2.4	< 2.4	< 1.2	< 1.2	< 4.8	< 2.4	< 2.4	< 2.4	< 1.2	< 1.2	< 2.4	< 4.8	< 2.4	< 2.4	< 2.4	< 7.9	< 7.9	< 28	< 14
Methylene chloride	0.5	5	< 6.8	NA	< 6.8	< 6.8	< 3.4	< 3.4	< 14	< 6.8	< 6.8	< 6.8	< 3.4	< 3.4	< 6.8	< 14	< 6.8	< 6.8	< 6.8	< 33	< 33	< 28	< 14
Naphthalene	10	100	< 1.6	NA	< 1.6	< 1.6	< 0.8	< 0.8	< 3.2	< 1.6	< 1.6	< 1.6	< 0.8	< 0.8	< 1.6	< 3.2	< 1.6	< 1.6	< 1.6	< 6.7	< 6.7	< 18	< 8.8
n-Butylbenzene	NE	NE	< 1.3	NA	< 1.3	< 1.3	< 0.65	< 0.65	< 2.6	< 1.3	< 1.3	< 1.3	< 0.65	< 0.65	< 1.3	< 2.6	< 1.3	< 1.3	< 1.3	< 7.8	< 7.8	< 28	< 14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 42	< 21
n-Propylbenzene	NE	NE	< 1.3	NA	< 1.3	< 1.3	< 0.65	< 0.65	< 2.6	< 1.3	< 1.3	< 1.3	< 0.65	< 0.65	< 1.3	< 2.6	< 1.3	< 1.3	< 1.3	< 8.3	< 8.3	< 20	< 10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 12	< 5.8
p-Isopropyltoluene	NE	NE	< 1.7	NA	< 1.7	< 1.7	< 0.85	< 0.85	< 3.4	< 1.7	< 1.7	< 1.7	< 0.85	< 0.85	< 1.7	< 3.4	< 1.7	< 1.7	< 1.7	< 7.2	< 7.2	< 17	< 8.5
sec-Butylbenzene	NE	NE	< 1.5	NA	< 1.5	< 1.5	< 0.75	< 0.75	< 3	< 1.5	< 1.5	< 1.5	< 0.75	< 0.75	< 1.5	< 3.0	< 1.5	< 1.5	< 1.5	< 8.0	< 8.0	< 26	< 13
Styrene	10	100	< 1	NA	< 1	< 1	< 0.5	< 0.5	< 2	< 1	< 1	< 1	< 0.5	< 0.5	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 7.7	< 7.7	< 13	< 6.5
tert-Butylbenzene	NE	NE	< 1.4	NA	< 1.4	< 1.4	< 0.7	< 0.7	< 2.8	< 1.4	< 1.4	< 1.4	< 0.7	< 0.7	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 8.0	< 8.0	< 24	< 12
Tetrachloroethene	0.5	5	***5600***	NA	***6800***	***7400***	***7000***	***7100***	***7900***	***7000***	***6800***	***6300***	***5400***	***5200***	***7900***	***7800***	***8000***	***6700***	***11000***	***9700***	***9200***	***4800***	***3200***
Toluene	160	800	< 1.1	NA	< 1.1	< 1.1	< 0.55	< 0.55	< 2.2	< 1.1	< 1.1	< 1.1	< 0.55	< 0.55	< 1.1	< 2.2	< 1.1	< 1.1	< 1.1	< 3.0	< 3.0	< 11	< 5.3
trans-1,2-Dichloroethene	20	100	***29***	NA	***38***	***37***	***38***	***40***	***48***	***35***	***29***	***31***	19	19	***39***	***41***	***25***	***27***	***34***	< 7.0	< 7.0	< 22	12 J
Trichloroethene	0.5	5	***940***	NA	***1100***	***1000***	***1100***	***1000***	***1200***	***940***	***900***	***900***	***660***	***640***	***1100***	***1100***	***730***	***780***	***980***	***960***	***870***	***500***	***390***
Vinyl chloride	0.02	0.2	***64***	NA	***120***	***110***	***110***	***110***	***99***	***71***	***75***	***75***	***48***	***48***	***87***	***95***	***55***	***72***	***89***	***110***	***92***	***52 J***	***54***
Xylenes, Total	400	2000	< 0.68	NA	< 0.68	< 0.68	< 0.34	< 0.34	< 1.4	< 0.68	< 0.68	< 0.68	< 0.34	< 0.34	< 0.68	< 1.4	< 0.68	< 0.68	< 0.68	< 4.4	< 4.4	< 12	< 12
Total PCBs																							
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.083	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.099	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																							
Total Dissolved Solids	NE	NE	990	950	910	NA	980	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft	102 - 106 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/04/2012	01/18/2013	02/21/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017
VOCs														
1,1,1,2-Tetrachloroethane	7	70	< 1.3	< 0.5	< 0.5	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 4.6	< 2.2	< 2.8
1,1,1-Trichloroethane	40	200	< 1	< 0.4	< 0.4	< 1	< 1	< 1	< 1.0	< 1.0	< 1.0	< 3.8	< 2.0	< 2.5
1,1,2-Trichloroethane	0.5	5	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 3.5	< 2.0	< 2.5
1,1-Dichloroethene	0.7	7	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 3.9	< 2.8	< 3.5
1,2,4-Trimethylbenzene	96	480	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 3.6	< 1.2	< 1.5
1,2-Dibromoethane	0.005	0.05	< 1.8	< 0.72	< 0.72	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 3.9	< 2.6	< 3.3
1,2-Dichlorobenzene	60	600	< 1.4	< 0.54	< 0.54	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 3.3	< 1.5	< 1.9
1,2-Dichloropropane	0.5	5	< 1	< 0.4	< 0.4	< 1	< 1	< 1	< 1.0	< 1.0	< 1.0	< 4.3	< 2.0	< 2.5
1,2,3-Trichlorobenzene	NE	NE	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 4.6	< 0.90	< 1.1
1,2,4-Trichlorobenzene	14	70	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 3.4	< 1.5	< 1.9
1,3,5-Trimethylbenzene	96	480	< 0.9	< 0.36	< 0.36	< 0.9	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 2.5	< 1.5	< 1.9
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 60	< 75
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 19	< 24
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 15	< 19
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 68	< 85
Benzene	0.5	5	< 0.37	< 0.15	< 0.15	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 1.5	< 1.8	< 2.2
Bromodichloromethane	0.06	0.6	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 3.7	< 1.5	< 1.9
Bromoform	0.44	4.4	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 4.8	< 1.8	< 2.2
Bromomethane	1	10	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6 *	< 1.6	< 8.0	< 12	< 15
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 1.3
Carbon tetrachloride	0.5	5	< 1.3	< 0.52	< 0.52	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 3.8	< 0.76	< 0.95
Chloroform	0.6	6	< 1	< 0.4	< 0.4	< 1	< 1	< 1	< 1.0	< 1.0	< 1.0	< 3.7	< 1.2	< 1.6
Chloromethane	3	30	< 0.9	< 0.36	< 0.36	< 0.9	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 3.2	***9.8 BJ***	< 4
cis-1,2-Dichloroethene	7	70	***1100***	***690***	***520***	***720***	***660***	***600***	***770***	***730***	***980***	***1100***	***200***	***350***
Dichlorodifluoromethane	200	1000	< 1	< 0.4	< 0.4	< 1	< 1	< 1	< 1.0	< 1.0	< 1.0	< 5.4	< 2.2	< 2.8
Ethylbenzene	140	700	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 1.8	< 1.1	< 1.4
Isopropylbenzene	NE	NE	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 3.9	< 1.6	< 2
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 1.4
Methyl tert-butyl ether	12	60	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 3.9	< 2.8	< 3.5
Methylene chloride	0.5	5	< 3.4	< 1.4	< 1.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 16	< 2.8	< 3.5
Naphthalene	10	100	< 0.8	< 0.32	< 0.32	< 0.8	< 0.8	< 0.8	< 0.80	< 0.80	< 0.80	< 3.4	< 1.8	< 2.2
n-Butylbenzene	NE	NE	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 3.9	< 2.8	< 3.5
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 4.2	< 5.3
n-Propylbenzene	NE	NE	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 4.1	< 2.0	< 2.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.2	< 1.5
p-Isopropyltoluene	NE	NE	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 3.6	< 1.7	< 2.1
sec-Butylbenzene	NE	NE	< 0.75	< 0.3	< 0.3	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 4.0	< 2.6	< 3.3
Styrene	10	100	< 0.5	< 0.2	< 0.2	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 3.9	< 1.3	1.8 BJ
tert-Butylbenzene	NE	NE	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 4.0	< 2.4	< 3
Tetrachloroethene	0.5	5	***1800***	***1100***	***670***	***1400***	***1500***	***1900***	***1600***	***2000***	***2100***	***4600***	***870***	***970***
Toluene	160	800	< 0.55	< 0.22	< 0.22	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 1.5	< 1.1	< 1.3
trans-1,2-Dichloroethene	20	100	15	9.5	4.8	6.6	6.0	7.0	9.8	8.1	13	< 3.5	3.2 J	7.3 J
Trichloroethene	0.5	5	***440***	***330***	***270***	***500***	***450***	***490***	***580***	***530***	***680***	***930***	***230***	***230***
Vinyl chloride	0.02	0.2	***33***	***23***	***13***	***20***	***19***	***20***	***23***	***22***	***41***	***44***	< 3.2	< 4
Xylenes, Total	400	2000	< 0.34	< 0.14	< 0.14	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 2.2	< 1.2	< 2.9
Total PCBs														
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.083	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.099	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs														
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids														
Total Dissolved Solids	NE	NE	1100	970	960	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13[3]	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft	121 - 125 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/04/2012	12/04/2012	01/18/2013	02/20/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017
VOCs															
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 1.3	< 1.3	NA	< 5	< 2.5	1.1	< 5.0	< 2.5	< 2.5	< 9.2	< 11	< 5.5
1,1,1-Trichloroethane	40	200	< 0.4	< 1	< 1	NA	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 7.6	< 10	< 5
1,1,2-Trichloroethane	0.5	5	< 0.56	< 1.4	< 1.4	NA	< 5.6	< 2.8	< 0.28	< 5.6	< 2.8	< 2.8	< 7.0	< 10	< 5
1,1-Dichloroethene	0.7	7	< 0.62	< 1.6	< 1.6	NA	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1	< 3.1	< 7.8	< 14	< 7
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.7	< 0.7	NA	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 7.2	< 6.0	< 3
1,2-Dibromoethane	0.005	0.05	< 0.72	< 1.8	< 1.8	NA	< 7.2	< 3.6	< 0.36	< 7.2	< 3.6	< 3.6	< 7.7	< 13	< 6.5
1,2-Dichlorobenzene	60	600	< 0.54	< 1.4	< 1.4	NA	< 5.4	< 2.7	< 0.27	< 5.4	< 2.7	< 2.7	< 6.7	< 7.6	< 3.8
1,2-Dichloropropane	0.5	5	< 0.4	< 1	< 1	NA	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 8.6	< 10	< 5
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 1.2	< 1.2	NA	< 4.8	< 2.4	< 0.24	< 4.8	< 2.4	< 2.4	< 9.2	< 4.5	< 2.3
1,2,4-Trichlorobenzene	14	70	< 0.62	< 1.6	< 1.6	NA	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1	< 3.1	< 6.8	< 7.7	< 3.9
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.9	< 0.9	NA	< 3.6	< 1.8	< 0.18	< 3.6	< 1.8	< 1.8	< 5.1	< 7.5	< 3.8
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 300	< 150
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 95	< 48
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 77	< 39
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 340	280 BJ
Benzene	0.5	5	< 0.15	< 0.37	< 0.37	NA	< 1.5	< 0.74	0.29 J	< 1.5	< 0.74	< 0.74	< 2.9	< 8.9	< 4.5
Bromodichloromethane	0.06	0.6	< 0.34	< 0.85	< 0.85	NA	< 3.4	< 1.7	< 0.17	< 3.4	< 1.7	< 1.7	< 7.4	< 7.7	< 3.9
Bromoform	0.44	4.4	< 0.56	< 1.4	< 1.4	NA	< 5.6	< 2.8	< 0.28	< 5.6	< 2.8	< 2.8	< 9.7	< 8.8	< 4.4
Bromomethane	1	10	< 0.62	< 1.6	< 1.6	NA	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1 *	< 3.1	< 16	< 59	< 30
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.3	< 2.7
Carbon tetrachloride	0.5	5	< 0.52	< 1.3	< 1.3	NA	< 5.2	< 2.6	< 0.26	< 5.2	< 2.6	< 2.6	< 7.7	< 3.8	< 1.9
Chloroform	0.6	6	< 0.4	< 1	< 1	NA	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 7.4	< 6.2	< 3.1
Chloromethane	3	30	< 0.36	< 0.9	< 0.9	NA	< 3.6	< 1.8	< 0.18	< 3.6	< 1.8	< 1.8	< 6.4	***49 BJ***	***9.5 J+***
cis-1,2-Dichloroethene	7	70	***910***	***970***	***1000***	NA	***930***	***760***	***650***	***720***	***630***	***690***	***820***	***200***	***240***
Dichlorodifluoromethane	200	1000	< 0.4	< 1	< 1	NA	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 11	< 11	< 5.5
Ethylbenzene	140	700	< 0.26	< 0.65	< 0.65	NA	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 3.7	< 5.4	< 2.7
Isopropylbenzene	NE	NE	< 0.28	< 0.7	< 0.7	NA	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 7.7	< 8.1	< 4.1
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.7	3 BJ
Methyl tert-butyl ether	12	60	< 0.48	< 1.2	< 1.2	NA	< 4.8	< 2.4	< 0.24	< 4.8	< 2.4	< 2.4	< 7.9	< 14	< 7
Methylene chloride	0.5	5	< 1.4	< 3.4	< 3.4	NA	< 14	< 6.8	< 0.68	< 14	< 6.8	< 6.8	< 33	< 14	< 7
Naphthalene	10	100	< 0.32	< 0.8	< 0.8	NA	< 3.2	< 1.6	< 0.16	< 3.2	< 1.6	< 1.6	< 6.7	< 8.8	< 4.4
n-Butylbenzene	NE	NE	< 0.26	< 0.65	< 0.65	NA	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 7.8	< 14	< 7
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 21	< 11
n-Propylbenzene	NE	NE	< 0.26	< 0.65	< 0.65	NA	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 8.3	< 10	< 5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.8	< 2.9
p-Isopropyltoluene	NE	NE	< 0.34	< 0.85	< 0.85	NA	< 3.4	< 1.7	< 0.17	< 3.4	< 1.7	< 1.7	< 7.2	< 8.5	< 4.3
sec-Butylbenzene	NE	NE	< 0.3	< 0.75	< 0.75	NA	< 3	< 1.5	< 0.15	< 3.0	< 1.5	< 1.5	< 8.0	< 13	< 6.5
Styrene	10	100	< 0.2	< 0.5	< 0.5	NA	< 2	< 1	< 0.1	< 2.0	< 1.0	< 1.0	< 7.7	< 6.5	3.5 BJ
tert-Butylbenzene	NE	NE	< 0.28	< 0.7	< 0.7	NA	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 8.0	< 12	< 6
Tetrachloroethene	0.5	5	***1500***	***1500***	***2600***	NA	***7000***	***6300***	***6500***	***6700***	***4800***	***4300***	***12000***	***3100***	***3000***
Toluene	160	800	< 0.22	< 0.55	< 0.55	NA	< 2.2	< 1.1	< 0.11	< 2.2	< 1.1	< 1.1	< 3.0	9.0 J	< 2.7
trans-1,2-Dichloroethene	20	100	12	15	17	NA	12 J	12	9.7	10 J	6.7 J	< 2.5	< 7.0	< 11	6 J
Trichloroethene	0.5	5	***340***	***370***	***460***	NA	***600***	***510***	***550***	***710***	***520***	***640***	***1100***	***450***	***460***
Vinyl chloride	0.02	0.2	***36***	***37***	***54***	NA	***13***	***9.3***	***8.1***	***6.2 J***	< 1.0	***11***	< 4.1	< 16	< 8
Xylenes, Total	400	2000	< 0.14	< 0.34	< 0.34	NA	< 1.4	< 0.68	< 0.068	< 1.4	< 0.68	< 0.68	< 4.4	< 5.8	< 5.8
Total PCBs															
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.084	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids															
Total Dissolved Solids	NE	NE	1100	NA	1000	920	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	135 - 139 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft	163 - 167 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/04/2012	01/17/2013	02/20/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017	12/04/2012	01/16/2013	02/20/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	10/10/2016	10/03/2017
VOCs																										
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 1.3	NA	< 2.5	< 2.5	< 1.3	< 2.5	< 2.5	< 2.5	< 4.6	< 11	< 5.5	< 1.3	< 0.25	NA	< 0.5	< 0.25	< 0.25	< 0.50	< 0.50	< 0.25	< 0.46	< 0.22	< 0.11
1,1,1-Trichloroethane	40	200	< 0.4	< 1	NA	< 2	< 2	< 1	< 2.0	< 2.0	< 2.0	< 3.8	< 10	< 5	< 1	< 0.2	NA	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.20	< 0.38	< 0.20	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.56	< 1.4	NA	< 2.8	< 2.8	< 1.4	< 2.8	< 2.8	< 2.8	< 3.5	< 10	< 5	< 1.4	< 0.28	NA	< 0.56	< 0.28	< 0.28	< 0.56	< 0.56	< 0.28	< 0.35	< 0.20	< 0.1
1,1-Dichloroethene	0.7	7	***1.5 J***	< 1.6	NA	< 3.1	< 3.1	< 1.6	< 3.1	< 3.1	< 3.1	< 3.9	< 14	< 7	< 1.6	***0.97 J***	NA	< 0.62	< 0.31	< 0.31	< 0.62	< 0.62	< 0.31	< 0.39	< 0.28	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.7	NA	< 1.4	< 1.4	< 0.7	< 1.4	< 1.4	< 1.4	< 3.6	< 6.0	< 3	< 0.7	< 0.14	NA	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.14	< 0.36	< 0.12	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.72	< 1.8	NA	< 3.6	< 3.6	< 1.8	< 3.6	< 3.6	< 3.6	< 3.9	< 13	< 6.5	< 1.8	< 0.36	NA	< 0.72	< 0.36	< 0.36	< 0.72	< 0.72	< 0.36	< 0.39	< 0.26	< 0.13
1,2-Dichlorobenzene	60	600	< 0.54	< 1.4	NA	< 2.7	< 2.7	< 1.4	< 2.7	< 2.7	< 2.7	< 3.3	< 7.6	< 3.8	< 1.4	< 0.27	NA	< 0.54	< 0.27	< 0.27	< 0.54	< 0.54	< 0.27	< 0.33	< 0.15	< 0.076
1,2-Dichloropropane	0.5	5	< 0.4	< 1	NA	< 2	< 2	< 1	< 2.0	< 2.0	< 2.0	< 4.3	< 10	< 5	< 1	< 0.2	NA	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.20	< 0.43	< 0.20	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 1.2	NA	< 2.4	< 2.4	< 1.2	< 2.4	< 2.4	< 2.4	< 4.6	< 4.5	< 2.3	< 1.2	< 0.24	NA	< 0.48	< 0.24	< 0.24	< 0.48	< 0.48	< 0.24	< 0.46	< 0.090	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.62	< 1.6	NA	< 3.1	< 3.1	< 1.6	< 3.1	< 3.1	< 3.1	< 3.4	< 7.7	< 3.9	< 1.6	< 0.31	NA	< 0.62	< 0.31	< 0.31	< 0.62	< 0.62	< 0.31	< 0.34	< 0.15	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.9	NA	< 1.8	< 1.8	< 0.9	< 1.8	< 1.8	< 1.8	< 2.5	< 7.5	< 3.8	< 0.9	< 0.18	NA	< 0.36	< 0.18	< 0.18	< 0.36	< 0.36	< 0.18	< 0.25	< 0.15	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 300	< 150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 95	< 48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.9	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 77	< 39	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.5	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 340	260 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.8	5.2 BJ
Benzene	0.5	5	0.41 J	***1.1 J***	NA	< 0.74	< 0.74	< 0.37	< 0.74	< 0.74	< 0.74	< 1.5	< 8.9	< 4.5	< 0.37	< 0.074	NA	< 0.15	< 0.074	< 0.074	< 0.15	< 0.15	< 0.074	< 0.15	< 0.18	< 0.089
Bromodichloromethane	0.06	0.6	< 0.34	< 0.85	NA	< 1.7	< 1.7	< 0.85	< 1.7	< 1.7	< 1.7	< 3.7	< 7.7	< 3.9	< 0.85	< 0.17	NA	< 0.34	< 0.17	< 0.17	< 0.34	< 0.34	< 0.17	< 0.37	< 0.15	< 0.077
Bromoform	0.44	4.4	< 0.56	< 1.4	NA	< 2.8	< 2.8	< 1.4	< 2.8	< 2.8	< 2.8	< 4.8	< 8.8	< 4.4	< 1.4	< 0.28	NA	< 0.56	< 0.28	< 0.28	< 0.56	< 0.56	< 0.28	< 0.48	< 0.18	< 0.088
Bromomethane	1	10	< 0.62	< 1.6	NA	< 3.1	< 3.1	< 1.6	< 3.1	< 3.1 *	< 3.1	< 8.0	< 59	< 30	< 1.6	< 0.31	NA	< 0.62	< 0.31	< 0.31	< 0.62	< 0.62 *	< 0.31	< 0.80	< 1.2	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.3	< 2.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.053
Carbon tetrachloride	0.5	5	< 0.52	< 1.3	NA	< 2.6	< 2.6	< 1.3	< 2.6	< 2.6	< 2.6	< 3.8	< 3.8	< 1.9	< 1.3	< 0.26	NA	< 0.52	< 0.26	< 0.26	< 0.52	< 0.52	< 0.26	< 0.38	< 0.076	< 0.038
Chloroform	0.6	6	< 0.4	< 1	NA	< 2	< 2	< 1	< 2.0	< 2.0	< 2.0	< 3.7	< 6.2	< 3.1	< 1	< 0.2	NA	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.20	< 0.37	< 0.12	< 0.062
Chloromethane	3	30	< 0.36	< 0.9	NA	< 1.8	< 1.8	< 0.9	< 1.8	< 1.8	< 1.8	< 3.2	***46 BJ***	***11 J+***	< 0.9	< 0.18	NA	< 0.36	< 0.18	< 0.18	< 0.36	< 0.36	< 0.18	< 0.32	0.76 BJ	0.46 J+
cis-1,2-Dichloroethene	7	70	***1100***	***910***	NA	***540***	***420***	***380***	***370***	***330***	***410***	***170***	***87***	***190***	***970***	***730***	NA	***460***	***200***	***170***	***180***	***160***	***150***	***33***	3.8	3.6
Dichlorodifluoromethane	200	1000	< 0.4	< 1	NA	< 2	< 2	< 1	< 2.0	< 2.0	< 2.0	< 5.4	< 11	< 5.5	< 1	< 0.2	NA	< 0.4	< 0.2	< 0.2	< 0.40	< 0.40	< 0.20	< 0.54	< 0.22	< 0.11
Ethylbenzene	140	700	< 0.26	< 0.65	NA	< 1.3	< 1.3	< 0.65	< 1.3	< 1.3	< 1.3	< 1.8	< 5.4	< 2.7	< 0.65	< 0.13	NA	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.13	< 0.18	< 0.11	< 0.054
Isopropylbenzene	NE	NE	< 0.28	< 0.7	NA	< 1.4	< 1.4	< 0.7	< 1.4	< 1.4	< 1.4	< 3.9	< 8.1	< 4.1	< 0.7	< 0.14	NA	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.14	< 0.39	< 0.16	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.7	< 2.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.057
Methyl tert-butyl ether	12	60	< 0.48	< 1.2	NA	< 2.4	< 2.4	< 1.2	< 2.4	< 2.4	< 2.4	< 3.9	< 14	< 7	< 1.2	< 0.24	NA	< 0.48	< 0.24	< 0.24	< 0.48	< 0.48	< 0.24	< 0.39	< 0.28	< 0.14
Methylene chloride	0.5	5	< 1.4	< 3.4	NA	< 6.8	< 6.8	< 3.4	< 6.8	< 6.8	< 6.8	< 16	< 14	< 7	< 3.4	< 0.68	NA	< 1.4	< 0.68	< 0.68	< 1.4	< 1.4	< 0.68	< 1.6	< 0.28	< 0.14
Naphthalene	10	100	< 0.32	< 0.8	NA	< 1.6	< 1.6	< 0.8	< 1.6	< 1.6	< 1.6	< 3.4	< 8.8	< 4.4	< 0.8	< 0.16	NA	< 0.32	< 0.16	< 0.16	< 0.32	< 0.32	< 0.16	< 0.34	< 0.18	< 0.088
n-Butylbenzene	NE	NE	< 0.26	< 0.65	NA	< 1.3	< 1.3	< 0.65	< 1.3	< 1.3	< 1.3	< 3.9	< 14	< 7	< 0.65	< 0.13	NA	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.13	< 0.39	< 0.28	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 21	< 11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.42	< 0.21
n-Propylbenzene	NE	NE	< 0.26	< 0.65	NA	< 1.3	< 1.3	< 0.65	< 1.3	< 1.3	< 1.3	< 4.1	< 10	< 5	< 0.65	< 0.13	NA	< 0.26	< 0.13	< 0.13	< 0.26	< 0.26	< 0.13	< 0.41	< 0.20	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.8	< 2.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	< 0.058
p-Isopropyltoluene	NE	NE	< 0.34	< 0.85	NA	< 1.7	< 1.7	< 0.85	< 1.7	< 1.7	< 1.7	< 3.6	< 8.5	< 4.3	< 0.85	< 0.17	NA	< 0.34	< 0.17	< 0.17	< 0.34	< 0.34	< 0.17	< 0.36	< 0.17	< 0.085
sec-Butylbenzene	NE	NE	< 0.3	< 0.75	NA	< 1.5	< 1.5	< 0.75	< 1.5	< 1.5	< 1.5	< 4.0	< 13	< 6.5	< 0.75	< 0.15	NA	< 0.3	< 0.15	< 0.15	< 0.30	< 0.30	< 0.15	< 0.40	< 0.26	< 0.13
Styrene	10	100	< 0.2	< 0.5	NA	< 1	< 1	< 0.5	< 1.0	< 1.0	< 1.0	< 3.9	< 6.5	3.5 BJ	< 0.5	< 0.1	NA	< 0.2	< 0.1	< 0.1	< 0.20	< 0.20	< 0.10	< 0.39	< 0.13	< 0.065
tert-Butylbenzene	NE	NE	< 0.28	< 0.7	NA	< 1.4	< 1.4	< 0.7	< 1.4	< 1.4	< 1.4	< 4.0	< 12	< 6	< 0.7	< 0.14	NA	< 0.28	< 0.14	< 0.14	< 0.28	< 0.28	< 0.14	< 0.40	< 0.24	< 0.12
Tetrachloroethene	0.5	5	***1900***	***2300***	NA	***3800***	***4200***	***6500***	***5200***	***6300***	***5700***	***5500***	***2000***	***4100***	***1400***	***930***	NA	***840***	***510***	***680***	***870***	***930***	***910***	***350***	***43***	***45***
Toluene	160	800	< 0.22	< 0.55	NA	< 1.1	< 1.1	< 0.55	< 1.1	< 1.1	< 1.1	< 1.5	8.0 J	< 2.7	< 0.55	< 0.11	NA	< 0.22	< 0.11	< 0.11	< 0.22	< 0.22	< 0.11	< 0.15	< 0.11	0.08 BJ
trans-1,2-Dichloroethene	20	100	17	15	NA	8.5 J	5.4 J	< 1.3	< 2.5	< 2.5	< 2.5	< 3.5	< 11	< 5.5	15	13	NA	7.5	3.3	2.6	3.3	1.9 J	1.9	< 0.35	< 0.22	< 0.11
Trichloroethene	0.5	5	***450***	***430***	NA	***310***	***260***	***310***	***320***	***270***	***370***	***210***	***100***	***250***	***370***	***250***	NA	***200***	***92***	***96***	***110***	***100***	***99***	***33***	***4.8***	***4.4***
Vinyl chloride	0.02	0.2	***50***	***42***	NA	***11***	***8.1***	***5.8***	***4.0 J***	***3.7 J***	***4.4 J***	< 2.0	< 16	< 8	***41***	***27***	NA	***6.8***	***0.74***	***0.72***	***0.56 J***	< 0.20	***1.1***	< 0.20	< 0.32	< 0.16
Xylenes, Total	400	2000	< 0.14	< 0.34	NA	< 0.68	< 0.68	< 0.34	< 0.68	< 0.68	< 0.68	< 2.2	< 5.8	< 5.8	< 0.34	< 0.068	NA	< 0.14	< 0.068	< 0.068	< 0.14	< 0.14	< 0.068	< 0.22	< 0.12	< 0.12
Total PCBs																										
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.083	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.083	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.099	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.098	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																										
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																										
Total Dissolved Solids	NE	NE	1100	960	890	NA	NA	NA	NA	NA	NA	NA	NA	NA	1100	850	890	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	70 - 75 ft	70 - 75 ft	70 - 75 ft	70 - 75 ft	70 - 75 ft	70 - 75 ft	70 - 75 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/21/2013	04/16/2013	07/16/2013	07/22/2013	10/08/2013	04/14/2014	10/17/2014	01/21/2013	04/16/2013	07/16/2013	07/22/2013	10/08/2013	04/14/2014	10/17/2014	04/13/2015	10/15/2015	10/11/2016	10/02/2017
VOCs																					
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	8.4 BJ
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	1.3 J
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	0.72 J	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.07 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***0.71 J***	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	***1.5***	< 0.17	< 0.17	< 0.17	***1.7***	< 0.17	***1***	< 0.17	< 0.37	***0.54***	0.45 J-
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.10 J	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs																					
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																					
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																					
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft	135 - 140 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/21/2013	04/16/2013	07/16/2013	07/22/2013	10/08/2013	04/14/2014	10/17/2014	04/13/2015	10/15/2015	01/20/2016	04/19/2016	07/18/2016	10/11/2016	1/18/2017	04/10/2017	10/02/2017	04/02/2018
VOCs																			
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.5	< 0.25	< 0.5	< 0.25	< 0.25	< 0.25	< 0.46	< 1.1	< 2.2	< 0.11	< 1.1	< 1.1	< 0.11	< 1.1	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.20	< 0.20	< 0.20	< 0.38	< 1.0	< 2.0	< 0.10	< 1.0	< 1.0	< 0.10	< 1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.28	< 0.28	< 0.35	< 1.0	< 2.0	< 0.10	< 1.0	< 1.0	< 0.10	< 1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.31	< 0.31	< 0.39	< 1.4	< 2.8	< 0.14	< 1.4	< 1.4	< 0.14	< 1.4	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.36	< 0.60	< 1.2	< 0.060	< 0.60	< 0.60	< 0.060	< 0.6	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.72	< 0.36	< 0.72	< 0.36	< 0.36	< 0.36	< 0.39	< 1.3	< 2.6	< 0.13	< 1.3	< 1.3	< 0.13	< 1.3	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.54	< 0.27	< 0.54	< 0.27	< 0.27	< 0.27	< 0.33	< 0.76	< 1.5	< 0.076	< 0.76	< 0.76	< 0.076	< 0.76	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.20	< 0.20	< 0.20	< 0.43	< 1.0	< 2.0	< 0.10	< 1.0	< 1.0	< 0.10	< 1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.24	< 0.24	< 0.46	< 0.45	3.4 BJ	< 0.045	< 0.45	< 0.45	< 0.045	< 0.45	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.31	< 0.31	< 0.34	< 0.77	2.4 J	< 0.077	< 0.77	< 0.77	< 0.077	< 0.77	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.18	< 0.18	< 0.25	< 0.75	< 1.5	< 0.075	< 0.75	< 0.75	< 0.075	< 0.75	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 30	< 60	< 3.0	< 30	< 30	< 3.0	< 30	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5	< 19	< 0.95	< 9.5	< 9.5	< 0.95	< 9.5	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 7.7	< 15	< 0.77	< 7.7	< 7.7	< 0.77	< 7.7	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 34	< 68	< 3.4	< 34	< 34	< 3.4	< 34	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.15	< 0.074	< 0.15	< 0.074	< 0.074	< 0.074	< 0.15	< 0.89	< 1.8	< 0.089	< 0.89	< 0.89	< 0.089	< 0.89	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.17	< 0.17	< 0.37	< 0.77	< 1.5	< 0.077	< 0.77	***0.80 BJ***	< 0.077	< 0.77	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.28	< 0.28	< 0.48	< 0.88	< 1.8	< 0.088	< 0.88	< 0.88	< 0.088	< 0.88	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.31 *	< 0.31	< 0.80	< 5.9	< 12	< 0.59	< 5.9	< 5.9	< 0.59	< 5.9	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.53	< 1.1	< 0.053	3.3 J	< 0.53	< 0.053	< 0.53	0.080 J
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.52	< 0.26	< 0.52	< 0.26	< 0.26	< 0.26	< 0.38	< 0.38	< 0.76	< 0.038	< 0.38	< 0.38	< 0.038	< 0.38	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.20	< 0.20	< 0.20	< 0.37	< 0.62	< 1.2	< 0.062	< 0.62	< 0.62	< 0.062	< 0.62	0.10 J+
Chloromethane	3	30	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.18	< 0.18	< 0.32	< 1.6	< 3.2	0.16 J	***12 BJ***	< 1.6	< 0.16	***3.4 J+***	< 0.16
cis-1,2-Dichloroethene	7	70	< 0.12	***17***	***27***	***29***	***27***	***12***	***8.1***	4.3	***13***	***12***	***16***	***13***	***13***	***12 B***	***12***	***11***	***17***
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.20	< 0.20	< 0.20	< 0.54	< 1.1	< 2.2	0.11 J	< 1.1	< 1.1	< 0.11	< 1.1	0.21 J+
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.13	< 0.13	< 0.18	< 0.54	< 1.1	< 0.054	< 0.54	< 0.54	< 0.054	< 0.54	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.39	< 0.81	< 1.6	< 0.081	< 0.81	< 0.81	< 0.081	< 0.81	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57	< 1.1	< 0.057	< 0.57	< 0.57	< 0.057	< 0.57	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.24 *	< 0.24	< 0.39	< 1.4	< 2.8	< 0.14	< 1.4	< 1.4	< 0.14	< 1.4	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 1.4	< 0.68	< 1.4	< 0.68	< 0.68	< 0.68	< 1.6	< 1.4	< 2.8	< 0.14	< 1.4	< 1.4	< 0.14	< 1.4	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.32	< 0.16	< 0.32	< 0.16	< 0.16	< 0.16	< 0.34	< 0.88	6.8 BJ	< 0.088	< 0.88	< 0.88	< 0.088	< 0.88	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.13	< 0.13	< 0.39	< 1.4	< 2.8	< 0.14	< 1.4	< 1.4	< 0.14	< 1.4	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.1	< 4.2	< 0.21	< 2.1	< 2.1	< 0.21	< 2.1	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.13	< 0.13	< 0.41	< 1.0	< 2.0	< 0.10	< 1.0	< 1.0	< 0.10	< 1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58	< 1.2	< 0.058	< 0.58	< 0.58	< 0.058	< 0.58	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.17	< 0.17	< 0.36	< 0.85	< 1.7	< 0.085	< 0.85	< 0.85	< 0.085	< 0.85	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.3	< 0.15	< 0.3	< 0.15	< 0.15	< 0.15	< 0.40	< 1.3	< 2.6	< 0.13	< 1.3	< 1.3	< 0.13	< 1.3	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.2	< 0.1	< 0.2	< 0.10	< 0.10	< 0.10	< 0.39	< 0.65	< 1.3	< 0.065	< 0.65	< 0.65	< 0.065	< 0.65	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.40	< 1.2	< 2.4	< 0.12	< 1.2	< 1.2	< 0.12	< 1.2	< 0.12
Tetrachloroethene	0.5	5	***1.7***	***430***	***820***	***920***	***970***	***350***	***190***	***110***	***320***	***290***	***310***	***230***	***250***	***230***	***270***	***250***	***370***
Toluene	160	800	< 0.11	< 0.11	< 0.22	< 0.11	< 0.22	< 0.11	< 0.11	< 0.11	< 0.15	< 0.53	< 1.1	< 0.053	1.4 J	1.5 BJ	< 0.053	< 0.53	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.5	< 0.25	< 0.5	< 0.25	< 0.25	< 0.25	< 0.35	< 1.1	< 2.2	0.24 J	< 1.1	< 1.1	0.18 J	< 1.1	0.39 J+
Trichloroethene	0.5	5	0.24 J	***31***	***53***	***51***	***53***	***23***	***16***	***7.9***	***25***	***24***	***28***	***24***	***25***	***21***	***25***	***20***	***31***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.2	< 0.1	***0.53 J***	< 0.10	< 0.10	< 0.10	< 0.20	< 1.6	< 3.2	< 0.16	< 1.6	< 1.6	< 0.16	< 1.6	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.14	< 0.068	< 0.14	< 0.068	< 0.068	< 0.068	< 0.22	< 0.58	< 1.2	< 0.058	< 0.58	< 1.2	< 0.12	< 1.2	< 0.12
Total PCBs																			
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																			
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																			
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-14	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	170 - 178 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft	88 - 92 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/21/2013	04/16/2013	07/16/2013	07/22/2013	10/08/2013	04/14/2014	10/17/2014	04/13/2015	10/15/2015	10/11/2016	10/02/2017	01/22/2013	04/15/2013	07/22/2013	10/08/2013	04/15/2014	10/16/2014	04/14/2015	10/15/2015	10/10/2016	10/03/2017
VOCs																							
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.5	< 0.25	< 0.5	< 0.50	< 0.50	< 0.25	< 0.46	< 0.22	< 2.2	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 1.1	< 0.55
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.38	< 0.20	< 2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 1.0	< 0.5
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.56	< 0.56	< 0.28	< 0.35	< 0.20	< 2	< 0.28	***2.2***	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 1.0	< 0.5
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62	< 0.31	< 0.39	< 0.28	< 2.8	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 1.4	< 0.7
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.36	< 0.12	< 1.2	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.60	< 0.3
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.72	< 0.36	< 0.72	< 0.72	< 0.72	< 0.36	< 0.39	< 0.26	< 2.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 1.3	< 0.65
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.54	< 0.27	< 0.54	< 0.54	< 0.54	< 0.27	< 0.33	< 0.15	< 1.5	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.76	< 0.38
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.43	< 0.20	< 2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 1.0	< 0.5
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.48	< 0.48	< 0.24	< 0.46	< 0.090	< 0.9	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.45	< 0.23
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62	< 0.31	< 0.34	< 0.15	< 1.5	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.77	< 0.39
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.36	< 0.36	< 0.18	< 0.25	< 0.15	< 1.5	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.75	< 0.38
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.0	< 60	NA	NA	NA	NA	NA	NA	NA	NA	< 30	< 15
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.9	< 19	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5	< 4.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.5	< 15	NA	NA	NA	NA	NA	NA	NA	NA	< 7.7	< 3.9
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.8	< 68	NA	NA	NA	NA	NA	NA	NA	NA	< 34	26 BJ
Benzene	0.5	5	< 0.074	< 0.074	< 0.15	< 0.074	< 0.15	< 0.15	< 0.15	< 0.074	< 0.15	< 0.18	< 1.8	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.89	< 0.45
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.34	< 0.34	< 0.17	< 0.37	< 0.15	< 1.5	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.77	< 0.39
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.56	< 0.56	< 0.28	< 0.48	< 0.18	< 1.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.88	< 0.44
Bromomethane	1	10	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62 *	< 0.31	< 0.80	< 1.2	< 12	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 5.9	< 3
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 1.1	NA	NA	NA	NA	NA	NA	NA	NA	3.1 J	< 0.27
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.52	< 0.26	< 0.52	< 0.52	< 0.52	< 0.26	< 0.38	< 0.076	< 0.76	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.38	< 0.19
Chloroform	0.6	6	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.37	< 0.12	***1.2 J***	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.62	< 0.31
Chloromethane	3	30	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.36	< 0.36	< 0.18	< 0.32	0.92 BJ	***5.2 J+***	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	***11 BJ***	1.3 J+
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	***22***	***21***	***22***	***19***	***24***	***22***	***30***	***30***	***32***	***7.5***	***23***	***14***	***20***	***23***	***12***	***17***	***15***	***25***	***17***
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.54	< 0.22	< 2.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 1.1	< 0.55
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.18	< 0.11	< 1.1	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.54	< 0.27
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.39	< 0.16	< 1.6	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.81	< 0.41
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	1.2 BJ	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57	0.3 BJ
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.48	< 0.48 *	< 0.24	< 0.39	< 0.28	< 2.8	2.3	0.84 J	< 0.24	3.3	3.5	< 0.24	< 0.24	2.5	4.0 J	< 0.7
Methylene chloride	0.5	5	< 0.68	< 0.68	< 1.4	< 0.68	< 1.4	< 1.4	< 1.4	< 0.68	< 1.6	< 0.28	< 2.8	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 1.4	< 0.7
Naphthalene	10	100	< 0.16	< 0.16	< 0.32	< 0.16	< 0.32	< 0.32	< 0.32	< 0.16	< 0.34	< 0.18	< 1.8	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.88	< 0.44
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.39	< 0.28	< 2.8	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 1.4	< 0.7
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.42	< 4.2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 J	< 1.1
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.41	< 0.20	< 2	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 1.0	< 0.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58	< 0.29
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.34	< 0.34	< 0.17	< 0.36	< 0.17	< 1.7	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.85	< 0.43
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.3	< 0.15	< 0.3	< 0.30	< 0.30	< 0.15	< 0.40	< 0.26	< 2.6	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 1.3	< 0.65
Styrene	10	100	< 0.1	< 0.1	< 0.2	< 0.1	< 0.2	< 0.20	< 0.20	< 0.10	< 0.39	< 0.13	1.6 BJ	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.65	0.35 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.40	< 0.24	< 2.4	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 1.2	< 0.6
Tetrachloroethene	0.5	5	***1.2***	***9.2***	***520***	***520***	***640***	***630***	***890***	***640 E***	***690***	***730***	***840***	***130***	***160***	***130***	***220***	***300***	***100***	***160***	***150***	***160***	***160***
Toluene	160	800	< 0.11	< 0.11	< 0.22	< 0.11	< 0.22	< 0.22	< 0.22	< 0.11	< 0.15	< 0.11	< 1.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	1.5 J	< 0.27
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.5	< 0.25	< 0.5	< 0.50	< 0.50	< 0.25	< 0.35	0.40 J	< 2.2	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 1.1	< 0.55
Trichloroethene	0.5	5	< 0.19	***0.78***	***42***	***37***	***37***	***33***	***46***	***40***	***57***	***58***	***60***	***11***	***15***	***12***	***19***	***24***	***12***	***16***	***14***	***19***	***14***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.2	< 0.1	< 0.2	< 0.20	< 0.20	< 0.10	< 0.20	< 0.32	< 3.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 1.6	< 0.8
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.14	< 0.068	< 0.14	< 0.14	< 0.14	< 0.068	< 0.22	< 0.12	< 2.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.58	< 0.58
Total PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																							
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	100 - 105 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft	120 - 125 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/22/2013	04/15/2013	07/22/2013	10/08/2013	04/15/2014	10/16/2014	04/14/2015	10/15/2015	10/10/2016	10/03/2017	01/22/2013	04/15/2013	07/22/2013	10/08/2013	04/15/2014	10/16/2014	04/14/2015	10/15/2015	10/10/2016	10/03/2017
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.5	< 0.50	< 0.50	< 0.25	< 0.46	< 2.2	< 2.2	< 0.5	< 0.5	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.92	< 11	< 5.5
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.38	< 2.0	< 2	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.76	< 10	< 5
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.28	< 0.35	< 2.0	< 2	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.70	< 10	< 5
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.31	< 0.39	< 2.8	< 2.8	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.78	< 14	< 7
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.36	< 1.2	< 1.2	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.72	< 6.0	< 3
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.72	< 0.72	< 0.72	< 0.36	< 0.39	< 2.6	< 2.6	< 0.72	< 0.72	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 0.77	< 13	< 6.5
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.54	< 0.54	< 0.54	< 0.27	< 0.33	< 1.5	< 1.5	< 0.54	< 0.54	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.67	< 7.6	< 3.8
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.43	< 2.0	< 2	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.86	< 10	< 5
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.48	< 0.48	< 0.48	< 0.24	< 0.46	< 0.90	< 0.9	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.92	< 4.5	< 2.3
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.31	< 0.34	< 1.5	< 1.5	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.68	< 7.7	< 3.9
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.18	< 0.25	< 1.5	< 1.5	< 0.36	< 0.36	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 0.51	< 7.5	< 3.8
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	< 60	< 60	NA	NA	NA	NA	NA	NA	NA	NA	< 300	< 150
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	< 19	< 19	NA	NA	NA	NA	NA	NA	NA	NA	< 95	< 48
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	< 15	< 15	NA	NA	NA	NA	NA	NA	NA	NA	< 77	< 39
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	< 68	< 68	NA	NA	NA	NA	NA	NA	NA	NA	< 340	< 170
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.15	< 0.15	< 0.15	< 0.074	< 0.15	< 1.8	< 1.8	< 0.15	< 0.15	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.29	< 8.9	< 4.5
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.17	< 0.37	< 1.5	< 1.5	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.74	< 7.7	< 3.9
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.28	< 0.48	< 1.8	< 1.8	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.97	< 8.8	< 4.4
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.31	< 0.80	< 12	< 12	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 59	< 30
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	5.6 J	< 1.1	NA	NA	NA	NA	NA	NA	NA	NA	29 J	< 2.7
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.52	< 0.52	< 0.52	< 0.26	< 0.38	< 0.76	< 0.76	< 0.52	< 0.52	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.77	< 3.8	< 1.9
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.37	< 1.2	< 1.2	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 0.74	< 6.2	< 3.1
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.18	< 0.32	***21 BJ***	< 3.2	< 0.36	< 0.36	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 0.64	***96 BJ***	< 8
cis-1,2-Dichloroethene	7	70	***9.3***	***37***	***68***	***76***	***96***	***83***	***66***	***77***	***61***	***79***	***200***	***230***	***250***	***220***	***230***	***260***	***200***	***230***	***220***	***140***
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.20	< 0.54	< 2.2	< 2.2	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 1.1	< 11	< 5.5
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.18	< 1.1	< 1.1	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.37	< 5.4	< 2.7
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.39	< 1.6	< 1.6	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.77	< 8.1	< 4.1
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 1.1	< 1.1	NA	NA	NA	NA	NA	NA	NA	NA	< 5.7	< 2.9
Methyl tert-butyl ether	12	60	2.2	1.3	< 0.24	< 0.48	< 0.48	< 0.48	< 0.24	< 0.39	< 2.8	< 2.8	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.79	< 14	< 7
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 1.4	< 1.4	< 1.4	< 0.68	< 1.6	< 2.8	< 2.8	< 1.4	< 1.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.3	< 14	< 7
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.32	< 0.32	< 0.32	< 0.16	< 0.34	< 1.8	< 1.8	< 0.32	< 0.32	< 0.8	< 0.8	< 0.80	< 0.80	< 0.80	< 0.67	< 8.8	< 4.4
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.39	< 2.8	< 2.8	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.78	< 14	< 7
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	6.2 J	< 4.2	NA	NA	NA	NA	NA	NA	NA	NA	< 21	< 11
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.13	< 0.41	< 2.0	< 2	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.83	< 10	< 5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 1.2	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	< 5.8	< 2.9
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.17	< 0.36	< 1.7	< 1.7	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.72	< 8.5	< 4.3
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.3	< 0.30	< 0.30	< 0.15	< 0.40	< 2.6	< 2.6	< 0.3	< 0.3	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.80	< 13	< 6.5
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.2	< 0.20	< 0.20	< 0.10	< 0.39	< 1.3	1.6 BJ	< 0.2	< 0.2	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.77	< 6.5	4 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.14	< 0.40	< 2.4	< 2.4	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 0.80	< 12	< 6
Tetrachloroethene	0.5	5	***230***	***440***	***660***	***690***	***890***	***930***	***790***	***850***	***910***	***820***	***1100***	***1900***	***2100***	***1800***	***2000***	***2300***	***1700***	***2200***	***2900***	***2300***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.22	< 0.22	< 0.22	< 0.11	< 0.15	2.8 J	< 1.1	< 0.22	< 0.22	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.30	12 J	< 2.7
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	0.51 J	< 0.5	1.2 J	< 0.50	< 0.25	0.54 J	< 2.2	< 2.2	1.3 J	1.7 J	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	1.6 J	< 11	< 5.5
Trichloroethene	0.5	5	***16***	***41***	***65***	***72***	***92***	***93***	***74***	***83***	***81***	***85***	***160***	***210***	***220***	***190***	***210***	***280***	***190***	***220***	***250***	***190***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.2	< 0.20	***0.46 J***	< 0.10	< 0.20	< 3.2	< 3.2	< 0.2	***1***	***1.9 J***	< 0.5	< 0.50	***1.6 J***	< 0.50	< 0.41	< 16	< 8
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.14	< 0.14	< 0.14	< 0.068	< 0.22	< 1.2	< 2.3	< 0.14	< 0.14	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.44	< 5.8	< 5.8
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15	MP-15
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	142 - 146 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft	177 - 187 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/22/2013	04/15/2013	07/22/2013	10/08/2013	04/15/2014	10/16/2014	04/14/2015	10/15/2015	10/10/2016	10/03/2017	01/22/2013	04/15/2013	07/22/2013	10/08/2013	04/15/2014	10/16/2014	04/14/2015	10/15/2015	10/10/2016	10/03/2017
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.5	< 0.50	< 0.50	< 0.50	< 0.92	< 4.4	< 5.5	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.40	< 0.76	< 4.0	< 5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.56	< 0.70	< 4.0	< 5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.62	< 0.78	< 5.6	< 7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.28	< 0.72	< 2.4	< 3	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.72	< 0.72	< 0.72	< 0.72	< 0.77	< 5.2	< 6.5	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.54	< 0.54	< 0.54	< 0.54	< 0.67	< 3.0	< 3.8	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.40	< 0.86	< 4.0	< 5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.48	< 0.48	< 0.48	< 0.48	< 0.92	< 1.8	< 2.3	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.62	< 0.68	< 3.1	< 3.9	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.36	< 0.51	< 3.0	< 3.8	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	< 120	< 150	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	< 38	< 48	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	< 31	< 39	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	< 140	230 J	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.15	< 0.15	0.37 J	< 0.15	< 0.29	< 3.6	< 4.5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	0.23 J	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.34	< 0.74	< 3.1	< 3.9	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.56	< 0.56	< 0.56	< 0.56	< 0.97	< 3.5	< 4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.62	< 0.62	< 0.62	< 0.62	< 1.6	< 24	< 30	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	10 J	< 2.7	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.52	< 0.52	< 0.52	< 0.52	< 0.77	< 1.5	< 1.9	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.40	< 0.74	< 2.5	< 3.1	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.36	< 0.36	< 0.36	< 0.36	< 0.64	***35 BJ***	***9.5 J+***	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	0.37 J+
cis-1,2-Dichloroethene	7	70	***9.7***	***75***	***110***	***140***	***140***	***150***	***140***	***190***	***180***	***180***	***9.5***	6.7	6.0	***16***	***17***	***31***	***33***	5.2	0.60	0.48 J
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.4	< 0.40	< 0.40	< 0.40	< 1.1	< 4.4	< 5.5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.26	< 0.37	< 2.2	< 2.7	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.28	< 0.77	< 3.2	< 4.1	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 2.3	3 BJ	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	2.0	< 0.24	< 0.24	< 0.48	< 0.48	< 0.48	< 0.48	< 0.79	< 5.6	< 7	2.5	1.6	0.86 J	0.90 J	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 1.4	< 1.4	< 1.4	< 1.4	< 3.3	< 5.6	< 7	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.32	< 0.32	< 0.32	< 0.32	< 0.67	< 3.5	< 4.4	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.26	< 0.78	< 5.6	< 7	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	15 J	< 11	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.26	< 0.26	< 0.26	< 0.83	< 4.0	< 5	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 2.3	< 2.9	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.34	< 0.34	< 0.34	< 0.34	< 0.72	< 3.4	< 4.3	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.3	< 0.30	< 0.30	< 0.30	< 0.80	< 5.2	< 6.5	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.2	< 0.20	< 0.20	< 0.20	< 0.77	< 2.6	3.5 BJ	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.07 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.28	< 0.28	< 0.28	< 0.80	< 4.8	< 6	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***170***	***580***	***640***	***840***	***970***	***1000***	***970***	***1100***	***1300***	***1800***	***240***	***140***	***110***	***100***	***73***	***86***	***130***	***38***	***10***	***8.9***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.22	< 0.22	< 0.22	< 0.22	< 0.30	4.8 J	3 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.11 J	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	0.86 J	0.97 J	1.4 J	1.5 J	1.3 J	< 0.50	1.4 J	< 4.4	< 5.5	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	***14***	***78***	***100***	***130***	***130***	***140***	***130***	***170***	***170***	***180***	***17***	***12***	***7.7***	***12***	***12***	***21***	***26***	***5.8***	***1.4***	***0.95***
Vinyl chloride	0.02	0.2	< 0.1	***0.39 J***	***0.58***	***0.76 J***	< 0.20	***0.72 J***	< 0.20	< 0.41	< 6.4	< 8	< 0.1	< 0.1	< 0.1	***0.34 J***	< 0.10	***0.39 J***	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.14	< 0.14	< 0.14	< 0.14	< 0.44	< 2.3	< 5.8	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	80 - 84 ft	80 - 84 ft	80 - 84 ft	80 - 84 ft	80 - 84 ft	80 - 84 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft	106 - 116 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/22/2013	04/16/2013	07/23/2013	10/09/2013	04/15/2014	10/16/2014	01/22/2013	04/16/2013	07/23/2013	10/09/2013	04/15/2014	10/16/2014	04/13/2015	10/15/2015	10/11/2016	10/02/2017
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.22	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.20	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.20	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.28	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.12	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.26	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.15	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.20	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.090	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.15	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.15	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.9	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.5	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.8	6.2 J
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.18	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.15	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.18	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 1.2	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.076	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.12	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.74 BJ	1.6 J
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	2.6	5.8	***9.5***	***10***	5.4	***10***	6.4	***7***	6.4	4.5
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2 *	< 0.2	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2 *	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.22	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.11	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.16	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	0.06 BJ
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.28	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.28	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.18	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.28	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.42	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.20	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.17	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.26	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.13	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.24	< 0.12
Tetrachloroethene	0.5	5	***0.76 J***	< 0.17	< 0.17	***0.76 J***	***0.56 J***	< 0.17	***23***	***330***	***90***	***94***	***330***	***110***	***120***	***89***	***68***	***45***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.16 J	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.22	< 0.11
Trichloroethene	0.5	5	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	***3.8***	***44***	***12***	***13***	***30***	***16***	***12***	***10***	***9.2***	***7.1***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.32	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.12	< 0.12
Total PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16	MP-16
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft	140 - 144 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/22/2013	04/16/2013	07/23/2013	10/09/2013	04/15/2014	10/16/2014	04/13/2015	10/15/2015	01/20/2016	04/19/2016	07/18/2016	10/11/2016	1/18/2017	04/10/2017	10/02/2017	04/02/2018
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.22	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.20	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.20	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.12	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.26	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.15	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.20	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.090	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.15	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.15	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 6.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	2.2 J	< 1.9	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 1.5	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 6.8	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.18	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.15	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.18	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 1.2	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.11	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.076	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.12	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.32	< 0.16	0.60 BJ	0.55 BJ	< 0.16	0.4 J	< 0.16
cis-1,2-Dichloroethene	7	70	1.9	1.2	< 0.12	< 0.12	1.4	1.4	1.2	1.2	1.2	1.4	1.4	1.7	1.5 B	1.5	1.8	2.2
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2 *	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.22	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.11	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.16	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.11	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	0.060 J
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.35 J	< 0.28	< 0.14	< 0.14	0.27 BJ	< 0.14	< 0.14	0.24 J
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.18	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.42	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.20	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.12	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.17	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.26	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.13	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.24	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***14***	***11***	***23***	***37***	***38***	***35***	***27***	***33***	***30***	***28***	***35***	***29***	***26***	***37***	***30***	***38***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.11	< 0.053	< 0.053	0.14 BJ	< 0.053	< 0.053	0.060 J
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.22	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Trichloroethene	0.5	5	***2.1***	***2***	***3***	***6.1***	***6.1***	***6.9***	***5.3***	***5.7***	***5.1***	***5***	***5.9***	***6.1***	***5.2***	***6.4***	***6.3***	***8.2***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.32	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID SCREEN INTERVAL (feet bgs) SAMPLE DATE	PREVENTIVE ACTION LIMIT	ENFORCEMENT STANDARD	MP-16 175 - 179 ft 01/22/2013	MP-16 175 - 179 ft 04/16/2013	MP-16 175 - 179 ft 07/23/2013	MP-16 175 - 179 ft 10/09/2013	MP-16 175 - 179 ft 04/15/2014	MP-16 175 - 179 ft 10/16/2014	MP-16 175 - 179 ft 04/13/2015	MP-16 175 - 179 ft 10/15/2015	MP-16 175 - 179 ft 10/11/2016	MP-16 175 - 179 ft 10/02/2017
VOCs												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	0.81 J
cis-1,2-Dichloroethene	7	70	1.9	0.99 J	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2 *	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	0.16 J
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.07 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***13***	***6.7***	***2.2***	***3.7***	***3.8***	***4.8***	***4.2***	***2.7***	***3.1***	***4.2***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.080 J	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	***2.2***	***1.2***	0.42 J	***0.98***	***0.87***	***0.98***	***0.69***	0.42 J	***0.54***	***0.64***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12
Total PCBs												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids												
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/17/2013	04/20/2013	07/18/2013	10/08/2013	04/22/2014	10/22/2014	04/15/2015	10/22/2015	01/22/2016	04/20/2016	07/19/2016	10/12/2016	1/20/2017	04/12/2017	10/09/2017	04/04/2018
VOCs																		
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 0.5	< 0.25	< 0.5	< 0.50	< 0.50	< 1.3	< 0.92	< 5.5	< 11	< 2.8	< 2.2	< 5.5	< 5.5	< 2.8	< 2.8
1,1,1-Trichloroethane	40	200	< 0.4	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 1.0	< 0.76	< 5.0	< 10	< 2.5	< 2.0	< 5.0	< 5.0	< 2.5	< 2.5
1,1,2-Trichloroethane	0.5	5	< 0.56	***11***	< 0.28	< 0.56	< 0.56	< 0.56	< 1.4	< 0.70	< 5.0	< 10	< 2.5	< 2.0	< 5.0	< 5.0	< 2.5	< 2.5
1,1-Dichloroethene	0.7	7	< 0.62	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62	< 1.6	< 0.78	< 7.0	< 14	< 3.5	< 2.8	< 7.0	< 7.0	< 3.5	< 3.5
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.70	< 0.72	< 3.0	< 6.0	< 1.5	< 1.2	< 3.0	< 3.0	< 1.5	< 1.5
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.72	< 0.36	< 0.72	< 0.72	< 0.72	< 1.8	< 0.77	< 6.5	< 13	< 3.3	< 2.6	< 6.5	< 6.5	< 3.3	< 3.3
1,2-Dichlorobenzene	60	600	< 0.54	< 0.54	< 0.27	< 0.54	< 0.54	< 0.54	< 1.4	< 0.67	< 3.8	< 7.6	< 1.9	< 1.5	< 3.8	< 3.8	< 1.9	< 1.9
1,2-Dichloropropane	0.5	5	< 0.4	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 1.0	< 0.86	< 5.0	< 10	< 2.5	< 2.0	< 5.0	< 5.0	< 2.5	< 2.5
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.48	< 0.24	< 0.48	< 0.48	< 0.48	< 1.2	< 0.92	< 2.3	< 4.5	< 1.1	< 0.90	< 2.3	< 2.3	< 1.1	< 1.1
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62	< 1.6	< 0.68	< 3.9	< 7.7	< 1.9	< 1.5	< 3.9	< 3.9	< 1.9	< 1.9
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.36	< 0.18	< 0.36	< 0.36	< 0.36	< 0.90	< 0.51	< 3.8	< 7.5	< 1.9	< 1.5	< 3.8	< 3.8	< 1.9	< 1.9
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	< 150	< 300	< 75	< 60	< 150	< 150	< 75	< 75
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	< 48	< 95	< 24	< 19	< 48	< 48	< 24	< 24
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	< 39	< 77	< 19	< 15	< 39	< 39	< 19	< 19
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	< 170	< 340	< 85	< 68	< 170	< 170	< 85	< 85
Benzene	0.5	5	***20***	***1.2***	< 0.074	< 0.15	< 0.15	< 0.15	< 0.37	< 0.29	< 4.5	< 8.9	< 2.2	< 1.8	< 4.5	< 4.5	< 2.2	< 2.2
Bromodichloromethane	0.06	0.6	< 0.34	< 0.34	< 0.17	< 0.34	< 0.34	< 0.34	< 0.85	< 0.74	< 3.9	< 7.7	< 1.9	< 1.5	< 3.9	< 3.9	< 1.9	< 1.9
Bromoform	0.44	4.4	< 0.56	< 0.56	< 0.28	< 0.56	< 0.56	< 0.56	< 1.4	< 0.97	< 4.4	< 8.8	< 2.2	< 1.8	< 4.4	< 4.4	< 2.2	< 2.2
Bromomethane	1	10	< 0.62	< 0.62	< 0.31	< 0.62	< 0.62	< 0.62	< 1.6	< 1.6	< 30	< 59	< 15	< 12	< 30	< 30	< 15	< 15
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	< 2.7	< 5.3	< 1.3	< 1.1	< 2.7	18 J	< 1.3	< 1.3
Carbon tetrachloride	0.5	5	***1.2 J***	< 0.52	< 0.26	< 0.52	< 0.52	< 0.52	< 1.3	< 0.77	< 1.9	< 3.8	< 0.95	< 0.76	< 1.9	< 1.9	< 0.95	< 0.95
Chloroform	0.6	6	***1.8 J***	< 0.4	***0.86 J***	< 0.4	***1.1 J***	***1.5 J***	< 1.0	***2.8***	***3.5 J***	***14 BJ***	***3.5 J***	***4.2 J***	***6.5 BJ***	***13 J***	***4.5 J***	***3.0 J***
Chloromethane	3	30	< 0.36	< 0.36	< 0.18	< 0.36	< 0.36	< 0.36	< 0.90	< 0.64	< 8.0	< 16	< 4.0	***15 BJ***	< 8.0	***22 J+***	***9.3 J***	< 4
cis-1,2-Dichloroethene	7	70	3.5	1.7 J	1.6	< 0.24	2.7	3.4	5.3	5.9	***7.5 J***	< 11	***8.8 J***	4.8 J	< 5.5	< 5.5	5.3 J	5.8 J
Dichlorodifluoromethane	200	1000	< 0.4	< 0.4	< 0.2	< 0.4	< 0.40	< 0.40	< 1.0	< 1.1	< 5.5	< 11	3.0 J	< 2.2	< 5.5	< 5.5	< 2.8	< 2.8
Ethylbenzene	140	700	< 0.26	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.65	< 0.37	< 2.7	< 5.4	< 1.4	< 1.1	< 2.7	< 2.7	< 1.4	< 1.4
Isopropylbenzene	NE	NE	< 0.28	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.70	< 0.77	< 4.1	< 8.1	< 2.0	< 1.6	< 4.1	< 4.1	< 2	< 2.0
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 2.9	< 5.7	< 1.4	< 1.1	< 2.9	< 2.9	< 1.4	< 1.4
Methyl tert-butyl ether	12	60	< 0.48	< 0.48	< 0.24	< 0.48	< 0.48	< 0.48	< 1.2	< 0.79	< 7.0	< 14	< 3.5	< 2.8	< 7.0	< 7.0	< 3.5	< 3.5
Methylene chloride	0.5	5	< 1.4	< 1.4	< 0.68	< 1.4	< 1.4	< 1.4	< 3.4	< 3.3	< 7.0	< 14	***6.5 BJ***	< 2.8	< 7.0	< 7.0	< 3.5	< 3.5
Naphthalene	10	100	< 0.32	< 0.32	< 0.16	< 0.32	< 0.32	< 0.32	< 0.80	< 0.67	< 4.4	< 8.8	< 2.2	< 1.8	< 4.4	< 4.4	2.8 BJ	< 2.2
n-Butylbenzene	NE	NE	< 0.26	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.65	< 0.78	< 7.0	< 14	< 3.5	< 2.8	< 7.0	< 7.0	< 3.5	< 3.5
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	< 11	< 21	< 5.3	< 4.2	< 11	< 11	< 5.3	< 5.3
n-Propylbenzene	NE	NE	< 0.26	< 0.26	< 0.13	< 0.26	< 0.26	< 0.26	< 0.65	< 0.83	< 5.0	< 10	< 2.5	< 2.0	< 5.0	< 5.0	< 2.5	< 2.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	< 2.9	< 5.8	< 1.5	< 1.2	< 2.9	< 2.9	< 1.5	< 1.5
p-Isopropyltoluene	NE	NE	< 0.34	< 0.34	< 0.17	< 0.34	< 0.34	< 0.34	< 0.85	< 0.72	< 4.3	< 8.5	< 2.1	< 1.7	< 4.3	< 4.3	< 2.1	< 2.1
sec-Butylbenzene	NE	NE	< 0.3	< 0.3	< 0.15	< 0.3	< 0.30	< 0.30	< 0.75	< 0.80	< 6.5	< 13	< 3.3	< 2.6	< 6.5	< 6.5	< 3.3	< 3.3
Styrene	10	100	< 0.2	< 0.2	< 0.1	< 0.2	< 0.20	< 0.20	< 0.50	< 0.77	< 3.3	< 6.5	< 1.6	< 1.3	< 3.3	< 3.3	1.8 J	< 1.6
tert-Butylbenzene	NE	NE	< 0.28	< 0.28	< 0.14	< 0.28	< 0.28	< 0.28	< 0.70	< 0.80	< 6.0	< 12	< 3.0	< 2.4	< 6.0	< 6.0	< 3	< 3.0
Tetrachloroethene	0.5	5	***1300***	***790***	***470***	***800***	***970***	***920***	***980***	***860***	***1200***	***1100***	***950***	***970***	***1000***	***680***	***790 B***	***870***
Toluene	160	800	1.8	< 0.22	0.69	< 0.22	< 0.22	< 0.22	< 0.55	< 0.30	< 2.7	< 5.3	< 1.3	< 1.1	7.0 BJ	6.5 J	< 1.3	1.3
trans-1,2-Dichloroethene	20	100	1.5 J	< 0.5	0.68 J	< 0.5	< 0.50	< 0.50	< 1.3	1.0 J	< 5.5	< 11	< 2.8	< 2.2	< 5.5	< 5.5	< 2.8	< 2.8
Trichloroethene	0.5	5	***86***	***46***	***33***	***49***	***51***	***55***	***67***	***63***	***80***	***69***	***66***	***68***	***59 B***	***52***	***59***	***64***
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.1	< 0.2	< 0.20	< 0.20	< 0.50	< 0.41	< 8.0	< 16	< 4.0	< 3.2	< 8.0	< 8.0	< 4	< 4.0
Xylenes, Total	400	2000	3.1	< 0.14	0.56 J	< 0.14	< 0.14	< 0.14	< 0.34	< 0.44	< 2.9	< 5.8	< 1.5	< 1.2	< 5.8	< 5.8	< 2.9	< 2.9
Total PCBs																		
Aroclor-1016	0.003	0.03	< 0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.093	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																		
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																		
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft	20 - 30 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/28/2012	12/18/2012	12/19/2012	12/28/2012	01/03/2013	01/15/2013	01/15/2013	01/31/2013	02/12/2013	02/12/2013	02/28/2013	03/12/2013	04/19/2013	07/17/2013	10/09/2013	04/22/2014	10/23/2014
VOCs																			
1,1,1,2-Tetrachloroethane	7	70	< 1.3	NA	NA	NA	NA	NA	< 0.25	NA	NA	< 0.5	NA	< 1.3	< 1.3	< 1.3	< 1.3	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	< 0.4	NA	< 1	< 1	< 1	< 1	< 0.20	< 0.20
1,1,2-Trichloroethane	0.5	5	< 1.4	NA	NA	NA	NA	NA	< 0.28	NA	NA	< 0.56	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	< 0.62	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	< 0.28	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 1.8	NA	NA	NA	NA	NA	< 0.36	NA	NA	< 0.72	NA	< 1.8	< 1.8	< 1.8	< 1.8	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 1.4	NA	NA	NA	NA	NA	< 0.27	NA	NA	< 0.54	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	< 0.4	NA	< 1	< 1	< 1	< 1	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 1.2	NA	NA	NA	NA	NA	< 0.24	NA	NA	< 0.48	NA	< 1.2	< 1.2	< 1.2	< 1.2	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	< 0.62	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.9	NA	NA	NA	NA	NA	< 0.18	NA	NA	< 0.36	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	***3.2***	NA	NA	NA	NA	NA	0.46 J	NA	NA	***1.4***	NA	***1.9 J***	***2.2 J***	< 0.37	***1.3 J***	0.38 J	0.46 J
Bromodichloromethane	0.06	0.6	< 0.85	NA	NA	NA	NA	NA	< 0.17	NA	NA	< 0.34	NA	< 0.85	< 0.85	< 0.85	< 0.85	< 0.17	< 0.17
Bromoform	0.44	4.4	< 1.4	NA	NA	NA	NA	NA	< 0.28	NA	NA	< 0.56	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 0.28	< 0.28
Bromomethane	1	10	< 1.6	NA	NA	NA	NA	NA	< 0.31	NA	NA	< 0.62	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 1.3	NA	NA	NA	NA	NA	< 0.26	NA	NA	< 0.52	NA	< 1.3	< 1.3	< 1.3	< 1.3	< 0.26	< 0.26
Chloroform	0.6	6	***7.2***	NA	NA	NA	NA	NA	***2.3***	NA	NA	***4.5***	NA	***7.5***	***6.2***	< 1	***5.2***	***1.4***	***2***
Chloromethane	3	30	< 0.9	NA	NA	NA	NA	NA	< 0.18	NA	NA	< 0.36	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	***150***	NA	NA	NA	NA	NA	***40***	NA	NA	***77***	NA	***110***	***99***	***70***	***78***	***21***	***26***
Dichlorodifluoromethane	200	1000	< 1	NA	NA	NA	NA	NA	< 0.2	NA	NA	< 0.4	NA	< 1	< 1	< 1	< 1	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.65	NA	NA	NA	NA	NA	< 0.13	NA	NA	< 0.26	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	< 0.28	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 1.2	NA	NA	NA	NA	NA	< 0.24	NA	NA	< 0.48	NA	< 1.2	< 1.2	< 1.2	< 1.2	< 0.24	< 0.24
Methylene chloride	0.5	5	< 3.4	NA	NA	NA	NA	NA	< 0.68	NA	NA	< 1.4	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 0.68	< 0.68
Naphthalene	10	100	< 0.8	NA	NA	NA	NA	NA	< 0.16	NA	NA	< 0.32	NA	< 0.8	< 0.8	< 0.8	< 0.8	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	< 0.13	NA	NA	< 0.26	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	< 0.13	NA	NA	< 0.26	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.85	NA	NA	NA	NA	NA	< 0.17	NA	NA	< 0.34	NA	< 0.85	< 0.85	< 0.85	< 0.85	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.75	NA	NA	NA	NA	NA	< 0.15	NA	NA	< 0.3	NA	< 0.75	< 0.75	< 0.75	< 0.75	< 0.15	< 0.15
Styrene	10	100	< 0.5	NA	NA	NA	NA	NA	< 0.1	NA	NA	< 0.2	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	< 0.14	NA	NA	< 0.28	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.14	< 0.14
Tetrachloroethene	0.5	5	***3300***	NA	NA	NA	NA	NA	***690***	NA	NA	***1900***	NA	***2600***	***2600***	***2900***	***1800***	***520***	***520***
Toluene	160	800	1.1 J	NA	NA	NA	NA	NA	< 0.11	NA	NA	< 0.22	NA	< 0.55	< 0.55	< 0.55	< 0.55	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	7.4	NA	NA	NA	NA	NA	2.6	NA	NA	3.8	NA	5.3	4.1 J	2.6 J	4.6 J	1.3	1.9
Trichloroethene	0.5	5	***230***	NA	NA	NA	NA	NA	***59***	NA	NA	***130***	NA	***160***	***170***	***140***	***150***	***43***	***65***
Vinyl chloride	0.02	0.2	< 0.5	NA	NA	NA	NA	NA	< 0.1	NA	NA	< 0.2	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.10	< 0.10
Xylenes, Total	400	2000	< 0.34	NA	NA	NA	NA	NA	< 0.068	NA	NA	< 0.14	NA	< 0.34	< 0.34	< 0.34	< 0.34	< 0.068	< 0.068
Total PCBs																			
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																			
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																			
Total Dissolved Solids	NE	NE	3300	1700	4800	4300	3900	3200	2700	2800	20000	12000	15000	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D[1]	MW-19D	MW-19D[1]	MW-19D	MW-19D	MW-19D	MW-19D[1]	MW-19D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/29/2012	12/11/2012	12/12/2012	12/13/2012	12/14/2012	12/15/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/16/2013	01/16/2013	01/30/2013	02/11/2013	02/28/2013	03/11/2013	04/19/2013	07/17/2013	10/09/2013	04/17/2014	10/21/2014
VOCs																									
1,1,1,2-Tetrachloroethane	7	70	< 1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.3	NA	< 1.3	NA	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.50
1,1,1-Trichloroethane	40	200	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1	NA	< 1	NA	< 1	< 1	< 1	< 1	< 1.0	< 0.40
1,1,2-Trichloroethane	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.4	NA	< 1.4	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.56
1,1-Dichloroethene	0.7	7	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.6	NA	< 1.6	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.7	NA	< 0.7	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70	< 0.28
1,2-Dibromoethane	0.005	0.05	< 1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.8	NA	< 1.8	NA	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.4	NA	< 1.4	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1	NA	< 1	NA	< 1	< 1	< 1	< 1	< 1.0	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.2	NA	< 1.2	NA	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.6	NA	< 1.6	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.9	NA	< 0.9	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.90	< 0.36
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.37	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.37	NA	< 0.37	NA	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6	< 0.85	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.85	NA	< 0.85	NA	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.34
Bromoform	0.44	4.4	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.4	NA	< 1.4	NA	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.56
Bromomethane	1	10	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.6	NA	< 1.6 *	NA	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.3	NA	< 1.3	NA	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.52
Chloroform	0.6	6	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1	NA	< 1	NA	< 1	< 1	< 1	< 1	< 1.0	< 0.40
Chloromethane	3	30	< 0.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.9	NA	< 0.9	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.90	< 0.36
cis-1,2-Dichloroethene	7	70	***530***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***170***	NA	***450***	NA	***420***	***520***	***540***	***300***	***49***	***240***
Dichlorodifluoromethane	200	1000	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1	NA	< 1	NA	< 1	< 1	< 1	< 1	< 1.0	< 0.40
Ethylbenzene	140	700	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.65	NA	< 0.65	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
Isopropylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.7	NA	< 0.7	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70	< 0.28
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.2	NA	< 1.2	NA	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.48
Methylene chloride	0.5	5	< 3.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	NA	< 3.4	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 1.4
Naphthalene	10	100	< 0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.8	NA	< 0.8	NA	< 0.8	< 0.8	< 0.8	< 0.8	< 0.80	< 0.32
n-Butylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.65	NA	< 0.65	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.65	NA	< 0.65	NA	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.85	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.85	NA	< 0.85	NA	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.75	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.75	NA	< 0.75	NA	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.30
Styrene	10	100	< 0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.5	NA	< 0.5	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.20
tert-Butylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.7	NA	< 0.7	NA	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70	< 0.28
Tetrachloroethene	0.5	5	***2400***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***1700***	NA	***2700***	NA	***2100***	***2200***	***2700***	***1500***	***1400***	***1500***
Toluene	160	800	< 0.55	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.55	NA	< 0.55	NA	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.3	NA	4.4 J	NA	5.1	6.3	8.1	4.1 J	< 1.3	3.1
Trichloroethene	0.5	5	***230***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***69***	NA	***180***	NA	***180***	***200***	***240***	***150***	***68***	***140***
Vinyl chloride	0.02	0.2	***9.1***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***3.2***	NA	***8***	NA	***11***	***18***	***20***	***6.6***	< 0.50	***4.5***
Xylenes, Total	400	2000	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.34	NA	< 0.34	NA	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.14
Total PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																									
Total Dissolved Solids	NE	NE	910	1100	1400	1300	1300	1200	1100	1100	1000	1100	1000	990	1100	1100	1000	NA	1100	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2[2]	MW-19D2[1]	MW-19D2	MW-19D2	MW-19D2[1]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/29/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/17/2013	01/17/2013	01/31/2013	02/11/2013	02/28/2013	03/12/2013	04/18/2013	07/17/2013	07/17/2013	10/09/2013	04/17/2014	10/15/2014
VOCs																					
1,1,1,2-Tetrachloroethane	7	70	< 0.5	NA	NA	NA	NA	NA	NA	NA	< 0.5	NA	< 0.5	NA	< 0.5	< 1.3	< 0.5	< 0.5	< 0.5	< 1.3	< 0.50
1,1,1-Trichloroethane	40	200	< 0.4	NA	NA	NA	NA	NA	NA	NA	< 0.4	NA	< 0.4	NA	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
1,1,2-Trichloroethane	0.5	5	< 0.56	NA	NA	NA	NA	NA	NA	NA	< 0.56	NA	< 0.56	NA	< 0.56	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56
1,1-Dichloroethene	0.7	7	< 0.62	NA	NA	NA	NA	NA	NA	NA	< 0.62	NA	< 0.62	NA	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.28	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	< 0.28	NA	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
1,2-Dibromoethane	0.005	0.05	< 0.72	NA	NA	NA	NA	NA	NA	NA	< 0.72	NA	< 0.72	NA	< 0.72	< 1.8	< 0.72	< 0.72	< 0.72	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600	< 0.54	NA	NA	NA	NA	NA	NA	NA	< 0.54	NA	< 0.54	NA	< 0.54	< 1.4	< 0.54	< 0.54	< 0.54	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5	< 0.4	NA	NA	NA	NA	NA	NA	NA	< 0.4	NA	< 0.4	NA	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 0.48	NA	NA	NA	NA	NA	NA	NA	< 0.48	NA	< 0.48	NA	< 0.48	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70	< 0.62	NA	NA	NA	NA	NA	NA	NA	< 0.62	NA	< 0.62	NA	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.36	NA	NA	NA	NA	NA	NA	NA	< 0.36	NA	< 0.36	NA	< 0.36	< 0.9	< 0.36	< 0.36	< 0.36	< 0.90	< 0.36
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	NA	NA	NA	NA	NA	NA	NA	< 0.15	NA	< 0.15	NA	< 0.15	< 0.37	< 0.15	< 0.15	< 0.15	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6	< 0.34	NA	NA	NA	NA	NA	NA	NA	< 0.34	NA	< 0.34	NA	< 0.34	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34
Bromoform	0.44	4.4	< 0.56	NA	NA	NA	NA	NA	NA	NA	< 0.56	NA	< 0.56	NA	< 0.56	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56
Bromomethane	1	10	< 0.62	NA	NA	NA	NA	NA	NA	NA	< 0.62	NA	< 0.62 *	NA	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62 *
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.52	NA	NA	NA	NA	NA	NA	NA	< 0.52	NA	< 0.52	NA	< 0.52	< 1.3	< 0.52	< 0.52	< 0.52	< 1.3	< 0.52
Chloroform	0.6	6	< 0.4	NA	NA	NA	NA	NA	NA	NA	< 0.4	NA	< 0.4	NA	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
Chloromethane	3	30	< 0.36	NA	NA	NA	NA	NA	NA	NA	< 0.36	NA	< 0.36	NA	< 0.36	< 0.9	< 0.36	< 0.36	< 0.36	< 0.90	< 0.36
cis-1,2-Dichloroethene	7	70	***250***	NA	NA	NA	NA	NA	NA	NA	***320***	NA	***270***	NA	***260***	***200***	< 0.24	***98***	***120***	***330***	6.8
Dichlorodifluoromethane	200	1000	< 0.4	NA	NA	NA	NA	NA	NA	NA	< 0.4	NA	< 0.4	NA	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
Ethylbenzene	140	700	< 0.26	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	< 0.26	NA	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
Isopropylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	< 0.28	NA	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	NA	NA	NA	NA	NA	NA	NA	< 0.48	NA	< 0.48	NA	< 0.48	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48
Methylene chloride	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	< 1.4	NA	< 1.4	NA	< 1.4	< 3.4	< 1.4	< 1.4	< 1.4	< 3.4	< 1.4
Naphthalene	10	100	< 0.32	NA	NA	NA	NA	NA	NA	NA	< 0.32	NA	< 0.32	NA	< 0.32	< 0.8	< 0.32	< 0.32	< 0.32	< 0.80	< 0.32
n-Butylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	< 0.26	NA	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	< 0.26	NA	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	NA	NA	NA	NA	NA	NA	NA	< 0.34	NA	< 0.34	NA	< 0.34	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.3	NA	NA	NA	NA	NA	NA	NA	< 0.3	NA	< 0.3	NA	< 0.3	< 0.75	< 0.3	< 0.3	< 0.3	< 0.75	< 0.30
Styrene	10	100	< 0.2	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.5	< 0.2	< 0.2	< 0.2	< 0.50	< 0.20
tert-Butylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	< 0.28	NA	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
Tetrachloroethene	0.5	5	***680***	NA	NA	NA	NA	NA	NA	NA	***1200***	NA	***1300***	NA	***1400***	***1000***	***820***	***1200***	***950***	***1900***	***620***
Toluene	160	800	< 0.22	NA	NA	NA	NA	NA	NA	NA	< 0.22	NA	< 0.22	NA	< 0.22	< 0.55	< 0.22	< 0.22	< 0.22	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100	3.4	NA	NA	NA	NA	NA	NA	NA	4.9	NA	4.2	NA	4.2	2.6 J	< 0.5	< 0.5	< 0.5	5.0	< 0.50
Trichloroethene	0.5	5	***110***	NA	NA	NA	NA	NA	NA	NA	***160***	NA	***150***	NA	***150***	***130***	< 0.38	***110***	***120***	***170***	***11***
Vinyl chloride	0.02	0.2	***0.93 J***	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	< 0.2	NA	< 0.2	< 0.5	< 0.2	< 0.2	< 0.2	***7.9***	< 0.20
Xylenes, Total	400	2000	< 0.14	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	< 0.14	NA	< 0.14	< 0.34	< 0.14	< 0.14	< 0.14	< 0.34	< 0.14
Total PCBs																					
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																					
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																					
Total Dissolved Solids	NE	NE	1500	1600	1600	1500	1500	1500	1500	1400	1500	1500	1500	1500	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D[1]	MW-20D	MW-20D[1]	MW-20D[1]	MW-20D	MW-20D	MW-20D	MW-20D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/29/2012	12/11/2012	12/12/2012	12/13/2012	12/14/2012	12/15/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/16/2013	01/16/2013	01/30/2013	02/12/2013	02/12/2013	02/12/2013	02/28/2013	03/12/2013	04/18/2013	07/17/2013	10/09/2013	04/15/2014	10/22/2014
VOCs																											
1,1,1,2-Tetrachloroethane	7	70	< 1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	< 1.3	< 0.5	< 1.3	< 0.50	< 0.50
1,1,1-Trichloroethane	40	200	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
1,1,2-Trichloroethane	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	< 1.4	< 0.56	< 1.4	< 0.56	< 0.56
1,1-Dichloroethene	0.7	7	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
1,2-Dibromoethane	0.005	0.05	< 1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.36	NA	NA	NA	< 0.36	NA	< 0.36	< 1.8	< 0.72	< 1.8	< 0.72	< 0.72
1,2-Dichlorobenzene	60	600	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.27	NA	NA	NA	< 0.27	NA	< 0.27	< 1.4	< 0.54	< 1.4	< 0.54	< 0.54
1,2-Dichloropropane	0.5	5	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	< 1.2	< 0.48	< 1.2	< 0.48	< 0.48
1,2,4-Trichlorobenzene	14	70	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	< 0.9	< 0.36	< 0.9	< 0.36	< 0.36
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.37	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.074	NA	NA	NA	< 0.074	NA	< 0.074	< 0.37	< 0.15	< 0.37	< 0.15	< 0.15
Bromodichloromethane	0.06	0.6	< 0.85	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	< 0.85	< 0.34	< 0.85	< 0.34	< 0.34
Bromoform	0.44	4.4	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	< 1.4	< 0.56	< 1.4	< 0.56	< 0.56
Bromomethane	1	10	< 1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	NA	NA	< 0.26	NA	< 0.26	< 1.3	< 0.52	< 1.3	< 0.52	< 0.52
Chloroform	0.6	6	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
Chloromethane	3	30	< 0.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	< 0.9	< 0.36	< 0.9	< 0.36	< 0.36
cis-1,2-Dichloroethene	7	70	***370***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.69 J	NA	NA	NA	***20***	NA	***39***	***220***	***180***	***170***	***140***	***200***
Dichlorodifluoromethane	200	1000	< 1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
Ethylbenzene	140	700	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
Isopropylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	< 1.2	< 0.48	< 1.2	< 0.48	< 0.48
Methylene chloride	0.5	5	< 3.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.68	NA	NA	NA	< 0.68	NA	< 0.68	< 3.4	< 1.4	< 3.4	< 1.4	< 1.4
Naphthalene	10	100	< 0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.16	NA	NA	NA	< 0.16	NA	< 0.16	< 0.8	< 0.32	< 0.8	< 0.32	< 0.32
n-Butylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.85	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	< 0.85	< 0.34	< 0.85	< 0.34	< 0.34
sec-Butylbenzene	NE	NE	< 0.75	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15	NA	NA	NA	< 0.15	NA	< 0.15	< 0.75	< 0.3	< 0.75	< 0.30	< 0.30
Styrene	10	100	< 0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	< 0.5	< 0.2	< 0.5	< 0.20	< 0.20
tert-Butylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
Tetrachloroethene	0.5	5	***1600***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***190***	NA	NA	NA	***690***	NA	***650***	***1100***	***1000***	***1200***	***780***	***1100***
Toluene	160	800	< 0.55	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.45 J	NA	NA	NA	< 0.11	NA	< 0.11	< 0.55	< 0.22	< 0.55	< 0.22	< 0.22
trans-1,2-Dichloroethene	20	100	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	< 1.3	2.2	< 1.3	2.0	2.6
Trichloroethene	0.5	5	***170***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***0.54***	NA	NA	NA	***20***	NA	***29***	***100***	***100***	***89***	***83***	***110***
Vinyl chloride	0.02	0.2	***3.2***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	***1.0 J***	< 0.2	< 0.5	***0.76 J***	***2.7***
Xylenes, Total	400	2000	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.068	NA	NA	NA	< 0.068	NA	< 0.068	< 0.34	< 0.14	< 0.34	< 0.14	< 0.14
Total PCBs																											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																											
Total Dissolved Solids	NE	NE	920	990	5000	16000	10000	4800	2500	3100	2200	1900	940	1300	900	940	880	830	840	NA	1000	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2	MW-20D2[1]	MW-20D2	MW-20D2	MW-20D2	MW-20D2[1,3]	MW-20D2	MW-20D2[1]	MW-20D2[1]	MW-20D2[1]	MW-20D2[1]	MW-20D2	MW-20D2[1]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft	110 - 140 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/29/2012	12/13/2012	12/14/2012	12/15/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/16/2013	01/16/2013	02/12/2013	01/30/2013	02/12/2013	02/12/2013	02/12/2013	02/28/2013	03/12/2013	04/18/2013	07/17/2013	10/15/2013	04/15/2014	10/22/2014
VOCs																										
1,1,1,2-Tetrachloroethane	7	70	< 0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	< 1.3	< 0.25	< 0.25	< 1.3	< 0.50
1,1,1-Trichloroethane	40	200	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
1,1,2-Trichloroethane	0.5	5	< 0.56	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	< 1.4	< 0.28	< 0.28	< 1.4	< 0.56
1,1-Dichloroethene	0.7	7	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
1,2-Dibromoethane	0.005	0.05	< 0.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.36	< 0.36	NA	NA	NA	< 0.36	NA	< 0.36	< 1.8	< 0.36	< 0.36	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600	< 0.54	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.27	< 0.27	NA	NA	NA	< 0.27	NA	< 0.27	< 1.4	< 0.27	< 0.27	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	< 1.2	< 0.24	< 0.24	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	< 0.9	< 0.18	< 0.18	< 0.90	< 0.36
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.074	0.19 J	NA	NA	NA	< 0.074	NA	< 0.074	< 0.37	< 0.074	< 0.074	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	< 0.85	< 0.17	< 0.17	< 0.85	< 0.34
Bromoform	0.44	4.4	< 0.56	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	< 0.28	NA	NA	NA	< 0.28	NA	< 0.28	< 1.4	< 0.28	< 0.28	< 1.4	< 0.56
Bromomethane	1	10	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	< 0.31	NA	NA	NA	< 0.31	NA	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.52	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.26	< 0.26	NA	NA	NA	< 0.26	NA	< 0.26	< 1.3	< 0.26	< 0.26	< 1.3	< 0.52
Chloroform	0.6	6	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.47 J	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
Chloromethane	3	30	< 0.36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	< 0.18	NA	NA	NA	< 0.18	NA	< 0.18	< 0.9	< 0.18	< 0.18	< 0.90	< 0.36
cis-1,2-Dichloroethene	7	70	***330***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	2.8	NA	NA	NA	< 0.12	NA	2.8	***30***	< 0.12	1.4	< 0.60	***12***
Dichlorodifluoromethane	200	1000	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	< 0.2	NA	NA	NA	< 0.2	NA	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
Ethylbenzene	140	700	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
Isopropylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	< 0.24	NA	NA	NA	< 0.24	NA	< 0.24	< 1.2	< 0.24	< 0.24	< 1.2	< 0.48
Methylene chloride	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.68	< 0.68	NA	NA	NA	< 0.68	NA	< 0.68	< 3.4	< 0.68	< 0.68	< 3.4	< 1.4
Naphthalene	10	100	< 0.32	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.16	< 0.16	NA	NA	NA	< 0.16	NA	< 0.16	< 0.8	< 0.16	< 0.16	< 0.80	< 0.32
n-Butylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	< 0.13	NA	NA	NA	< 0.13	NA	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	< 0.17	NA	NA	NA	< 0.17	NA	< 0.17	< 0.85	< 0.17	< 0.17	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15	< 0.15	NA	NA	NA	< 0.15	NA	< 0.15	< 0.75	< 0.15	< 0.15	< 0.75	< 0.30
Styrene	10	100	< 0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	< 0.5	< 0.1	< 0.1	< 0.50	< 0.20
tert-Butylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	< 0.14	NA	NA	NA	< 0.14	NA	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
Tetrachloroethene	0.5	5	***1300***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***190***	***700***	NA	NA	NA	***24***	NA	***490***	***1100***	***53***	***380***	***1600***	***740***
Toluene	160	800	< 0.22	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.34 J	< 0.11	NA	NA	NA	< 0.11	NA	< 0.11	< 0.55	< 0.11	< 0.11	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100	4.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	< 0.25	NA	NA	NA	< 0.25	NA	< 0.25	< 1.3	< 0.25	< 0.25	< 1.3	< 0.50
Trichloroethene	0.5	5	***150***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.19	***7.9***	NA	NA	NA	< 0.19	NA	***5.3***	***41***	< 0.19	***4.5***	***2.7***	***11***
Vinyl chloride	0.02	0.2	***1.7***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	< 0.1	NA	NA	NA	< 0.1	NA	< 0.1	< 0.5	< 0.1	< 0.1	< 0.50	< 0.20
Xylenes, Total	400	2000	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.068	< 0.068	NA	NA	NA	< 0.068	NA	< 0.068	< 0.34	< 0.068	< 0.068	< 0.34	< 0.14
Total PCBs																										
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																										
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																										
Total Dissolved Solids	NE	NE	1000	1500	2400	3000	25000	12000	42000	34000	19000	12000	8700	2400	7700	5500	1900	NA	NA	3900	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D	MW-21D[1]	MW-21D	MW-21D[1]	MW-21D[1]	MW-21D	MW-21D	MW-21D	MW-21D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft	60 - 90 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/28/2012	12/12/2012	12/13/2012	12/14/2012	12/15/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/17/2013	01/17/2013	01/30/2013	02/14/2013	02/14/2013	02/14/2013	02/28/2013	03/12/2013	04/17/2013	07/18/2013	10/10/2013	04/15/2014	10/23/2014
VOCs																										
1,1,1,2-Tetrachloroethane	7	70	< 0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.5	NA	< 0.5	< 1.3	< 1.3	< 1.3	< 1.3	< 0.25
1,1,1-Trichloroethane	40	200	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.4	NA	< 0.4	< 1	< 1	< 1	< 1.0	< 0.20
1,1,2-Trichloroethane	0.5	5	< 0.56	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.56	NA	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 0.28
1,1-Dichloroethene	0.7	7	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.62	NA	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.28	NA	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.36	NA	NA	NA	< 0.72	NA	< 0.72	< 1.8	< 1.8	< 1.8	< 1.8	< 0.36
1,2-Dichlorobenzene	60	600	< 0.54	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.27	NA	NA	NA	< 0.54	NA	< 0.54	< 1.4	< 1.4	< 1.4	< 1.4	< 0.27
1,2-Dichloropropane	0.5	5	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.4	NA	< 0.4	< 1	< 1	< 1	< 1.0	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.48	NA	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.62	NA	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.36	NA	< 0.36	< 0.9	< 0.9	< 0.9	< 0.90	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.074	NA	NA	NA	< 0.15	NA	< 0.15	< 0.37	< 0.37	< 0.37	< 0.37	0.33 J
Bromodichloromethane	0.06	0.6	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.34	NA	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.17
Bromoform	0.44	4.4	< 0.56	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 0.56	NA	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 0.28
Bromomethane	1	10	< 0.62	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 0.62 *	NA	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.52	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	NA	NA	< 0.52	NA	< 0.52	< 1.3	< 1.3	< 1.3	< 1.3	< 0.26
Chloroform	0.6	6	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.4	NA	< 0.4	< 1	< 1	< 1	< 1.0	***0.70 J***
Chloromethane	3	30	< 0.36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.36	NA	< 0.36	< 0.9	< 0.9	< 0.9	< 0.90	< 0.18
cis-1,2-Dichloroethene	7	70	***380***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***85***	NA	NA	NA	***270***	NA	***310***	***310***	***370***	***360***	***320***	***230***
Dichlorodifluoromethane	200	1000	< 0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 0.4	NA	< 0.4	< 1	< 1	< 1	< 1.0	< 0.20
Ethylbenzene	140	700	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.43 J	NA	NA	NA	< 0.26	NA	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13
Isopropylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.28	NA	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 0.48	NA	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 0.24
Methylene chloride	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.68	NA	NA	NA	< 1.4	NA	< 1.4	< 3.4	< 3.4	< 3.4	< 3.4	< 0.68
Naphthalene	10	100	< 0.32	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.16	NA	NA	NA	< 0.32	NA	< 0.32	< 0.8	< 0.8	< 0.8	< 0.80	< 0.16
n-Butylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.26	NA	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.26	NA	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.34	NA	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.17
sec-Butylbenzene	NE	NE	< 0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15	NA	NA	NA	< 0.3	NA	< 0.3	< 0.75	< 0.75	< 0.75	< 0.75	< 0.15
Styrene	10	100	< 0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.2	NA	< 0.2	< 0.5	< 0.5	< 0.5	< 0.50	< 0.10
tert-Butylbenzene	NE	NE	< 0.28	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.28	NA	< 0.28	< 0.7	< 0.7	< 0.7	< 0.70	< 0.14
Tetrachloroethene	0.5	5	***1200***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***700***	NA	NA	NA	***1600***	NA	***1500***	***1100***	***1700***	***1600***	***1800***	***1200***
Toluene	160	800	< 0.22	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.38 J	NA	NA	NA	< 0.22	NA	< 0.22	< 0.55	< 0.55	< 0.55	< 0.55	< 0.11
trans-1,2-Dichloroethene	20	100	5.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 0.5	NA	2.9	< 1.3	5.2	6.2	5.0	4.1
Trichloroethene	0.5	5	***180***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***23***	NA	NA	NA	***130***	NA	***160***	***140***	***180***	***160***	***180***	***170***
Vinyl chloride	0.02	0.2	***1.4***	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.2	NA	< 0.2	< 0.5	< 0.5	< 0.5	***1.5 J***	***1.3***
Xylenes, Total	400	2000	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.5	NA	NA	NA	< 0.14	NA	< 0.14	< 0.34	< 0.34	< 0.34	< 0.34	< 0.068
Total PCBs																										
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																										
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																										
Total Dissolved Solids	NE	NE	1400	1000	8900	3000	3800	3700	2700	2000	1700	1300	1300	1200	1200	1100	1100	1100	NA	1200	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2	MW-21D2[1]	MW-21D2	MW-21D2[1]	MW-21D2[1]	MW-21D2	MW-21D2	MW-21D2	MW-21D2[1]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft	110 - 170 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	11/28/2012	12/16/2012	12/17/2012	12/18/2012	12/19/2012	12/27/2012	01/02/2013	01/17/2013	01/17/2013	01/31/2013	02/14/2013	02/14/2013	02/14/2013	02/28/2013	03/12/2013	04/17/2013	07/18/2013	10/15/2013	04/15/2014	10/23/2014
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 1.3	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 1.3	NA	< 1.3	< 2.5	< 1.3	< 0.5	< 1.3	< 0.25
1,1,1-Trichloroethane	40	200	< 1	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 1	NA	< 1	< 2	< 1	< 0.4	< 1.0	< 0.20
1,1,2-Trichloroethane	0.5	5	< 1.4	NA	NA	NA	NA	NA	NA	NA	***1.4***	NA	NA	NA	< 1.4	NA	< 1.4	< 2.8	< 1.4	< 0.56	< 1.4	< 0.28
1,1-Dichloroethene	0.7	7	< 1.6	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 1.6	NA	< 1.6	< 3.1	< 1.6	< 0.62	< 1.6	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.7	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.7	NA	< 0.7	< 1.4	< 0.7	< 0.28	< 0.70	< 0.14
1,2-Dibromoethane	0.005	0.05	< 1.8	NA	NA	NA	NA	NA	NA	NA	< 0.36	NA	NA	NA	< 1.8	NA	< 1.8	< 3.6	< 1.8	< 0.72	< 1.8	< 0.36
1,2-Dichlorobenzene	60	600	< 1.4	NA	NA	NA	NA	NA	NA	NA	< 0.27	NA	NA	NA	< 1.4	NA	< 1.4	< 2.7	< 1.4	< 0.54	< 1.4	< 0.27
1,2-Dichloropropane	0.5	5	< 1	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 1	NA	< 1	< 2	< 1	< 0.4	< 1.0	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 1.2	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 1.2	NA	< 1.2	< 2.4	< 1.2	< 0.48	< 1.2	< 0.24
1,2,4-Trichlorobenzene	14	70	< 1.6	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 1.6	NA	< 1.6	< 3.1	< 1.6	< 0.62	< 1.6	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.9	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.9	NA	< 0.9	< 1.8	< 0.9	< 0.36	< 0.90	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.37	NA	NA	NA	NA	NA	NA	NA	0.25 J	NA	NA	NA	< 0.37	NA	< 0.37	< 0.74	< 0.37	< 0.15	< 0.37	0.24 J
Bromodichloromethane	0.06	0.6	< 0.85	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.85	NA	< 0.85	< 1.7	< 0.85	< 0.34	< 0.85	< 0.17
Bromoform	0.44	4.4	< 1.4	NA	NA	NA	NA	NA	NA	NA	< 0.28	NA	NA	NA	< 1.4	NA	< 1.4	< 2.8	< 1.4	< 0.56	< 1.4	< 0.28
Bromomethane	1	10	< 1.6	NA	NA	NA	NA	NA	NA	NA	< 0.31	NA	NA	NA	< 1.6 *	NA	< 1.6	< 3.1	< 1.6	< 0.62	< 1.6	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 1.3	NA	NA	NA	NA	NA	NA	NA	< 0.26	NA	NA	NA	< 1.3	NA	< 1.3	< 2.6	< 1.3	< 0.52	< 1.3	< 0.26
Chloroform	0.6	6	< 1	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 1	NA	< 1	< 2	< 1	< 0.4	< 1.0	***0.81 J***
Chloromethane	3	30	< 0.9	NA	NA	NA	NA	NA	NA	NA	< 0.18	NA	NA	NA	< 0.9	NA	< 0.9	< 1.8	< 0.9	< 0.36	< 0.90	< 0.18
cis-1,2-Dichloroethene	7	70	***300***	NA	NA	NA	NA	NA	NA	NA	< 0.12	NA	NA	NA	< 0.6	NA	< 0.6	***190***	***220***	***110***	***110***	1.3
Dichlorodifluoromethane	200	1000	< 1	NA	NA	NA	NA	NA	NA	NA	< 0.2	NA	NA	NA	< 1	NA	< 1	< 2	< 1	< 0.4	< 1.0	< 0.20
Ethylbenzene	140	700	< 0.65	NA	NA	NA	NA	NA	NA	NA	0.62	NA	NA	NA	< 0.65	NA	< 0.65	< 1.3	< 0.65	< 0.26	< 0.65	< 0.13
Isopropylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.7	NA	< 0.7	< 1.4	< 0.7	< 0.28	< 0.70	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 1.2	NA	NA	NA	NA	NA	NA	NA	< 0.24	NA	NA	NA	< 1.2	NA	< 1.2	< 2.4	< 1.2	< 0.48	< 1.2	< 0.24
Methylene chloride	0.5	5	< 3.4	NA	NA	NA	NA	NA	NA	NA	< 0.68	NA	NA	NA	< 3.4	NA	< 3.4	< 6.8	< 3.4	< 1.4	< 3.4	< 0.68
Naphthalene	10	100	< 0.8	NA	NA	NA	NA	NA	NA	NA	< 0.16	NA	NA	NA	< 0.8	NA	< 0.8	< 1.6	< 0.8	< 0.32	< 0.80	< 0.16
n-Butylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.65	NA	< 0.65	< 1.3	< 0.65	< 0.26	< 0.65	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.65	NA	NA	NA	NA	NA	NA	NA	< 0.13	NA	NA	NA	< 0.65	NA	< 0.65	< 1.3	< 0.65	< 0.26	< 0.65	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.85	NA	NA	NA	NA	NA	NA	NA	< 0.17	NA	NA	NA	< 0.85	NA	< 0.85	< 1.7	< 0.85	< 0.34	< 0.85	< 0.17
sec-Butylbenzene	NE	NE	< 0.75	NA	NA	NA	NA	NA	NA	NA	< 0.15	NA	NA	NA	< 0.75	NA	< 0.75	< 1.5	< 0.75	< 0.3	< 0.75	< 0.15
Styrene	10	100	< 0.5	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.5	NA	< 0.5	< 1	< 0.5	< 0.2	< 0.50	< 0.10
tert-Butylbenzene	NE	NE	< 0.7	NA	NA	NA	NA	NA	NA	NA	< 0.14	NA	NA	NA	< 0.7	NA	< 0.7	< 1.4	< 0.7	< 0.28	< 0.70	< 0.14
Tetrachloroethene	0.5	5	***2600***	NA	NA	NA	NA	NA	NA	NA	***1200***	NA	NA	NA	***3900***	NA	***2200***	***3500***	***2500***	***1500***	***1900***	***930***
Toluene	160	800	< 0.55	NA	NA	NA	NA	NA	NA	NA	0.48 J	NA	NA	NA	< 0.55	NA	< 0.55	< 1.1	< 0.55	< 0.22	< 0.55	< 0.11
trans-1,2-Dichloroethene	20	100	2.7 J	NA	NA	NA	NA	NA	NA	NA	< 0.25	NA	NA	NA	< 1.3	NA	< 1.3	< 2.5	< 1.3	< 0.5	< 1.3	< 0.25
Trichloroethene	0.5	5	***160***	NA	NA	NA	NA	NA	NA	NA	< 0.19	NA	NA	NA	***11***	NA	***14***	***150***	***210***	***120***	***130***	***3.3***
Vinyl chloride	0.02	0.2	< 0.5	NA	NA	NA	NA	NA	NA	NA	< 0.1	NA	NA	NA	< 0.5	NA	< 0.5	< 1	< 0.5	< 0.2	< 0.50	< 0.10
Xylenes, Total	400	2000	< 0.34	NA	NA	NA	NA	NA	NA	NA	4.3	NA	NA	NA	< 0.34	NA	< 0.34	< 0.68	< 0.34	< 0.14	< 0.34	< 0.068
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	1100	950	930	910	920	1000	1100	1900	1800	4000	1200	1700	NA	3900	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S	MW-22S[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/15/2013	03/07/2013	04/19/2013	07/16/2013	10/10/2013	04/18/2014	10/20/2014	04/09/2015	10/20/2015	10/14/2016	10/06/2017	10/06/2017
VOCs														
1,1,1,2-Tetrachloroethane	7	70	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	0.14 J
1,2,4-Trimethylbenzene	96	480	0.86 J	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	0.11 J	0.11 J
1,2-Dichloropropane	0.5	5	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	0.08 BJ	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	11 J
Benzene	0.5	5	***1.1***	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	***1***	NA	***0.91 J***	***1.4***	< 0.2	< 0.20	***0.75 J***	< 0.20	***0.66 J***	***0.91***	0.5	0.49 J
Chloromethane	3	30	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.72 J	***3***	***5.2***
cis-1,2-Dichloroethene	7	70	1.8	NA	6.1	3.8	***97***	***46***	***58***	***65***	***32***	***46***	***38 J-***	***37***
Dichlorodifluoromethane	200	1000	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	0.50	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24 *	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14	< 0.14	< 0.14
Naphthalene	10	100	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***180***	NA	***160***	***210***	***13***	***23***	***61***	***17***	***30***	***18***	***24 BJ***	***23 B***
Toluene	160	800	1.7	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	0.12 J	< 0.053	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	0.36 J	0.49 J	0.46 J
Trichloroethene	0.5	5	***4.8***	NA	***5.4***	***8.5***	***6.1***	***4.2***	***7.1***	***2.9***	***4.1***	***9.8***	***9.4***	***9.1***
Vinyl chloride	0.02	0.2	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	***0.40 J***	***0.85***	***0.8***
Xylenes, Total	400	2000	1.5	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.12	< 0.12
Total PCBs														
Aroclor-1016	0.003	0.03	***12***	< 0.033	***4***	< 0.064	< 0.064	< 0.065	NA	NA	NA	NA	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	< 0.49	***13***	< 0.19	< 0.19	***12***	< 0.20	NA	NA	NA	NA	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	< 0.69	< 0.099	< 0.19	***4.7***	< 0.19	***7.1***	NA	NA	NA	NA	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	< 0.58	< 0.099	< 0.19	< 0.19	< 0.19	< 0.20	NA	NA	NA	NA	***2***	***1.9***
Total Detected PCBs	0.003	0.03	***12***	***13***	***4***	***4.7***	***12***	***7.1***	NA	NA	NA	NA	***2***	***1.9***
Dissolved PCBs														
Aroclor-1016	0.003	0.03	NA	< 0.037	< 0.068	< 0.065	< 0.063	< 0.067	***0.89***	< 0.063	< 0.064	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	< 0.11	< 0.2	< 0.19	< 0.19	< 0.20	< 0.19	< 0.19	< 0.19	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	< 0.11	< 0.2	< 0.19	< 0.19	***0.28 J***	< 0.19	***1.9***	< 0.19	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	< 0.11	< 0.2	< 0.19	< 0.19	< 0.20	< 0.19	< 0.19	< 0.19	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	ND	ND	ND	ND	***0.28 J***	***0.89***	***1.9***	ND	NA	NA	NA
Solids														
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	806	830	838
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.0	1.2 J	< 0.95

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-22D	MW-22D[3]	MW-22D	MW-22D	MW-22D[3]	MW-22D	MW-22D[3]	MW-22D	MW-22D[3]	MW-22D	MW-22D[3]	MW-22D	MW-22D[3]	MW-22D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/15/2013	01/15/2013	03/08/2013	04/19/2013	04/19/2013	07/16/2013	07/16/2013	10/10/2013	10/10/2013	04/18/2014	04/18/2014	10/16/2014	10/16/2014	04/09/2015
VOCs																
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.074	< 0.074	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	0.47 J
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Chloromethane	3	30	0.47 J	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	3.6	3.3	NA	4.9	4.9	3.7	3.7	< 0.12	4.0	2.6	2.5	4.2	4.9	4.2
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
Methylene chloride	0.5	5	< 0.68	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	***6.6***	***7.1***	< 0.68
Naphthalene	10	100	< 0.16	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.1	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	***520***	***470***	NA	***450***	***430***	***270***	***310***	***190***	***190***	***430***	***450***	***250***	***270***	***170***
Toluene	160	800	< 0.11	< 0.11	NA	< 0.11	< 0.11	0.37 J	0.38 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	***5.8***	***6***	NA	***5.8***	***5.7***	***5***	***5.3***	***4.9***	***5.3***	***6.8***	***6.7***	***5.7***	***6.9***	***5.6***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	***0.92***	< 0.10	< 0.10	***0.68***	***0.66***	***0.62***
Xylenes, Total	400	2000	< 0.068	< 0.068	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068
Total PCBs																
Aroclor-1016	0.003	0.03	***2.4***	NA	< 0.033	< 0.064	NA	< 0.063	NA	< 0.063	NA	< 0.065	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.092	NA	***2.6***	< 0.19	NA	< 0.19	NA	***3.3***	NA	< 0.19	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.13	NA	< 0.1	< 0.19	NA	***0.97***	NA	< 0.19	NA	< 0.19	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	< 0.11	NA	< 0.1	< 0.19	NA	< 0.19	NA	< 0.19	NA	< 0.19	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	***2.4***	NA	***2.6***	ND	NA	***0.97***	NA	***3.3***	NA	ND	NA	NA	NA	NA
Dissolved PCBs																
Aroclor-1016	0.003	0.03	NA	NA	< 0.033	< 0.064	NA	< 0.064	NA	< 0.065	NA	< 0.066	NA	< 0.063	NA	< 0.063
Aroclor-1232	0.003	0.03	NA	NA	< 0.1	< 0.19	NA	< 0.19	NA	< 0.19	NA	< 0.20	NA	< 0.19	NA	< 0.19
Aroclor-1242	0.003	0.03	NA	NA	< 0.1	< 0.19	NA	< 0.19	NA	< 0.19	NA	< 0.20	NA	< 0.19	NA	***4.3***
Aroclor-1248	0.003	0.03	NA	NA	< 0.1	< 0.19	NA	< 0.19	NA	< 0.19	NA	< 0.20	NA	< 0.19	NA	< 0.19
Total Detected PCBs	0.003	0.03	NA	NA	ND	ND	NA	ND	NA	ND	NA	ND	NA	ND	NA	***4.3***
Solids																
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-22D[3]	MW-22D	MW-22D	MW-22D	MW-22D[3]	MW-22D	MW-22D	MW-22D	MW-22D	MW-22D	MW-22D	MW-22D	MW-22D[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/09/2015	06/10/2015	07/20/2015	10/20/2015	10/20/2015	01/22/2016	04/21/2016	07/20/2016	10/14/2016	1/20/2017	04/11/2017	10/06/2017	10/06/2017
VOCs															
1,1,1,2-Tetrachloroethane	7	70	< 0.25	NA	NA	< 0.46	< 0.46	< 0.11	< 2.2	< 0.55	< 0.44	< 0.55	< 0.55	< 0.55	< 0.55
1,1,1-Trichloroethane	40	200	< 0.20	NA	NA	< 0.38	< 0.38	< 0.10	< 2.0	< 0.50	< 0.40	< 0.50	< 0.50	< 0.5	< 0.5
1,1,2-Trichloroethane	0.5	5	< 0.28	NA	NA	< 0.35	< 0.35	< 0.10	< 2.0	< 0.50	< 0.40	< 0.50	< 0.50	< 0.5	< 0.5
1,1-Dichloroethene	0.7	7	< 0.31	NA	NA	< 0.39	< 0.39	< 0.14	< 2.8	< 0.70	< 0.56	< 0.70	< 0.70	< 0.7	< 0.7
1,2,4-Trimethylbenzene	96	480	< 0.14	NA	NA	< 0.36	< 0.36	< 0.060	< 1.2	< 0.30	< 0.24	< 0.30	< 0.30	< 0.3	< 0.3
1,2-Dibromoethane	0.005	0.05	< 0.36	NA	NA	< 0.39	< 0.39	< 0.13	< 2.6	< 0.65	< 0.52	< 0.65	< 0.65	< 0.65	< 0.65
1,2-Dichlorobenzene	60	600	< 0.27	NA	NA	< 0.33	< 0.33	< 0.076	< 1.5	< 0.38	< 0.30	< 0.38	< 0.38	< 0.38	< 0.38
1,2-Dichloropropane	0.5	5	< 0.20	NA	NA	< 0.43	< 0.43	< 0.10	< 2.0	< 0.50	< 0.40	< 0.50	< 0.50	< 0.5	< 0.5
1,2,3-Trichlorobenzene	NE	NE	< 0.24	NA	NA	< 0.46	< 0.46	< 0.045	< 0.90	< 0.23	< 0.18	< 0.23	< 0.23	< 0.23	< 0.23
1,2,4-Trichlorobenzene	14	70	< 0.31	NA	NA	< 0.34	< 0.34	< 0.077	< 1.5	< 0.39	< 0.31	< 0.39	< 0.39	< 0.39	< 0.39
1,3,5-Trimethylbenzene	96	480	< 0.18	NA	NA	< 0.25	< 0.25	< 0.075	< 1.5	< 0.38	< 0.30	< 0.38	< 0.38	< 0.38	< 0.38
2-Butanone	800	4000	NA	NA	NA	NA	NA	< 3.0	< 60	< 15	< 12	< 15	< 15	< 15	< 15
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	< 0.95	< 19	< 4.8	< 3.8	< 4.8	< 4.8	< 4.8	< 4.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	< 0.77	< 15	< 3.9	< 3.1	< 3.9	< 3.9	< 3.9	< 3.9
Acetone	1800	9000	NA	NA	NA	NA	NA	< 3.4	< 68	< 17	< 14	< 17	38 BJ	< 17	< 17
Benzene	0.5	5	< 0.074	NA	NA	< 0.15	< 0.15	< 0.089	< 1.8	< 0.45	< 0.36	< 0.45	***0.80 J***	< 0.45	< 0.45
Bromodichloromethane	0.06	0.6	< 0.17	NA	NA	< 0.37	< 0.37	< 0.077	< 1.5	< 0.39	< 0.31	< 0.39	< 0.39	< 0.39	< 0.39
Bromoform	0.44	4.4	< 0.28	NA	NA	< 0.48	< 0.48	< 0.088	< 1.8	< 0.44	< 0.35	< 0.44	< 0.44	< 0.44	< 0.44
Bromomethane	1	10	< 0.31	NA	NA	< 0.80	< 0.80	< 0.59	< 12	< 3.0	< 2.4	< 3.0	< 3.0	< 3	< 3
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	< 0.053	9.2 J	< 0.27	< 0.21	< 0.27	2.3 J	< 0.27	< 0.27
Carbon tetrachloride	0.5	5	< 0.26	NA	NA	< 0.38	< 0.38	< 0.038	< 0.76	< 0.19	< 0.15	< 0.19	< 0.19	< 0.19	< 0.19
Chloroform	0.6	6	< 0.20	NA	NA	< 0.37	< 0.37	0.36 J	***2.4 BJ***	< 0.31	< 0.25	0.40 BJ	***1.1 J***	< 0.31	< 0.31
Chloromethane	3	30	< 0.18	NA	NA	< 0.32	< 0.32	< 0.16	< 3.2	< 0.80	***3.4 J***	< 0.80	2.8 J+	< 0.8	***4.9 J***
cis-1,2-Dichloroethene	7	70	4.4	NA	NA	4.0	3.9	3.9	3.6 J	3.8	5.6	***14***	***26***	***47***	***47***
Dichlorodifluoromethane	200	1000	< 0.20	NA	NA	< 0.54	< 0.54	< 0.11	< 2.2	< 0.55	< 0.44	< 0.55	< 0.55	< 0.55	< 0.55
Ethylbenzene	140	700	< 0.13	NA	NA	< 0.18	< 0.18	< 0.054	< 1.1	< 0.27	< 0.22	< 0.27	< 0.27	< 0.27	< 0.27
Isopropylbenzene	NE	NE	< 0.14	NA	NA	< 0.39	< 0.39	< 0.081	< 1.6	< 0.41	< 0.32	< 0.41	< 0.41	< 0.41	< 0.41
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	< 0.057	< 1.1	< 0.29	< 0.23	< 0.29	< 0.29	< 0.29	< 0.29
Methyl tert-butyl ether	12	60	< 0.24	NA	NA	< 0.39	< 0.39	< 0.14	< 2.8	< 0.70	< 0.56	< 0.70	< 0.70	< 0.7	< 0.7
Methylene chloride	0.5	5	< 0.68	NA	NA	< 1.6	< 1.6	< 0.14	< 2.8	< 0.70	< 0.56	***1.3 BJ***	< 0.70	< 0.7	< 0.7
Naphthalene	10	100	< 0.16	NA	NA	< 0.34	< 0.34	< 0.088	< 1.8	< 0.44	< 0.35	< 0.44	1.6 BJ	< 0.44	< 0.44
n-Butylbenzene	NE	NE	< 0.13	NA	NA	< 0.39	< 0.39	< 0.14	< 2.8	< 0.70	< 0.56	< 0.70	< 0.70	< 0.7	< 0.7
n-Hexane	120	600	NA	NA	NA	NA	NA	< 0.21	< 4.2	< 1.1	< 0.84	< 1.1	< 1.1	< 1.1	< 1.1
n-Propylbenzene	NE	NE	< 0.13	NA	NA	< 0.41	< 0.41	< 0.10	< 2.0	< 0.50	< 0.40	< 0.50	< 0.50	< 0.5	< 0.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	< 0.058	< 1.2	< 0.29	< 0.23	< 0.29	< 0.29	< 0.29	< 0.29
p-Isopropyltoluene	NE	NE	< 0.17	NA	NA	< 0.36	< 0.36	< 0.085	< 1.7	< 0.43	< 0.34	< 0.43	< 0.43	< 0.43	< 0.43
sec-Butylbenzene	NE	NE	< 0.15	NA	NA	< 0.40	< 0.40	< 0.13	< 2.6	< 0.65	< 0.52	< 0.65	< 0.65	< 0.65	< 0.65
Styrene	10	100	< 0.10	NA	NA	< 0.39	< 0.39	< 0.065	< 1.3	< 0.33	< 0.26	< 0.33	< 0.33	< 0.33	0.35 BJ
tert-Butylbenzene	NE	NE	< 0.14	NA	NA	< 0.40	< 0.40	< 0.12	< 2.4	< 0.60	< 0.48	< 0.60	< 0.60	< 0.6	< 0.6
Tetrachloroethene	0.5	5	***190***	NA	NA	***140***	***160***	***220***	***140***	***130***	***92***	***120***	***120***	***120 B***	***120 B***
Toluene	160	800	< 0.11	NA	NA	< 0.15	< 0.15	< 0.053	< 1.1	< 0.27	0.48 J	0.50 BJ	0.80 J	< 0.27	< 0.27
trans-1,2-Dichloroethene	20	100	< 0.25	NA	NA	< 0.35	< 0.35	0.23 J	< 2.2	< 0.55	< 0.44	0.70 J	1.3 J	2.3 J	2.5 J
Trichloroethene	0.5	5	***5.7***	NA	NA	***5.4***	***5.7***	***6.1***	***5.6 J***	***5.7***	***4.4***	***5.2 B***	***6.3***	***9.4***	***9.4***
Vinyl chloride	0.02	0.2	< 0.10	NA	NA	***0.66***	***0.74***	< 0.16	< 3.2	***0.85 J***	***2.2***	***4.3***	***6.5 J+***	***10***	***11***
Xylenes, Total	400	2000	< 0.068	NA	NA	< 0.22	< 0.22	< 0.058	< 1.2	< 0.29	< 0.23	< 0.58	< 0.58	< 0.58	< 0.58
Total PCBs															
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***0.3***	***0.31***
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***0.3***	***0.31***
Dissolved PCBs															
Aroclor-1016	0.003	0.03	NA	< 0.066	< 0.062	< 0.069	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	< 0.20	< 0.19	< 0.21	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	< 0.20	< 0.19	< 0.21	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	< 0.20	< 0.19	< 0.21	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids															
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	892	890
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S[3]	MW-23S	MW-23S[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft	24 - 35 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/15/2013	04/19/2013	07/16/2013	09/05/2013	09/05/2013	10/10/2013	04/18/2014	10/20/2014	04/09/2015	10/20/2015	10/14/2016	10/14/2016	10/06/2017	10/06/2017
VOCs																
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.44	< 0.22	< 0.22	< 0.55
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.40	< 0.20	< 0.2	< 0.5
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	NA	***1.8***	< 0.28	< 0.28	< 0.28	< 0.35	< 0.40	< 0.20	< 0.2	< 0.5
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.56	< 0.28	< 0.28	< 0.7
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.24	< 0.12	< 0.12	< 0.3
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.52	< 0.26	< 0.26	< 0.65
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.30	< 0.15	< 0.15	< 0.38
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.40	< 0.20	< 0.2	< 0.5
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.18	< 0.090	< 0.09	< 0.23
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.31	< 0.15	< 0.15	< 0.39
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.30	< 0.15	< 0.15	< 0.38
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 12	< 6.0	< 6	< 15
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.8	< 1.9	< 1.9	< 4.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.1	< 1.5	< 1.5	< 3.9
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 14	< 6.8	14 J	< 17
Benzene	0.5	5	***0.73***	< 0.074	< 0.074	< 0.074	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.36	< 0.18	< 0.18	< 0.45
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.31	< 0.15	< 0.15	< 0.39
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.35	< 0.18	< 0.18	< 0.44
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 2.4	< 1.2	< 1.2	< 3
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.11	< 0.11	< 0.27
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.15	< 0.076	< 0.076	< 0.19
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.25	< 0.12	< 0.12	< 0.31
Chloromethane	3	30	1.2	< 0.18	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	2.3 BJ	0.86 J	0.92 J	2.7 J
cis-1,2-Dichloroethene	7	70	< 0.12	3.7	***29***	***27***	NA	***16***	***16***	***19***	***20***	***9.6***	***12***	***15***	***33***	***33***
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	< 0.44	< 0.22	< 0.22	< 0.55
Ethylbenzene	140	700	0.43 J	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.22	< 0.11	< 0.11	< 0.27
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.32	< 0.16	< 0.16	< 0.41
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.23	< 0.11	< 0.11	< 0.29
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.56	< 0.28	< 0.28	< 0.7
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.56	< 0.28	< 0.28	< 0.7
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.35	< 0.18	< 0.18	0.45 BJ
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.56	< 0.28	< 0.28	< 0.7
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.84	< 0.42	< 0.42	< 1.1
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.40	< 0.20	< 0.2	< 0.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.23	< 0.12	< 0.12	< 0.29
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.34	< 0.17	< 0.17	< 0.43
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.52	< 0.26	< 0.26	< 0.65
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	NA	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.26	< 0.13	< 0.13	0.35 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.48	< 0.24	< 0.24	< 0.6
Tetrachloroethene	0.5	5	***290***	***580***	***420***	***240***	NA	***130***	***210***	***190***	***190***	***360***	***66***	***88***	***120 B***	***120 B***
Toluene	160	800	1.3	< 0.11	< 0.11	< 0.11	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.21	< 0.11	< 0.11	< 0.27
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.44	< 0.22	< 0.22	< 0.55
Trichloroethene	0.5	5	***0.64***	***1.4***	***20***	***17***	NA	***15***	***11***	***11***	***10***	***5.9***	***7.2***	***9.1***	***7.8***	***7.6***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	NA	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.64	< 0.32	< 0.32	< 0.8
Xylenes, Total	400	2000	0.95 J	< 0.068	< 0.068	< 0.068	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.23	< 0.12	< 0.23	< 0.58
Total PCBs																
Aroclor-1016	0.003	0.03	< 0.19	NA	< 0.063	< 0.028	NA	< 0.066	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	< 0.11	NA	< 0.19	< 0.083	NA	< 0.2	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	< 0.15	NA	< 0.19	< 0.083	NA	< 0.2	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	< 0.13	NA	< 0.19	< 0.083	NA	< 0.2	NA	NA	NA	NA	NA	NA	***0.034 J***	< 0.02
Total Detected PCBs	0.003	0.03	ND	NA	ND	ND	NA	ND	NA	NA	NA	NA	NA	NA	***0.034 J***	ND
Dissolved PCBs																
Aroclor-1016	0.003	0.03	NA	NA	< 0.063	NA	< 0.026	< 0.064	NA	< 0.063	< 0.063	< 0.063	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	< 0.19	NA	< 0.078	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	< 0.19	NA	< 0.078	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	< 0.19	NA	< 0.078	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	ND	NA	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA
Solids																
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	478	NA	656	644
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.8	NA	16.8	18

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D	MW-23D[3]	MW-23D	MW-23D[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft	45 - 50 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	01/14/2013	03/08/2013	04/19/2013	04/20/2013	07/17/2013	10/10/2013	04/18/2014	10/20/2014	04/09/2015	10/20/2015	01/22/2016	04/21/2016	07/20/2016	10/14/2016	1/20/2017	04/11/2017	04/11/2017	10/06/2017	10/06/2017
VOCs																					
1,1,1,2-Tetrachloroethane	7	70	< 0.25	NA	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 2.2	< 0.55	< 0.11	< 1.1	< 1.1	< 0.11	< 0.55	< 0.55
1,1,1-Trichloroethane	40	200	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 2.0	< 0.50	< 0.10	< 1.0	< 1.0	< 0.10	< 0.5	< 0.5
1,1,2-Trichloroethane	0.5	5	< 0.28	NA	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 2.0	< 0.50	< 0.10	< 1.0	< 1.0	< 0.10	< 0.5	< 0.5
1,1-Dichloroethene	0.7	7	< 0.31	NA	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 2.8	< 0.70	< 0.14	< 1.4	< 1.4	< 0.14	< 0.7	< 0.7
1,2,4-Trimethylbenzene	96	480	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 1.2	< 0.30	< 0.060	< 0.60	< 0.60	< 0.060	< 0.3	< 0.3
1,2-Dibromoethane	0.005	0.05	< 0.36	NA	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 2.6	< 0.65	< 0.13	< 1.3	< 1.3	< 0.13	< 0.65	< 0.65
1,2-Dichlorobenzene	60	600	< 0.27	NA	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 1.5	< 0.38	< 0.076	< 0.76	< 0.76	< 0.076	< 0.38	< 0.38
1,2-Dichloropropane	0.5	5	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 2.0	< 0.50	< 0.10	< 1.0	< 1.0	< 0.10	< 0.5	< 0.5
1,2,3-Trichlorobenzene	NE	NE	< 0.24	NA	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.90	< 0.23	< 0.045	< 0.45	< 0.45	< 0.045	< 0.23	< 0.23
1,2,4-Trichlorobenzene	14	70	< 0.31	NA	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 1.5	< 0.39	< 0.077	< 0.77	< 0.77	< 0.077	< 0.39	< 0.39
1,3,5-Trimethylbenzene	96	480	< 0.18	NA	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 1.5	< 0.38	< 0.075	< 0.75	< 0.75	< 0.075	< 0.38	< 0.38
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 60	< 15	< 3.0	< 30	< 30	< 3.0	< 15	< 15
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 19	< 4.8	< 0.95	< 9.5	< 9.5	< 0.95	< 4.8	< 4.8
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 15	< 3.9	< 0.77	< 7.7	< 7.7	< 0.77	< 3.9	< 3.9
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 68	< 17	< 3.4	< 34	< 34	9.6 BJ	< 17	< 17
Benzene	0.5	5	0.32 J	NA	< 0.074	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 1.8	< 0.45	< 0.089	< 0.89	< 0.89	< 0.089	< 0.45	< 0.45
Bromodichloromethane	0.06	0.6	< 0.17	NA	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 1.5	< 0.39	< 0.077	***1.1 BJ***	< 0.77	< 0.077	< 0.39	< 0.39
Bromoform	0.44	4.4	< 0.28	NA	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 1.8	< 0.44	< 0.088	< 0.88	< 0.88	< 0.088	< 0.44	< 0.44
Bromomethane	1	10	< 0.31	NA	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.80	< 0.59	< 12	< 3.0	< 0.59	< 5.9	< 5.9	< 0.59	< 3	< 3
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 1.1	< 0.27	< 0.053	1.4 J	< 0.53	< 0.053	< 0.27	< 0.27
Carbon tetrachloride	0.5	5	< 0.26	NA	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.76	< 0.19	< 0.038	< 0.38	< 0.38	< 0.038	< 0.19	< 0.19
Chloroform	0.6	6	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	***2.2 BJ***	< 0.31	< 0.062	***1.1 BJ***	***1.1 J***	< 0.062	< 0.31	< 0.31
Chloromethane	3	30	< 0.18	NA	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 3.2	< 0.80	< 0.16	***3.2 BJ***	< 1.6	< 0.16	1.5 J	***4.3 J***
cis-1,2-Dichloroethene	7	70	< 0.12	NA	< 0.12	NA	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 2.2	< 0.55	< 0.11	< 1.1	< 1.1	< 0.11	< 0.55	< 0.55
Dichlorodifluoromethane	200	1000	< 0.2	NA	< 0.2	NA	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54	0.27 J	< 2.2	< 0.55	< 0.11	< 1.1	< 1.1	< 0.11	< 0.55	< 0.55
Ethylbenzene	140	700	0.20 J	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 1.1	< 0.27	< 0.054	< 0.54	< 0.54	< 0.054	< 0.27	< 0.27
Isopropylbenzene	NE	NE	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 1.6	< 0.41	< 0.081	< 0.81	< 0.81	< 0.081	< 0.41	< 0.41
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 1.1	< 0.29	< 0.057	< 0.57	< 0.57	< 0.057	< 0.29	< 0.29
Methyl tert-butyl ether	12	60	< 0.24	NA	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 2.8	< 0.70	< 0.14	< 1.4	< 1.4	< 0.14	< 0.7	< 0.7
Methylene chloride	0.5	5	< 0.68	NA	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	***0.57 J***	< 2.8	< 0.70	< 0.14	***1.8 BJ***	< 1.4	< 0.14	< 0.7	< 0.7
Naphthalene	10	100	< 0.16	NA	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 1.8	< 0.44	< 0.088	< 0.88	< 0.88	< 0.088	< 0.44	< 0.44
n-Butylbenzene	NE	NE	< 0.13	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 2.8	< 0.70	< 0.14	< 1.4	< 1.4	< 0.14	< 0.7	< 0.7
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 4.2	< 1.1	< 0.21	< 2.1	< 2.1	< 0.21	< 1.1	< 1.1
n-Propylbenzene	NE	NE	< 0.13	NA	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 2.0	< 0.50	< 0.10	< 1.0	< 1.0	< 0.10	< 0.5	< 0.5
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 1.2	< 0.29	< 0.058	< 0.58	< 0.58	< 0.058	< 0.29	< 0.29
p-Isopropyltoluene	NE	NE	< 0.17	NA	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 1.7	< 0.43	< 0.085	< 0.85	< 0.85	< 0.085	< 0.43	< 0.43
sec-Butylbenzene	NE	NE	< 0.15	NA	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 2.6	< 0.65	< 0.13	< 1.3	< 1.3	< 0.13	< 0.65	< 0.65
Styrene	10	100	< 0.1	NA	< 0.1	NA	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 1.3	< 0.33	< 0.065	< 0.65	< 0.65	< 0.065	0.45 J	< 0.33
tert-Butylbenzene	NE	NE	< 0.14	NA	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 2.4	< 0.60	< 0.12	< 1.2	< 1.2	< 0.12	< 0.6	< 0.6
Tetrachloroethene	0.5	5	***100***	NA	***86***	NA	***170***	***160***	***190***	***190***	***220***	***84***	***170***	***130***	***160***	***160***	***140***	***140***	***140***	***130 B***	***130 B***
Toluene	160	800	0.60	NA	< 0.11	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 1.1	< 0.27	< 0.053	1.6 BJ	< 0.53	< 0.053	< 0.27	< 0.27
trans-1,2-Dichloroethene	20	100	< 0.25	NA	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 2.2	< 0.55	< 0.11	< 1.1	< 1.1	< 0.11	< 0.55	< 0.55
Trichloroethene	0.5	5	< 0.19	NA	***0.53***	NA	0.21 J	< 0.19	< 0.19	0.27 J	< 0.19	< 0.16	0.22 J	< 1.2	< 0.31	0.19 J	< 0.62	< 0.62	0.16 J	< 0.31	< 0.31
Vinyl chloride	0.02	0.2	< 0.1	NA	< 0.1	NA	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 3.2	< 0.80	< 0.16	< 1.6	< 1.6	< 0.16	< 0.8	< 0.8
Xylenes, Total	400	2000	0.68 J	NA	< 0.068	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 1.2	< 0.29	< 0.058	< 1.2	< 1.2	< 0.12	< 0.58	< 0.58
Total PCBs																					
Aroclor-1016	0.003	0.03	< 0.16	< 0.034	NA	< 0.065	< 0.067	< 0.064	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	< 0.089	< 0.1	NA	< 0.19	< 0.2	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	***0.24 J***	< 0.1	NA	< 0.19	< 0.2	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	< 0.11	< 0.1	NA	< 0.19	< 0.2	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.02	< 0.02
Total Detected PCBs	0.003	0.03	***0.24 J***	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND
Dissolved PCBs																					
Aroclor-1016	0.003	0.03	NA	< 0.034	NA	< 0.066	< 0.068	< 0.065	NA	< 0.063	< 0.063	< 0.065	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	< 0.1	NA	< 0.2	< 0.2	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	< 0.1	NA	< 0.2	< 0.2	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	< 0.1	NA	< 0.2	< 0.2	< 0.19	NA	< 0.19	< 0.19	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	ND	NA	ND	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																					
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	524	534
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-24	MW-24	MW-24	MW-24	MW-24	MW-24	MW-24	MW-25D	MW-25D[3]	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	30 - 40 ft	30 - 40 ft	30 - 40 ft	30 - 40 ft	30 - 40 ft	30 - 40 ft	30 - 40 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft	120 - 130 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	04/29/2013	07/19/2013	10/08/2013	04/17/2014	10/14/2014	10/09/2017	04/05/2018	05/06/2013	05/06/2013	07/19/2013	10/09/2013	04/21/2014	07/09/2014	08/26/2014	10/20/2014	01/28/2015	04/10/2015	07/21/2015	10/19/2015	10/11/2016	10/03/2017
VOCs																							
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.1
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.06
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	NA	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.1
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	NA	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	NA	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	NA	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	0.08 J
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.37 BJ	0.82 J+
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	NA	NA	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	NA	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	0.31 J	< 0.13	< 0.13	< 0.13	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	0.35 J	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	0.06 BJ
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	NA	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	NA	NA	< 0.68	< 0.68	< 0.68	***5.3***	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.23 J	***0.51 J***
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16 *	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.1
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	0.07 BJ
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***3***	***3***	***3.3***	***2.8***	***0.83 J***	NA	NA	***0.76 J***	< 0.17	***2.8***	***3.1***	***1.3***	***1.2***	***1.1***	***0.54 J***	***0.86 J***	< 0.17	***0.66 J***	***0.51 J***	***0.55***	0.37 J-
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	NA	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	0.49 J	0.73	< 0.11	< 0.11	< 0.11	< 0.11	0.55	0.090 J	0.07 BJ
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	NA	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11
Trichloroethene	0.5	5	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	NA	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	0.37 J	< 0.068	< 0.068	< 0.068	NA	NA	< 0.068	< 0.068	0.36 J	< 0.068	< 0.068	1.6	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	1.9	< 0.058	< 0.12
Total PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	< 0.035	< 0.035	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	< 0.037	< 0.037	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	< 0.038	< 0.038	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	< 0.02	< 0.020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																							
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	2060	2300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	1 J	1.2 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2	MW-25D2[3]
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft	160 - 170 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	05/06/2013	07/19/2013	10/04/2013	04/21/2014	07/10/2014	08/26/2014	10/22/2014	01/28/2015	04/10/2015	07/21/2015	10/19/2015	01/21/2016	04/20/2016	07/19/2016	10/11/2016	1/19/2017	04/12/2017	10/03/2017	04/03/2018	04/03/2018
VOCs																						
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 0.10
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	0.070 J	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	0.44 J	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	0.12 J	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.16	0.17 J	0.68 BJ	< 0.16	0.64 J	0.37 J+	< 0.16	< 0.16
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	0.47 J	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.38 J	< 0.14	< 0.14	< 0.14	0.14 BJ	< 0.14	< 0.14	0.14 J+	< 0.14
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	0.31 BJ	< 0.088	0.31 BJ	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	0.14 J	< 0.065	< 0.065	< 0.065	0.08 BJ	< 0.065	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.081	< 0.081	< 0.081	< 0.081	0.090 BJ	< 0.081	0.1 J-	0.14 J	0.11 J
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	0.63	1.2	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053	< 0.053	0.11 J	< 0.053	0.16 J	0.07 BJ	< 0.053	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Trichloroethene	0.5	5	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	2.5	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																						
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																						
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-27D	MW-27D[3]	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D[3]	MW-27D	MW-27D	MW-27D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	6.8 - 16.8 ft	6.8 - 16.8 ft	6.8 - 16.8 ft	6.8 - 16.8 ft	6.8 - 16.8 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft	130 - 140 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	08/23/2013	10/09/2013	04/22/2014	07/10/2014	10/15/2014	12/26/2013	12/26/2013	04/18/2014	07/09/2014	10/21/2014	01/29/2015	04/14/2015	07/21/2015	10/20/2015	01/21/2016	04/20/2016	07/19/2016	10/11/2016	1/19/2017	1/19/2017	04/11/2017	10/04/2017	04/03/2018
VOCs																									
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,1,1-Trichloroethane	40	200	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.38	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.06	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075	< 0.075
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3	< 3.0
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95	< 0.95
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1 J	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	3.7 BJ	< 3.4
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31 *	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053	< 0.053
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16	< 0.16	< 0.16	0.53 BJ	< 0.16	< 0.16	< 0.16	0.4 J+	< 0.16
cis-1,2-Dichloroethene	7	70	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	0.85 J	0.83 J	2.6	2.5	1.1	2.4	2.2	2.4	5.5	1.9	1.7	1.5	0.54	0.99 B	1.1 B	1.2	0.89	0.56
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11	< 0.11	0.12 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	0.55	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	< 0.057	0.06 BJ	0.080 J
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	1.3	< 0.24	< 0.24	0.92 J	< 0.24	0.86 J	< 0.39	0.68	0.68	0.62	< 0.14	0.42 J	0.38 J+	0.51	0.39 J	< 0.14
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.41 J	< 0.14	< 0.14	< 0.14	0.16 BJ	< 0.14	< 0.14	< 0.14	0.16 J
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.1	< 0.10
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065	< 0.065	0.36 J	< 0.065	< 0.065	< 0.065	< 0.065 J	0.07 BJ	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Tetrachloroethene	0.5	5	***1.4***	< 0.17	< 0.17	< 0.17	< 0.17	***1.8***	***1.8***	***5.4***	***5***	***1.7***	***4.2***	***3.8***	***5***	***13***	***4.5***	***3.4***	***2.1***	***1.1***	***1.9 B***	***2.3 B***	***2.1 B***	***1.9***	***1.2***
Toluene	160	800	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	0.53	0.49 J	< 0.11	0.47 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053	< 0.053	< 0.053	< 0.053	0.060 BJ	0.11 BJ	< 0.053	0.09 BJ	0.090 J
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	0.17 J	0.16 J	0.17 J	< 0.11	< 0.11	< 0.11	0.13 J	0.13 J	0.19 J
Trichloroethene	0.5	5	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	***1.3***	***1.2***	***3.5***	***3.5***	***1.7***	***3.2***	***2.9***	***3.4***	***12***	***2.8***	***2.6***	***2.1***	***1.3***	***1.7 B***	***2.1***	***2.1***	***1.6***	***1.2***
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	3.0	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.058	< 0.058	< 0.058	< 0.058	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Total PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs																									
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solids																									
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

WELL ID			MW-27D2	MW-27D2	MW-27D2	MW-27D2[3]	MW-27D2	MW-27D2	MW-27D2[3]	MW-27D2	MW-27D2	MW-27D2[3]	MW-27D2	MW-27D2	MW-27D2[3]	MW-27D2	MW-28	MW-28	MW-28	MW-28	MW-28	MW-29S	MW-29D
SCREEN INTERVAL (feet bgs)	PREVENTIVE	ENFORCEMENT	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	170 - 180 ft	27.7 - 37.7 ft	27.7 - 37.7 ft	27.7 - 37.7 ft	27.7 - 37.7 ft	27.7 - 37.7 ft	24 - 34 ft	45 - 50 ft
SAMPLE DATE	ACTION LIMIT	STANDARD	12/26/2013	04/18/2014	07/09/2014	07/09/2014	10/21/2014	01/29/2015	01/29/2015	04/14/2015	07/21/2015	07/21/2015	10/20/2015	10/11/2016	10/11/2016	10/04/2017	03/13/2015	04/09/2015	10/20/2015	10/10/2017	04/06/2018	04/05/2018	04/05/2018
VOCs																							
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.22	< 0.22	< 0.11	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	40	200	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.38	< 0.20	< 0.20	< 0.1	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.20	< 0.20	< 0.1	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.28	< 0.28	< 0.14	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.12	< 0.12	< 0.06	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.26	< 0.26	< 0.13	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.15	< 0.15	< 0.076	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	0.5	5	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.43	< 0.20	< 0.20	< 0.1	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.090	< 0.090	< 0.045	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.15	< 0.15	< 0.077	NA	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.15	< 0.15	< 0.075	NA	NA	NA	NA	NA	NA	NA
2-Butanone	800	4000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.0	< 6.0	< 3	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.9	< 1.9	< 0.95	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.5	< 1.5	< 0.77	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.8	< 6.8	3.5 J	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.18	< 0.18	< 0.089	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.15	< 0.15	< 0.077	NA	NA	NA	NA	NA	NA	NA
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.18	< 0.18	< 0.088	NA	NA	NA	NA	NA	NA	NA
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 1.2	< 1.2	< 0.59	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	200	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.11	< 0.053	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.076	< 0.076	< 0.038	NA	NA	NA	NA	NA	NA	NA
Chloroform	0.6	6	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.37	< 0.12	< 0.12	< 0.062	NA	NA	NA	NA	NA	NA	NA
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	0.90 BJ	1.0 J	0.46 J	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	7	70	3.7	***12***	***11***	***11***	***12***	***11***	***11***	***8.2***	6.1	6.1	1.8	***21***	***23***	***9.4***	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	200	1000	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54	< 0.22	< 0.22	< 0.11	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	140	700	< 0.13	< 0.13	0.33 J	0.36 J	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.11	< 0.11	< 0.054	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.16	< 0.16	< 0.081	NA	NA	NA	NA	NA	NA	NA
m,p-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.11	< 0.11	< 0.057	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	0.83 J	< 0.28	< 0.28	< 0.14	NA	NA	NA	NA	NA	NA	NA
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.28	< 0.28	< 0.14	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.18	< 0.18	< 0.088	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.28	< 0.28	< 0.14	NA	NA	NA	NA	NA	NA	NA
n-Hexane	120	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.42	< 0.42	< 0.21	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.20	< 0.20	< 0.1	NA	NA	NA	NA	NA	NA	NA
o-Xylene	400	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.12	< 0.12	< 0.058	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.17	< 0.17	< 0.085	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.26	< 0.26	< 0.13	NA	NA	NA	NA	NA	NA	NA
Styrene	10	100	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39	< 0.13	< 0.13	< 0.065	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.24	< 0.24	< 0.12	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	0.5	5	***11***	***44***	***36***	***35***	***41***	***38***	***36***	***25***	***17***	***17***	***3.1***	***67***	***63***	***24***	NA	NA	NA	NA	NA	NA	NA
Toluene	160	800	0.20 J	< 0.11	0.43 J	0.41 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.11	0.18 J	0.08 J	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	0.64 J	0.66 J	0.33 J	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	0.5	5	***7.2***	***25***	***21***	***20***	***23***	***23***	***23***	***17***	***15***	***16***	***2.5***	***45***	***45***	***18***	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	0.02	0.2	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20	< 0.32	< 0.32	< 0.16	NA	NA	NA	NA	NA	NA	NA
Xylenes, Total	400	2000	< 0.068	< 0.068	1.6	1.6	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	< 0.12	< 0.12	< 0.12	NA	NA	NA	NA	NA	NA	NA
Total PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.035	< 0.035	< 0.035	< 0.035
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.037	< 0.037	< 0.037	< 0.037
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.038	< 0.038	< 0.038	< 0.038
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.02	< 0.020	< 0.020	< 0.020
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND
Dissolved PCBs																							
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.068	< 0.064	< 0.062	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.20	< 0.19	< 0.19	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.20	< 0.19	< 0.19	NA	NA	NA	NA
Aroclor-1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.20	< 0.19	< 0.19	NA	NA	NA	NA
Total Detected PCBs	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	NA	NA	NA	NA
Solids																							
Total Dissolved Solids	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1530	1370	618	976
Total Suspended Solids (TSS)	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95	< 0.95	< 0.95	2.0

Notes on Page 55.

Table 18
Groundwater Analytical Results Summary
Madison-Kipp Corporation
Madison, Wisconsin

Updated By: P Popp 5/31/2018
Checked By: B. Wachholz 5/31/2018

Footnotes:
1 - Indicates that the sample was quenched prior to analysis.
2 - Indicates that the sample was not quenched prior to analysis.
3 - Indicates the result of a field duplicate.

General Notes:
All concentrations noted in this table are reported in micrograms per liter (µg/L) unless otherwise noted.
Analytes shown in the table are from VOC and PCB analyte lists. Only analytes that were detected in at least one sample are shown in the table. A complete list of constituents analyzed are included in the laboratory analytical reports.

100 = NR 140 Wis. Adm. Code Preventive Action Limit Exceedance
100 = NR 140 Wis. Adm. Code Enforcement Standard Exceedance
< = Constituent not detected above noted laboratory method detection limit.
* = Data is suspect and not used in evaluation. (Note from historical data through 2015, provided by Arcadis)
B = Compound was found in the blank and sample.
bgs = Below Ground Surface.
cn = Laboratory Contaminant.
E = Estimated concentration, exceeds instrumental calibration range.
ID = Identification.
J = Estimated concentration above the adjusted method detection limit and below the reporting limit.
J- = Results may be biased low because of non-compliant laboratory quality check.
J+ = Results may be biased high because of non-compliant laboratory quality check.
NA = Not Analyzed.
ND = Not Detected.
NE = Not Established.
PCBs = Polychlorinated biphenyls.
VOCs = Volatile Organic Compounds.