

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-57619-1
Client Project/Site: MadisonKipp WI001283.0008.00006

For:
ARCADIS U.S., Inc.
126 North Jefferson Street
Suite 400
Milwaukee, Wisconsin 53202

Attn: Rebecca Robbennolt



Authorized for release by:
6/6/2013 2:06:07 PM

Sandie Fredrick, Project Manager I
sandie.fredrick@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	10
QC Association	11
Surrogate Summary	13
QC Sample Results	14
Chronicle	16
Certification Summary	18
Chain of Custody	19
Receipt Checklists	20

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Job ID: 500-57619-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-57619-1

Comments

No additional comments.

Receipt

The samples were received on 6/4/2013 10:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.6° C.

GC Semi VOA

Method(s) 8082: The following samples were diluted to bring the concentration of target analytes within the calibration range: DUP-01 (500-57619-3), MKC-41D-BASE (500-57619-1), MKC-41D-BASE (500-57619-1 MS), MKC-41D-BASE (500-57619-1 MSD). Elevated reporting limits (RLs) are provided.

Method(s) 8082: Due to the high concentration of AR1248, the matrix spike / matrix spike duplicate (MS/MSD) for batch 188726 were outside control limits. The associated laboratory control sample (LCS) met acceptance criteria. MKC-41D-BASE (500-57619-1 MS), MKC-41D-BASE (500-57619-1 MSD)

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: MKC-41D-BASE

Lab Sample ID: 500-57619-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1248	600		100	40	ug/Kg	5	☼	8082	Total/NA

Client Sample ID: MKC-42D-BASE

Lab Sample ID: 500-57619-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1248	310		20	8.0	ug/Kg	1	☼	8082	Total/NA

Client Sample ID: DUP-01

Lab Sample ID: 500-57619-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1248	540		100	40	ug/Kg	5	☼	8082	Total/NA

Client Sample ID: MKC-45D-BASE

Lab Sample ID: 500-57619-4

No Detections.

Client Sample ID: MKC-46D-BASE

Lab Sample ID: 500-57619-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1248	93		20	7.7	ug/Kg	1	☼	8082	Total/NA

Client Sample ID: MKC-48D-BASE

Lab Sample ID: 500-57619-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1248	25		21	8.1	ug/Kg	1	☼	8082	Total/NA

Client Sample ID: Equipment Blank #1

Lab Sample ID: 500-57619-7

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Method	Method Description	Protocol	Laboratory
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL CHI
Moisture	Percent Moisture	EPA	TAL CHI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-57619-1	MKC-41D-BASE	Solid	06/03/13 13:33	06/04/13 10:10
500-57619-2	MKC-42D-BASE	Solid	06/03/13 13:38	06/04/13 10:10
500-57619-3	DUP-01	Solid	06/03/13 00:00	06/04/13 10:10
500-57619-4	MKC-45D-BASE	Solid	06/03/13 16:04	06/04/13 10:10
500-57619-5	MKC-46D-BASE	Solid	06/03/13 16:01	06/04/13 10:10
500-57619-6	MKC-48D-BASE	Solid	06/03/13 15:53	06/04/13 10:10
500-57619-7	Equipment Blank #1	Water	06/03/13 00:00	06/04/13 10:10



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: MKC-41D-BASE

Lab Sample ID: 500-57619-1

Date Collected: 06/03/13 13:33

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 80.6

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<36		100	36	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1221	<45		100	45	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1232	<44		100	44	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1242	<33		100	33	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1248	600		100	40	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1254	<22		100	22	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
PCB-1260	<50		100	50	ug/Kg	☼	06/05/13 17:18	06/06/13 08:34	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	88		50 - 116				06/05/13 17:18	06/06/13 08:34	5
DCB Decachlorobiphenyl	92		48 - 142				06/05/13 17:18	06/06/13 08:34	5

Client Sample ID: MKC-42D-BASE

Lab Sample ID: 500-57619-2

Date Collected: 06/03/13 13:38

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.4

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<7.2		20	7.2	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1221	<8.9		20	8.9	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1232	<8.8		20	8.8	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1242	<6.7		20	6.7	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1248	310		20	8.0	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1254	<4.4		20	4.4	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
PCB-1260	<9.9		20	9.9	ug/Kg	☼	06/05/13 17:18	06/06/13 02:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	72		50 - 116				06/05/13 17:18	06/06/13 02:13	1
DCB Decachlorobiphenyl	103		48 - 142				06/05/13 17:18	06/06/13 02:13	1

Client Sample ID: DUP-01

Lab Sample ID: 500-57619-3

Date Collected: 06/03/13 00:00

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.8

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<36		100	36	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1221	<45		100	45	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1232	<44		100	44	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1242	<33		100	33	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1248	540		100	40	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1254	<22		100	22	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
PCB-1260	<50		100	50	ug/Kg	☼	06/05/13 17:18	06/06/13 09:16	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	58		50 - 116				06/05/13 17:18	06/06/13 09:16	5
DCB Decachlorobiphenyl	101		48 - 142				06/05/13 17:18	06/06/13 09:16	5

TestAmerica Chicago

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: MKC-45D-BASE

Lab Sample ID: 500-57619-4

Date Collected: 06/03/13 16:04

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 80.5

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<7.2		20	7.2	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1221	<9.0		20	9.0	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1232	<8.9		20	8.9	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1242	<6.7		20	6.7	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1248	<8.0		20	8.0	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1254	<4.4		20	4.4	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1
PCB-1260	<10		20	10	ug/Kg	☼	06/05/13 17:18	06/06/13 02:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		50 - 116	06/05/13 17:18	06/06/13 02:42	1
DCB Decachlorobiphenyl	97		48 - 142	06/05/13 17:18	06/06/13 02:42	1

Client Sample ID: MKC-46D-BASE

Lab Sample ID: 500-57619-5

Date Collected: 06/03/13 16:01

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<6.9		20	6.9	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1221	<8.6		20	8.6	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1232	<8.5		20	8.5	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1242	<6.4		20	6.4	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1248	93		20	7.7	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1254	<4.2		20	4.2	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1
PCB-1260	<9.6		20	9.6	ug/Kg	☼	06/05/13 17:18	06/06/13 02:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	59		50 - 116	06/05/13 17:18	06/06/13 02:56	1
DCB Decachlorobiphenyl	85		48 - 142	06/05/13 17:18	06/06/13 02:56	1

Client Sample ID: MKC-48D-BASE

Lab Sample ID: 500-57619-6

Date Collected: 06/03/13 15:53

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 79.9

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<7.3		21	7.3	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1221	<9.1		21	9.1	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1232	<9.0		21	9.0	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1242	<6.8		21	6.8	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1248	25		21	8.1	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1254	<4.4		21	4.4	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1
PCB-1260	<10		21	10	ug/Kg	☼	06/05/13 17:18	06/06/13 03:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	73		50 - 116	06/05/13 17:18	06/06/13 03:23	1
DCB Decachlorobiphenyl	98		48 - 142	06/05/13 17:18	06/06/13 03:23	1

TestAmerica Chicago

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: Equipment Blank #1

Lab Sample ID: 500-57619-7

Date Collected: 06/03/13 00:00

Matrix: Water

Date Received: 06/04/13 10:10

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<0.065		0.39	0.065	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1221	<0.20		0.39	0.20	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1232	<0.20		0.39	0.20	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1242	<0.20		0.39	0.20	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1248	<0.20		0.39	0.20	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1254	<0.20		0.39	0.20	ug/L		06/05/13 08:12	06/05/13 12:56	1
PCB-1260	<0.068		0.39	0.068	ug/L		06/05/13 08:12	06/05/13 12:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	76		50 - 120	06/05/13 08:12	06/05/13 12:56	1
DCB Decachlorobiphenyl	68		29 - 126	06/05/13 08:12	06/05/13 12:56	1

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
F	MS or MSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: ARCADIS U.S., Inc.
 Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

GC Semi VOA

Analysis Batch: 188595

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-1	MKC-41D-BASE	Total/NA	Solid	8082	188726
500-57619-1 MS	MKC-41D-BASE	Total/NA	Solid	8082	188726
500-57619-1 MSD	MKC-41D-BASE	Total/NA	Solid	8082	188726
500-57619-2	MKC-42D-BASE	Total/NA	Solid	8082	188726
500-57619-3	DUP-01	Total/NA	Solid	8082	188726
500-57619-4	MKC-45D-BASE	Total/NA	Solid	8082	188726
500-57619-5	MKC-46D-BASE	Total/NA	Solid	8082	188726
500-57619-6	MKC-48D-BASE	Total/NA	Solid	8082	188726
LCS 500-188726/2-A	Lab Control Sample	Total/NA	Solid	8082	188726
MB 500-188726/1-A	Method Blank	Total/NA	Solid	8082	188726

Prep Batch: 188598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-7	Equipment Blank #1	Total/NA	Water	3510C	
LCS 500-188598/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 500-188598/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MB 500-188598/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 188653

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-7	Equipment Blank #1	Total/NA	Water	8082	188598
LCS 500-188598/2-A	Lab Control Sample	Total/NA	Water	8082	188598
LCSD 500-188598/3-A	Lab Control Sample Dup	Total/NA	Water	8082	188598
MB 500-188598/1-A	Method Blank	Total/NA	Water	8082	188598

Prep Batch: 188726

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-1	MKC-41D-BASE	Total/NA	Solid	3541	
500-57619-1 MS	MKC-41D-BASE	Total/NA	Solid	3541	
500-57619-1 MSD	MKC-41D-BASE	Total/NA	Solid	3541	
500-57619-2	MKC-42D-BASE	Total/NA	Solid	3541	
500-57619-3	DUP-01	Total/NA	Solid	3541	
500-57619-4	MKC-45D-BASE	Total/NA	Solid	3541	
500-57619-5	MKC-46D-BASE	Total/NA	Solid	3541	
500-57619-6	MKC-48D-BASE	Total/NA	Solid	3541	
LCS 500-188726/2-A	Lab Control Sample	Total/NA	Solid	3541	
MB 500-188726/1-A	Method Blank	Total/NA	Solid	3541	

General Chemistry

Analysis Batch: 188487

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-1	MKC-41D-BASE	Total/NA	Solid	Moisture	
500-57619-1 DU	MKC-41D-BASE	Total/NA	Solid	Moisture	
500-57619-1 MS	MKC-41D-BASE	Total/NA	Solid	Moisture	
500-57619-1 MSD	MKC-41D-BASE	Total/NA	Solid	Moisture	
500-57619-2	MKC-42D-BASE	Total/NA	Solid	Moisture	
500-57619-3	DUP-01	Total/NA	Solid	Moisture	
500-57619-4	MKC-45D-BASE	Total/NA	Solid	Moisture	
500-57619-5	MKC-46D-BASE	Total/NA	Solid	Moisture	

TestAmerica Chicago

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

General Chemistry (Continued)

Analysis Batch: 188487 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-57619-6	MKC-48D-BASE	Total/NA	Solid	Moisture	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (50-116)	DCB1 (48-142)
500-57619-1	MKC-41D-BASE	88	92
500-57619-1 MS	MKC-41D-BASE	102	138
500-57619-1 MSD	MKC-41D-BASE	80	108
500-57619-2	MKC-42D-BASE	72	103
500-57619-3	DUP-01	58	101
500-57619-4	MKC-45D-BASE	68	97
500-57619-5	MKC-46D-BASE	59	85
500-57619-6	MKC-48D-BASE	73	98
LCS 500-188726/2-A	Lab Control Sample	98	112
MB 500-188726/1-A	Method Blank	72	108

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (50-120)	DCB2 (29-126)
500-57619-7	Equipment Blank #1	76	68
LCS 500-188598/2-A	Lab Control Sample	89	66
LCSD 500-188598/3-A	Lab Control Sample Dup	90	71
MB 500-188598/1-A	Method Blank	86	76

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 500-188598/1-A
Matrix: Water
Analysis Batch: 188653

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 188598

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-1016	<0.067		0.40	0.067	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1221	<0.20		0.40	0.20	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1232	<0.20		0.40	0.20	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1242	<0.20		0.40	0.20	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1248	<0.20		0.40	0.20	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1254	<0.20		0.40	0.20	ug/L		06/05/13 08:12	06/05/13 12:13	1
PCB-1260	<0.070		0.40	0.070	ug/L		06/05/13 08:12	06/05/13 12:13	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Tetrachloro-m-xylene	86		50 - 120	06/05/13 08:12	06/05/13 12:13	1
DCB Decachlorobiphenyl	76		29 - 126	06/05/13 08:12	06/05/13 12:13	1

Lab Sample ID: LCS 500-188598/2-A
Matrix: Water
Analysis Batch: 188653

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 188598

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
PCB-1016	4.02	3.89		ug/L		97	64 - 110
PCB-1260	4.02	3.79		ug/L		94	51 - 110

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Tetrachloro-m-xylene	89		50 - 120
DCB Decachlorobiphenyl	66		29 - 126

Lab Sample ID: LCSD 500-188598/3-A
Matrix: Water
Analysis Batch: 188653

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 188598

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec. Limits	RPD	Limit
		Result	Qualifier						
PCB-1016	4.02	4.36		ug/L		108	64 - 110	11	20
PCB-1260	4.02	4.32		ug/L		108	51 - 110	13	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Tetrachloro-m-xylene	90		50 - 120
DCB Decachlorobiphenyl	71		29 - 126

Lab Sample ID: MB 500-188726/1-A
Matrix: Solid
Analysis Batch: 188595

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 188726

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-1016	<5.9		17	5.9	ug/Kg		06/05/13 17:18	06/06/13 01:03	1
PCB-1221	<7.3		17	7.3	ug/Kg		06/05/13 17:18	06/06/13 01:03	1
PCB-1232	<7.3		17	7.3	ug/Kg		06/05/13 17:18	06/06/13 01:03	1
PCB-1242	<5.5		17	5.5	ug/Kg		06/05/13 17:18	06/06/13 01:03	1
PCB-1248	<6.6		17	6.6	ug/Kg		06/05/13 17:18	06/06/13 01:03	1
PCB-1254	<3.6		17	3.6	ug/Kg		06/05/13 17:18	06/06/13 01:03	1

TestAmerica Chicago

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: MB 500-188726/1-A

Matrix: Solid

Analysis Batch: 188595

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 188726

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1260	<8.2		17	8.2	ug/Kg		06/05/13 17:18	06/06/13 01:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	72		50 - 116	06/05/13 17:18	06/06/13 01:03	1
DCB Decachlorobiphenyl	108		48 - 142	06/05/13 17:18	06/06/13 01:03	1

Lab Sample ID: LCS 500-188726/2-A

Matrix: Solid

Analysis Batch: 188595

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 188726

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
PCB-1016	167	166		ug/Kg		99	59 - 110
PCB-1260	167	165		ug/Kg		99	69 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	98		50 - 116
DCB Decachlorobiphenyl	112		48 - 142

Lab Sample ID: 500-57619-1 MS

Matrix: Solid

Analysis Batch: 188595

Client Sample ID: MKC-41D-BASE

Prep Type: Total/NA

Prep Batch: 188726

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
PCB-1016	<36		206	388	F	ug/Kg	☼	188	59 - 110
PCB-1260	<50		206	279	F	ug/Kg	☼	135	69 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	102		50 - 116
DCB Decachlorobiphenyl	138		48 - 142

Lab Sample ID: 500-57619-1 MSD

Matrix: Solid

Analysis Batch: 188595

Client Sample ID: MKC-41D-BASE

Prep Type: Total/NA

Prep Batch: 188726

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
PCB-1016	<36		201	296	F	ug/Kg	☼	147	59 - 110	27	30
PCB-1260	<50		201	218		ug/Kg	☼	108	69 - 120	24	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene	80		50 - 116
DCB Decachlorobiphenyl	108		48 - 142

TestAmerica Chicago

Lab Chronicle

Client: ARCADIS U.S., Inc.
 Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: MKC-41D-BASE

Lab Sample ID: 500-57619-1

Date Collected: 06/03/13 13:33

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 80.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		5	188595	06/06/13 08:34	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Client Sample ID: MKC-42D-BASE

Lab Sample ID: 500-57619-2

Date Collected: 06/03/13 13:38

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		1	188595	06/06/13 02:13	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Client Sample ID: DUP-01

Lab Sample ID: 500-57619-3

Date Collected: 06/03/13 00:00

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		5	188595	06/06/13 09:16	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Client Sample ID: MKC-45D-BASE

Lab Sample ID: 500-57619-4

Date Collected: 06/03/13 16:04

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 80.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		1	188595	06/06/13 02:42	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Client Sample ID: MKC-46D-BASE

Lab Sample ID: 500-57619-5

Date Collected: 06/03/13 16:01

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 81.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		1	188595	06/06/13 02:56	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Client Sample ID: MKC-48D-BASE

Lab Sample ID: 500-57619-6

Date Collected: 06/03/13 15:53

Matrix: Solid

Date Received: 06/04/13 10:10

Percent Solids: 79.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3541			188726	06/05/13 17:18	DEA	TAL CHI
Total/NA	Analysis	8082		1	188595	06/06/13 03:23	GMO	TAL CHI
Total/NA	Analysis	Moisture		1	188487	06/04/13 11:51	CMV	TAL CHI

Client Sample ID: Equipment Blank #1

Lab Sample ID: 500-57619-7

Date Collected: 06/03/13 00:00

Matrix: Water

Date Received: 06/04/13 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			188598	06/05/13 08:12	SCH	TAL CHI
Total/NA	Analysis	8082		1	188653	06/05/13 12:56	GMO	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: MadisonKipp WI001283.0008.00006

TestAmerica Job ID: 500-57619-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	06-30-13 *
California	NELAP	9	01132CA	04-30-14
Georgia	State Program	4	N/A	04-30-14
Georgia	State Program	4	939	04-30-14
Hawaii	State Program	9	N/A	04-30-14
Illinois	NELAP	5	100201	04-30-14
Indiana	State Program	5	C-IL-02	04-30-14
Iowa	State Program	7	82	05-01-14
Kansas	NELAP	7	E-10161	10-31-13
Kentucky	State Program	4	90023	12-31-13
Kentucky (UST)	State Program	4	66	04-30-14
Louisiana	NELAP	6	30720	06-30-13
Massachusetts	State Program	1	M-IL035	06-30-13
Mississippi	State Program	4	N/A	04-30-14
North Carolina DENR	State Program	4	291	12-31-13
North Dakota	State Program	8	R-194	04-30-14
Oklahoma	State Program	6	8908	08-31-13
South Carolina	State Program	4	77001	06-30-13 *
Texas	NELAP	6	T104704252-09-TX	02-28-14
USDA	Federal		P330-12-00038	02-06-15
Virginia	NELAP	3	460142	06-14-13
Wisconsin	State Program	5	999580010	08-31-13
Wyoming	State Program	8	8TMS-Q	07-15-13

* Expired certification is currently pending renewal and is considered valid.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 500-57619-1

Login Number: 57619

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

