From: Brian Youngwirth <bri>Sent: Wednesday, May 17, 2023 2:17 PM

To: Schultz, Josie M - DNR

Cc: Pamela Havelka-Rivard; Wally Moore
Subject: Perimeter Solutions Retain Letter

Attachments: Retain Letter 5.17.23.pdf

CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Josie, attached is a retain letter for the two Solberg (Perimeter Solutions) cases in Green Bay. We are planning to perform groundwater sampling rounds for both cases sometime in July, after the cost estimates have been completed and approved. Please let me know if you need anything else.

Thank you,

## Brian Youngwirth, P.G.

Senior Geologist, Carow Land Surveying & Environmental 615 North Lynndale Drive, Appleton, Wisconsin 54914

brian@clse.pro

Cell Phone: 920-229-8600 Appleton Office: 920-731-4168

Connect with us on

Facebook, Instagram and LinkedIn!





May 17, 2023

Josie Schultz
Wisconsin Department of Natural Resources (WDNR)
Remediation & Redevelopment Program
2984 Shawano Road
Green Bay, Wisconsin 54313-6727

RE: The Solberg Co. – PVOC and The Solberg Co. – Site 2 1520 Brookfield Avenue
Village of Howard, Wisconsin 54313 (Brown County)
BRRTS No. 03-05-588286
BRRTS No. 02-05-587486

Dear Josie,

Environmental to perform the site investigation through closure at the two above-mentioned General Engineering Company and has retained the services of Carow Land Surveying & The purpose of this letter is to notify you that Perimeter Solutions has terminated the services of

Please change the consultant information to the following:

Brian Youngwirth (brian@clse.pro)
Lynn Bradley (lynn@clse.pro)
Carow Land Surveying & Environmental
615 N Lynndale Drive
Appleton, WI 54914
Phone: 920-381-4979

Please feel free to reach out to us with any questions or concerns. Thank you!

Respectfully submitted,
Carow Land Surveying & Environmental

Brian Youngwirth, P.G Senior Geologist

c: Perimeter Solutions

615 N Lynndale Appleton, WI 54914 920-731-4168