

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	Preventive	Enforcement	MW-1							
			14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'
Sample Interval (feet bls)	Action	Standard	4/8/2010	3/29/2011	4/11/2012	1/15/2013	4/21/2013	7/18/2013	10/9/2013	4/22/2014
Sample Date	Limit									
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	7	70	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	0.5	5	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	0.7	7	1.1	0.95	0.94 J	0.84 J	<0.31	<0.31	0.62 J	<0.31
1,2,4-Trimethylbenzene	96	480	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	0.005	0.05	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	60	600	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	0.5	5	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	96	480	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	0.5	5	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	0.44	4.4	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	1	10	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	0.5	5	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	0.6	6	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20
Chloromethane	3	30	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	7	70	51	58	38	41	23	25	27	25
Dichlorodifluoromethane	200	1,000	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20
Ethylbenzene	140	700	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	12	60	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	0.5	5	<1	<1	8.5	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	10	100	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	NE	NE	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	NE	NE	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	NE	NE	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	10	100	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	NE	NE	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	0.5	5	32	9	23	22	10	11	18	19
Toluene	160	800	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	20	100	0.97	0.93	0.77 J	0.78 J	<0.25	<0.25	<0.25	<0.25
Trichloroethene	0.5	5	33	20	24	25	23	18	23	28
Vinyl chloride	0.02	0.2	1.5	1.1	0.86	0.63	<0.1	<0.1	<0.1	<0.10
Xylenes, Total	400	2,000	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 2.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	Preventive	Enforcement	MW-1							
			14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'
Sample Interval (feet bls)	Action	Standard	4/8/2010	3/29/2011	4/11/2012	1/15/2013	4/21/2013	7/18/2013	10/9/2013	4/22/2014
Sample Date	Limit									
Total PCBs (µg/L)										
Aroclor 1016	0.003	0.03	NA	NA	NA	<0.17	NA	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	<0.091	NA	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	<0.13	NA	NA	NA	NA
Dissolved PCBs (µg/L)										
Aroclor 1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

1327 concentrations above the standard in Column C are italicized

13 concentrations above the standard in Column C are italicized

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2S								MW-2D		
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	39-44'	39-44'	39-44'
Sample Interval (feet bls)	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/8/2010	10/1/2010	3/30/2011
Sample Date	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/8/2010	10/1/2010	3/30/2011
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<8	<0.25	<4
1,1,2-Trichloroethane	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<8	<0.25	<4
1,1-Dichloroethene	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
1,2,4-Trimethylbenzene	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
1,2-Dibromoethane	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<6.4	<0.2	<3.2
1,2-Dichlorobenzene	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<6.4	<0.2	<3.2
1,2-Dichloropropane	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<16	<0.5	<8
1,3,5-Trimethylbenzene	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<6.4	<0.2	<3.2
Benzene	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<6.4	<0.2	<3.2
Bromoform	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<6.4	<0.2	<3.2
Bromomethane	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
Carbon tetrachloride	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<26	<0.8	<13
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<6.4	<0.2	<3.2
Chloromethane	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<9.6	<0.3	<4.8
cis-1,2-Dichloroethene	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<16	0.67	<8
Dichlorodifluoromethane	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<16	<0.5	<8
Ethylbenzene	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
Isopropylbenzene	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Methyl tert-butyl ether	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<16	<0.5	<8
Methylene Chloride	<1	<1	8.6	<0.68	<0.68	<0.68	<0.68	<0.68	<32	<1	<16
Naphthalene	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<8	<0.25	<4
n-Butylbenzene	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<6.4	<0.2	<3.2
N-Propylbenzene	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
p-Isopropyltoluene	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<6.4	<0.2	<3.2
sec-Butylbenzene	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<8	<0.25	<4
Styrene	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<16	<0.5	<8
tert-Butylbenzene	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Tetrachloroethene	1.6	1.3	1.2	1.3	1.3	0.81 J	1.1	1.3	1,400	1,300	1,000
Toluene	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<16	<0.5	<8
trans-1,2-Dichloroethene	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<16	<0.5	<8
Trichloroethene	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	20	16	9.8
Vinyl chloride	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<6.4	<0.2	<3.2
Xylenes, Total	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<16	<0.5	<8

Footnotes on Page 4.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2S								MW-2D		
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	39-44'	39-44'	39-44'
Sample Interval (feet bls)	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/8/2010	10/1/2010	3/30/2011
Total PCBs											
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.091	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2D (continued)						MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
Sample Interval (feet bls)	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
Sample Date	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.31	<0.5	<0.5	<0.25	<0.25	<0.25	<8	<6.3	<1.6	<1.3	<0.25
1,1,2-Trichloroethane	<0.3	<0.56	<0.56	<0.28	<0.28	<0.28	<8	<6.3	<1.5	<1.4	<0.28
1,1-Dichloroethene	<0.29	<0.62	<0.62	<0.31	<0.31	<0.31	<16	<13	<1.5	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
1,2-Dibromoethane	<0.45	<0.72	<0.72	<0.36	<0.36	<0.36	NA	NA	<2.3	<1.8	<0.36
1,2-Dichlorobenzene	<0.21	<0.54	<0.54	<0.27	<0.27	<0.27	<6.4	<5	<1.1	<1.4	<0.27
1,2-Dichloropropane	<0.36	<0.4	<0.4	<0.2	<0.2	<0.20	<16	<13	<1.8	<1	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.36	<0.36	<0.18	<0.18	<0.18	<6.4	<5	<1.2	<0.9	<0.18
Benzene	<0.12	<0.15	<0.15	<0.074	<0.074	<0.074	<6.4	<5	<0.6	1.5 J	0.42 J
Bromoform	<0.45	<0.56	<0.56	<0.28	<0.28	<0.28	<6.4	<5	<2.3	<1.4	<0.28
Bromomethane	<0.49	<0.62	<0.62	<0.31	<0.31	<0.31	<16	<13	<2.5	<1.6	<0.31
Carbon tetrachloride	<0.28	<0.52	<0.52	<0.26	<0.26	<0.26	<26	<20	<1.4	<1.3	<0.26
Chloroform	<0.25	<0.4	<0.4	<0.2	<0.2	<0.20	<6.4	<5	3.7 J	5	1.6
Chloromethane	<0.24	<0.36	<0.36	<0.18	<0.18	<0.18	<9.6	<7.5	<1.2	<0.9	<0.18
cis-1,2-Dichloroethene	<0.22	<0.24	<0.24	<0.12	<0.12	<0.12	83	37	89	98	<0.12
Dichlorodifluoromethane	<0.26	<0.4	<0.4	<0.2	<0.2	<0.20	<16	<13	<1.3	<1	<0.2
Ethylbenzene	<0.14	<0.26	<0.26	<0.13	<0.13	<0.13	<16	<13	<0.7	<0.65	0.36 J
Isopropylbenzene	<0.21	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
Methyl tert-butyl ether	<0.28	<0.48	<0.48	<0.24	<0.24	<0.24	<16	<13	<1.4	<1.2	<0.24
Methylene Chloride	8.1	<1.4	<1.4	<0.68	<0.68	<0.68	<32	<25	<3.2	<3.4	<0.68
Naphthalene	<0.24	<0.32	<0.32	<0.16	<0.16	<0.16	<8	<6.3	<1.2	<0.8	<0.16
n-Butylbenzene	<0.21	<0.26	<0.26	<0.13	<0.13	<0.13	<6.4	<5	<1.1	<0.65	<0.13
N-Propylbenzene	<0.19	<0.26	<0.26	<0.13	<0.13	<0.13	<16	<13	<0.95	<0.65	<0.13
p-Isopropyltoluene	<0.24	<0.34	<0.34	<0.17	<0.17	<0.17	<6.4	<5	<1.2	<0.85	<0.17
sec-Butylbenzene	<0.19	<0.3	<0.3	<0.15	<0.15	<0.15	<8	<6.3	<0.95	<0.75	<0.15
Styrene	<0.26	<0.2	<0.2	<0.1	<0.1	<0.10	<16	<13	<1.3	<0.5	<0.1
tert-Butylbenzene	<0.24	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.2	<0.7	<0.14
Tetrachloroethene	610	720	910	580	440	450	2,000	1,100	1,600	2,400	88
Toluene	<0.15	<0.22	<0.22	<0.11	<0.11	<0.11	<16	<13	<0.75	<0.55	0.38 J
trans-1,2-Dichloroethene	<0.27	<0.5	<0.5	<0.25	<0.25	<0.25	<16	<13	5.4	6	<0.25
Trichloroethene	5.4	5.1	6.4	4.1	3	2.5	130	66	120	160	<0.19
Vinyl chloride	<0.13	<0.2	<0.2	<0.1	<0.1	<0.10	<6.4	<5	<0.65	<0.5	<0.1
Xylenes, Total	<0.3	<0.14	<0.14	<0.068	<0.068	<0.068	<16	<13	<1.5	<0.34	2.4

Footnotes on Page 6.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2D (continued)						MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
Sample Interval (feet bls)	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
Total PCBs											
Aroclor 1016	NA	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	<0.18
Aroclor 1232	NA	<0.096	NA	NA	NA	NA	NA	NA	NA	NA	<0.096
Aroclor 1242	NA	<0.14	NA	NA	NA	NA	NA	NA	NA	NA	<0.14
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- * The laboratory control sample or laboratory control sample duplicate exceeds the control limits.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3S (continued)						MW-3D					
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	48-53'	48-53'	48-53'	48-53'	48-53'	
Sample Interval (feet bls)	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/16/2014	4/7/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012
Sample Date	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/16/2014	4/7/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.5	<0.5	<1.3	<1.3	<8	<0.25	<5	<0.31	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.56	<0.56	<1.4	<1.4	<8	<0.25	<5	<0.3	<1.4
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.62	<0.62	<1.6	<1.6	<16	<0.5	<10	<0.29	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<0.70	<6.4	<0.2	<4	<0.22	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.72	<0.72	<1.8	<1.8	NA	NA	NA	<0.45	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.54	<0.54	<1.4	<1.4	<6.4	<0.2	<4	<0.21	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.4	<0.4	<1.0	<1.0	<16	<0.5	<10	<0.36	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.36	<0.36	<0.90	<0.90	<6.4	<0.2	<4	<0.23	<0.9
Benzene	0.88	1	0.6	0.70 J	1	<0.37	<0.37	<6.4	0.31	<4	0.39 J	<0.37
Bromoform	<0.28	<0.28	<0.28	<0.56	<0.56	<1.4	<1.4	<6.4	<0.2	<4	<0.45	<1.4
Bromomethane	<0.31	<0.31	<0.31	<0.62	<0.62	<1.6	<1.6	<16	<0.5	<10	<0.49	<1.6
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.52	<0.52	<1.3	<1.3	<26	<0.8	<16	<0.28	<1.3
Chloroform	3	4.1	2.7	2.8	3.7	3.9 J	3.4 J	<6.4	0.78	<4	0.93 J	<1
Chloromethane	<0.18	<0.18	<0.18	<0.36	<0.36	<0.90	<0.90	<9.6	<0.3	<6	<0.24	<0.9
cis-1,2-Dichloroethene	1.6	5	<0.12	14	58	<0.60	<0.60	510	310	300	350	520
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.4	<1.0	<1.0	<16	<0.5	<10	<0.26	<1
Ethylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<0.65	<16	<0.5	<10	<0.14	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<0.70	<6.4	<0.2	<4	<0.21	<0.7
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.48	<0.48	<1.2	<1.2	<16	<0.5	<10	<0.28	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<1.4	<1.4	<3.4	<3.4	<32	<1	<20	<0.63	<3.4
Naphthalene	<0.16	<0.16	<0.16	<0.32	<0.32	<0.80	<0.80	<8	<0.25	<5	<0.24	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<0.65	<6.4	<0.2	<4	<0.21	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<0.65	<16	<0.5	<10	<0.19	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.34	<0.34	<0.85	<0.85	<6.4	<0.2	<4	<0.24	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.3	<0.3	<0.75	<0.75	<8	<0.25	<5	<0.19	<0.75
Styrene	<0.1	<0.1	<0.1	<0.2	<0.2	<0.50	<0.50	<16	<0.5	<10	<0.26	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<0.70	<6.4	<0.2	<4	<0.24	<0.7
Tetrachloroethene	600	750	20	840	1,000	<0.85	630	1,700	1,500	1,200	1,100	1,800
Toluene	<0.11	<0.11	<0.11	<0.22	<0.22	<0.55	<0.55	<16	<0.5	<10	<0.15	<0.55
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.5	4.9	<1.3	<1.3	<16	6.6	<10	5.9	7.7
Trichloroethene	6.8	16	<0.19	26	100	<0.95	6.9	270	200	170	160	250
Vinyl chloride	<0.1	<0.1	<0.1	<0.2	<0.2	<0.50	<0.50	<6.4	<0.2	<4	<0.13	<0.5
Xylenes, Total	<0.068	<0.068	<0.068	<0.14	<0.14	<0.34	<0.34	<16	<0.5	<10	<0.3	<0.34

Footnotes on Page 8.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3S (continued)							MW-3D				
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	48-53'	48-53'	48-53'	48-53'	48-53'
Sample Interval (feet bls)	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/16/2014	4/7/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D							MW-3D2			
	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	76-81'	76-81'	76-81'	76-81'
Sample Interval (feet bls)	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/18/2014	12/31/2009	4/7/2010	7/1/2010	10/1/2010
Sample Date	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/18/2014	12/31/2009	4/7/2010	7/1/2010	10/1/2010
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.50	<6.3	<13	<13	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<6.3	<13	<13	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<13	<25	<25	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10	<10	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36	<0.72	NA	NA	NA	NA
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<0.54	<5	<10	<10	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<13	<25	<25	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<5	<10	<10	<0.2
Benzene	0.32 J	0.29 J	<0.074	0.27 J	<0.15	0.36 J	<0.15	<5	<10	<10	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<5	<10	<10	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<13	<25	<25	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26	<0.52	<20	<40	<40	<0.8
Chloroform	0.89 J	<0.2	<0.2	<0.2	<0.4	0.85 J	<0.40	<5	<10	<10	0.37
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<7.5	<15	<15	<0.3
cis-1,2-Dichloroethene	290	200	54	210	200	180	170	520	510	460	400
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<13	<25	<25	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<13	<25	<25	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10	<10	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24	<0.48	<13	<25	<25	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<1.4	<0.68	<1.4	<25	<50	<50	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16	<0.32	<6.3	<13	240	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<5	<10	<10	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<13	<25	<25	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17	<0.34	<5	<10	<10	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15	<0.30	<6.3	<13	<13	<0.25
Styrene	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<13	<25	<25	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10	<10	<0.2
Tetrachloroethene	660	760	150	740	920	620	730	4,900	4,400	3,900	3,900
Toluene	<0.11	<0.11	<0.11	<0.11	<0.22	<0.11	<0.22	<13	<25	<25	<0.5
trans-1,2-Dichloroethene	6	4	1.1	4.2	4.8	5.2	6.4	<13	<25	<25	7
Trichloroethene	140	130	30	120	130	100	130	280	240	240	240
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<5	<10	<10	0.65
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068	<0.14	<13	<25	<25	<0.5

Footnotes on Page 10.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D								MW-3D2			
	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	76-81'	76-81'	76-81'	76-81'
Sample Interval (feet bls)	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/18/2014	12/31/2009	4/7/2010	7/1/2010	10/1/2010	
Total PCBs												
Aroclor 1016	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D2 (continued)										
Sample Interval (feet bls)	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Date	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/16/2014
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<13	<1.6	<1.3	<0.5	<0.25	<0.25	<0.25	<0.25	<0.25	<1.3	<1.3
1,1,2-Trichloroethane	<13	<1.5	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<1.4	<1.4
1,1-Dichloroethene	<25	<1.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<1.6	<1.6
1,2,4-Trimethylbenzene	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.70	<0.70
1,2-Dibromoethane	NA	<2.3	<1.8	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<1.8	<1.8
1,2-Dichlorobenzene	<10	<1.1	<1.4	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<1.4	<1.4
1,2-Dichloropropane	<25	<1.8	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<1.0	<1.0
1,3,5-Trimethylbenzene	<10	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.90	<0.90
Benzene	<10	<0.6	<0.37	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074	<0.37	<0.37
Bromoform	<10	<2.3	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<1.4	<1.4
Bromomethane	<25	<2.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<1.6	<1.6
Carbon tetrachloride	<40	<1.4	<1.3	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<1.3	<1.3
Chloroform	<10	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<1.0	<1.0
Chloromethane	<15	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.90	<0.90
cis-1,2-Dichloroethene	440	440	420	320	250	100	45	10	21	210	220
Dichlorodifluoromethane	<25	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<1.0	<1.0
Ethylbenzene	<25	<0.7	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.65	<0.65
Isopropylbenzene	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.70	<0.70
Methyl tert-butyl ether	<25	<1.4	<1.2	<0.48	<0.24	<0.24	<0.24	<0.24	<0.24	<1.2	<1.2
Methylene Chloride	<50	<3.2	<3.4	<1.4	7.3	<0.68	<0.68	<0.68	<0.68	<3.4	<3.4
Naphthalene	13	<1.2	<0.8	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.80	<0.80
n-Butylbenzene	<10	<1.1	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.65	<0.65
N-Propylbenzene	<25	<0.95	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.65	<0.65
p-Isopropyltoluene	<10	<1.2	<0.85	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.85	<0.85
sec-Butylbenzene	<13	<0.95	<0.75	<0.3	<0.15	<0.15	<0.15	<0.15	<0.15	<0.75	<0.75
Styrene	<25	<1.3	<0.5	<0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
tert-Butylbenzene	<10	<1.2	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.70	<0.70
Tetrachloroethene	3,800	2,600	2,800	1,200	1,700	800	850	440	150	1,800	1,700
Toluene	<25	<0.75	<0.55	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11	<0.55	<0.55
trans-1,2-Dichloroethene	<25	6.4	5.6	4.9	3.2	0.62 J	<0.25	<0.25	0.52 J	3.1 J	3.9 J
Trichloroethene	230	190	190	110	120	50	24	8.7	9.8	120	130
Vinyl chloride	<10	<0.65	<0.5	<0.2	0.22 J	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Xylenes, Total	<25	<1.5	<0.34	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068	<0.34	<0.34

Footnotes on Page 12.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D2 (continued)										
Sample Interval (feet bls)	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Date	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/16/2014
Total PCBs											
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.093	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D3									MW-4S	
	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	35-50'	35-50'
Sample Interval (feet bls)	7/24/2012	11/27/2012	1/18/2013	2/15/2013	3/13/2013	4/19/2013	7/16/2013	10/7/2013	4/16/2014	4/8/2010	3/30/2011
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2
Benzene	<0.074	<0.074	0.30 J	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3
cis-1,2-Dichloroethene	2.2	6.8	15	7.7	6.2	4	1.2	<0.12	<0.12	<0.5	<0.5
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	1.4	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Tetrachloroethene	6.6	1.7	1.3	0.72 J	0.95 J	0.63 J	<0.17	<0.17	<0.17	1.5	1.6
Toluene	<0.11	<0.11	0.21 J	<0.11	<0.11	0.53	2.8	<0.11	<0.11	<0.5	<0.5
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5
Trichloroethene	1.1	1.1	0.40 J	<0.19	<0.19	<0.19	0.31 J	0.5	<0.19	<0.2	<0.2
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.5

Footnotes on Page 14.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D3									MW-4S	
	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	35-50'	35-50'
Sample Interval (feet bls)	7/24/2012	11/27/2012	1/18/2013	2/15/2013	3/13/2013	4/19/2013	7/16/2013	10/7/2013	4/16/2014	4/8/2010	3/30/2011
Total PCBs											
Aroclor 1016	NA	NA	<0.18	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.096	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.14	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- * The laboratory control sample or laboratory control sample duplicate exceeds the control limits.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4S (continued)						MW-4D				
	35-50'		35-50'		35-50'		65-70'		65-70'		
Sample Interval (feet bls)	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'	65-70'	65-70'	65-70'	65-70'
Sample Date	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/17/2014	4/8/2010	3/30/2011	4/10/2012	1/16/2013	4/18/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.3	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.29	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.22	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2	<0.45	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.21	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.36	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2	<0.23	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2	<0.12	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.45	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.49	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<0.28	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.25	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.24	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.5	<0.5	<0.22	<0.12	<0.12
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.26	<0.2	<0.2
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.14	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.21	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.28	<0.24	<0.24
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1	<0.63	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.25	<0.25	<0.24	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2	<0.21	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.19	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2	<0.24	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.19	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.5	<0.26	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.24	<0.14	<0.14
Tetrachloroethene	0.96 J	1.4	1.8	0.90 J	1.2	1.9	0.9	0.7	<0.22	<0.17	0.51 J
Toluene	0.20 J	<0.11	<0.11	0.26 J	<0.11	<0.11	<0.5	<0.5	<0.15	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.27	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.2	<0.2	<0.18	<0.19	<0.19
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2	<0.13	<0.1	<0.1
Xylenes, Total	<0.3	<0.068	<0.068	0.28 J	<0.068	<0.068	<0.5	<0.5	<0.3	<0.068	<0.068

Footnotes on Page 16.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4S (continued)						MW-4D				
	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'	65-70'	65-70'	65-70'	65-70'
Sample Interval (feet bls)	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/17/2014	4/8/2010	3/30/2011	4/10/2012	1/16/2013	4/18/2013
Total PCBs											
Aroclor 1016	NA	<0.17	NA	NA	NA	NA	NA	NA	NA	<0.17	NA
Aroclor 1232	NA	<0.091	NA	NA	NA	NA	NA	NA	NA	<0.093	NA
Aroclor 1242	NA	<0.13	NA	NA	NA	NA	NA	NA	NA	<0.13	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4D (continued)			MW-4D2							MW-5S	
	65-70'	65-70'	65-70'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	34-44'	34-44'
Sample Interval (feet bls)	7/17/2013	10/8/2013	4/17/2014	3/30/2011	4/10/2012	1/16/2013	4/18/2013	7/18/2013	10/7/2013	4/17/2014	4/7/2010	10/1/2010
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	NA	NA
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2
Benzene	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.20	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	0.55
Chloromethane	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	1.4	10
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<1	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1
Naphthalene	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	1.4	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25
Styrene	<0.1	<0.1	<0.10	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Tetrachloroethene	<0.17	<0.17	0.58 J	1.9	0.73 J	1.2	0.92 J	1.2	0.84 J	1.5	41	670
Toluene	0.36 J	<0.11	<0.11	<0.5	0.40 J	<0.11	0.45 J	0.39 J	<0.11	<0.11	<0.5	<0.5
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	0.5
Trichloroethene	<0.19	<0.19	<0.19	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	1	13
Vinyl chloride	<0.1	<0.1	<0.10	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.5

Footnotes on Page 18.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4D (continued)			MW-4D2						MW-5S		
	65-70'	65-70'	65-70'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	34-44'	34-44'
Sample Interval (feet bls)	7/17/2013	10/8/2013	4/17/2014	3/30/2011	4/10/2012	1/16/2013	4/18/2013	7/18/2013	10/7/2013	4/17/2014	4/7/2010	10/1/2010
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	<0.16	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	<0.087	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	<0.12	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5S								MW-5D		
	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'
Sample Interval (feet bls)	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012
Sample Date	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<5	<0.31	<1.3
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<5	<0.3	<1.4
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<10	<0.29	<1.6
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.22	<0.7
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	NA	<0.45	<1.8
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<4	<0.21	<1.4
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<10	<0.36	<1
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<4	<0.23	<0.9
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<4	0.29 J	1.1 J
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<4	<0.45	<1.4
Bromomethane	<0.49	<0.31	0.73 J	<0.31 *	<0.31	<0.31	<0.31	<0.31	<10	<0.49	<1.6
Carbon tetrachloride	1.2	1.1	<0.26	1.4	1.1	1.3	1.3	<0.26	<16	<0.28	<1.3
Chloroform	0.84 J	0.79 J	0.79 J	<0.2	<0.2	<0.2	0.61 J	<0.20	<4	<0.25	<1
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<6	<0.24	<0.9
cis-1,2-Dichloroethene	13	4.2	3.8	2.7	2	2.9	2.9	<0.12	48	26	93
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<10	<0.26	<1
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<10	<0.14	<0.65
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.21	<0.7
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<10	<0.28	<1.2
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<20	<0.63	<3.4
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<5	<0.24	<0.8
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<4	<0.21	<0.65
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<10	<0.19	<0.65
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<4	<0.24	<0.85
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<5	<0.19	<0.75
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<10	<0.26	<0.5
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.24	<0.7
Tetrachloroethene	360	240	260	210	130	190	170	47	1,100	400	2,000
Toluene	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<10	0.30 J	<0.55
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<10	1.3	3.9 J
Trichloroethene	9.8	4.7	4.4	3.8	2.8	3	2.9	<0.19	100	48	190
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<4	<0.13	<0.5
Xylenes, Total	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<10	<0.3	<0.34

Footnotes on Page 20.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5S								MW-5D		
	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'
Sample Interval (feet bls)	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012
Total PCBs											
Aroclor 1016	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.091	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D (continued)						MW-5D2				
	75-80'		75-80'		75-80'		165.8-170.8'		165.8-170.8'		
Sample Interval (feet bls)	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'
Sample Date	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/15/2014	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.5	<1.3	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25
1,1,2-Trichloroethane	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28
1,1-Dichloroethene	<0.62	<0.62	<0.62	<1.6	<1.6	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14
1,2-Dibromoethane	<0.72	<0.72	<0.72	<1.8	<1.8	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36
1,2-Dichlorobenzene	<0.54	<0.54	<0.54	<1.4	<1.4	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27
1,2-Dichloropropane	<0.4	<0.4	<0.4	<1	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.36	<0.9	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18
Benzene	1.2	1	0.88 J	1.5 J	2.8	0.30 J	<0.074	<0.074	<0.074	<0.15	<0.074
Bromoform	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28
Bromomethane	<0.62	<0.62 *	<0.62	<1.6	<1.6	<0.31	<0.31	<0.31 *	<0.31	<0.62	<0.31
Carbon tetrachloride	<0.52	<0.52	<0.52	<1.3	<1.3	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26
Chloroform	1.0 J	<0.4	<0.4	<1	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2
Chloromethane	<0.36	<0.36	<0.36	<0.9	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18
cis-1,2-Dichloroethene	110	94	100	120	140	77	6.6	9.2	4.7	3.6	1.5
Dichlorodifluoromethane	<0.4	<0.4	<0.4	<1	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2
Ethylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13
Isopropylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14
Methyl tert-butyl ether	<0.48	<0.48	<0.48	<1.2	<1.2	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24
Methylene Chloride	<1.4	<1.4	<1.4	<3.4	<3.4	<0.68	<0.68	<0.68	<0.68	<1.4	5.7
Naphthalene	<0.32	<0.32	<0.32	<0.8	<0.8	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16
n-Butylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13
N-Propylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13
p-Isopropyltoluene	<0.34	<0.34	<0.34	<0.85	<0.85	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17
sec-Butylbenzene	<0.3	<0.3	<0.3	<0.75	<0.75	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15
Styrene	<0.2	<0.2	<0.2	<0.5	<0.5	<0.10	<0.1	<0.1	<0.1	<0.2	<0.1
tert-Butylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14
Tetrachloroethene	1,800	1,700	1,200	2,000	2,000	<0.17	650	650	640	710	110
Toluene	<0.22	<0.22	<0.22	<0.55	<0.55	<0.11	0.7	0.22 J	0.35 J	2.4	0.43 J
trans-1,2-Dichloroethene	3.9	3.1	3.4	3.8 J	2.9 J	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25
Trichloroethene	180	180	170	160	110	<0.19	9.5	8.4	7.4	8.1	6.1
Vinyl chloride	<0.2	<0.2	<0.2	<0.5	<0.5	<0.10	<0.1	<0.1	<0.1	<0.2	<0.1
Xylenes, Total	<0.14	<0.14	<0.14	<0.34	<0.34	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068

Footnotes on Page 22.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D (continued)						MW-5D2				
	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'
Sample Interval (feet bls)	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/15/2014	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013
Total PCBs											
Aroclor 1016	<0.17	NA	NA	NA	NA	NA	<0.19	NA	NA	NA	NA
Aroclor 1232	<0.094	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
Aroclor 1242	<0.13	NA	NA	NA	NA	NA	<0.14	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- * The laboratory control sample or laboratory control sample duplicate exceeds the control limits.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D2			MW-5D3					MW-6S		
	Sample Interval (feet bls)	225-235'	225-235'	225-235'	225-235'	225-235'	225-235'	225-235'	31.4-41.4'	31.4-41.4'	31.4-41.4'
Sample Date	4/15/2014	11/28/2012	1/18/2013	2/13/2013	4/21/2013	7/17/2013	10/7/2013	4/16/2014	12/31/2009	4/7/2010	7/1/2010
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.25
1,1-Dichloroethene	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	4.3	3.3	1.3
1,2-Dibromoethane	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2	<0.2
1,2-Dichlorobenzene	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.2
1,2-Dichloropropane	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	0.92	7.3	0.27
Benzene	<0.15	<0.074	0.28 J	<0.074	<0.074	<0.074	<0.074	<0.074	7.6	7.9	5
Bromoform	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.2
Bromomethane	<0.62	<0.31	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5
Carbon tetrachloride	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<0.8
Chloroform	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2
Chloromethane	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.3
cis-1,2-Dichloroethene	<0.24	3.1	12	12	1.6	2.1	4.5	<0.12	<0.5	<0.5	<0.5
Dichlorodifluoromethane	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.5
Ethylbenzene	<0.26	<0.13	<0.13	<0.13	<0.13	0.32 J	<0.13	<0.13	23	14	6
Isopropylbenzene	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	12	9.4	5.3
Methyl tert-butyl ether	<0.48	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.5
Methylene Chloride	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1	<1
Naphthalene	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	26	14	6.4
n-Butylbenzene	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	1.6	1.6	0.92
N-Propylbenzene	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	4.9	3.7	1.9
p-Isopropyltoluene	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	1.7	1.6	0.72
sec-Butylbenzene	<0.30	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	1.9	1.8	1.5
Styrene	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	0.53	0.51	<0.5
tert-Butylbenzene	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	0.27	0.31	0.22
Tetrachloroethene	520	19	0.59 J	0.83 J	1.8	0.78 J	1.5	<0.17	<0.5	<0.5	<0.5
Toluene	<0.22	<0.11	<0.11	<0.11	0.29 J	0.53	0.20 J	<0.11	3.3	3.3	1.2
trans-1,2-Dichloroethene	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.5
Trichloroethene	7.1	2.6	<0.19	<0.19	<0.19	<0.19	0.29 J	<0.19	<0.2	<0.2	<0.2
Vinyl chloride	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2	<0.2
Xylenes, Total	<0.14	<0.068	<0.068	<0.068	<0.068	0.68 J	<0.068	<0.068	9.6	8.2	2.6

Footnotes on Page 24.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D2			MW-5D3					MW-6S		
	Sample Interval (feet bls)	225-235'	225-235'	225-235'	225-235'	225-235'	225-235'	225-235'	31.4-41.4'	31.4-41.4'	31.4-41.4'
Sample Date	4/15/2014	11/28/2012	1/18/2013	2/13/2013	4/21/2013	7/17/2013	10/7/2013	4/16/2014	12/31/2009	4/7/2010	7/1/2010
Total PCBs											
Aroclor 1016	NA	NA	<0.16	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.09	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6S								MW-6D		
	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	65.5-70.5'	65.5-70.5'	65.5-70.5'
Sample Interval (feet bls)	10/1/2010	12/28/2010	4/11/2012	1/17/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	12/31/2009	4/7/2010	7/1/2010
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<13	<20	<13
1,1,2-Trichloroethane	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<13	<20	<13
1,1-Dichloroethene	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<25	<40	<25
1,2,4-Trimethylbenzene	2.2	3.2	4.8	12	0.92 J	<0.14	1.4	2.0	330	130	130
1,2-Dibromoethane	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	15	<16	<10
1,2-Dichlorobenzene	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<10	<16	<10
1,2-Dichloropropane	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<25	<40	<25
1,3,5-Trimethylbenzene	4.6	0.39	1.5	3.4	<0.18	<0.18	<0.18	0.73 J	23	<16	<10
Benzene	5.3	5	4.1	9.3	1.9	0.34 J	2.6	2.8	3,900	3,200	2,900
Bromoform	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<10	<16	<10
Bromomethane	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<25	<40	<25
Carbon tetrachloride	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<40	<64	<40
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<10	<16	<10
Chloromethane	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<15	<24	<15
cis-1,2-Dichloroethene	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<25	<40	<25
Dichlorodifluoromethane	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<25	<40	<25
Ethylbenzene	13	15	9.8	40	0.18 J	<0.13	8	7.5	47	<40	26
Isopropylbenzene	7.5	6.4	4.1	12	<0.14	<0.14	3.2	2.6	54	43	32
Methyl tert-butyl ether	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<25	<40	<25
Methylene Chloride	<1	<1	8.3	<0.68	<0.68	<0.68	<0.68	<0.68	<50	<80	<50
Naphthalene	10	16	19	43	<0.16	<0.16	3.8	4.2	380	280	370
n-Butylbenzene	1.2	0.86	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	12	<16	<10
N-Propylbenzene	3.3	3	1.8	6.8	<0.13	<0.13	1.3	1.5	49	<40	27
p-Isopropyltoluene	1.1	0.83	<0.24	2.4	<0.17	<0.17	<0.17	0.56 J	<10	<16	<10
sec-Butylbenzene	1.5	1	0.56 J	1.8	<0.15	<0.15	<0.15	0.82 J	<13	<20	<13
Styrene	<0.5	1.1	<0.26	0.64 J	<0.1	<0.1	<0.1	<0.10	<25	<40	<25
tert-Butylbenzene	0.24	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<10	<16	<10
Tetrachloroethene	<0.5	<0.5	<0.22	<0.17	0.53 J	<0.17	<0.17	0.66 J	36	45	27
Toluene	1.8	2	2.5	6.3	0.82	<0.11	1.1	1.1	130	100	88
trans-1,2-Dichloroethene	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<25	<40	<25
Trichloroethene	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<10	<16	<10
Vinyl chloride	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<10	<16	<10
Xylenes, Total	4.5	6.4	7.8	25	1.8	<0.068	3.3	2.8	630	320	250

Footnotes on Page 26.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6S								MW-6D		
	Sample Interval (feet bls)	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	65.5-70.5'	65.5-70.5'	65.5-70.5'
Sample Date	10/1/2010	12/28/2010	4/11/2012	1/17/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	12/31/2009	4/7/2010	7/1/2010
Total PCBs											
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.094	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6D (continued)										MW-7
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'
Sample Interval (feet bls)	10/1/2010	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	4/17/2014	8/26/2011
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<2.5	<10	<0.62	<0.5	<0.5	<0.5	<0.25	<0.50	<0.50	<0.25
1,1,2-Trichloroethane	<0.25	<2.5	<10	<0.6	<0.56	<0.56	<0.56	<0.28	<0.56	<0.56	<0.25
1,1-Dichloroethene	<0.5	<5	<20	<0.58	<0.62	<0.62	<0.62	<0.31	<0.62	<0.62	<0.5
1,2,4-Trimethylbenzene	160	180	74	19	23	11	16	41	9.7	8.9	<0.2
1,2-Dibromoethane	11	9.7	<8	<0.9	<0.72	<0.72	<0.72	<0.36	<0.72	<0.72	<0.2
1,2-Dichlorobenzene	<0.2	<2	<8	<0.42	<0.54	<0.54	<0.54	<0.27	<0.54	<0.54	<0.2
1,2-Dichloropropane	7.2	6	<20	<0.72	<0.4	1.9 J	<0.4	<0.2	<0.40	2.3	<0.5
1,3,5-Trimethylbenzene	13	13	<8	<0.46	<0.36	<0.36	<0.36	0.71 J	<0.36	<0.36	<0.2
Benzene	<0.2	2,900	2,100	1,500	1,300	600	810	1,000	650	710	<0.2
Bromoform	<0.2	<2	<8	<0.9	<0.56	<0.56	<0.56	<0.28	<0.56	<0.56	<0.2
Bromomethane	<0.5	<5	<20	<0.98	<0.62	<0.62	<0.62	<0.31	<0.62	<0.62	<0.5
Carbon tetrachloride	<0.8	<8	<32	<0.56	<0.52	<0.52	<0.52	<0.26	<0.52	<0.52	<0.8
Chloroform	<0.2	<2	<8	3.6	<0.4	<0.4	<0.4	<0.2	<0.40	<0.40	<0.2
Chloromethane	<0.3	<3	<12	<0.48	<0.36	<0.36	<0.36	<0.18	<0.36	<0.36	<0.3
cis-1,2-Dichloroethene	1.4	<5	<20	<0.44	<0.24	<0.24	<0.24	0.89 J	2.8	2.5	<0.5
Dichlorodifluoromethane	<0.5	<5	<20	<0.52	<0.4	<0.4	<0.4	<0.2	<0.40	<0.40	<0.5
Ethylbenzene	39	35	<20	8.7	7.5	3.5	7.1	8.1	6.7	6.3	<0.5
Isopropylbenzene	45	40	35	23	30	16	27	29	22	21	<0.2
Methyl tert-butyl ether	<0.5	<5	<20	<0.56	<0.48	<0.48	<0.48	<0.24	<0.48	<0.48	<0.5
Methylene Chloride	<1	<10	<40	<1.3	<1.4	<1.4	<1.4	<0.68	<1.4	<1.4	<1
Naphthalene	370	360	190	110	54	3.9	50	72	12	10	<0.25
n-Butylbenzene	10	7.9	<8	<0.42	<0.26	<0.26	5	<0.13	<0.26	<0.26	<0.2
N-Propylbenzene	36	31	21	11	13	5.4	12	14	9.2	8.6	<0.5
p-Isopropyltoluene	6.5	5.1	<8	2.6	3.8	1.7 J	3.2	3.4	2.7	2.5	<0.2
sec-Butylbenzene	4.7	4.2	<10	2.2	3.4	2	3.2	3.2	3.0	2.8	<0.25
Styrene	3.5	12	<20	<0.52	<0.2	<0.2	<0.2	1	<0.20	<0.20	<0.5
tert-Butylbenzene	<0.2	<2	<8	<0.48	<0.28	<0.28	<0.28	<0.14	<0.28	<0.28	<0.2
Tetrachloroethene	30	26	28	20	25	22	23	17	10	8.9	<0.5
Toluene	120	120	58	36	30	9.4	24	38	25	24	<0.5
trans-1,2-Dichloroethene	<0.5	<5	<20	<0.54	<0.5	<0.5	<0.5	<0.25	<0.50	<0.50	<0.5
Trichloroethene	4.5	4.5	<8	3.9	11	13	12	18	24	23	<0.2
Vinyl chloride	<0.2	<2	<8	<0.26	<0.2	<0.2	<0.2	<0.1	<0.20	<0.20	<0.2
Xylenes, Total	450	400	130	40	40	12	34	63	16	15	<0.5

Footnotes on Page 28.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6D (continued)										MW-7
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'
Sample Interval (feet bls)	10/1/2010	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	4/17/2014	8/26/2011
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.094	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-7 (contined)					MW-8					
	25-35'	25-35'	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'
Sample Interval (feet bls)	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
Sample Date	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<1	<0.63	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.22	<0.17	<0.17	<0.17	<0.17	<0.5	<0.22	<0.17	<0.17	<0.17	<0.17
Toluene	<0.15	<0.11	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.3	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 30.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-7 (contined)					MW-8					
	Sample Interval (feet bls)	25-35'	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'
Sample Date	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-9D						MW-9D2					
	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	64-69'	64-69'	64-69'	64-69'	64-69'	
Sample Interval (feet bls)	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	4/16/2014	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013
Sample Date	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	4/16/2014	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.36	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18
Benzene	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074
Bromoform	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28
Bromomethane	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.25	<0.2	<0.2	<0.2
Chloromethane	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	12	11	14	16	16
Dichlorodifluoromethane	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.26	<0.2	<0.2	<0.2
Ethylbenzene	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13
Isopropylbenzene	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	7.4	9.3	20	10	12
Methylene Chloride	<1	9	<0.68	<0.68	<0.68	<0.68	<0.68	<1	8.8	<0.68	<0.68	<0.68
Naphthalene	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16
n-Butylbenzene	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13
N-Propylbenzene	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15
Styrene	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.26	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14
Tetrachloroethene	<0.5	<0.22	<0.17	<0.17	<0.17	<0.17	<0.17	29	10	26	28	30
Toluene	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25
Trichloroethene	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	5	3.8	5.5	6	6.3
Vinyl chloride	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.13	<0.1	<0.1	<0.1
Xylenes, Total	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068

Footnotes on Page 32.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-9D							MW-9D2				
	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	64-69'	64-69'	64-69'	64-69'	64-69'
Sample Interval (feet bls)	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	4/16/2014	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-9D2 (continued)		MW-10S						MW-11S				
	64-69'	64-69'	11-21'	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'	24-34'	24-34'	24-34'	
	10/4/2013	4/16/2014	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012	5/9/2012	1/15/2013	4/17/2013	
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	0.76 J	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	0.55 J	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.21	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.20	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.36	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.20	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	18	19	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.22	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.20	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.26	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	0.20 J	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.14	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14
Methyl tert-butyl ether	15	9.6	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.28	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15
Styrene	<0.1	<0.10	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.26	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14
Tetrachloroethene	34	26	<0.22	<0.17	0.85 J	<0.17	<0.17	<0.17	<0.17	<0.22	<0.17	<0.17	<0.17
Toluene	<0.11	<0.11	0.54	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	0.73	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25
Trichloroethene	7.4	6.5	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.18	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.10	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.13	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	0.83 J	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	0.86 J	<0.068	<0.068	<0.068

Footnotes on Page 34.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-9D2 (continued)		MW-10S						MW-11S			
	64-69'	64-69'	11-21'	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'	24-34'	24-34'	24-34'
Sample Interval (feet bls)	10/4/2013	4/16/2014	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012	5/9/2012	1/15/2013	4/17/2013
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-11S (continued)		MW-12S						MP-13		
	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	44-48'	44-48'	
	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013	12/6/2012	1/19/2013	
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	0.92 J	1.1	
1,2,4-Trimethylbenzene	<0.14	<0.14	1.2	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
1,2-Dibromoethane	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
1,2-Dichlorobenzene	<0.27	<0.27	<0.21	<0.27	0.79 J	<0.27	<0.27	<0.27	<0.27	<0.27	
1,2-Dichloropropane	<0.2	<0.2	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	
Benzene	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	0.34 J	0.38 J	
Bromoform	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	
Bromomethane	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	
Carbon tetrachloride	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Chloromethane	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	
cis-1,2-Dichloroethene	<0.12	<0.12	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	540	450	
Dichlorodifluoromethane	<0.2	<0.2	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Ethylbenzene	<0.13	<0.13	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
Isopropylbenzene	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
Methyl tert-butyl ether	<0.24	<0.24	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	
Methylene Chloride	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	
Naphthalene	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	
n-Butylbenzene	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
N-Propylbenzene	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
p-Isopropyltoluene	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	
sec-Butylbenzene	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	
Styrene	<0.1	<0.1	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tert-Butylbenzene	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
Tetrachloroethene	<0.17	<0.17	0.78 J	1.7	0.93 J	<0.17	1.3	1.5	640	760	
Toluene	<0.11	<0.11	0.64	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	
trans-1,2-Dichloroethene	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	7.3	6.7	
Trichloroethene	<0.19	<0.19	<0.18	0.26 J	<0.19	<0.19	<0.19	<0.19	230	200	
Vinyl chloride	<0.1	<0.1	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	15	17	
Xylenes, Total	<0.068	<0.068	1.6	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	

Footnotes on Page 36.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-11S (continued)		MW-12S						MP-13	
	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	44-48'	44-48'
Sample Interval (feet bls)	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013	12/6/2012	1/19/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	<0.16	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	<0.085	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	<0.12	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)											
Sample Interval (feet bls)	44-48'	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Date	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.5	<0.25	<0.25	<0.50	<1.3	<1.3	<1.3	<2.5	<1.3	<1.3	<1.3
1,1,2-Trichloroethane	<0.28	<0.56	<0.28	<0.28	<0.56	<1.4	<1.4	<1.4	<2.8	<1.4	<1.4	<1.4
1,1-Dichloroethene	0.88 J	<0.62	0.85 J	1.1	1.3 J	2.8 J	3.1 J	<1.6	<3.1	<1.6	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7	<0.70
1,2-Dibromoethane	<0.36	<0.72	<0.36	<0.36	<0.72	<1.8	<1.8	<1.8	<3.6	<1.8	<1.8	<1.8
1,2-Dichlorobenzene	<0.27	<0.54	<0.27	<0.27	<0.54	<1.4	<1.4	<1.4	<2.7	<1.4	<1.4	<1.4
1,2-Dichloropropane	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1	<1	<1.0
1,3,5-Trimethylbenzene	<0.18	<0.36	<0.18	<0.18	<0.36	<0.9	<0.9	<0.9	<1.8	<0.9	<0.9	<0.90
Benzene	0.32 J	0.38 J	0.34 J	0.46 J	<0.15	<0.37	1.1 J	<0.37	<0.74	<0.37	<0.37	<0.37
Bromoform	<0.28	<0.56	<0.28	<0.28	<0.56	<1.4	<1.4	<1.4	<2.8	<1.4	<1.4	<1.4
Bromomethane	<0.31	<0.62	<0.31	<0.31	<0.62	<1.6	<1.6	<1.6	<3.1	<1.6	<1.6	<1.6
Carbon tetrachloride	<0.26	<0.52	<0.26	<0.26	<0.52	<1.3	<1.3	<1.3	<2.6	<1.3	<1.3	<1.3
Chloroform	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1	<1	<1.0
Chloromethane	<0.18	<0.36	<0.18	<0.18	<0.36	<0.9	<0.9	<0.9	<1.8	<0.9	<0.9	<0.90
cis-1,2-Dichloroethene	460	460	430	480	450	3,500	3,100	2,900	3,200	2,300	1,500	1,300
Dichlorodifluoromethane	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1	<1	<1.0
Ethylbenzene	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65	<0.65
Isopropylbenzene	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7	<0.70
Methyl tert-butyl ether	<0.24	<0.48	<0.24	<0.24	<0.48	<1.2	<1.2	<1.2	<2.4	<1.2	<1.2	<1.2
Methylene Chloride	<0.68	<1.4	<0.68	<0.68	<1.4	<3.4	<3.4	<3.4	<6.8	<3.4	<3.4	<3.4
Naphthalene	<0.16	<0.32	<0.16	<0.16	<0.32	<0.8	<0.8	<0.8	<1.6	<0.8	<0.8	<0.80
n-Butylbenzene	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65	<0.65
N-Propylbenzene	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65	<0.65
p-Isopropyltoluene	<0.17	<0.34	<0.17	<0.17	<0.34	<0.85	<0.85	<0.85	<1.7	<0.85	<0.85	<0.85
sec-Butylbenzene	<0.15	<0.3	<0.15	<0.15	<0.30	<0.75	<0.75	<0.75	<1.5	<0.75	<0.75	<0.75
Styrene	<0.1	<0.2	<0.1	<0.1	<0.20	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.50
tert-Butylbenzene	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7	<0.70
Tetrachloroethene	630	680	720	800	750	3,800	4,300	2,900	3,800	2,800	2,000	1,600
Toluene	<0.11	<0.22	<0.11	<0.11	<0.22	<0.55	<0.55	<0.55	<1.1	<0.55	<0.55	<0.55
trans-1,2-Dichloroethene	6.1	6.9	6.9	8.4	8.5	60	56	48	52	37	27	23
Trichloroethene	220	230	220	290	300	1,100	1,000	800	940	630	510	440
Vinyl chloride	17	13	13	17	14	150	180	140	130	110	92	83
Xylenes, Total	<0.068	<0.14	<0.068	<0.068	<0.14	<0.34	<0.34	<0.34	<0.68	<0.34	<0.34	<0.34

Footnotes on Page 38.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)											
Sample Interval (feet bls)	44-48'	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Date	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	<0.16	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	<0.085	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	<0.12	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)											
Sample Interval (feet bls)	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'	102-106'	102-106'
Sample Date	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	4/16/2014	12/4/2012	1/18/2013	2/21/2013	4/17/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<2.5	4.8 J	4.5 J	<5	<2.5	<1.3	<2.5	<5.0	<1.3	<0.5	<0.5	<1.3
1,1,2-Trichloroethane	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<2.8	<5.6	<1.4	<0.56	<0.56	<1.4
1,1-Dichloroethene	<3.1	<3.1	4.2 J	<6.2	<3.1	<1.6	<3.1	<6.2	<1.6	<0.62	<0.62	<1.6
1,2,4-Trimethylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<2.8	<0.7	<0.28	<0.28	<0.7
1,2-Dibromoethane	<3.6	<3.6	<1.8	<7.2	<3.6	<1.8	<3.6	<7.2	<1.8	<0.72	<0.72	<1.8
1,2-Dichlorobenzene	<2.7	<2.7	<1.4	<5.4	<2.7	<1.4	<2.7	<5.4	<1.4	<0.54	<0.54	<1.4
1,2-Dichloropropane	<2	<2	<1	<4	<2	<1	<2.0	<4.0	<1	<0.4	<0.4	<1
1,3,5-Trimethylbenzene	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<1.8	<3.6	<0.9	<0.36	<0.36	<0.9
Benzene	<0.74	<0.74	<0.37	<1.5	<0.74	<0.37	<0.74	<1.5	<0.37	<0.15	<0.15	<0.37
Bromoform	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<2.8	<5.6	<1.4	<0.56	<0.56	<1.4
Bromomethane	<3.1	<3.1	<1.6	<6.2	<3.1	<1.6	<3.1	<6.2	<1.6	<0.62	<0.62	<1.6
Carbon tetrachloride	<2.6	<2.6	<1.3	<5.2	<2.6	<1.3	<2.6	<5.2	<1.3	<0.52	<0.52	<1.3
Chloroform	<2	<2	<1	<4	<2	<1	<2.0	<4.0	<1	<0.4	<0.4	<1
Chloromethane	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<1.8	<3.6	<0.9	<0.36	<0.36	<0.9
cis-1,2-Dichloroethene	1,900	1,800	2,100	2,700	1,700	1,200	2,200	2,400	1,100	690	520	720
Dichlorodifluoromethane	<2	<2	<1	<4	<2	<1	<2.0	<4.0	<1	<0.4	<0.4	<1
Ethylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<2.6	<0.65	<0.26	<0.26	<0.65
Isopropylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<2.8	<0.7	<0.28	<0.28	<0.7
Methyl tert-butyl ether	<2.4	<2.4	<1.2	<4.8	<2.4	<1.2	<2.4	<4.8	<1.2	<0.48	<0.48	<1.2
Methylene Chloride	<6.8	<6.8	<3.4	<14	<6.8	<3.4	<6.8	<14	<3.4	<1.4	<1.4	<3.4
Naphthalene	<1.6	<1.6	<0.8	<3.2	<1.6	<0.8	<1.6	<3.2	<0.8	<0.32	<0.32	<0.8
n-Butylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<2.6	<0.65	<0.26	<0.26	<0.65
N-Propylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<2.6	<0.65	<0.26	<0.26	<0.65
p-Isopropyltoluene	<1.7	<1.7	<0.85	<3.4	<1.7	<0.85	<1.7	<3.4	<0.85	<0.34	<0.34	<0.85
sec-Butylbenzene	<1.5	<1.5	<0.75	<3	<1.5	<0.75	<1.5	<3.0	<0.75	<0.3	<0.3	<0.75
Styrene	<1	<1	<0.5	<2	<1	<0.5	<1.0	<2.0	<0.5	<0.2	<0.2	<0.5
tert-Butylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<2.8	<0.7	<0.28	<0.28	<0.7
Tetrachloroethene	5,600	6,800	7,000	7,900	6,800	5,400	7,900	7,800	1,800	1,100	670	1,400
Toluene	<1.1	<1.1	<0.55	<2.2	<1.1	<0.55	<1.1	<2.2	<0.55	<0.22	<0.22	<0.55
trans-1,2-Dichloroethene	29	38	38	48	29	19	39	41	15	9.5	4.8	6.6
Trichloroethene	940	1,100	1,100	1,200	900	660	1,100	1,100	440	330	270	500
Vinyl chloride	64	120	110	99	75	48	87	95	33	23	13	20
Xylenes, Total	<0.68	<0.68	<0.34	<1.4	<0.68	<0.34	<0.68	<1.4	<0.34	<0.14	<0.14	<0.34

Footnotes on Page 40.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)											
Sample Interval (feet bls)	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'	102-106'	102-106'
Sample Date	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	4/16/2014	12/4/2012	1/18/2013	2/21/2013	4/17/2013
Total PCBs												
Aroclor 1016	<0.15	NA	NA	NA	NA	NA	NA	NA	<0.15	NA	NA	NA
Aroclor 1232	<0.083	NA	NA	NA	NA	NA	NA	NA	<0.083	NA	NA	NA
Aroclor 1242	<0.12	NA	NA	NA	NA	NA	NA	NA	<0.12	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)											
	102-106'	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'	121-125'	121-125'	135-139'	135-139'
Sample Interval (feet bls)	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/17/2013	4/17/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<1.3	<0.5	<1.3	<5	<2.5	1.1	<5.0	<0.5	<1.3	<2.5
1,1,2-Trichloroethane	<1.4	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28	<5.6	<0.56	<1.4	<2.8
1,1-Dichloroethene	<1.6	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31	<6.2	1.5 J	<1.6	<3.1
1,2,4-Trimethylbenzene	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14	<2.8	<0.28	<0.7	<1.4
1,2-Dibromoethane	<1.8	<1.8	<1.8	<0.72	<1.8	<7.2	<3.6	<0.36	<7.2	<0.72	<1.8	<3.6
1,2-Dichlorobenzene	<1.4	<1.4	<1.4	<0.54	<1.4	<5.4	<2.7	<0.27	<5.4	<0.54	<1.4	<2.7
1,2-Dichloropropane	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2	<4.0	<0.4	<1	<2
1,3,5-Trimethylbenzene	<0.9	<0.9	<0.90	<0.36	<0.9	<3.6	<1.8	<0.18	<3.6	<0.36	<0.9	<1.8
Benzene	<0.37	<0.37	<0.37	<0.15	<0.37	<1.5	<0.74	0.29 J	<1.5	0.41 J	1.1 J	<0.74
Bromoform	<1.4	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28	<5.6	<0.56	<1.4	<2.8
Bromomethane	<1.6	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31	<6.2	<0.62	<1.6	<3.1
Carbon tetrachloride	<1.3	<1.3	<1.3	<0.52	<1.3	<5.2	<2.6	<0.26	<5.2	<0.52	<1.3	<2.6
Chloroform	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2	<4.0	<0.4	<1	<2
Chloromethane	<0.9	<0.9	<0.90	<0.36	<0.9	<3.6	<1.8	<0.18	<3.6	<0.36	<0.9	<1.8
cis-1,2-Dichloroethene	660	600	770	910	1,000	930	760	650	720	1,100	910	540
Dichlorodifluoromethane	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2	<4.0	<0.4	<1	<2
Ethylbenzene	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<2.6	<0.26	<0.65	<1.3
Isopropylbenzene	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14	<2.8	<0.28	<0.7	<1.4
Methyl tert-butyl ether	<1.2	<1.2	<1.2	<0.48	<1.2	<4.8	<2.4	<0.24	<4.8	<0.48	<1.2	<2.4
Methylene Chloride	<3.4	<3.4	<3.4	<1.4	<3.4	<14	<6.8	<0.68	<14	<1.4	<3.4	<6.8
Naphthalene	<0.8	<0.8	<0.80	<0.32	<0.8	<3.2	<1.6	<0.16	<3.2	<0.32	<0.8	<1.6
n-Butylbenzene	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<2.6	<0.26	<0.65	<1.3
N-Propylbenzene	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<2.6	<0.26	<0.65	<1.3
p-Isopropyltoluene	<0.85	<0.85	<0.85	<0.34	<0.85	<3.4	<1.7	<0.17	<3.4	<0.34	<0.85	<1.7
sec-Butylbenzene	<0.75	<0.75	<0.75	<0.3	<0.75	<3	<1.5	<0.15	<3.0	<0.3	<0.75	<1.5
Styrene	<0.5	<0.5	<0.50	<0.2	<0.5	<2	<1	<0.1	<2.0	<0.2	<0.5	<1
tert-Butylbenzene	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14	<2.8	<0.28	<0.7	<1.4
Tetrachloroethene	1,500	1,900	1,600	1,500	2,600	7,000	6,300	6,500	6,700	1,900	2,300	3,800
Toluene	<0.55	<0.55	<0.55	<0.22	<0.55	<2.2	<1.1	<0.11	<2.2	<0.22	<0.55	<1.1
trans-1,2-Dichloroethene	6	7	9.8	12	17	12 J	12	9.7	10 J	17	15	8.5 J
Trichloroethene	450	490	580	340	460	600	510	550	710	450	430	310
Vinyl chloride	19	20	23	36	54	13	9.3	8.1	6.2 J	50	42	11
Xylenes, Total	<0.34	<0.34	<0.34	<0.14	<0.34	<1.4	<0.68	<0.068	<1.4	<0.14	<0.34	<0.68

Footnotes on Page 42.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)												
Sample Interval (feet bls)	102-106'	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'	121-125'	121-125'	135-139'	135-139'	135-139'
Sample Date	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/17/2013	4/17/2013	
Total PCBs													
Aroclor 1016	NA	NA	NA	<0.15	NA	NA	NA	NA	NA	NA	<0.15	NA	NA
Aroclor 1232	NA	NA	NA	<0.084	NA	NA	NA	NA	NA	NA	<0.083	NA	NA
Aroclor 1242	NA	NA	NA	<0.12	NA	NA	NA	NA	NA	NA	<0.12	NA	NA
Dissolved PCBs													
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									MP-14	
	135-139'	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'	163-167'	163-167'	70-75'	70-75'
Sample Interval (feet bls)	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/16/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	1/21/2013	4/16/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<2.5	<1.3	<2.5	<1.3	<0.25	<0.5	<0.25	<0.25	<0.50	<0.25	<0.25
1,1,2-Trichloroethane	<2.8	<1.4	<2.8	<1.4	<0.28	<0.56	<0.28	<0.28	<0.56	<0.28	<0.28
1,1-Dichloroethene	<3.1	<1.6	<3.1	<1.6	0.97 J	<0.62	<0.31	<0.31	<0.62	<0.31	<0.31
1,2,4-Trimethylbenzene	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.14
1,2-Dibromoethane	<3.6	<1.8	<3.6	<1.8	<0.36	<0.72	<0.36	<0.36	<0.72	<0.36	<0.36
1,2-Dichlorobenzene	<2.7	<1.4	<2.7	<1.4	<0.27	<0.54	<0.27	<0.27	<0.54	<0.27	<0.27
1,2-Dichloropropane	<2	<1	<2.0	<1	<0.2	<0.4	<0.2	<0.2	<0.40	<0.2	<0.2
1,3,5-Trimethylbenzene	<1.8	<0.9	<1.8	<0.9	<0.18	<0.36	<0.18	<0.18	<0.36	<0.18	<0.18
Benzene	<0.74	<0.37	<0.74	<0.37	<0.074	<0.15	<0.074	<0.074	<0.15	<0.074	<0.074
Bromoform	<2.8	<1.4	<2.8	<1.4	<0.28	<0.56	<0.28	<0.28	<0.56	<0.28	<0.28
Bromomethane	<3.1	<1.6	<3.1	<1.6	<0.31	<0.62	<0.31	<0.31	<0.62	<0.31	<0.31
Carbon tetrachloride	<2.6	<1.3	<2.6	<1.3	<0.26	<0.52	<0.26	<0.26	<0.52	<0.26	<0.26
Chloroform	<2	<1	<2.0	<1	<0.2	<0.4	<0.2	<0.2	<0.40	<0.2	<0.2
Chloromethane	<1.8	<0.9	<1.8	<0.9	<0.18	<0.36	<0.18	<0.18	<0.36	<0.18	<0.18
cis-1,2-Dichloroethene	420	380	370	970	730	460	200	170	180	<0.12	<0.12
Dichlorodifluoromethane	<2	<1	<2.0	<1	<0.2	<0.4	<0.2	<0.2	<0.40	<0.2	<0.2
Ethylbenzene	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.13
Isopropylbenzene	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.14
Methyl tert-butyl ether	<2.4	<1.2	<2.4	<1.2	<0.24	<0.48	<0.24	<0.24	<0.48	<0.24	<0.24
Methylene Chloride	<6.8	<3.4	<6.8	<3.4	<0.68	<1.4	<0.68	<0.68	<1.4	<0.68	<0.68
Naphthalene	<1.6	<0.8	<1.6	<0.8	<0.16	<0.32	<0.16	<0.16	<0.32	<0.16	<0.16
n-Butylbenzene	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.13
N-Propylbenzene	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.13
p-Isopropyltoluene	<1.7	<0.85	<1.7	<0.85	<0.17	<0.34	<0.17	<0.17	<0.34	<0.17	<0.17
sec-Butylbenzene	<1.5	<0.75	<1.5	<0.75	<0.15	<0.3	<0.15	<0.15	<0.30	<0.15	<0.15
Styrene	<1	<0.5	<1.0	<0.5	<0.1	<0.2	<0.1	<0.1	<0.20	<0.1	<0.1
tert-Butylbenzene	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.14
Tetrachloroethene	4,200	6,500	5,200	1,400	930	840	510	680	870	0.71 J	<0.17
Toluene	<1.1	<0.55	<1.1	<0.55	<0.11	<0.22	<0.11	<0.11	<0.22	<0.11	<0.11
trans-1,2-Dichloroethene	5.4 J	<1.3	<2.5	15	13	7.5	3.3	2.6	3.3	<0.25	<0.25
Trichloroethene	260	310	320	370	250	200	92	96	110	<0.19	<0.19
Vinyl chloride	8.1	5.8	4.0 J	41	27	6.8	0.74	0.72	0.56 J	<0.1	<0.1
Xylenes, Total	<0.68	<0.34	<0.68	<0.34	<0.068	<0.14	<0.068	<0.068	<0.14	<0.068	<0.068

Footnotes on Page 44.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									MP-14	
	135-139'	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'	163-167'	163-167'	70-75'	70-75'
Sample Interval (feet bls)	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/16/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	1/21/2013	4/16/2013
Total PCBs											
Aroclor 1016	NA	NA	NA	<0.15	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.083	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.12	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- * The laboratory control sample or laboratory control sample duplicate exceeds the control limits.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)											
	Sample Interval (feet bls)											
Sample Date	70-75'	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'	100-105'	100-105'	100-105'	135-140'	135-140'
	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	17
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	0.72 J	<0.2	<0.20	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<0.17	<0.17	<0.17	1.5	<0.17	<0.17	<0.17	1.7	<0.17	1.7	430
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	0.24 J	31
Vinyl chloride	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 46.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)											
Sample Interval (feet bls)	70-75'	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'	100-105'	100-105'	100-105'	135-140'	135-140'
Sample Date	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)										MP-15			
	Sample Interval (feet bls)				135-140'	135-140'	135-140'	135-140'	170 - 178'	170-178'	170-178'	170-178'	170-178'	88-92'
Sample Date	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/22/2013	4/15/2013		
VOCs (µg/L)														
1,1,1,2-Tetrachloroethane	<0.5	<0.25	<0.5	<0.25	<0.25	<0.25	<0.5	<0.25	<0.5	<0.50	<0.25	<0.25		
1,1,2-Trichloroethane	<0.56	<0.28	<0.56	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.56	<0.28	2.2		
1,1-Dichloroethene	<0.62	<0.31	<0.62	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<0.62	<0.31	<0.31		
1,2,4-Trimethylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14		
1,2-Dibromoethane	<0.72	<0.36	<0.72	<0.36	<0.36	<0.36	<0.72	<0.36	<0.72	<0.72	<0.36	<0.36		
1,2-Dichlorobenzene	<0.54	<0.27	<0.54	<0.27	<0.27	<0.27	<0.54	<0.27	<0.54	<0.54	<0.27	<0.27		
1,2-Dichloropropane	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2		
1,3,5-Trimethylbenzene	<0.36	<0.18	<0.36	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.36	<0.18	<0.18		
Benzene	<0.15	<0.074	<0.15	<0.074	<0.074	<0.074	<0.15	<0.074	<0.15	<0.15	<0.074	<0.074		
Bromoform	<0.56	<0.28	<0.56	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.56	<0.28	<0.28		
Bromomethane	<0.62	<0.31	<0.62	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<0.62	<0.31	<0.31		
Carbon tetrachloride	<0.52	<0.26	<0.52	<0.26	<0.26	<0.26	<0.52	<0.26	<0.52	<0.52	<0.26	<0.26		
Chloroform	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2		
Chloromethane	<0.36	<0.18	<0.36	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.36	<0.18	<0.18		
cis-1,2-Dichloroethene	27	29	27	12	<0.12	<0.12	22	21	22	19	7.5	23		
Dichlorodifluoromethane	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2		
Ethylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13		
Isopropylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14		
Methyl tert-butyl ether	<0.48	<0.24	<0.48	<0.24	<0.24	<0.24	<0.48	<0.24	<0.48	<0.48	2.3	0.84 J		
Methylene Chloride	<1.4	<0.68	<1.4	<0.68	<0.68	<0.68	<1.4	<0.68	<1.4	<1.4	<0.68	<0.68		
Naphthalene	<0.32	<0.16	<0.32	<0.16	<0.16	<0.16	<0.32	<0.16	<0.32	<0.32	<0.16	<0.16		
n-Butylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13		
N-Propylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13		
p-Isopropyltoluene	<0.34	<0.17	<0.34	<0.17	<0.17	<0.17	<0.34	<0.17	<0.34	<0.34	<0.17	<0.17		
sec-Butylbenzene	<0.3	<0.15	<0.3	<0.15	<0.15	<0.15	<0.3	<0.15	<0.3	<0.30	<0.15	<0.15		
Styrene	<0.2	<0.1	<0.2	<0.10	<0.1	<0.1	<0.2	<0.1	<0.2	<0.20	<0.1	<0.1		
tert-Butylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14		
Tetrachloroethene	820	920	970	350	1.2	9.2	520	520	640	630	130	160		
Toluene	<0.22	<0.11	<0.22	<0.11	<0.11	<0.11	<0.22	<0.11	<0.22	<0.22	<0.11	<0.11		
trans-1,2-Dichloroethene	<0.5	<0.25	<0.5	<0.25	<0.25	<0.25	<0.5	<0.25	<0.5	<0.50	<0.25	<0.25		
Trichloroethene	53	51	53	23	<0.19	0.78	42	37	37	33	11	15		
Vinyl chloride	<0.2	<0.1	0.53 J	<0.10	<0.1	<0.1	<0.2	<0.1	<0.2	<0.20	<0.1	<0.1		
Xylenes, Total	<0.14	<0.068	<0.14	<0.068	<0.068	<0.068	<0.14	<0.068	<0.14	<0.14	<0.068	<0.068		

Footnotes on Page 48.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)										MP-15	
	135-140'	135-140'	135-140'	135-140'	170 - 178'	170-178'	170-178'	170-178'	170-178'	170-178'	88-92'	88-92'
Sample Interval (feet bls)	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/22/2013	4/15/2013
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- * The laboratory control sample or laboratory control sample duplicate exceeds the control limits.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)										
Sample Interval (feet bls)	88-92'	88-92'	88-92'	100-105'	100-105'	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'
Sample Date	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.50	<0.5	<0.5	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.56	<0.56	<0.56	<1.4
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.62	<0.62	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.72	<0.72	<0.72	<0.72	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	<0.54	<0.54	<0.54	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.4	<0.40	<0.4	<0.4	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.36	<0.36	<0.9
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.15	<0.15	<0.15	<0.15	<0.37
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.56	<0.56	<0.56	<1.4
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.62	<0.62	<1.6
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.52	<0.52	<0.52	<0.52	<1.3
Chloroform	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.4	<0.40	<0.4	<0.4	<1
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.36	<0.36	<0.9
cis-1,2-Dichloroethene	14	20	23	9.3	37	68	76	96	200	230	250
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.4	<0.40	<0.4	<0.4	<1
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7
Methyl tert-butyl ether	<0.24	3.3	3.5	2.2	1.3	<0.24	<0.48	<0.48	<0.48	<0.48	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1.4	<1.4	<1.4	<1.4	<3.4
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.32	<0.32	<0.32	<0.32	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.34	<0.34	<0.34	<0.34	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.3	<0.30	<0.3	<0.3	<0.75
Styrene	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.2	<0.20	<0.2	<0.2	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7
Tetrachloroethene	130	220	300	230	440	660	690	890	1,100	1,900	2,100
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.22	<0.22	<0.22	<0.22	<0.55
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	0.51 J	<0.5	1.2 J	1.3 J	1.7 J	<1.3
Trichloroethene	12	19	24	16	41	65	72	92	160	210	220
Vinyl chloride	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.2	<0.20	<0.2	1	1.9 J
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.14	<0.14	<0.14	<0.14	<0.34

Footnotes on Page 50.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)										
Sample Interval (feet bls)	88-92'	88-92'	88-92'	100-105'	100-105'	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'
Sample Date	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)											
Sample Interval (feet bls)	120-125'	120-125'	142-146'	142-146'	142-146'	142-146'	142-146'	177 - 187'	177-187'	177-187'	177-187'	177-187'
Sample Date	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<0.25	<0.25	<0.25	<0.5	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<1.4	<1.4	<0.28	<0.28	<0.28	<0.56	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<1.6	<1.6	<0.31	<0.31	<0.31	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.7	<0.70	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<1.8	<1.8	<0.36	<0.36	<0.36	<0.72	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<1.4	<1.4	<0.27	<0.27	<0.27	<0.54	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<1	<1.0	<0.2	<0.2	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	<0.9	<0.90	<0.18	<0.18	<0.18	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.37	<0.37	<0.074	<0.074	<0.074	<0.15	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<1.4	<1.4	<0.28	<0.28	<0.28	<0.56	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<1.6	<1.6	<0.31	<0.31	<0.31	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<1.3	<1.3	<0.26	<0.26	<0.26	<0.52	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<1	<1.0	<0.2	<0.2	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20
Chloromethane	<0.9	<0.90	<0.18	<0.18	<0.18	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	220	230	9.7	75	110	140	140	9.5	6.7	6	16	17
Dichlorodifluoromethane	<1	<1.0	<0.2	<0.2	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20
Ethylbenzene	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.7	<0.70	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<1.2	<1.2	2	<0.24	<0.24	<0.48	<0.48	2.5	1.6	0.86 J	0.90 J	<0.24
Methylene Chloride	<3.4	<3.4	<0.68	<0.68	<0.68	<1.4	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.8	<0.80	<0.16	<0.16	<0.16	<0.32	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.85	<0.85	<0.17	<0.17	<0.17	<0.34	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.75	<0.75	<0.15	<0.15	<0.15	<0.3	<0.30	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.5	<0.50	<0.1	<0.1	<0.1	<0.2	<0.20	<0.1	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	<0.7	<0.70	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	1,800	2,000	170	580	640	840	970	240	140	110	100	73
Toluene	<0.55	<0.55	<0.11	<0.11	<0.11	<0.22	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<1.3	<1.3	<0.25	0.86 J	0.97 J	1.4 J	1.5 J	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	190	210	14	78	100	130	130	17	12	7.7	12	12
Vinyl chloride	<0.5	<0.50	<0.1	0.39 J	0.58	0.76 J	<0.20	<0.1	<0.1	<0.1	0.34 J	<0.10
Xylenes, Total	<0.34	<0.34	<0.068	<0.068	<0.068	<0.14	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 52.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)											
Sample Interval (feet bls)	120-125'	120-125'	142-146'	142-146'	142-146'	142-146'	142-146'	177 - 187'	177-187'	177-187'	177-187'	177-187'
Sample Date	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16										
Sample Interval (feet bls)	80-84'		80-84'		80-84'		80-84'		106-116'		106-116'
Sample Date	1/22/2013	4/16/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	2.6	5.8	9.5	10
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2 *	<0.2	<0.20	<0.2	<0.2	<0.2 *	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	0.76 J	<0.17	0.76 J	<0.17	<0.17	0.76 J	0.56 J	23	330	90	94
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	3.8	44	12	13
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 54.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16											
Sample Interval (feet bls)	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	106-116'	106-116'	106-116'	106-116'
Sample Date	1/22/2013	4/16/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)										
Sample Interval (feet bls)	106-116'	140-144'	140-144'	140-144'	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	175-179'
Sample Date	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	5.4	1.9	1.2	<0.12	<0.12	1.4	1.9	0.99 J	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.20	<0.2	<0.2	<0.2 *	<0.2	<0.20	<0.2	<0.2	<0.2 *	<0.2	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	330	14	11	23	37	38	13	6.7	2.2	3.7	3.8
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	30	2.1	2	3	6.1	6.1	2.2	1.2	0.42 J	0.98	0.87
Vinyl chloride	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 56.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)										
Sample Interval (feet bls)	106-116'	140-144'	140-144'	140-144'	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	175-179'
Sample Date	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-17					MW-18S					
	160-170'	160-170'	160-170'	160-170'	160-170'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'
Sample Interval (feet bls)	1/17/2013	4/20/2013	7/18/2013	10/8/2013	4/22/2014	11/28/2012	1/15/2013	2/12/2013	3/12/2013	4/19/2013	7/17/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.25	<0.5	<0.50	<1.3	<0.25	<0.5	<1.3	<1.3	<1.3
1,1,2-Trichloroethane	<0.56	11	<0.28	<0.56	<0.56	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4
1,1-Dichloroethene	<0.62	<0.62	<0.31	<0.62	<0.62	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
1,2-Dibromoethane	<0.72	<0.72	<0.36	<0.72	<0.72	<1.8	<0.36	<0.72	<1.8	<1.8	<1.8
1,2-Dichlorobenzene	<0.54	<0.54	<0.27	<0.54	<0.54	<1.4	<0.27	<0.54	<1.4	<1.4	<1.4
1,2-Dichloropropane	<0.4	<0.4	<0.2	<0.4	<0.40	<1	<0.2	<0.4	<1	<1	<1
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.18	<0.36	<0.36	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9
Benzene	20	1.2	<0.074	<0.15	<0.15	3.2	0.46 J	1.4	1.9 J	2.2 J	<0.37
Bromoform	<0.56	<0.56	<0.28	<0.56	<0.56	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4
Bromomethane	<0.62	<0.62	<0.31	<0.62	<0.62	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6
Carbon tetrachloride	1.2 J	<0.52	<0.26	<0.52	<0.52	<1.3	<0.26	<0.52	<1.3	<1.3	<1.3
Chloroform	1.8 J	<0.4	0.86 J	<0.4	1.1 J	7.2	2.3	4.5	7.5	6.2	<1
Chloromethane	<0.36	<0.36	<0.18	<0.36	<0.36	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9
cis-1,2-Dichloroethene	3.5	1.7 J	1.6	<0.24	2.7	150	40	77	110	99	70
Dichlorodifluoromethane	<0.4	<0.4	<0.2	<0.4	<0.40	<1	<0.2	<0.4	<1	<1	<1
Ethylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
Isopropylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
Methyl tert-butyl ether	<0.48	<0.48	<0.24	<0.48	<0.48	<1.2	<0.24	<0.48	<1.2	<1.2	<1.2
Methylene Chloride	<1.4	<1.4	<0.68	<1.4	<1.4	<3.4	<0.68	<1.4	<3.4	<3.4	<3.4
Naphthalene	<0.32	<0.32	<0.16	<0.32	<0.32	<0.8	<0.16	<0.32	<0.8	<0.8	<0.8
n-Butylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
N-Propylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
p-Isopropyltoluene	<0.34	<0.34	<0.17	<0.34	<0.34	<0.85	<0.17	<0.34	<0.85	<0.85	<0.85
sec-Butylbenzene	<0.3	<0.3	<0.15	<0.3	<0.30	<0.75	<0.15	<0.3	<0.75	<0.75	<0.75
Styrene	<0.2	<0.2	<0.1	<0.2	<0.20	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5
tert-Butylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
Tetrachloroethene	1,300	790	470	800	970	3,300	690	1,900	2,600	2,600	2,900
Toluene	1.8	<0.22	0.69	<0.22	<0.22	1.1 J	<0.11	<0.22	<0.55	<0.55	<0.55
trans-1,2-Dichloroethene	1.5 J	<0.5	0.68 J	<0.5	<0.50	7.4	2.6	3.8	5.3	4.1 J	2.6 J
Trichloroethene	86	46	33	49	51	230	59	130	160	170	140
Vinyl chloride	<0.2	<0.2	<0.1	<0.2	<0.20	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5
Xylenes, Total	3.1	<0.14	0.56 J	<0.14	<0.14	<0.34	<0.068	<0.14	<0.34	<0.34	<0.34

Footnotes on Page 58.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-17					MW-18S						
	Sample Interval (feet bls)	160-170'	160-170'	160-170'	160-170'	160-170'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'
Sample Date	1/17/2013	4/20/2013	7/18/2013	10/8/2013	4/22/2014	11/28/2012	1/15/2013	2/12/2013	3/12/2013	4/19/2013	7/17/2013	
Total PCBs												
Aroclor 1016	<0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	<0.093	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	<0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-18S (continued)		MW-19D									
	20-30'	20-30'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	
	10/9/2013	4/22/2014	11/29/2012	1/16/2013	2/11/2013	3/11/2013	4/19/2013	7/17/2013	10/9/2013	4/17/2014	4/17/2014	
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.50	<1.3
1,1,2-Trichloroethane	<1.4	<0.28	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.56	<1.4
1,1-Dichloroethene	<1.6	<0.31	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<0.62	<1.6
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.28	<0.70
1,2-Dibromoethane	<1.8	<0.36	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<0.72	<1.8
1,2-Dichlorobenzene	<1.4	<0.27	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.54	<1.4
1,2-Dichloropropane	<1	<0.20	<1	<1	<1	<1	<1	<1	<1	<1	<0.40	<1.0
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.36	<0.90
Benzene	1.3 J	0.38 J	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.15	<0.37
Bromoform	<1.4	<0.28	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.56	<1.4
Bromomethane	<1.6	<0.31	<1.6	<1.6	<1.6 *	<1.6	<1.6	<1.6	<1.6	<1.6	<0.62	<1.6
Carbon tetrachloride	<1.3	<0.26	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.52	<1.3
Chloroform	5.2	1.4	<1	<1	<1	<1	<1	<1	<1	<1	<0.40	<1.0
Chloromethane	<0.9	<0.18	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.36	<0.90
cis-1,2-Dichloroethene	78	21	530	170	450	420	520	540	300		<0.24	49
Dichlorodifluoromethane	<1	<0.20	<1	<1	<1	<1	<1	<1	<1	<1	<0.40	<1.0
Ethylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65
Isopropylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.28	<0.70
Methyl tert-butyl ether	<1.2	<0.24	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<0.48	<1.2
Methylene Chloride	<3.4	<0.68	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<1.4	<3.4
Naphthalene	<0.8	<0.16	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.32	<0.80
n-Butylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65
N-Propylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65
p-Isopropyltoluene	<0.85	<0.17	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.34	<0.85
sec-Butylbenzene	<0.75	<0.15	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.30	<0.75
Styrene	<0.5	<0.10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.20	<0.50
tert-Butylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.28	<0.70
Tetrachloroethene	1,800	520	2,400	1,700	2,700	2,100	2,200	2,700	1,500	910		1,400
Toluene	<0.55	<0.11	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.22	<0.55
trans-1,2-Dichloroethene	4.6 J	1.3	7.2	<1.3	4.4 J	5.1	6.3	8.1	4.1 J		<0.50	<1.3
Trichloroethene	150	43	230	69	180	180	200	240	150		<0.38	68
Vinyl chloride	<0.5	<0.10	9.1	3.2	8	11	18	20	6.6		<0.20	<0.50
Xylenes, Total	<0.34	<0.068	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.14	<0.34

Footnotes on Page 60.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-18S (continued)				MW-19D							
	Sample Interval (feet bls)		20-30'	20-30'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Date	10/9/2013	4/22/2014	11/29/2012	1/16/2013	2/11/2013	3/11/2013	4/19/2013	7/17/2013	10/9/2013	4/17/2014	4/17/2014	
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-19D2									MW-20D	
	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'
	11/29/2012	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012	1/16/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.5	<0.5	<1.3	<0.5	<0.5	<0.5	<1.3	<1.3	<0.25
1,1,2-Trichloroethane	<0.56	<0.56	<0.56	<0.56	<1.4	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28
1,1-Dichloroethene	<0.62	<0.62	<0.62	<0.62	<1.6	<0.62	<0.62	<0.62	<1.6	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.28	<0.70	<0.7	<0.14
1,2-Dibromoethane	<0.72	<0.72	<0.72	<0.72	<1.8	<0.72	<0.72	<0.72	<1.8	<1.8	<0.36
1,2-Dichlorobenzene	<0.54	<0.54	<0.54	<0.54	<1.4	<0.54	<0.54	<0.54	<1.4	<1.4	<0.27
1,2-Dichloropropane	<0.4	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<0.4	<1.0	<1	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.36	<0.36	<0.9	<0.36	<0.36	<0.36	<0.90	<0.9	<0.18
Benzene	<0.15	<0.15	<0.15	<0.15	<0.37	<0.15	<0.15	<0.15	<0.37	<0.37	<0.074
Bromoform	<0.56	<0.56	<0.56	<0.56	<1.4	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28
Bromomethane	<0.62	<0.62	<0.62 *	<0.62	<1.6	<0.62	<0.62	<0.62	<1.6	<1.6	<0.31
Carbon tetrachloride	<0.52	<0.52	<0.52	<0.52	<1.3	<0.52	<0.52	<0.52	<1.3	<1.3	<0.26
Chloroform	<0.4	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<0.4	<1.0	<1	<0.2
Chloromethane	<0.36	<0.36	<0.36	<0.36	<0.9	<0.36	<0.36	<0.36	<0.90	<0.9	<0.18
cis-1,2-Dichloroethene	250	320	270	260	200	<0.24	98	120	330	370	0.69 J
Dichlorodifluoromethane	<0.4	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<0.4	<1.0	<1	<0.2
Ethylbenzene	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13
Isopropylbenzene	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.28	<0.70	<0.7	<0.14
Methyl tert-butyl ether	<0.48	<0.48	<0.48	<0.48	<1.2	<0.48	<0.48	<0.48	<1.2	<1.2	<0.24
Methylene Chloride	<1.4	<1.4	<1.4	<1.4	<3.4	<1.4	<1.4	<1.4	<3.4	<3.4	<0.68
Naphthalene	<0.32	<0.32	<0.32	<0.32	<0.8	<0.32	<0.32	<0.32	<0.80	<0.8	<0.16
n-Butylbenzene	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13
N-Propylbenzene	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13
p-Isopropyltoluene	<0.34	<0.34	<0.34	<0.34	<0.85	<0.34	<0.34	<0.34	<0.85	<0.85	<0.17
sec-Butylbenzene	<0.3	<0.3	<0.3	<0.3	<0.75	<0.3	<0.3	<0.3	<0.75	<0.75	<0.15
Styrene	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.2	<0.50	<0.5	<0.1
tert-Butylbenzene	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.28	<0.70	<0.7	<0.14
Tetrachloroethene	680	1,200	1,300	1,400	1,000	820	1,200	950	1,900	1,600	190
Toluene	<0.22	<0.22	<0.22	<0.22	<0.55	<0.22	<0.22	<0.22	<0.55	<0.55	0.45 J
trans-1,2-Dichloroethene	3.4	4.9	4.2	4.2	2.6 J	<0.5	<0.5	<0.5	5.0	5	<0.25
Trichloroethene	110	160	150	150	130	<0.38	110	120	170	170	0.54
Vinyl chloride	0.93 J	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.2	7.9	3.2	<0.1
Xylenes, Total	<0.14	<0.14	<0.14	<0.14	<0.34	<0.14	<0.14	<0.14	<0.34	<0.34	<0.068

Footnotes on Page 62.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D2								MW-20D		
	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	
Sample Interval (feet bls)	11-29/2012	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012	1/16/2013
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D (continued)						MW-20D2					
	60-90'		60-90'		60-90'		110-140'		110-140'		110-140'	
Sample Interval (feet bls)	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'
Sample Date	2/12/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/15/2014	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<1.3	<0.5	<1.3	<0.50	<0.5	<0.25	<0.25	<0.25	<1.3	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<1.4	<0.56	<1.4	<0.56	<0.56	<0.28	<0.28	<0.28	<1.4	<0.28
1,1-Dichloroethene	<0.31	<0.31	<1.6	<0.62	<1.6	<0.62	<0.62	<0.31	<0.31	<0.31	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
1,2-Dibromoethane	<0.36	<0.36	<1.8	<0.72	<1.8	<0.72	<0.72	<0.36	<0.36	<0.36	<1.8	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<1.4	<0.54	<1.4	<0.54	<0.54	<0.27	<0.27	<0.27	<1.4	<0.27
1,2-Dichloropropane	<0.2	<0.2	<1	<0.4	<1	<0.40	<0.4	<0.2	<0.2	<0.2	<1	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.9	<0.36	<0.9	<0.36	<0.36	<0.18	<0.18	<0.18	<0.9	<0.18
Benzene	<0.074	<0.074	<0.37	<0.15	<0.37	<0.15	<0.15	<0.074	0.19 J	<0.074	<0.37	<0.074
Bromoform	<0.28	<0.28	<1.4	<0.56	<1.4	<0.56	<0.56	<0.28	<0.28	<0.28	<1.4	1.4
Bromomethane	<0.31	<0.31	<1.6	<0.62	<1.6	<0.62	<0.62	<0.31	<0.31	<0.31	<1.6	<0.31
Carbon tetrachloride	<0.26	<0.26	<1.3	<0.52	<1.3	<0.52	<0.52	<0.26	<0.26	<0.26	<1.3	<0.26
Chloroform	<0.2	<0.2	<1	<0.4	<1	<0.40	<0.4	0.47 J	<0.2	<0.2	<1	<0.2
Chloromethane	<0.18	<0.18	<0.9	<0.36	<0.9	<0.36	<0.36	<0.18	<0.18	<0.18	<0.9	<0.18
cis-1,2-Dichloroethene	20	39	220	180	170	140	330	<0.12	2.8	2.8	30	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<1	<0.4	<1	<0.40	<0.4	<0.2	<0.2	<0.2	<1	<0.2
Ethylbenzene	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
Isopropylbenzene	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<1.2	<0.48	<1.2	<0.48	<0.48	<0.24	<0.24	<0.24	<1.2	<0.24
Methylene Chloride	<0.68	<0.68	<3.4	<1.4	<3.4	<1.4	<1.4	<0.68	<0.68	<0.68	<3.4	<0.68
Naphthalene	<0.16	<0.16	<0.8	<0.32	<0.8	<0.32	<0.32	<0.16	<0.16	<0.16	<0.8	<0.16
n-Butylbenzene	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
N-Propylbenzene	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.85	<0.34	<0.85	<0.34	<0.34	<0.17	<0.17	<0.17	<0.85	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.75	<0.3	<0.75	<0.30	<0.3	<0.15	<0.15	<0.15	<0.75	<0.15
Styrene	<0.1	<0.1	<0.5	<0.2	<0.5	<0.20	<0.2	<0.1	<0.1	<0.1	<0.5	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
Tetrachloroethene	690	650	1,100	1,000	1,200	780	1,300	190	700	490	1,100	<0.17
Toluene	<0.11	<0.11	<0.55	<0.22	<0.55	<0.22	<0.22	0.34 J	<0.11	<0.11	<0.55	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<1.3	2.2	<1.3	2.0	4.3	<0.25	<0.25	<0.25	<1.3	<0.25
Trichloroethene	20	29	100	100	89	83	150	<0.19	7.9	5.3	41	<0.19
Vinyl chloride	<0.1	<0.1	1.0 J	<0.2	<0.5	0.76 J	1.7	<0.1	<0.1	<0.1	<0.5	<0.1
Xylenes, Total	<0.068	<0.068	<0.34	<0.14	<0.34	<0.14	<0.14	<0.068	<0.068	<0.068	<0.34	<0.068

Footnotes on Page 64.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D (continued)						MW-20D2					
	Sample Interval (feet bls)											
Sample Date	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D2 (continued)				MW-21D								
	Sample Interval (feet bls)	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Date	7/17/2013	10/15/2013	10/15/2013	4/15/2014	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/10/2013	4/15/2014	
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	<0.25	<0.5	<0.25	<1.3	<0.5	<0.25	<0.5	<0.5	<1.3	<1.3	<1.3	<1.3	
1,1,2-Trichloroethane	<0.28	<0.56	<0.28	<1.4	<0.56	<0.28	<0.56	<0.56	<1.4	<1.4	<1.4	<1.4	
1,1-Dichloroethene	<0.31	<0.62	<0.31	<1.6	<0.62	<0.31	<0.62	<0.62	<1.6	<1.6	<1.6	<1.6	
1,2,4-Trimethylbenzene	<0.14	<0.28	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70	
1,2-Dibromoethane	<0.36	<0.72	<0.36	<1.8	<0.72	<0.36	<0.72	<0.72	<1.8	<1.8	<1.8	<1.8	
1,2-Dichlorobenzene	<0.27	<0.54	<0.27	<1.4	<0.54	<0.27	<0.54	<0.54	<1.4	<1.4	<1.4	<1.4	
1,2-Dichloropropane	<0.2	<0.4	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0	
1,3,5-Trimethylbenzene	<0.18	<0.36	<0.18	<0.90	<0.36	<0.18	<0.36	<0.36	<0.9	<0.9	<0.9	<0.90	
Benzene	<0.074	<0.15	<0.074	<0.37	<0.15	<0.074	<0.15	<0.15	<0.37	<0.37	<0.37	<0.37	
Bromoform	<0.28	3	<0.28	<1.4	<0.56	<0.28	<0.56	<0.56	<1.4	<1.4	<1.4	<1.4	
Bromomethane	<0.31	<0.62	<0.31	<1.6	<0.62	<0.31	<0.62 *	<0.62	<1.6	<1.6	<1.6	<1.6	
Carbon tetrachloride	<0.26	<0.52	<0.26	<1.3	<0.52	<0.26	<0.52	<0.52	<1.3	<1.3	<1.3	<1.3	
Chloroform	<0.2	<0.4	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0	
Chloromethane	<0.18	<0.36	<0.18	<0.90	<0.36	<0.18	<0.36	<0.36	<0.9	<0.9	<0.9	<0.90	
cis-1,2-Dichloroethene	<0.12	<0.24	1.4	<0.60	380	85	270	310	310	370	360	320	
Dichlorodifluoromethane	<0.2	<0.4	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0	
Ethylbenzene	<0.13	<0.26	<0.13	<0.65	<0.26	0.43 J	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65	
Isopropylbenzene	<0.14	<0.28	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70	
Methyl tert-butyl ether	<0.24	<0.48	<0.24	<1.2	<0.48	<0.24	<0.48	<0.48	<1.2	<1.2	<1.2	<1.2	
Methylene Chloride	<0.68	<1.4	<0.68	<3.4	<1.4	<0.68	<1.4	<1.4	<3.4	<3.4	<3.4	<3.4	
Naphthalene	<0.16	<0.32	<0.16	<0.80	<0.32	<0.16	<0.32	<0.32	<0.8	<0.8	<0.8	<0.80	
n-Butylbenzene	<0.13	<0.26	<0.13	<0.65	<0.26	<0.13	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65	
N-Propylbenzene	<0.13	<0.26	<0.13	<0.65	<0.26	<0.13	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65	
p-Isopropyltoluene	<0.17	<0.34	<0.17	<0.85	<0.34	<0.17	<0.34	<0.34	<0.85	<0.85	<0.85	<0.85	
sec-Butylbenzene	<0.15	<0.3	<0.15	<0.75	<0.3	<0.15	<0.3	<0.3	<0.75	<0.75	<0.75	<0.75	
Styrene	<0.1	<0.2	<0.1	<0.50	<0.2	<0.1	<0.2	<0.2	<0.5	<0.5	<0.5	<0.50	
tert-Butylbenzene	<0.14	<0.28	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70	
Tetrachloroethene	53	24	380	1,600	1,200	700	1,600	1,500	1,100	1,700	1,600	1,800	
Toluene	<0.11	<0.22	<0.11	<0.55	<0.22	0.38 J	<0.22	<0.22	<0.55	<0.55	<0.55	<0.55	
trans-1,2-Dichloroethene	<0.25	<0.5	<0.25	<1.3	5.1	<0.25	<0.5	2.9	<1.3	5.2	6.2	5.0	
Trichloroethene	<0.19	<0.38	4.5	2.7	180	23	130	160	140	180	160	180	
Vinyl chloride	<0.1	<0.2	<0.1	<0.50	1.4	<0.1	<0.2	<0.2	<0.5	<0.5	<0.5	1.5 J	
Xylenes, Total	<0.068	<0.14	<0.068	<0.34	<0.14	2.5	<0.14	<0.14	<0.34	<0.34	<0.34	<0.34	

Footnotes on Page 66.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D2 (continued)				MW-21D							
	Sample Interval (feet bls)	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Date	7/17/2013	10/15/2013	10/15/2013	4/15/2014	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/10/2013	4/15/2014
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-21D2								MW-22S			
	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	25-35'	25-35'	25-35'	25-35'
Sample Interval (feet bls)	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013	4/15/2014	1/15/2013	3/7/2013	4/19/2013	7/16/2013
Sample Date	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013	4/15/2014	1/15/2013	3/7/2013	4/19/2013	7/16/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5	<1.3	<0.25	NA	<0.25	<0.25
1,1,2-Trichloroethane	<1.4	1.4	<1.4	<1.4	<2.8	<1.4	<0.56	<1.4	<0.28	NA	<0.28	<0.28
1,1-Dichloroethene	<1.6	<0.31	<1.6	<1.6	<3.1	<1.6	<0.62	<1.6	<0.31	NA	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	0.86 J	NA	<0.14	<0.14
1,2-Dibromoethane	<1.8	<0.36	<1.8	<1.8	<3.6	<1.8	<0.72	<1.8	<0.36	NA	<0.36	<0.36
1,2-Dichlorobenzene	<1.4	<0.27	<1.4	<1.4	<2.7	<1.4	<0.54	<1.4	<0.27	NA	<0.27	<0.27
1,2-Dichloropropane	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	<0.2	NA	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36	<0.90	<0.18	NA	<0.18	<0.18
Benzene	<0.37	0.25 J	<0.37	<0.37	<0.74	<0.37	<0.15	<0.37	1.1	NA	<0.074	<0.074
Bromoform	<1.4	<0.28	<1.4	<1.4	<2.8	<1.4	<0.56	<1.4	<0.28	NA	<0.28	<0.28
Bromomethane	<1.6	<0.31	<1.6 *	<1.6	<3.1	<1.6	<0.62	<1.6	<0.31	NA	<0.31	<0.31
Carbon tetrachloride	<1.3	<0.26	<1.3	<1.3	<2.6	<1.3	<0.52	<1.3	<0.26	NA	<0.26	<0.26
Chloroform	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	1	NA	0.91 J	1.4
Chloromethane	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36	<0.90	<0.18	NA	<0.18	<0.18
cis-1,2-Dichloroethene	300	<0.12	<0.6	<0.6	190	220	110	110	1.8	NA	6.1	3.8
Dichlorodifluoromethane	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	<0.2	NA	<0.2	<0.2
Ethylbenzene	<0.65	0.62	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	0.5	NA	<0.13	<0.13
Isopropylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	<0.14	NA	<0.14	<0.14
Methyl tert-butyl ether	<1.2	<0.24	<1.2	<1.2	<2.4	<1.2	<0.48	<1.2	<0.24	NA	<0.24	<0.24
Methylene Chloride	<3.4	<0.68	<3.4	<3.4	<6.8	<3.4	<1.4	<3.4	<0.68	NA	<0.68	<0.68
Naphthalene	<0.8	<0.16	<0.8	<0.8	<1.6	<0.8	<0.32	<0.80	<0.16	NA	<0.16	<0.16
n-Butylbenzene	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	<0.13	NA	<0.13	<0.13
N-Propylbenzene	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	<0.13	NA	<0.13	<0.13
p-Isopropyltoluene	<0.85	<0.17	<0.85	<0.85	<1.7	<0.85	<0.34	<0.85	<0.17	NA	<0.17	<0.17
sec-Butylbenzene	<0.75	<0.15	<0.75	<0.75	<1.5	<0.75	<0.3	<0.75	<0.15	NA	<0.15	<0.15
Styrene	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2	<0.50	<0.1	NA	<0.1	<0.1
tert-Butylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	<0.14	NA	<0.14	<0.14
Tetrachloroethene	2,600	1,200	3,900	2,200	3,500	2,500	1,500	1,900	180	NA	160	210
Toluene	<0.55	0.48 J	<0.55	<0.55	<1.1	<0.55	<0.22	<0.55	1.7	NA	<0.11	<0.11
trans-1,2-Dichloroethene	2.7 J	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5	<1.3	<0.25	NA	<0.25	<0.25
Trichloroethene	160	<0.19	11	14	150	210	120	130	4.8	NA	5.4	8.5
Vinyl chloride	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2	<0.50	<0.1	NA	<0.1	<0.1
Xylenes, Total	<0.34	4.3	<0.34	<0.34	<0.68	<0.34	<0.14	<0.34	1.5	NA	<0.068	<0.068

Footnotes on Page 68.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-21D2								MW-22S			
	Sample Interval (feet bls)	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	25-35'	25-35'	25-35'	25-35'
Sample Date	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013	4/15/2014	1/15/2013	3/7/2013	4/19/2013	7/16/2013
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	12	<0.033	4	<0.064
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	<0.49	13	<0.19	<0.19
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	<0.69	<0.099	<0.19	4.7
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.037	<0.068	<0.065
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11	<0.2	<0.19
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11	<0.2	<0.19
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11	<0.2	<0.19
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11	<0.2	<0.19
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11	<0.2	<0.19
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.038	<0.071	<0.068

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-22S (continued)			MW-22D						MW-23S		
	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	25-35'	25-35'	25-35'
	10/10/2013	4/18/2014	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013	4/18/2014	4/18/2014	1/15/2013	4/19/2013	7/16/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	NA	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	NA	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	NA	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	NA	<0.074	<0.074	<0.074	<0.074	<0.074	0.73	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	NA	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	0.47 J	NA	<0.18	<0.18	<0.18	<0.18	<0.18	1.2	<0.18	<0.18
cis-1,2-Dichloroethene	97	46	3.6	NA	4.9	3.7	<0.12	2.6	2.5	<0.12	3.7	29
Dichlorodifluoromethane	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13	<0.13	0.43 J	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	NA	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	NA	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	NA	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	NA	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	NA	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.10	<0.1	NA	<0.1	<0.1	<0.1	<0.10	<0.10	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	13	23	520	NA	450	270	190	430	450	290	580	420
Toluene	<0.11	<0.11	<0.11	NA	<0.11	0.37 J	<0.11	<0.11	<0.11	1.3	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	6.1	4.2	5.8	NA	5.8	5	4.9	6.8	6.7	0.64	1.4	20
Vinyl chloride	<0.1	<0.10	<0.1	NA	<0.1	<0.1	<0.1	<0.10	<0.10	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	NA	<0.068	<0.068	<0.068	<0.068	<0.068	0.95 J	<0.068	<0.068

Footnotes on Page 70.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-22S (continued)			MW-22D						MW-23S		
	Sample Interval (feet bls)											
Sample Date	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	25-35'	25-35'	25-35'
	10/10/2013	4/18/2014	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013	4/18/2014	4/18/2014	1/15/2013	4/19/2013	7/16/2013
Total PCBs												
Aroclor 1016	<0.064	<0.065	2.4	<0.033	<0.064	<0.063	<0.063	<0.065	NA	<0.19	NA	<0.063
Aroclor 1232	12	<0.20	<0.092	2.6	<0.19	<0.19	3.3	<0.19	NA	<0.11	NA	<0.19
Aroclor 1242	<0.19	7.1	<0.13	<0.1	<0.19	0.97	<0.19	<0.19	NA	<0.15	NA	<0.19
Dissolved PCBs												
Aroclor 1016	<0.063	<0.067	NA	<0.033	<0.064	<0.064	<0.065	<0.066	NA	NA	NA	<0.063
Aroclor 1221	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20	NA	NA	NA	<0.19
Aroclor 1232	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20	NA	NA	NA	<0.19
Aroclor 1242	<0.19	0.28 J	NA	<0.1	<0.19	<0.19	<0.19	<0.20	NA	NA	NA	<0.19
Aroclor 1248	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20	NA	NA	NA	<0.19
Aroclor 1254	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20	NA	NA	NA	0.48
Aroclor 1260	<0.066	<0.070	NA	<0.035	<0.067	<0.067	<0.068	<0.069	NA	NA	NA	<0.066

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-23S (continued)			MW-23D						MW-24		
	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	30-40'	30-40'
Sample Interval (feet bls)	9/5/2013	10/10/2013	4/18/2014	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013	10/10/2013	4/18/2014	4/29/2013	7/19/2013
Sample Date	9/5/2013	10/10/2013	4/18/2014	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013	10/10/2013	4/18/2014	4/29/2013	7/19/2013
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	1.8	<0.28	<0.28	NA	<0.28	NA	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	NA	<0.36	NA	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	NA	<0.27	NA	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2	<0.2	<0.20	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	0.32 J	NA	<0.074	NA	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	NA	<0.28	NA	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	NA	<0.26	NA	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2	<0.2	<0.20	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	27	16	16	<0.12	NA	<0.12	NA	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2	<0.2	<0.20	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	0.20 J	NA	<0.13	NA	<0.13	<0.13	<0.13	<0.13	0.31 J
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	NA	<0.24	NA	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	NA	<0.68	NA	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	NA	<0.16	NA	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	NA	<0.17	NA	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	NA	<0.15	NA	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.10	<0.1	NA	<0.1	NA	<0.1	<0.1	<0.10	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	240	130	210	100	NA	86	NA	170	160	190	3	3
Toluene	<0.11	<0.11	<0.11	0.6	NA	<0.11	NA	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	17	15	11	<0.19	NA	0.53	NA	0.21 J	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.1	<0.10	<0.1	NA	<0.1	NA	<0.1	<0.1	<0.10	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	0.68 J	NA	<0.068	NA	<0.068	<0.068	<0.068	<0.068	0.37 J

Footnotes on Page 72.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-23S (continued)			MW-23D						MW-24		
	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'	30-40'	30-40'
Sample Interval (feet bls)	9/5/2013	10/10/2013	4/18/2014	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013	10/10/2013	4/18/2014	4/29/2013	7/19/2013
Total PCBs												
Aroclor 1016	<0.028	<0.066	NA	<0.16	<0.034	NA	<0.065	<0.067 *	<0.064	NA	NA	NA
Aroclor 1232	<0.083	<0.2	NA	<0.089	<0.1	NA	<0.19	<0.2	<0.19	NA	NA	NA
Aroclor 1242	<0.083	<0.2	NA	0.24 J	<0.1	NA	<0.19	<0.2	<0.19	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	<0.026	<0.064	NA	NA	<0.034	NA	<0.066	<0.068 *	<0.065	NA	NA	NA
Aroclor 1221	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2	<0.19	NA	NA	NA
Aroclor 1232	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2	<0.19	NA	NA	NA
Aroclor 1242	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2	<0.19	NA	NA	NA
Aroclor 1248	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2	<0.19	NA	NA	NA
Aroclor 1254	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2	<0.19	NA	NA	NA
Aroclor 1260	<0.027	<0.067	NA	NA	<0.035	NA	<0.069 *	<0.071	<0.067	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-24 (continued)		MW-25D					MW-25D2				
	Sample Interval (feet bls)		120-130'	120-130'	120-130'	120-130'	120-130'	160-170'	160-170'	160-170'	160-170'	160-170'
	30-40'	30-40'	5/6/2013	7/19/2013	10/9/2013	4/21/2014	7/9/2014	5/6/2013	7/19/2013	10/4/2013	4/21/2014	7/10/2014
VOCs (µg/L)												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	0.35 J	<0.13	<0.13	<0.13	<0.13	0.47 J
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	5.3	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10	<0.10	<0.1	<0.1	<0.1	<0.10	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	3.3	2.8	0.76 J	2.8	3.1	1.3	1.2	<0.17	<0.17	<0.17	<0.17	<0.17
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	0.49 J	<0.11	<0.11	<0.11	<0.11	0.63
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10	<0.10	<0.1	<0.1	<0.1	<0.10	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	0.36 J	<0.068	<0.068	1.6	<0.068	<0.068	<0.068	<0.068	2.5

Footnotes on Page 74.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-24 (continued)		MW-25D					MW-25D2				
	Sample Interval (feet bls)	30-40'	30-40'	120-130'	120-130'	120-130'	120-130'	120-130'	160-170'	160-170'	160-170'	160-170'
Sample Date	10/8/2013	4/17/2014	5/6/2013	7/19/2013	10/9/2013	4/21/2014	7/9/2014	5/6/2013	7/19/2013	10/4/2013	4/21/2014	7/10/2014
Total PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-26S				MW-27D			MW-27D2			
	7-17'	7-17'	7-17'	7-17'	130-140'	130-140'	130-140'	170-180'	170-180'	170-180'	170-180'
Sample Interval (feet bls)	8/23/2013	10/9/2013	4/22/2014	7/10/2014	12/26/2013	4/18/2014	7/9/2014	12/26/2013	4/18/2014	7/9/2014	7/9/2014
Sample Date	8/23/2013	10/9/2013	4/22/2014	7/10/2014	12/26/2013	4/18/2014	7/9/2014	12/26/2013	4/18/2014	7/9/2014	7/9/2014
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.22	<0.20	<0.20	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	0.85 J	2.6	2.5	3.7	12	11	11
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	0.55	<0.13	<0.13	0.33 J	0.36 J
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	1.3	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	1.4	<0.17	<0.17	<0.17	1.8	5.4	5.0	11	44	36	35
Toluene	<0.11	<0.11	<0.11	<0.11	0.53	<0.11	0.47 J	0.20 J	<0.11	0.43 J	0.41 J
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	1.3	3.5	3.5	7.2	25	21	20
Vinyl chloride	<0.1	<0.1	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	3.0	<0.068	<0.068	1.6	1.6

Footnotes on Page 76.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-26S				MW-27D			MW-27D2			
	7-17'	7-17'	7-17'	7-17'	130-140'	130-140'	130-140'	170-180'	170-180'	170-180'	170-180'
Sample Interval (feet bls)	8/23/2013	10/9/2013	4/22/2014	7/10/2014	12/26/2013	4/18/2014	7/9/2014	12/26/2013	4/18/2014	7/9/2014	7/9/2014
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* The laboratory control sample or laboratory control sample duplicate exceeds the control limits.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.