



**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S
Screen Interval (feet bgs)	Preventive	Enforcement	19-29	19-29	19-29	19-29	19-29	19-29	19-29	19-29	19-29
Sample Date	Action Limit	Standard	04/08/2010	03/30/2011	04/11/2012	01/14/2013	04/20/2013	07/18/2013	10/10/2013	04/17/2014	10/16/2014
<b>VOCs</b>											
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
Methylene chloride	0.5	5	< 1	< 1	<b>8.6</b>	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	< 0.25	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	<b>1.6</b>	<b>1.3</b>	<b>1.2</b>	<b>1.3</b>	<b>1.3</b>	<b>0.81 J</b>	<b>1.1</b>	<b>1.3</b>	<b>1</b>
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068
<b>Total PCBs</b>											
Aroclor-1016	0.003	0.03	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	ND	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.















**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-4S	MW-4S <sup>3</sup>	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S
Screen Interval (feet bgs)	Preventive	Enforcement	35-50	35-50	35-50	35-50	35-50	35-50	35-50	35-50	35-50	35-50
Sample Date	Action Limit	Standard	04/08/2010	04/08/2010	03/30/2011	04/10/2012	01/15/2013	04/18/2013	07/18/2013	10/08/2013	04/17/2014	10/17/2014
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.5	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31*	< 0.31*
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Chloromethane	3	30	< 0.3	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24*
Methylene chloride	0.5	5	< 1	< 1	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	1.4	1.4	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.5	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	<b>1.5</b>	<b>1.7</b>	<b>1.6</b>	<b>0.96 J</b>	<b>1.4</b>	<b>1.8</b>	<b>0.90 J</b>	<b>1.2</b>	<b>1.9</b>	<b>1.4</b>
Toluene	160	800	< 0.5	< 0.5	< 0.5	0.20 J	< 0.11	< 0.11	0.26 J	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	0.28 J	< 0.068	< 0.068	< 0.068
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	< 0.091	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.

**Table 1  
Groundwater Analytical Results Summary  
Madison-Kipp Corporation  
Madison, Wisconsin**

Well ID			MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D
Screen Interval (feet bgs)	Preventive	Enforcement	65-70	65-70	65-70	65-70	65-70	65-70	65-70	65-70	65-70
Sample Date	Action Limit	Standard	04/08/2010	03/30/2011	04/10/2012	01/16/2013	04/18/2013	07/17/2013	10/08/2013	04/17/2014	10/17/2014
<b>VOCs</b>											
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
1,1-Dichloroethene	0.7	7	< 0.5	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2-Dichlorobenzene	60	600	< 0.2	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dichloropropane	0.5	5	< 0.5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.2	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074
Bromodichloromethane	0.06	0.6	< 0.2	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Bromoform	0.44	4.4	< 0.2	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Bromomethane	1	10	< 0.5	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31*
Carbon tetrachloride	0.5	5	< 0.8	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroform	0.6	6	< 0.2	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Chloromethane	3	30	< 0.3	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Dichlorodifluoromethane	200	1000	< 0.5	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20
Ethylbenzene	140	700	< 0.5	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Isopropylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.5	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24*
Methylene chloride	0.5	5	< 1	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68
Naphthalene	10	100	< 0.25	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
n-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
n-Propylbenzene	NE	NE	< 0.5	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
sec-Butylbenzene	NE	NE	< 0.25	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Styrene	10	100	< 0.5	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
tert-Butylbenzene	NE	NE	< 0.2	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Tetrachloroethene	0.5	5	<b>0.9</b>	<b>0.7</b>	< 0.22	< 0.17	<b>0.51 J</b>	< 0.17	< 0.17	<b>0.58 J</b>	< 0.17
Toluene	160	800	< 0.5	< 0.5	< 0.15	< 0.11	< 0.11	0.36 J	< 0.11	< 0.11	< 0.11
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Trichloroethene	0.5	5	< 0.2	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Vinyl chloride	0.02	0.2	< 0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10
Xylenes, Total	400	2000	< 0.5	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068
<b>Total PCBs</b>											
Aroclor-1016	0.003	0.03	NA	NA	NA	< 0.17	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	< 0.093	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	< 0.13	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	ND	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.

**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2	MW-4D2
Screen Interval (feet bgs)	Preventive	Enforcement	91-96	91-96	91-96	91-96	91-96	91-96	91-96	91-96	91-96	91-96
Sample Date	Action Limit	Standard	03/30/2011	04/10/2012	01/16/2013	04/18/2013	07/18/2013	10/07/2013	04/17/2014	10/17/2014	10/21/2015	01/22/2016
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.31	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11
1,1,2-Trichloroethane	0.5	5	< 0.25	< 0.3	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10
1,1-Dichloroethene	0.7	7	< 0.5	< 0.29	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.2	< 0.22	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.2	< 0.45	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13
1,2-Dichlorobenzene	60	600	< 0.2	< 0.21	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076
1,2-Dichloropropane	0.5	5	< 0.5	< 0.36	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.43	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.25	< 0.36	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.25	< 0.22	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.2	< 0.23	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 3.4
Benzene	0.5	5	< 0.2	< 0.12	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089
Bromodichloromethane	0.06	0.6	< 0.2	< 0.23	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077
Bromoform	0.44	4.4	< 0.2	< 0.45	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088
Bromomethane	1	10	< 0.5	< 0.49	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31*	< 0.80	< 0.59
Carbon tetrachloride	0.5	5	< 0.8	< 0.28	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038
Chloroform	0.6	6	< 0.2	< 0.25	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.37	< 0.062
Chloromethane	3	30	< 0.3	< 0.24	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16
cis-1,2-Dichloroethene	7	70	< 0.5	< 0.22	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.41	< 0.11
Dichlorodifluoromethane	200	1000	< 0.5	< 0.26	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.54	< 0.11
Ethylbenzene	140	700	< 0.5	< 0.14	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	0.40 J	< 0.054
Isopropylbenzene	NE	NE	< 0.2	< 0.21	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057
Methyl tert-butyl ether	12	60	< 0.5	< 0.28	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24*	< 0.39	< 0.14
Methylene chloride	0.5	5	< 1	< 0.63	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	< 0.14
Naphthalene	10	100	< 0.25	< 0.24	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088
n-Butylbenzene	NE	NE	< 0.2	< 0.21	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14
n-Propylbenzene	NE	NE	< 0.5	< 0.19	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058
p-Isopropyltoluene	NE	NE	< 0.2	< 0.24	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085
sec-Butylbenzene	NE	NE	< 0.25	< 0.19	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13
Styrene	10	100	< 0.5	< 0.26	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.39	< 0.065
tert-Butylbenzene	NE	NE	< 0.2	< 0.24	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12
Tetrachloroethene	0.5	5	<b>1.9</b>	<b>0.73 J</b>	<b>1.2</b>	<b>0.92 J</b>	<b>1.2</b>	<b>0.84 J</b>	<b>1.5</b>	<b>1</b>	0.48 J	<b>0.8</b>
Toluene	160	800	< 0.5	0.40 J	< 0.11	0.45 J	0.39 J	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.5	< 0.27	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	< 0.11
Trichloroethene	0.5	5	< 0.2	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.16	< 0.062
Vinyl chloride	0.02	0.2	< 0.2	< 0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.20	< 0.16
Xylenes, Total	400	2000	< 0.5	< 0.3	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	1.8	NA
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	< 0.16	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	< 0.087	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	< 0.12	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.





**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2	MW-5D2 <sup>3</sup>
Screen Interval (feet bgs)	Preventive	Enforcement	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8	165.8-170.8
Sample Date	Action Limit	Standard	01/17/2013	02/13/2013	04/19/2013	07/18/2013	10/09/2013	04/15/2014	10/21/2014	04/15/2015	10/22/2015	01/21/2016
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.5	< 0.25	< 0.50	< 0.25	< 0.50	< 0.92	< 1.1
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.56	< 0.70	< 1.0
1,1-Dichloroethene	0.7	7	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 0.78	< 1.4
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.72	< 0.60
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.72	< 0.36	< 0.72	< 0.36	< 0.72	< 0.77	< 1.3
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.54	< 0.27	< 0.54	< 0.27	< 0.54	< 0.67	< 0.76
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 0.86	< 1.0
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.48	< 0.92	< 0.45
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 0.68	< 0.77
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.36	< 0.51	< 0.75
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 9.5
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 34
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.15	< 0.074	< 0.15	< 0.074	< 0.15	< 0.29	< 0.89
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.34	< 0.74	< 0.77
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.56	< 0.28	< 0.56	< 0.28	< 0.56	< 0.97	< 0.88
Bromomethane	1	10	< 0.31	< 0.31*	< 0.31	< 0.62	< 0.31	< 0.62	< 0.31	< 0.62	< 1.6	< 5.9
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.52	< 0.26	< 0.52	< 0.26	< 0.52	< 0.77	< 0.38
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 0.74	< 0.62
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.36	< 0.18	< 0.36	< 0.18	< 0.36	< 0.64	< 1.6
cis-1,2-Dichloroethene	7	70	6.6	<b>9.2</b>	4.7	3.6	1.5	< 0.24	0.79 J	2.1	2.9	1.4 J
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.4	< 0.2	< 0.40	< 0.20	< 0.40	< 1.1	< 1.1
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.37	< 0.54
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.77	< 0.81
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.57
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.48	< 0.24	< 0.48	< 0.24	< 0.48	< 0.79	< 1.4
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 1.4	<b>5.7</b>	< 1.4	< 0.68	< 1.4	< 3.3	< 1.4
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.32	< 0.16	< 0.32	< 0.16	< 0.32	< 0.67	< 0.88
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.78	< 1.4
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.26	< 0.13	< 0.26	< 0.13	< 0.26	< 0.83	< 1.0
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.58
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.34	< 0.17	< 0.34	< 0.17	< 0.34	< 0.72	< 0.85
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.3	< 0.15	< 0.30	< 0.15	< 0.30	< 0.80	< 1.3
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.2	< 0.1	< 0.20	< 0.10	< 0.20	< 0.77	< 0.65
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.28	< 0.14	< 0.28	< 0.14	< 0.28	< 0.80	< 1.2
Tetrachloroethene	0.5	5	<b>650</b>	<b>650</b>	<b>640</b>	<b>710</b>	<b>110</b>	<b>520</b>	<b>47</b>	<b>700</b>	<b>640</b>	<b>380</b>
Toluene	160	800	0.70	0.22 J	0.35 J	2.4	0.43 J	< 0.22	< 0.11	< 0.22	< 0.30	< 0.53
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.5	< 0.25	< 0.50	< 0.25	< 0.50	< 0.70	< 1.1
Trichloroethene	0.5	5	<b>9.5</b>	<b>8.4</b>	<b>7.4</b>	<b>8.1</b>	<b>6.1</b>	<b>7.1</b>	<b>2.2</b>	<b>8.2</b>	<b>9.1</b>	<b>4.7 J</b>
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.2	< 0.1	< 0.20	< 0.10	< 0.20	< 0.41	< 1.6
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	< 0.14	< 0.068	< 0.14	< 0.068	< 0.14	< 0.44	NA
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	< 0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.









**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	Screen Interval (feet bgs)	Preventive Action Limit	Enforcement Standard	MW-6D <sup>3</sup>	MW-6D	MW-6D <sup>3</sup>	MW-6D
				65.5-70.5	65.5-70.5	65.5-70.5	65.5-70.5
Sample Date				04/14/2015	10/22/2015	10/22/2015	01/22/2016
<b>VOCs</b>							
1,1,1,2-Tetrachloroethane	7	70		< 0.50	< 0.46	< 0.92	< 2.2
1,1,2-Trichloroethane	0.5	5		< 0.56	< 0.35	< 0.70	< 2.0
1,1-Dichloroethene	0.7	7		< 0.62	< 0.39	< 0.78	< 2.8
1,2,4-Trimethylbenzene	96	480		4.2	6.9	6.6	9.0 J
1,2-Dibromoethane	0.005	0.05		< 0.72	< 0.39	< 0.77	< 2.6
1,2-Dichlorobenzene	60	600		< 0.54	< 0.33	< 0.67	< 1.5
1,2-Dichloropropane	0.5	5		< 0.40	< 0.43	< 0.86	< 2.0
1,2,3-Trichlorobenzene	NE	NE		< 0.48	< 0.46	< 0.92	< 0.90
1,2,4-Trichlorobenzene	14	70		< 0.62	< 0.34	< 0.68	< 1.5
1,3,5-Trimethylbenzene	96	480		< 0.36	< 0.25	< 0.51	< 1.5
2-Hexanone	NE	NE		NA	NA	NA	< 19
Acetone	1800	9000		NA	NA	NA	< 68
Benzene	0.5	5		<b>700</b>	<b>660</b>	<b>560</b>	<b>610</b>
Bromodichloromethane	0.06	0.6		< 0.34	< 0.37	< 0.74	< 1.5
Bromoform	0.44	4.4		< 0.56	< 0.48	< 0.97	< 1.8
Bromomethane	1	10		< 0.62	< 0.80	< 1.6	< 12
Carbon tetrachloride	0.5	5		< 0.52	< 0.38	< 0.77	< 0.76
Chloroform	0.6	6		< 0.40	< 0.37	< 0.74	< 1.2
Chloromethane	3	30		< 0.36	< 0.32	< 0.64	< 3.2
cis-1,2-Dichloroethene	7	70		3.4	3.1	3.2	3.6 J
Dichlorodifluoromethane	200	1000		< 0.40	< 0.54	< 1.1	< 2.2
Ethylbenzene	140	700		3.5	4.7	4.5	4.0 J
Isopropylbenzene	NE	NE		13	17	16	5.8 J
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	8.2 J
Methyl tert-butyl ether	12	60		< 0.48	< 0.39	< 0.79	< 2.8
Methylene chloride	0.5	5		< 1.4	< 1.6	< 3.3	< 2.8
Naphthalene	10	100		< 0.32	2.9	2.6	< 1.8
n-Butylbenzene	NE	NE		< 0.26	< 0.39	< 0.78	< 2.8
n-Propylbenzene	NE	NE		4.0	5.5	5.5	2.6 J
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	2.6 J
p-Isopropyltoluene	NE	NE		< 0.34	< 0.36	< 0.72	< 1.7
sec-Butylbenzene	NE	NE		< 0.30	2.3	2.3	< 2.6
Styrene	10	100		< 0.20	< 0.39	< 0.77	< 1.3
tert-Butylbenzene	NE	NE		< 0.28	< 0.40	< 0.80	< 2.4
Tetrachloroethene	0.5	5		< 0.34	<b>0.97 J</b>	<b>1.6 J</b>	<b>1.8 J</b>
Toluene	160	800		17	22	22	13
trans-1,2-Dichloroethene	20	100		< 0.50	< 0.35	< 0.70	< 2.2
Trichloroethene	0.5	5		<b>22</b>	<b>19</b>	<b>18</b>	<b>8.4 J</b>
Vinyl chloride	0.02	0.2		< 0.20	< 0.20	< 0.41	< 3.2
Xylenes, Total	400	2000		9.1	16	16	NA
<b>Total PCBs</b>							
Aroclor-1016	0.003	0.03		NA	NA	NA	NA
Aroclor-1232	0.003	0.03		NA	NA	NA	NA
Aroclor-1242	0.003	0.03		NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA
<b>Dissolved PCBs</b>							
Aroclor-1016	0.003	0.03		NA	NA	NA	NA
Aroclor-1232	0.003	0.003		NA	NA	NA	NA
Aroclor-1242	0.003	0.003		NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA
Notes on Page 50.							





Table 1  
Groundwater Analytical Results Summary  
Madison-Kipp Corporation  
Madison, Wisconsin

Table with columns: Well ID, Screen Interval (feet bgs), Preventive Action Limit, Enforcement Standard, MW-9D2 (64-69), MW-10S (11-21). Rows include VOCs (1,1,1,2-Tetrachloroethane, 1,1,2-Trichloroethane, etc.), PCBs (Total PCBs, Aroclor-1016, etc.), and Dissolved PCBs. Includes numerical data and 'NA' for non-analyzable.

Notes on Page 50.











**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13
Screen Interval (feet bgs)	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106	102 - 106
Sample Date	12/04/2012	01/18/2013	02/21/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015	
Preventive Action Limit	Enforcement Standard										
<b>VOCs</b>											
1,1,1,2-Tetrachloroethane	7	70	< 1.3	< 0.5	< 0.5	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 4.6
1,1,2-Trichloroethane	0.5	5	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 3.5
1,1-Dichloroethane	0.7	7	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 3.9
1,2,4-Trimethylbenzene	96	480	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 3.6
1,2-Dibromoethane	0.005	0.05	< 1.8	< 0.72	< 0.72	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 3.9
1,2-Dichlorobenzene	60	600	< 1.4	< 0.54	< 0.54	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 3.3
1,2-Dichloropropane	0.5	5	< 1	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 4.3
1,2,3-Trichlorobenzene	NE	NE	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 4.6
1,2,4-Trichlorobenzene	14	70	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 3.4
1,3,5-Trimethylbenzene	96	480	< 0.9	< 0.36	< 0.36	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 2.5
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.37	< 0.15	< 0.15	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 1.5
Bromodichloromethane	0.06	0.6	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 3.7
Bromoform	0.44	4.4	< 1.4	< 0.56	< 0.56	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 4.8
Bromomethane	1	10	< 1.6	< 0.62	< 0.62	< 1.6	< 1.6	< 1.6	< 1.6*	< 1.6	< 8.0
Carbon tetrachloride	0.5	5	< 1.3	< 0.52	< 0.52	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 3.8
Chloroform	0.6	6	< 1	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 3.7
Chloromethane	3	30	< 0.9	< 0.36	< 0.36	< 0.9	< 0.9	< 0.90	< 0.90	< 0.90	< 3.2
cis-1,2-Dichloroethene	7	70	<b>1100</b>	<b>690</b>	<b>520</b>	<b>720</b>	<b>660</b>	<b>600</b>	<b>770</b>	<b>730</b>	<b>980</b>
Dichlorodifluoromethane	200	1000	< 1	< 0.4	< 0.4	< 1	< 1	< 1.0	< 1.0	< 1.0	< 5.4
Ethylbenzene	140	700	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 1.8
Isopropylbenzene	NE	NE	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 3.9
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 1.2	< 0.48	< 0.48	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 3.9
Methylene chloride	0.5	5	< 3.4	< 1.4	< 1.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 16
Naphthalene	10	100	< 0.8	< 0.32	< 0.32	< 0.8	< 0.8	< 0.80	< 0.80	< 0.80	< 3.4
n-Butylbenzene	NE	NE	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 3.9
n-Propylbenzene	NE	NE	< 0.65	< 0.26	< 0.26	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 4.1
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.85	< 0.34	< 0.34	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 3.6
sec-Butylbenzene	NE	NE	< 0.75	< 0.3	< 0.3	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 4.0
Styrene	10	100	< 0.5	< 0.2	< 0.2	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 3.9
tert-Butylbenzene	NE	NE	< 0.7	< 0.28	< 0.28	< 0.7	< 0.7	< 0.70	< 0.70	< 0.70	< 4.0
Tetrachloroethene	0.5	5	<b>1800</b>	<b>1100</b>	<b>670</b>	<b>1400</b>	<b>1500</b>	<b>1900</b>	<b>1600</b>	<b>2000</b>	<b>2100</b>
Toluene	160	800	< 0.55	< 0.22	< 0.22	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 1.5
trans-1,2-Dichloroethene	20	100	15	9.5	4.8	6.6	6.0	7.0	9.8	8.1	< 3.5
Trichloroethene	0.5	5	<b>440</b>	<b>330</b>	<b>270</b>	<b>500</b>	<b>450</b>	<b>490</b>	<b>580</b>	<b>530</b>	<b>680</b>
Vinyl chloride	0.02	0.2	<b>33</b>	<b>23</b>	<b>13</b>	<b>20</b>	<b>19</b>	<b>20</b>	<b>23</b>	<b>22</b>	<b>41</b>
Xylenes, Total	400	2000	< 0.34	< 0.14	< 0.14	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 2.2
<b>Total PCBs</b>											
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.083	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	ND	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA
Notes on Page 50.											

**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	MP-13	MP-13 <sup>3</sup>	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	MP-13	
Screen Interval (feet bgs)	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	121 - 125	
Sample Date	12/04/2012	12/04/2012	01/18/2013	04/17/2013	07/22/2013	10/07/2013	04/16/2014	10/14/2014	04/14/2015	10/16/2015		
Preventive Action Limit	Enforcement Standard											
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 1.3	< 1.3	< 5	< 2.5	1.1	< 5.0	< 2.5	< 2.5	< 9.2
1,1,2-Trichloroethane	0.5	5	< 0.56	< 1.4	< 1.4	< 5.6	< 2.8	< 0.28	< 5.6	< 2.8	< 2.8	< 7.0
1,1-Dichloroethane	0.7	7	< 0.62	< 1.6	< 1.6	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1	< 3.1	< 7.8
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.7	< 0.7	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 7.2
1,2-Dibromoethane	0.005	0.05	< 0.72	< 1.8	< 1.8	< 7.2	< 3.6	< 0.36	< 7.2	< 3.6	< 3.6	< 7.7
1,2-Dichlorobenzene	60	600	< 0.54	< 1.4	< 1.4	< 5.4	< 2.7	< 0.27	< 5.4	< 2.7	< 2.7	< 6.7
1,2-Dichloropropane	0.5	5	< 0.4	< 1	< 1	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 8.6
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 1.2	< 1.2	< 4.8	< 2.4	< 0.24	< 4.8	< 2.4	< 2.4	< 9.2
1,2,4-Trichlorobenzene	14	70	< 0.62	< 1.6	< 1.6	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1	< 3.1	< 6.8
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.9	< 0.9	< 3.6	< 1.8	< 0.18	< 3.6	< 1.8	< 1.8	< 5.1
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	< 0.37	< 0.37	< 1.5	< 0.74	0.29 J	< 1.5	< 0.74	< 0.74	< 2.9
Bromodichloromethane	0.06	0.6	< 0.34	< 0.85	< 0.85	< 3.4	< 1.7	< 0.17	< 3.4	< 1.7	< 1.7	< 7.4
Bromoform	0.44	4.4	< 0.56	< 1.4	< 1.4	< 5.6	< 2.8	< 0.28	< 5.6	< 2.8	< 2.8	< 9.7
Bromomethane	1	10	< 0.62	< 1.6	< 1.6	< 6.2	< 3.1	< 0.31	< 6.2	< 3.1*	< 3.1	< 16
Carbon tetrachloride	0.5	5	< 0.52	< 1.3	< 1.3	< 5.2	< 2.6	< 0.26	< 5.2	< 2.6	< 2.6	< 7.7
Chloroform	0.6	6	< 0.4	< 1	< 1	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 7.4
Chloromethane	3	30	< 0.36	< 0.9	< 0.9	< 3.6	< 1.8	< 0.18	< 3.6	< 1.8	< 1.8	< 6.4
cis-1,2-Dichloroethene	7	70	<b>910</b>	<b>970</b>	<b>1000</b>	<b>930</b>	<b>760</b>	<b>650</b>	<b>720</b>	<b>630</b>	<b>690</b>	<b>820</b>
Dichlorodifluoromethane	200	1000	< 0.4	< 1	< 1	< 4	< 2	< 0.2	< 4.0	< 2.0	< 2.0	< 11
Ethylbenzene	140	700	< 0.26	< 0.65	< 0.65	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 3.7
Isopropylbenzene	NE	NE	< 0.28	< 0.7	< 0.7	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 7.7
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	< 1.2	< 1.2	< 4.8	< 2.4	< 0.24	< 4.8	< 2.4	< 2.4	< 7.9
Methylene chloride	0.5	5	< 1.4	< 3.4	< 3.4	< 14	< 6.8	< 0.68	< 14	< 6.8	< 6.8	< 33
Naphthalene	10	100	< 0.32	< 0.8	< 0.8	< 3.2	< 1.6	< 0.16	< 3.2	< 1.6	< 1.6	< 6.7
n-Butylbenzene	NE	NE	< 0.26	< 0.65	< 0.65	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 7.8
n-Propylbenzene	NE	NE	< 0.26	< 0.65	< 0.65	< 2.6	< 1.3	< 0.13	< 2.6	< 1.3	< 1.3	< 8.3
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	< 0.85	< 0.85	< 3.4	< 1.7	< 0.17	< 3.4	< 1.7	< 1.7	< 7.2
sec-Butylbenzene	NE	NE	< 0.3	< 0.75	< 0.75	< 3	< 1.5	< 0.15	< 3.0	< 1.5	< 1.5	< 8.0
Styrene	10	100	< 0.2	< 0.5	< 0.5	< 2	< 1	< 0.1	< 2.0	< 1.0	< 1.0	< 7.7
tert-Butylbenzene	NE	NE	< 0.28	< 0.7	< 0.7	< 2.8	< 1.4	< 0.14	< 2.8	< 1.4	< 1.4	< 8.0
Tetrachloroethene	0.5	5	<b>1500</b>	<b>1500</b>	<b>2600</b>	<b>700</b>	<b>6300</b>	<b>6500</b>	<b>6700</b>	<b>4800</b>	<b>4300</b>	<b>12000</b>
Toluene	160	800	< 0.22	< 0.55	< 0.55	< 2.2	< 1.1	< 0.11	< 2.2	< 1.1	< 1.1	< 3.0
trans-1,2-Dichloroethene	20	100	12	15	17	12 J	12	9.7	10 J	6.7 J	< 2.5	< 7.0
Trichloroethene	0.5	5	<b>340</b>	<b>370</b>	<b>460</b>	<b>600</b>	<b>510</b>	<b>550</b>	<b>710</b>	<b>520</b>	<b>640</b>	<b>1100</b>
Vinyl chloride	0.02	0.2	<b>36</b>	<b>37</b>	<b>54</b>	<b>13</b>	<b>9.3</b>	<b>8.1</b>	<b>6.2 J</b>	< 1.0	<b>11</b>	< 4.1
Xylenes, Total	400	2000	< 0.14	< 0.34	< 0.34	< 1.4	< 0.68	< 0.068	< 1.4	< 0.68	< 0.68	< 4.4
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	< 0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.084	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.12	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Notes on Page 50.												





















**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	Screen Interval (feet bgs)	Preventive Action Limit	Enforcement Standard	MW-19D	MW-19D	MW-19D <sup>1</sup>	MW-19D <sup>1</sup>	MW-19D	MW-19D	MW-19D	MW-19D <sup>1</sup>	MW-19D
				60-90	60-90	60-90	60-90	60-90	60-90	60-90	60-90	60-90
Sample Date				11/29/2012	01/16/2013	02/11/2013	03/11/2013	04/19/2013	07/17/2013	10/09/2013	04/17/2014	10/21/2014
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70		< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.50
1,1,2-Trichloroethane	0.5	5		< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.56
1,1-Dichloroethene	0.7	7		< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480		< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.28
1,2-Dibromoethane	0.005	0.05		< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600		< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1.0
1,2,3-Trichlorobenzene	NE	NE		< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70		< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480		< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.36
2-Hexanone	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000		NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5		< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6		< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.34
Bromoform	0.44	4.4		< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 0.56
Bromomethane	1	10		< 1.6	< 1.6	< 1.6*	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 0.62
Carbon tetrachloride	0.5	5		< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 0.52
Chloroform	0.6	6		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1.0
Chloromethane	3	30		< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.36
cis-1,2-Dichloroethene	7	70		<b>530</b>	<b>170</b>	<b>450</b>	<b>420</b>	<b>520</b>	<b>540</b>	<b>300</b>	<b>49</b>	<b>240</b>
Dichlorodifluoromethane	200	1000		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1.0	< 0.40
Ethylbenzene	140	700		< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
Isopropylbenzene	NE	NE		< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70	< 0.28
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60		< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 0.48
Methylene chloride	0.5	5		< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 1.4
Naphthalene	10	100		< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.80	< 0.32
n-Butylbenzene	NE	NE		< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
n-Propylbenzene	NE	NE		< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.26
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE		< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.85	< 0.34
sec-Butylbenzene	NE	NE		< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.75	< 0.30
Styrene	10	100		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.20
tert-Butylbenzene	NE	NE		< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70	< 0.28
Tetrachloroethene	0.5	5		<b>2400</b>	<b>1700</b>	<b>2700</b>	<b>2100</b>	<b>2200</b>	<b>2700</b>	<b>1500</b>	<b>1400</b>	<b>1500</b>
Toluene	160	800		< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100		7.2	< 1.3	4.4 J	5.1	6.3	8.1	4.1 J	< 1.3	3.1
Trichloroethene	0.5	5		<b>230</b>	<b>69</b>	<b>180</b>	<b>180</b>	<b>200</b>	<b>240</b>	<b>150</b>	<b>68</b>	<b>140</b>
Vinyl chloride	0.02	0.2		<b>9.1</b>	<b>3.2</b>	<b>8</b>	<b>11</b>	<b>18</b>	<b>20</b>	<b>6.6</b>	< 0.50	<b>4.5</b>
Xylenes, Total	400	2000		< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.14
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003		NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.

**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2	MW-19D2 <sup>2</sup>	MW-19D2 <sup>1</sup>	MW-19D2	MW-19D2	MW-19D2 <sup>1</sup>
Screen Interval (feet bgs)	Preventive	Enforcement	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140
Sample Date	Action Limit	Standard	11/29/2012	01/17/2013	02/11/2013	03/12/2013	04/18/2013	07/17/2013	07/17/2013	10/09/2013	04/17/2014	10/15/2014
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 0.5	< 0.5	< 0.5	< 1.3	< 0.5	< 0.5	< 0.5	< 1.3	< 0.50
1,1,2-Trichloroethane	0.5	5	< 0.56	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56
1,1-Dichloroethene	0.7	7	< 0.62	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.28	< 0.28	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.72	< 0.72	< 0.72	< 1.8	< 0.72	< 0.72	< 0.72	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600	< 0.54	< 0.54	< 0.54	< 0.54	< 1.4	< 0.54	< 0.54	< 0.54	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5	< 0.4	< 0.4	< 0.4	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.36	< 0.36	< 0.36	< 0.9	< 0.36	< 0.36	< 0.36	< 0.90	< 0.36
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	< 0.15	< 0.15	< 0.15	< 0.37	< 0.15	< 0.15	< 0.15	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6	< 0.34	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34
Bromoform	0.44	4.4	< 0.56	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56	< 0.56	< 0.56	< 1.4	< 0.56
Bromomethane	1	10	< 0.62	< 0.62	< 0.62*	< 0.62	< 1.6	< 0.62	< 0.62	< 0.62	< 1.6	< 0.62*
Carbon tetrachloride	0.5	5	< 0.52	< 0.52	< 0.52	< 0.52	< 1.3	< 0.52	< 0.52	< 0.52	< 1.3	< 0.52
Chloroform	0.6	6	< 0.4	< 0.4	< 0.4	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
Chloromethane	3	30	< 0.36	< 0.36	< 0.36	< 0.36	< 0.9	< 0.36	< 0.36	< 0.36	< 0.90	< 0.36
cis-1,2-Dichloroethene	7	70	<b>250</b>	<b>320</b>	<b>270</b>	<b>260</b>	<b>200</b>	< 0.24	<b>98</b>	<b>120</b>	<b>330</b>	6.8
Dichlorodifluoromethane	200	1000	< 0.4	< 0.4	< 0.4	< 0.4	< 1	< 0.4	< 0.4	< 0.4	< 1.0	< 0.40
Ethylbenzene	140	700	< 0.26	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
Isopropylbenzene	NE	NE	< 0.28	< 0.28	< 0.28	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48	< 0.48	< 0.48	< 1.2	< 0.48
Methylene chloride	0.5	5	< 1.4	< 1.4	< 1.4	< 1.4	< 3.4	< 1.4	< 1.4	< 1.4	< 3.4	< 1.4
Naphthalene	10	100	< 0.32	< 0.32	< 0.32	< 0.32	< 0.8	< 0.32	< 0.32	< 0.32	< 0.80	< 0.32
n-Butylbenzene	NE	NE	< 0.26	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
n-Propylbenzene	NE	NE	< 0.26	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26	< 0.26	< 0.26	< 0.65	< 0.26
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34	< 0.34	< 0.34	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.3	< 0.3	< 0.3	< 0.3	< 0.75	< 0.3	< 0.3	< 0.3	< 0.75	< 0.30
Styrene	10	100	< 0.2	< 0.2	< 0.2	< 0.2	< 0.5	< 0.2	< 0.2	< 0.2	< 0.50	< 0.20
tert-Butylbenzene	NE	NE	< 0.28	< 0.28	< 0.28	< 0.28	< 0.7	< 0.28	< 0.28	< 0.28	< 0.70	< 0.28
Tetrachloroethene	0.5	5	<b>680</b>	<b>1200</b>	<b>1300</b>	<b>1400</b>	<b>1000</b>	<b>820</b>	<b>1200</b>	<b>950</b>	<b>1900</b>	<b>620</b>
Toluene	160	800	< 0.22	< 0.22	< 0.22	< 0.22	< 0.55	< 0.22	< 0.22	< 0.22	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100	3.4	4.9	4.2	4.2	2.6 J	< 0.5	< 0.5	< 0.5	5.0	< 0.50
Trichloroethene	0.5	5	<b>110</b>	<b>160</b>	<b>150</b>	<b>150</b>	<b>130</b>	< 0.38	<b>110</b>	<b>120</b>	<b>170</b>	<b>11</b>
Vinyl chloride	0.02	0.2	<b>0.93 J</b>	< 0.2	< 0.2	< 0.2	< 0.5	< 0.2	< 0.2	< 0.2	<b>7.9</b>	< 0.20
Xylenes, Total	400	2000	< 0.14	< 0.14	< 0.14	< 0.14	< 0.34	< 0.14	< 0.14	< 0.14	< 0.34	< 0.14
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Notes on Page 50.												

**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	Screen Interval (feet bgs)	Preventive Action Limit	Enforcement Standard	MW-20D 60-90 11/29/2012	MW-20D 60-90 01/16/2013	MW-20D <sup>1</sup> 60-90 02/12/2013	MW-20D <sup>1</sup> 60-90 03/12/2013	MW-20D <sup>1</sup> 60-90 04/18/2013	MW-20D 60-90 07/17/2013	MW-20D 60-90 10/09/2013	MW-20D 60-90 04/15/2014	MW-20D 60-90 10/22/2014
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70		< 1.3	< 0.25	< 0.25	< 0.25	< 1.3	< 0.5	< 1.3	< 0.50	< 0.50
1,1,2-Trichloroethane	0.5	5		< 1.4	< 0.28	< 0.28	< 0.28	< 1.4	< 0.56	< 1.4	< 0.56	< 0.56
1,1-Dichloroethene	0.7	7		< 1.6	< 0.31	< 0.31	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
1,2,4-Trimethylbenzene	96	480		< 0.7	< 0.14	< 0.14	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
1,2-Dibromoethane	0.005	0.05		< 1.8	< 0.36	< 0.36	< 0.36	< 1.8	< 0.72	< 1.8	< 0.72	< 0.72
1,2-Dichlorobenzene	60	600		< 1.4	< 0.27	< 0.27	< 0.27	< 1.4	< 0.54	< 1.4	< 0.54	< 0.54
1,2-Dichloropropane	0.5	5		< 1	< 0.2	< 0.2	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
1,2,3-Trichlorobenzene	NE	NE		< 1.2	< 0.24	< 0.24	< 0.24	< 1.2	< 0.48	< 1.2	< 0.48	< 0.48
1,2,4-Trichlorobenzene	14	70		< 1.6	< 0.31	< 0.31	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
1,3,5-Trimethylbenzene	96	480		< 0.9	< 0.18	< 0.18	< 0.18	< 0.9	< 0.36	< 0.9	< 0.36	< 0.36
2-Hexanone	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000		NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5		< 0.37	< 0.074	< 0.074	< 0.074	< 0.37	< 0.15	< 0.37	< 0.15	< 0.15
Bromodichloromethane	0.06	0.6		< 0.85	< 0.17	< 0.17	< 0.17	< 0.85	< 0.34	< 0.85	< 0.34	< 0.34
Bromoform	0.44	4.4		< 1.4	< 0.28	< 0.28	< 0.28	< 1.4	< 0.56	< 1.4	< 0.56	< 0.56
Bromomethane	1	10		< 1.6	< 0.31	< 0.31	< 0.31	< 1.6	< 0.62	< 1.6	< 0.62	< 0.62
Carbon tetrachloride	0.5	5		< 1.3	< 0.26	< 0.26	< 0.26	< 1.3	< 0.52	< 1.3	< 0.52	< 0.52
Chloroform	0.6	6		< 1	< 0.2	< 0.2	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
Chloromethane	3	30		< 0.9	< 0.18	< 0.18	< 0.18	< 0.9	< 0.36	< 0.9	< 0.36	< 0.36
cis-1,2-Dichloroethene	7	70		<b>370</b>	0.69 J	<b>20</b>	<b>39</b>	<b>220</b>	<b>180</b>	<b>170</b>	<b>140</b>	<b>200</b>
Dichlorodifluoromethane	200	1000		< 1	< 0.2	< 0.2	< 0.2	< 1	< 0.4	< 1	< 0.40	< 0.40
Ethylbenzene	140	700		< 0.65	< 0.13	< 0.13	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
Isopropylbenzene	NE	NE		< 0.7	< 0.14	< 0.14	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60		< 1.2	< 0.24	< 0.24	< 0.24	< 1.2	< 0.48	< 1.2	< 0.48	< 0.48
Methylene chloride	0.5	5		< 3.4	< 0.68	< 0.68	< 0.68	< 3.4	< 1.4	< 3.4	< 1.4	< 1.4
Naphthalene	10	100		< 0.8	< 0.16	< 0.16	< 0.16	< 0.8	< 0.32	< 0.8	< 0.32	< 0.32
n-Butylbenzene	NE	NE		< 0.65	< 0.13	< 0.13	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
n-Propylbenzene	NE	NE		< 0.65	< 0.13	< 0.13	< 0.13	< 0.65	< 0.26	< 0.65	< 0.26	< 0.26
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>		NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE		< 0.85	< 0.17	< 0.17	< 0.17	< 0.85	< 0.34	< 0.85	< 0.34	< 0.34
sec-Butylbenzene	NE	NE		< 0.75	< 0.15	< 0.15	< 0.15	< 0.75	< 0.3	< 0.75	< 0.30	< 0.30
Styrene	10	100		< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.2	< 0.5	< 0.20	< 0.20
tert-Butylbenzene	NE	NE		< 0.7	< 0.14	< 0.14	< 0.14	< 0.7	< 0.28	< 0.7	< 0.28	< 0.28
Tetrachloroethene	0.5	5		<b>1600</b>	<b>190</b>	<b>690</b>	<b>650</b>	<b>1100</b>	<b>1000</b>	<b>1200</b>	<b>780</b>	<b>1100</b>
Toluene	160	800		< 0.55	0.45 J	< 0.11	< 0.11	< 0.55	< 0.22	< 0.55	< 0.22	< 0.22
trans-1,2-Dichloroethene	20	100		5.0	< 0.25	< 0.25	< 0.25	< 1.3	2.2	< 1.3	2.0	2.6
Trichloroethene	0.5	5		<b>170</b>	<b>0.54</b>	<b>20</b>	<b>29</b>	<b>100</b>	<b>100</b>	<b>89</b>	<b>83</b>	<b>110</b>
Vinyl chloride	0.02	0.2		<b>3.2</b>	< 0.1	< 0.1	< 0.1	<b>1.0 J</b>	< 0.2	< 0.5	<b>0.76 J</b>	<b>2.7</b>
Xylenes, Total	400	2000		< 0.34	< 0.068	< 0.068	< 0.068	< 0.34	< 0.14	< 0.34	< 0.14	< 0.14
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003		NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003		NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE		NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.

**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-20D2	MW-20D2	MW-20D2 <sup>1</sup>	MW-20D2 <sup>1,3</sup>	MW-20D2 <sup>1</sup>	MW-20D2 <sup>1</sup>	MW-20D2 <sup>1</sup>	MW-20D2 <sup>1</sup>	MW-20D2	MW-20D2 <sup>1</sup>
Screen Interval (feet bgs)	Preventive	Enforcement	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140	110-140
Sample Date	Action Limit	Standard	11/29/2012	01/16/2013	02/12/2013	02/12/2013	03/12/2013	04/18/2013	07/17/2013	10/15/2013	04/15/2014	10/22/2014
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.5	< 0.25	< 0.25	< 0.25	< 0.25	< 1.3	< 0.25	< 0.25	< 1.3	< 0.50
1,1,2-Trichloroethane	0.5	5	< 0.56	< 0.28	< 0.28	< 0.28	< 0.28	< 1.4	< 0.28	< 0.28	< 1.4	< 0.56
1,1-Dichloroethane	0.7	7	< 0.62	< 0.31	< 0.31	< 0.31	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
1,2,4-Trimethylbenzene	96	480	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
1,2-Dibromoethane	0.005	0.05	< 0.72	< 0.36	< 0.36	< 0.36	< 0.36	< 1.8	< 0.36	< 0.36	< 1.8	< 0.72
1,2-Dichlorobenzene	60	600	< 0.54	< 0.27	< 0.27	< 0.27	< 0.27	< 1.4	< 0.27	< 0.27	< 1.4	< 0.54
1,2-Dichloropropane	0.5	5	< 0.4	< 0.2	< 0.2	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
1,2,3-Trichlorobenzene	NE	NE	< 0.48	< 0.24	< 0.24	< 0.24	< 0.24	< 1.2	< 0.24	< 0.24	< 1.2	< 0.48
1,2,4-Trichlorobenzene	14	70	< 0.62	< 0.31	< 0.31	< 0.31	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
1,3,5-Trimethylbenzene	96	480	< 0.36	< 0.18	< 0.18	< 0.18	< 0.18	< 0.9	< 0.18	< 0.18	< 0.90	< 0.36
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	< 0.15	< 0.074	0.19 J	< 0.074	< 0.074	< 0.37	< 0.074	< 0.074	< 0.37	< 0.15
Bromodichloromethane	0.06	0.6	< 0.34	< 0.17	< 0.17	< 0.17	< 0.17	< 0.85	< 0.17	< 0.17	< 0.85	< 0.34
Bromoform	0.44	4.4	< 0.56	< 0.28	< 0.28	< 0.28	< 0.28	< 1.4	< 0.28	< 0.28	< 1.4	< 0.56
Bromomethane	1	10	< 0.62	< 0.31	< 0.31	< 0.31	< 0.31	< 1.6	< 0.31	< 0.31	< 1.6	< 0.62
Carbon tetrachloride	0.5	5	< 0.52	< 0.26	< 0.26	< 0.26	< 0.26	< 1.3	< 0.26	< 0.26	< 1.3	< 0.52
Chloroform	0.6	6	< 0.4	0.47 J	< 0.2	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
Chloromethane	3	30	< 0.36	< 0.18	< 0.18	< 0.18	< 0.18	< 0.9	< 0.18	< 0.18	< 0.90	< 0.36
cis-1,2-Dichloroethene	7	70	<b>330</b>	< 0.12	2.8	< 0.12	2.8	<b>30</b>	< 0.12	1.4	< 0.60	<b>12</b>
Dichlorodifluoromethane	200	1000	< 0.4	< 0.2	< 0.2	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 1.0	< 0.40
Ethylbenzene	140	700	< 0.26	< 0.13	< 0.13	< 0.13	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
Isopropylbenzene	NE	NE	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.48	< 0.24	< 0.24	< 0.24	< 0.24	< 1.2	< 0.24	< 0.24	< 1.2	< 0.48
Methylene chloride	0.5	5	< 1.4	< 0.68	< 0.68	< 0.68	< 0.68	< 3.4	< 0.68	< 0.68	< 3.4	< 1.4
Naphthalene	10	100	< 0.32	< 0.16	< 0.16	< 0.16	< 0.16	< 0.8	< 0.16	< 0.16	< 0.80	< 0.32
n-Butylbenzene	NE	NE	< 0.26	< 0.13	< 0.13	< 0.13	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
n-Propylbenzene	NE	NE	< 0.26	< 0.13	< 0.13	< 0.13	< 0.13	< 0.65	< 0.13	< 0.13	< 0.65	< 0.26
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.34	< 0.17	< 0.17	< 0.17	< 0.17	< 0.85	< 0.17	< 0.17	< 0.85	< 0.34
sec-Butylbenzene	NE	NE	< 0.3	< 0.15	< 0.15	< 0.15	< 0.15	< 0.75	< 0.15	< 0.15	< 0.75	< 0.30
Styrene	10	100	< 0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.5	< 0.1	< 0.1	< 0.50	< 0.20
tert-Butylbenzene	NE	NE	< 0.28	< 0.14	< 0.14	< 0.14	< 0.14	< 0.7	< 0.14	< 0.14	< 0.70	< 0.28
Tetrachloroethene	0.5	5	<b>1300</b>	<b>190</b>	<b>700</b>	<b>24</b>	<b>490</b>	<b>1100</b>	<b>53</b>	<b>380</b>	<b>1600</b>	<b>740</b>
Toluene	160	800	< 0.22	0.34 J	< 0.11	< 0.11	< 0.11	< 0.55	< 0.11	< 0.11	< 0.55	< 0.22
trans-1,2-Dichloroethene	20	100	4.3	< 0.25	< 0.25	< 0.25	< 0.25	< 1.3	< 0.25	< 0.25	< 1.3	< 0.50
Trichloroethene	0.5	5	<b>150</b>	< 0.19	<b>7.9</b>	< 0.19	<b>5.3</b>	<b>41</b>	< 0.19	<b>4.5</b>	<b>2.7</b>	<b>11</b>
Vinyl chloride	0.02	0.2	<b>1.7</b>	< 0.1	< 0.1	< 0.1	< 0.1	< 0.5	< 0.1	< 0.1	< 0.50	< 0.20
Xylenes, Total	400	2000	< 0.14	< 0.068	< 0.068	< 0.068	< 0.068	< 0.34	< 0.068	< 0.068	< 0.34	< 0.14
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Notes on Page 50.												





**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID	Screen Interval (feet bgs)	Preventive Action Limit	Enforcement Standard	MW-22S 24-35 01/15/2013	MW-22S 24-35 03/07/2013	MW-22S 24-35 04/19/2013	MW-22S 24-35 07/16/2013	MW-22S 24-35 10/10/2013	MW-22S 24-35 04/18/2014	MW-22S 24-35 10/20/2014	MW-22S 24-35 04/09/2015	MW-22S 24-35 10/20/2015
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46
1,1,2-Trichloroethane	0.5	5	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35
1,1-Dichloroethene	0.7	7	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39
1,2,4-Trimethylbenzene	96	480	0.86 J	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36
1,2-Dibromoethane	0.005	0.05	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39
1,2-Dichlorobenzene	60	600	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33
1,2-Dichloropropane	0.5	5	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43
1,2,3-Trichlorobenzene	NE	NE	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46
1,2,4-Trichlorobenzene	14	70	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34
1,3,5-Trimethylbenzene	96	480	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	1.1	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15
Bromodichloromethane	0.06	0.6	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37
Bromoform	0.44	4.4	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48
Bromomethane	1	10	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31*	< 0.31	< 0.80
Carbon tetrachloride	0.5	5	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38
Chloroform	0.6	6	1	NA	0.91 J	1.4	< 0.2	< 0.20	0.75 J	< 0.20	< 0.20	0.66 J
Chloromethane	3	30	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32
cis-1,2-Dichloroethene	7	70	1.8	NA	6.1	3.8	97	46	58	65	32	32
Dichlorodifluoromethane	200	1000	< 0.2	NA	< 0.2	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54
Ethylbenzene	140	700	0.50	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18
Isopropylbenzene	NE	NE	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24*	< 0.24	< 0.24	< 0.39
Methylene chloride	0.5	5	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6
Naphthalene	10	100	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34
n-Butylbenzene	NE	NE	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39
n-Propylbenzene	NE	NE	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36
sec-Butylbenzene	NE	NE	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40
Styrene	10	100	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39
tert-Butylbenzene	NE	NE	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40
Tetrachloroethene	0.5	5	180	NA	160	210	13	23	61	17	30	30
Toluene	160	800	1.7	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15
trans-1,2-Dichloroethene	20	100	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35
Trichloroethene	0.5	5	4.8	NA	5.4	8.5	6.1	4.2	7.1	2.9	4.1	4.1
Vinyl chloride	0.02	0.2	< 0.1	NA	< 0.1	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20
Xylenes, Total	400	2000	1.5	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	12	< 0.033	4	< 0.064	< 0.064	< 0.065	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.49	13	< 0.19	< 0.19	12	< 0.20	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.69	< 0.099	< 0.19	4.7	< 0.19	7.1	NA	NA	NA	NA
Total Detected PCBs	NE	NE	12	13	4	4.7	12	7.1	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	< 0.037	< 0.068	< 0.065	< 0.063	< 0.067	0.89	< 0.063	< 0.063	< 0.064
Aroclor-1232	0.003	0.003	NA	< 0.11	< 0.2	< 0.19	< 0.19	< 0.20	< 0.19	< 0.19	< 0.19	< 0.19
Aroclor-1242	0.003	0.003	NA	< 0.11	< 0.2	< 0.19	< 0.19	0.28 J	< 0.19	1.9	< 0.19	< 0.19
Total Detected PCBs	NE	NE	NA	ND	ND	ND	ND	0.28 J	0.89	1.9	ND	ND

Notes on Page 50.



**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S
Screen Interval (feet bgs)	Preventive	Enforcement	24-35	24-35	24-35	24-35	24-35	24-35	24-35	24-35	24-35	24-35
Sample Date	Action Limit	Standard	01/15/2013	04/19/2013	07/16/2013	09/05/2013	09/05/2013	10/10/2013	04/18/2014	10/20/2014	04/09/2015	10/20/2015
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	NA	<b>1.8</b>	< 0.28	< 0.28	< 0.28	< 0.35
1,1-Dichloroethane	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	NA	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	NA	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.43
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	0.5	5	<b>0.73</b>	< 0.074	< 0.074	< 0.074	NA	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	NA	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	NA	< 0.31	< 0.31	< 0.31*	< 0.31	< 0.80
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	NA	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38
Chloroform	0.6	6	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.37
Chloromethane	3	30	1.2	< 0.18	< 0.18	< 0.18	NA	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32
cis-1,2-Dichloroethene	7	70	< 0.12	3.7	<b>29</b>	<b>27</b>	NA	<b>16</b>	<b>16</b>	<b>19</b>	<b>20</b>	<b>9.6</b>
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.2	< 0.2	NA	< 0.2	< 0.20	< 0.20	< 0.20	< 0.54
Ethylbenzene	140	700	0.43 J	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	< 0.24	< 0.24	NA	< 0.24	< 0.24	< 0.24	< 0.24	< 0.39
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	NA	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	NA	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	NA	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40
Styrene	10	100	< 0.1	< 0.1	< 0.1	< 0.1	NA	< 0.1	< 0.10	< 0.10	< 0.10	< 0.39
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	NA	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40
Tetrachloroethene	0.5	5	<b>290</b>	<b>580</b>	<b>420</b>	<b>240</b>	NA	<b>130</b>	<b>210</b>	<b>190</b>	<b>190</b>	<b>360</b>
Toluene	160	800	1.3	< 0.11	< 0.11	< 0.11	NA	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	NA	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35
Trichloroethene	0.5	5	<b>0.64</b>	<b>1.4</b>	<b>20</b>	<b>17</b>	NA	<b>15</b>	<b>11</b>	<b>11</b>	<b>10</b>	<b>5.9</b>
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.1	< 0.1	NA	< 0.1	< 0.10	< 0.10	< 0.10	< 0.20
Xylenes, Total	400	2000	0.95 J	< 0.068	< 0.068	< 0.068	NA	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	< 0.19	NA	< 0.063	< 0.028	NA	< 0.066	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	< 0.11	NA	< 0.19	< 0.083	NA	< 0.2	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	< 0.15	NA	< 0.19	< 0.083	NA	< 0.2	NA	NA	NA	NA
Total Detected PCBs	NE	NE	ND	NA	ND	ND	NA	ND	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	< 0.063	NA	< 0.026	< 0.064	NA	< 0.063	< 0.063	< 0.063
Aroclor-1232	0.003	0.003	NA	NA	< 0.19	NA	< 0.078	< 0.19	NA	< 0.19	< 0.19	< 0.19
Aroclor-1242	0.003	0.003	NA	NA	< 0.19	NA	< 0.078	< 0.19	NA	< 0.19	< 0.19	< 0.19
Total Detected PCBs	NE	NE	NA	NA	ND	NA	ND	ND	NA	ND	ND	ND

Notes on Page 50.







**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

Well ID			MW-27D	MW-27D <sup>3</sup>	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D
Screen Interval (feet bgs)	Preventive	Enforcement	130-140	130-140	130-140	130-140	130-140	130-140	130-140	130-140	130-140	130-140
Sample Date	Action Limit	Standard	12/26/2013	12/26/2013	04/18/2014	07/09/2014	10/21/2014	01/29/2015	04/14/2015	07/21/2015	10/20/2015	01/21/2016
<b>VOCs</b>												
1,1,1,2-Tetrachloroethane	7	70	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.46	< 0.11
1,1,2-Trichloroethane	0.5	5	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.35	< 0.10
1,1-Dichloroethane	0.7	7	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.39	< 0.14
1,2,4-Trimethylbenzene	96	480	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.36	< 0.060
1,2-Dibromoethane	0.005	0.05	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.39	< 0.13
1,2-Dichlorobenzene	60	600	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.33	< 0.076
1,2-Dichloropropane	0.5	5	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.43	< 0.10
1,2,3-Trichlorobenzene	NE	NE	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.46	< 0.045
1,2,4-Trichlorobenzene	14	70	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.34	< 0.077
1,3,5-Trimethylbenzene	96	480	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.25	< 0.075
2-Hexanone	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.95
Acetone	1800	9000	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1 J
Benzene	0.5	5	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.074	< 0.15	< 0.089
Bromodichloromethane	0.06	0.6	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.37	< 0.077
Bromoform	0.44	4.4	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.48	< 0.088
Bromomethane	1	10	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.80	< 0.59
Carbon tetrachloride	0.5	5	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.38	< 0.038
Chloroform	0.6	6	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.37	< 0.062
Chloromethane	3	30	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.32	< 0.16
cis-1,2-Dichloroethene	7	70	0.85 J	0.83 J	2.6	2.5	1.1	2.4	2.2	2.4	5.5	1.9
Dichlorodifluoromethane	200	1000	< 0.2	< 0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.54	< 0.11
Ethylbenzene	140	700	< 0.13	< 0.13	< 0.13	0.55	< 0.13	< 0.13	< 0.13	< 0.13	< 0.18	< 0.054
Isopropylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.39	< 0.081
m,p-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.057
Methyl tert-butyl ether	12	60	< 0.24	< 0.24	1.3	< 0.24	< 0.24	0.92 J	< 0.24	0.86 J	< 0.39	0.68
Methylene chloride	0.5	5	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 0.68	< 1.6	0.41 J
Naphthalene	10	100	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.34	< 0.088
n-Butylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.39	< 0.14
n-Propylbenzene	NE	NE	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.41	< 0.10
o-Xylene	400 <sup>4</sup>	2000 <sup>4</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.058
p-Isopropyltoluene	NE	NE	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.36	< 0.085
sec-Butylbenzene	NE	NE	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.40	< 0.13
Styrene	10	100	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.39	< 0.065
tert-Butylbenzene	NE	NE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.40	< 0.12
Tetrachloroethene	0.5	5	<b>1.8</b>	<b>1.8</b>	<b>5.4</b>	<b>5</b>	<b>1.7</b>	<b>4.2</b>	<b>3.8</b>	<b>5</b>	<b>13</b>	<b>4.5</b>
Toluene	160	800	0.53	0.49 J	< 0.11	0.47 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.15	< 0.053
trans-1,2-Dichloroethene	20	100	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.35	0.17 J
Trichloroethene	0.5	5	<b>1.3</b>	<b>1.2</b>	<b>3.5</b>	<b>3.5</b>	<b>1.7</b>	<b>3.2</b>	<b>2.9</b>	<b>3.4</b>	<b>12</b>	<b>2.8</b>
Vinyl chloride	0.02	0.2	< 0.1	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.20	< 0.16
Xylenes, Total	400	2000	< 0.068	< 0.068	< 0.068	3.0	< 0.068	< 0.068	< 0.068	< 0.068	< 0.22	NA
<b>Total PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor-1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	0.003	0.003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Detected PCBs	NE	NE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes on Page 50.





**Table 1**  
**Groundwater Analytical Results Summary**  
**Madison-Kipp Corporation**  
**Madison, Wisconsin**

---

**Footnotes:**

- 1 - Indicates that the sample was quenched prior to analysis.
- 2 - Indicates that the sample was not quenched prior to analysis.
- 3 - Indicates the result of a field duplicate.
- 4 - Indicates the NR 140 Wis. Adm. Code for Preventive Action Limit and for Enforcement Standard for total xylenes (meta-, ortho-, and para-xylenes combined).

**General Notes:**

All concentrations noted in this table are reported in micrograms per liter ( $\mu\text{g/L}$ ) unless otherwise noted.

Analytes shown in the table are from VOC and PCB analyte lists. Only analytes that were detected in at least one sample are shown in the table. A complete list of constituents analyzed are included in the laboratory analytical reports.

**100** = NR 140 Wis. Adm. Code Preventive Action Limit Exceedance

**100** = NR 140 Wis. Adm. Code Enforcement Standard Exceedance

< = Constituent not detected above noted laboratory method detection limit.

\* = Data is suspect and not used in evaluation.

B = Compound was found in the blank and sample.

bgs = Below Ground Surface.

cn = Laboratory Contaminant.

E = Estimated concentration, exceeds instrumental calibration range.

ID = Identification.

J = Estimated concentration above the adjusted method detection limit and below the reporting limit.

NA = Not Analyzed.

ND = Not Detected.

NE = Not Established.

PCBs = Polychlorinated biphenyls.

VOCs = Volatile Organic Compounds.