



2525 Advance Road
Madison, WI 53718
608.221.8700 Phone
608.221.4889 Fax

January 14, 2016

Chris Kubacki
ARCADIS
126 N Jefferson St., Ste 400
Milwaukee, WI 53202
RE: Madison Kipp - Madison, WI

Enclosed are the analytical results for the samples received by the laboratory on 01/13/2016.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. These results are in compliance with the 2009 NELAC Standards and the appropriate agencies listed below, unless otherwise noted in the case narrative. This analytical report should be reproduced in its entirety.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jessica Esser
Project Manager

Certification List

| Certification List | | | Expires |
|--------------------|--|-----------------|------------|
| DODELAP | DOD ELAP Accreditation (A2LA) | 3269.01 | 03/31/2016 |
| FDOH | Florida Secondary NELAP Accreditation | E871093 | 06/30/2016 |
| ILEPA | Illinois Secondary NELAP Accreditation | 003174 | 04/30/2016 |
| KDHE | Kansas Secondary NELAP Accreditation | E-10384 | 01/31/2016 |
| LELAP | Louisiana Primary NELAP Accreditation | 04165 | 06/30/2016 |
| NJDEP | New Jersey Secondary NELAP Accreditation | WI004 | 06/30/2016 |
| ODEQ | Oklahoma Department of Environmental Quality Accreditation | 2014-153 | 08/31/2016 |
| TCEQ | Texas Secondary NELAP Accreditation | T104704504-15-6 | 11/30/2016 |
| WDNR | Wisconsin Certification under NR 149 | 113289110 | 08/31/2016 |



2525 Advance Road
Madison, WI 53718
608.221.8700 Phone
608.221.4889 Fax

ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: WI001368.0034
Project Manager: Chris Kubacki

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|------------|---------------|--------|--------------|---------------|
| BP-SIDE-33 | A160303-01 | Soil | 01/13/2016 | 01/13/2016 |
| BP-BOT-34 | A160303-02 | Soil | 01/13/2016 | 01/13/2016 |
| BP-SIDE-35 | A160303-03 | Soil | 01/13/2016 | 01/13/2016 |
| BP-SIDE-36 | A160303-04 | Soil | 01/13/2016 | 01/13/2016 |
| BP-SIDE-37 | A160303-05 | Soil | 01/13/2016 | 01/13/2016 |

CASE NARRATIVE

Sample Receipt Information:

5 samples were received on 01/13/2016. Samples were received on ice. Samples were received in acceptable condition.

Please see the chain of custody (COC) document at the end of this report for additional information.



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

| | |
|--|--|
| ARCADIS 126 N Jefferson St., Ste 400 Milwaukee WI, 53202 | Project: Madison Kipp - Madison, WI Project Number: WI001368.0034 Project Manager: Chris Kubacki |
|--|--|

BP-SIDE-33
A160303-01 (Soil)

Date Sampled
01/13/2016 10:15

| Analyte | Result | Limit of Detection | Limit of Quantitation | Units | Dilution | Prepared | Analyzed | Method | Qualifiers |
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A601038

| | | | | | | | | | |
|-------------------|------------|--------|------|-----------|---|------------|------------------|-----------|---|
| PCB-1016 | ND | 0.0095 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| PCB-1221 | ND | 0.0052 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| PCB-1232 | ND | 0.0036 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| PCB-1242 | ND | 0.0056 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| PCB-1248 | 3.6 | 0.0068 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| PCB-1254 | 19 | 0.023 | 0.51 | mg/kg dry | 4 | 01/13/2016 | 01/14/2016 11:03 | EPA 8082A | D |
| PCB-1260 | ND | 0.0031 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |
| Total PCBs | 23 | 0.0095 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:10 | EPA 8082A | |

Surrogate: Decachlorobiphenyl

96.9 % 66.3-138

01/13/2016 01/13/2016 20:10

EPA 8082A

Surrogate: Tetrachloro-meta-xylene

101 % 61.6-142

01/13/2016 01/13/2016 20:10

EPA 8082A

Classical Chemistry Parameters

Preparation Batch: A601039

| | | | | | | | | | |
|-----------------|-------------|------|-------------|---|------------|------------------|----------|--|--|
| % Solids | 78.1 | 0.00 | % by Weight | 1 | 01/13/2016 | 01/14/2016 10:10 | SM 2540B | | |
|-----------------|-------------|------|-------------|---|------------|------------------|----------|--|--|



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

| | |
|--|--|
| ARCADIS 126 N Jefferson St., Ste 400 Milwaukee WI, 53202 | Project: Madison Kipp - Madison, WI Project Number: WI001368.0034 Project Manager: Chris Kubacki |
|--|--|

BP-BOT-34
A160303-02 (Soil)

Date Sampled
 01/13/2016 15:37

| Analyte | Result | Limit of Detection | Limit of Quantitation | Units | Dilution | Prepared | Analyzed | Method | Qualifiers |
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A601038

| | | | | | | | | | |
|------------------------------------|----|--------|--------|-----------|---|------------|------------------|-----------|--|
| PCB-1016 | ND | 0.0094 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1221 | ND | 0.0052 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1232 | ND | 0.0036 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1242 | ND | 0.0056 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1248 | ND | 0.0068 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1254 | ND | 0.0056 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| PCB-1260 | ND | 0.0031 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| Total PCBs | ND | 0.0094 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| Surrogate: Decachlorobiphenyl | | | 89.8 % | 66.3-138 | | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |
| Surrogate: Tetrachloro-meta-xylene | | | 90.6 % | 61.6-142 | | 01/13/2016 | 01/13/2016 20:35 | EPA 8082A | |

Classical Chemistry Parameters

Preparation Batch: A601039

| | | | | | | | | | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|
| % Solids | 78.5 | | 0.00 | % by Weight | 1 | 01/13/2016 | 01/14/2016 10:10 | SM 2540B | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

| | |
|--|--|
| ARCADIS 126 N Jefferson St., Ste 400 Milwaukee WI, 53202 | Project: Madison Kipp - Madison, WI Project Number: WI001368.0034 Project Manager: Chris Kubacki |
|--|--|

BP-SIDE-35
A160303-03 (Soil)

Date Sampled
 01/13/2016 15:42

| Analyte | Result | Limit of Detection | Limit of Quantitation | Units | Dilution | Prepared | Analyzed | Method | Qualifiers |
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A601038

| | | | | | | | | | |
|------------------------------------|-------------|--------|--------|-----------|---|------------|------------------|-----------|--|
| PCB-1016 | ND | 0.0092 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1221 | ND | 0.0051 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1232 | ND | 0.0035 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1242 | ND | 0.0055 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1248 | 0.12 | 0.0066 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1254 | 0.19 | 0.0055 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| PCB-1260 | ND | 0.0030 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| Total PCBs | 0.32 | 0.0092 | 0.12 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| Surrogate: Decachlorobiphenyl | | | 101 % | 66.3-138 | | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |
| Surrogate: Tetrachloro-meta-xylene | | | 98.7 % | 61.6-142 | | 01/13/2016 | 01/13/2016 21:00 | EPA 8082A | |

Classical Chemistry Parameters

Preparation Batch: A601039

| | | | | | | | | | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|
| % Solids | 80.2 | | 0.00 | % by Weight | 1 | 01/13/2016 | 01/14/2016 10:10 | SM 2540B | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

| | |
|--|--|
| ARCADIS 126 N Jefferson St., Ste 400 Milwaukee WI, 53202 | Project: Madison Kipp - Madison, WI Project Number: WI001368.0034 Project Manager: Chris Kubacki |
|--|--|

BP-SIDE-36
A160303-04 (Soil)

Date Sampled
 01/13/2016 15:35

| Analyte | Result | Limit of Detection | Limit of Quantitation | Units | Dilution | Prepared | Analyzed | Method | Qualifiers |
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A601038

| | | | | | | | | | |
|------------------------------------|------------|--------|--------|-----------|---|------------|------------------|-----------|--|
| PCB-1016 | ND | 0.0099 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1221 | ND | 0.0055 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1232 | ND | 0.0037 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1242 | ND | 0.0059 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1248 | 1.5 | 0.0071 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1254 | 9.0 | 0.0059 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| PCB-1260 | ND | 0.0032 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| Total PCBs | 10 | 0.0099 | 0.13 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| Surrogate: Decachlorobiphenyl | | | 84.0 % | 66.3-138 | | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |
| Surrogate: Tetrachloro-meta-xylene | | | 91.6 % | 61.6-142 | | 01/13/2016 | 01/13/2016 21:25 | EPA 8082A | |

Classical Chemistry Parameters

Preparation Batch: A601039

| | | | | | | | | | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|
| % Solids | 74.7 | | 0.00 | % by Weight | 1 | 01/13/2016 | 01/14/2016 10:10 | SM 2540B | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: WI001368.0034
 Project Manager: Chris Kubacki

BP-SIDE-37
A160303-05 (Soil)

Date Sampled
01/13/2016 15:40

| Analyte | Result | Limit of Detection | Limit of Quantitation | Units | Dilution | Prepared | Analyzed | Method | Qualifiers |
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|
|---------|--------|--------------------|-----------------------|-------|----------|----------|----------|--------|------------|

ECCS

Polychlorinated Biphenyls by EPA Method 8082

Preparation Batch: A601038

| | | | | | | | | | |
|------------------------------------|----|--------|--------|-----------|---|------------|------------------|-----------|--|
| PCB-1016 | ND | 0.010 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1221 | ND | 0.0056 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1232 | ND | 0.0038 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1242 | ND | 0.0060 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1248 | ND | 0.0073 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1254 | ND | 0.0060 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| PCB-1260 | ND | 0.0033 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| Total PCBs | ND | 0.010 | 0.14 | mg/kg dry | 1 | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| Surrogate: Decachlorobiphenyl | | | 98.0 % | 66.3-138 | | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |
| Surrogate: Tetrachloro-meta-xylene | | | 100 % | 61.6-142 | | 01/13/2016 | 01/13/2016 21:50 | EPA 8082A | |

Classical Chemistry Parameters

Preparation Batch: A601039

| | | | | | | | | | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|
| % Solids | 73.0 | | 0.00 | % by Weight | 1 | 01/13/2016 | 01/14/2016 10:10 | SM 2540B | |
|-----------------|-------------|--|------|-------------|---|------------|------------------|----------|--|



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

ARCADIS
 126 N Jefferson St., Ste 400
 Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
 Project Number: WI001368.0034
 Project Manager: Chris Kubacki

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control
ECCS

| Analyte | Result | Limit of Quantitation | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch A601038 - EPA 3570

Blank (A601038-BLK1) Prepared: 01/13/2016 Analyzed: 01/13/2016 19:21

| | | | | | | | | | | |
|------------------------------------|-------|------|-----------|--------|--|------|----------|--|--|--|
| PCB-1016 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1221 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1232 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1242 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1248 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1254 | ND | 0.10 | mg/kg wet | | | | | | | |
| PCB-1260 | ND | 0.10 | mg/kg wet | | | | | | | |
| Total PCBs | ND | 0.10 | mg/kg wet | | | | | | | |
| Surrogate: Decachlorobiphenyl | 0.212 | | mg/kg wet | 0.2400 | | 88.4 | 66.3-138 | | | |
| Surrogate: Tetrachloro-meta-xylene | 0.205 | | mg/kg wet | 0.2400 | | 85.3 | 61.6-142 | | | |

LCS (A601038-BS1) Prepared: 01/13/2016 Analyzed: 01/13/2016 18:56

| | | | | | | | | | | |
|------------------------------------|-------|------|-----------|--------|--|------|----------|--|--|--|
| PCB-1248 | 1.82 | 0.10 | mg/kg wet | 2.000 | | 91.2 | 76.4-115 | | | |
| Surrogate: Decachlorobiphenyl | 0.225 | | mg/kg wet | 0.2400 | | 93.7 | 66.3-138 | | | |
| Surrogate: Tetrachloro-meta-xylene | 0.217 | | mg/kg wet | 0.2400 | | 90.3 | 61.6-142 | | | |

Matrix Spike (A601038-MS1) Source: A160303-05 Prepared: 01/13/2016 Analyzed: 01/13/2016 22:15

| | | | | | | | | | | |
|------------------------------------|-------|------|-----------|--------|----|------|----------|--|--|--|
| PCB-1248 | 2.56 | 0.14 | mg/kg dry | 2.739 | ND | 93.3 | 74.7-117 | | | |
| Surrogate: Decachlorobiphenyl | 0.298 | | mg/kg dry | 0.3287 | | 90.8 | 66.3-138 | | | |
| Surrogate: Tetrachloro-meta-xylene | 0.298 | | mg/kg dry | 0.3287 | | 90.8 | 61.6-142 | | | |

Matrix Spike Dup (A601038-MSD1) Source: A160303-05 Prepared: 01/13/2016 Analyzed: 01/13/2016 22:40

| | | | | | | | | | | |
|------------------------------------|-------|------|-----------|--------|----|-----|----------|------|----|--|
| PCB-1248 | 2.95 | 0.14 | mg/kg dry | 2.739 | ND | 108 | 74.7-117 | 14.2 | 20 | |
| Surrogate: Decachlorobiphenyl | 0.342 | | mg/kg dry | 0.3287 | | 104 | 66.3-138 | | | |
| Surrogate: Tetrachloro-meta-xylene | 0.344 | | mg/kg dry | 0.3287 | | 105 | 61.6-142 | | | |



2525 Advance Road
 Madison, WI 53718
 608.221.8700 Phone
 608.221.4889 Fax

| | |
|--|--|
| ARCADIS 126 N Jefferson St., Ste 400 Milwaukee WI, 53202 | Project: Madison Kipp - Madison, WI Project Number: WI001368.0034 Project Manager: Chris Kubacki |
|--|--|

Classical Chemistry Parameters - Quality Control

ECCS

| Analyte | Result | Limit of Quantitation | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch A601039 - % Solids

| | | | | | | | | | | |
|---------------------------------|---------------------------|---|-------------|--|------|--|--|--------|----|--|
| Duplicate (A601039-DUP1) | Source: A160303-05 | Prepared: 01/13/2016 Analyzed: 01/14/2016 10:10 | | | | | | | | |
| % Solids | 73.1 | 0.00 | % by Weight | | 73.0 | | | 0.0495 | 20 | |



2525 Advance Road
Madison, WI 53718
608.221.8700 Phone
608.221.4889 Fax

ARCADIS
126 N Jefferson St., Ste 400
Milwaukee WI, 53202

Project: Madison Kipp - Madison, WI
Project Number: WI001368.0034
Project Manager: Chris Kubacki

Notes and Definitions

- D Data reported from a dilution
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis. If the word 'dry' does not appear after the units, results are reported on an as-is basis.
- RPD Relative Percent Difference

ID#: **A160303**

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Lab Work Order # **MKC-Bike-Path-012016**

| | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|---|--|------------------------------------|----------|--|-------------|--|-----------|--|-----------|--|-----------|--|-----------|--|--|--|--|---------|--|
| Send Results to: | Contact & Company Name: Chris Kubacki / Arcadis | | Telephone: 414.276.7742 | | Preservative: E | | | | | | | | | | | | | | | | | |
| | Address: 126 N Jefferson St. 400 | | Fax: - | | Filtered (✓): | | | | | | | | | | | | | | | | | |
| | City: Milwaukee State: WI Zip: 53202 | | E-mail Address: chris.kubacki@arcadis.com | | # of Containers: 1 | | | | | | | | | | | | | | | | | |
| | Project Name/Location (City, State): MKC (Madison, WI) | | Project #: WI001368.0034 | | Container Information: 7 | | | | | | | | | | | | | | | | | |
| Sampler's Printed Name: Maureen O'Brien | | Sampler's Signature: <i>Maureen O'Brien</i> | | PARAMETER ANALYSIS & METHOD | | | | | | | | | | | | | | | | | | |
| Sample ID | | Collection | | Type (✓) | | Matrix | | Method 8082 | | | | | | | | | | | | | REMARKS | |
| | | Date Time | | Comp Grab | | | | | | | | | | | | | | | | | | |
| BP-SIDE-33 | | 1/13/16 1015 | | ✓ S | | 1 | | | | | | | | | | | | | | | | |
| BP-BOT-34 | | 1/13/16 1537 | | ✓ S | | 1 | | | | | | | | | | | | | | | | |
| BP-SIDE-35 | | 1/13/16 1542 | | ✓ S | | 1 | | | | | | | | | | | | | | | | |
| BP-SIDE-36 | | 1/13/16 1535 | | ✓ S | | 1 | | | | | | | | | | | | | | | | |
| BP-SIDE-37 | | 1/13/16 1540 | | ✓ S | | 1 | | 01 | | 02 | | 03 | | 04 | | 05 | | | | | | |

Keys

Preservation Key:
 A. H₂SO₄
 B. HCL
 C. HNO₃
 D. NaOH
 E. None
 F. Other: _____
 G. Other: _____
 H. Other: _____

Container Information Key:
 1. 40 ml Vial
 2. 1 L Amber
 3. 250 ml Plastic
 4. 500 ml Plastic
 5. Encore
 6. 2 oz. Glass
 7. 4 oz. Glass
 8. 8 oz. Glass
 9. Other: _____
 10. Other: _____

Matrix Key:
 SO - Soil SE - Sediment NL - NAPL/Oil
 W - Water SL - Sludge SW - Sample Wipe
 T - Tissue A - Air Other: _____

Special Instructions/Comments: _____ Special QA/QC Instructions (✓): _____

| | | | | | | | | | |
|--|--|---|--|--------------------|---------------|------------------------|---------------|-------------------------------|---------------|
| Laboratory Information and Receipt | | Relinquished By | | Received By | | Relinquished By | | Laboratory Received By | |
| Lab Name: ECCS | Cooler Custody Seal (✓) <input type="checkbox"/> Intact <input type="checkbox"/> Not Intact | Printed Name: Maureen O'Brien | Printed Name: Michael Linskers | Printed Name: | Printed Name: | Printed Name: | Printed Name: | Printed Name: | Printed Name: |
| <input checked="" type="checkbox"/> Cooler packed with ice (✓) | | Signature: <i>Maureen O'Brien</i> | Signature: <i>Michael Linskers</i> | Signature: | Signature: | Signature: | Signature: | Signature: | Signature: |
| Specify Turnaround Requirements: 24hr TAT | Sample Receipt: | Firm: Arcadis | Firm/Courier: ECCS/PACE | Firm/Courier: | Firm/Courier: | Firm/Courier: | Firm/Courier: | Firm/Courier: | Firm/Courier: |
| Shipping Tracking #: Pickup | Condition/Cooler Temp: _____ | Date/Time: 1/13/16 1600 | Date/Time: 01/13/16 1610 | Date/Time: | Date/Time: | Date/Time: | Date/Time: | Date/Time: | Date/Time: |