

October 31, 2016

Brynn Bemis
City of Madison - Department of Engineering
1602 Emil Street
Madison, WI 53713

RE: Project: MKC RAIN GARDEN 2016
Pace Project No.: 40140554

Dear Brynn Bemis:

Enclosed are the analytical results for sample(s) received by the laboratory on October 21, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures

cc: George Parrino, City of Madison - Department of Health
Sally Swenson, City of Madison - Department of
Engineering



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

Virginia VELAP ID: 460263

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

US Dept of Agriculture #: S-76505

Virginia VELAP Certification ID: 460263

Virginia VELAP ID: 460263

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MKC RAIN GARDEN 2016
Pace Project No.: 40140554

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40140554001	S1	Solid	10/19/16 14:50	10/21/16 08:55
40140554002	S2	Solid	10/19/16 14:55	10/21/16 08:55
40140554003	S3	Solid	10/19/16 15:00	10/21/16 08:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40140554001	S1	EPA 8082	BLM	10
		ASTM D2974-87	AH	1
40140554002	S2	EPA 8082	BLM	10
		ASTM D2974-87	AH	1
40140554003	S3	EPA 8082	BLM	10
		ASTM D2974-87	AH	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Sample: S1 **Lab ID: 40140554001** Collected: 10/19/16 14:50 Received: 10/21/16 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	11141-16-5	
PCB-1242 (Aroclor 1242)	7030	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<591	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	11096-82-5	
PCB, Total	7030	ug/kg	1180	591	20	10/24/16 15:06	10/26/16 03:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	0	%	63-130		20	10/24/16 15:06	10/26/16 03:36	877-09-8	S4
Decachlorobiphenyl (S)	0	%	48-130		20	10/24/16 15:06	10/26/16 03:36	2051-24-3	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.4	%	0.10	0.10	1		10/28/16 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Sample: S2 **Lab ID: 40140554002** Collected: 10/19/16 14:55 Received: 10/21/16 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082 Preparation Method: EPA 3541							
PCB-1016 (Aroclor 1016)	<32.3	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<32.3	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<32.3	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	11141-16-5	
PCB-1242 (Aroclor 1242)	120	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<32.3	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	12672-29-6	
PCB-1254 (Aroclor 1254)	128	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	11097-69-1	
PCB-1260 (Aroclor 1260)	43.5J	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	11096-82-5	
PCB, Total	292	ug/kg	64.6	32.3	1	10/24/16 15:06	10/26/16 03:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	63-130		1	10/24/16 15:06	10/26/16 03:53	877-09-8	
Decachlorobiphenyl (S)	72	%	48-130		1	10/24/16 15:06	10/26/16 03:53	2051-24-3	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	22.6	%	0.10	0.10	1		10/28/16 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Sample: S3 **Lab ID: 40140554003** Collected: 10/19/16 15:00 Received: 10/21/16 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<29.2	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	12674-11-2	
PCB-1221 (Aroclor 1221)	<29.2	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	11104-28-2	
PCB-1232 (Aroclor 1232)	<29.2	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	11141-16-5	
PCB-1242 (Aroclor 1242)	54.3J	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	53469-21-9	
PCB-1248 (Aroclor 1248)	<29.2	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	12672-29-6	
PCB-1254 (Aroclor 1254)	77.9	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	11097-69-1	
PCB-1260 (Aroclor 1260)	<29.2	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	11096-82-5	
PCB, Total	132	ug/kg	58.4	29.2	1	10/24/16 15:06	10/26/16 04:11	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	63-130		1	10/24/16 15:06	10/26/16 04:11	877-09-8	
Decachlorobiphenyl (S)	76	%	48-130		1	10/24/16 15:06	10/26/16 04:11	2051-24-3	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.3	%	0.10	0.10	1		10/28/16 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

QC Batch: 239115 Analysis Method: EPA 8082
 QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
 Associated Lab Samples: 40140554001, 40140554002, 40140554003

METHOD BLANK: 1416762 Matrix: Solid

Associated Lab Samples: 40140554001, 40140554002, 40140554003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1221 (Aroclor 1221)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1232 (Aroclor 1232)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1242 (Aroclor 1242)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1248 (Aroclor 1248)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1254 (Aroclor 1254)	ug/kg	<25.0	50.0	10/25/16 22:23	
PCB-1260 (Aroclor 1260)	ug/kg	<25.0	50.0	10/25/16 22:23	
Decachlorobiphenyl (S)	%	100	48-130	10/25/16 22:23	
Tetrachloro-m-xylene (S)	%	89	63-130	10/25/16 22:23	

LABORATORY CONTROL SAMPLE: 1416763

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<25.0			
PCB-1221 (Aroclor 1221)	ug/kg		<25.0			
PCB-1232 (Aroclor 1232)	ug/kg		<25.0			
PCB-1242 (Aroclor 1242)	ug/kg		<25.0			
PCB-1248 (Aroclor 1248)	ug/kg		<25.0			
PCB-1254 (Aroclor 1254)	ug/kg		<25.0			
PCB-1260 (Aroclor 1260)	ug/kg	500	477	95	55-130	
Decachlorobiphenyl (S)	%			99	48-130	
Tetrachloro-m-xylene (S)	%			90	63-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1416764 1416765

Parameter	Units	40140399001		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
PCB-1016 (Aroclor 1016)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1221 (Aroclor 1221)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1232 (Aroclor 1232)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1242 (Aroclor 1242)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1248 (Aroclor 1248)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1254 (Aroclor 1254)	ug/kg	<30.5				<30.5	<30.5						20
PCB-1260 (Aroclor 1260)	ug/kg	<30.5		610	610	574	540	94	89	40-130	6	20	
Decachlorobiphenyl (S)	%							96	92	48-130			
Tetrachloro-m-xylene (S)	%							89	85	63-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MKC RAIN GARDEN 2016
Pace Project No.: 40140554

QC Batch: 239678 Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 40140554001, 40140554002, 40140554003

SAMPLE DUPLICATE: 1419958

Parameter	Units	40140520028 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.1	4.4	6	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MKC RAIN GARDEN 2016

Pace Project No.: 40140554

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40140554001	S1	EPA 3541	239115	EPA 8082	239118
40140554002	S2	EPA 3541	239115	EPA 8082	239118
40140554003	S3	EPA 3541	239115	EPA 8082	239118
40140554001	S1	ASTM D2974-87	239678		
40140554002	S2	ASTM D2974-87	239678		
40140554003	S3	ASTM D2974-87	239678		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of



CHAIN OF CUSTODY

Preservation Codes: A=None, B=HCL, C=H2SO4, D=HNO3, E=DI Water, F=Methanol, G=NaOH, H=Sodium Bisulfate Solution, I=Sodium Thiosulfate, J=Other

40140554

Page 12 of 13

Company Name: City of Madison
 Branch/Location:
 Project Contact: Bryan Bernis
 Phone: 608.267.1986
 Project Number:
 Project Name: MKC Rain Garden 2016
 Project State: WI
 Sampled By (Print): Bryan Bernis
 Sampled By (Sign): *Bryan Bernis*
 PO #:
 Regulatory Program:

Y/N	Filtered? (YES/NO)	Preservation (CODE)
2		
X		

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address: *bernis@cityofmadison.com*
 Invoice To Contact:
 Invoice To Company: *Bryan Bernis*
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS:
 LAB COMMENTS: *1-402ag A*
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 On your sample (billable)
 NOT needed on your sample
 Matrix Codes:
 A = Air, B = Biota, C = Charcoal, O = Oil, S = Soil, SI = Sludge, W = Water, DW = Drinking Water, GW = Ground Water, SW = Surface Water, WW = Waste Water, WP = Wipe

PAGE LAB #	CLIENT FIELD ID	DATE	COLLECTION TIME	MATRIX	Analyses Requested
001	S1	10/19/16	14:50	S	PCBs
002	S2	10/19/16	14:55	S	X
003	S3	10/19/16	15:00	S	X

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Relinquished By: *Bryan Bernis* Date/Time: 10/19/16 @ 16:00
 Relinquished By: *Benita Bernis* Date/Time: 10/20/16 0930
 Relinquished By: *Walter* Date/Time: 10/18/16 0855

Received By: *Deanna* Date/Time: 10/19/16 16:00
 Received By: *Sally* Date/Time: 10/20/16 9:30
 Received By: *Ben Bernis* Date/Time: 10/18/16 0855

PAGE Project No. 40140554
 Receipt Temp = ROI °C
 Sample Receipt pH
 Cooler/Custody Seal Present/Not Present
 Intact / Not Intact




Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: City of Madison

Project #: WO#: 40140554

Courier: Fed Ex UPS Client Pace Other: Walco
Tracking #: 1192425-1



Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROT /Corr: Biological Tissue is Frozen: yes no

Temp Blank Present: yes no

Person examining contents:
Date: 10/21/16
Initials: BH

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Comments:


Table with 15 rows of inspection criteria and checkboxes. Includes items like Chain of Custody Present, Short Hold Time Analysis, Containers Intact, etc.

Client Notification/ Resolution:
Person Contacted: Date/Time:
Comments/ Resolution:

Project Manager Review: AMH-R DM Date: 10/21/16



FIGURE 1 - PCB Sampling of Rain Garden
 Collected by City of Madison Engineering on October 19, 2016.
 Industrial Direct Contact Residual Contaminant Level is 0.744 mg/kg.




CITY: MPLS DIV/GROUP: IM DB: MG LD: CK MADISON-KIPP
Z:\GISPROJECTS\ENVMadisonKipp\Map2015-07\Fig1_Capital_City_Bike_Path_Soil_Investigation.mxd

LEGEND

- CITY OF MADISON HAND AUGER SOIL SAMPLE LOCATIONS
- MADISON-KIPP HAND AUGER SOIL SAMPLE LOCATIONS
- PARCELS
- BUILDING FOOTPRINTS
- SITE

HA-1 LOCATION ID
 1.5 TOTAL DETECTED PCBs IN MILLIGRAMS PER KILOGRAM (MG/KG)
 ND PCBs NOT DETECTED



MADISON-KIPP CORPORATION
 201 WAUBESA STREET
 MADISON, WISCONSIN
WORK PLAN

CAPITAL CITY BIKE PATH SOIL INVESTIGATION LOCATIONS

FIGURE 1