



Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

Bureau of Integrated Science Services

Laboratory Certification and Registration Program



Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Advanced Waste Services, Inc.
 ID: 241763720
 3801 K West Mckinley
 Milwaukee WI 53208-
 Phone: (414) 342-1852
 Contact: William Fowler
 bfowler@advancedwasteservices.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Zinc

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Antimony
- Barium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Molybdenum
- Nickel
- Selenium
- Silver
- Tin
- Titanium
- Vanadium
- Zinc

Matrix: Solid

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Antimony
- Barium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Molybdenum
- Nickel
- Selenium
- Silver
- Tin
- Titanium
- Vanadium
- Zinc

Ashippun Sanitary District
 ID: 114003230
 P.O. Box 362
 Ashippun WI 53003-
 Phone: (920) 474-7601
 Contact: Doug Nilson
 ashwwtp@netzero.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Ashland Wastewater Treatment Plant
 ID: 802008130
 2020 6th Street East
 Ashland WI 54806-
 Phone: (715) 682-7058
 Contact: Edward Sindelar
 esindelar@coawi.org
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Aura II, Inc
 ID: 241779450
 8035 W Calumet Rd
 Milwaukee WI 53223-
 Phone: (414) 365-2872
 Contact: Marc Rhodes
 marc_environment@sbcglobal.net
 TYPE: Haz. Waste (TSD) Lab

Matrix: Aqueous

Flame Atomic Absorption Spectrophotometry

- Gold

Bailey's Harbor WWTP
 ID: 415016910
 2605 Summit Road
 Baileys Harbor WI 54202-
 Phone: (920) 839-2037
 Contact: Don Prust
 bhwwtp@dcwis.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Beaver Dam Wastewater Treatment Utilit
 ID: 114001250
 108 Myrtle Road
 Beaver Dam WI 53916-
 Phone: (920) 887-4625
 Contact: Don Quaford
 mrfish@powerweb.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Boscobel Wastewater Treatment Plant
 ID: 122001660
 1006 Wisconsin Avenue
 Boscobel WI 53805-
 Phone: (608) 375-4150
 Contact: Scott Stimart
 boscowtp@centurytel.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

BPM, Inc.
 ID: 438039250
 200 W Front Street
 Peshtigo WI 54157-
 Phone: (715) 582-4551
 Contact: Gary Motkowski
 GLM@bpmppaper.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Brandon Utilities

ID: 420004310

402 S. Commercial St.

Brandon WI 53919-

Phone: (262) 346-5492

Contact: Jim Ramsey
brandonfirefighter@hotmail.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Brillion Wastewater Treatment Plant

ID: 408004190

1201 Clearwater Drive

Brillion WI 54110-

Phone: (920) 756-2850

Contact: Geoffrey Weinreis
utility@ci.brillion.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Bristol Wastewater Treatment Plant

ID: 230002630

P.O. Box 187

Bristol WI 53104-

Phone: (262) 857-9371

Contact: Randall Kerkman
bristoladmin@wi.rr.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Brookfield Fox River Water Pollution Co

ID: 268002790

21225 Enterprise Ave.

Brookfield WI 53045-

Phone: (262) 782-0199

Contact: Rick Wenzel
wenzelr@ci.brookfield.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Cyanide, Total
- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Chloride

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Copper
- Nickel
- Silver
- Zinc

Graphite Furnace Atomic Absorption Spectrometry

- Arsenic
- Chromium (Total)
- Lead
- Molybdenum
- Selenium

Matrix: Solid

Gravimetric Assays - Residue (solids)

- Residue, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Copper
- Nickel
- Potassium
- Zinc

Graphite Furnace Atomic Absorption Spectrometry

- Arsenic

- Lead
- Molybdenum
- Selenium

Burlington Water Pollution Control

ID: 252002630

300 North Pine Street

Burlington WI 53105-

Phone: (262) 539-3646

Contact: Diane Chesick
bwwtp@bizwi.rr.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)

Cambridge/Oakland Joint Commission

ID: 113001570

P.O. Box 22

Cambridge WI 53523-

Phone: (608) 423-4306

Contact: Steve Sainsbury
cambridge-oaklandwwtf@netwurx.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

City of Beloit Water Resources

ID: 154001650

555 Willowbrook Road

Beloit WI 53511-

Phone: (608) 364-2888

Contact: Cheryl Simplot
simplotc@ci.beloit.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

City of Menomonie

ID: 617006720

800 Wilson Ave.

Menomonie WI 54751-

Phone: (715) 232-2175

Contact: Dave Liefert
dliefert@menomonie-wi.gov

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total
- Sulfate

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Chloride
- Hardness, Total as CaCO₃

Clintonville Wastewater Treatment Plant

ID: 469004800

350 E. 15th Street

Clintonville WI 54929-

Phone: (715) 823-7675

Contact: Brad Rokus
brokus@frontiernet.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Colby Wastewater Treatment Plant

ID: 610006540

% City Clerk; P.O. Box 236

Colby WI 54421-

Phone: (715) 223-2180

Contact: Roger Ried
mronemore@charter.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Dane - Iowa Wastewater Facility

ID: 313002470

5745 Mahocker Rd

Mazomanie WI 53560-

Phone: (608) 795-0024

Contact: Richard McKee
rmckee@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Eagle Lake Sewer Utility District

ID: 252009560

P.O. Box 595

Kansasville WI 53139-

Phone: (262) 534-5910

Contact: Jim Bergles
eaglelake@tds.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Eau Claire City-County Health Departme

ID: 618019820

720 2nd Avenue

Eau Claire WI 54703-

Phone: (715) 839-4718

Contact: Ted Johnson
tjohnson@ci.eau-claire.wi.us

TYPE: Public Health Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Chemical Oxygen Demand
- Phosphorus, Total

Titrimetric or Potentiometric Titration Assays

- Chloride

Flame Atomic Absorption Spectrophotometry

- Copper
- Iron
- Zinc

Graphite Furnace Atomic Absorption Spectrometry

- Arsenic
- Cadmium
- Chromium (Total)
- Lead

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Primary Inorganic Contaminants (Metals)

- Copper - Std Methods 3111B (18 or 19)
- Lead - Std Methods 3113B (18 or 19)

Trihalomethanes (THM)

- * THM ANALYTE GROUP - EPA 524.2

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Volatile Organic Compounds (VOC)

- * VOCS, REGULATED ANALYTE GROUP - EPA 524.2

Matrix: Solid

Flame Atomic Absorption Spectrophotometry

- Lead

Eau Claire Wastewater Treatment Plant L

ID: 618006510

1000 Ferry Street

Eau Claire WI 54703-

Phone: (715) 839-6121

Contact: Craig Capper

craig.capper@ci.eau-claire.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Cyanide, Total
- Hardness, Total as CaCO₃
- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Copper
- Lead
- Nickel
- Potassium
- Zinc

Graphite Furnace Atomic Absorption Spectrometry

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Silver

Eleva Wastewater Treatment Plant

ID: 662007280

P.O. Box 81

Eleva WI 54738-

Phone: (715) 287-3215

Contact: Mike Lokken

village-eleva@triwest.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Ephraim Wastewater Treatment Plant

ID: 415017240

P.O. Box 138

Ephraim WI 54211-

Phone: (920) 854-4991

Contact: David Alberts

dalberts@ephrain-wisconsin.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Genoa City Sewage Treatment Plant

ID: 265003530

715 Walworth Street

Genoa City WI 53128-

Phone: (262) 279-5728

Contact: Todd Schiller

gcpw@sbcglobal.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Green Bay Metropolitan Sewerage Distri

ID: 405004600

PO Box 19015

Green Bay WI 54307-

Phone: (920) 438-1073

Contact: Debra Cawley

dcawley@gbmsd.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Ammonia as N
- Chemical Oxygen Demand
- Chlorophyll
- Cyanide, Amenable
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Titrimetric or Potentiometric Titration Assays

- Chloride

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Ultra-Low Level Metals Assays

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Mercury

Gas Chromatography-Mass Spectrometry (GC/MS)

- * BNA ANALYTE GROUP
- * VOC ANALYTE GROUP

Matrix: Solid

Gravimetric Assays - Residue (solids)

- Residue, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Hilbert Wastewater Treatment Plant

ID: 408004520

Box 266

Hilbert WI 54129-

Phone: (920) 853-3241

Contact: Charles Fochs
hilbertpw@ppcws.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Infrastructure Alternatives

ID: 998262430

P O Box 453

Menominee MI 49858-

Phone: (906) 863-3050

Contact: Mike Thorsen
mthorsen@infralt.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Integritys Business Support, LLC - Central

ID: 405029790

PO Box 19002

Green Bay WI 54307-9002

Phone: (920) 433-1396

Contact: Patrick Ahrens
pahrens@wpsr.com

TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Chemical Oxygen Demand

- Sulfate

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)

- Residue, Nonfilterable (TSS)

Ion Chromatography (IC)

- Chloride

- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity

Matrix: Solid

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP

Waste Characterization Extractions

- TCLP Extraction

Waste Characterization Assays

- Corrosivity, Liquids

- Ignitability, Pensky-Martens Closed Cup

Ixonia Sanitary District #1

ID: 128001610

P.O. Box 351

Ixonia WI 53036-

Phone: (262) 261-2938

Contact: Dorothy Genz
ixgenz@wi.rr.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Kenosha County Health Dept Lab

ID: 230153220

8600 Sheridan Road

Kenosha WI 53143-

Phone: (262) 653-6960

Contact: Jennifer Greene
Jgreene@co.kenosha.wi.us

TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Kewaskum Sewage Treatment Plant

ID: 267003330

P.O. Box 38 204 First Street

Kewaskum WI 53040-0038

Phone: (262) 626-2313

Contact: Jim Noren
jnoren@village.kewaskum.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Chloride

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Kewaunee Wastewater Treatment Plant

ID: 431004640

77 Dodge St.

Kewaunee WI 54216-

Phone: (920) 388-5012

Contact: Randy Lee

publicworks@cityofkewaunee.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Phosphorus, Total

Kohler Co., Chemical & Metallurgical La

ID: 460032870

444 Highland Drive

Kohler WI 53044-

Phone: (920) 457-4441

Contact: Lisa Escher

lisa.escher@kohler.com

TYPE: Industrial Environmental Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Alkalinity
- Chemical Oxygen Demand
- Chloride
- Cyanide, Amenable
- Cyanide, Total
- Nitrate
- Nitrite
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Sulfate

Electrometric Assays (probe, ISE)

- Fluoride

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Ion Chromatography (IC)

- Bromide
- Chloride
- Fluoride
- Nitrate
- Nitrite
- Orthophosphate
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Chloride
- Hardness, Total as CaCO₃
- Kjeldahl Nitrogen, Total

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)

- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Gas Chromatography-Mass Spectrometry (GC/MS)

- * VOC ANALYTE GROUP

Thermal Decomposition Atomic Absorption

- Mercury

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Chloride
- Cyanide, Amenable
- Cyanide, Total
- Nitrate
- Nitrite
- Orthophosphate
- Phenolics, Total

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Phosphorus, Total
- Sulfate

Electrometric Assays (probe, ISE)

- Fluoride

Gravimetric Assays - Residue (solids)

- Residue, Total

Ion Chromatography (IC)

- Bromide
- Chloride
- Fluoride
- Nitrate
- Nitrite
- Orthophosphate
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Chloride
- Kjeldahl Nitrogen, Total

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Iron

- Lead
- Magnesium
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Gas Chromatography-Mass Spectrometry (GC/MS)

- * VOC ANALYTE GROUP

Waste Characterization Extractions

- TCLP Extraction

Waste Characterization Assays

- Ignitability of Solids
- Ignitability, Pinsky-Martens Closed Cup

Thermal Decomposition Atomic Absorption

- Mercury

Laboratory Services (WE Energies)

ID: 241329000

333 West Everett

Milwaukee WI 53203-

Phone: (414) 221-2828

Contact: Craig Martin - A070

craig.martin@we-energies.com

TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Chemical Oxygen Demand
- Chromium (Hexavalent)
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Ion Chromatography (IC)

- Bromide
- Chloride
- Fluoride
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silica
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Magnesium
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Chromium (Hexavalent)
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Total

Ion Chromatography (IC)

- Bromide
- Chloride
- Fluoride
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Sulfate

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium

- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP

Waste Characterization Extractions

- SPLP Extraction
- TCLP Extraction

Waste Characterization Assays

- Corrosivity, Liquids
- Ignitability, Pensky-Martens Closed Cup
- Ignitability, Small Scale Closed Cup

LaCrosse Public Health Laboratory

ID: 632072980

300 North 4th Street

LaCrosse WI 54601-3299

Phone: (608) 789-7816

Contact: James Steinhoff
steinhoff.jim@co.la-crosse.wi.us

TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Ladysmith Wastewater Treatment Plant

ID: 855008990

P.O. Box 431 120 W. Miner Ave.

Ladysmith WI 54848-

Phone: (715) 532-2605

Contact: Matt Boehmer
mattboehmer@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Lancaster Wastewater Treatment Plant

ID: 122002540

206 South Madison St

Lancaster WI 53813-

Phone: (608) 723-2934

Contact: Gary Williams
lancwwp@pcii.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Lodi Wastewater Treatment Plant

ID: 111001770

130 S. Main St.

Lodi WI 53555-

Phone: (608) 592-5968

Contact: Randy Herwig
rherwig@wppienergy.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Lyons Wastewater Treatment Laboratory

ID: 265008920

P.O. Box 237

Lyons WI 53148-

Phone: (262) 763-4627

Contact: Kristine Gauger
lyonsdt2@execpc.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Madison Metropolitan Sewerage District

ID: 113002230

1610 Moorland Road

Madison WI 53713-

Phone: (608) 222-1201

Contact: Rhonda Riedner
RhondaR@madsewer.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Ammonia as N

- Chromium (Hexavalent)
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Ion Chromatography (IC)

- Chloride
- Nitrate

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Graphite Furnace Atomic Absorption Spectrometry

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Ammonia as N
- Kjeldahl Nitrogen, Total
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Graphite Furnace Atomic Absorption Spectrometry

- Selenium

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Molybdenum
- Nickel
- Potassium
- Sodium
- Zinc

Marathon County Public Health Lab

ID: 737157080

1200 Lakeview Dr Room 200

Wausau WI 54403-

Phone: (715) 261-1908

Contact: Ruth Marx
rkmarx@mail.co.marathon.wi.us

TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Marinette Wastewater Lab

ID: 438004930

P.O. Box 611

Marinette WI 54143-

Phone: (715) 732-5184

Contact: Jeff Mayou
jmayou@marinette.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Markesan Joint Water and Sewer Utility

ID: 424004680

Box 352

Markesan WI 53946-

Phone: (920) 398-3767

Contact: Anthony Doro
markesan001@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Marshall WW Treatment Facility

ID: 113002450

P.O. Box 45

Marshall WI 53559-0045

Phone: (608) 655-3814

Contact: Dean Gerber
dgerber1@charter.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Chloride

Marshfield Wastewater Utility

ID: 772008380

3411 South Galvin Avenue

Marshfield WI 54449-

Phone: (715) 591-2022

Contact: Ronald Dickrell
ron.dickrell@ci.marshfield.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Hardness, Total as CaCO₃

Mayville Utilities

ID: 114005760

P.O. Box 273

Mayville WI 53050-

Phone: (920) 387-7906

Contact: Ronald Wellner
rwellner@mayvillecity.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Medford Wastewater Treatment Plant

ID: 861008830

603 S. Whelen Ave.

Medford WI 54451-

Phone: (715) 748-4122

Contact: Ben Brooks
bbrooks@medfordwi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Milwaukee Metropolitan Sewerage Distri

ID: 241325920

260 West Seeboth Street

Milwaukee WI 53204-

Phone: (414) 277-6377

Contact: Kim Reilly
kreilly@mmsd.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Alkalinity
- Ammonia as N
- Chemical Oxygen Demand
- Chloride
- Chlorophyll
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrite
- Phosphorus, Total
- Silica
- Sulfate

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Titrimetric or Potentiometric Titration Assays

- Ammonia as N
- Kjeldahl Nitrogen, Total
- Sulfide

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Neenah-Menasha Sewerage Comm.
 ID: 471005590
 101 Garfield Ave.
 Menasha WI 54952-3397
 Phone: (920) 751-4760
 Contact: Laurie Stenson
 laurie@nmsscwwtp.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

New London Wastewater Treatment Plant
 ID: 469005460
 215 North Shawano Street
 New London WI 54961-
 Phone: (920) 982-8511
 Contact: Ben Greuel
 bgreuel@charter.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Oconto Wastewater Treatment Plant
 ID: 443004980
 1616 Main Street
 Oconto WI 54153-
 Phone: (920) 834-7721
 Contact: Lisa Weigelt
 ocontolab@hioconto.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

OMNOVA Solutions, Inc.
 ID: 405120210
 1701 Cornell Rd.
 Green Bay WI 54313-
 Phone: (920) 434-4334
 Contact: Timothy Budz
 tim.budz@omnova.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Gas Chromatography (GC)

- Acrylonitrile

Platteville Wastewater Treatment Plant
 ID: 122003310
 75 N. Bonson St. P.O. Box 780
 Platteville WI 53818-
 Phone: (608) 348-9741
 Contact: Dennis Moen
 pwwtp@centurytel.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Chloride

Gravimetric Assays - Residue (solids)

- Residue, Total

Titrimetric or Potentiometric Titration Assays

- Ammonia as N
- Kjeldahl Nitrogen, Total

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Silver
- Strontium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pleasant Prairie Sewer Utility Dist. D

ID: 230003510

10201 Wilmot Rd.

Pleasant Prairie WI 53158-

Phone: (262) 694-7089

Contact: Daniel Anderson

Adcbanderson@aol.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Plover Wastewater Treatment Plant

ID: 750007940

P O Box 37

Plover WI 54467-

Phone: (715) 345-5250

Contact: Rich Boden

rboden@ploverwi.gov

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Port Washington Wastewater Treatment

ID: 246003340

P.O. Box 307

Port Washington WI 53074-

Phone: (262) 284-5051

Contact: Robert Demge

pwwwlab@wi.rr.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Portage Sewage Treatment Plant

ID: 111001990

115 West Pleasant Street

Portage WI 53901-

Phone: (608) 742-3445

Contact: David Hornischer

dhornischer@hotmail.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Public Health Madison-Dane County Lab

ID: 113139620

210 Martin Luther King Jr Blvd

Madison WI 53710-

Phone: (608) 266-4821

Contact: Kirsti Sorsa

ksorsa@cityofmadison.com

TYPE: Public Health Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Alkalinity
- Ammonia as N
- Chemical Oxygen Demand
- Chlorophyll
- Hardness, Total as CaCO₃
- Kjeldahl Nitrogen, Total
- Nitrate
- Orthophosphate
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

- Residue, Total

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Nitrite
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Selenium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Silver
- Thallium
- Vanadium
- Zinc

Matrix: **Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Racine Wastewater Treatment Plant Lab

ID: 252003400

800 Center St Room 227

Racine WI 53403-

Phone: (262) 636-9523

Contact: Nora Erlandson
nora.erlandson@cityofracine.org

TYPE: Municipal Wastewater Lab

Matrix: **Aqueous**

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Cyanide, Total
- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Titrimetric or Potentiometric Titration Assays

- Ammonia as N
- Hardness, Total as CaCO₃
- Kjeldahl Nitrogen, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Silver
- Zinc

Graphite Furnace Atomic Absorption Spectrometry

- Arsenic
- Cadmium
- Chromium (Total)
- Lead
- Nickel
- Silver

Matrix: **Drinking Water**

Primary Inorganic Contaminants (Metals)

- Copper - Std Methods 3111B (18 or 19)
- Lead - Std Methods 3113B (18 or 19)

Matrix: **Solid**

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Total

Titrimetric or Potentiometric Titration Assays

- Ammonia as N
- Kjeldahl Nitrogen, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Zinc

Reedsville Wastewater Treatment

ID: 436005240

P.O. Box 220

Reedsville WI 54230-

Phone: (920) 754-4094

Contact: Brad Busse
utilities@reedsville.org

TYPE: Municipal Wastewater Lab

Matrix: **Aqueous**

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Rib Mountain Metro Sewerage District

ID: 737066990

2001 Aster Rd

Wausau WI 54401-

Phone: (715) 359-7852

Contact: Josh Tyne
RMMSD@Verizon.net

TYPE: Municipal Wastewater Lab

Matrix: **Aqueous**

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Richland Center Wastewater Treatment

ID: 153001860

P O Box 312

Richland Center WI 53581-

Phone: (608) 647-3917

Contact: Todd Fischer
rcwwrc@mwt.net

TYPE: Municipal Wastewater Lab

Matrix: **Aqueous**

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Rock County Health Department

ID: 154077660

PO Box 1143

Janesville WI 53547-

Phone: (608) 757-5441

Contact: Joseph Schurhammer
schurham@co.rock.wi.us

TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - Std Methods 4500F- C (18,19, or 20)
- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Salem Utility District

ID: 230012200

28733 Wilmot Rd.

Trevor WI 53179-

Phone: (262) 862-2371

Contact: Bradly Zautcke
zautcke@saalem-wi-utility.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Silver Lake Sanitary District

ID: 470013170

N1702 19th Avenue

Wautoma WI 54965-

Phone: (920) 787-7622

Contact: Joel Jodarski
silverlk@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Springbrook Pollution Abatement Facility

ID: 734007450

N2420 Koszarek Road

Antigo WI 54409-1955

Phone: (715) 623-2797

Contact: Dave Borlace
dborlace@infralt.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Stanley Wastewater Treatment Plant

ID: 609007080

P O Box 155

Stanley WI 54768-

Phone: (715) 644-5519

Contact: Dan Manier
clerk@stanleywisconsin.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Sturgeon Bay Utilities

ID: 415004920

P.O. Box 430

Sturgeon Bay WI 54235-

Phone: (920) 746-2820

Contact: Bob Carey
robert.carey@earthtech.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Superior Wastewater Treatment Plant

ID: 816008710

51 East First St.

Superior WI 54880-

Phone: (715) 394-0392

Contact: Max Lucci
luccim@ci.superior.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

- Residue, Volatile, Nonfilterable (TVSS)

Thorp Wastewater Treatment Plant

ID: 610007310

P.O. Box 334

Thorp WI 54771-

Phone: (715) 669-5373

Contact: Brent Leech
publicworks@cityofthorp.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Twin Lakes Sewage Treatment Plant

ID: 230004060

901 Gatewood Drive

Twin Lakes WI 53181-

Phone: (262) 877-3404

Contact: Terry Trongeau
tlwwtp@verizon.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Veolia Environmental Services, L.L.C.

ID: 268201120

W124 N9451 Boundary Rd.

Menomonee Falls WI 53051-

Phone: (262) 255-6655

Contact: William Banks
bill.banks@veoliaes.com

TYPE: Haz. Waste (TSD) Lab

Matrix: Solid

Titrimetric or Potentiometric Titration Assays

- Cyanide, Amenable
- Cyanide, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Graphite Furnace Atomic Absorption Spectrometry

- Antimony

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Arsenic
- Barium
- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Selenium
- Silver
- Zinc

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP

Waste Characterization Assays

- Ignitability, Pensky-Martens Closed Cup
- Waste Analysis, Other

Veolia ES Technical Solutions, LLC

ID: 246076050

1275 Mineral Springs Drive

Port Washington WI 53074-

Phone: (262) 243-8900

Contact: Phil Ditter
phillip.ditter@veoliaes.com

TYPE: Haz. Waste (TSD) Lab

Matrix: Solid

Waste Characterization Assays

- Corrosivity, Liquids
- Ignitability, Setafash Closed Cup
- Waste Analysis, Other

Village of Eden

ID: 420004640

112 Grahl Ave.

Eden WI 53019-

Phone: (920) 477-4051

Contact: Ed Costello
wwtp@excel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Waukesha County Parks and Land Use

ID: 268511760

1320 Pewaukee Road Room 260

Waukesha WI 53188-

Phone: (262) 896-8300

Contact: Mary Pakenham
mpakenham@waukeshacounty.gov

TYPE: Public Health Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)

- Residue, Nonfilterable (TSS)

- Residue, Total

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Std Methods 4500-NO3- D (18,19, or 20)

Waukesha Wastewater Treatment Plant

ID: 268005100

600 Sentry Dr.

Waukesha WI 53186-5950

Phone: (262) 524-3627

Contact: Randall Thater
rthater@ci.waukesha.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Cyanide, Total
- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Flame Atomic Absorption Spectrophotometry

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Silver
- Zinc

Western Racine Co. Sewerage District

ID: 252003840

Box 177

Rochester WI 53167-

Phone: (262) 534-6237

Contact: Jeff Bratz
jab158@tds.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Electrometric Assays (probe, ISE)

- Ammonia as N

Whitelaw Wastewater Treatment Plant

ID: 436005900

Box 294, 232 E. Menasha

Whitelaw WI 54247-

Phone: (920) 732-1331

Contact: Gerald Linsmeier
villageofwhitelaw@comcast.net

TYPE: Municipal Wastewater Lab

- Prometon
- Pronamide
- Propachlor
- Propazine
- Simazine
- Triadimefon
- Trifluralin

- Silica
- Sulfate

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Electrometric Assays (probe, ISE)

- Fluoride
- Sulfide

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Ion Chromatography (IC)

- Chloride
- Nitrate
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Sulfite

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Graphite Furnace Atomic Absorption Spectrometry

- Antimony
- Arsenic
- Cadmium
- Chromium (Total)
- Lead
- Selenium
- Silver
- Thallium

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead

Wisconsin Rapids Wastewater Treatment Plant

ID: 772009370

2540 1st Street South

Wisconsin Rapids WI 54494-

Phone: (715) 421-8237

Contact: Greg Luke
glukewwtp@wctc.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Phosphorus, Total

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

Wisconsin State Laboratory of Hygiene

ID: 113133790

2601 Agriculture Dr

Madison WI 53707-7996

Phone: (800) 442-4618

Contact: Susan Hill
hill@mail.slh.wisc.edu

TYPE: Public Health Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetric or Nephelometric (turbidimetric)

- Ammonia as N
- Chemical Oxygen Demand
- Chloride
- Chromium (Hexavalent)
- Cyanide, Amenable
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

WI DATCP -Laboratory Services

ID: 113122680

PO Box 7883

Madison WI 53707-

Phone: (608) 267-3501

Contact: Paul Korger
paul.korger@datcp.state.wi.us

TYPE: Public Health Lab

Matrix: Aqueous

Gas Chromatography (GC)

- 2,4,5-TP (Silvex)
- 2,4-D
- Alachlor
- Ametryn
- Atrazine
- Benfluralin
- Bentazon
- Bromacil (salts and Esters)
- Butachlor
- Chlorothalonil
- Cyanazine
- Deisopropylatrazine
- Desethylatrazine
- Diaminoatrazine
- Metribuzin
- Norflurazon
- Pendimethalin

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- Ethylene Glycol
- Propylene Glycol

Gas Chromatography-Mass Spectrometry (GC/MS)

- * VOC ANALYTE GROUP

High Performance Liquid Chromatography (HPLC)

- * PAH ANALYTE GROUP

Whole Effluent Toxicity Assays

- Acute Tox - Ceriodaphnia dubia
- Acute Tox - Pimephales promelas
- Chronic Tox - Ceriodaphnia dubia
- Chronic Tox - Pimephales promelas
- Chronic Tox - Selanastrum capricornutum

Matrix: Drinking Water

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 375.2

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Matrix: Solid

Colorimetric or Nephelometric (turbidimetric)

- Ammonia as N
- Chloride
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate + Nitrite
- Phosphorus, Total

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Gravimetric Assays - Residue (solids)

- Residue, Total

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony

- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP
- Ethylene Glycol
- Propylene Glycol

Gas Chromatography-Mass Spectrometry (GC/MS)

- * VOC ANALYTE GROUP

High Performance Liquid Chromatography (HPLC)

- * PAH ANALYTE GROUP

Waste Characterization Extractions

- EPTOX Extraction
- TCLP Extraction

Waste Characterization Assays

- Ignitability, Pinsky-Martens Closed Cup
- Waste Analysis, Other

Xcel Energy, Inc., Minneapolis Testing L
 ID: 999071150
 1518 Chestnut Avenue North
 Minneapolis MN 55403-1292
 Phone: (612) 630-4145
 Contact: Kari Ziebarth
 kari.l.ziebarth@xcelenergy.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Oxygen Demand assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)

Colorimetric or Nephelometric (turbidimetric)

- Chemical Oxygen Demand
- Nitrate + Nitrite
- Orthophosphate
- Phosphorus, Total

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Electrometric Assays (probe, ISE)

- Ammonia as N

Gravimetric Assays - Residue (solids)

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Gravimetric Assays - Hexane Extractable Materials (HEM)

- Oil&Grease, Hexane Ext. Material

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Sulfate

Titrimetric or Potentiometric Titration Assays

- Alkalinity

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Strontium
- Thallium
- Tin
- Vanadium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP

Matrix: Solid

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Sulfate

Cold Vapor Atomic Absorption or Hydride Spectrometry

- Mercury

Inductively Coupled Plasma Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper

- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Vanadium
- Zinc

Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Gas Chromatography (GC)

- * PCB as AROCLORS ANALYTE GROUP