

Elements by Townrange for Ozaukee County

The Natural Heritage Inventory (NHI) database contains recent and historic element (rare species and natural community) observations. A generalized version of the NHI database is provided below as a general reference and should not be used as a substitute for a WI Dept of Natural Resources NHI review of a specific project area. The NHI database is dynamic, records are continually being added and/or updated. The following data are current as of 11/04/2011:

Town Range

| Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|---|-----------------------------------|--------------|----------------|------------|-------------|------------|
| <i>Elymus lanceolatus ssp. psammophilus</i> | Thickspike | THR | | S2 | G5T3 | Plant |
| <i>Trillium nivale</i> | Snow Trillium | THR | | S3 | G4 | Plant |
| 007N022E | | | | | | |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 008N021E | | | | | | |
| <i>Etheostoma microperca</i> | Least Darter | SC/N | | S3 | G5 | Fish- |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 008N022E | | | | | | |
| <i>Migratory Bird Concentration Site</i> | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |
| 009N021E | | | | | | |
| <i>Acris crepitans</i> | Northern Cricket Frog | END | | S1 | G5 | Frog- |
| <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| <i>Bird Rookery</i> | Bird Rookery | SC | | SU | G5 | Other- |
| <i>Carex formosa</i> | Handsome Sedge | THR | | S2 | G4 | Plant |
| <i>Etheostoma microperca</i> | Least Darter | SC/N | | S3 | G5 | Fish- |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| <i>Ixobrychus exilis</i> | Least Bittern | SC/M | | S2S3B | G5 | Bird- |
| <i>Jeffersonia diphylla</i> | Twinleaf | SC | | S3 | G5 | Plant |
| <i>Lepomis megalotis</i> | Longear Sunfish | THR | | S2 | G5 | Fish- |
| <i>Luxilus chrysocephalus</i> | Striped Shiner | END | | S1 | G5 | Fish- |
| <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| <i>Plantago cordata</i> | Heart-leaved Plantain | END | | S1 | G4 | Plant- |
| <i>Ptelea trifoliata</i> | Wafer-ash | SC | | S2 | G5 | Plant |
| <i>Quercus muehlenbergii</i> | Chinquapin Oak | SC | | S1S2 | G5 | Plant |
| <i>Southern dry-mesic forest</i> | Southern Dry-mesic Forest | NA | | S3 | G4 | Community |
| <i>Southern hardwood swamp</i> | Southern Hardwood Swamp | NA | | S2 | G4? | Community- |
| <i>Southern mesic forest</i> | Southern Mesic Forest | NA | | S3 | G3? | Community |
| <i>Thamnophis butleri</i> | Butler's Gartersnake | THR | | S3S4 | G4 | Snake- |
| <i>Trillium nivale</i> | Snow Trillium | THR | | S3 | G4 | Plant |
| 009N022E | | | | | | |
| <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| <i>Cakile lacustris</i> | American Sea-rocket | SC | | S3 | G5 | Plant- |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| <i>Migratory Bird Concentration Site</i> | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|--|-----------------------------------|--------------|----------------|------------|-------------|-------------|
| | <i>Northern mesic forest</i> | Northern Mesic Forest | NA | | S4 | G4 | Community |
| | <i>Penstemon hirsutus</i> | Hairy Beardtongue | SC | | S1 | G4 | Plant |
| | <i>Pterospora andromedea</i> | Giant Pinedrops | END | | S1 | G5 | Plant |
| | <i>Southern dry-mesic forest</i> | Southern Dry-mesic Forest | NA | | S3 | G4 | Community |
| 010N020E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 010N021E | <i>Bird Rookery</i> | Bird Rookery | SC | | SU | G5 | Other- |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Enallagma basidens</i> | Double-striped Bluet | SC/N | | S2? | G5 | Dragonfly- |
| | <i>Etheostoma microperca</i> | Least Darter | SC/N | | S3 | G5 | Fish- |
| | <i>Hardwood swamp</i> | Hardwood Swamp | NA | | S3 | G4 | Community- |
| | <i>Luxilus chrysocephalus</i> | Striped Shiner | END | | S1 | G5 | Fish- |
| | <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| | <i>Migratory Bird Concentration Site</i> | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| | <i>Platanthera hookeri</i> | Hooker's Orchid | SC | | S2 | G4 | Plant |
| | <i>Procambarus gracilis</i> | Prairie Crayfish | SC/N | | S2? | G5 | Crustacean- |
| | <i>Regina septemvittata</i> | Queensnake | END | | S1 | G5 | Snake- |
| | <i>Southern mesic forest</i> | Southern Mesic Forest | NA | | S3 | G3? | Community |
| | <i>Thalictrum revolutum</i> | Waxleaf Meadowrue | SC | | S2 | G5 | Plant- |
| | <i>Thamnophis butleri</i> | Butler's Gartersnake | THR | | S3S4 | G4 | Snake- |
| | <i>Venustaconcha ellipsiformis</i> | Ellipse | THR | | S3 | G4 | Mussel- |
| | <i>Villosa iris</i> | Rainbow Shell | END | | S1 | G5Q | Mussel- |
| 010N022E | <i>Anguilla rostrata</i> | American Eel | SC/N | | S2 | G4 | Fish- |
| | <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Luxilus chrysocephalus</i> | Striped Shiner | END | | S1 | G5 | Fish- |
| | <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| | <i>Orobanche fasciculata</i> | Clustered Broomrape | THR | | S1 | G4 | Plant |
| | <i>Penstemon hirsutus</i> | Hairy Beardtongue | SC | | S1 | G4 | Plant |
| | <i>Southern hardwood swamp</i> | Southern Hardwood Swamp | NA | | S2 | G4? | Community- |
| | <i>Thamnophis butleri</i> | Butler's Gartersnake | THR | | S3S4 | G4 | Snake- |
| 011N019E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 011N020E | <i>Migratory Bird Concentration Site</i> | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 011N021E | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Amerorchis rotundifolia</i> | Round-leaved Orchis | THR | | S1S2 | G5 | Plant- |
| | <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| | <i>Black spruce swamp</i> | Black Spruce Swamp | NA | | S3? | G5 | Community- |
| | <i>Bog relict</i> | Bog Relict | NA | | S3 | G3 | Community- |

Town Range

| Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|--|-----------------------------------|--------------|----------------|------------|-------------|-------------|
| <i>Buteo lineatus</i> | Red-shouldered Hawk | THR | | S3S4B,S1N | G5 | Bird- |
| <i>Calephelis muticum</i> | Swamp Metalmark | END | | S1 | G3 | Butterfly- |
| <i>Carex livida var. radicaulis</i> | Livid Sedge | SC | | S2 | G5T5 | Plant- |
| <i>Cyripedium arietinum</i> | Ram's-head Lady's-slipper | THR | | S2 | G3 | Plant- |
| <i>Drosera linearis</i> | Slenderleaf Sundew | THR | | S1 | G4 | Plant- |
| <i>Eleocharis flavescens var. olivacea</i> | Capitate Spike-rush | SC | | S2 | G5 | Plant- |
| <i>Eleocharis quinqueflora</i> | Few-flowered Spike-rush | SC | | S2 | G5 | Plant- |
| <i>Emergent marsh</i> | Emergent Marsh | NA | | S4 | G4 | Community- |
| <i>Empidonax virescens</i> | Acadian Flycatcher | THR | | S3B | G5 | Bird |
| <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| <i>Ephemeral pond</i> | Ephemeral Pond | NA | | SU | GNRQ | Community- |
| <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |
| <i>Hardwood swamp</i> | Hardwood Swamp | NA | | S3 | G4 | Community- |
| <i>Hemileuca nevadensis ssp. 3</i> | Midwestern Fen Buckmoth | SC/N | | S3 | G5T3T4 | Moth- |
| <i>Lake--hard bog</i> | Lake--Hard Bog | NA | | S2 | GNR | Community- |
| <i>Lake--shallow, hard, drainage</i> | Lake--Shallow, Hard, Drainage | NA | | SU | GNR | Community- |
| <i>Lepomis megalotis</i> | Longear Sunfish | THR | | S2 | G5 | Fish- |
| <i>Libellula incesta</i> | Slaty Skimmer | SC/N | | S2S3 | G5 | Dragonfly- |
| <i>Lithobates palustris</i> | Pickerel Frog | SC/H | | S3? | G5 | Frog- |
| <i>Luxilus chrysocephalus</i> | Striped Shiner | END | | S1 | G5 | Fish- |
| <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| <i>Migratory Bird Concentration Site</i> | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| <i>Northern mesic forest</i> | Northern Mesic Forest | NA | | S4 | G4 | Community |
| <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| <i>Northern wet-mesic forest</i> | Northern Wet-mesic Forest | NA | | S3S4 | G3? | Community- |
| <i>Patterned peatland</i> | Patterned Peatland | NA | | S1 | GNR | Community- |
| <i>Platanthera leucophaea</i> | Prairie White-fringed Orchid | END | LT | S2 | G2G3 | Plant- |
| <i>Poor fen</i> | Poor Fen | NA | | S3 | G3G4 | Community- |
| <i>Procambarus gracilis</i> | Prairie Crayfish | SC/N | | S2? | G5 | Crustacean- |
| <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| <i>Somatochlora hineana</i> | Hine's Emerald | END | LE | S1 | G2G3 | Dragonfly- |
| <i>Somatochlora incurvata</i> | Warpaint Emerald | END | | S2S3 | G4 | Dragonfly- |
| <i>Southern hardwood swamp</i> | Southern Hardwood Swamp | NA | | S2 | G4? | Community- |
| <i>Southern mesic forest</i> | Southern Mesic Forest | NA | | S3 | G3? | Community |
| <i>Southern sedge meadow</i> | Southern Sedge Meadow | NA | | S3 | G4? | Community- |
| <i>Speyeria idalia</i> | Regal Fritillary | END | | S1 | G3 | Butterfly |
| <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| <i>Tamarack (rich) swamp</i> | Tamarack (Rich) Swamp | NA | | S3 | G3 | Community- |
| <i>Thamnophis butleri</i> | Butler's Gartersnake | THR | | S3S4 | G4 | Snake- |
| <i>Tofieldia glutinosa</i> | Sticky False-asphodel | THR | | S2S3 | G4G5 | Plant- |
| <i>Vertigo elatior</i> | Tapered Vertigo | SC/N | | S3 | G5 | Snail |
| <i>Viburnum prunifolium</i> | Smooth Black-haw | SC | | S2 | G5 | Plant |
| 011N022E | | | | | | |
| <i>Acipenser fulvescens</i> | Lake Sturgeon | SC/H | | S3 | G3G4 | Fish- |
| <i>Anguilla rostrata</i> | American Eel | SC/N | | S2 | G4 | Fish- |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|---|-----------------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| | <i>Cakile lacustris</i> | American Sea-rocket | SC | | S3 | G5 | Plant- |
| | <i>Chamaesyce polygonifolia</i> | Seaside Spurge | SC | | S2 | G5? | Plant |
| | <i>Dubiraphia robusta</i> | Robust Dubiraphian Riffle Beetle | SC/N | | S2S3 | G1G3 | Beetle- |
| | <i>Elymus lanceolatus ssp. psammophilus</i> | Thickspike | THR | | S2 | G5T3 | Plant |
| | <i>Falco peregrinus</i> | Peregrine Falcon | END | | S1S2B | G4 | Bird |
| | Migratory Bird Concentration Site | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| 012N019E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 012N020E | <i>Lepomis megalotis</i> | Longear Sunfish | THR | | S2 | G5 | Fish- |
| | <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| | Migratory Bird Concentration Site | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 012N021E | <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| | <i>Bog relict</i> | Bog Relict | NA | | S3 | G3 | Community- |
| | <i>Emergent marsh</i> | Emergent Marsh | NA | | S4 | G4 | Community- |
| | <i>Hardwood swamp</i> | Hardwood Swamp | NA | | S3 | G4 | Community- |
| | <i>Lake--shallow, hard, seepage</i> | Lake--Shallow, Hard, Seepage | NA | | SU | GNR | Community- |
| | <i>Lepomis megalotis</i> | Longear Sunfish | THR | | S2 | G5 | Fish- |
| | <i>Luxilus chrysocephalus</i> | Striped Shiner | END | | S1 | G5 | Fish- |
| | <i>Lythrurus umbratilis</i> | Redfin Shiner | THR | | S2 | G5 | Fish- |
| | Migratory Bird Concentration Site | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| | <i>Northern wet-mesic forest</i> | Northern Wet-mesic Forest | NA | | S3S4 | G3? | Community- |
| | <i>Southern mesic forest</i> | Southern Mesic Forest | NA | | S3 | G3? | Community |
| 012N022E | <i>Bartramia longicauda</i> | Upland Sandpiper | SC/M | | S2B | G5 | Bird |
| | <i>Hardwood swamp</i> | Hardwood Swamp | NA | | S3 | G4 | Community- |
| | <i>Lanius ludovicianus</i> | Loggerhead Shrike | END | | S1B | G4 | Bird |
| | <i>Sturnella neglecta</i> | Western Meadowlark | SC/M | | S2B | G5 | Bird |
| | <i>Tyto alba</i> | Barn Owl | END | | SNA | G5 | Bird |
| 012N023E | <i>Aster furcatus</i> | Forked Aster | THR | | S3 | G3 | Plant |
| | <i>Cakile lacustris</i> | American Sea-rocket | SC | | S3 | G5 | Plant- |
| | <i>Chamaesyce polygonifolia</i> | Seaside Spurge | SC | | S2 | G5? | Plant |
| | <i>Elymus lanceolatus ssp. psammophilus</i> | Thickspike | THR | | S2 | G5T3 | Plant |
| | <i>Hardwood swamp</i> | Hardwood Swamp | NA | | S3 | G4 | Community- |
| | <i>Hendersonia occulta</i> | Cherrystone Drop | THR | | S2S3 | G4 | Snail |
| | Migratory Bird Concentration Site | Migratory Bird Concentration Site | SC | | SU | G3 | Other |
| | <i>Triglochin palustris</i> | Slender Bog Arrow-grass | SC | | S3 | G5 | Plant- |
| | <i>Vallonia excentrica</i> | Oval Vallonia | SC/N | | S3 | G5 | Snail |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|--------------------------------|------------------|--------------|----------------|------------|-------------|------------|
| 013N018E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 013N019E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 013N020E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 013N021E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 014N018E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |
| 014N019E | <i>Moxostoma valenciennesi</i> | Greater Redhorse | THR | | S3 | G4 | Fish- |

This report lists locations for all elements occurring in Ozaukee County, since many element occurrences cross county boundaries, it may also list townships from additional counties.