



Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

Bureau of Science Services

Laboratory Certification and Registration Program



Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Ashland Wastewater Treatment Plant

ID: 802008130

2020 6th Street East

Ashland WI 54806-

Phone: (715) 682-7058

Contact: Todd Deeth
tdeeth@coawi.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Baileys Harbor WWTP

ID: 415016910

2605 Summit Road

Baileys Harbor WI 54202-

Phone: (920) 839-2037

Contact: Don Prust
bhwwtp@dcwis.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Beaver Dam Wastewater Treatment Utilit

ID: 114001250

108 Myrtle Road

Beaver Dam WI 53916-

Phone: (920) 887-4625

Contact: Rob Minnema
rminnema@cityofbeaverdam.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Boscobel Wastewater Treatment Plant

ID: 122001660

1006 Wisconsin Avenue

Boscobel WI 53805-

Phone: (608) 375-4150

Contact: Scott Stimart
boscowtp@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

BPM, Inc.

ID: 438039250

200 W Front Street

Peshtigo WI 54157-

Phone: (715) 582-4551

Contact: Gary Motkowski
GLM@bpm-paper.com

TYPE: Industrial Environmental Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Brandon Utilities

ID: 420004310

402 S. Commercial St.

Brandon WI 53919-

Phone: (262) 346-5492

Contact: Jim Ramsey
brandonfirefighter@hotmail.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Brillion Wastewater Treatment Plant

ID: 408004190

130 CALUMET ST

Brillion WI 54110-

Phone: (920) 756-2850

Contact: Geoffrey Weinreis
utility@ci.brillion.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Bristol Wastewater Treatment Plant

ID: 230002630

19801 83rd Street

Bristol WI 53104-

Phone: (262) 857-9371

Contact: Joe Panek
bristolww@wi.rr.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N

- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Burlington Water Pollution Control Facilit

ID: 252002630

2100 South Pine Street

Burlington WI 53105-

Phone: (262) 539-3646

Contact: Laurie Jeffers
lab@burlington-wi.gov

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Residue, Total
- Residue, Volatile (TVS)

Cambridge/Oakland Joint Commission
ID: 113001570
P.O. Box 22
Cambridge WI 53523-
Phone: (608) 423-4306
Contact: Steve Sainsbury
cambridge-oaklandwwtf@netwurx.net
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

City of Beloit Water Pollution Control
ID: 154001650
555 Willowbrook Road
Beloit WI 53511-
Phone: (608) 364-2888
Contact: Rodney Knoble
KnobleR@beloitwi.gov
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Chemical Oxygen Demand (COD)
- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

City of Brookfield - Fox River Water PCC

ID: 268002790
21225 Enterprise Avenue
Brookfield WI 53045-
Phone: (262) 782-0199
Contact: Rick Wenzel
wenzelr@ci.brookfield.wi.us
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Chloride

Cold Vapor AA or Hydride AA

- Mercury

Flame AA

- Cadmium
- Copper
- Nickel
- Silver
- Zinc

Graphite Furnace AA

- Arsenic
- Chromium (Total)
- Lead
- Molybdenum
- Selenium

Matrix: Solid

Gravimetry - Residue

- Residue, Total

Cold Vapor AA or Hydride AA

- Mercury

Flame AA

- Cadmium
- Copper
- Nickel
- Potassium
- Zinc

Graphite Furnace AA

- Arsenic
- Lead
- Molybdenum

- Selenium

City of Menomonie

ID: 617006720
800 Wilson Ave.
Menomonie WI 54751-
Phone: (715) 232-2175
Contact: Dave Liefkort
dliefkort@menomonie-wi.gov
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Phosphorus, Total
- Sulfate

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Alkalinity
- Chloride
- Hardness, Total as CaCO3

Clintonville Wastewater Treatment Plant

ID: 469004800
350 E. 15th Street
Clintonville WI 54929-
Phone: (715) 823-7675
Contact: Jennifer Pagel
jpagel@clintonvillewi.org
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Covanta Environmental Solutions

ID: 241763720

3801 L West Mckinley Avenue
Milwaukee WI 53208-
Phone: (414) 475-3100

Contact: William Fowler
bfowler@advancedwasteservices.com
TYPE: Industrial Environmental Lab

Matrix: Aqueous

Gravimetry - Oil&Grease

- Oil&Grease, Hexane Ext. Material (HEM)

Culligan Analytical Laboratory

ID: 399016200

9399 W. Higgins Rd
Rosemont IL 60018-
Phone: (847) 430-1284

Contact: Maria Mozdzen
maria.mozdzen@culligan.com
TYPE: Industrial Environmental Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7

- Manganese - EPA 200.7
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7

Dane - Iowa Wastewater Facility

ID: 313002470

5745 Mahocker Rd
Mazomanie WI 53560-
Phone: (608) 795-0024

Contact: Brian Sroda
bsroda@centurytel.net
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidity

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Eau Claire City-County Health Departmen

ID: 618019820

720 2nd Avenue
Eau Claire WI 54703-
Phone: (715) 839-4734

Contact: Ted Johnson
ted.johnson@co.eau-claire.wi.us
TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Primary Inorganics (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCs, REGULATED (group) - EPA 524.2

Matrix: Solid

Flame AA

- Lead

Eau Claire Public Utilities

ID: 618006510

1000 Ferry Street
Eau Claire WI 54703-
Phone: (715) 839-6117

Contact: Kathy White
kathy.white@eauclairewi.gov
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidity

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Hardness, Total as CaCO3

Flame AA

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Silver
- Zinc

Ephraim Wastewater Treatment Plant

ID: 415017240

P.O. Box 138
Ephraim WI 54211-
Phone: (920) 854-4991

Contact: Russell Salfi
rsalfi@ephrain-wisconsin.com
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidity

- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Genoa City Sewage Treatment Plant
 ID: 265003530
 755 Fellows Road
 Genoa City WI 53128-
 Phone: (262) 279-5728
 Contact: Todd Schiller
 gcpw@sbcglobal.net
 TYPE: Municipal Wastewater Lab

Kenosha County Division of Health Lab
 ID: 230153220
 8600 Sheridan Road
 Kenosha WI 53143-
 Phone: (262) 605-6707
 Contact: Alaina Engholt-Hutton
 alaina.Engholt-Hutton@kenoshacounty.or
 TYPE: Public Health Lab

Kohler Co., Chemical & Metallurgical Lab
 ID: 460032870
 444 Highland Drive
 Kohler WI 53044-
 Phone: (920) 457-4441
 Contact: Lisa Escher
 lisa.escher@kohler.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Kewaskum Wastewater Treatment Facility

ID: 267003330
 P.O. Box 38 204 First Street
 Kewaskum WI 53040-0038
 Phone: (262) 626-2313
 Contact: Ben Propson
 bpropson@village.kewaskum.wi.us
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Chloride

Kewaunee Wastewater Treatment Plant

ID: 431004640
 P.O. Box 256
 Kewaunee WI 54216-
 Phone: (920) 388-5012
 Contact: Mark Sisel
 msisel@cityofkewaunee.org
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Alkalinity
- Chemical Oxygen Demand (COD)
- Chloride
- Cyanide, Total
- Nitrate
- Nitrite
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total

Electrometric Assay (ISE)

- Fluoride

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total

Gravimetry - Oil&Grease

- Oil&Grease, Hexane Ext. Material (HEM)

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Nitrite
- Orthophosphate
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity
- Ammonia as N
- Hardness, Total as CaCO3

ICP Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)

Hilbert Wastewater Treatment Plant
 ID: 408004520
 Box 266
 Hilbert WI 54129-
 Phone: (920) 853-3241
 Contact: Charles Fochs
 hilbertwwtp@bugnet.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Infrastructure Alternatives
 ID: 998262430
 P O Box 453
 Menominee MI 49858-
 Phone: (906) 863-3050
 Contact: Mike Thorsen
 mthorsen@infralt.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Copper
- Iron
- Lead
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

GC-Mass Spectrometry (GC/MS)

- ## VOLATILE ORGANICS [VOC] (group)

Thermal Decomposition Atomic Absorption

- Mercury

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8

- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Sulfate - EPA 300.0

Matrix: Solid

Colorimetry / Turbidimetry

- Cyanide, Total
- Phenolics, Total

Gravimetry - Residue

- Residue, Total

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Nitrite
- Orthophosphate
- Sulfate

ICP Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Copper

- Iron
- Lead
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

GC-Mass Spectrometry (GC/MS)

- ## VOLATILE ORGANICS [VOC] (group)

Waste Characterization Extractions

- TCLP Extraction

Waste Characterization Assays

- Ignitability of Solids
- Ignitability, Pensky-Martens Closed Cup

Thermal Decomposition Atomic Absorption

- Mercury

Laboratory Services (We Energies)

ID: 241329000

333 West Everett

Milwaukee WI 53203-

Phone: (414) 221-2828

Contact: Craig Martin

craig.martin@we-energies.com

TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetry / Turbidimetry

- Chemical Oxygen Demand (COD)
- Chromium (Hexavalent)
- Phosphorus, Total

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Gravimetry - Oil&Grease

- Oil&Grease, Hexane Ext. Material (HEM)

Ion Chromatography (IC)

- Bromide
- Chloride
- Fluoride
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silica
- Silicon
- Silver
- Sodium
- Strontium
- Tin
- Titanium
- Vanadium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese

- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Cold Vapor Atomic Fluorescence Spectrometry

- Mercury

Matrix: Solid

Colorimetry / Turbidimetry

- Chromium (Hexavalent)

Gravimetry - Residue

- Residue, Total

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Bismuth
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Tin
- Titanium

- Vanadium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Waste Characterization Extractions

- SPLP Extraction
- TCLP Extraction

Waste Characterization Assays

- Corrosivity, Liquids
- Ignitability, Pensky-Martens Closed Cup

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

LaCrosse Public Health Laboratory
ID: 632072980
300 North 4th Street
LaCrosse WI 54601-3299
Phone: (608) 785-9733
Contact: James Steinhoff
jsteinhoff@lacrossecounty.org
TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Ladysmith Wastewater Treatment Plant
ID: 855008990
P.O. Box 431
Ladysmith WI 54848-
Phone: (715) 532-2605
Contact: Matt Boehmer
mattboehmer@centurytel.net
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Lodi Wastewater Treatment Plant
ID: 111001770
130 South Main Street
Lodi WI 53555-
Phone: (608) 592-5968
Contact: Kennan Buhr
kbuhr@wppienergy.org
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Lyons Wastewater Treatment Laboratory
ID: 265008920
P.O. Box 237
Lyons WI 53148-
Phone: (262) 763-4627
Contact: Robert Biedrzycki
lyonsdt2@execpc.com
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Madison Metropolitan Sewerage District
ID: 113002230

1610 Moorland Road
Madison WI 53713-
Phone: (608) 222-1201

Contact: Rhonda Riedner
RhondaR@madsewer.org
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Chromium (Hexavalent)
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate + Nitrite
- Orthophosphate
- Phosphorus, Total

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Ion Chromatography (IC)

- Chloride
- Nitrate

Graphite Furnace AA

- Cadmium
- Chromium (Total)

- Copper
- Lead
- Nickel

ICP Emission Spectrometry (ICP)

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

Cold Vapor Atomic Fluorescence Spectrometry

- Mercury

Matrix: Solid

Gravimetry - Residue

- Residue, Total

ICP Emission Spectrometry (ICP)

- Arsenic
- Cadmium
- Chromium (Total)
- Copper
- Lead
- Molybdenum
- Nickel
- Potassium
- Selenium
- Sodium
- Zinc

Cold Vapor Atomic Fluorescence Spectrometry

- Mercury

Manitowoc Wastewater Treatment Facility
ID: 436004910
900 Quay Street
Manitowoc WI 54220-
Phone: (920) 686-3555
Contact: Eric Storm
estorm@manitowoc.org
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Marathon County Public Health Laborato

ID: 737157080

1000 Lake View Dr Suite #100

Wausau WI 54403-

Phone: (715) 261-1908

Contact: Dale Grosskurth

Dale.Grosskurth@co.marathon.wi.us

TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Markesan Joint Water and Sewer Utility

ID: 424004680

Box 352

Markesan WI 53946-

Phone: (920) 398-3767

Contact: Anthony Doro

markesan001@centurytel.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Marshfield Wastewater Utility

ID: 772008380

2601 E 34th St

Marshfield WI 54449-

Phone: (715) 591-2022

Contact: Sam Warp

Sam.warp@ci.marshfield.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Hardness, Total as CaCO3

Mayville Water and Wastewater Utilities

ID: 114005760

P.O. Box 273

Mayville WI 53050-

Phone: (920) 387-7906

Contact: Jody Steger

jsteger@mayvillecity.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Medford Wastewater Treatment Plant

ID: 861008830

603 S. Whelen Ave.

Medford WI 54451-

Phone: (715) 748-4122

Contact: Ben Brooks

bbrooks@medfordwi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Milwaukee Metropolitan Sewerage Distric

ID: 241325920

260 West Seeboth Street

Milwaukee WI 53204-

Phone: (414) 277-6377

Contact: Alfredo Sotomayor

asotomayor@mmsd.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Alkalinity
- Ammonia as N
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrite
- Phosphorus, Total

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Gravimetry - Oil&Grease

- Oil&Grease, Hexane Ext. Material (HEM)

Titrimetry or Potentiometric Titration

- Ammonia as N
- Kjeldahl Nitrogen, Total
- Sulfide

ICP Emission Spectrometry (ICP)

- Antimony
- Arsenic
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO3
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Tin
- Titanium
- Vanadium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Zinc

Matrix: Solid

Colorimetry / Turbidimetry

- Chloride

Gravimetry - Residue

- Residue, Total

Titrimetry or Potentiometric Titration

- Ammonia as N
- Kjeldahl Nitrogen, Total

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Silver
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Neenah-Menasha Sewerage Comm.

ID: 471005590

101 Garfield Ave.

Menasha WI 54952-3397

Phone: (920) 751-4760

**Contact: Laurie Stenson
laurie@nmscwtp.com**

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

NEW Water (GBMSD) Laboratory

ID: 405004600

2231 North Quincy Street

Green Bay WI 54302-

Phone: (920) 438-1074

**Contact: Mike Urbancic
murbancic@newwater.us**

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Cyanide, Available
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Titrimetry or Potentiometric Titration

- Chloride

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Hardness, Total as CaCO₃
- Iron

- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Matrix: Solid

Gravimetry - Residue

- Residue, Total

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium (Total)
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Oconto Wastewater Treatment Plant

ID: 443004980

1616 Main Street

Oconto WI 54153-

Phone: (920) 834-7721

Contact: Lisa Weigelt
ocontolab@hioconto.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Platteville Wastewater Treatment Plant

ID: 122003310

75 N. Bonson St. P.O. Box 780

Platteville WI 53818-

Phone: (608) 348-9741

Contact: Dennis Moen
moend@platteville.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Plover Wastewater Treatment Plant

ID: 750007940

P O Box 37

Plover WI 54467-

Phone: (715) 345-5250

Contact: Rich Boden
rboden@ploverwi.gov

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Port Washington Wastewater Treatment

ID: 246003340

P.O. Box 307

Port Washington WI 53074-

Phone: (262) 284-5051

Contact: Dan Buehler
dbuehler@ci.port-washington.wi.us

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Portage Wastewater Treatment Facility

ID: 111001990

115 West Pleasant Street

Portage WI 53901-

Phone: (608) 742-3445

Contact: David Hornischer
david.hornischer@portagewi.gov

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)
- Residue, Total
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Public Health Madison-Dane County Lab

ID: 113139620

210 Martin Luther King Jr Blvd

Madison WI 53703-

Phone: (608) 266-4821

Contact: Kirsti Sorsa
KSorsa@publichealthmdc.com

TYPE: Public Health Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Alkalinity

- Ammonia as N
- Chemical Oxygen Demand (COD)
- Chlorophyll
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity
- Hardness, Total as CaCO3

ICP Emission Spectrometry (ICP)

- Aluminum
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO3
- Iron
- Lead
- Magnesium
- Manganese
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Aluminum
- Antimony
- Arsenic

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Racine Wastewater Treatment Plant Labo

ID: 252003400

800 Center St Room 227

Racine WI 53403-

Phone: (262) 636-9550

Contact: Nora Erlandson
nora.erlandson@cityofracine.org

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Cyanide, Total
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Titrimetry or Potentiometric Titration

- Ammonia as N
- Hardness, Total as CaCO₃
- Kjeldahl Nitrogen, Total

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Arsenic
- Cadmium
- Chromium (Total)
- Copper
- Iron
- Lead
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Zinc

Matrix: Solid

Colorimetry / Turbidimetry

- Phosphorus, Total

Gravimetry - Residue

- Residue, Total

Titrimetry or Potentiometric Titration

- Ammonia as N
- Kjeldahl Nitrogen, Total

ICP Emission Spectrometry (ICP)

- Arsenic
- Cadmium
- Chromium (Total)

- Copper
- Lead
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Zinc

Rib Mountain Metro Sewerage District

ID: 737066990

2001 Aster Rd

Wausau WI 54401-

Phone: (715) 359-7852

Contact: Troy Hering
troy.rmmsd@frontier.com

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Richland Center WWTP

ID: 153001860

P O Box 312

Lone Rock WI 53556-

Phone: (608) 647-3917

Contact: Todd Fischer
rcwwrc@mwt.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Rock County Health Department
 ID: 154077660
 PO Box 1088
 Janesville WI 53547-
 Phone: (608) 757-5441
 Contact: Timothy Banwell
 banwell@co.rock.wi.us
 TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Sheldon Sewage Treatment Plant
 ID: 855009100
 W5559 Main Street
 Sheldon WI 54766-
 Phone: (715) 452-5730
 Contact: Lisa Taylor
 sheldonwater@centurytel.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Silver Lake Sanitary District
 ID: 470013170
 N1702 19th Avenue
 Wautoma WI 54982-
 Phone: (920) 787-7622
 Contact: Joel Jodarski
 silverlk@centurytel.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Springbrook Pollution Abatement Facility
 ID: 734007450
 N2420 Koszarek Road
 Antigo WI 54409-1955
 Phone: (715) 623-2797
 Contact: Bill Obenauf
 bobenauf@infralt.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Sturgeon Bay Utilities
 ID: 415004920
 P.O. Box 430
 Sturgeon Bay WI 54235-
 Phone: (920) 743-3210
 Contact: Jeff Hoffman
 jeff.hoffman@suez-na.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Superior Wastewater Treatment Plant
 ID: 816008710
 51 East First St.
 Superior WI 54880-
 Phone: (715) 394-0392
 Contact: Max Lucci
 luccim@ci.superior.wi.us
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

- Carbonaceous Oxygen Demand (cBOD)
- Colorimetry / Turbidimetry
- Phosphorus, Total
- Gravimetry - Residue
- Residue, Nonfilterable (TSS)

Thorp Wastewater Treatment Plant
 ID: 610007310
 P.O. Box 334
 Thorp WI 54771-
 Phone: (715) 669-5373
 Contact: Brent Leech
 utilities@cityofthorp.com
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Twin Lakes Sewage Treatment Plant
 ID: 230004060
 901 Gatewood Drive
 Twin Lakes WI 53181-
 Phone: (262) 877-3404
 Contact: Terry Trongeau
 sewer@twinlakeswi.net
 TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidimetry

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Veolia Environmental Services LLC
 ID: 268201120
 W124 N9451 Boundary Rd
 Menomonee Falls WI 53051-
 Phone: (262) 255-6655
 Contact: William Banks
 bill.banks@veoliaes.com
 TYPE: Haz. Waste (TSD) Lab

Matrix: Solid

Cold Vapor AA or Hydride AA

- Mercury

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

ICP Emission Spectrometry (ICP)

- Arsenic
- Barium
- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Selenium
- Silver
- Zinc

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Waste Characterization Extractions

- TCLP Extraction

Waste Characterization Assays

- Ignitability, Pinsky-Martens Closed Cup
- Waste Analysis, Other

Veolia ES Technical Solutions, LLC

ID: 246076050

1275 Mineral Springs Drive
Port Washington WI 53074-
Phone: (262) 243-8900

Contact: Phillip Ditter
phillip.ditter@veoliaes.com
TYPE: Haz. Waste (TSD) Lab

Matrix: Solid

Waste Characterization Assays

- Corrosivity, Liquids
- Ignitability, Setflash Closed Cup
- Waste Analysis, Other

Village of Eden

ID: 420004640

P. O. Box 65
Eden WI 53019-
Phone: (920) 477-4051

Contact: Edward Costello
edenwwtp@gmail.com
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidity

- Ammonia as N
- Phosphorus, Total

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Walworth County Division of Public Health

ID: 265178210

PO Box 1005
Elkhorn WI 53121-
Phone: (262) 741-3140

Contact: Erica Bergstrom
ebergstrom@co.walworth.wi.us
TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Waukesha Co. - Div. of Environmental Health

ID: 268511760

515 W Moreland Blvd, Rm AC260
Waukesha WI 53188-
Phone: (262) 896-8300

Contact: Mary Pakenham
mpakenham@waukeshacounty.gov
TYPE: Public Health Lab

Matrix: Drinking Water

Primary Inorganics (Non-Metals)

- Nitrate - Orion 601

Waukesha Wastewater Treatment Plant

ID: 268005100

600 Sentry Dr.
Waukesha WI 53186-5950
Phone: (262) 524-3627

Contact: Randall Thater
rthater@ci.waukesha.wi.us
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidity

- Cyanide, Total
- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Flame AA

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel

- Silver
- Zinc

WEC Business Services, LLC - Green Bay

ID: 405029790

700 North Adams Street
Green Bay WI 54301-
Phone: (920) 433-1391

Contact: Patrick Ahrens
PJAhrens@integrysgroup.com
TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetry / Turbidity

- Sulfate

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Ion Chromatography (IC)

- Chloride
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity

Matrix: Solid

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Western Racine Co. Sewerage District

ID: 252003840

Box 177
Rochester WI 53167-
Phone: (262) 534-6237

Contact: Jeff Bratz
wrbsd@tds.net
TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Colorimetry / Turbidity

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Matrix: Solid

Colorimetry / Turbidity

- Phosphorus, Total

Electrometric Assay (ISE)

- Ammonia as N

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Whitelaw Wastewater Treatment Plant

ID: 436005900

P.O. Box 294

Whitelaw WI 54247-

Phone: (920) 732-1331

Contact: Gerald Linsmeier
villageofwhitelaw@comcast.net

TYPE: Municipal Wastewater Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)

Gravimetry - Residue

- Residue, Nonfilterable (TSS)

Wisconsin State Laboratory of Hygiene

ID: 113133790

2601 Agriculture Dr

Madison WI 53718-

Phone: (800) 442-4618

Contact: Susan Hill
hill@mail.slh.wisc.edu

TYPE: Public Health Lab

Matrix: Aqueous

Demand assays

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Oxygen Demand (cBOD)

Colorimetry / Turbidimetry

- Ammonia as N
- Chemical Oxygen Demand (COD)
- Chloride
- Cyanide, Available
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total
- Silica
- Sulfate

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Electrometric Assay (ISE)

- Sulfide

Gravimetry - Residue

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total

- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Gravimetry - Oil&Grease

- Oil&Grease, Hexane Ext. Material (HEM)

Ion Chromatography (IC)

- Chloride
- Nitrate
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity

Cold Vapor AA or Hydride AA

- Mercury

Graphite Furnace AA

- Antimony
- Arsenic
- Cadmium
- Chromium (Total)
- Lead
- Selenium
- Silver
- Thallium

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Vanadium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Cadmium
- Chromium (Total)
- Copper
- Lead
- Nickel
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- 1,3-Propanediol
- Ethylene Glycol
- Propylene Glycol

GC-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## VOLATILE ORGANICS [VOC] (group)

Whole Effluent Toxicity Assays

- Acute Tox - Ceriodaphnia dubia
- Acute Tox - Pimephales promelas
- Chronic Tox - Ceriodaphnia dubia
- Chronic Tox - Pimephales promelas
- Chronic Tox - Selanastrum capricornutum

Matrix: Drinking Water

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 375.2

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Matrix: Solid

Colorimetry / Turbidimetry

- Ammonia as N
- Chloride
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Nitrate + Nitrite
- Phosphorus, Total

Combustion or Oxidation

- Organic Carbon, Total (TOC)

Gravimetry - Residue

- Residue, Total

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- 1,3-Propanediol
- Ethylene Glycol
- Propylene Glycol

GC-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## VOLATILE ORGANICS [VOC] (group)

Waste Characterization Extractions

- EPTOX Extraction
- TCLP Extraction

Waste Characterization Assays

- Ignitability, Pinsky-Martens Closed Cup
- Paint Filters Liquids Test
- Waste Analysis, Other

Xcel Energy, Inc., Minneapolis Testing Lab
 ID: 999071150
 1518 Chestnut Avenue North
 Minneapolis MN 55403-1292
 Phone: (612) 630-4145
 Contact: Kari Ziebarth
 kari.l.ziebarth@xcelenergy.com
 TYPE: Industrial Environmental Lab

Matrix: Aqueous

Colorimetry / Turbidity

- Nitrate + Nitrite
- Phosphorus, Total

Gravimetry - Residue

- Residue, Filterable (TDS)

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Sulfate

Titrimetry or Potentiometric Titration

- Alkalinity

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Vanadium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Manganese
- Molybdenum

- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Ultra-Low Level Metals Assays

- Mercury

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Matrix: Solid

Ion Chromatography (IC)

- Chloride
- Fluoride
- Nitrate
- Sulfate

Cold Vapor AA or Hydride AA

- Mercury

ICP Emission Spectrometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium (Total)
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Vanadium
- Zinc

ICP-Mass Spectrometry (ICP/MS)

- Antimony
- Arsenic
- Barium

Wisconsin Department of Natural Resources

List of Certified non-Commercial Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

- Beryllium
- Cadmium
- Chromium (Total)
- Cobalt
- Copper
- Lead
- Manganese
- Molybdenum
- Nickel
- Selenium
- Silver
- Thallium
- Vanadium
- Zinc

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Waste Characterization Extractions

- SPLP Extraction
- TCLP Extraction