

Signed

DATE: May 14, 2004

Insert: CHAPTER 10  
Waterway and Wetland HandbookTO: Water Management Specialists  
Water Management Engineers  
Regional Aquatic Habitat Experts  
Bureau of Fisheries Management and Habitat  
Protection – Rivers and Habitat Protection Section**SUBJECT:** Guidance for the Establishment of Protective Areas for Wetlands in Runoff Management Rules, Wisconsin Administrative Code NR 151

This document is intended solely as guidance, and does not contain any mandatory requirements except where requirements found in statute or administrative rule apply. This guidance does not establish or affect legal rights or obligations, and is not finally determinative of any of the issues addressed. This guidance does not create any rights enforceable by any party in litigation with the State of Wisconsin or the Department of Natural Resources. Any regulatory decision made by the Department of Natural Resources in any matter addressed by this guidance will be made by applying the governing statutes and administrative rules to the relevant facts.

### Summary of Guidance

#### NR 151.12(5)(d) Protective areas.

Chapter NR 151, Wis. Adm. Code, establishes runoff pollution performance standards for non-agricultural facilities and transportation facilities and performance standards and prohibitions for agricultural facilities and practices designed to achieve water quality standards.

Protective areas are established to minimize impacts from runoff coming from developed areas before it reaches sensitive resources. The protective area begins at the delineated boundary of the wetland. The width of the protective area is measured horizontally from the nearest edge of the wetland to the nearest edge of an impervious surface. Special restrictions exist in protective areas to allow them to filter runoff and reduce the potential for adverse impacts to wetlands. For wetlands, the size of the protective area is based upon the location, type and condition of the wetland. There are three protective area categories:

#### Category 1: 75 feet

A protective area width of 75 feet is established for wetlands in areas of special natural resource interest, as defined in NR 151.12 (5)(d)1.a, Adm. Code. Wetlands in areas of special natural resource interest include wetlands both within boundaries of designated areas of special natural resource interest and those wetlands that are in proximity to or have a direct hydrologic connection to such designated areas. Wetlands that have a groundwater or surface water connection to an area of special natural resource interest are treated as Category 1 wetlands. The following are the designated areas of special natural resource interest in NR 103.04:

- (1) Cold water communities as defined in s. NR 102.04(3)(b), including all trout streams and their tributaries and trout lakes;
- (2) Lakes Michigan and Superior and the Mississippi river;
- (3) State and federal designated wild and scenic rivers, designated state riverways and state designated scenic urban waterways, s. 30.26, Stats., ch. NR 302, 16 USC 1271 to 1287, ss. 30.40 to 30.49, Stats., and s. 30.275, Stats.;
- (4) Unique and significant wetlands identified in special area management plans (SAMP), special wetland inventory studies (SWIS), advanced delineation and identification studies (ADID) and areas designated by the United States environmental protection agency under s. 404(c), 33 USC 1344 (c);
- (5) Calcareous fens;
- (6) Habitat used by state or federally designated threatened or endangered species, s. 29.604, Stats., ch. NR 27 and 16 USC 1531 to 1543;
- (7) State parks, forests, trails and recreation areas;
- (8) State and federal fish and wildlife refuges and fish and wildlife management areas;
- (9) State and federal designated wilderness areas (16 USC 1131 to 1135 and s. NR 1.415);
- (10) Designated or dedicated state natural areas established under ss. 23.27 to 23.29, Stats.;
- (11) Wild rice waters; and
- (12) Any other surface waters identified as outstanding or exceptional resource waters in ch. NR 102.

**Category 2: 50 feet**

Category 2 includes wetlands that are called "highly susceptible wetlands", which require a protective area width of 50 feet pursuant to s. NR 151.12(5)(d)1.d., Adm. Code. Highly susceptible wetlands include the following wetland plant community types: fens, sedge meadows, bogs, low prairies, fresh wet meadows, shallow marshes, deep marshes, seasonally flooded basins, conifer swamps, shrub swamps and other forested wetlands. This category includes most of the wetland types found in Wisconsin. A special rare wetland type, calcareous fens, is included in Category 1 as a wetland in an area of special natural resource interest.

### **Category 3: 10% of the Average Wetland Width – 10 to 30 feet**

This category is designated for wetlands considered “less susceptible” that require a protective area width of 10% of the average wetland width, but not less than 10 feet nor more than 30 feet pursuant to s. NR 151.12(5)(d) i.e., Adm. Code. These wetlands include significantly degraded wetlands that are dominated by invasive species such as reed canary grass (*Phalaris arundinacea*). Although NR 151 lists only reed canary grass, other invasive species may significantly degrade wetlands. Purple loosestrife (*Lythrum salicaria*) and non-native strains of common reed grass (*Phragmites australis*) are also common, widespread invasive plant species found in wetlands. To be considered dominated by invasive species means the wetland contains over 90% of the species as measured by percent vegetative cover.

### **Average Wetland Width**

The following procedure is recommended for calculating the average width of a wetland:

Step 1. Draw a centerline that runs across the long axis of the wetland. This is not necessarily a straight line but one where half of the wetland area is located on each side of the centerline.

Step 2. Make at least 5 individual measurements across the wetland that are perpendicular to the centerline established under step 1. Enough measurements shall be taken to establish a representative average wetland width. These measurements shall be made equidistant apart along the centerline established under step 1. If the wetland has a configuration with a relatively long narrow strip that is connected to a much broader area, then the wetland area calculation may be broken up into separate areas with the average wetland width established for each separate area.

Step 3. The wetland’s average width shall be the arithmetic average of the individual measurements taken under step 2.

Attachment 1 is an example calculation titled *Calculating Wetland Width*.

### **Determining the Wetland Category**

Category 1 wetlands are generally determined by their location in or adjacent to special designated areas. For instance, a wetland hydrologically connected to a trout stream or adjacent to Lake Michigan is a Category 1 wetland. A locational exception is calcareous fens, a type of wetland plant community found in areas of upwelling, mineral-rich water. These wetlands are rare and can be identified by the vegetative species found growing in them. Examples of common plants that occupy calcareous fens include shrubby cinquefoil (*Pentaphragma floribunda*), wild timothy (*Muhlenbergia glomerata*), Ohio goldenrod (*Solidago ohioensis*) and lesser fringed gentian (*Gentianopsis procera*).

Most wetlands will fall into Category 2. Wetland community types can be determined by using Attachment 2, *Key to the Wetland Plant Communities*, from Eggers and Reed, 1997. Guides

such as *Wetland Plants and Plant Communities of Minnesota & Wisconsin*, US Army Corps of Engineers, 1997, further describe wetland plant communities and typical plants found within those communities and are helpful in classifying wetland types.

In some cases, heavily disturbed wetlands are totally dominated by invasive plant species. These wetlands generally fall into Category 3. However, care must be taken to avoid adversely impacting small, intact wetland plant communities within an otherwise monotypic invasive plant community. In wetlands where intact native communities are located within a monotypic stand of invasive plants, the higher designation should be applied. The width of the protective area should be measured from the edge of the wetland.


Also, some wetland plant communities may be altered by human modifications to change the character of the wetland. This is most commonly encountered in agricultural areas where drier wetlands are farmed. During certain times of the year, a wetland may be unvegetated or it may support non-wetland species, such as corn or soybeans. These areas are still considered wetlands if they are capable of supporting wetlands species in the absence of the human modification, such as the cessation of farming. The wetland should be classified on the basis of the plant community that would normally be supported in the absence of the disturbance. This can be determined using the disturbed area procedures in the 1987 US Army Corps of Engineers Wetland Delineation Manual.

### **Wetland Boundary Delineation**

The 1987 Corps of Engineers Delineation Manual and subsequent guidance documents establish the standard and accepted techniques for identifying and delineating wetlands in Wisconsin. The Army Corps of Engineers Regulatory IV training manual contains all of the applicable guidance documents and training materials for making a determination. While many wetland determinations are clear and boundaries abrupt, disturbed or problem areas are common. Examples of these areas include farmed wetlands, seasonal wetlands (wetlands that do not have obvious wetland hydrology) and areas of sandy or lacustrine clay soils. It is advisable for qualified individuals with Regulatory IV training to make determinations in these difficult areas.

**Attachment 1**

*Calculating Wetland Width*



**Average wetland width = 220'**  
 $(255+205+95+155+280+330)/6$

**Protective width = 10% x 220' = 22'**



6B. Tall, woody deciduous shrubs usually greater than 3 feet high; sphagnum moss mat layer absent.....**SHRUB SWAMPS**

8A. Speckled alder is dominant; usually on acidic soils in and north of the vegetation tension zone.....**ALDER THICKET**

8B. Willows, red-osier dogwood, silky dogwood, meadowsweet and/or steplebush are dominant on neutral to alkaline poorly drained muck/mineral soils; found north and south of the vegetation tension zone.....**SHRUB-CARR<sup>1</sup>**

5B. Community dominated by herbaceous plants.

9A. Essentially closed communities, usually with more than 50 percent cover.

10A. Sphagnum moss mat on acid peat soils; leatherleaf, pitcher plants, certain sedges and other herbaceous species tolerant of low nutrient conditions may be present.....**OPEN BOG**

10B. Sphagnum moss mat absent; dominant vegetation consists of sedges (Cyperaceae), grasses (Poaceae), cattails, giant bur-reed, arrowheads forbs and/or calciphiles. Soils are usually neutral to alkaline poorly drained mineral soils and mucks.

11A. Over 50 percent of the cover dominance contributed by the sedge family, cattails, giant bur-reed, arrowheads, wild rice and/or giant reed grass (*Phragmites*).

12A. Herbaceous emergent plants growing on saturated soils to areas covered by standing water up to 6 inches in depth throughout most of the growing season.

13A. Major cover dominance by the sedges (primarily genus *Carex*).....**SEDGE MEADOW**

13B. Major cover dominance by cattails, bulrushes, water plantain, *Phragmites*, arrowheads and/or lake sedges.  
.....**SHALLOW MARSH**

12B. Herbaceous submergent, floating and emergent plants growing in areas covered by standing water greater than 6 inches in depth throughout most of the growing season.....**DEEP MARSH**

<sup>1</sup>Buckthorns (*Rhamnus* spp.) may occur as dominant shrubs or small trees in disturbed shrub-carrs

Drafted by Patricia Ann Trochlell

Approved: Mary Ellen Vollbrecht on 5/28/2004  
Mary Ellen Vollbrecht, Section Chief Date

Approved: Michael Staggs on 5/28/2004  
Michael Staggs, Bureau Director Date

Approved: Michael Cain on 11/12/04 (reced 11/10/04)  
Michael Cain, Legal Services Date

Approved: Todd Ambs on 6/2/04  
Todd Ambs, Division Administrator Date