



Linda Hanefeld
Remediation and Redevelopment Team Supervisor
Wisconsin Department of Natural Resources
South Central Region
3911 Fish Hatchery Rd
Fitchburg WI 53711

Subject:

Soil Vapor Extraction (SVE) System Progress Report, January through February 2014, Madison-Kipp Corporation (MKC) Site, 201 Waubesa Street, Madison, Wisconsin.

Dear Ms. Hanefeld:

On behalf of Madison-Kipp Corporation (MKC), this progress report provides a summary of the soil vapor extraction (SVE) system monitoring as part of the MKC site located at 201 Waubesa Street in Madison, Wisconsin.

Tasks Completed – January 1 through February 28, 2014

The following tasks were completed during the period of January 1 through February 28, 2014 and are presented in chronological order. As requested by the Wisconsin Department of Natural Resources (WDNR), SVE system progress reports will be submitted to the WDNR every 2 months to document operation of the system.

During the reporting period, SVE system Operation, Maintenance and Monitoring (OM&M) was performed by ARCADIS and/or MKC personnel January 6, 13, 16, 20, and 26, and February 10, 12, 18, 24, 25, and 27, 2014. All water generated during SVE maintenance activities was incorporated by Madison Kipp with the facility process water on site. Monthly SVE OM&M was performed by ARCADIS personnel January 16 and February 12, 2014. Laboratory analytical data collected during the monthly OM&M events is included in Table 1. Field data collected during the OM&M events is included in Table 2. The air emission tables are also included as Tables 3 through 7. A review of the air emission tables indicates the emissions rates are several orders of magnitude lower than the Wisconsin Administrative Code NR445 Emission Threshold Values.

ARCADIS U.S., Inc.
126 North Jefferson Street
Suite 400
Milwaukee
Wisconsin 53202
Tel 414 276 7742
Fax 414 276 7603
www.arcadis-us.com

ENVIRONMENT

Date:

March 31, 2014

Contact:

Jennine Trask

Phone:

414.277.6203

Email:

Jennine.Trask@arcadis-us.com

Our ref:

WI001368.0001

Imagine the result

Tasks In-Progress

The following tasks are scheduled to be completed from March 1 through April 30, 2014.

- Weekly and monthly SVE system OM&M activities.

If you have any questions or require any additional information, please contact us at 414.276.7742.

Sincerely,

ARCADIS U.S., Inc.



Christopher D. Kubacki, PE
Senior Engineer



Jennine L. Trask, PE
Project Manager

Attachments:

- Table 1 – SVE System Analytical Data
- Table 2 – Extraction Well Manifold Monitoring Data
- Table 3 – Estimate of Post-Carbon Emissions
- Table 4 – Estimate of Post-Carbon Emissions of Tetrachloroethene
- Table 5 – Estimate of Post-Carbon Emissions of Trichloroethene
- Table 6 – Estimate of Post-Carbon Emissions of Cis-1,2-Dichloroethene
- Table 7 – Estimate of Post-Carbon Emissions of Vinyl Chloride

Copies:

- David Crass – Michael Best
- Mark Meunier – Madison Kipp
- Steve Tinker – Wisconsin Department of Justice (electronic)
- Mike Schmoller – WDNR (electronic)

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location	Effluent			Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
	3/9/2012	3/10/2012	3/11/2012	3/16/2012	3/16/2012	3/23/2012	3/23/2012	3/30/2012	3/30/2012	4/11/2012	4/11/2012
1,1,1-Trichloroethane	<0.18	<0.35	<0.35	<2.4	<0.035	<1.8	<0.053	<1.8	<0.14	<0.94	<0.02
1,1-Dichloroethane	<0.15	<0.3	<0.3	<2.1	<0.03	<1.5	<0.045	<1.5	<0.12	<4	0.16 J
1,2,4-Trimethylbenzene	<0.26	<0.52	<0.52	<3.6	0.17 J	<2.6	0.079 J	5.7 J	2.4	<0.98	<0.021
1,2-Dichloroethane	<0.16	<0.31	<0.31	<2.2	<0.031	<1.6	<0.047	<1.6	<0.12	<0.84	<0.018
1,3,5-Trimethylbenzene	<0.26	<0.51	<0.51	<3.6	0.069 J	<2.6	<0.077	<2.6	0.69 J	<0.89	<0.019
1,4-Dichlorobenzene	<0.22	<0.44	<0.44	<3.1	0.049 J	<2.2	<0.066	<2.2	<0.18	<0.84	<0.018
Benzene	<0.09	<0.18	<0.18	<1.3	0.71	<0.9	0.69	<0.9	0.57 J	11	0.15 J
Chloroethane	<0.08	<0.16	<0.16	<1.1	<0.016	<0.8	<0.024	<0.8	0.56 J	<1.5	<0.033
Chloroform	<0.16	<0.31	<0.31	<2.2	<0.031	<1.6	<0.047	<1.6	<0.12	<1.1	0.037 J
Chloromethane	5.2	0.86 J	<0.13	<0.91	0.30 J	<0.65	0.65 J	<0.65	0.87 J	<1.6	0.60
cis-1,2-Dichloroethene	<0.07	<0.14	<0.14	78	0.50	190	14	150	17	240	19
Dichlorodifluoromethane	<0.19	0.94 J	0.56 J	<2.6	0.55	<1.9	0.44 J	<1.9	0.73 J	<0.94	0.47 J
Ethylbenzene	<0.11	<0.22	<0.22	<1.5	0.084 J	<1.1	<0.033	2.2 J	0.66 J	<0.7	<0.015
Methylene Chloride	<0.065	<0.13	<0.13	<0.91	0.26 JB	<0.65	0.50 J	<0.65	0.62 J	2.5 JB	0.16 JB
Styrene	<0.15	<0.3	<0.3	<2.1	<0.03	<1.5	<0.045	<1.5	<0.12	<0.52	<0.011
Tetrachloroethene	<0.055	<0.11	<0.11	1,500	14	1,900	38	890	98	700	0.16 J
Toluene	0.23 J	0.32 J	0.22 J	<1.3	0.33	1.0 J	0.14 J	6.1 J	2.7	1.2 J	<0.014
Trichlorofluoromethane	<0.17	<0.34	<0.34	<2.4	0.21	<1.7	0.18 J	<1.7	<0.14	<0.98	0.12 J
Trichloroethene	<0.15	<0.3	<0.3	76	0.20	130	1.2	100	4.4	110	0.061 J
Vinyl chloride	<0.15	10	13	16	18	37	33	34	31	8.7 J	7.6
Xylene (total)	<0.11	<0.22	<0.22	<1.5	0.53	<1.1	0.17 J	10	3.5	<0.75	<0.016
Xylene, o-	<0.11	<0.22	<0.22	<1.5	0.17 J	<1.1	0.052 J	3.1 J	1.1	<0.75	<0.016

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation. Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
Sample Date	5/9/2012	5/9/2012	6/14/2012	6/12/2012	7/10/2012	7/10/2012	8/14/2012	8/14/2012	9/12/2012	9/16/2012	10/16/2012	10/16/2012
1,1,1-Trichloroethane	<4	<1.2	<5	<1.4	<7.3	<0.4	<2	<1	<2.4	<0.75	<12	<0.4
1,1-Dichloroethene	<4	<1.2	<5	<1.4	<7.3	<0.4	<2	<1	<2.4	<0.75	<12	<0.4
1,2,4-Trimethylbenzene	<4	<1.2	<5	<1.4	<7.3	2.0	<2	3.4	<2.4	<0.75	<12	<0.4
1,2-Dichloroethane	<4	<1.2	<5	<1.4	<7.3	1.2	<2	<1	<2.4	<0.75	<12	<0.4
1,3,5-Trimethylbenzene	<4	<1.2	<5	<1.4	<7.3	0.62	<2	1.3	<2.4	<0.75	<12	<0.4
1,4-Dichlorobenzene	<4	<1.2	<5	<1.4	<7.3	1.5	<2	2.0	<2.4	<0.75	<12	<0.4
Benzene	<4	<1.2	<5	<1.4	<7.3	0.41	<2	<1	<2.4	<0.75	<12	<0.4
Chloroethane	<10	<3	<13	<3.5	<18	<1	<5	<2.5	<6	<1.9	<29	<1
Chloroform	<4	<1.2	<5	<1.4	<7.3	0.67	<2	<1	<2.4	<0.75	<12	<0.4
Chloromethane	<10	<3	<13	<3.5	<18	1.1	<5	<2.5	<6	<1.9	<29	<1
cis-1,2-Dichloroethene	170	230	150	180	190	65	51	120	84	110	400	42
Dichlorodifluoromethane	<10	<3	<13	<3.5	<18	<1	<5	<2.5	<6	<1.9	<29	<1
Ethylbenzene	<4	<1.2	<5	<1.4	<7.3	1.1	<2	<1	<2.4	<0.75	<12	<0.4
Methylene Chloride	<10	<3	<13	<3.5	<18	1.4	<5	<2.5	<6	<1.9	<29	<1
Styrene	<4	<1.2	<5	<1.4	<7.3	0.84	<2	<1	<2.4	<0.75	<12	<0.4
Tetrachloroethene	440	36	580	<1.4	650	<0.4	250	<1	290	1.9	1,500	41
Toluene	<4	2.0	<5	2.2	<7.3	12	<2	1.2	<2.4	<0.75	<12	<0.4
Trichlorofluoromethane	<4	<1.2	<5	<1.4	<7.3	<0.4	<2	<1	<2.4	<0.75	<12	<0.4
Trichloroethene	80	3.0	71	8.7	96	3.4	27	7.6	38	7.9	160	5.1
Vinyl chloride	<4	3.0	<5	<1.4	<7.3	2.4	<2	1.6	<2.4	1.8	20	0.74
Xylene (total)	<4	<1.2	<5	1.4	<7.3	4.1	<2	2.5	<2.4	<0.75	<12	<0.4
Xylene, o-	<4	<1.2	<5	<1.4	<7.3	1.1	<2	<1	<2.4	<0.75	<12	<0.4

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation

Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location	Influent		Effluent		Influent		Effluent		Influent		Effluent	
	11/14/2012	11/14/2012	12/18/2012	12/18/2012	1/16/2013	1/16/2013	2/15/2013	2/15/2013	3/13/2013	3/13/2013	3/13/2013	3/13/2013
1,1,1-Trichloroethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
1,1-Dichloroethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
1,2,4-Trimethylbenzene	<0.8	<1.2	<9.1	0.26	<2.6	<0.3	<6	<0.2	<4	<0.8		
1,2-Dichloroethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
1,3,5-Trimethylbenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
1,4-Dichlorobenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Benzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Chloroethane	<2	<3	<23	<0.5	<6.6	<0.75	<15	<0.5	<10	<2		
Chloroform	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Chloromethane	<2	<3	<23	<0.5	<6.6	<0.75	<15	0.57	<10	<2		
cis-1,2-Dichloroethene	20	32	380	33	250	27	95	23	94	25		
Dichlorodifluoromethane	<2	<3	<23	0.54	<6.6	<0.75	<15	0.67	<10	<2		
Ethylbenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Methylene Chloride	<2	<3	<23	<0.5	<6.6 *	<0.75 *	<15	<0.5	<10	<2		
Styrene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Tetrachloroethene	150	170	1,200	36	460	42	260	4.5	200	11		
Toluene	<0.8	<1.2	<9.1	2.0	<2.6	1.8	<6	0.38	<4	5.4		
Trichlorofluoromethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		
Trichloroethene	13	11	140	3.9	74	4.7	36	0.82	29	1.3		
Vinyl chloride	<0.8	4.3	12	5.9	3.1	4.2	<6	4.5	<4	2.7		
Xylene (total)	<0.8	<1.2	<9.1	0.37	<2.6	<0.3	6.9	<0.2	<4	<0.8		
Xylene, o-	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2	<4	<0.8		

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation. Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
	4/23/2013	4/23/2013	5/14/2013	5/14/2013	6/13/2013	6/13/2013	7/15/2013	7/15/2013	8/13/2013	8/13/2013
1,1,1-Trichloroethane	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
1,1-Dichloroethene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
1,2,4-Trimethylbenzene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	0.25
1,2-Dichloroethane	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
1,3,5-Trimethylbenzene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
1,4-Dichlorobenzene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
Benzene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
Chloroethane	<2.5	<0.8	<15	<1	<25	<2.5	<15	<0.5	<10	<0.5
Chloroform	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
Chloromethane	<2.5	<0.8	<15	<1	<25	<2.5	<15	0.57	<10	<0.5
cis-1,2-Dichloroethene	170	61	340	1.9	450	6.1	240	<0.2	320	<0.2
Dichlorodifluoromethane	<2.5	<0.8	<15	<1	<25	<2.5	<15	<0.5	<10	0.52
Ethylbenzene	<1	<0.32	<6	<0.4	<10	<1	<6	0.31	<4	0.20
Methylene Chloride	<2.5	<0.8	<15	<1	<25	<2.5	<15	1.4	<10	<0.5
Styrene	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
Tetrachloroethene	190	0.61	860	41	1,900	140	670	4.3	700	1.2
Toluene	<1	<0.32	<6	2.0	<10	1.8	<6	4.1	<4	3.0
Trichlorofluoromethane	<1	<0.32	<6	<0.4	<10	<1	<6	<0.2	<4	<0.2
Trichloroethene	48	1.3	140	1.9	270	7.4	150	<0.2	130	<0.2
Vinyl chloride	<1	0.64	<6	<0.4	<10	<1	<6	0.54	<4	0.52
Xylene (total)	<1	<0.32	<6	1.5	<10	1.4	<6	0.88	<4	0.71
Xylene, o-	<1	<0.32	<6	0.44	<10	<1	<6	0.24	<4	0.20

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation. Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location	Influent		Effluent		Influent		Effluent		Influent		Effluent	
	9/10/2013	9/10/2013	10/15/2013	10/15/2013	11/6/2013	11/6/2013	12/11/2013	12/11/2013	1/16/2014	1/16/2014		
1,1,1-Trichloroethane	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	0.32		
1,1-Dichloroethene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
1,2,4-Trimethylbenzene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	3.3	<3.0	<0.20		
1,2-Dichloroethane	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
1,3,5-Trimethylbenzene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	1.3	<3.0	<0.20		
1,4-Dichlorobenzene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	0.58	<3.0	<0.20		
Benzene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
Chloroethane	<9.9	<0.5	<8.6	<0.63	<7.9	<0.5	<3.5	<1.3	<7.5	<0.50		
Chloroform	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
Chloromethane	<9.9	<0.5	<8.6	<0.63	<7.9	<0.5	<3.5	<1.3	<7.5	<0.50		
cis-1,2-Dichloroethene	180	0.30	200	43	210	20	110	15	200	23		
Dichlorodifluoromethane	<9.9	0.56	<8.6	0.67	<7.9	<0.5	<3.5	1.3	<7.5	<0.50		
Ethylbenzene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	6.4	<3.0	<0.20		
Methylene Chloride	<9.9	<0.5	<8.6	<0.63	<7.9	<0.5	<3.5	<1.3	<7.5	<0.50		
Styrene	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
Tetrachloroethene	600	0.30	470	36	580	1.5	230	71	430	19		
Toluene	<3.9	0.37	<3.4	<0.25	<3.2	0.23	<1.4	6.5	<3.0	<0.20		
Trichlorofluoromethane	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	<0.5	<3.0	<0.20		
Trichloroethene	83	<0.2	86	3.2	83	0.22	37	6.0	61	1.8		
Vinyl chloride	<3.9	1.2	<3.4	0.56	<3.2	0.63	<1.4	1.4	7.2	4.3		
Xylene (total)	<3.9	0.38	<3.4	<0.25	<3.2	0.29	<1.4	15	<3.0	0.23		
Xylene, o-	<3.9	<0.2	<3.4	<0.25	<3.2	<0.2	<1.4	3.6	<3.0	<0.20		

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation. Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 1. Soil Vapor Extraction System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.

Sample Location Sample Date	Influent	Effluent
	2/12/2014	2/12/2014
1,1,1-Trichloroethane	<1.0	<0.20
1,1-Dichloroethene	<1.0	<0.20
1,2,4-Trimethylbenzene	<1.0	<0.20
1,2-Dichloroethane	<1.0	<0.20
1,3,5-Trimethylbenzene	<1.0	<0.20
1,4-Dichlorobenzene	<1.0	<0.20
Benzene	<1.0	0.25
Chloroethane	<2.5	<0.50
Chloroform	<1.0	<0.20
Chloromethane	<2.5	<0.50
cis-1,2-Dichloroethene	81	0.64
Dichlorodifluoromethane	<2.5	<0.50
Ethylbenzene	<1.0	<0.20
Methylene Chloride	<2.5	<0.50
Styrene	<1.0	<0.20
Tetrachloroethene	39	2.7
Toluene	<1.0	<0.20
Trichlorofluoromethane	<1.0	<0.20
Trichloroethene	15	0.41
Vinyl chloride	6.2	<0.20
Xylene (total)	<1.0	<0.20
Xylene, o-	<1.0	<0.20

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation. Influent sampling began on 3/16/2012 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013, no makeup air is required for system operation.

On February 27, 2014 the dilution air valve was opened to maintain system operation within maximum range of blower vacuum.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

Bold Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-1	03/09/12	-88.4	20	109.7 ¹
SVE-1	03/09/12	-74.8	30	47.4 ²
SVE-1	03/10/12	-81.6	30	27.3
SVE-1	03/11/12	-81.6	30	25.1
SVE-1	03/16/12	-74.8	20	15.9
SVE-1	03/23/12	-81.6	25	--
SVE-1	03/23/12	-81.6	25	13.5
SVE-1 ³	03/29/12	-40.8	20	--
SVE-1 ⁴	03/29/12	-54.4	30	--
SVE-1	03/30/12	-68.0	25	14.8
SVE-1	04/11/12	-68.0	25	14.1
SVE-1	04/16/12	-68.0	25	--
SVE-1	04/23/12	-68.0	100	--
SVE-1	04/30/12	-68.0	30	--
SVE-1	05/07/12	-68.0	10	--
SVE-1	05/09/12	-68.0	30	4.3
SVE-1	05/14/12	-68.0	30	--
SVE-1	05/21/12	-68.0	10	--
SVE-1	05/30/12	-54.4	20	--
SVE-1	06/04/12	-68.0	30	--
SVE-1	06/11/12	-68.0	30	--
SVE-1	06/12/12	-61.2	28	6
SVE-1	06/14/12	-47.6	22	--
SVE-1	06/18/12	-27.2	20	--
SVE-1	06/25/12	-27.2	10	--
SVE-1	07/02/12	-27.2	20	--
SVE-1	07/09/12	-27.2	20	--
SVE-1	07/10/12	-27.2	18	12.6
SVE-1	07/16/12	-27.2	20	--
SVE-1	07/23/12	-27.2	20	--
SVE-1	07/30/12	-27.2	20	--
SVE-1	08/06/12	-27.2	20	--
SVE-1	08/14/12	-27.2	19	34.69
SVE-1	08/20/12	-27.2	20	--
SVE-1	08/27/12	-27.2	20	--
SVE-1	09/04/12	-13.6	20	--
SVE-1	09/10/12	-27.2	20	--
SVE-1	09/12/12	-27.2	12	1.02
SVE-1	09/17/12	-27.2	20	--
SVE-1	09/24/12	-27.2	20	--
SVE-1	10/01/12	-27.2	20	--
SVE-1	10/08/12	-27.2	20	--
SVE-1	10/16/12	-51.0	30	0
SVE-1	10/22/12	-54.4	30	--
SVE-1	10/29/12	-54.4	30	--
SVE-1	11/05/12	-54.4	30	--
SVE-1	11/12/12	-54.4	25	--
SVE-1	11/14/12	-54.4	30	0
SVE-1	11/19/12	-54.4	20	--
SVE-1	11/26/12	-54.4	20	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-1	12/03/12	-54.4	40	--
SVE-1	12/10/12	-54.4	20	--
SVE-1	12/14/12	-47.6	40	--
SVE-1	12/17/12	-47.6	40	--
SVE-1	12/18/12	-47.6	35	0.2
SVE-1	01/02/13	--	60	--
SVE-1	01/16/13	-136.0	0	NM
SVE-1	01/21/13	-88.4	30	--
SVE-1	01/28/13	-74.8	40	--
SVE-1	02/04/13	-34.0	50	--
SVE-1	02/11/13	-40.8	20	--
SVE-1	02/15/13	-68.0	--	9.7
SVE-1	02/18/13	-115.6	20	--
SVE-1	02/22/13	-81.6	20	--
SVE-1	02/24/13	-68.0	20	--
SVE-1	03/04/13	-95.2	15	--
SVE-1	03/13/13	-81.6	<20	12.1
SVE-1	03/18/13	-68.0	20	--
SVE-1	03/25/13	-68.0	20	--
SVE-1	04/01/13	-81.6	20	--
SVE-1	04/02/13	-68.0	10	--
SVE-1	04/04/13	-68.0	10	--
SVE-1	04/09/13	-81.6	16	--
SVE-1	04/15/13	-81.6	10	--
SVE-1	04/16/13	-95.2	10	--
SVE-1	04/18/13	-108.8	10	--
SVE-1	04/19/13	-108.8	7	--
SVE-1	04/21/13	-68.0	8	--
SVE-1	04/22/13	-68.0	8	1.3
SVE-1	05/14/13	-78.0	19	11.4
SVE-1	05/20/13	-90.0	13	--
SVE-1	05/28/13	-98.0	19	--
SVE-1	05/30/13	-100.0	19	--
SVE-1	06/04/13	-90.0	19	--
SVE-1	06/10/13	-80.0	19	--
SVE-1	06/12/13	-80.0	19	1.3
SVE-1	06/17/13	-94.0	23	--
SVE-1	06/18/13	-90.0	23	--
SVE-1	06/24/13	-98.0	23	--
SVE-1	07/01/13	-90.0	23	--
SVE-1	07/11/13	-68.0	19	2.8
SVE-1	07/15/13	-68.0	26	--
SVE-1	07/22/13	-68.0	13	--
SVE-1	07/30/13	-54.4	23	--
SVE-1	08/06/13	-54.4	--	--
SVE-1	08/12/13	-54.4	23	--
SVE-1	08/13/13	-54.4	13	0.5
SVE-1	08/19/13	-40.8	19	--
SVE-1	08/22/13	-40.8	13	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-1	08/26/13	-47.6	26	--
SVE-1	09/03/13	-34.0	23	--
SVE-1	09/10/13	-40.8	18	1.4
SVE-1	09/16/13	-40.8	23	--
SVE-1	09/23/13	-54.4	23	--
SVE-1	09/30/13	-54.4	23	--
SVE-1	10/15/13	-40.8	13	1.6
SVE-1	10/28/13	-40.8	19	--
SVE-1	11/04/13	-54.4	19	--
SVE-1	11/06/13	-54.4	13	2
SVE-1	12/02/13	-40.8	23	--
SVE-1	12/09/13	-54.4	27	--
SVE-1	12/11/13	-54.4	19	0.5
SVE-1	12/16/13	-54.4	19	--
SVE-1	12/23/13	-61.2	33	--
SVE-1	12/30/13	-61.2	24	--
SVE-1	01/06/14	-48	24	--
SVE-1	01/13/14	-68	19	--
SVE-1	01/16/14	-68	19	0.4
SVE-1	01/20/14	-68	19	--
SVE-1	01/26/14	-82	24	--
SVE-1	02/10/14	-136	19	--
SVE-1	02/12/14	-136	0	0
SVE-1	02/18/14	-122	19	--
SVE-1	02/24/14	-136	27	--
SVE-1	02/25/14	-136	0	--
SVE-1 ⁹	02/27/14	-136	0	--
SVE-1 ⁹	02/27/14	-82	0	--
SVE-2	03/09/12	-40.8	40	105.8 ¹
SVE-2	03/09/12	-54.4	60	11.5 ²
SVE-2	03/10/12	-47.6	55	10.3
SVE-2	03/11/12	-47.6	50	8.2
SVE-2	03/16/12	-47.6	50	5.3
SVE-2	03/23/12	-44.2	40	--
SVE-2	03/23/12	-44.2	40	6.1
SVE-2 ³	03/29/12	-20.4	25	--
SVE-2 ⁴	03/29/12	-34.0	37	--
SVE-2	03/30/12	-40.8	40	6.9
SVE-2	04/11/12	-34.0	35	6.3
SVE-2	04/16/12	-34.0	40	--
SVE-2	04/23/12	-34.0	120	--
SVE-2	04/30/12	-40.8	40	--
SVE-2	05/07/12	-34.0	30	--
SVE-2	05/09/12	-40.8	35	2.6
SVE-2	05/14/12	-40.8	50	--
SVE-2	05/21/12	-34.0	45	--
SVE-2	05/30/12	-34.0	40	--
SVE-2	06/04/12	-40.8	45	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-2	06/11/12	-34.0	45	--
SVE-2	06/12/12	-34.0	40	6.6
SVE-2	06/14/12	-47.6	25	--
SVE-2	06/18/12	-13.6	20	--
SVE-2	06/25/12	-13.6	20	--
SVE-2	07/02/12	NM ⁵	20	--
SVE-2	07/09/12	-13.6	20	--
SVE-2	07/10/12	-13.6	20	8.8
SVE-2	07/16/12	NM ⁵	10	--
SVE-2	07/23/12	NM ⁵	20	--
SVE-2	07/30/12	-13.6	10	--
SVE-2	08/06/12	NM ⁵	20	--
SVE-2	08/14/12	-8.4	19	32.36
SVE-2	08/20/12	-8.0	20	--
SVE-2	08/27/12	-7.0	20	--
SVE-2	09/04/12	-6.0	20	--
SVE-2	09/10/12	-6.0	20	--
SVE-2	09/12/12	-6.5	20	22.26
SVE-2	09/17/12	-5.5	20	--
SVE-2	09/24/12	-9.0	20	--
SVE-2	10/01/12	-8.0	20	--
SVE-2	10/08/12	-9.0	20	--
SVE-2	10/16/12	>-15.0 ⁷	50	1.6
SVE-2	10/22/12	NM ⁵	50	--
SVE-2	10/29/12	NM ⁵	50	--
SVE-2	11/05/12	NM ⁵	50	--
SVE-2	11/12/12	NM ⁵	45	--
SVE-2	11/14/12	NM ⁵	55	1.2
SVE-2	11/19/12	NM ⁵	60	--
SVE-2	11/26/12	NM ⁵	50	--
SVE-2	12/03/12	NM ⁵	50	--
SVE-2	12/10/12	NM ⁵	60	--
SVE-2	12/14/12	NM ⁵	50	--
SVE-2	12/17/12	NM ⁵	50	--
SVE-2	12/18/12	NM ⁵	50	2.7
SVE-2	01/02/13	--	60	--
SVE-2	01/07/13	NM ⁵	55	--
SVE-2	01/16/13	NM ⁵	60	0.3
SVE-2	01/21/13	-81.6	20	--
SVE-2	01/28/13	-95.2	20	--
SVE-2	02/04/13	-34.0	50	--
SVE-2	02/11/13	NM ⁵	15	--
SVE-2	02/15/13	-27.2	40	12
SVE-2	02/18/13	-27.2	35	--
SVE-2	02/22/13	-54.4	35	--
SVE-2 ⁸	02/24/13	-40.8	70	--
SVE-2	03/04/13	-34.0	30	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-2	03/13/13	-40.8	45	10.6
SVE-2	03/18/13	-40.8	48	--
SVE-2	03/25/13	-40.8	35	--
SVE-2	04/01/13	-40.8	50	--
SVE-2	04/02/13	-40.8	20	--
SVE-2	04/04/13	-27.2	20	--
SVE-2	04/09/13	-54.4	20	--
SVE-2	04/15/13	-40.8	20	--
SVE-2	04/16/13	-40.8	20	--
SVE-2	04/18/13	-68.0	15	--
SVE-2	04/19/13	-68.0	18	--
SVE-2	04/21/13	-40.8	15	--
SVE-2	04/22/13	-40.8	15	2.2
SVE-2	05/14/13	-80.0	46	13.2
SVE-2	05/20/13	-90.0	48	--
SVE-2	05/28/13	-98.0	46	--
SVE-2	05/30/13	-100.0	46	--
SVE-2	06/04/13	-90.0	44	--
SVE-2	06/10/13	-80.0	46	--
SVE-2	06/12/13	-84.0	48	1.2
SVE-2	06/17/13	-84.0	30	--
SVE-2	06/18/13	-84.0	32	--
SVE-2	06/24/13	-95.0	26	--
SVE-2	07/01/13	-100.0	23	--
SVE-2	07/11/13	-61.2	37	12.7
SVE-2	07/15/13	-54.4	39	--
SVE-2	07/22/13	-54.4	29	--
SVE-2	07/30/13	-40.8	29	--
SVE-2	08/06/13	-47.6	--	--
SVE-2	08/12/13	-47.6	29	--
SVE-2	08/13/13	-40.8	29	0.5
SVE-2	08/19/13	-34.0	30	--
SVE-2	08/22/13	-34.0	29	--
SVE-2	08/26/13	-40.8	32	--
SVE-2	09/03/13	-34.0	30	--
SVE-2	09/10/13	-20.4	29	0.9
SVE-2	09/16/13	-40.8	29	--
SVE-2	09/23/13	-34.0	29	--
SVE-2	09/30/13	-40.8	30	--
SVE-2	10/15/13	-34.0	30	1.2
SVE-2	10/28/13	-40.8	30	--
SVE-2	11/04/13	-40.8	30	--
SVE-2	11/06/13	-40.8	32	0.4
SVE-2	12/02/13	-40.8	30	--
SVE-2	12/09/13	-40.8	33	--
SVE-2	12/11/13	-40.8	31	0.2
SVE-2	12/16/13	-40.8	31	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-2	12/23/13	-40.8	31	--
SVE-2	12/30/13	-47.6	31	--
SVE-2	01/06/14	-41	30	--
SVE-2	01/13/14	-54	33	--
SVE-2	01/16/14	-61	36	0.4
SVE-2	01/20/14	-54	33	--
SVE-2	01/26/14	-68	36	--
SVE-2	02/10/14	-95	49	--
SVE-2	02/12/14	-109	51	0
SVE-2	02/18/14	-109	52	--
SVE-2	02/24/14	-136	61	--
SVE-2	02/25/14	-136	59	--
SVE-2 ⁹	02/27/14	-122	56	--
SVE-2 ⁹	02/27/14	-82	43	--
SVE-3	03/09/12	-30.6	60	85.3 ¹
SVE-3	03/09/12	-40.8	85	5.92 ²
SVE-3	03/09/12	0.0	0	--
SVE-3	03/10/12	-34.0	80	6.1
SVE-3	03/11/12	-34.0	75	4.5
SVE-3	03/16/12	-34.0	60	1.6
SVE-3	03/23/12	-40.8	60	--
SVE-3	03/23/12	-40.8	60	4.4
SVE-3 ³	03/29/12	-27.2	30	--
SVE-3 ⁴	03/29/12	-34.0	50	--
SVE-3	03/30/12	-54.4	50	6.1
SVE-3	04/11/12	-40.8	50	4.9
SVE-3	04/16/12	-34.0	50	--
SVE-3	04/23/12	-34.0	140	--
SVE-3	04/30/12	-35.3	50	--
SVE-3	05/07/12	-40.8	50	--
SVE-3	05/09/12	-40.8	40	5.9
SVE-3	05/14/12	-40.8	50	--
SVE-3	05/21/12	-40.8	50	--
SVE-3	05/30/12	-47.6	50	--
SVE-3	06/04/12	-40.8	50	--
SVE-3	06/11/12	-34.0	50	--
SVE-3	06/12/12	-30.6	50	9.3
SVE-3	06/14/12	-27.2	40	--
SVE-3	06/18/12	-13.6	20	--
SVE-3	06/25/12	-13.6	25	--
SVE-3	07/02/12	-13.6	20	--
SVE-3	07/09/12	-13.6	20	--
SVE-3	07/10/12	-13.6	21	7.6
SVE-3	07/16/12	-13.6	20	--
SVE-3	07/23/12	NM ⁵	20	--
SVE-3	07/30/12	-13.6	20	--
SVE-3	08/06/12	NM ⁵	25	--
SVE-3	08/14/12	-9.8	21	33.73

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-3	08/20/12	-10.5	30	--
SVE-3	08/27/12	-9.0	20	--
SVE-3	09/04/12	-8.0	20	--
SVE-3	09/10/12	-9.0	20	--
SVE-3	09/12/12	-7.0	20	0.88
SVE-3	09/17/12	-6.5	20	--
SVE-3	09/24/12	-15.0	20	--
SVE-3	10/01/12	-7.0	20	--
SVE-3	10/08/12	>-15.0 ⁷	20	--
SVE-3	10/16/12	>-15.0 ⁷	55	0.2
SVE-3	10/22/12	NM ⁵	50	--
SVE-3	10/29/12	NM ⁵	55	--
SVE-3	11/05/12	NM ⁵	50	--
SVE-3	11/12/12	NM ⁵	50	--
SVE-3	11/14/12	NM ⁵	50	0.5
SVE-3	11/19/12	NM ⁵	50	--
SVE-3	11/26/12	NM ⁵	50	--
SVE-3	12/03/12	NM ⁵	40	--
SVE-3	12/10/12	NM ⁵	50	--
SVE-3	12/14/12	NM ⁵	40	--
SVE-3	12/17/12	NM ⁵	45	--
SVE-3	12/18/12	NM ⁵	40	2.8
SVE-3	01/02/13	--	70	--
SVE-3	01/07/13	NM ⁵	60	--
SVE-3	01/16/13	-54.4	40	0
SVE-3	01/21/13	-81.6	30	--
SVE-3	01/28/13	-149.5	10	--
SVE-3	02/04/13	-136.0	10	--
SVE-3	02/11/13	-40.8	20	--
SVE-3	02/15/13	-40.8	30	15.6
SVE-3	02/18/13	-34.0	30	--
SVE-3	02/22/13	-54.4	30	--
SVE-3 ⁸	02/24/13	-68.0	50	--
SVE-3	03/04/13	-40.8	35	--
SVE-3	03/13/13	-54.4	40	14.5
SVE-3	03/18/13	-47.6	35	--
SVE-3	03/25/13	-40.8	30	--
SVE-3	04/01/13	-40.8	40	--
SVE-3	04/02/13	-40.8	20	--
SVE-3	04/04/13	-40.8	15	--
SVE-3	04/09/13	-95.2	10	--
SVE-3	04/15/13	-68.0	10	--
SVE-3	04/16/13	-68.0	10	--
SVE-3	04/18/13	-108.8	8	--
SVE-3	04/19/13	-68.0	7	--
SVE-3	04/21/13	-54.4	10	--
SVE-3	04/22/13	-54.4	9	1.7
SVE-3	05/14/13	-80.0	23	11.6

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-3	05/20/13	-90.0	23	--
SVE-3	05/28/13	-98.0	13	--
SVE-3	05/30/13	-98.0	19	--
SVE-3	06/04/13	-80.0	23	--
SVE-3	06/10/13	-70.0	23	--
SVE-3	06/12/13	-84.0	23	1.9
SVE-3	06/17/13	-98.0	26	--
SVE-3	06/18/13	-90.0	23	--
SVE-3	06/24/13	-98.0	26	--
SVE-3	07/01/13	-98.0	19	--
SVE-3	07/11/13	-68.0	23	21.9
SVE-3	07/15/13	-68.0	26	--
SVE-3	07/22/13	-68.0	37	--
SVE-3	07/30/13	-54.4	39	--
SVE-3	08/06/13	-54.4	--	--
SVE-3	08/12/13	-54.4	45	--
SVE-3	08/13/13	-54.4	44	1.7
SVE-3	08/19/13	-34.0	43	--
SVE-3	08/22/13	-40.8	43	--
SVE-3	08/26/13	-40.8	45	--
SVE-3	09/03/13	-34.0	42	--
SVE-3	09/10/13	-27.2	41	4
SVE-3	09/16/13	-54.4	45	--
SVE-3	09/23/13	-40.8	49	--
SVE-3	09/30/13	-54.4	51	--
SVE-3	10/15/13	-40.8	48	7.8
SVE-3	10/28/13	-34.0	52	--
SVE-3	11/04/13	-40.8	52	--
SVE-3	11/06/13	-54.4	54	1
SVE-3	12/02/13	-40.8	52	--
SVE-3	12/09/13	-54.4	56	--
SVE-3	12/11/13	-54.4	58	1
SVE-3	12/16/13	-54.4	56	--
SVE-3	12/23/13	-54.4	56	--
SVE-3	12/30/13	-54.4	61	--
SVE-3	01/06/14	-48	61	--
SVE-3	01/13/14	-68	68	--
SVE-3	01/16/14	-68	66	1.2
SVE-3	01/20/14	-68	60	--
SVE-3	01/26/14	-82	36	--
SVE-3	02/10/14	-136	31	--
SVE-3	02/12/14	-136	31	0
SVE-3	02/18/14	-136	30	--
SVE-3	02/24/14	-136	33	--
SVE-3	02/25/14	-143	36	--
SVE-3 ⁹	02/27/14	-136	33	--
SVE-3 ⁹	02/27/14	-82	33	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-4	03/09/12	-88.4	33	105.1 ¹
SVE-4	03/09/12	-88.4	32	5.1 ²
SVE-4	03/09/12	-7.1	0	--
SVE-4	03/09/12	-1.5	0	--
SVE-4	03/10/12	-88.4	30	2.1
SVE-4	03/11/12	-88.4	28	5.2
SVE-4	03/16/12	-95.2	28	3.1
SVE-4	03/23/12	-108.8	27	--
SVE-4	03/23/12	-95.2	27	9.7
SVE-4 ³	03/29/12	-47.6	25	--
SVE-4 ⁴	03/29/12	-61.2	30	--
SVE-4	03/30/12	-95.2	25	10.3
SVE-4	04/11/12	-54.4	20	10
SVE-4	04/16/12	-102.0	17	--
SVE-4	04/23/12	-102.0	20	--
SVE-4	04/30/12	-103.3	27	--
SVE-4	05/07/12	-95.2	18	--
SVE-4	05/09/12	-95.2	18	9.4
SVE-4	05/14/12	-95.2	20	--
SVE-4	05/21/12	-95.2	30	--
SVE-4	05/30/12	-95.2	33	--
SVE-4	06/04/12	-95.2	30	--
SVE-4	06/11/12	-95.2	30	--
SVE-4	06/12/12	-95.2	23	8.3
SVE-4	06/12/12	-80.2	23	
SVE-4	06/12/12	-78.2	23	
SVE-4	06/14/12	-78.2	23	--
SVE-4	06/18/12	-54.4	17	--
SVE-4	06/25/12	-54.4	18	--
SVE-4	07/02/12	-54.4	18	--
SVE-4	07/09/12	-54.4	20	--
SVE-4	07/10/12	-57.1	22	9.8
SVE-4	07/16/12	-68.0	20	--
SVE-4	07/23/12	-54.4	18	--
SVE-4	07/30/12	-54.4	18	--
SVE-4	08/06/12	-54.4	18	--
SVE-4	08/14/12	-57.1	27	32.28 ⁶
SVE-4	08/20/12	-54.4	18	--
SVE-4	08/27/12	-54.4	18	--
SVE-4	09/04/12	-54.4	20	--
SVE-4	09/10/12	-54.4	20	--
SVE-4	09/12/12	-54.4	17	1.58
SVE-4	09/17/12	-54.4	20	--
SVE-4	09/24/12	-47.6	15	--
SVE-4	10/01/12	-54.4	15	--
SVE-4	10/08/12	-40.8	20	--
SVE-4	10/16/12	-68.0	27	1.4
SVE-4	10/22/12	-68.0	25	--
SVE-4	10/29/12	-68.0	25	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-4	11/05/12	-81.6	25	--
SVE-4	11/12/12	-74.8	25	--
SVE-4	11/14/12	-81.6	22	0
SVE-4	11/19/12	-81.6	22	--
SVE-4	11/26/12	-81.6	25	--
SVE-4	12/03/12	-81.6	22	--
SVE-4	12/10/12	-95.2	22	--
SVE-4	12/14/12	-81.6	25	--
SVE-4	12/17/12	-81.6	25	--
SVE-4	12/18/12	-81.6	24	5
SVE-4	01/02/13	--	25	--
SVE-4	01/07/13	-54.4	15	--
SVE-4	01/16/13	-102.0	20	0.3
SVE-4	01/21/13	-81.6	17	--
SVE-4	01/28/13	-149.5	8	--
SVE-4	02/04/13	-136.0	0	--
SVE-4	02/11/13	-95.2	0	--
SVE-4	02/15/13	-68.0	16	11.2
SVE-4	02/18/13	-95.2	15	--
SVE-4	02/22/13	-95.2	15	--
SVE-4	02/24/13	-95.2	0	--
SVE-4	03/04/13	-95.2	20	--
SVE-4	03/13/13	-108.8	20	9.8
SVE-4	03/18/13	-108.8	18	--
SVE-4	03/25/13	-95.2	20	--
SVE-4	04/01/13	-115.6	-8	--
SVE-4	04/02/13	-108.8	22	--
SVE-4	04/04/13	-95.2	20	--
SVE-4	04/09/13	-122.4	20	--
SVE-4	04/15/13	-95.2	30	--
SVE-4	04/16/13	-95.2	25	--
SVE-4	04/18/13	-108.8	25	--
SVE-4	04/19/13	-108.8	25	--
SVE-4	04/21/13	-95.2	25	--
SVE-4	04/22/13	-95.2	25	2.6
SVE-4	05/14/13	-80.0	23	12.7
SVE-4	05/20/13	-90.0	30	--
SVE-4	05/28/13	-100.0	27	--
SVE-4	05/30/13	-100.0	26	--
SVE-4	06/04/13	-90.0	26	--
SVE-4	06/10/13	-80.0	26	--
SVE-4	06/12/13	-84.0	26	5
SVE-4	06/17/13	-80.0	26	--
SVE-4	06/18/13	-90.0	26	--
SVE-4	06/24/13	-98.0	26	--
SVE-4	07/01/13	-96.0	26	--
SVE-4	07/11/13	-68.0	23	4.4
SVE-4	07/15/13	-54.4	26	--
SVE-4	07/22/13	-68.0	26	--
SVE-4	07/30/13	-54.4	26	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-4	08/06/13	-54.4	--	--
SVE-4	08/12/13	-54.4	29	--
SVE-4	08/13/13	-54.4	26	1.1
SVE-4	08/19/13	-40.8	30	--
SVE-4	08/22/13	-40.8	23	--
SVE-4	08/26/13	-47.6	27	--
SVE-4	09/03/13	-34.0	30	--
SVE-4	09/10/13	-40.8	23	2
SVE-4	09/16/13	-54.4	29	--
SVE-4	09/23/13	-68.0	32	--
SVE-4	09/30/13	-68.0	30	--
SVE-4	10/15/13	-40.8	24	6.1
SVE-4	10/28/13	-40.8	30	--
SVE-4	11/04/13	-54.4	27	--
SVE-4	11/06/13	-54.4	26	5
SVE-4	12/02/13	-40.8	30	--
SVE-4	12/09/13	-54.4	30	--
SVE-4	12/11/13	-54.4	31	0.5
SVE-4	12/16/13	-54.4	31	--
SVE-4	12/23/13	-47.6	31	--
SVE-4	12/30/13	-54.4	31	--
SVE-4	01/06/14	-41	27	--
SVE-4	01/13/14	-68	19	--
SVE-4	01/16/14	-68	43	0.2
SVE-4	01/20/14	-68	30	--
SVE-4	01/26/14	-82	31	--
SVE-4	02/10/14	-122	19	--
SVE-4	02/12/14	-136	14	0
SVE-4	02/18/14	-136	19	--
SVE-4	02/24/14	-136	27	--
SVE-4	02/25/14	-136	14	--
SVE-4 ⁹	02/27/14	-136	14	--
SVE-4 ⁹	02/27/14	-82	14	--
SVE-5	03/09/12	-88.4	35	47.2 ¹
SVE-5	03/09/12	-88.4	34	15.0 ²
SVE-5	03/10/12	-88.4	33	10.8
SVE-5	03/11/12	-88.4	32	3.6
SVE-5	03/16/12	-81.6	34	2.9
SVE-5	03/23/12	-95.2	32	--
SVE-5	03/23/12	-81.6	32	3
SVE-5 ³	03/29/12	-61.2	30	--
SVE-5 ⁴	03/29/12	-74.8	37	--
SVE-5	03/30/12	-95.2	35	2.8
SVE-5	04/11/12	-81.6	27	3.3
SVE-5	04/16/12	-81.6	27	--
SVE-5	04/23/12	-81.6	25	--
SVE-5	04/30/12	-95.2	38	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-5	05/07/12	-81.6	26	--
SVE-5	05/09/12	-81.6	27	1
SVE-5	05/14/12	-81.6	27	--
SVE-5	05/21/12	-81.6	28	--
SVE-5	05/30/12	-81.6	38	--
SVE-5	06/04/12	-81.6	35	--
SVE-5	06/11/12	-81.6	35	--
SVE-5	06/12/12	-71.4	30	3.6
SVE-5	06/14/12	-68.0	29	--
SVE-5	06/18/12	-54.4	22	--
SVE-5	06/25/12	-54.4	22	--
SVE-5	07/02/12	-54.4	22	--
SVE-5	07/09/12	-54.4	22	--
SVE-5	07/10/12	-43.5	30	5.3
SVE-5	07/16/12	-54.4	25	--
SVE-5	07/23/12	-54.4	20	--
SVE-5	07/30/12	-68.0	15	--
SVE-5	08/06/12	-54.4	20	--
SVE-5	08/14/12	-54.4	29	28.95 ⁶
SVE-5	08/20/12	-68.0	20	--
SVE-5	08/27/12	-54.4	23	--
SVE-5	09/04/12	-68.0	25	--
SVE-5	09/10/12	-68.0	23	--
SVE-5	09/12/12	-51.0	23	1.33
SVE-5	09/17/12	-40.8	25	--
SVE-5	09/24/12	-40.8	25	--
SVE-5	10/01/12	-40.8	25	--
SVE-5	10/08/12	-27.2	25	--
SVE-5	10/16/12	-74.8	27	0.6
SVE-5	10/22/12	-81.6	25	--
SVE-5	10/29/12	-81.6	25	--
SVE-5	11/05/12	-81.6	25	--
SVE-5	11/12/12	-74.8	22	--
SVE-5	11/14/12	-81.6	20	0.2
SVE-5	11/19/12	-68.0	25	--
SVE-5	11/26/12	-68.0	27	--
SVE-5	12/03/12	-68.0	27	--
SVE-5	12/10/12	-68.0	25	--
SVE-5	12/14/12	-74.8	28	--
SVE-5	12/17/12	-81.6	25	--
SVE-5	12/18/12	-81.6	28	0.8
SVE-5	01/02/13	--	25	--
SVE-5	01/07/13	-81.6	30	--
SVE-5	01/16/13	-68.0	24	0
SVE-5	01/21/13	-68.0	18	--
SVE-5	01/28/13	-149.5	NM	--
SVE-5	02/04/13	-13.6	50	--
SVE-5	02/11/13	-68.0	20	--
SVE-5	02/15/13	-61.2	25	10.1

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-5	02/18/13	-81.6	22	--
SVE-5	02/22/13	-74.8	31	--
SVE-5	02/24/13	-68.0	15	--
SVE-5	03/04/13	-68.0	30	--
SVE-5	03/13/13	-81.6	24	8.9
SVE-5	03/18/13	-81.6	32	--
SVE-5	03/25/13	-68.0	28	--
SVE-5	04/01/13	-108.8	15	--
SVE-5	04/02/13	-108.8	30	--
SVE-5	04/04/13	-81.6	25	--
SVE-5	04/09/13	-108.8	30	--
SVE-5	04/15/13	-81.6	32	--
SVE-5	04/16/13	-81.6	30	--
SVE-5	04/18/13	-95.2	35	--
SVE-5	04/19/13	-81.6	35	--
SVE-5	04/21/13	-81.6	32	--
SVE-5	04/22/13	-81.6	35	1.8
SVE-5	05/14/13	-88.0	30	10.9
SVE-5	05/20/13	-100.0	35	--
SVE-5	05/28/13	-100.0	38	--
SVE-5	05/30/13	-100.0	32	--
SVE-5	06/04/13	-90.0	32	--
SVE-5	06/10/13	-80.0	32	--
SVE-5	06/12/13	-90.0	35	4.5
SVE-5	06/17/13	-88.0	32	--
SVE-5	06/18/13	-88.0	32	--
SVE-5	06/24/13	-98.0	32	--
SVE-5	07/01/13	-90.0	29	--
SVE-5	07/11/13	-74.8	32	2.8
SVE-5	07/15/13	-68.0	32	--
SVE-5	07/22/13	-68.0	32	--
SVE-5	07/30/13	-54.4	29	--
SVE-5	08/06/13	-68.0	--	--
SVE-5	08/12/13	-68.0	32	--
SVE-5	08/13/13	-54.4	35	0.8
SVE-5	08/19/13	-40.8	32	--
SVE-5	08/22/13	-54.4	35	--
SVE-5	08/26/13	-54.4	32	--
SVE-5	09/03/13	-40.8	32	--
SVE-5	09/10/13	-27.2	35	1.7
SVE-5	09/16/13	-54.4	32	--
SVE-5	09/23/13	-40.8	29	--
SVE-5	09/30/13	-40.8	30	--
SVE-5	10/15/13	-51.0	35	0
SVE-5	10/28/13	-47.6	30	--
SVE-5	11/04/13	-54.4	30	--
SVE-5	11/06/13	-54.4	32	5
SVE-5	12/02/13	-54.4	30	--
SVE-5	12/09/13	-54.4	33	--
SVE-5	12/11/13	-68.0	36	0.6

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-5	12/16/13	-54.4	31	--
SVE-5	12/23/13	-61.2	33	--
SVE-5	12/30/13	-68.0	43	--
SVE-5	01/06/14	-54	43	--
SVE-5	01/13/14	-68	52	--
SVE-5	01/16/14	-68	49	0.3
SVE-5	01/20/14	-68	43	--
SVE-5	01/26/14	-82	55	--
SVE-5	02/10/14	-122	31	--
SVE-5	02/12/14	-136	28	0
SVE-5	02/18/14	-136	19	--
SVE-5	02/24/14	-136	27	--
SVE-5	02/25/14	-136	14	--
SVE-5 ⁹	02/27/14	-136	19	--
SVE-5 ⁹	02/27/14	-82	14	--
SVE-6	03/09/12	-115.6	19	37.5 ¹
SVE-6	03/09/12	-108.8	19	3.7 ²
SVE-6	03/10/12	-108.8	20	1.3
SVE-6	03/11/12	-108.8	20	2.8
SVE-6	03/16/12	-102.0	16	1.9
SVE-6	03/23/12	-122.4	--	--
SVE-6	03/23/12	-122.4	17	2.2
SVE-6 ³	03/29/12	-81.6	23	--
SVE-6 ⁴	03/29/12	-95.2	24	--
SVE-6	03/30/12	-122.4	17	2
SVE-6	04/11/12	-95.2	17	2.3
SVE-6	04/16/12	-108.8	5	--
SVE-6	04/23/12	-102.0	19	--
SVE-6	04/30/12	-122.4	25	--
SVE-6	05/07/12	-81.6	18	--
SVE-6	05/09/12	-81.6	13	0.5
SVE-6	05/14/12	-95.2	15	--
SVE-6	05/21/12	-95.2	25	--
SVE-6	05/30/12	-95.2	24	--
SVE-6	06/04/12	-95.2	20	--
SVE-6	06/11/12	-95.2	20	--
SVE-6	06/17/12	-68.0	15	--
SVE-6	06/23/12	-81.6	15	--
SVE-6	06/12/12	-91.8	16	3.1
SVE-6	06/12/12	-81.6	15	--
SVE-6	06/12/12	-81.6	16	--
SVE-6	06/14/12	-81.6	19	--
SVE-6	06/18/12	-68.0	15	--
SVE-6	06/25/12	-68.0	15	--
SVE-6	07/02/12	-68.0	15	--
SVE-6	07/09/12	-68.0	15	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-6	07/10/12	-62.6	21	3.9
SVE-6	07/16/12	-68.0	15	--
SVE-6	07/23/12	-68.0	15	--
SVE-6	07/30/12	-68.0	13	--
SVE-6	08/06/12	-68.0	12	--
SVE-6	08/14/12	-68.0	18	24.71 ⁶
SVE-6	08/20/12	-68.0	12	--
SVE-6	08/27/12	-68.0	8	--
SVE-6	09/04/12	-54.4	12	--
SVE-6	09/12/12	-64.6	10	0.79
SVE-6	09/17/12	-54.4	12	--
SVE-6	09/24/12	-54.4	22	--
SVE-6	10/01/12	-54.4	25	--
SVE-6	10/08/12	-40.8	20	--
SVE-6	10/16/12	-81.6	20	0
SVE-6	10/22/12	-81.6	20	--
SVE-6	10/29/12	-81.6	20	--
SVE-6	11/05/12	-81.6	20	--
SVE-6	11/12/12	-81.6	20	--
SVE-6	11/14/12	-81.6	18	0
SVE-6	11/19/12	-81.6	17	--
SVE-6	11/26/12	-81.6	25	--
SVE-6	12/03/12	-68.0	25	--
SVE-6	12/10/12	-81.6	17	--
SVE-6	12/14/12	-95.2	22	--
SVE-6	12/17/12	-95.2	20	--
SVE-6	12/18/12	-95.2	19	0.3
SVE-6	01/02/13	--	20	--
SVE-6	01/07/13	-68.0	23	--
SVE-6	01/16/13	-88.4	25	0
SVE-6	01/21/13	-136.0	10	--
SVE-6	01/28/13	-81.6	30	--
SVE-6	02/04/13	-54.4	0	--
SVE-6	02/11/13	-81.6	15	--
SVE-6	02/15/13	-102.0	23	8.7
SVE-6	02/18/13	-81.6	15	--
SVE-6	02/22/13	-95.2	26	--
SVE-6	02/24/13	-108.8	10	--
SVE-6	03/04/13	-68.0	18	--
SVE-6	03/13/13	-108.8	25	7.7
SVE-6	03/18/13	-81.6	25	--
SVE-6	03/25/13	-81.6	25	--
SVE-6	04/01/13	-108.8	15	--
SVE-6	04/02/13	-108.8	30	--
SVE-6	04/04/13	-68.0	25	--
SVE-6	04/09/13	-95.2	25	--
SVE-6	04/15/13	-81.6	28	--
SVE-6	04/16/13	-68.0	30	--
SVE-6	04/18/13	-81.6	32	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-6	04/19/13	-81.6	28	--
SVE-6	04/21/13	-68.0	30	--
SVE-6	04/22/13	-68.0	30	1.3
SVE-6	05/14/13	-80.0	23	11.3
SVE-6	05/20/13	-90.0	26	--
SVE-6	05/28/13	-98.0	23	--
SVE-6	05/30/13	-100.0	26	--
SVE-6	06/04/13	-92.0	26	--
SVE-6	06/10/13	-80.0	30	--
SVE-6	06/12/13	-82.0	26	2.8
SVE-6	06/17/13	-80.0	26	--
SVE-6	06/18/13	-84.0	26	--
SVE-6	06/24/13	-98.0	26	--
SVE-6	07/01/13	-94.0	26	--
SVE-6	07/11/13	-68.0	29	2
SVE-6	07/15/13	-68.0	29	--
SVE-6	07/22/13	-68.0	18	--
SVE-6	07/30/13	-54.4	26	--
SVE-6	08/06/13	-54.4	--	--
SVE-6	08/12/13	-54.4	32	--
SVE-6	08/13/13	-54.4	32	0.5
SVE-6	08/19/13	-40.8	32	--
SVE-6	08/22/13	-40.8	32	--
SVE-6	08/26/13	-40.8	26	--
SVE-6	09/03/13	-40.8	30	--
SVE-6	09/10/13	-34.0	32	1.3
SVE-6	09/16/13	-54.4	29	--
SVE-6	09/23/13	-54.4	29	--
SVE-6	09/30/13	-68.0	32	--
SVE-6	10/15/13	-40.8	32	0
SVE-6	10/28/13	-54.4	30	--
SVE-6	11/04/13	-54.4	30	--
SVE-6	11/06/13	-54.4	26	7.1
SVE-6	12/02/13	-54.4	27	--
SVE-6	12/09/13	-54.4	27	--
SVE-6	12/11/13	-54.4	19	0.4
SVE-6	12/16/13	-54.4	27	--
SVE-6	12/23/13	-54.4	31	--
SVE-6	12/30/13	-54.4	31	--
SVE-6	01/06/14	-54	30	--
SVE-6	01/13/14	-68	33	--
SVE-6	01/16/14	-68	36	0.2
SVE-6	01/20/14	-68	33	--
SVE-6	01/26/14	-82	31	--
SVE-6	02/10/14	-41	19	--
SVE-6	02/12/14	-129	0	0.1
SVE-6	02/18/14	-136	19	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-6	02/24/14	-136	27	--
SVE-6	02/25/14	-136	0	--
SVE-6 ⁹	02/27/14	-136	14	--
SVE-6 ⁹	02/27/14	-82	14	--
SVE-7	03/09/12	-81.6	40	96.2 ¹
SVE-7	03/09/12	-74.8	30	11.8 ²
SVE-7	03/10/12	-74.8	30	10.5
SVE-7	03/11/12	-71.4	30	7.3
SVE-7	03/16/12	-74.8	30	3.6
SVE-7	03/23/12	-81.6	35	--
SVE-7	03/23/12	-81.6	35	3.4
SVE-7 ³	03/29/12	-47.6	20	--
SVE-7 ⁴	03/29/12	-54.4	30	--
SVE-7	03/30/12	-68.0	30	3
SVE-7	04/11/12	-54.4	25	7
SVE-7	04/16/12	-68.0	25	--
SVE-7	04/23/12	-68.0	120	--
SVE-7	04/30/12	-68.0	30	--
SVE-7	05/07/12	-68.0	25	--
SVE-7	05/09/12	-68.0	30	0.6
SVE-7	05/14/12	-68.0	30	--
SVE-7	05/21/12	-68.0	40	--
SVE-7	05/30/12	-54.4	30	--
SVE-7	06/04/12	-68.0	40	--
SVE-7	06/11/12	-54.4	40	--
SVE-7	06/12/12	-61.2	35	4
SVE-7	06/14/12	-47.6	25	--
SVE-7	06/18/12	-34.0	20	--
SVE-7	06/25/12	-27.2	15	--
SVE-7	07/02/12	-27.2	20	--
SVE-7	07/09/12	-13.6	20	--
SVE-7	07/10/12	-32.4	16	4.9
SVE-7	07/16/12	-13.6	10	--
SVE-7	07/23/12	-13.6	20	--
SVE-7	07/30/12	-13.6	20	--
SVE-7	08/06/12	-27.2	20	--
SVE-7	08/14/12	-31.3	20	25.27 ⁶
SVE-7	08/20/12	-27.2	20	--
SVE-7	08/27/12	-13.6	20	--
SVE-7	09/04/12	-13.6	20	--
SVE-7	09/10/12	-13.6	20	--
SVE-7	09/12/12	-27.2	12	1.12
SVE-7	09/17/12	-13.6	20	--
SVE-7	09/24/12	-27.2	20	--
SVE-7	10/01/12	-27.2	20	--
SVE-7	10/08/12	-27.2	20	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-7	10/16/12	-47.6	40	0.7
SVE-7	10/22/12	-47.6	30	--
SVE-7	10/29/12	-27.2	45	--
SVE-7	11/05/12	-40.8	40	--
SVE-7	11/12/12	-40.8	40	--
SVE-7	11/14/12	-47.6	30	0.3
SVE-7	11/19/12	-54.4	30	--
SVE-7	11/26/12	-54.4	35	--
SVE-7	12/03/12	-54.4	30	--
SVE-7	12/10/12	-54.4	30	--
SVE-7	12/14/12	-54.4	30	--
SVE-7	12/17/12	-54.4	30	--
SVE-7	12/18/12	-54.4	30	0.5
SVE-7	01/02/13	--	50	--
SVE-7	01/07/13	-40.8	40	--
SVE-7	01/16/13	-61.2	30	0
SVE-7	01/21/13	-95.2	15	--
SVE-7	01/28/13	-163.1	10	--
SVE-7	02/04/13	-68.0	30	--
SVE-7	02/11/13	-54.4	10	--
SVE-7	02/15/13	-68.0	NM	9.7
SVE-7	02/18/13	-68.0	20	--
SVE-7	02/22/13	-61.2	20	--
SVE-7 ⁸	02/24/13	-68.0	60	--
SVE-7	03/04/13	-47.6	20	--
SVE-7	03/13/13	-81.6	25	9.2
SVE-7	03/18/13	-68.0	20	--
SVE-7	03/25/13	-68.0	30	--
SVE-7	04/01/13	-81.6	20	--
SVE-7	04/02/13	-68.0	10	--
SVE-7	04/04/13	-68.0	10	--
SVE-7	04/09/13	-68.0	10	--
SVE-7	04/15/13	-81.6	10	--
SVE-7	04/16/13	-81.6	10	--
SVE-7	04/18/13	-136.0	8	--
SVE-7	04/19/13	-122.4	10	--
SVE-7	04/21/13	-68.0	8	--
SVE-7	04/22/13	-68.0	10	1.9
SVE-7	05/14/13	-80.0	19	10.6
SVE-7	05/20/13	-95.0	23	--
SVE-7	05/28/13	-100.0	19	--
SVE-7	05/30/13	-100.0	13	--
SVE-7	06/04/13	-90.0	23	--
SVE-7	06/10/13	-80.0	23	--
SVE-7	06/12/13	-84.0	23	2.0
SVE-7	06/17/13	-90.0	23	--
SVE-7	06/18/13	-90.0	19	--
SVE-7	06/24/13	-100.0	23	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-7	07/01/13	-90.0	26	--
SVE-7	07/11/13	-68.0	23	1.1
SVE-7	07/15/13	-54.4	26	--
SVE-7	07/22/13	-68.0	18	--
SVE-7	07/30/13	-54.4	26	--
SVE-7	08/06/13	-68.0	--	--
SVE-7	08/12/13	-54.4	26	--
SVE-7	08/13/13	-54.4	19	0.3
SVE-7	08/19/13	-40.8	26	--
SVE-7	08/22/13	-47.6	19	--
SVE-7	08/26/13	-47.6	26	--
SVE-7	09/03/13	-40.8	26	--
SVE-7	09/10/13	-34.0	23	0.4
SVE-7	09/16/13	-68.0	32	--
SVE-7	09/23/13	-68.0	29	--
SVE-7	09/30/13	-68.0	30	--
SVE-7	10/15/13	-47.6	19	0
SVE-7	10/28/13	-40.8	27	--
SVE-7	11/04/13	-54.4	27	--
SVE-7	11/06/13	-54.4	19	5
SVE-7	12/02/13	-54.4	27	--
SVE-7	12/09/13	-54.4	27	--
SVE-7	12/11/13	-54.4	24	0.4
SVE-7	12/16/13	-54.4	27	--
SVE-7	12/23/13	-47.6	31	--
SVE-7	12/30/13	-54.4	31	--
SVE-7	01/06/14	-54	30	--
SVE-7	01/13/14	-68	30	--
SVE-7	01/16/14	-68	27	0.1
SVE-7	01/20/14	-68	30	--
SVE-7	01/26/14	-82	31	--
SVE-7	02/10/14	-122	24	--
SVE-7	02/12/14	-136	45	0
SVE-7	02/18/14	-136	19	--
SVE-7	02/24/14	-136	27	--
SVE-7	02/25/14	-136	14	--
SVE-7 ⁹	02/27/14	-136	14	--
SVE-7 ⁹	02/27/14	-82	14	--
SVE-8	03/09/12	-95.2	30	34.2 ¹
SVE-8	03/09/12	-95.2	30	7.2 ²
SVE-8	03/10/12	-95.2	31	4.3
SVE-8	03/11/12	-88.4	33	6.7
SVE-8	03/16/12	-88.4	32	2.4
SVE-8	03/23/12	-95.2	35	--
SVE-8	03/23/12	-95.2	35	2.5
SVE-8 ³	03/29/12	-68.0	29	--
SVE-8 ⁴	03/29/12	-74.8	35	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-8	03/30/12	-81.6	37	2.9
SVE-8	04/11/12	-81.6	27	2
SVE-8	04/16/12	-81.6	25	--
SVE-8	04/23/12	-81.6	25	--
SVE-8	04/30/12	-81.6	40	--
SVE-8	05/07/12	-81.6	25	--
SVE-8	05/09/12	-81.6	27	0.5
SVE-8	05/14/12	-81.6	27	--
SVE-8	05/21/12	-81.6	38	--
SVE-8	05/30/12	-81.6	38	--
SVE-8	06/04/12	-95.2	35	--
SVE-8	06/11/12	-81.6	35	--
SVE-8	06/12/12	-74.8	28	3.4
SVE-8	06/14/12	-68.0	27	--
SVE-8	06/18/12	-40.8	18	--
SVE-8	06/25/12	-54.4	20	--
SVE-8	07/02/12	-54.4	18	--
SVE-8	07/09/12	-54.4	20	--
SVE-8	07/10/12	-53.0	24	4.3
SVE-8	07/16/12	-54.4	22	--
SVE-8	07/23/12	-54.4	20	--
SVE-8	07/30/12	-54.4	20	--
SVE-8	08/06/12	-54.4	18	--
SVE-8	08/14/12	-54.4	27	23.24 ⁶
SVE-8	08/20/12	-54.4	25	--
SVE-8	08/27/12	-54.4	22	--
SVE-8	09/04/12	-54.4	22	--
SVE-8	09/10/12	-54.4	25	--
SVE-8	09/12/12	-54.4	21	1.95
SVE-8	09/17/12	-54.4	22	--
SVE-8	09/24/12	-40.8	22	--
SVE-8	10/01/12	-40.8	25	--
SVE-8	10/08/12	-40.8	22	--
SVE-8	10/16/12	-68.0	40	0
SVE-8	10/22/12	-68.0	30	--
SVE-8	10/29/12	-68.0	32	--
SVE-8	11/05/12	-68.0	30	--
SVE-8	11/12/12	-68.0	30	--
SVE-8	11/14/12	-68.0	30	0
SVE-8	11/19/12	-68.0	30	--
SVE-8	11/26/12	-68.0	32	--
SVE-8	12/03/12	-68.0	30	--
SVE-8	12/10/12	-68.0	30	--
SVE-8	12/14/12	-74.8	30	--
SVE-8	12/17/12	-74.8	30	--
SVE-8	01/02/13	--	22	--
SVE-8	01/07/13	-122.4	-8	--
SVE-8	01/16/13	-40.8	18	0
SVE-8	01/21/13	-129.2	18	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-8	01/28/13	-136.0	10	--
SVE-8	02/04/13	-136.0	0	--
SVE-8	02/11/13	-81.6	0	--
SVE-8	02/15/13	-108.8	10	6.8
SVE-8	02/18/13	-95.2	10	--
SVE-8	02/22/13	-20.4	17	--
SVE-8	02/24/13	-122.4	0	--
SVE-8	03/04/13	-95.2	15	--
SVE-8	03/13/13	-108.8	18	6.2
SVE-8	03/18/13	-108.8	NM	--
SVE-8	03/25/13	-95.2	NM	--
SVE-8	04/01/13	-102.0	20	--
SVE-8	04/02/13	-95.2	35	--
SVE-8	04/04/13	-81.6	35	--
SVE-8	04/09/13	-122.4	11	--
SVE-8	04/15/13	-95.2	15	--
SVE-8	04/16/13	-81.6	25	--
SVE-8	04/18/13	-108.8	8	--
SVE-8	04/19/13	-108.8	20	--
SVE-8	04/21/13	-81.6	25	--
SVE-8	04/22/13	-81.6	25	1.3
SVE-8	05/14/13	-76.0	23	9.7
SVE-8	05/20/13	-90.0	0	--
SVE-8	05/28/13	-92.0	13	--
SVE-8	05/30/13	-100.0	13	--
SVE-8	06/04/13	-94.0	23	--
SVE-8	06/10/13	-88.0	13	--
SVE-8	06/12/13	-88.0	23	1.7
SVE-8	06/17/13	-90.0	26	--
SVE-8	06/18/13	-88.0	23	--
SVE-8	06/24/13	-100.0	26	--
SVE-8	07/01/13	-88.0	26	--
SVE-8	07/11/13	-68.0	26	1.1
SVE-8	07/15/13	-68.0	29	--
SVE-8	07/22/13	-68.0	13	--
SVE-8	07/30/13	-54.4	23	--
SVE-8	08/06/13	-54.4	--	--
SVE-8	08/12/13	-54.4	0	--
SVE-8	08/13/13	-54.4	9	0.3
SVE-8	08/19/13	-40.8	0	--
SVE-8	08/22/13	-47.6	13	--
SVE-8	08/26/13	-47.6	18	--
SVE-8	09/03/13	-34.0	23	--
SVE-8	09/10/13	-40.8	18	0.4
SVE-8	09/16/13	-54.4	29	--
SVE-8	09/23/13	-54.4	32	--
SVE-8	09/30/13	-54.4	32	--
SVE-8	10/15/13	-47.6	13	4.4
SVE-8	10/28/13	-54.4	23	--
SVE-8	11/04/13	-54.4	19	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-8	11/06/13	-54.4	0	5.3
SVE-8	12/02/13	-54.4	27	--
SVE-8	12/09/13	-54.4	27	--
SVE-8	12/11/13	-54.4	27	0.4
SVE-8	12/16/13	-54.4	27	--
SVE-8	12/23/13	-61.2	27	--
SVE-8	12/30/13	-68.0	31	--
SVE-8	01/06/14	-54	30	--
SVE-8	01/13/14	-68	19	--
SVE-8	01/16/14	-68	0	0.5
SVE-8	01/20/14	-68	23	--
SVE-8	01/26/14	-82	24	--
SVE-8	02/10/14	-136	19	--
SVE-8	02/12/14	-136	0	0
SVE-8	02/18/14	-136	19	--
SVE-8	02/24/14	-136	27	--
SVE-8	02/25/14	-136	0	--
SVE-8 ⁹	02/27/14	-136	0	--
SVE-8 ⁹	02/27/14	-82	0	--
SVE-9	03/09/12	-129.2	13	196.1 ¹
SVE-9	03/09/12	-122.4	15	172.1 ²
SVE-9	03/10/12	-122.4	15	144.5
SVE-9	03/11/12	-122.4	15	131.2
SVE-9	03/16/12	-122.4	15	26.3
SVE-9	03/23/12	-129.2	17	--
SVE-9	03/23/12	-136.0	17	29.7
SVE-9 ³	03/29/12	-95.2	13	--
SVE-9 ⁴	03/29/12	-115.6	17	--
SVE-9	03/30/12	-122.4	17	30.6
SVE-9	04/11/12	-115.6	13	5
SVE-9	04/16/12	-122.4	7	--
SVE-9	04/23/12	-122.4	4	--
SVE-9	04/30/12	-122.4	22	--
SVE-9	05/07/12	-122.4	8	--
SVE-9	05/09/12	-108.8	13	4.3
SVE-9	05/14/12	-108.8	10	--
SVE-9	05/21/12	-108.8	25	--
SVE-9	05/30/12	-108.8	25	--
SVE-9	06/04/12	-108.8	22	--
SVE-9	06/11/12	-108.8	22	--
SVE-9	06/12/12	-108.8	18	6.9
SVE-9	06/14/12	-98.6	17	--
SVE-9	06/18/12	-81.6	12	--
SVE-9	06/25/12	-81.6	14	--
SVE-9	07/02/12	-81.6	12	--
SVE-9	07/09/12	-81.6	15	--
SVE-9	07/10/12	-74.8	17	12

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-9	07/16/12	-81.6	15	--
SVE-9	07/23/12	-81.6	15	--
SVE-9	07/30/12	-81.6	13	--
SVE-9	08/06/12	-81.6	12	--
SVE-9	08/14/12	-77.5	20	28.9 ⁶
SVE-9	08/20/12	-81.6	15	--
SVE-9	08/27/12	-68.0	15	--
SVE-9	09/04/12	-68.0	15	--
SVE-9	09/10/12	-68.0	15	--
SVE-9	09/12/12	-74.8	14	1.76
SVE-9	09/17/12	-68.0	12	--
SVE-9	09/24/12	-68.0	12	--
SVE-9	10/01/12	-68.0	12	--
SVE-9	10/08/12	-68.0	12	--
SVE-9	10/16/12	-95.2	20	0.2
SVE-9	10/22/12	-95.2	15	--
SVE-9	10/29/12	-95.2	20	--
SVE-9	11/05/12	-95.2	20	--
SVE-9	11/12/12	-95.2	20	--
SVE-9	11/14/12	-95.2	17	0.6
SVE-9	11/19/12	-95.2	17	--
SVE-9	11/26/12	-95.2	17	--
SVE-9	12/03/12	-95.2	15	--
SVE-9	12/10/12	-95.2	17	--
SVE-9	12/14/12	-108.8	18	--
SVE-9	12/17/12	-95.2	20	--
SVE-9	12/18/12	-108.8	17	2.7
SVE-9	01/02/13	--	10	--
SVE-9	01/07/13	-149.5	0	--
SVE-9	01/16/13	-136.0	8	0
SVE-9	01/21/13	-142.7	NM	--
SVE-9	01/28/13	-68.0	NM	--
SVE-9	02/04/13	-163.1	0	--
SVE-9	02/11/13	-95.2	0	--
SVE-9	02/15/13	-95.2	17	11.7
SVE-9	02/18/13	-81.6	NM	--
SVE-9	02/22/13	-115.6	9	--
SVE-9	02/24/13	-136.0	10	--
SVE-9	03/04/13	-108.8	10	--
SVE-9	03/13/13	-95.2	18	8.6
SVE-9	03/18/13	-108.8	24	--
SVE-9	03/25/13	-95.2	25	--
SVE-9	04/01/13	-122.4	18	--
SVE-9	04/02/13	-122.4	25	--
SVE-9	04/04/13	-108.8	23	--
SVE-9	04/09/13	-136.0	23	--
SVE-9	04/15/13	-122.4	18	--
SVE-9	04/16/13	-108.8	25	--
SVE-9	04/18/13	-122.4	22	--
SVE-9	04/19/13	-122.4	20	--

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-9	04/21/13	-108.8	20	--
SVE-9	04/22/13	-108.8	20	2.7
SVE-9	05/14/13	-82.0	23	10.2
SVE-9	05/20/13	--	23	--
SVE-9	05/28/13	--	27	--
SVE-9	05/30/13	--	26	--
SVE-9	06/04/13	--	23	--
SVE-9	06/10/13	--	23	--
SVE-9	06/12/13	--	23	1.2
SVE-9	06/17/13	--	26	--
SVE-9	06/18/13	--	26	--
SVE-9	06/24/13	--	23	--
SVE-9	07/01/13	--	23	--
SVE-9	07/11/13	-74.8	23	2
SVE-9	07/15/13	-81.6	26	--
SVE-9	07/22/13	-81.6	23	--
SVE-9	07/30/13	-27.2	26	--
SVE-9	08/06/13	-40.8	--	--
SVE-9	08/12/13	-40.8	26	--
SVE-9	08/13/13	-40.8	23	0.6
SVE-9	08/19/13	-34.0	0	--
SVE-9	08/22/13	-40.8	19	--
SVE-9	08/26/13	-27.2	26	--
SVE-9	09/03/13	-13.6	26	--
SVE-9	09/10/13	-40.8	23	2
SVE-9	09/16/13	-27.2	26	--
SVE-9	09/23/13	-27.2	26	--
SVE-9	09/30/13	-27.2	19	--
SVE-9	10/15/13	-17.0	19	0
SVE-9	10/28/13	-27.2	19	--
SVE-9	11/04/13	-27.2	19	--
SVE-9	11/06/13	-13.6	23	1.1
SVE-9	12/02/13	-40.8	27	--
SVE-9	12/09/13	-27.2	27	--
SVE-9	12/11/13	-27.2	24	0.7
SVE-9	12/16/13	-27.2	19	--
SVE-9	12/23/13	-40.8	19	--
SVE-9	12/30/13	-40.8	19	--
SVE-9	01/06/14	-34	24	--
SVE-9	01/13/14	-68	19	--
SVE-9	01/16/14	-54	0	0.8
SVE-9	01/20/14	-54	19	--
SVE-9	01/26/14	-41	24	--
SVE-9	02/10/14	-95	19	--
SVE-9	02/12/14	-109	0	0

Footnotes on Page 25.

Table 2. Extraction Well Manifold Monitoring Data, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Well ID	Date	System Manifold		
		Vacuum (in H ₂ O)	Flow Rate (cfm)	VOCs (ppm)
SVE-9	02/18/14	-109	19	--
SVE-9	02/24/14	-109	27	--
SVE-9	02/25/14	-109	10	--
SVE-9 ⁹	02/27/14	-82	43	--
SVE-9 ⁹	02/27/14	-54	14	--

Start system at 1:15 pm on March 9, 2012.

Vacuum measured with inline vacuum gauge in units of in Hg. Vacuum converted to in H₂O for comparison.

Extraction well flow rate measured with inline air flow meter.

VOCs measured with a PID (calibrated to 100 ppm isobutylene).

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Interim system was shut down 4/29/2013. The permanent SVE system was started 5/13/2013.

Initial permanent system readings recorded 5/14/2013 after optimization.

- 1 Vacuum measured at well head at 12:55 pm.
- 2 Vacuum measured at well head at 5:30 pm.
- 3 System restarted with make-up air valve open 100 percent to reduce backpressure on blower.
- 4 Make-up air valve closed to 50 percent open to continue operation of system consistent with previous settings.
- 5 Vacuum measured at well head indicates influence is still being achieved at this well.
- 6 PID results were analyzed from tedlar bag approximately four hours after collection due to instrument malfunction.
- 7 Gauge reading above calibrated range.
- 8 Influent flow inconsistent with previous readings.
- 9 Make-up air valve opened to maintain system operation within maximum range of blower.
- Not monitored.
- cfm Cubic feet per minute.
- in Hg Inches of mercury.
- in H₂O Inches of water column.
- NM Not measured.
- PID Photoionization detector.
- ppm Parts per million.
- VOCs Volatile organic compounds reported as isobutylene.

Table 3. Estimate of Post-Carbon Emissions, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Date	Total VOC Concentration ¹	System Flow Rate	Emission Rate ²
	µg/m ³	cfm	lb/hr
3/9/2012 ³	16.03	450	--
3/10/2012	43.89	450	7.39E-05
3/11/2012	47.07	450	7.93E-05
3/16/2012	154.42	450	2.60E-04
3/23/2012	418.29	450	7.05E-04
3/30/2012 ⁴	887.68	450	1.50E-03
4/11/2012	101.77	450	1.71E-04
5/9/2012	1,250.95	450	2.11E-03
6/12/2012	775.20	450	1.31E-03
7/10/2012	400.50	450	6.75E-04
8/14/2012	598.85	450	1.01E-03
9/16/2012	516.30	450	8.70E-04
10/16/2012 ⁴	496.55	450	8.36E-04
11/14/2012 ⁴	1,455.85	275	1.50E-03
12/18/2012 ⁴	425.55	275	4.38E-04
1/16/2013	445.88	275	4.59E-04
2/15/2013	149.37	275	1.54E-04
3/13/2013	242.85	275	2.50E-04
4/23/2013	267.45	275	2.75E-04
5/14/2013	330.00	192	2.37E-04
6/13/2013	1,039.55	223	8.68E-04
7/15/2013	65.41	223	5.46E-05
8/13/2013	36.17	222	3.01E-05
9/10/2013	20.55	230	1.77E-05
10/15/2013	434.57	230	3.74E-04
11/6/2013	103.60	225	8.72E-05
12/11/2013	747.35	241	6.74E-04
1/16/2014	252.56	245	2.32E-04
2/12/2014	32.52	184	2.24E-05

Average Emission Rate = 5.64E-04 lb/hr

NR 445 Emission Threshold = 5.7 lb/hr

Footnotes on Page 2.

Table 3. Estimate of Post-Carbon Emissions, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

¹ Total VOC concentration was based on the sum of all detected analyte concentrations in post-carbon effluent samples for dates shown. When compounds are not detected above the laboratory reporting limit, emissions are calculated using 1/2 the reporting limit.

² Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ } \mu\text{g})$$

³ SVE system began operation on 3/9/2012.

⁴ System flow rate optimized 10/16/2012 by closing make-up air valve.

Interim system was shut down 4/29/2013. The permanent system was started 5/13/2013. The initial permanent system sample was collected 5/14/2013 after system optimization. System flow rate optimized 02/27/2014 by opening make-up air valve.

cfm	Cubic feet per minute.
lb/hr	Pounds per hour.
µg/m ³	Micrograms per cubic meter.
VOC	Volatile organic compound.

Table 4. Estimate of Post-Carbon Emissions of Tetrachloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Date	Total PCE Concentration ¹	System Flow Rate	Emission Rate ²	Percent of NR 445 Emission Threshold ⁴
	µg/m ³	cfm	lb/hr	%
3/9/2012 ³	0.19	450	--	--
3/10/2012	0.38	450	6.32E-07	1.78E-06
3/11/2012	0.38	450	6.32E-07	1.78E-06
3/16/2012	93	450	1.57E-04	4.42E-04
3/23/2012	260	450	4.38E-04	1.24E-03
3/30/2012	660	450	1.11E-03	3.14E-03
4/11/2012	1.1	450	1.85E-06	5.23E-06
5/9/2012	240	450	4.04E-04	1.14E-03
6/12/2012	9.4	450	1.58E-05	4.47E-05
7/10/2012	2.7	450	4.55E-06	1.28E-05
8/14/2012	6.8	450	1.15E-05	3.24E-05
9/16/2012	13	450	2.19E-05	6.19E-05
10/16/2012 ⁵	280	450	4.72E-04	1.33E-03
11/14/2012 ⁵	1200	275	1.24E-03	3.49E-03
12/18/2012 ⁵	240	275	2.47E-04	6.98E-04
1/16/2013	280	275	2.88E-04	8.14E-04
2/15/2013	30	275	3.09E-05	8.72E-05
3/13/2013	74	275	7.62E-05	2.15E-04
4/23/2013	4	275	4.32E-06	1.22E-05
5/14/2013	280	192	2.01E-04	5.68E-04
6/13/2013	920	223	7.68E-04	2.17E-03
7/15/2013	29	223	2.42E-05	6.84E-05
8/13/2013	8	222	6.73E-06	1.90E-05
9/10/2013	8	230	6.97E-06	1.97E-05
10/15/2013	250	230	2.15E-04	6.08E-04
11/6/2013	10	225	8.42E-06	2.38E-05
12/11/2013	480	241	4.33E-04	1.22E-03
1/16/2014	130	245	1.19E-04	3.37E-04
2/12/2014	18	184	1.24E-05	3.50E-05

Average Emission Rate = 2.26E-04 lb/hr

NR 445 Emission Threshold = 35.4 lb/hr

Footnotes on Page 2.

Table 4. Estimate of Post-Carbon Emissions of Tetrachloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

¹ VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

² Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ } \mu\text{g})$$

³ SVE system began operation on 3/9/2012.

⁴ Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

⁵ System flow rate optimized 10/16/2012 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Interim system was shut down 4/29/2013. The permanent system was started 5/13/2013.

The initial permanent system sample was collected 5/14/2013 after system optimization.

System flow rate optimized 02/27/2014 by opening make-up air valve.

lb/yr	Pounds per year.
lb/hr	Pounds per hour.
$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter.
VC	Vinyl Chloride.

Table 5. Estimate of Post-Carbon Emissions of Trichloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Date	Total TCE Concentration ¹	System Flow Rate ⁸	Emission Rate ²	Percent of NR 445 Emission Threshold ⁴
	µg/m ³	cfm	lb/hr	%
3/9/2012 ³	0.41	450	--	--
3/10/2012	0.80	450	1.35E-06	2.40E-06
3/11/2012	0.80	450	1.35E-06	2.40E-06
3/16/2012	1.1	450	1.85E-06	3.30E-06
3/23/2012	6.5	450	1.09E-05	1.95E-05
3/30/2012	24	450	4.04E-05	7.21E-05
4/11/2012	0.3	450	5.56E-07	9.91E-07
5/9/2012	16	450	2.69E-05	4.80E-05
6/12/2012	47	450	7.92E-05	1.41E-04
7/10/2012	19	450	3.20E-05	5.70E-05
8/14/2012	41	450	6.91E-05	1.23E-04
9/16/2012	43	450	7.24E-05	1.29E-04
10/16/2012 ⁵	27	450	4.55E-04	8.11E-04
11/14/2012 ⁵	59	275	6.07E-04	1.08E-03
12/18/2012 ⁵	21	275	2.16E-04	3.85E-04
1/16/2013	25	275	2.57E-04	4.59E-04
2/15/2013	4	275	4.53E-05	8.07E-05
3/13/2013	7	275	7.20E-05	1.28E-04
4/23/2013	7	275	7.10E-05	1.27E-04
5/14/2013	10	192	7.19E-05	1.28E-04
6/13/2013	40	223	3.34E-04	5.95E-04
7/15/2013	0.6	223	4.59E-06	8.18E-06
8/13/2013	0.6	222	4.57E-06	8.15E-06
9/10/2013	0.6	230	4.73E-07	8.44E-07
10/15/2013	17	230	1.46E-05	2.61E-05
11/6/2013	1	225	1.01E-06	1.80E-06
12/11/2013	32	241	2.89E-05	5.15E-05
1/16/2014	10	245	9.08E-06	1.62E-05
2/12/2014	2	184	1.52E-06	2.70E-06

Average Emission Rate = 9.37E-05 lb/hr

NR 445 Emission Threshold = 56.1 lb/hr

Footnotes on Page 2.

Table 5. Estimate of Post-Carbon Emissions of Trichloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

¹ VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

² Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ }\mu\text{g})$$

³ SVE system began operation on 3/9/2012.

⁴ Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

⁵ System flow rate optimized 10/16/2012 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Interim system was shut down 4/29/2013. The permanent system was started 5/13/2013.

The initial permanent system sample was collected 5/14/2013 after system optimization.

System flow rate optimized 02/27/2014 by opening make-up air valve.

lb/yr	Pounds per year.
lb/hr	Pounds per hour.
$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter.
VC	Vinyl Chloride.

Table 6. Estimate of Post-Carbon Emissions of Cis-1,2-Dichloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Date	Total cis-1,2-DCE Concentration ¹	System Flow Rate	Emission Rate ²	Percent of NR 445 Emission Threshold ³
	µg/m ³	cfm	lb/hr	%
3/9/2012	0.14	450	--	--
3/10/2012	0.28	450	4.72E-07	2.84E-07
3/11/2012	0.28	450	4.72E-07	2.84E-07
3/16/2012	2.0	450	3.37E-06	2.03E-06
3/23/2012	57	450	9.60E-05	5.78E-05
3/30/2012	69	450	1.16E-04	7.00E-05
4/11/2012	75	450	1.26E-04	7.61E-05
5/9/2012	930	450	1.57E-03	9.44E-04
6/12/2012	720	450	1.21E-03	7.31E-04
7/10/2012	260	450	4.38E-04	2.64E-04
8/14/2012	460	450	7.75E-04	4.67E-04
9/16/2012	420	450	7.07E-04	4.26E-04
10/16/2012 ⁴	170	450	2.86E-04	1.72E-04
11/14/2012 ⁴	130	275	1.34E-04	8.06E-05
12/18/2012 ⁴	130	275	1.34E-04	8.06E-05
1/16/2013	110	275	1.13E-04	6.82E-05
2/15/2013	90	275	9.26E-05	5.58E-05
3/13/2013	100	275	1.03E-04	6.20E-05
4/23/2013	240	275	2.47E-04	1.49E-04
5/14/2013	8	192	5.46E-06	3.29E-06
6/13/2013	24	223	2.00E-05	1.21E-05
7/15/2013	0.4	223	3.30E-07	1.99E-07
8/13/2013	0.4	222	3.28E-07	1.98E-07
9/10/2013	21	230	1.77E-05	1.07E-05
10/15/2013	435	230	3.74E-04	2.25E-04
11/6/2013	79	225	6.65E-05	4.01E-05
12/11/2013	58	241	5.23E-05	3.15E-05
1/16/2014	92	245	8.44E-05	5.08E-05
2/12/2014	3	184	1.72E-06	1.04E-06

Average Emission Rate = 2.51E-04 lb/hr

NR 445 Emission Threshold = 166 lb/hr

Footnotes on Page 2.

Table 6. Estimate of Post-Carbon Emissions of Cis-1,2-Dichloroethene, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

¹ VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

² Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ } \mu\text{g})$$

³ Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

⁴ System flow rate optimized 10/16/2012 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Interim system was shut down 4/29/2013. The permanent system was started 5/13/2013.

The initial permanent system sample was collected 5/14/2013 after system optimization.

System flow rate optimized 02/27/2014 by opening make-up air valve.

lb/yr	Pounds per year.
lb/hr	Pounds per hour.
$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter.
VC	Vinyl Chloride.

Table 7. Estimate of Post-Carbon Emissions of Vinyl Chloride, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

Date	Total VC Concentration ¹	System Flow Rate ⁸	Emission Rate ²	Emission Rate ²	Percent of NR 445 Emission Threshold ⁴
	µg/m ³	cfm	lb/hr	lb/yr	%
3/9/2012 ³	0.19	450	--	--	--
3/10/2012	27	450	4.55E-05	0.398	0.05
3/11/2012	34	450	5.73E-05	0.502	0.06
3/16/2012	45	450	7.58E-05	0.664	0.08
3/23/2012	84	450	1.41E-04	1.239	0.15
3/30/2012	79	450	1.33E-04	1.166	0.14
4/11/2012	19	450	3.20E-05	0.280	0.03
5/9/2012	8	450	1.30E-05	0.114	0.01
6/12/2012	4	450	5.89E-06	0.052	0.01
7/10/2012	6	450	1.01E-05	0.089	0.01
8/14/2012	4	450	6.74E-06	0.059	0.01
9/16/2012	5	450	7.58E-06	0.066	0.01
10/16/2012 ⁵	2	450	3.20E-06	0.028	0.00
11/14/2012 ⁵	11	275	1.13E-05	0.099	0.01
12/18/2012 ⁵	15	275	1.54E-05	0.135	0.02
1/16/2013	11	275	1.13E-05	0.099	0.01
2/15/2013	12	275	1.24E-05	0.108	0.01
3/13/2013	7	275	7.00E-06	0.061	0.01
4/23/2013	2	275	1.65E-06	0.014	0.00
5/14/2013	1	192	7.90E-07	0.007	0.00
6/13/2013	1	222	1.08E-06	0.009	0.00
7/15/2013	1	223	1.17E-06	0.010	0.00
8/13/2013	1	222	1.08E-06	0.009	0.00
9/10/2013	3	230	2.67E-06	0.023	0.00
10/15/2013	1	230	1.21E-06	0.011	0.00
11/6/2013	2	225	1.35E-06	0.012	0.00
12/11/2013	4	241	3.16E-06	0.028	0.00
1/16/2014	11	245	1.01E-05	0.088	0.01
2/12/2014	0	184	1.76E-07	0.002	0.00

Average Emission Rate = -- **0.199** lb/yr
 NR 445 Emission Threshold = -- **830** lb/yr

Footnotes on Page 2.

Table 7. Estimate of Post-Carbon Emissions of Vinyl Chloride, SVE System, Madison-Kipp Corporation, Madison, Wisconsin.

¹ VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

² Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ } \mu\text{g}) * 24 \text{ hr/day} * 365 \text{ days/yr}$$

³ SVE system began operation on 3/9/2012.

⁴ Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

⁵ System flow rate optimized 10/16/2012 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Interim system was shut down 4/29/2013. The permanent system was started 5/13/2013.

The initial permanent system sample was collected 5/14/2013 after system optimization.

System flow rate optimized 02/27/2014 by opening make-up air valve.

lb/yr	Pounds per year.
lb/hr	Pounds per hour.
µg/m ³	Micrograms per cubic meter.
VC	Vinyl Chloride.