

INORGANIC ANALYSES

(ENCLOSE FORM WHEN SENDING SAMPLE TO LAB)

Section I: To be completed by the Department of Natural Resources/SAMPLER

System Name: _____ System Type: _____
(Check one) MC___ NN___ OC___ TN___
System _____ Region _____
Address: _____ City: _____ County: _____ Code: _____
Entry Point WI Unique
Pws Id#: _____ ID: _____ Well No: _____ DNR Contact: _____

Sampler Phone/Name/Address (Notify DNR Contact of Corrections)

Sampler: Provide information to have results faxed or e-mailed or to change a billing address, if your lab offers these services (leave blank if you don't use these services).
Fax number: _____
E-mail: _____
Billing address: _____

Sample Source:

- ___ W Well
- ___ E Entry Point
- ___ D Distribution System

Sample Type:

- ___ D Compliance Sample
- ___ C Confirmation Sample
- ___ I Investigation Sample
- ___ W Raw Water Sample

Special Instructions: _____

Collect sample between: ___/___/___ and ___/___/___

Section II: To be completed by SAMPLER -- ALL ITEMS REQUIRED

Sample Collection Date ___/___/___ Time: ___ : ___ a.m.
mm dd yyyy p.m.

Address where sample was collected: _____

Monitoring Point ID: _____ Sample Point Description: _____

First Initial and
Last Name of Sampler: ___ - _____ Sampler Phone: _____

Section III: To be completed by LAB. Report test results on back for PWS and electronically to DNR within 10 days per NR 809.80

Check here if some or all of the parameters were analyzed by a subcontracted lab.
NOTE: A separate form must be completed by each lab with data for only the parameters which that lab analyzed.

Laboratory ID Number: _____ Laboratory Name: _____

Date Sample Received: ___/___/___ Time Sample Received: ___ : ___ Laboratory Sample ID: _____

Signature of Receiving Lab Official: _____ Date Reported to PWS: ___/___/___

Condition of Sample Upon Receipt: _____

Notice: This form must be submitted with laboratory samples analyzed to determine compliance with ch. NR 809, Wis. Adm. Code, Safe Drinking Water. Completion of this form or a similar form approved by the Department is mandatory. Failure to submit a completed form to the Department is a violation punishable by a forfeiture of no less than \$10 nor more than \$5000, or by a fine of not less than \$10 nor more than \$100 or imprisonment of not less than 30 days, or both. Each day of continued violation is a separate offense (ss. 144.99, Wis. Stats.). Authorization for these requirement is under s. 280.13(d), Wis. Stats. and ch. NR 809.80. Personally identifiable information on this form will be used for no other purpose.

INORGANIC ANALYSES

System Name: _____

This page to be completed by the laboratory performing analysis.

PWS ID: _____

Lab Sample ID: _____

Storet Code	Parameter	SDWA Method	MDL	Results	MCL	Units
410	ALKALINITY TOTAL CaCO3					MG/L
1104	ALUMINUM TOTAL RECOVERABLE					MG/L
1097	ANTIMONY TOTAL				0.006	MG/L
1002	ARSENIC TOTAL				0.010	MG/L
34225	ASBESTOS				7 Mill	FIB/L
1007	BARIUM TOTAL				2	MG/L
1012	BERYLLIUM TOTAL				0.004	MG/L
1027	CADMIUM TOTAL				0.005	MG/L
916	CALCIUM TOTAL					MG/L
940	CHLORIDE					MG/L
50060	CHLORINE TOTAL RESIDUAL					MG/L
1034	CHROMIUM TOTAL				0.1	MG/L
80	COLOR					
1042	COPPER TOTAL					UG/L
720	CYANIDE				0.2	MG/L
951	FLUORIDE TOTAL				4	MG/L
900	HARDNESS TOTAL CaCO3					MG/L
74010	IRON					MG/L
1051	LEAD TOTAL					UG/L
927	MAGNESIUM TOTAL					MG/L
1055	MANGANESE					MG/L
71900	MERCURY TOTAL				0.002	MG/L
1067	NICKEL TOTAL				0.1	MG/L
620	NITRATE AS N				10	MG/L
630	NITRATE+NITRITE				10	MG/L
615	NITRITE (NO2-N) TOTAL				1	MG/L
403	PH LAB					
70300	RESIDUE DISS 180C (TDS)					MG/L
1147	SELENIUM TOTAL				0.05	MG/L
1077	SILVER TOTAL					MG/L
929	SODIUM TOTAL					MG/L
1084	STRONTIUM TOTAL REC					UG/L
945	SULFATE TOTAL					MG/L
1059	THALLIUM TOTAL				0.002	MG/L
76	TURBIDITY					NTU
1092	ZINC TOTAL					MG/L

Approved By: QA Officer: _____ Date: _____

Laboratory Manager: _____ Date: _____

Comments: _____