2012 CWD Surveillance Plan



2012 CWD Sampling Results

CWD Year	Zone	# Sampled	# Analyzed	CWD Positive
2012	CWD Management Zone	4729	4720	331
	Remainder of State	1834	1821	6
Total		6563	6541	337

Washburn County Sampling Results

10-mile radius circle
~950 samples
~850 adult deer
No new positives detected

2-mile radius circle
60-120 samples
No new positives detected



Cumulative CWD Positive Locations of Whitetailed Deer in Wisconsin and Illinois.



Adams County

Num. deer tested in 9 township block surrounding + township

Years	Num. tested
2002-05	307
2006-09	236
2010-12	48
Cumulative	591



Juneau County

Num. deer tested in 9 township block surrounding + township

Years	Num. tested
2002-05	619
2006-09	355
2010-12	91
Cumulative	1,065



Portage County

Num. deer tested in 9 township block surrounding + township

Years	Num. tested
2002-05	175
2006-09	146
2010-12	249
Cumulative	565





Sample Counts for CWD year 2012, by PLSS Township

The sample counts shown on this map are the totals of CWD samples which have been sent to a lab, but have not necessarily received a sample result back. In general a CWD Year encompasses one fall hunting season. It runs from April 1st of one year to March 31st of the next year. A township without a sample count indicates no samples have been collected to date.

CWD Monitoring Areas
CWD Management Zone
County Boundary
PLSS Township

N

Map Scale, approx. 1:1,000,000

GIS Services Section
Wisconsin Department of Natural Resources
4/03/2013




CWD Prevalence - SW Core Area - Males
0.25
0.20
0.15
0.10
0.05
0.00
Poportion Positive
Adult Males
Adult Trend
Yrlg Males
Yrlg Trend
2002
2004
2006
2008
2010
2012
Year


CWD Prevalence - SW Core Area - Females
Adult Females
Adult Trend
Yrlg Females
Yrlg Trend
Poportion Positive
0.12
0.10
0.08
0.06
0.04
0.02
0.00
2002
2004
2006
2008
2010
2012
Year


CWD Prevalence - SE Monitoring Area - Males
Adult Male
Adult Trend
Yrlg Males
Yrlg Trend
Proportion Positive
0.12
0.10
0.08
0.06
0.04
0.02
0.00
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
Year


CWD Prevalence - SE Monitoring Area - Females
Adult Female
Adult Trend
Yrlg Female
Yrlg Trend
Proportion Positive
0.06
0.05
0.04
0.03
0.02
0.01
0.00
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
Year

CWD Prevalence - Southeast Richland Cty- Males



CWD Prevalence - Southwest Sauk Cty- Males



CWD Prevalence - Baraboo, Devil's Lake Area - Males



CWD Prevalence - Northwest Iowa Cty- Males



CWD Prevalence - Northcentral Iowa Cty- Males



CWD Prevalence - Southcentral Iowa Cty- Males



CWD Prevalence - Southeast Iowa Cty- Males



CWD Prevalence - Southwest Dane Cty- Males