

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
Richard	Anderson	411	Anderson		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.76	ND	ND	ND	ND								0
					SPECPRO	8/5/2008														ND	0						
					SPECPRO	7/15/2009														ND	0						
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/4/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Aaron & Maria	Andres	130	Andres		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dewayne	Askey	932	Askey #1		OLIN	3/24/2004	6.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND					0
					SPECPRO	7/31/2006	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	0.007
					SPECPRO	8/8/2007														ND	0						
David	Askey	178	Askey #2		OLIN	3/24/2004	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND					0
					SPECPRO	6/6/2006	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
John & Cathy	Ballweg	131	Ballweg		SPECPRO	2/21/2007	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kathie & Don	Bauer	807	Bauer		OLIN	3/22/2004	4.55	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Beach	DAVY	5/19/2004	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Al	Behrens	197	Behrens		OLIN	4/12/2004	4.47	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.02	ND	ND			0.04	
					DAVY(S)	4/26/2004														ND	ND	ND				0	
					DAVY	5/24/2004														ND	ND	ND				0	
					SPECPRO	8/1/2006	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Craig & Chris	Bender	119	Bender		OLIN	4/12/2004	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004														ND	ND	ND				0	
					OLIN(S)	5/19/2004														ND	ND	ND				0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jerry	Black		Black		DAVY	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Linda & Robert	Block	117	Block		OLIN	3/30/2004	3.25	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/2/2006	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Deane & Kathleen	Brabender	171	Brabender		OLIN	3/30/2004	8.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	ND	ND				0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/30/2005														ND	ND						0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/29/2005														ND	ND						0
					SPECPRO	2/28/2006	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND						0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Fran & Jan	Brey	817	Brey		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dr. Haaken	Carlson		Carlson		OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.60	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	ND	ND	ND	ND	ND	ND	0
Scott	Duhr	172	SMD		OLIN	4/6/2004	12.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Old Goetz #2 Property	DAVY	5/27/2004														ND	ND	ND				0
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/30/2005														ND	ND					0
					SPECPRO	11/29/2005	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/29/2005														ND	ND					0
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND					0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	ND	ND	0.006
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	December, 2009																				0	
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				old Chamberlain Property	BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	February, 2013																				0	
					BTS, LLC	6/11/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Al & Teri	Checky	132	Checky		SPECPRO	2/20/2007	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/20/2007	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Stephen & Mary	Scott	147	Coves Court	Saeman, Hill, Wells	SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Steve	Cramer	825	Cramer		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/28/2005														ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	9/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	9/1/2005														ND	ND					0	
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/28/2005														ND	ND					0	
						March, 2006																				0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES																						
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03		= No PAL or ES established																						
3,4-DNT	0.014	0.03		= Not Tested																						
3,5-DNT	0.014	0.03		= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2007																			0	
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Charles & Pam	Crow	160	Crow		OLIN	3/22/2004	4.31	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/18/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.02	ND	ND	ND	ND	0.04	
					PUEBLO	7/26/2004													ND	ND					0	
					STL Denver	9/17/04 (10 min)													ND	ND					0	
					STL Denver	9/17/04 (30 min)													ND	ND					0	
					SPECPRO	12/6/2004	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	12/6/2004													ND	ND					0	
					SPECPRO	2/23/2005	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/23/2005													ND	ND					0	
					SPECPRO	5/31/2005	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	5/31/2005													ND	ND					0	
					NORTHERN LAKES	8/29/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/29/2005													ND	ND					0	
					SPECPRO	11/28/2005	ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/28/2005													ND	ND					0	
					SPECPRO	2/27/2006	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/27/2006													ND	ND					0	
					SPECPRO	5/30/2006	ND	1.30	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.008	
					SPECPRO	8/28/2006	ND	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	8/28/2006													ND	ND					0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	11/27/2006	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.72	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
David & Joan	Curto	412	Curto		SPECPRO	8/6/2007	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008														ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	8/25/2008														ND	0						
					SPECPRO	8/3/2009														ND	ND	0.018	0.012	ND	ND	ND	0.03
					SPECPRO	12/2/2009														ND	0						
					SPECPRO	2/23/2010	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	1.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					BTS, LLC	8/28/2012	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/6/2014	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
#1	Dairy Forage Res Ctr	828	Dairy Forage Res Ctr		OLIN	4/7/2004	4.02	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					DAVY	5/25/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	1.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2007	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2007	ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																			0	
					SPECPRO	6/2/2008	ND	0.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	7/8/2009	ND	1.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2010	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021
					SPECPRO	9/1/2011	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/7/2012	ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	ND	ND	0.014
					BTS, LLC	8/30/2012	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/29/2012	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/3/2013	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2013	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	ND	0.016
					BTS, LLC	8/7/2014														ND	ND	ND	ND	ND	ND	0
#2	Dairy Forage Res Ctr	829	Dairy Forage Res Ctr		OLIN	4/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004														ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2007	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2007	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																			0	
					SPECPRO	6/2/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2008	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	7/8/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/30/2012	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/7/2014														ND	ND	ND	ND	ND	ND	0
#3	Dairy Forage Res Ctr	126	Dairy Forage Res Ctr		OLIN	4/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY(S)	4/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																			0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																										
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total							
2,3-DNT	0.014	0.03	 = Under PAL and ES	 = Over Preventive Action Limit (PAL)	 = Over Enforcement Standard (ES)	 = No PAL or ES established	 = Not Tested	 = Compound was not detected	 = Data was rejected during validation																							
2,4-DNT	0.014	0.03																														
2,5-DNT	0.014	0.03																														
2,6-DNT	0.014	0.03																														
3,4-DNT	0.014	0.03																														
3,5-DNT	0.014	0.03																														
*Level of detection and Level of quantitation may change each round.																																
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																										
					SPECPRO	6/2/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0						
					SPECPRO	7/8/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	ND	0.016							
					SPECPRO	9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					BTS, LLC	8/30/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R							
					BTS, LLC	11/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	8/22/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015							
					BTS, LLC	8/7/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
#4	Dairy Forage Res Ctr	127	Dairy Forage Res Ctr		SPECPRO	11/29/2006	ND	49.8	ND	2.01	1.07	4.93	ND	ND	2.9	0.84	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	6/4/2007	ND	1.86	ND	ND	ND	ND	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	8/30/2007	ND	ND	ND	ND	ND	7.72	ND	ND	30.0	0.74	ND	ND	ND	ND	ND	ND	ND	0								
						December, 2007																		0								
						March, 2008																		0								
					SPECPRO	6/2/2008	ND	ND	ND	ND	ND	0.24	ND	ND	3.5	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	8/28/2008	ND	ND	ND	ND	ND	ND	ND	2.37	ND	ND	ND	R	R	R	R	R	R	0								
					SPECPRO	7/8/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					BTS, LLC	6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	0.39	ND	ND	ND	ND	ND	R	R	R	R	R	R	R								
					BTS, LLC	November, 2012																		0								
					BTS, LLC	6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
#6	Dairy Forage Res Ctr	128	Dairy Forage Res Ctr		SPECPRO	10/25/2006	ND	ND	ND	ND	ND	ND	ND	0.97	ND	ND	ND	0.056	ND	ND	ND	ND	ND	0.056								
					SPECPRO	11/29/2006	ND	20.9	ND	1.97	1.12	2.40	0.42	ND	5.91	0.85	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO(D)	1/25/2007												0.057	ND	ND	ND	ND	ND	0.057								
					STL Denver(D)	1/25/2007												0.041	ND					0.041								
					SPECPRO	6/4/2007	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND	ND	ND	ND	ND	0.048								
					SPECPRO (filtered)	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02								
					SPECPRO	8/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.056	ND	ND	ND	ND	ND	0.056								
					SPECPRO (filtered)	8/30/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
						December, 2007																		0								
						March, 2008																		0								
					SPECPRO	6/2/2008	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.061	ND	ND	ND	ND	ND	0.061								
					SPECPRO	8/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0								
					SPECPRO(D)	8/28/2008	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0								
					SPECPRO	7/8/2009	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND	ND	ND	ND	0.034								
					SPECPRO(D)	7/8/2009	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND	ND	ND	ND	0.036								
					SPECPRO (filtered)	7/8/2009	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	0.012								
					SPECPRO	8/27/2009	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND	ND	ND	ND	ND	0.041								
					SPECPRO(D)	8/27/2009	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND	ND	ND	ND	ND	0.048								
					SPECPRO(filtered)	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND	ND	ND	ND	0.037								
					SPECPRO(D)	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.049	ND	ND	ND	ND	ND	0.049								
					SPECPRO(filtered)	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0								
					SPECPRO	9/2/2010	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND	ND	ND	ND	ND	0.041								

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14	Semiannual	Level of Detection	Level of Quantitation			Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03	0.03		= Under PAL and ES																					
2,4-DNT	0.014	0.03	0.03		= Over Preventive Action Limit (PAL)																					
2,5-DNT	0.014	0.03	0.03		= Over Enforcement Standard (ES)																					
2,6-DNT	0.014	0.03	0.03		= No PAL or ES established																					
3,4-DNT	0.014	0.03	0.03		= Not Tested																					
3,5-DNT	0.014	0.03	0.03		= Compound was not detected																					
*Level of detection and Level of quantitation may change each round.					= Data was rejected during validation																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO(filtered)	9/2/2010	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.043	ND	ND	ND	ND	ND	ND	0.043
					SPECPRO(D)	6/2/2011	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND	ND	ND	ND	ND	0.044
					SPECPRO(filtered)	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	ND	0.015
					SPECPRO	9/1/2011	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					SPECPRO(D)	9/1/2011	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					SPECPRO(filtered)	9/1/2011	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					SPECPRO	10/13/2011													0.04	ND	ND	ND	ND	ND	ND	0.04
					SPECPRO(D)	10/13/2011													0.042	ND	ND	ND	ND	ND	ND	0.042
					SPECPRO(filtered)	10/13/2011													ND	0						
					BTS, LLC	6/7/2012	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND	ND	ND	ND	ND	0.031
					BTS, LLC (filtered)	6/7/2012	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/30/2012	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC (filtered)	8/30/2012	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	November, 2012																				0
					BTS, LLC	February, 2013																				0
					BTS, LLC	6/3/2013	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND	ND	ND	ND	ND	0.044
					BTS, LLC (filtered)	6/3/2013	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2013	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND	ND	ND	ND	ND	0.034
					BTS, LLC	8/7/2014													ND	0						
Lance & Nancy	Delaney	175	Delaney	Koch	OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.04	ND	ND				0.07
					DAVY(S)	4/19/2004													ND	ND	ND					0
					DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.0	ND	ND	ND	ND					0
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	0.22	0.48	22.2	ND	ND	ND	ND	ND	ND	ND	ND	0
Suanne	Delaney	152	Delaney	(old Vanover)	OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0
					OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0
					DAVY(S)	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND								0
					STL Denver	12/6/2004													ND	ND						0
					SPECPRO(D)	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND								0
					STL Denver(D)	12/6/2004													ND	ND						0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	2/23/2005													ND	ND						0
					SPECPRO(D)	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	2/23/2005													ND	ND						0
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	5/31/2005													ND	ND						0
					SPECPRO(D)	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND								0
					STL Denver(D)	5/31/2005													ND	ND						0
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	8/29/2005													ND	ND						0
					NORTHERN LAKES(D)	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	8/29/2005													ND	ND						0
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL DENVER	11/28/2005													ND	ND						0
					SPECPRO(D)	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	11/28/2005													ND	ND						0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
Aug '14	Semiannual	Level of Detection	Level of Quantitation																							
2,3-DNT	0.014	0.03	0.03	☐	= Under PAL and ES																					
2,4-DNT	0.014	0.03	0.03	☐	= Over Preventive Action Limit (PAL)																					
2,5-DNT	0.014	0.03	0.03	☐	= Over Enforcement Standard (ES)																					
2,6-DNT	0.014	0.03	0.03	☐	= No PAL or ES established																					
3,4-DNT	0.014	0.03	0.03	☐	= Not Tested																					
3,5-DNT	0.014	0.03	0.03	☐	= Compound was not detected																					
*Level of detection and Level of quantitation may change each round.				☐	= Data was rejected during validation																					
				ND																						
				R																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006														ND	ND					0
					SPECPRO(D)	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006														ND	ND					0
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	0.009	ND	ND	ND	ND	0.028
					SPECPRO(D)	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.01	ND	ND	ND	ND	0.024	
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	0.008	ND	ND	ND	ND	0.019	
					SPECPRO(D)	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	0.007	ND	ND	ND	ND	0.015	
					SPECPRO	11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/2/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	0.016	ND	ND	ND	ND	ND	0.016
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	0.01	ND	ND	ND	ND	ND	0.01
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.22	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	0.024	ND	ND	ND	ND	ND	0.024
					SPECPRO	8/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	0
Timothy	Deppe	413	Deppe		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Brian	Dischler	926	Dischler-B		OLIN	4/7/2004	3.95	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
John & Pam	Dorman	182	Dorman		OLIN	4/12/2004	6.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	0.01	
					DAVY(S)	4/26/2004														ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																			
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																			
					DAVY	5/25/2004													ND	ND	ND				0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Orie	Eilertson	929	Eilertson-N		SPECPRO	8/5/2008													ND	ND	ND	ND	ND	ND	0
Orie	Eilertson	834	Eilertson-S		SPECPRO	8/5/2008													ND	ND	ND	ND	ND	ND	0
Roger & Carol	Ellingson	162	Ellingson		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.50	ND	ND	ND	ND				0
					OLIN(S)	5/24/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.00	ND	0.072	0.032	ND	ND			0.104
					STL Denver	9/24/04 (10 min)													ND	ND					0
					STL Denver	9/24/04 (30 min)													ND	ND					0
					STL Denver	12/6/2004													ND	ND					0
					EN CHEM	12/28/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/23/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005													ND	ND					0
					SPECPRO	5/31/2005		ND	0.30	ND	ND	ND	ND	ND	ND	ND	4.20	ND							0
					STL Denver	5/31/2005													ND	ND					0
					NORTHERN LAKES	8/29/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.10	ND							0
					STL Denver	8/29/2005													ND	ND					0
					SPECPRO	11/28/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.80	ND							0
					STL Denver	11/28/2005													ND	ND					0
					SPECPRO	2/27/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.50	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006													ND	ND					0
					SPECPRO	5/31/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.20	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.00	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006		ND	ND	ND	ND	ND	0.48	ND	ND	ND	2.39	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.45	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.02	ND	0.015	ND	ND	ND	ND	ND	0.015
					SPECPRO	8/28/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.09	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.12	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.43	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.87	ND	0.039	ND	ND	ND	ND	ND	0.039
					SPECPRO	8/26/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.86	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.23	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.64	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.33	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.33	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.61	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	3.03	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.30	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.88	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	2.62	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011		ND	ND	ND	ND	ND	0.41	ND	ND	ND	2.04	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.76	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.96	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.83	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.52	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012		ND	ND	ND	ND	ND	0.21	ND	ND	ND	1.63	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.92	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.89	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																											
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total			
Dennis	Elsing	194	Elsing		OLIN	4/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/25/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Myrna & Duane	Engh	184	Engh		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Matt	Fehn (renter)	121	Fehn		OLIN	3/30/2004	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Robert	Fenbert	902	Fenbert		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					OLIN	4/12/2004	4.31	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Robert & Holly	Fentress	195	Fentress		SPECPRO	8/1/2006	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					OLIN	4/12/2004	4.31	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Pete	Ferry	836	Ferry		OLIN	3/23/2004	3.62	ND	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/24/2004	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	6/6/2006	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	1.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gene & Janis	Franks	134	Franks		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	4/19/2011	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
John	Ganser	187	Ganser		OLIN	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Arnold	Gasner	113	Gasner		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
Reuben & Sue	Gentz	865	Gentz		SPECPRO	2/21/2007	ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
Gene & Eileen	Gibbs	839	Gibbs		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	7/16/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Douglas & Jennifer	Gjertson	196	Gjertson		OLIN	3/22/2004	4.11	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					DAVY(S)	3/22/2004	3.90	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					DAVY	5/19/2004	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/1/2006	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Michael & Suzanne	Gleason	135	Gleason		SPECPRO	2/20/2007	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
Michael & Leann	Goelz	173	Goelz (#1)		OLIN	4/6/2004	7.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					DAVY	5/25/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					STL Denver	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					SPECPRO	11/29/2005	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					STL Denver	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0									
						March, 2006																		0					

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																										
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total							
2,3-DNT	0.014	0.03	 = Under PAL and ES	 = Over Preventive Action Limit (PAL)	 = Over Enforcement Standard (ES)	 = No PAL or ES established	 = Not Tested	 = Compound was not detected	 = Data was rejected during validation																							
2,4-DNT	0.014	0.03																														
2,5-DNT	0.014	0.03																														
2,6-DNT	0.014	0.03																														
3,4-DNT	0.014	0.03																														
3,5-DNT	0.014	0.03																														
*Level of detection and Level of quantitation may change each round.																																
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																										
					SPECPRO	5/31/2006	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	0.007						
					STL Denver	8/29/2006													ND	ND						0						
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
						March, 2007																				0						
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
						December, 2007																				0						
						March, 2008																				0						
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0						
						November, 2008																				0						
						February, 2009																				0						
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	11/30/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
						February, 2010																				0						
						5/25/2010	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	February, 2011																				0						
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	November, 2011																				0						
					SPECPRO	February, 2012																				0						
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	10/25/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R						
					BTS, LLC (D)	10/25/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R						
					BTS, LLC	February, 2013																				0						
					BTS, LLC	6/11/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
Carl	Graf	802	Graf		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	3/30/2004	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					DAVY(S)	3/30/2004	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					STL Denver	12/7/2004													ND	ND						0						
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0						
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0						
					STL Denver	2/28/2005													ND	ND						0						
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0						
					STL Denver	6/1/2005													ND	ND						0						
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0						
					STL Denver	8/30/2005													ND	ND						0						

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/29/2005														ND	ND						0
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND						0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																				0	
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	0.01
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
					SPECPRO	11/25/2008	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Marilyn Ann	Greimel	841	Greimel		OLIN	4/12/2004	3.38	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004														ND	ND	ND				0	
						August, 2006																				0	
Ronald & Andrea	Grosse	415	Grosse		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	8/5/2008														ND	0						
					SPECPRO	7/15/2009														ND	0						
					SPECPRO(D)	7/15/2009														ND	0						
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Ronald & Andrea	Grosse	416	Grosse-garage		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
Ivan	Groth	842	Groth		SPECPRO	10/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/23/2005														ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005														ND	ND					0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/29/2005														ND	ND					0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND					0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 2,3-DNT 2,4-DNT 2,5-DNT 2,6-DNT 3,4-DNT 3,5-DNT	Semiannual Level of Detection 0.014 0.014 0.014 0.014 0.014 0.014	Level of Quantitation 0.03 0.03 0.03 0.03 0.03 0.03				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed By:	Date of Sample																				
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2008																		0		
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						February, 2009																		0		
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Delores	Gruber	417	Gruber-D		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	0.33	ND	ND	ND	ND								0	
					SPECPRO	8/4/2008												ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009												ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Viola	Gruber	970	Gruber (North)		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	8/20/2007															ND	0.021	ND	ND	ND	ND	0.021
					SPECPRO	11/29/2007	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2008																				0	
					SPECPRO	6/2/2008	ND	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	0.012
					SPECPRO	8/27/2008	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
						NEW WELL INSTALLED																				0	
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						February, 2010																				0	
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Stephen & Susan	Hannah	848	Hannah		OLIN	3/29/2004	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY(S)	3/29/2004	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004															ND	ND	ND			0	
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.34	ND	ND	ND	ND	ND	ND	ND	0	
Terry & Laura	Hanson	963	Hanson (old Zander)		OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	3/2/2004															ND	ND	ND			0	
					OLIN	3/30/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004															ND	ND				0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005															ND	ND				0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.70	ND							0	
					STL Denver	6/1/2005															ND	ND				0	
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.10	ND								0	
					STL Denver	8/31/2005															ND	ND				0	
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.60	ND							0	
					STL Denver	11/30/2005															ND	ND				0	
					SPECPRO	3/1/2006	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.20	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	3/1/2006															ND	ND				0	
					SPECPRO	6/5/2006	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.15	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.29	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.45	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
Aug '14 Semiannual	Level of Detection	Level of Quantitation					Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES		= Over Preventive Action Limit (PAL)																					
2,4-DNT	0.014	0.03		= Over Enforcement Standard (ES)		= No PAL or ES established																					
2,5-DNT	0.014	0.03		= Not Tested																							
2,6-DNT	0.014	0.03		= Compound was not detected																							
3,4-DNT	0.014	0.03		= Data was rejected during validation																							
3,5-DNT	0.014	0.03																									
*Level of detection and Level of quantitation may change each round.																											
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	By:	Date of Sample																				
					SPECPRO		6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.50	ND	0						
					SPECPRO		8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.53	ND	0						
					SPECPRO		11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.95	ND	0						
					SPECPRO		2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.40	ND	0						
					SPECPRO		5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.02	ND	0						
					SPECPRO		8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.62	ND	R	R	R	R	R	R	0
					SPECPRO		11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.23	ND	0						
					SPECPRO		2/26/2009	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.17	ND	0						
					SPECPRO		6/1/2009	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.85	ND	0						
					SPECPRO		8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.38	ND	0						
					SPECPRO		12/3/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.97	ND	0						
					SPECPRO		2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.45	ND	0						
					SPECPRO		5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.93	ND	0						
					SPECPRO		9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.37	ND	0						
					SPECPRO		12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.12	ND	0						
					SPECPRO		2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.53	ND	0						
					SPECPRO		6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.88	ND	0						
					SPECPRO		9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.74	ND	0						
					SPECPRO		12/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.87	ND	0						
					SPECPRO		2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.68	ND	0						
					BTS, LLC		6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.15	ND	0						
					BTS, LLC		8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.98	ND	R	R	R	R	R	R	0
					BTS, LLC		11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.84	ND	0						
					BTS, LLC		2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.19	ND	0						
					BTS, LLC		5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.89	ND	0						
Dennis & Paula	Harpold	918	Harpold		SPECPRO		4/21/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kevin & Stacy	Hasheider	852	Hasheider		OLIN		4/6/2004	4.37	ND	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY		5/24/2004	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		6/6/2006	ND	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		8/7/2006	ND	1.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Roger & Peg	Heidenreich	853	Heidenreich		SPECPRO		2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Howard & Deloris	Hendershot	418	Hendershot		SPECPRO		8/6/2007	ND	ND	ND	ND	ND	ND	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		10/15/2007	ND	ND	ND	ND	ND	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		8/5/2008													ND	0						
					SPECPRO		7/15/2009													ND	0						
					SPECPRO		8/24/2010	ND	ND	ND	ND	ND	ND	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		8/24/2011	ND	ND	ND	ND	ND	ND	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC		8/22/2012	ND	ND	ND	ND	ND	ND	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC		8/20/2013	ND	ND	ND	ND	ND	ND	ND	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)		8/20/2013	ND	ND	ND	ND	ND	ND	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC		8/5/2014	ND	ND	ND	ND	ND	ND	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)		8/5/2014	ND	ND	ND	ND	ND	ND	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Pearl & Robert	Henry	855	Henry		OLIN		3/22/2004	4.92	2.50	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY		5/19/2004	0.84	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		7/31/2006	ND	1.23	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	0
Paul	Herr	136	Herr		SPECPRO		2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO		4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Marjory	Hill	137	Hill		SPECPRO		2/20/2007	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																								
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total					
0.014	0.014	0.03	☐	= Under PAL and ES																										
0.014	0.014	0.03	☐	= Over Preventive Action Limit (PAL)																										
0.014	0.014	0.03	☐	= Over Enforcement Standard (ES)																										
0.014	0.014	0.03	☐	= No PAL or ES established																										
0.014	0.014	0.03	☐	= Not Tested																										
0.014	0.014	0.03	☐	= Compound was not detected																										
0.014	0.014	0.03	☐	= Data was rejected during validation																										
*Level of detection and Level of quantitation may change each round.																														
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																								
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Walter	Howery	419	Howery		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	3.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/1/2010	Sampling declined.																							
					SPECPRO	August 2011	Water shut off; well not sampled																							
					BTS, LLC	August 2012	Water shut off; well not sampled																							
					BTS, LLC	August 2013	Pump not working; well not sampled																							
					BTS, LLC	August 2014	Pump not working; well not sampled																							
Thomas - Jane	Jackson & Bertschinger	176	Jackson & Bertschinger		OLIN	4/12/2004	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/20/2004														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Steve	Jacobson	185	Jacobson		OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/24/2004														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Barry & Marcia	Jannenga	188	Jannenga		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					DAVY	5/20/2004														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.13	ND	ND	ND	ND	ND	ND	ND	0			
Bill & Tammy	Johnson	138	Johnson		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Kerry & Deborah	Johnson	139	Johnson-K		SPECPRO	4/19/2011	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Brad & Shirley	Jonas	115	Jonas		SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Alden & Betty	Jones	860	Jones-A		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0				
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Travis & Emilie	Lukens		Lukens (old Jones)		BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Trissa	Judd	862	Judd		OLIN	3/29/2004	4.04	ND	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	0.03				
					DAVY(S)	4/20/2004														ND	ND	ND	ND	ND	ND	0				
					DAVY	5/25/2004	0.41	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					SPECPRO	6/6/2006	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND	ND	ND	ND	0.011				
					SPECPRO	8/7/2006	ND	1.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
					SPECPRO	8/20/2007														ND	0.023	ND	ND	ND	ND	0.023				
					SPECPRO	11/29/2007	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014				
					SPECPRO	2/27/2008	ND	1.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021				
					SPECPRO	6/2/2008	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017				
					SPECPRO	8/27/2008	ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0				
					SPECPRO	11/25/2008	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016				
					SPECPRO	2/25/2009	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014				
					SPECPRO(D)	2/25/2009	ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015				
					SPECPRO	5/28/2009	ND	1.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018				
					SPECPRO(D)	5/28/2009	ND	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019				
					SPECPRO	8/26/2009	ND	1.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017				

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03	☐	= Under PAL and ES																						
2,4-DNT	0.014	0.03	☐	= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03	☐	= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03	☐	= No PAL or ES established																						
3,4-DNT	0.014	0.03	☐	= Not Tested																						
3,5-DNT	0.014	0.03	☐	= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.																										
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO(D)	8/26/2009	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					SPECPRO	12/2/2009	ND	1.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
					SPECPRO(D)	12/2/2009	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018	
					SPECPRO	2/24/2010	ND	0.96	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO(D)	2/24/2010	ND	0.97	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2010	ND	1.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	5/26/2010	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	1.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	9/1/2010	ND	1.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	1.06	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2011	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/28/2011	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2011	ND	1.06	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	12/1/2010	ND	1.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2011	ND	0.54	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015	
					SPECPRO(D)	6/1/2011	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015	
					SPECPRO	8/31/2011	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021	
					SPECPRO(D)	8/31/2011	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2011	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND	ND	ND	0.036	
					SPECPRO(D)	11/29/2011	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND	ND	ND	0.024	
					SPECPRO	2/29/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/29/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/6/2012	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	0.023	
					BTS, LLC(D)	6/6/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	0.022	
					BTS, LLC	8/29/2012	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC(D)	8/29/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/28/2012	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	11/28/2012	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/28/2013	ND	0.66	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
					BTS, LLC(D)	2/28/2013	ND	0.83	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/30/2013	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	5/30/2013	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC(D)	8/21/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC	8/7/2014	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
					BTS, LLC(D)	8/7/2014	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
Fredrick & Diane	Kamps	863	Kamps		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Galle	DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.80	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.12	ND	ND	ND	ND	ND	ND	ND	0	
Nancy / Dave	Kaufman / Schmitz	183	Kaufman / Schmitz		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Fitzgerald	DAVY	5/24/2004																			0	
				Greenheck	SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.4	ND	ND	ND	ND	ND	ND	ND	0	
				Hubanks																					0	
				Mathews																					0	
Kermit & Janet	Keeler		Keeler		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Verne	Kindschi	870	Kindschi		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total				
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0			
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0		
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0		
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0		
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0		
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0		
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0		
					STL Denver	12/7/2004															ND	ND						0		
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0		
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0		
					STL Denver	2/28/2005															ND	ND							0	
					SPECPRO	6/1/2005	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									0	
					STL Denver	6/1/2005															ND	ND							0	
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									0	
					STL Denver	8/31/2005															ND	ND							0	
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									0	
					STL Denver	11/30/2005															ND	ND							0	
					SPECPRO	2/28/2006	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006															ND	ND							0	
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	0
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
James	Kirner	843	Kirner (old Gruber-South)		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0

Aug '14 Semiannual	Level of Detection	Level of Quantitation
2,3-DNT	0.014	0.03
2,4-DNT	0.014	0.03
2,5-DNT	0.014	0.03
2,6-DNT	0.014	0.03
3,4-DNT	0.014	0.03
3,5-DNT	0.014	0.03
*Level of detection and Level of quantitation may change each round.		

- = Under PAL and ES
- = Over Preventive Action Limit (PAL)
- = Over Enforcement Standard (ES)
- = No PAL or ES established
- = Not Tested
- ND = Compound was not detected
- R = Data was rejected during validation

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	5.2	ND	ND	1.3	ND	ND	ND	ND							0
					STL Denver	2/28/2005														ND	ND					0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	6/1/2005														ND	ND					0
					NORTHERN LAKES	8/31/2005	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005														ND	ND					0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/30/2005														ND	ND					0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006														ND	ND					0
					SPECPRO	6/5/2006	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	0.01
					SPECPRO	11/29/2006	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	0.017
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
						November, 2008																				0
						February, 2009																				0
						May, 2009																				0
						August, 2009																				0
						December, 2009																				0
					SPECPRO	3/15/2010	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2010	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
James	Kirner	850	Kirner		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
			(old Hari residence)		OLIN	9/4/2002	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/12/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	6/1/2005														ND	ND					0
					NORTHERN LAKES	9/1/2005	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	9/1/2005														ND	ND					0
						December, 2005																				0
						March, 2006																				0
						June, 2006																				0
						September, 2006																				0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 2,3-DNT 2,4-DNT 2,5-DNT 2,6-DNT 3,4-DNT 3,5-DNT <small>*Level of detection and Level of quantitation may change each round.</small>	Semiannual Level of Detection 0.014 0.014 0.014 0.014 0.014 0.014	Level of Quantitation 0.03 0.03 0.03 0.03 0.03 0.03				Sample Analyzed	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample																				
						December, 2006																				0
						March, 2007																				0
						June, 2007																				0
						September, 2007																				0
						December, 2007																				0
						March, 2008																				0
						June, 2008																				0
						Aug, 2008																				0
						November, 2008																				0
						February, 2009																				0
						May, 2009																				0
						August, 2009																				0
						December, 2009																				0
Harlan & Eileen	Klepper	140	Klepper		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Kris Kohlman Property Mgt	109	Kris Kohlman Property Mgmt.		OLIN	4/7/2004	3.49	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Bob	Kopras	874	Kopras	Miller	SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dean & Martha	Kowalke	181	Kowalke		OLIN	3/24/2004	6.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Edward & Virginia	Krumenauer	875	Krumenauer		OLIN	6/6/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	ND	ND	ND	ND	0.05
					OLIN	3/2/2004	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	0.03
					OLIN	3/11/2004	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND	ND	ND	ND	0.037
					OLIN	3/22/2004	3.86	ND	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	ND	ND	ND	ND	ND	0.04
					DAVY(S)	4/19/2004													ND	0.01	ND	ND	ND	ND	ND	0.01
					OLIN	5/26/2004	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (10 min)	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (30 min)														ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND	ND	ND	ND	ND	0
					EN CHEM	12/28/2004	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2005	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	6/1/2005														ND	ND	ND	ND	ND	ND	0
					NORTHERN LAKES	8/31/2005	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/31/2005														ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2005	ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03	☐	= Under PAL and ES																						
2,4-DNT	0.014	0.03	☐	= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03	☐	= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03	☐	= No PAL or ES established																						
3,4-DNT	0.014	0.03	☐	= Not Tested																						
3,5-DNT	0.014	0.03	☐	= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					STL Denver	11/30/2005														ND	ND					0
					STL Denver(D)	1/18/2006														ND	ND					0
					SPECPRO	2/28/2006		ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	0.023	
					STL Denver	2/28/2006														ND	0.035					0.035
					SPECPRO	6/5/2006		ND	0.67	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015	
					STL Denver	6/5/2006														ND	ND					0
					SPECPRO	8/30/2006		ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.008	
					STL Denver	8/30/2006														ND	0.026					0.026
					SPECPRO	11/28/2006		ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	11/28/2006														ND	ND					0
					SPECPRO	2/28/2007		ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
					SPECPRO	5/30/2007		ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02	
					SPECPRO	8/28/2007		ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/28/2007		ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2007		ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	0.013	
					SPECPRO(D)	11/27/2007		ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	0.012	
					SPECPRO	2/27/2008		ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
					SPECPRO(D)	2/27/2008		ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02	
					SPECPRO	5/28/2008		ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018	
					SPECPRO(D)	5/28/2008		ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02	
					SPECPRO	8/27/2008		ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO(D)	8/27/2008		ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/26/2008		ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014	
					SPECPRO(D)	11/26/2008		ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO	2/24/2009		ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/24/2009		ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/28/2009		ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
					SPECPRO(D)	5/28/2009		ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018	
					SPECPRO	8/26/2009		ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014	
					SPECPRO(D)	8/26/2009		ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO	12/2/2009		ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	12/2/2009		ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2010		ND	0.46	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/24/2010		ND	0.43	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2010		ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	5/26/2010		ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010		ND	0.40	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	9/1/2010		ND	0.39	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010		ND	0.39	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	12/1/2010		ND	0.39	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2011		ND	0.33	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/23/2011		ND	0.39	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2011		ND	0.36	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	6/6/2011		ND	0.3	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2011		ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/31/2011		ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2011		ND	0.37	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/29/2012		ND	0.33	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/29/2012		ND	0.34	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/6/2012		ND	0.32	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

										All results are expressed as µg/l (micrograms per liter)																
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					BTS, LLC(D)	6/6/2012	ND	0.14	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					BTS, LLC	8/29/2012	ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC(D)	8/29/2012	ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	0.26	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	11/28/2012	ND	0.29	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	0.31	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	2/27/2013	ND	0.3	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	0.29	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	5/30/2013	ND	0.29	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	0.24	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/7/2014	ND	0.24	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018
Youchi & Kim	Kyori	826	Kyori		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dr. Hunter	Lang	877	Lang		OLIN	3/30/2004	0.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004																			0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Michael & Sarah	Lee	420	Lee		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008																			0	
					SPECPRO	7/16/2009																			0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Howard & Joan	Lenerz	193	Lenerz		SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.27	ND	ND	ND	ND	ND	ND	ND	0	
Ken	Lins	878	Lins		NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	8/31/2005														ND	ND				0	
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	11/30/2005														ND	ND				0	
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	3/1/2006														ND	ND				0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.009	ND	0.008	0.023
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/13/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Aug '14 Semiannual	Level of Detection	Level of Quantitation
2,3-DNT	0.014	0.03
2,4-DNT	0.014	0.03
2,5-DNT	0.014	0.03
2,6-DNT	0.014	0.03
3,4-DNT	0.014	0.03
3,5-DNT	0.014	0.03
*Level of detection and Level of quantitation may change each round.		

- = Under PAL and ES
- = Over Preventive Action Limit (PAL)
- = Over Enforcement Standard (ES)
- = No PAL or ES established
- = Not Tested
- ND = Compound was not detected
- R = Data was rejected during validation

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Ron	Lins	879	Lins		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005														ND	ND						0
					SPECPRO	6/1/2005	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	6/1/2005														ND	ND						0
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/31/2005														ND	ND						0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/29/2005														ND	ND						0
						March, 2006																					0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						February, 2009																				0	
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jerome & Elaine	Lochner	880	Lochner		OLIN	3/30/2004	4.71	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Florence	Markgraf	885	Markgraf		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.47	ND	0.032	ND	0.018	0.016	ND	ND	0.066	
					SPECPRO	10/24/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	0.01	
					SPECPRO	8/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND	ND	ND	0.032	
					SPECPRO	11/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.58	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2008																				0	
Terry & Nancy	Maschman	120	Maschman		OLIN	4/12/2004	3.57	ND	1.20	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gary & Kellie	Matz	179	Matz		OLIN	3/24/2004	1.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Terry & Phyllis	Matz	886	Matz		OLIN	3/24/2004	10.3	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	
					DAVY(S)	3/24/2004	10.0	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2006	0.21	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	0.009	ND	0.015	
					SPECPRO	7/31/2006	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	0.01	
					SPECPRO(D)	7/31/2006	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	0.007	
Valerie	McAuliffe	887	McAuliffe		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.57	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN(S)	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.90	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.83	ND	ND	ND	ND	ND	ND	ND	0	
David & Lori	McCoy	177	McCoy		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02	
					DAVY(S)	4/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.2	ND	ND	0.044	ND	ND	ND	ND	0.044	
					SPECPRO(D)	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.6	ND	ND	0.051	ND	ND	ND	ND	0.051	
					SPECPRO	10/24/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	ND	ND	ND	ND	ND	0.005	
					SPECPRO	6/18/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Mike & Linda	Mittenzwei	800	Mittenzwei	(old Schaefer)	OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				as of 9/12/06	OLIN	9/5/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
Mike & Linda	Mittenzwei	141	Mittenzwei-2		SPECPRO	2/21/2007	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Tim & Samantha	Mohrbacher	142	Mohrbacher		SPECPRO	2/20/2007	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	1	Mueller Guest House		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	2	Mueller North Pond		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	3	Mueller South Pond		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	894	Mueller Sports Medicine		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	895	Mueller Stable		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	897	Mueller House		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jeane	Mueller	899	Mueller		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	2/28/2005														ND	ND						0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	6/1/2005														ND	ND						0
					NORTHERN LAKES	8/31/2005	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/31/2005														ND	ND						0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/30/2005														ND	ND						0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	3/1/2006														ND	ND						0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/30/2006	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

				All results are expressed as µg/l (micrograms per liter)																							
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	12/7/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	February, 2012																				0	
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Peter & Trudi	Mullen	900	Mullen		OLIN	3/29/2004	7.90	ND	2.00	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	1.60	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	1.79	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	ND	0.016	
					SPECPRO	8/8/2007														ND	ND	ND	ND	ND	ND	0	
Byron	Nelson	905	Nelson		OLIN	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004														ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.83	ND	ND	ND	0.013	ND	ND	ND	0.013	
					SPECPRO	8/8/2007														ND	ND	ND	ND	ND	ND	0	
Darwin	Nelson	901	Nelson-D		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Jeffrey	Nimmow	421	Nimmow-J		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	1.38	ND	ND	ND	ND							0	
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	August 2013	Pump not working; well not sampled																				0
					BTS, LLC	August 2014	Well abandoned																				0
John & Anne	Nowotarski	891	Nowotarski		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009														ND	ND	0.007	ND	ND	ND	0.007	
					SPECPRO	December, 2009																				0	
					SPECPRO	2/22/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	November, 2010																				0	
					SPECPRO	February, 2011																				0	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	November, 2011																				0	
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.02	
					BTS, LLC	8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																						
Aug '14 Semiannual	Level of Detection	Level of Quantitation																						
2,3-DNT	0.014	0.03	☐	= Under PAL and ES	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
2,4-DNT	0.014	0.03	☐	= Over Preventive Action Limit (PAL)	First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample													
2,5-DNT	0.014	0.03	☐	= Over Enforcement Standard (ES)																				
2,6-DNT	0.014	0.03	☐	= No PAL or ES established																				
3,4-DNT	0.014	0.03	☐	= Not Tested																				
3,5-DNT	0.014	0.03	☐	= Compound was not detected																				
*Level of detection and Level of quantitation may change each round.			☐	= Data was rejected during validation																				
			ND																					
			R																					
										BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Martin & Carol	Ohlsen	903	Ohlsen	Brinn, Mahoney	SPECPRO					SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO(D)	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Frank & Laura	Olah	904	Olah		SPECPRO					SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO	8/5/2008													0
										SPECPRO	8/3/2009													0
										SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										BTS, LLC	August 2012	Variance granted by the Wisconsin Department of Natural Resources; well not sampled										0		
										BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										BTS, LLC	8/7/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Orbital Technologies	324	Orbitec		SPECPRO					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Otto & Eleanore	Osterland	422	Osterland		SPECPRO					SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO(D)	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										SPECPRO	8/5/2008													0
										SPECPRO(D)	8/5/2008													0
										SPECPRO	7/20/2009													0
										SPECPRO(D)	7/20/2009													0
										SPECPRO	August 2010													0
										SPECPRO	August 2011	Water shut off; well not sampled												
										BTS, LLC	August 2012	Water shut off; well not sampled												
										BTS, LLC	8/14/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
										BTS, LLC	August 2014	Water shut off; well not sampled												
Milford & Kathryn	Paulson	123	Paulson		OLIN					4/19/2004	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										5/24/2004													0	
										SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jim & Gloria	Pierce	143	Pierce		SPECPRO					2/21/2007	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										SPECPRO	4/20/2011	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jeff & Lisa	Powell	833	Powell		SPECPRO					2/20/2007	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Prairie du Sac Dam	961	Prairie du Sac Dam		OLIN					3/24/2004	0.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										5/25/2004													0	
										SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Prairie du Sac Utilities	911	Prairie du Sac Utilities		OLIN					6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										SPECPRO	12/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
										STL Denver	12/7/2004												0	
										SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	2/28/2005														ND	ND						0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0
					STL Denver	6/1/2005														ND	ND						0
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005														ND	ND						0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/30/2005														ND	ND						0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006														ND	ND						0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	February, 2012																				0	
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	0
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	3/6/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Rodney	Premo	801	Premo		OLIN	6/6/2002	9.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	11.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	11.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	10.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	10.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	11.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/28/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	2/28/2005															ND	ND					0
					SPECPRO	6/1/2005	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL DENVER	6/1/2005															ND	ND					0
					NORTHERN LAKES	8/31/2005	12.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005															ND	ND					0
					SPECPRO	11/30/2005	10.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/30/2005															ND	ND					0
					SPECPRO	3/1/2006	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006															ND	ND					0
					SPECPRO	5/31/2006	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	11.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	10.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.008
					SPECPRO	2/28/2007	9.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	9.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	9.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	9.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	11.10	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	11.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	12.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/15/2010	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	12.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	13.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	11/27/2012	13.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Michael	Price	180	Price		OLIN	3/24/2004	7.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004															ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Mercedes	Priebe	913	Priebe		OLIN	4/13/2004	4.10	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004		ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN(S)	5/19/2004		ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	
					PUEBLO	7/26/2004															ND	ND				0	
					STL Denver	9/17/04 (10 min)															ND	ND				0	
					STL Denver	9/17/04 (30 min)															ND	ND				0	
					SPECPRO	5/31/2005		ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	5/31/2005															ND	ND				0	
					NORTHERN LAKES	8/30/2005		ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005															ND	ND				0	
						December, 2005																				0	
						March, 2006																				0	
					SPECPRO	5/31/2006		ND	0.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2006		ND	0.93	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2006		ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2007																				0	
					SPECPRO	5/30/2007		ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	0.02	
					SPECPRO	8/29/2007		ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2007		ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2008		ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2008		ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2008		ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	0	
					SPECPRO	12/1/2008		ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES																						
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03		= No PAL or ES established																						
3,4-DNT	0.014	0.03		= Not Tested																						
3,5-DNT	0.014	0.03		= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO	2/26/2009	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2009	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2009	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2009	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						February, 2010																			0	
					SPECPRO	5/26/2010	ND	1.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/2/2010	ND	0.78	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	0.017	
					SPECPRO	11/30/2010	ND	0.96	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2011	ND	0.86	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2011	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2011	ND	0.87	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2011	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2012	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/6/2012	ND	0.78	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/29/2012	ND	0.76	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/28/2012	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/25/2013	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/30/2013	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Dan	Purcell	163	Purcell		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/6/2004												ND	ND					0		
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/23/2005												ND	ND						0	
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	5/31/2005												ND	ND						0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005												ND	ND						0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/29/2005												ND	ND						0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/28/2006												ND	ND						0	
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2006	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/11/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	6/11/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	4/1/2014														ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	4/1/2014														ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
David	Purcell	915	Purcell		BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gladys	Purcell	916	Purcell		STL/Enchem	9/14/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.00		ND	ND	ND					0	
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	12/6/2004														ND	ND					0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/23/2005														ND	ND					0	
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	5/31/2005														ND	ND					0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005														ND	ND					0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/29/2005														ND	ND					0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/28/2006														ND	ND					0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	8/29/2006	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Well was chlorinated	SPECPRO	5/25/2010	ND	27.5	ND	1.62	5.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	2.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/6/2014	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Susan	Puccio	423	Puccio		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
James & Linda	Ramaker	917	Ramaker		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/22/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004													ND	ND					0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Derek & Jessica	Raschka	148	Raschka		SPECPRO	2/20/2007	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Rose	Revers	425	Revers		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008															ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009															ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Mark	Richards	118	Richards		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Michael & Sue Dianne	Riley	145	Riley-M		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Jeff & Sharon	Rodgers	146	Rodgers		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Judith	Roll	426	Roll		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008															ND	ND	ND	ND	ND	0	
					SPECPRO	7/15/2009															ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2011	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2011	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/23/2012	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/5/2014	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gerald & Margaret	Roth	924	Roth		OLIN	4/6/2004	ND	ND	0.70	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.70	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN(S)	5/25/2004	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.20	ND	0.08	0.04	ND	0.01	ND	ND	0.13	
					PUEBLO	7/27/2004															ND	ND				0	
					STL Denver	9/24/04 (10 min)															ND	ND				0	
					STL Denver	9/24/04 (30 min)															ND	ND				0	
					STL Denver	12/7/2004															ND	ND				0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/23/2005															ND	ND				0	
					SPECPRO	5/31/2005	ND	3.10	ND	0.20	ND	ND	ND	ND	ND	ND	ND	2.60	ND							0	
					STL Denver	5/31/2005															ND	ND				0	
					NORTHERN LAKES	8/30/2005	ND	1.40	ND	0.28	0.42	ND	ND	ND	ND	ND	ND	1.30	ND							0	
					STL Denver	8/30/2005															ND	ND				0	
					SPECPRO	11/29/2005	ND	0.70	ND	0.20	0.20	ND	ND	ND	ND	ND	ND	4.30	ND							0	
					STL Denver	11/29/2005															ND	ND				0	
					SPECPRO	2/28/2006	ND	1.40	ND	0.40	0.40	ND	ND	ND	ND	ND	ND	6.00	ND							0	
					STL Denver	2/28/2006															ND	ND				0	
					SPECPRO	5/31/2006	ND	0.83	ND	0.34	0.34	ND	ND	ND	ND	ND	ND	4.30	ND							0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

				All results are expressed as µg/l (micrograms per liter)																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
							ND	18.40	2.45	0.57	7.28	ND	ND	ND	ND	ND	ND	26.0	ND	ND	ND	ND	ND	ND	ND	0
							ND	1.96	ND	0.59	0.87	ND	ND	ND	ND	ND	ND	5.40	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.98	ND	ND	ND	ND	ND	ND	ND	0
							ND	1.03	ND	ND	0.29	ND	ND	ND	ND	ND	ND	4.5	ND	ND	0.037	ND	ND	ND	ND	0.037
							ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.36	ND	0.01	ND	0.025	ND	ND	ND	0.035
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.63	ND	ND	ND	ND	ND	ND	ND	0
							ND	1.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.85	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.14	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.95	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
							ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.01	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.37	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72	ND	ND	ND	0.017	ND	ND	ND	0.017
							ND	0.73	ND	0.39	0.37	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.74	ND	ND	ND	ND	ND	ND	ND	0
							ND	1.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.44	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.88	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.67	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.94	ND	0.21	0.29	ND	ND	ND	ND	ND	ND	0.98	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.97	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.64	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.53	ND	ND	ND	ND	ND	ND	ND	0
							ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.14	R	R	R	R	R	R	R	0
							ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.48	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	0
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.14	ND	ND	ND	ND	ND	ND	ND	0
John & Mary	Roth	192	Roth		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.70	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.02	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO	8/8/2007														ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/8/2007														ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	ND	ND	ND	ND	ND	ND	0
Kristi	Schiffman	998	Schiffman		OLIN	6/6/2002	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
(23 Feb 2011 - changed from Michael & Kristi Nimmow)					OLIN	9/4/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	0.03
					OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021
					OLIN	3/30/2004	3.80	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	0.01
					DAVY(S)	4/20/2004														ND	ND	ND	ND	ND	ND	0
					OLIN	5/26/2004	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (10 min)	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (30 min)														ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					EN CHEM	12/28/2004	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/28/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/28/2005														ND	ND					0
					SPECPRO	6/1/2005	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	6/1/2005														ND	ND					0
					NORTHERN LAKES	8/31/2005	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005														ND	ND					0
					SPECPRO	11/30/2005	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/30/2005														ND	ND					0
					STL Denver(D)	1/18/2006														ND	ND					0
					SPECPRO	3/1/2006	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					STL Denver	3/1/2006														ND	0.029					0.029
					SPECPRO	6/6/2006	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	6/6/2006														ND	ND					0
					SPECPRO	8/30/2006	0.74	0.49	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/30/2006														ND	ND					0
					SPECPRO	11/27/2006	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	5/30/2007	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	8/29/2007	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO	5/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	0.012
					SPECPRO	8/27/2008	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	ND	ND	0.009
					SPECPRO	2/25/2009	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	8/26/2009	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	0.35	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.53	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	0.36	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	0.34	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	0.27	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	0.28	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	0.28	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	0.27	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	0.29	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	0.29	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	0.28	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	0.35	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	0.33	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	0.26	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					BTS, LLC	8/6/2014	ND	0.27	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
Gary & Sandra	Schlender	931	Schlender		OLIN	3/23/2004	4.26	2.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND			0.03	
				Koenig	DAVY(S)	4/20/2004														ND	ND	ND			0	
				Ballweg	DAVY	5/20/2004	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0	
					OLIN(S)	5/20/2004	ND	2.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND			0.02
					PUEBLO	7/26/2004														ND	0.0114*	ND			0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	9/23/04 (10 min)														ND	ND						0
					STL Denver	9/23/04 (30 min)														ND	ND						0
					EN CHEM	12/7/2004	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					EN CHEM(D)	12/29/2004	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	12/7/2004														ND	ND						0
					STL Denver(D)	12/29/2004														ND	ND						0
					SPECPRO	2/24/2005	ND	2.30	ND	ND	ND	ND	ND	ND	0.52	ND	ND	ND									0
					STL Denver	2/24/2005														ND	ND						0
					SPECPRO(D)	2/24/2005	ND	2.30	ND	ND	ND	ND	ND	ND	0.51	ND	ND	ND									0
					STL Denver(D)	2/24/2005														ND	ND						0
					SPECPRO	5/31/2005	ND	2.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	5/31/2005														ND	ND						0
					SPECPRO(D)	5/31/2005	ND	2.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	5/31/2005														ND	ND						0
					NORTHERN LAKES	8/30/2005	ND	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/30/2005														ND	ND						0
					NORTHERN LAKES(D)	8/30/2005	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	8/30/2005														ND	ND						0
					SPECPRO	11/29/2005	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/29/2005														ND	ND						0
					SPECPRO(D)	11/29/2005	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	11/29/2005														ND	ND						0
					SPECPRO	2/28/2006	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.013
					STL Denver	2/28/2006														ND	0.030						0.03
					SPECPRO(D)	2/28/2006	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.015
					STL Denver(D)	2/28/2006														ND	0.030						0.03
					SPECPRO	6/5/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.01
					STL Denver	6/5/2006														ND	ND						0
					SPECPRO(D)	6/5/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.01
					STL Denver(D)	6/5/2006														ND	ND						0
					SPECPRO	8/29/2006	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.012
					STL Denver	8/29/2006														ND	ND						0
					SPECPRO(D)	8/29/2006	ND	1.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.013
					STL Denver(D)	8/29/2006														ND	ND						0
					SPECPRO	11/28/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/28/2006														ND	ND						0
					SPECPRO(D)	11/28/2006	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver(D)	11/28/2006														ND	ND						0
					SPECPRO	3/1/2007	ND	1.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.014
					SPECPRO(D)	3/1/2007	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.014
					SPECPRO	6/4/2007	ND	1.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.013
					SPECPRO(D)	6/4/2007	ND	1.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.013
					SPECPRO	8/29/2007	ND	1.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO(D)	8/29/2007	ND	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/28/2007	ND	1.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO(D)	11/28/2007	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2008	ND	1.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.014
					SPECPRO(D)	2/28/2008	ND	1.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.014
					SPECPRO	5/29/2008	ND	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.012
					SPECPRO(D)	5/29/2008	ND	1.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0.011

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03	☐	= Under PAL and ES																						
2,4-DNT	0.014	0.03	☐	= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03	☐	= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03	☐	= No PAL or ES established																						
3,4-DNT	0.014	0.03	☐	= Not Tested																						
3,5-DNT	0.014	0.03	☐	= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.			☐	= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO	8/28/2008	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO(D)	8/28/2008	ND	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	12/1/2008	ND	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	12/1/2008	ND	1.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/26/2009	ND	1.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO(D)	2/26/2009	ND	1.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					SPECPRO	6/1/2009	ND	2.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018	
					SPECPRO(D)	6/1/2009	ND	2.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/25/2009	ND	1.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO(D)	8/25/2009	ND	1.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					SPECPRO	12/3/2009	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015	
					SPECPRO(D)	12/3/2009	ND	1.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
					SPECPRO	2/25/2010	ND	1.14	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	2/25/2010	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	5/27/2010	ND	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	5/27/2010	ND	1.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	9/2/2010	ND	1.26	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017	
					SPECPRO(D)	9/2/2010	ND	1.22	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					SPECPRO	12/2/2010	ND	1.1	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	12/2/2010	ND	1.14	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	2/24/2011	ND	1.11	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	2/24/2011	ND	1.05	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	6/6/2011	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	6/6/2011	ND	1.04	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	9/1/2011	ND	1.12	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	9/1/2011	ND	1.15	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	12/1/2011	ND	1.09	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	0.025	
					SPECPRO(D)	12/1/2011	ND	1.09	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	0.025	
					SPECPRO	3/1/2012	ND	1.1	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	3/1/2012	ND	1.09	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					BTS, LLC	6/7/2012	ND	0.98	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC(D)	6/7/2012	ND	0.95	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	0.022	
					BTS, LLC	8/30/2012	ND	1.09	0.35	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R		
					BTS, LLC(D)	8/30/2012	ND	1.1	0.35	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R		
					BTS, LLC	11/29/2012	ND	0.99	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	11/29/2012	ND	1.01	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					BTS, LLC	2/28/2013	ND	1.04	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC(D)	2/28/2013	ND	0.84	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018	
					BTS, LLC	6/3/2013	ND	0.97	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016	
					BTS, LLC(D)	6/3/2013	ND	0.93	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC	8/22/2013	ND	0.74	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	0.023	
					BTS, LLC	8/7/2014	ND	0.74	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
Brian	Schwarz	198	Schwarz		OLIN	4/7/2004	4.90	1.40	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.01	ND	ND	ND	ND	0.02	
					DAVY(S)	4/20/2004													ND	ND	ND				0	
					DAVY	5/18/2004	ND	0.71	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/1/2006	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
Richard & Patricia	Sereg	933	Sereg	Roemer	SPECPRO	2/20/2007	ND	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO(D)	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
Diane - Robert	Sinklair	110	Sinklair #1		OLIN	3/22/2004	3.94	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		

Badger Army Ammunition Plant Residential Groundwater Test Results - History

										All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation																												
2,3-DNT	0.014	0.03		= Under PAL and ES		= Over Preventive Action Limit (PAL)		= Over Enforcement Standard (ES)		= No PAL or ES established		= Not Tested	ND	= Compound was not detected	R	= Data was rejected during validation														
2,4-DNT	0.014	0.03																												
2,5-DNT	0.014	0.03																												
2,6-DNT	0.014	0.03																												
3,4-DNT	0.014	0.03																												
3,5-DNT	0.014	0.03																												
*Level of detection and Level of quantitation may change each round.			Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total				
						DAVY	5/18/2004	ND	0.94	ND	ND	ND	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	8/1/2006	ND	1.04	ND	ND	ND	ND	ND	ND	0.32	0.85	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Robert	Sinklair	111	Sinklair #2			OLIN	3/22/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	40.0	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.21	ND	ND	ND	ND	ND	ND	ND	ND	0			
Robert	Sinklair	112	Sinklair #3			OLIN	3/22/2004	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	24.0	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.76	ND	ND	ND	ND	ND	ND	ND	ND	0			
Kent & Tamara	Smith	114	Smith			OLIN	3/30/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	150.0	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	90.7	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	87.8	ND	0.01	ND	ND	ND	ND	ND	ND	0.01			
						SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
Roger & Eva	Spear	803	Spear			OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	2/25/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	3/15/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	2/25/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver(D)	3/15/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver(D)	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						NORTHERN LAKES(D)	8/30/2005	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver(D)	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver(D)	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						STL Denver(D)	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO	8/29/2006	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
						SPECPRO(D)	8/29/2006	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008			

Result values have not been verified - This is a working document.

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
				Breunig	DAVY	5/20/2004														ND	ND	ND				0
				Johnson	SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.44	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.41	ND	ND	ND	ND	ND	ND	ND	0
Gregory	Stratton	943	Stratton		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Kris	Kohlman Prop. Mgmt.	945	Summer Oaks		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/21/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Tri-County Co-op	OLIN	4/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004														ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.38	ND	ND	ND	ND	ND	ND	0	
Tracy	Troestler	186	Troestler		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Allen	DAVY	5/20/2004														ND	ND	ND	ND	ND	0	
				Straub	SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.45	ND	ND	ND	ND	ND	ND	0	
Herman	Tschudy	950	Tschudy #1		OLIN	3/22/2004	5.08	0.40	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	4/19/2004														ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.40	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Herman	Tschudy (owner)	108	Tschudy #2		OLIN	4/6/2004	2.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72	ND	ND	ND	ND	ND	ND	0	
Bob & Anita	Unger	199	Unger		OLIN	4/7/2004	4.17	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008	
					SPECPRO	2/26/2008	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
George	Urban	161	Urban	(old Dischler res)	OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Wilhelm	DAVY	5/20/2004														ND	ND	ND			0	
					STL Denver	9/24/04 (10 min)														ND	ND				0	
					STL Denver	9/24/04 (30 min)														ND	ND				0	
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0	ND						0	
					STL Denver	12/6/2004														ND	ND				0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/23/2005														ND	ND				0	
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.2	ND						0	
					STL Denver	5/31/2005														ND	ND				0	
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.0	ND						0	
					STL Denver	8/29/2005														ND	ND				0	
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.5	ND						0	
					STL Denver	11/28/2005														ND	ND				0	
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/27/2006														ND	ND				0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.7	ND	ND	ND	0.007	ND	ND	0.007	
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.93	ND	ND	ND	0.007	ND	ND	0.007	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.28	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.36	ND	ND	ND	0.014	ND	ND	0.014	
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.11	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.68	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.24	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.59	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.62	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.85	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.57	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.77	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.51	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.38	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.86	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.67	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.96	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	6.14	ND	0.018	ND	ND	ND	ND	ND	0.018
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.15	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.67	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.58	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.67	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.57	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.08	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.56	ND	ND	ND	ND	ND	ND	ND	0
Douglas & Karen	Volker	952	Volker		OLIN	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge	158	WE-QN039	Hilgemann	OLIN	4/13/2004	3.38	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Rezai	DAVY	5/26/2004	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	9/17/04 (10 min)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/6/2004	ND	1.70	ND	ND	ND	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2005	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2005	ND	2.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					NORTHERN LAKES	8/29/2005	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2005	ND	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2006	ND	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2006	ND	1.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	1.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	2.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	2.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	1.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																										
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total							
2,3-DNT	0.014	0.03		= Under PAL and ES																												
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																												
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																												
2,6-DNT	0.014	0.03		= No PAL or ES established																												
3,4-DNT	0.014	0.03		= Not Tested																												
3,5-DNT	0.014	0.03		= Compound was not detected																												
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																												
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																										
					SPECPRO	2/23/2009	ND	1.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					SPECPRO	5/26/2009	ND	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					SPECPRO	8/24/2009	ND	1.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0					
					SPECPRO	11/30/2009	ND	1.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	2/22/2010	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	5/24/2010	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/30/2010	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	11/29/2010	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	2/22/2011	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	5/31/2011	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/29/2011	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	11/28/2011	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	2/27/2012	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	6/4/2012	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	8/27/2012	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0						
					BTS, LLC	11/26/2012	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	2/25/2013	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	5/28/2013	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	8/19/2013	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					BTS, LLC	8/4/2014	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
	Water's Edge	159	WE-RD430	Ford	OLIN	4/13/2004	1.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
				Madden	DAVY	5/26/2004													ND	ND	ND				0							
				Bastien/Eddy	STL Denver	9/17/04 (10 min)													ND	ND					0							
					STL Denver	9/17/04 (30 min)													ND	ND					0							
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	12/6/2004													ND	ND					0							
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	2/23/2005													ND	ND					0							
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	5/31/2005													ND	ND					0							
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	8/29/2005													ND	ND					0							
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	11/28/2005													ND	ND					0							
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					STL Denver	2/27/2006													ND	ND					0							
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	8/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0						
					SPECPRO	11/24/2008	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	2/23/2009	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	5/26/2009	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							
					SPECPRO	8/24/2009	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0							

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																											
Aug '14 Semiannual	Level of Detection	Level of Quantitation					Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total								
2,3-DNT	0.014	0.03		= Under PAL and ES		= Over Preventive Action Limit (PAL)		= Over Enforcement Standard (ES)		= No PAL or ES established		= Not Tested	ND	= Compound was not detected	R	= Data was rejected during validation																		
2,4-DNT	0.014	0.03																																
2,5-DNT	0.014	0.03																																
2,6-DNT	0.014	0.03																																
3,4-DNT	0.014	0.03																																
3,5-DNT	0.014	0.03																																
*Level of detection and Level of quantitation may change each round.																																		
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																												
					SPECPRO	11/30/2009	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	2/22/2010	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	5/24/2010	ND	0.17	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0						
					SPECPRO	8/30/2010	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	11/29/2010	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	2/22/2011	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	5/31/2011	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	8/29/2011	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	11/28/2011	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					SPECPRO	2/27/2012	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	6/4/2012	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	8/27/2012	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R							
					BTS, LLC	11/26/2012	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	2/25/2013	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	5/28/2013	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0							
					BTS, LLC	8/19/2013														ND	0													
					BTS, LLC	8/4/2014														ND	0													
	Water's Edge	153	WE-RM383	Good	OLIN	7/15/2004														0.014	ND	ND	ND				0.014							
					DAVY	7/15/2004															ND	ND	ND				0							
					SPECPRO	12/6/2004	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0							
					STL Denver	12/6/2004															ND	ND					0							
					SPECPRO	2/23/2005	ND	0.069	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0							
					STL Denver	2/23/2005															ND	ND					0							
					SPECPRO	5/31/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0							
					STL Denver	5/31/2005															ND	0.013					0.013							
					NORTHERN LAKES	8/29/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0							
					STL Denver	8/29/2005															ND	ND					0							
						December, 2005																					0							
						March, 2006																					0							
					SPECPRO	5/30/2006	ND	0.062	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0							
					STL Denver	5/30/2006															0.029	ND						0.029						
					SPECPRO	7/30/2006															0.014	ND	ND	ND	ND	ND		0.014						
					SPECPRO	8/28/2006	ND	0.91	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.014	ND	ND	ND	ND	ND		0.014						
					STL Denver	8/28/2006															ND	ND					0							
					SPECPRO	11/27/2006	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.018	ND	ND	ND	ND	ND		0.018						
					STL Denver	11/27/2006															ND	ND					0							
					SPECPRO	2/27/2007	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.015	ND	ND	ND	ND	ND		0.015						
					SPECPRO	5/29/2007	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.015	ND	ND	ND	ND	ND		0.015						
					SPECPRO(D)	5/29/2007	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	8/27/2007	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.015	ND	ND	ND	ND	ND		0.015						
					SPECPRO(D)	8/27/2007	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	11/26/2007	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.021	ND	ND	ND	ND	ND		0.021						
					SPECPRO(D)	11/26/2007	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.02	ND	ND	ND	ND	ND		0.02						
					SPECPRO	2/25/2008	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO(D)	2/25/2008	ND	0.67	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	5/27/2008	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	8/25/2008	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0							
					SPECPRO	11/24/2008	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	2/23/2009	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							
					SPECPRO	5/26/2009	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0							

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	12/6/2004															0.055	ND					0.055
					NEW WELL INSTALLED																						
	Water's Edge	165	NEW REPLACENT. WELL		STL Denver	1/13/2005															ND	ND					0
			WE-SQ001	Schwarz	SPECPRO	2/23/2005	ND	15.00	ND	ND	ND	0.3	ND	ND	1.5	ND		ND	ND								0
				Rosenau	STL Denver	2/23/2005															ND	ND					0
					ENCHM	4/19/2005	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0
					SPECPRO	5/31/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005															ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	February, 2011																				0	
					SPECPRO	5/31/2011	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	1.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	1.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013	ND	1.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/4/2014	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge	156	WE-RR542	Cairnes	OLIN	4/13/2004	6.41	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Picard	DAVY	5/26/2004	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	7/15/2004															0.018	0.005	ND	ND		0.023	
					DAVY(S)	7/15/2004															ND	ND	ND			0	
					STL Denver	9/17/04 (10 min)															ND	ND				0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES																						
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03		= No PAL or ES established																						
3,4-DNT	0.014	0.03		= Not Tested																						
3,5-DNT	0.014	0.03		= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					STL Denver	9/17/04 (30 min)													ND	ND						0
					SPECPRO	12/6/2004		ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	12/6/2004													ND	ND						0
					SPECPRO	2/23/2005		ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	2/23/2005													ND	ND						0
					SPECPRO	5/31/2005		ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	5/31/2005													ND	ND						0
					NORTHERN LAKES	8/29/2005		ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/29/2005													ND	ND						0
					SPECPRO	11/28/2005		ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/28/2005													ND	ND						0
					SPECPRO	2/27/2006		ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006													ND	ND						0
					SPECPRO	5/30/2006		ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006		ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007		ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009		ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009		ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009		ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010		ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010		ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010		ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010		ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011		ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011		ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011		ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011		ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012		ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012		ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012		ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012		ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013		ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013		ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013													ND	0						
					BTS, LLC	8/4/2014													ND	0						
	Water's Edge	169	WE-RR598	Ohlsen	NORTHERN LAKES	8/29/2005		ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND								0	
				Chow	STL Denver	8/29/2005													ND	ND						0
				Hartmann	SPECPRO	11/28/2005		ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND									0
				Wenger	STL Denver	11/28/2005													ND	ND						0
					SPECPRO	2/27/2006		ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND									0
					STL Denver	2/27/2006													ND	ND						0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES																						
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03		= No PAL or ES established																						
3,4-DNT	0.014	0.03		= Not Tested																						
3,5-DNT	0.014	0.03		= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					SPECPRO	5/30/2006	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2006	ND	1.02	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2006	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/29/2007	ND	0.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2007	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/26/2007	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/25/2008	ND	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2008	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2008	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/24/2008	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2009	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2009	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2009	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2009	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/22/2010	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/24/2010	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2010	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/22/2011	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/31/2011	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2011	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2011	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2012	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/4/2012	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/27/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
					BTS, LLC	11/26/2012	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/25/2013	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/28/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/19/2013																			0	
					BTS, LLC	8/4/2014																			0	
	Water's Edge	170	WE-SQ002	Ramaker	NORTHERN LAKES	8/29/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
				Neumaier	STL Denver	8/29/2005													ND	ND					0	
					SPECPRO	11/28/2005	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					STL Denver	11/28/2005													ND	ND					0	
					SPECPRO	2/27/2006	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					STL Denver	2/27/2006													ND	ND					0	
					SPECPRO	5/30/2006	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	8/28/2006	ND	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	11/27/2006	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	2/27/2007	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	5/29/2007	ND	0.98	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	8/27/2007	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	11/26/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	2/25/2008	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	5/27/2008	ND	1.09	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.017	ND	ND	ND	ND	ND	0.017	
					SPECPRO	8/25/2008	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
					SPECPRO	11/24/2008	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	2/23/2009	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					SPECPRO	5/26/2009	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	8/24/2009	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.47	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013														ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/4/2014														ND	ND	ND	ND	ND	ND	0
	Water's Edge	174	WE-TF023	Hilgemann	SPECPRO	5/30/2006	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	5/30/2006														ND	ND				0	
					SPECPRO	8/28/2006	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2006	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2007	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/29/2007	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2007	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/26/2007	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/25/2008	ND	1.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2008	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2008	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013														ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/4/2014														ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
2,3-DNT	0.014	0.03		= Under PAL and ES																						
2,4-DNT	0.014	0.03		= Over Preventive Action Limit (PAL)																						
2,5-DNT	0.014	0.03		= Over Enforcement Standard (ES)																						
2,6-DNT	0.014	0.03		= No PAL or ES established																						
3,4-DNT	0.014	0.03		= Not Tested																						
3,5-DNT	0.014	0.03		= Compound was not detected																						
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
	Water's Edge	129	WE-TM599	Riordan	SPECPRO	2/27/2007	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.014
					SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	November, 2010																				0
					SPECPRO	February, 2011																				0
					SPECPRO	5/31/2011	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	November, 2011																				0
					SPECPRO	February, 2012																				0
					BTS, LLC	6/4/2012	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	November, 2012																				0
					BTS, LLC	February, 2013																				0
					BTS, LLC	5/28/2013	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013													ND	0						
					BTS, LLC	8/4/2014													ND	0						
	Water's Edge	430	WE-UA288	Gust, Haag, Lochner	SPECPRO	8/27/2007	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					NEW WELL INSTALLED																					
		431	WE-UK125 NEW REPLACEMENT		SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
Aug '14 Semiannual	Level of Detection	Level of Quantitation				Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
0.014	0.014	0.03	☐	= Under PAL and ES																						
2,3-DNT	0.014	0.03	☐	= Over Preventive Action Limit (PAL)																						
2,4-DNT	0.014	0.03	☐	= Over Enforcement Standard (ES)																						
2,5-DNT	0.014	0.03	☐	= No PAL or ES established																						
2,6-DNT	0.014	0.03	☐	= Not Tested																						
3,4-DNT	0.014	0.03	☐	= Compound was not detected																						
3,5-DNT	0.014	0.03	☐	= Data was rejected during validation																						
*Level of detection and Level of quantitation may change each round.																										
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample																				
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013														ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/4/2014														ND	ND	ND	ND	ND	ND	0
	Water's Edge	432	WE-UK124	Whalen	SPECPRO	2/25/2008	ND	0.9	ND	ND	ND	ND	ND	ND	ND	0.89	ND	ND	0.069	ND	ND	ND	ND	ND	ND	0.069
					SPECPRO	4/1/2008														0.026	ND	ND	ND	ND	ND	0.026
					SPECPRO	5/27/2008	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.036	ND	ND	ND	ND	ND	0.036
					SPECPRO(D)	5/27/2008	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.02	ND	ND	ND	ND	ND	0.02
					SPECPRO	8/25/2008	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO(D)	8/25/2008	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	11/24/2008	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/23/2009	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	5/26/2009	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.02	ND	ND	ND	ND	ND	0.02
					SPECPRO(D)	8/24/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.019	ND	ND	ND	ND	ND	0.019
					SPECPRO	12/1/2009	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.019	ND	ND	ND	ND	ND	0.019
					SPECPRO(D)	12/1/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.56	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/22/2010	ND	0.57	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.58	0.14	ND	ND	0.24	ND	ND	ND	ND	ND	ND		0.023	ND	ND	ND	ND	ND	0.023
					SPECPRO(D)	5/24/2010	ND	0.57	0.1	ND	ND	0.18	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	0.58	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.016	ND	ND	ND	ND	ND	0.016
					SPECPRO(D)	8/30/2010	ND	0.54	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.55	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO(D)	11/29/2010	ND	0.57	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.41	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.024	ND	ND	ND	ND	ND	0.024
					SPECPRO(D)	2/22/2011	ND	0.46	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.4	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.022	ND	ND	ND	ND	ND	0.022
					SPECPRO(D)	5/31/2011	ND	0.43	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND		0.019	ND	ND	ND	ND	ND	0.019
					SPECPRO	8/29/2011	ND	0.35	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO (D)	8/29/2011	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO (D)	11/28/2011	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					SPECPRO (D)	2/27/2012	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					BTS, LLC(D)	6/4/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			R	R	R	R	R	R
					BTS, LLC(D)	8/27/2012	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.025	ND	ND	ND	ND	0.025
					BTS, LLC(D)	11/26/2012	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.024	ND	ND	ND	ND	0.024
					BTS, LLC	2/25/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.015	ND	ND	ND	ND	0.015
					BTS, LLC(D)	2/25/2013	ND	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.015	ND	ND	ND	ND	0.015
					BTS, LLC	5/28/2013	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.02	ND	ND	ND	ND	0.02
					BTS, LLC(D)	5/28/2013	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.021	ND	ND	ND	ND	0.021
					BTS, LLC	8/19/2013														0.02	ND	ND	ND	ND	ND	0.02

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					BTS, LLC(D)	8/19/2013															0.022	ND	ND	ND	ND	ND	0.022
					BTS, LLC	4/1/2014															0.028	ND	ND	ND	ND	ND	0.028
					BTS, LLC(D)	4/1/2014															0.027	ND	ND	ND	ND	ND	0.027
					BTS, LLC	8/4/2014															0.021	ND	ND	ND	ND	ND	0.021
					BTS, LLC(D)	8/4/2014															0.021	ND	ND	ND	ND	ND	0.021
	Water's Edge	433	WE-UA297	Krisko	BTS,LLC	5/28/2013	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS,LLC	8/19/2013															ND	ND	ND	ND	ND	ND	0
					BTS,LLC	8/4/2014															ND	ND	ND	ND	ND	ND	0
Bob or Diane	Wenger	414	Wenger		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO(D)	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/4/2008															ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009															ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	1.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
David & Lynn	Werderits	116	Werdertis		OLIN	3/29/2004	3.04	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Paul & Barb	Weum	802	Weum (old Carl Graf)		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/30/2004	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	3/30/2004	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005														ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/30/2005														ND	ND					0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/29/2005														ND	ND					0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/28/2006														ND	ND					0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																				0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				(old Carl Graf)	SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	1.3	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Gregory & Laurie	Wilkinson	428	Wilkinson		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/3/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kevin & Cindy	Woods	429	Woods		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/5/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Richard & Okla	Yanke	191	Yanke		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Luetscher	DAVY(S)	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/20/2004														ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.41	ND	ND	ND	ND	ND	ND	ND	0
Larry	Zander	849	Zander (old Hanson)		OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

**Badger Army Ammunition Plant
Residential Groundwater Test Results - History**

		All results are expressed as µg/l (micrograms per liter)																											
Aug '14 Semiannual	Level of Detection	Level of Quantitation			Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total			
2,3-DNT	0.014	0.03	□	= Under PAL and ES																									
2,4-DNT	0.014	0.03	■	= Over Preventive Action Limit (PAL)																									
2,5-DNT	0.014	0.03	■	= Over Enforcement Standard (ES)																									
2,6-DNT	0.014	0.03	■	= No PAL or ES established																									
3,4-DNT	0.014	0.03	■	= Not Tested																									
3,5-DNT	0.014	0.03	■	= Compound was not detected																									
*Level of detection and Level of quantitation may change each round.				= Data was rejected during validation																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample																							
						8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/6/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
MAPLE PARK RESIDENTIAL WELL TESTING RESULTS (one time only)																													
Bernie	Witte	907	Witte		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
Alvin and Monica	Dyrud	907	Dyrud		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
Guy	Wells	991	Wells		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
Jerry	Black	166	Black		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
Mike	Emery	167	Emery		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND	ND	ND								0	
Russell	Moely	979	Moely		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
Pat	Bram	168	Bram		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	

* The field blank corresponding to this sample contained 2,4-DNT at 0.0169 µg/l, and 2,6-DNT at 0.0198 µg/l. Data has been qualified UB#. Where # is 5X the value of the field blank contamination. Data are considered undetected values.

Notes:
Ethyl Ether PAL and ES effective 1 January 2011
Dinitrotoluene, Total PAL and ES effective 1 January 2011