

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
Richard	Anderson	411	Anderson		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.76	ND	ND	ND	ND								0
					SPECPRO	8/5/2008														ND	0						
					SPECPRO	7/15/2009														ND	0						
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Aaron & Maria	Andres	130	Andres		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dewayne	Askey	932	Askey #1		OLIN	3/24/2004	6.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND					0
					SPECPRO	7/31/2006	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	0.007
					SPECPRO	8/8/2007														ND	0						
David	Askey	178	Askey #2		OLIN	3/24/2004	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND					0
					SPECPRO	6/6/2006	ND	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
John & Cathy	Ballweg	131	Ballweg		SPECPRO	2/21/2007	ND	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kathie & Don	Bauer	807	Bauer		OLIN	3/22/2004	4.55	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Beach	DAVY	5/19/2004	ND	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Al	Behrens	197	Behrens		OLIN	4/12/2004	4.47	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.02	ND	ND	ND	ND	0.04
					DAVY(S)	4/26/2004														ND	ND	ND					0
					DAVY	5/24/2004														ND	ND	ND					0
					SPECPRO	8/1/2006	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Craig & Chris	Bender	119	Bender		OLIN	4/12/2004	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004														ND	ND	ND					0
					OLIN(S)	5/19/2004														ND	0						
					SPECPRO	8/2/2006														ND	0						
Jerry	Black		Black		DAVY	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Linda & Robert	Block	117	Block		OLIN	3/30/2004	3.25	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004	ND	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/2/2006	ND	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Deane & Kathleen	Brabender	171	Brabender		OLIN	3/30/2004	8.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	ND	ND					0
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/30/2005														ND	ND						0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	11/29/2005														ND	ND						0
					SPECPRO	2/28/2006	ND	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND						0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Sep '13 Round	Level of Detection	Level of Quantitation
2.3-DNT	0.014	0.042
2.4-DNT	0.014	0.042
2.5-DNT	0.014	0.042
2.6-DNT	0.014	0.042
3.4-DNT	0.014	0.042
3.5-DNT	0.014	0.042
*Level of detection and Level of quantitation may change each round.		

= Under PAL and ES
 = Over Preventive Action Limit (PAL)
 = Over Enforcement Standard (ES)
 = No PAL or ES established
 = Not Tested
 ND = Compound was not detected
 R = Data was rejected during validation

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Fran & Jan	Brey	817	Brey		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dr. Haaken	Carlson		Carlson		OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.60	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	ND	ND	ND	ND	ND	ND	0
Scott	Duhr	172	SMD		OLIN	4/6/2004	12.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/27/2004														ND	ND	ND	ND	ND	ND	0
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/30/2005														ND	ND					0
					SPECPRO	11/29/2005	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/29/2005														ND	ND					0
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND					0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	ND	ND	0.006
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	December, 2009																				0	
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				old Chamberlain Property	SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	February, 2013																				0	
					BTS, LLC	6/11/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Al & Teri	Checky	132	Checky		SPECPRO	2/20/2007	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/20/2007	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Stephen & Mary	Scott	147	Coves Court	Saeman, Hill, Wells	SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Steve	Cramer	825	Cramer		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005														ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	9/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	9/1/2005														ND	ND					0	
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/28/2005														ND	ND					0	
						March, 2006																				0	
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2007																					0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Charles & Pam	Crow	160	Crow		OLIN	3/22/2004	4.31	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/18/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.02	ND	ND	ND	ND	0.04	
					PUEBLO	7/26/2004														ND	ND					0	
					STL Denver	9/17/04 (10 min)														ND	ND					0	
					STL Denver	9/17/04 (30 min)														ND	ND					0	
					SPECPRO	12/6/2004	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	12/6/2004														ND	ND					0	
					SPECPRO	2/23/2005	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	2/23/2005														ND	ND					0	
					SPECPRO	5/31/2005	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	5/31/2005														ND	ND					0	
					NORTHERN LAKES	8/29/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	8/29/2005														ND	ND					0	
					SPECPRO	11/28/2005	ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	11/28/2005														ND	ND					0	
					SPECPRO	2/27/2006	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	2/27/2006														ND	ND					0	
					SPECPRO	5/30/2006	ND	1.30	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.008	
					SPECPRO	8/28/2006	ND	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					STL Denver	8/28/2006														ND	ND					0	
					SPECPRO	11/27/2006	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	
					SPECPRO	2/28/2007	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/29/2007	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.72	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
David & Joan	Curto	412	Curto		SPECPRO	8/6/2007	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SECPRO	10/15/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008														ND	ND	0.015	ND	ND	ND	0.015
					SPECPRO	8/25/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/3/2009														ND	ND	0.018	0.012	ND	ND	0.03
					SPECPRO	12/2/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	1.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	0.017
					BTS, LLC	8/28/2012	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/28/2012	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
#1	Dairy Forage Res Ctr	828	Dairy Forage Res Ctr		OLIN	4/7/2004	4.02	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	1.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
						9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/30/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
						11/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/22/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
#4	Dairy Forage Res Ctr	127	Dairy Forage Res Ctr			11/29/2006	ND	49.8	ND	2.01	1.07	4.93	ND	ND	2.9	0.84	ND	ND	ND	ND	ND	ND	ND	ND	0	
						6/4/2007	ND	1.86	ND	ND	ND	ND	ND	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/30/2007	ND	ND	ND	ND	ND	7.72	ND	ND	30.0	0.74	ND	ND	ND	ND	ND	ND	ND	ND	0	
						December, 2007																			0	
						March, 2008																			0	
						6/2/2008	ND	ND	ND	ND	ND	0.24	ND	ND	3.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	2.37	ND	ND	ND	R	R	R	R	R	R	0	
						7/8/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/29/2012	ND	ND	ND	ND	ND	0.39	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
						November, 2012																			0	
						6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
#6	Dairy Forage Res Ctr	128	Dairy Forage Res Ctr			10/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	0.97	ND	ND	ND	0.056	ND	ND	ND	ND	ND	0.056	
						11/29/2006	ND	20.9	ND	1.97	1.12	2.40	0.42	ND	5.91	0.85	ND	ND	ND	ND	ND	ND	ND	ND	0	
						1/25/2007													0.057	ND	ND	ND	ND	ND	0.057	
						1/25/2007													0.041	ND					0.041	
						6/4/2007	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND	ND	ND	ND	ND	0.048	
						6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02	
						8/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.056	ND	ND	ND	ND	ND	0.056	
						8/30/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						December, 2007																			0	
						March, 2008																			0	
						6/2/2008	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.061	ND	ND	ND	ND	ND	0.061	
						8/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
						8/28/2008	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
						7/8/2009	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND	ND	ND	ND	0.034	
						7/8/2009	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND	ND	ND	ND	0.036	
						7/8/2009	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	0.012	
						8/27/2009	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND	ND	ND	ND	ND	0.041	
						8/27/2009	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND	ND	ND	ND	ND	0.048	
						8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND	ND	ND	ND	0.037	
						5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.049	ND	ND	ND	ND	ND	0.049	
						5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						9/2/2010	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND	ND	ND	ND	ND	0.041	
						9/2/2010	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						6/2/2011	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.043	ND	ND	ND	ND	ND	0.043	
						6/2/2011	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND	ND	ND	ND	0.044	
						6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015	
						9/1/2011	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
						9/1/2011	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO(filtered)	9/1/2011	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					SPECPRO	10/13/2011														0.04	ND	ND	ND	ND	ND	0.04
					SPECPRO(D)	10/13/2011														0.042	ND	ND	ND	ND	ND	0.042
					SPECPRO(filtered)	10/13/2011														ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/7/2012	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND	ND	ND	ND	0.031
					BTS, LLC (filtered)	6/7/2012	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/30/2012	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC (filtered)	8/30/2012	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					BTS, LLC	November, 2012																				0
					BTS, LLC	February, 2013																				0
					BTS, LLC	6/3/2013	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND	ND	ND	ND	0.044
					BTS, LLC (filtered)	6/3/2013	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2013	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND	ND	ND	ND	0.034
Lance & Nancy	Delaney	175	Delaney	Koch	OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.04	ND	ND				0.07
					DAVY(S)	4/19/2004														ND	ND	ND				0
					DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.0	ND	ND	ND				0
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	0.48	22.2	ND	ND	ND	ND	ND	ND	ND	0
Suanne	Delaney	152	Delaney	(old Vanover)	OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY(S)	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND							0
					STL Denver	12/6/2004														ND	ND					0
					SPECPRO(D)	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND						0
					STL Denver(D)	12/6/2004														ND	ND					0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005														ND	ND					0
					SPECPRO(D)	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver(D)	2/23/2005														ND	ND					0
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005														ND	ND					0
					SPECPRO(D)	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND						0
					STL Denver(D)	5/31/2005														ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver(D)	8/29/2005														ND	ND					0
					NORTHERN LAKES(D)	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver(D)	8/29/2005														ND	ND					0
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL DENVER	11/28/2005														ND	ND					0
					SPECPRO(D)	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver(D)	11/28/2005														ND	ND					0
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006														ND	ND					0
					SPECPRO(D)	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006														ND	ND					0
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	0.009	ND	ND	ND	ND	0.028
					SPECPRO(D)	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.01	ND	ND	ND	ND	0.024
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	0.008	ND	ND	ND	ND	0.019

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO(D)	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	0.007	ND	ND	ND	ND	0.015
					SPECPRO	11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	12/2/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	0.016	ND	ND	ND	ND	ND	0.016	
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	0.01	ND	ND	ND	ND	ND	0.01	
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.22	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	0.024	ND	ND	ND	ND	ND	0.024	
					SPECPRO	8/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/19/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0	
Timothy	Deppe	413	Deppe		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/4/2008													ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009													ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Brian	Dischler	926	Dischler-B		OLIN	4/7/2004	3.95	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY	5/19/2004	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					SPECPRO	8/1/2006	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
John & Pam	Dorman	182	Dorman		OLIN	4/12/2004	6.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	0.01		
					DAVY(S)	4/26/2004													ND	ND	ND	ND	ND	0		
					DAVY	5/25/2004													ND	ND	ND	ND	ND	0		
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
Orie	Eilertson	929	Eilertson-N		SPECPRO	8/5/2008													ND	ND	ND	ND	ND	0		
Orie	Eilertson	834	Eilertson-S		SPECPRO	8/5/2008													ND	ND	ND	ND	ND	0		
Roger & Carol	Ellingson	162	Ellingson		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.50	ND	ND	ND	ND	ND	ND	0		
					OLIN(S)	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.00	ND	0.072	0.032	ND	ND	ND	0.104		

Badger Army Ammunition Plant Residential Groundwater Test Results - History

				All results are expressed as µg/l (micrograms per liter)																							
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	9/24/04 (10 min)															ND	ND					0
					STL Denver	9/24/04 (30 min)															ND	ND					0
					STL Denver	12/6/2004															ND	ND					0
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005															ND	ND					0
					SPECPRO	5/31/2005	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.20	ND								0
					STL Denver	5/31/2005															ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.10	ND								0
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.80	ND								0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.50	ND		ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.20	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.00	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	0.48	ND	ND	ND	ND	ND	2.39	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.45	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.02	ND		0.015	ND	ND	ND	ND	ND	0.015
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.09	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.12	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.43	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.87	ND		0.039	ND	ND	ND	ND	ND	0.039
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.86	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.23	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.64	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.33	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.33	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.61	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.03	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.30	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.88	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.62	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	ND	ND	ND	0.41	ND	ND	ND	ND	ND	ND	2.04	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.76	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.96	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.83	ND		ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.52	ND		ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	1.63	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.92	ND		ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.89	ND		ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	0
Dennis	Elsing	194	Elsing		OLIN	4/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.20	ND		ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.27	ND		ND	ND	ND	ND	ND	ND	0
Myrna & Duane	Engh	184	Engh		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Kelley	DAVY	5/24/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	ND		ND	ND	ND	ND	ND	ND	0
Matt	Fehn (renter)	121	Fehn		OLIN	3/30/2004	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					DAVY	5/19/2004															ND	ND	ND				0
					SPECPRO	8/2/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Robert	Fenbert	902	Fenbert		SPECPRO	2/21/2007		ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Robert & Holly	Fentress	195	Fentress		OLIN	4/12/2004	4.31	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006		ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Pete	Ferry	836	Ferry		OLIN	3/23/2004	3.62	ND	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
					DAVY	5/24/2004		ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2006		ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006		ND	1.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gene & Janis	Franks	134	Franks		SPECPRO	2/20/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011		ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
John	Ganser	187	Ganser		OLIN	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	ND	ND	ND	ND	ND	ND	ND	0	
Arnold	Gasner	113	Gasner		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.76	ND	ND	ND	ND	ND	ND	ND	0	
Reuben & Sue	Gentz	865	Gentz		SPECPRO	2/21/2007		ND	0.81	ND	ND	ND	ND	ND	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gene & Eileen	Gibbs	839	Gibbs		SPECPRO	8/6/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008															ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009															ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/23/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	8/23/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Douglas & Jennifer	Gjertson	196	Gjertson		OLIN	3/22/2004	4.11	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	3/22/2004	3.90	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004		ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006		ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Michael & Suzanne	Gleason	135	Gleason		SPECPRO	2/20/2007		ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Michael & Leann	Goetz	173	Goetz (#1)		OLIN	4/6/2004	7.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004															ND	ND	ND	ND	ND	0	
					NORTHERN LAKES	8/30/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/30/2005															ND	ND				0	
					SPECPRO	11/29/2005		ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/29/2005															ND	ND				0	
						March, 2006																				0	
					SPECPRO	5/31/2006		ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	0.007	
					STL Denver	8/29/2006															ND	ND				0	
					SPECPRO	11/28/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2007																				0	
					SPECPRO	5/30/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						December, 2007																				0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					March, 2008																					0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						November, 2008																				0
						February, 2009																				0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						February, 2010																				0
						5/25/2010	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						February, 2011																				0
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	November, 2011																				0
					SPECPRO	February, 2012																				0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	10/25/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC (D)	10/25/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	February, 2013																				0
					BTS, LLC	6/11/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Carl	Graf	802	Graf		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/30/2004	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY(S)	3/30/2004	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004													ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/28/2005													ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	6/1/2005													ND	ND					0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005													ND	ND					0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/29/2005													ND	ND					0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006													ND	ND					0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																				0
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Marilyn Ann	Greimel	841	Greimel		OLIN	4/12/2004	3.38	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004														ND	ND	ND			0	
						August, 2006																			0	
Ronald & Andrea	Grosse	415	Grosse		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Ronald & Andrea	Grosse	416	Grosse-garage		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
Ivan	Groth	842	Groth		SPECPRO	10/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004														ND	ND				0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/23/2005														ND	ND				0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND				0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/30/2005														ND	ND				0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/29/2005														ND	ND				0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND				0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2008																			0	
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total		
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						February, 2009																					0	
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Delores	Gruber	417	Gruber-D		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	0							
					SPECPRO	7/16/2009														ND	0							
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Viola	Gruber	970	Gruber (North)		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND						0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	2/28/2005															ND	ND						0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	6/1/2005															ND	ND						0
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/31/2005															ND	ND						0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/30/2005															ND	ND						0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
						February, 2010																					0
						SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Stephen & Susan	Hannah	848	Hannah			OLIN	3/29/2004	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						DAVY(S)	3/29/2004	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						DAVY	5/19/2004																				0
						SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.34	ND	0						
Terry & Laura	Hanson	963	Hanson (old Zander)			OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						DAVY(S)	3/2/2004																				0
						OLIN	3/30/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	12/7/2004													ND	ND						0
						EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
						SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
						STL Denver	2/28/2005													ND	ND						0
						SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						STL Denver	6/1/2005													ND	ND						0
						NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						STL Denver	8/31/2005													ND	ND						0
						SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						STL Denver	11/30/2005													ND	ND						0
						SPECPRO	3/1/2006	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	3/1/2006													ND	ND						0
						SPECPRO	6/5/2006	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
						SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/26/2009	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/1/2009	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	12/3/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.45	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.93	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.37	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.12	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.53	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.88	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.74	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.87	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.68	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/7/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.15	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.98	R	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.84	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.19	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.89	ND	ND	ND	ND	ND	ND	ND	0
Dennis & Paula	Harpold	918	Harpold		SPECPRO	4/21/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kevin & Stacy	Hasheider	852	Hasheider		OLIN	4/6/2004	4.37	ND	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004	ND	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2006	ND	ND	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006	ND	ND	1.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Roger & Peg	Heidenreich	853	Heidenreich		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Howard & Deloris	Hendershot	418	Hendershot		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008													ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009													ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Pearl & Robert	Henry	855	Henry		OLIN	3/22/2004	4.92	2.50	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004	0.84	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	1.23	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	0
Paul	Herr	136	Herr		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Marjory	Hill	137	Hill		SPECPRO	2/20/2007	ND	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Walter	Howery	419	Howery		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	3.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/5/2008													ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009													ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2010	Sampling declined.																			0
					SPECPRO	August 2011	Water shut off; well not sampled																			0
					BTS, LLC	August 2012	Water shut off; well not sampled																			0
					BTS, LLC	August 2013	Pump not working; well not sampled																			0
Thomas - Jane	Jackson & Bertschinger	176	Jackson & Bertschinger		OLIN	4/12/2004	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/20/2004													ND	ND	ND					0
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
Steve	Jacobson	185	Jacobson		OLIN	4/13/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND				0
					SPECPRO	8/7/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Barry & Marcia	Jannenga	188	Jannenga		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/20/2004														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/7/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.13	ND	ND	ND	ND	ND	ND	ND	0
Bill & Tammy	Johnson	138	Johnson		SPECPRO	2/20/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kerry & Deborah	Johnson	139	Johnson-K		SPECPRO	4/19/2011		ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Brad & Shirley	Jonas	115	Jonas		SPECPRO	8/2/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Alden & Betty	Jones	860	Jones-A		SPECPRO	8/7/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Travis & Emilie	Lukens		Lukens (old Jones)		BTS, LLC	8/21/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Trissa	Judd	862	Judd		OLIN	3/29/2004	4.04	ND	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND		0.03	
					DAVY(S)	4/20/2004														ND	ND	ND				0
					DAVY	5/25/2004		0.41	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2006		ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND	ND	ND	ND	0.011
					SPECPRO	8/7/2006		ND	1.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/20/2007														ND	0.023	ND	ND	ND	ND	0.023
					SPECPRO	11/29/2007		ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	2/27/2008		ND	1.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021
					SPECPRO	6/2/2008		ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO	8/27/2008		ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008		ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO	2/25/2009		ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO(D)	2/25/2009		ND	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	5/28/2009		ND	1.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018
					SPECPRO(D)	5/28/2009		ND	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					SPECPRO	8/26/2009		ND	1.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO(D)	8/26/2009		ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					SPECPRO	12/2/2009		ND	1.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO(D)	12/2/2009		ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018
					SPECPRO	2/24/2010		ND	0.96	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO(D)	2/24/2010		ND	0.97	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010		ND	1.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	5/26/2010		ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010		ND	1.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	9/1/2010		ND	1.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010		ND	1.06	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011		ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/28/2011		ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2011		ND	1.06	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	12/1/2010		ND	1.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011		ND	0.54	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO(D)	6/1/2011	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	8/31/2011	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
					SPECPRO(D)	8/31/2011	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2011	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND	ND	ND	0.036	
					SPECPRO(D)	11/29/2011	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND	ND	ND	0.024	
					SPECPRO	2/29/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/29/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/6/2012	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	0.023	
					BTS, LLC(D)	6/6/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	0.022	
					BTS, LLC	8/29/2012	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC(D)	8/29/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC	11/28/2012	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	11/28/2012	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/28/2013	ND	0.66	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021	
					BTS, LLC(D)	2/28/2013	ND	0.83	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/30/2013	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	5/30/2013	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
					BTS, LLC(D)	8/21/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019	
Fredrick & Diane	Kamps	863	Kamps		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Galle	DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.80	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.12	ND	ND	ND	ND	ND	ND	0	
Nancy / Dave	Kaufman / Schmitz	183	Kaufman / Schmitz		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Fitzgerald	DAVY	5/24/2004														ND	ND	ND	ND	ND	0	
				Greenheck	SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.4	ND	ND	ND	ND	ND	ND	0	
				Hubanks																					0	
				Mathews																					0	
Kermit & Janet	Keeler		Keeler		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Verne	Kindschi	870	Kindschi		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND				0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005														ND	ND				0	
					SPECPRO	6/1/2005	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND				0	
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/31/2005														ND	ND				0	
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/30/2005														ND	ND				0	
					SPECPRO	2/28/2006	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

				All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total			
						STL Denver	2/28/2006														ND	ND						0	
						SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	0
						BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
James	Kirner	843	Kirner (old Gruber-South)			OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	5/27/2004	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	12/7/2004													ND	ND							0	
						EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/28/2005	ND	ND	ND	ND	ND	5.2	ND	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	2/28/2005													ND	ND							0	
						SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	6/1/2005													ND	ND							0	
						NORTHERN LAKES	8/31/2005	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	8/31/2005													ND	ND							0	
						SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	11/30/2005													ND	ND							0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006														ND	ND						0
					SPECPRO	6/5/2006	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01
					SPECPRO	11/29/2006	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	0.017	
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
						November, 2008																				0	
						February, 2009																				0	
						May, 2009																				0	
						August, 2009																				0	
						December, 2009																				0	
					SPECPRO	3/15/2010	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2010	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/2/2010	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
James	Kirner	850	Kirner		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
			(old Hari residence)		OLIN	9/4/2002	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/12/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	9/1/2005	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	9/1/2005														ND	ND					0	
						December, 2005																				0	
						March, 2006																				0	
						June, 2006																				0	
						September, 2006																				0	
						December, 2006																				0	
						March, 2007																				0	
						June, 2007																				0	
						September, 2007																				0	
						December, 2007																				0	
						March, 2008																				0	
						June, 2008																				0	
						Aug, 2008																				0	
						November, 2008																				0	
						February, 2009																				0	
						May, 2009																				0	
						August, 2009																				0	
						December, 2009																				0	
Harlan & Eileen	Klepper	140	Klepper		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					Kris Kohlman Property Mgt	109	Kris Kohlman Property Mgmt.	OLIN	4/7/2004	3.49	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY			DAVY	5/18/2004	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO			SPECPRO	8/1/2006	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
Bob	Kopras	874	Kopras	Miller	SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/4/2008														ND	0						
					SPECPRO	7/16/2009														ND	0						
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dean & Martha	Kowalke	181	Kowalke		OLIN	3/24/2004	6.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	0						
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Edward & Virginia	Krumenauer	875	Krumenauer		OLIN	6/6/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	ND	ND	ND	ND	ND	0.05
					OLIN	3/2/2004	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	ND	0.03
					OLIN	3/11/2004	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND	ND	ND	ND	0.037
					OLIN	3/22/2004	3.86	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	ND	ND	ND	ND	ND	0.04
					DAVY(S)	4/19/2004														ND	0.01	ND	ND	ND	ND	ND	0.01
					OLIN	5/26/2004	ND	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (10 min)	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/04 (30 min)														ND	ND						0
					STL Denver	12/7/2004														ND	ND						0
					EN CHEM	12/28/2004	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/1/2005	ND	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	6/1/2005														ND	ND						0
					NORTHERN LAKES	8/31/2005	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/31/2005														ND	ND						0
					SPECPRO	11/30/2005	ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/30/2005														ND	ND						0
					STL Denver(D)	1/18/2006														ND	ND						0
					SPECPRO	2/28/2006	ND	0.80	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	ND	0.023
					STL Denver	2/28/2006														ND	0.035						0.035
					SPECPRO	6/5/2006	ND	0.67	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015
					STL Denver	6/5/2006														ND	ND						0
					SPECPRO	8/30/2006	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008
					STL Denver	8/30/2006														ND	0.026						0.026
					SPECPRO	11/28/2006	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	11/28/2006														ND	ND						0
					SPECPRO	2/28/2007	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021
					SPECPRO	5/30/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02
					SPECPRO	8/28/2007	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/28/2007	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	ND	0.013
					SPECPRO(D)	11/27/2007	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	0.012
					SPECPRO	2/27/2008	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021
					SPECPRO(D)	2/27/2008	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02
					SPECPRO	5/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	ND	0.018

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO(D)	5/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02
					SPECPRO	8/27/2008	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO(D)	8/27/2008	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO(D)	11/26/2008	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO	2/24/2009	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/24/2009	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO(D)	5/28/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018
					SPECPRO	8/26/2009	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO(D)	8/26/2009	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO	12/2/2009	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	12/2/2009	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	0.46	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/24/2010	ND	0.43	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	5/26/2010	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.40	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	9/1/2010	ND	0.39	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	0.39	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	12/1/2010	ND	0.39	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	0.33	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/23/2011	ND	0.39	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	0.36	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	6/6/2011	ND	0.3	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/31/2011	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	0.37	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	0.33	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/29/2012	ND	0.34	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	0.32	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					BTS, LLC(D)	6/6/2012	ND	0.14	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					BTS, LLC	8/29/2012	ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC(D)	8/29/2012	ND	0.32	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/28/2012	ND	0.26	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	11/28/2012	ND	0.29	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	0.31	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	2/27/2013	ND	0.3	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	0.29	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	5/30/2013	ND	0.29	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	0.24	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Youchi & Kim	Kyori	826	Kyori		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dr. Hunter	Lang	877	Lang		OLIN	3/30/2004	0.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Michael & Sarah	Lee	420	Lee		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Howard & Joan	Lenezr	193	Lenezr		SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.27	ND	ND	ND	ND	ND	ND	ND	0
Ken	Lins	878	Lins		NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/31/2005														ND	ND					0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	11/30/2005														ND	ND					0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006														ND	ND					0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.009	ND	0.008	0.023
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/13/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/27/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Ron	Lins	879	Lins		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005															ND	ND					0
					SPECPRO	6/1/2005	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	6/1/2005															ND	ND					0
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005															ND	ND					0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/29/2005															ND	ND					0
						March, 2006																					0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						February, 2009																				0	
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jerome & Elaine	Lochner	880	Lochner		OLIN	3/30/2004	4.71	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/19/2004	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Florence	Markgraf	885	Markgraf		OLIN	3/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.47	ND	0.032	ND	0.018	0.016	ND	0.066	
					SPECPRO	10/24/2006															0.01	ND	ND	ND	ND	0.01	
					SPECPRO	8/20/2007															ND	ND	ND	0.032	ND	0.032	
					SPECPRO	11/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.58	ND	ND	ND	ND	ND	ND	0	
						March, 2008																				0	
Terry & Nancy	Maschman	120	Maschman		OLIN	4/12/2004	3.57	ND	1.20	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					DAVY	5/19/2004															ND	ND	ND				0
					SPECPRO	8/2/2006	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Gary & Kellie	Matz	179	Matz		OLIN	3/24/2004	1.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004															ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Terry & Phyllis	Matz	886	Matz		OLIN	3/24/2004	10.3	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	
					DAVY(S)	3/24/2004	10.0	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2006	0.21	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	0.009	ND	0.015	
					SPECPRO	7/31/2006	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	
					SPECPRO(D)	7/31/2006	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	0.007	
Valerie	McAuliffe	887	McAuliffe		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.57	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN(S)	5/24/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.90	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.83	ND	ND	ND	ND	ND	ND	ND	0	
David & Lori	McCoy	177	McCoy		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	0.02	
					DAVY(S)	4/19/2004															ND	ND	ND	ND	ND	0	
					DAVY	5/20/2004															ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.2	ND	ND	ND	0.044	ND	ND	ND	0.044	
					SPECPRO(D)	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.6	ND	ND	ND	0.051	ND	ND	ND	0.051	
					SPECPRO	10/24/2006															ND	0.005	ND	ND	ND	0.005	
					SPECPRO	6/18/2007															ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2007															ND	ND	ND	ND	ND	0	
Mike & Linda	Mittenzwei	800	Mittenzwei	(old Schaefer)	OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				as of 9/12/06	OLIN	9/5/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	0.01	
					OLIN	4/20/2004															ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004															ND	ND	ND	ND	ND	0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/24/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/24/2005																				0	
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	5/31/2005															ND	ND	ND	ND	ND	0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/30/2005															ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/28/2005															ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	3/1/2006															ND	ND	ND	ND	ND	0	
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
						11/27/2006	ND	0.59	ND	ND	ND	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	ND	ND	0.022
						5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	ND	0.008
						8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	ND	0.02
						9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	ND	0.017
						8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
						11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/3/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Mike & Linda	Mittenzwei	141	Mittenzwei-2		SPECPRO	2/21/2007	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Tim & Samantha	Mohrbacher	142	Mohrbacher		SPECPRO	2/20/2007	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						4/19/2011	ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	1	Mueller Guest House		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	2	Mueller North Pond		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	3	Mueller South Pond		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	894	Mueller Sports Medicine		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	895	Mueller Stable		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Mueller Sports Medicine	897	Mueller House		SPECPRO	7/19/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jeane	Mueller	899	Mueller		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	2/28/2005														ND	ND						0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	6/1/2005														ND	ND						0
					NORTHERN LAKES	8/31/2005	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/31/2005														ND	ND						0
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/30/2005														ND	ND						0
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	3/1/2006														ND	ND						0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/30/2006	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	12/7/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/31/2011	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/30/2011	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	February, 2012																					0
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	8/28/2012	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
Peter & Trudi	Mullen	900	Mullen		OLIN	3/29/2004	7.90	ND	2.00	0.30	ND	ND	ND	ND	ND	ND	ND	ND								0	
					DAVY	5/18/2004	ND	1.60	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/2/2006	ND	1.79	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	ND	ND	0.016
					SPECPRO	8/8/2007														ND	0						
Byron	Nelson	905	Nelson		OLIN	4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0	
					DAVY	5/24/2004																					0
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.83	ND	ND	0.013	ND	ND	ND	ND	0.013
					SPECPRO	8/8/2007														ND	0						
Darwin	Nelson	901	Nelson-D		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
Jeffrey	Nimmow	421	Nimmow-J		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND								0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
						10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	1.38	ND	ND	ND	ND								0
						8/5/2008														ND	ND	ND	ND	ND	ND	0	
						7/15/2009														ND	ND	ND	ND	ND	ND	0	
						8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						August 2013	Pump not working; well not sampled																				
John & Anne	Nowotarski	891	Nowotarski			8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/4/2008														ND	ND	ND	ND	ND	ND	0	
						7/16/2009														ND	ND	0.007	ND	ND	ND	0.007	
						December, 2009																				0	
						2/22/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						November, 2010																				0	
						February, 2011																				0	
						6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						November, 2011																				0	
						2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						2/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.02	
						8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
						11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Martin & Carol	Ohlsen	903	Ohlsen	Brinn, Mahoney		2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Frank & Laura	Olah	904	Olah			8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/5/2008														ND	ND	ND	ND	ND	ND	0	
						8/3/2009														ND	ND	ND	ND	ND	ND	0	
						8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						August 2012	Variance granted by the Wisconsin Department of Natural Resources; well not sampled																				
						8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
	Orbital Technologies	324	Orbitec			9/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Otto & Eleanore	Osterland	422	Osterland			8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						8/5/2008														ND	ND	ND	ND	ND	ND	0	
						8/5/2008														ND	ND	ND	ND	ND	ND	0	
						7/20/2009														ND	ND	ND	ND	ND	ND	0	
						7/20/2009														ND	ND	ND	ND	ND	ND	0	
						August 2010																				0	
						August 2011	Water shut off; well not sampled																				
						August 2012	Water shut off; well not sampled																				
						8/14/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
Milford & Kathryn	Paulson	123	Paulson		OLIN	4/19/2004	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/24/2004														ND	ND	ND				0
					SPECPRO	8/2/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jim & Gloria	Pierce	143	Pierce		SPECPRO	2/21/2007		ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/20/2011		ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jeff & Lisa	Powell	833	Powell		SPECPRO	2/20/2007		ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Prairie du Sac Dam	961	Prairie du Sac Dam		OLIN	3/24/2004	0.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004														ND	ND	ND				0
					SPECPRO	7/31/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.19	ND	ND	ND	ND	ND	ND	ND	0
	Prairie du Sac Utilities	911	Prairie du Sac Utilities		OLIN	6/6/2002		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/7/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	12/7/2004														ND	ND					0
					SPECPRO	2/28/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/28/2005														ND	ND					0
					SPECPRO	6/1/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	6/1/2005														ND	ND					0
					NORTHERN LAKES	8/31/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/31/2005														ND	ND					0
					SPECPRO	11/30/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/30/2005														ND	ND					0
					SPECPRO	3/1/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/1/2006														ND	ND					0
					SPECPRO	6/5/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/4/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
						SPECPRO	2/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/1/2011	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	February, 2012																			0	
						BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	3/6/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Rodney	Premo	801	Premo			OLIN	6/6/2002	9.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						OLIN	9/4/2002	11.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	11/26/2002	11.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	3/6/2003	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	6/5/2003	10.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	9/4/2003	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	12/11/2003	10.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	3/11/2004	11.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	12/7/2004													ND	ND					0	
						EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	2/28/2005													ND	ND					0	
						SPECPRO	6/1/2005	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL DENVER	6/1/2005													ND	ND					0	
						NORTHERN LAKES	8/31/2005	12.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	8/31/2005													ND	ND					0	
						SPECPRO	11/30/2005	10.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	11/30/2005													ND	ND					0	
						SPECPRO	3/1/2006	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	3/1/2006													ND	ND					0	
						SPECPRO	5/31/2006	10.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/30/2006	11.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/29/2006	10.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008
						SPECPRO	2/28/2007	9.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/30/2007	9.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/28/2007	9.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/28/2007	9.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/26/2008	11.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/28/2008	11.10	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/25/2008	11.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						SPECPRO	12/1/2008	12.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/15/2010	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/30/2010	12.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/29/2011	13.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	11/27/2012	13.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Michael	Price	180	Price			OLIN	3/24/2004	7.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						DAVY	5/25/2004													ND	0						
						SPECPRO	7/31/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
Mercedes	Priebe	913	Priebe		OLIN	4/13/2004	4.10	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/19/2004	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/19/2004	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	0.01
					PUEBLO	7/26/2004														ND	ND						0
					STL Denver	9/17/04 (10 min)														ND	ND						0
					STL Denver	9/17/04 (30 min)														ND	ND						0
					SPECPRO	5/31/2005	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0
					STL Denver	5/31/2005														ND	ND						0
					NORTHERN LAKES	8/30/2005	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/30/2005														ND	ND						0
						December, 2005																					0
						March, 2006																					0
					SPECPRO	5/31/2006	ND	0.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	ND	0.93	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						March, 2007																					0
					SPECPRO	5/30/2007	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.02
					SPECPRO	8/29/2007	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2008	ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2008	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2009	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2009	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2009	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						February, 2010																					0
					SPECPRO	5/26/2010	ND	1.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/2/2010	ND	0.78	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	0.017
					SPECPRO	11/30/2010	ND	0.96	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	0.86	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	0.87	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2011	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2012	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	0.78	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	0.76	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Dan	Purcell	163	Purcell		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
						9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						12/6/2004														ND	ND					0
						12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						2/23/2005														ND	ND					0
						5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						5/31/2005														ND	ND					0
						8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						8/30/2005														ND	ND					0
						11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						11/29/2005														ND	ND					0
						2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/28/2006														ND	ND					0
						5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/28/2006	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
						11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	0
						8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	0
						8/31/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/11/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						6/11/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	R	R	R	R	R	R	R
						11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
David	Purcell	915	Purcell		BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Gladys	Purcell	916	Purcell		STL/Enchem	9/14/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	1.00		ND	ND	ND						0
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	12/6/2004														ND	ND						0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005														ND	ND						0
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005														ND	ND						0
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/30/2005														ND	ND						0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/29/2005														ND	ND						0
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/28/2006														ND	ND						0
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2006	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					Well was chlorinated																						0
					SPECPRO	5/25/2010	ND	27.5	ND	1.62	5.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	2.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	3/1/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Susan	Puccio	423	Puccio		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/5/2008														ND	0						
					SPECPRO	7/15/2009														ND	0						
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
James & Linda	Ramaker	917	Ramaker		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/22/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	ND	0.018
					SPECPRO	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/2/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	12/1/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/3/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/2/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/29/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Scott & Julie	Ramaker	144	Ramaker		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Sherman & Gena	Raschein	424	Raschein		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/23/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Derek & Jessica	Raschka	148	Raschka		SPECPRO	2/20/2007	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Rose	Revers	425	Revers		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Mark	Richards	118	Richards		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Michael & Sue Dianne	Riley	145	Riley-M		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jeff & Sharon	Rodgers	146	Rodgers		SPECPRO	2/20/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/2/2011	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Judith	Roll	426	Roll		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/15/2009														ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2011	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/23/2012	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Gerald & Margaret	Roth	924	Roth		OLIN	4/6/2004	ND	ND	0.70	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/25/2004	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.70	ND	ND	ND	ND	ND	ND	ND	0
					OLIN(S)	5/25/2004	ND	1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.20	ND	0.08	0.04	ND	0.01		0.13	0
					PUEBLO	7/27/2004														ND	ND					0
					STL Denver	9/24/04 (10 min)														ND	ND					0
					STL Denver	9/24/04 (30 min)														ND	ND					0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total		
						STL Denver	12/7/2004														ND	ND					0	
						EN CHEM	12/28/2004		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						SPECPRO	2/23/2005		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						STL Denver	2/23/2005														ND	ND					0	
						SPECPRO	5/31/2005		ND	3.10	ND	0.20	ND	ND	ND	ND	ND	ND	2.60	ND							0	
						STL Denver	5/31/2005														ND	ND					0	
						NORTHERN LAKES	8/30/2005		ND	1.40	ND	0.28	0.42	ND	ND	ND	ND	ND	1.30	ND							0	
						STL Denver	8/30/2005														ND	ND					0	
						SPECPRO	11/29/2005		ND	0.70	ND	0.20	0.20	ND	ND	ND	ND	ND	4.30	ND							0	
						STL Denver	11/29/2005														ND	ND					0	
						SPECPRO	2/28/2006		ND	1.40	ND	0.40	0.40	ND	ND	ND	ND	ND	6.00	ND	0							
						STL Denver	2/28/2006														ND	ND					0	
						SPECPRO	5/31/2006		ND	0.83	ND	0.34	0.34	ND	ND	ND	ND	ND	4.30	ND	0							
						Also had Chloromethane @ 11.5 ug/L			ND	18.40	2.45	0.57	7.28	ND	ND	ND	ND	ND	26.0	ND	0							
						Also had Chloromethane @ 0.5 ug/L			ND	1.96	ND	0.59	0.87	ND	ND	ND	ND	ND	5.40	ND							0	
						SPECPRO(RE)	9/11/2006																				0	
						SPECPRO	11/28/2006		ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	3.98	ND	0							
						SPECPRO	2/28/2007		ND	1.03	ND	ND	0.29	ND	ND	ND	ND	ND	4.5	ND	ND	0.037	ND	ND	ND	0.037	0	
						SPECPRO	5/30/2007		ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	1.36	ND	0.01	ND	0.025	ND	ND	ND	0.035	0
						SPECPRO	8/29/2007		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.63	ND	0							
						SPECPRO	11/29/2007		ND	1.39	ND	ND	ND	ND	ND	ND	ND	ND	1.85	ND	0							
						SPECPRO	2/26/2008		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.14	ND	0							
						SPECPRO	6/2/2008		ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	2.95	ND	0							
						SPECPRO	8/28/2008		ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0	
						SPECPRO	11/25/2008		ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	1.01	ND	0							
						SPECPRO	2/26/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.37	ND	0							
						SPECPRO	6/1/2009		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	0							
						SPECPRO	8/27/2009		ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	0.72	ND	ND	0.017	ND	ND	ND	0.017	0	
						SPECPRO	12/3/2009		ND	0.73	ND	0.39	0.37	ND	ND	ND	ND	ND	2.1	ND	0							
						SPECPRO	3/1/2010		ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	2.74	ND	0							
						SPECPRO	5/27/2010		ND	1.41	ND	ND	ND	ND	ND	ND	ND	ND	2.44	ND	0							
						SPECPRO	9/2/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	0							
						SPECPRO	12/2/2010		ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	1.88	ND	0							
						SPECPRO	2/28/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.67	ND	0							
						SPECPRO	6/6/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.02	ND	0							
						SPECPRO	8/31/2011		ND	0.94	ND	0.21	0.29	ND	ND	ND	ND	ND	0.98	ND	0							
						SPECPRO	12/1/2011		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.97	ND	0							
						SPECPRO	3/1/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.64	ND	0							
						BTS, LLC	6/6/2012		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.53	ND	0							
						BTS, LLC	8/29/2012		ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	1.14	ND	R	R	R	R	R	R	R	0
						BTS, LLC	11/29/2012		ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	3.48	ND	0							
						BTS, LLC	2/28/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.7	ND	0							
						BTS, LLC	6/3/2013		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.14	ND	0							
John & Mary	Roth	192	Roth			OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
						DAVY	5/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.70	ND	0							
						SPECPRO	8/8/2006		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.02	ND	ND	0.017	ND	ND	ND	0.017	0	
						SPECPRO	8/8/2007														ND	ND	ND	ND	ND	ND	0	
						SPECPRO(D)	8/8/2007														ND	ND	ND	ND	ND	ND	0	
						SPECPRO	9/2/2010		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	0							
Kristi	Schiffman	998	Schiffman			OLIN	6/6/2002	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
†23 Feb 2011 - changed from Michael & Kristi Nimmow							OLIN	9/4/2002	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					OLIN	11/26/2002	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	0.03
					OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	0.021
					OLIN	3/30/2004	3.80	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01
					DAVY(S)	4/20/2004														ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/04 (10 min)	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/04 (30 min)														ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND	ND	ND	ND	0	
					EN CHEM	12/28/2004	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005														ND	ND				0	
					SPECPRO	6/1/2005	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND				0	
					NORTHERN LAKES	8/31/2005	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/31/2005														ND	ND				0	
					SPECPRO	11/30/2005	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/30/2005														ND	ND				0	
					STL Denver(D)	1/18/2006														ND	ND				0	
					SPECPRO	3/1/2006	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					STL Denver	3/1/2006														ND	0.029				0.029	
					SPECPRO	6/6/2006	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	6/6/2006														ND	ND				0	
					SPECPRO	8/30/2006	0.74	0.49	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/30/2006														ND	ND				0	
					SPECPRO	11/27/2006	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	5/30/2007	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO	8/29/2007	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO	5/28/2008	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	0.012
					SPECPRO	8/27/2008	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/26/2008	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	ND	ND	0.009
					SPECPRO	2/25/2009	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2009	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	8/26/2009	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	0.35	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.53	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	0.36	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2011	ND	0.34	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2011	ND	0.27	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2011	ND	0.28	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	0.28	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

				All results are expressed as µg/l (micrograms per liter)																						
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
						SPECPRO	2/29/2012	ND	0.27	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	6/6/2012	ND	0.29	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/29/2012	ND	0.29	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
						BTS, LLC	11/28/2012	ND	0.28	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	2/27/2013	ND	0.35	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	5/29/2013	ND	0.33	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/21/2013	ND	0.26	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	0.015
Gary & Sandra	Schlender	931	Schlender			OLIN	3/23/2004	4.26	ND	2.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	0.03	
				Koenig		DAVY(S)	4/20/2004														ND	ND	ND	ND	0	
				Ballweg		DAVY	5/20/2004	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						OLIN(S)	5/20/2004	ND	2.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.02	
						PUEBLO	7/26/2004	*contamination also found in field blank; data considered ND												ND	0.014*	ND	ND	ND	0	
						STL Denver	9/23/04 (10 min)													ND	ND				0	
						STL Denver	9/23/04 (30 min)													ND	ND				0	
						EN CHEM	12/7/2004	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						EN CHEM(D)	12/29/2004	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	12/7/2004													ND	ND				0	
						STL Denver(D)	12/29/2004													ND	ND				0	
						SPECPRO	2/24/2005	ND	2.30	ND	ND	ND	ND	ND	0.52	ND	ND	ND	ND						0	
						STL Denver	2/24/2005													ND	ND				0	
						SPECPRO(D)	2/24/2005	ND	2.30	ND	ND	ND	ND	ND	0.51	ND	ND	ND	ND						0	
						STL Denver(D)	2/24/2005													ND	ND				0	
						SPECPRO	5/31/2005	ND	2.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	5/31/2005													ND	ND				0	
						SPECPRO(D)	5/31/2005	ND	2.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver(D)	5/31/2005													ND	ND				0	
						NORTHERN LAKES	8/30/2005	ND	1.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	8/30/2005													ND	ND				0	
						NORTHERN LAKES(D)	8/30/2005	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver(D)	8/30/2005													ND	ND				0	
						SPECPRO	11/29/2005	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver	11/29/2005													ND	ND				0	
						SPECPRO(D)	11/29/2005	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
						STL Denver(D)	11/29/2005													ND	ND				0	
						SPECPRO	2/28/2006	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.013			0.013	
						STL Denver	2/28/2006													ND	0.030				0.03	
						SPECPRO(D)	2/28/2006	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.015			0.015	
						STL Denver(D)	2/28/2006													ND	0.030				0.03	
						SPECPRO	6/5/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.010	ND	ND	ND	0.01
						STL Denver	6/5/2006													ND	ND				0	
						SPECPRO(D)	6/5/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.010	ND	ND	ND	0.01
						STL Denver(D)	6/5/2006													ND	ND				0	
						SPECPRO	8/29/2006	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.012	ND	ND	ND	0.012
						STL Denver	8/29/2006													ND	ND				0	
						SPECPRO(D)	8/29/2006	ND	1.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.013	ND	ND	ND	0.013
						STL Denver(D)	8/29/2006													ND	ND				0	
						SPECPRO	11/28/2006	ND	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	0
						STL Denver	11/28/2006													ND	ND				0	
						SPECPRO(D)	11/28/2006	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	0
						STL Denver(D)	11/28/2006													ND	ND				0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	3/1/2007	ND	1.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO(D)	3/1/2007	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	6/4/2007	ND	1.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	0.013
					SPECPRO(D)	6/4/2007	ND	1.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	0.013
					SPECPRO	8/29/2007	ND	1.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/29/2007	ND	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2007	ND	1.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	11/28/2007	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2008	ND	1.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO(D)	2/28/2008	ND	1.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	0.014
					SPECPRO	5/29/2008	ND	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	0.012
					SPECPRO(D)	5/29/2008	ND	1.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND	ND	ND	ND	0.011
					SPECPRO	8/28/2008	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO(D)	8/28/2008	ND	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	12/1/2008	ND	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	12/1/2008	ND	1.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/26/2009	ND	1.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO(D)	2/26/2009	ND	1.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					SPECPRO	6/1/2009	ND	2.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018
					SPECPRO(D)	6/1/2009	ND	2.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2009	ND	1.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO(D)	8/25/2009	ND	1.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					SPECPRO	12/3/2009	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.015
					SPECPRO(D)	12/3/2009	ND	1.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO	2/25/2010	ND	1.14	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/25/2010	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2010	ND	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	5/27/2010	ND	1.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/2/2010	ND	1.26	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	0.017
					SPECPRO(D)	9/2/2010	ND	1.22	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					SPECPRO	12/2/2010	ND	1.1	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	12/2/2010	ND	1.14	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2011	ND	1.11	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/24/2011	ND	1.05	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/6/2011	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	6/6/2011	ND	1.04	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2011	ND	1.12	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	9/1/2011	ND	1.15	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2011	ND	1.09	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	0.025
					SPECPRO(D)	12/1/2011	ND	1.09	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	0.025
					SPECPRO	3/1/2012	ND	1.1	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	3/1/2012	ND	1.09	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/7/2012	ND	0.98	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					BTS, LLC(D)	6/7/2012	ND	0.95	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	0.022
					BTS, LLC	8/30/2012	ND	1.09	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC(D)	8/30/2012	ND	1.1	0.35	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	0
					BTS, LLC	11/29/2012	ND	0.99	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	11/29/2012	ND	1.01	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/28/2013	ND	1.04	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					BTS, LLC(D)	2/28/2013	ND	0.84	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	0.018

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																			
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					BTS, LLC	6/3/2013	ND	0.97	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	0.016
					BTS, LLC(D)	6/3/2013	ND	0.93	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	0.019
					BTS, LLC(D)	8/22/2013	ND	0.74	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	0.023
Brian	Schwarz	198	Schwarz		OLIN	4/7/2004	4.90	1.40	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.01	ND	ND	ND	ND	0.02
					DAVY(S)	4/20/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Richard & Patricia	Sereg	933	Sereg	Roemer	SPECPRO	2/20/2007	ND	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	4/19/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Diane - Robert	Sinklair	110	Sinklair #1		OLIN	3/22/2004	3.94	1.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	0.94	ND	ND	ND	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	1.04	ND	ND	ND	ND	ND	ND	0.32	0.85	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Robert	Sinklair	111	Sinklair #2		OLIN	3/22/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	40.0	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.21	ND	ND	ND	ND	ND	ND	ND	0
Robert	Sinklair	112	Sinklair #3		OLIN	3/22/2004	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	24.0	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.76	ND	ND	ND	ND	ND	ND	ND	0
Kent & Tamara	Smith	114	Smith		OLIN	3/30/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	150.0	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	90.7	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	87.8	ND	0.01	ND	ND	ND	ND	ND	0.01
					SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Roger & Eva	Spear	803	Spear		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					OLIN	5/27/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	3/15/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	2/25/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver(D)	3/15/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO(D)	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver(D)	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					NORTHERN LAKES(D)	8/30/2005	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver(D)	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
						STL Denver	11/29/2005														ND	ND					0
						SPECPRO(D)	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
						STL Denver(D)	11/29/2005														ND	ND					0
						SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver	2/28/2006														ND	ND					0
						SPECPRO(D)	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						STL Denver(D)	2/28/2006														ND	ND					0
						SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO(D)	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/29/2006	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO(D)	8/29/2006	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	ND	0.008
						SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO(D)	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO(D)	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
						SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	0
						SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	0
						SPECPRO	5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	ND	ND	0.018
						SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	0
						SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.31	ND	ND	ND	ND	ND	ND	0
						SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND	ND	ND	ND	ND	ND	0
						SPECPRO	11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4	ND	ND	ND	ND	ND	ND	0
						SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.36	R	R	R	R	R	R	R
						BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND	ND	ND	ND	ND	ND	0
						BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.29	ND	ND	ND	ND	ND	ND	0
Joseph & Patricia	Spurgeon	190	Spurgeon			OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						DAVY(S)	4/19/2004														ND	ND	ND	ND			0
						DAVY	5/20/2004														ND	ND	ND				0
						SPECPRO	8/8/2006	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Kevin & Michele	Statz	427	Statz			SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
						SPECPRO	8/5/2008														ND	ND	ND	ND	ND	ND	0
						SPECPRO	7/16/2009														ND	ND	ND	ND	ND	ND	0
						SPECPRO(D)	7/16/2009														ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC(D)	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Larry	Stepenske	858	Stepenske		SPECPRO	2/20/2007	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/20/2011	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gary & Christine	Stima	942	Stima		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Breunig	DAVY	5/20/2004														ND	ND	ND			0	
				Johnson	SPECPRO	6/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.44	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.41	ND	ND	ND	ND	ND	ND	0	
Gregory	Stratton	943	Stratton		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Kris	Kohlman Prop. Mgmt.	945	Summer Oaks		SPECPRO	2/21/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	4/21/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					Tri-County Co-op	948	Co-op Country Partners	OLIN	4/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/25/2004														ND	ND	ND			0	
					SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.38	ND	ND	ND	ND	ND	ND	0	
Tracy	Troestler	186	Troestler		OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Allen	DAVY	5/20/2004														ND	ND	ND			0	
				Straub	SPECPRO	8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.45	ND	ND	ND	ND	ND	ND	0	
Herman	Tschudy	950	Tschudy #1		OLIN	3/22/2004	5.08	0.40	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	4/19/2004														ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.40	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	7/31/2006	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Herman	Tschudy (owner)	108	Tschudy #2		OLIN	4/6/2004	2.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72	ND	ND	ND	ND	ND	ND	0	
Bob & Anita	Unger	199	Unger		OLIN	4/7/2004	4.17	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/1/2006	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.008	
					SPECPRO	2/26/2008	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
George	Urban	161	Urban	(old Dischler res)	OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Wilhelm	DAVY	5/20/2004														ND	ND	ND			0	
					STL Denver	9/24/04 (10 min)														ND	ND				0	
					STL Denver	9/24/04 (30 min)														ND	ND				0	
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0	ND						0	
					STL Denver	12/6/2004														ND	ND				0	
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/23/2005														ND	ND				0	
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.2	ND						0	
					STL Denver	5/31/2005														ND	ND				0	
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.0	ND						0	
					STL Denver	8/29/2005														ND	ND				0	
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.5	ND						0	
					STL Denver	11/28/2005														ND	ND				0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
						2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	ND	0
						2/27/2006													ND	ND					0	
						5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.7	ND	ND	0.007	ND	ND	ND	0.007	
						8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.93	ND	ND	0.007	ND	ND	ND	0.007	
						11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.28	ND	ND	ND	ND	ND	ND	0	
						2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.36	ND	ND	0.014	ND	ND	ND	0.014	
						5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.11	ND	ND	ND	ND	ND	ND	0	
						8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.68	ND	ND	ND	ND	ND	ND	0	
						11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.24	ND	ND	ND	ND	ND	ND	0	
						2/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.59	ND	ND	ND	ND	ND	ND	0	
						5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	0	
						8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.62	R	R	R	R	R	R	0	
						11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.85	ND	ND	ND	ND	ND	ND	0	
						2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.57	ND	ND	ND	ND	ND	ND	0	
						5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.77	ND	ND	0.014	ND	ND	ND	0.014	
						8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	0	
						12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.51	ND	ND	ND	ND	ND	ND	0	
						2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.38	ND	ND	ND	ND	ND	ND	0	
						5/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.86	ND	ND	ND	ND	ND	ND	0	
						9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.67	ND	ND	ND	ND	ND	ND	0	
						11/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	0	
						2/23/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.96	ND	ND	ND	ND	ND	ND	0	
						6/1/2011	ND	ND	ND	ND	ND	0.23	ND	ND	ND	ND	ND	6.14	ND	0.018	ND	ND	ND	ND	0.018	
						8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.15	ND	ND	ND	ND	ND	ND	0	
						11/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	0	
						2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.67	ND	ND	ND	ND	ND	ND	0	
						6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.58	ND	ND	ND	ND	ND	ND	0	
						8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.67	R	R	R	R	R	R	R	
						11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.57	ND	ND	ND	ND	ND	ND	0	
						2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.08	ND	ND	ND	ND	ND	ND	0	
						5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.56	ND	ND	ND	ND	ND	ND	0	
Douglas & Karen	Volker	952	Volker			4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
						4/12/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						5/24/2004													ND	ND	ND	ND	ND	ND	0	
						8/7/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	0	
	Water's Edge	158	WE-QN039	Hilgemann(old Dudek)		4/13/2004	3.38	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0		
				Rezai		5/26/2004	ND	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						9/17/04 (10 min)													ND	ND					0	
						12/6/2004	ND	ND	1.70	ND	ND	ND	ND	0.20	ND	ND	ND	ND	ND						0	
						12/6/2004													ND	ND					0	
						2/23/2005	ND	ND	1.70	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						2/23/2005													ND	ND					0	
						5/31/2005	ND	ND	2.20	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						5/31/2005													ND	ND					0	
						8/29/2005	ND	ND	1.80	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						8/29/2005													ND	ND					0	
						11/28/2005	ND	ND	2.10	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						11/28/2005													ND	ND					0	
						2/27/2006	ND	ND	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
						2/27/2006													ND	ND					0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	5/30/2006	ND	1.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	1.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	2.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	2.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	1.94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	1.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	1.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	1.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	1.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	1.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	1.06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	1.14	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	1.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	1.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	1.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	1.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.96	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge	157	WE-QR441	Hemberger	OLIN	4/13/2004	6.74	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Pattarozzi	DAVY	5/26/2004	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				Troestler	STL Denver	9/17/04 (10 min)														ND	ND				0	
					STL Denver	9/17/04 (30 min)														ND	ND				0	
					SPECPRO	12/6/2004	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	12/6/2004													ND	ND					0	
					SPECPRO	2/23/2005	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/23/2005													ND	ND					0	
					SPECPRO	5/31/2005	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	5/31/2005													ND	ND					0	
					NORTHERN LAKES	8/29/2005	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	8/29/2005													ND	ND					0	
					SPECPRO	11/28/2005	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	11/28/2005													ND	ND					0	
					SPECPRO	2/27/2006	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006													ND	0.045					0.045	0
					SPECPRO	5/30/2006	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	5/30/2006													ND	ND					0	
					SPECPRO	8/28/2006	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/27/2007	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	1.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	1.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	1.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				BTS, LLC	6/4/2012	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				BTS, LLC	8/27/2012	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
				BTS, LLC	11/26/2012	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				BTS, LLC	2/25/2013	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				BTS, LLC	5/28/2013	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				BTS, LLC	8/19/2013	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge	159	WE-RD430	Ford	OLIN	4/13/2004	1.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Madden	DAVY	5/26/2004														ND	ND	ND				0
				Bastien/Eddy	STL Denver	9/17/04 (10 min)														ND	ND					0
					STL Denver	9/17/04 (30 min)														ND	ND					0
					SPECPRO	12/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	12/6/2004														ND	ND					0
					SPECPRO	2/23/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005														ND	ND					0
					SPECPRO	5/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005														ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/29/2005														ND	ND					0
					SPECPRO	11/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/28/2005														ND	ND					0
					SPECPRO	2/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/27/2006														ND	ND					0
					SPECPRO	5/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	11/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	2/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.17	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013														ND	ND	ND	ND	ND	ND	0
	Water's Edge	153	WE-RM383	Good	OLIN	7/15/2004														0.014	ND	ND	ND			0.014
					DAVY	7/15/2004														ND	ND	ND				0
					SPECPRO	12/6/2004	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	12/6/2004														ND	ND					0
					SPECPRO	2/23/2005	ND	0.069	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005														ND	ND					0
					SPECPRO	5/31/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005														ND	0.013					0.013
					NORTHERN LAKES	8/29/2005	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/29/2005														ND	ND					0
						December, 2005																				0
						March, 2006																				0
					SPECPRO	5/30/2006	ND	0.062	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					STL Denver	5/30/2006														0.029	ND					0.029
					SPECPRO	7/30/2006														0.014	ND	ND	ND	ND	ND	0.014
					SPECPRO	8/28/2006	ND	0.91	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	ND	ND	0.014
					STL Denver	8/28/2006														ND	ND					0
					SPECPRO	11/27/2006	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	ND	0.018
					STL Denver	11/27/2006														ND	ND					0
					SPECPRO	2/27/2007	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015
					SPECPRO	5/29/2007	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015
					SPECPRO(D)	5/29/2007	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015
					SPECPRO(D)	8/27/2007	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021
					SPECPRO(D)	11/26/2007	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02
					SPECPRO	2/25/2008	ND	0.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	1.09	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	1.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	1.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	1.44	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	1.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	1.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	1.67	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	1.8	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	1.79	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	1.75	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	2.04	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013	ND	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge		WE-RR541 (House)	Miller	OLIN	4/13/2004	4.91	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.01	ND	ND			0.02	
				(old Wold res)	DAVY(S)	4/20/2004														ND	ND	ND				0	
					DAVY	5/26/2004	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.070	ND	ND				0.07	
					OLIN(S)	5/26/2004	ND	1.80	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.082	0.011	ND	ND			0.093	
					OLIN	6/17/2004														0.061	0.005	ND	ND			0.066	
					DAVY(S1)	6/17/2004														0.070	ND	ND				0.07	
					PUEBLO(S2)	6/17/2004														0.0633	0.0045					0.0678	
					OLIN	7/15/2004														0.064	0.007	ND	ND			0.071	
					DAVY(S)	7/15/2004														0.020	ND	ND				0.02	
					PUEBLO	8/3/2004														0.0616	0.0039					0.0655	
					STL Denver	9/17/04 (10 min)														0.055	ND					0.055	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
																											Level of Detection
					STL Denver	9/17/04 (30 min)															0.052	ND					0.052
			WE-RR541 (Well)		OLIN	7/15/2004															0.063	0.006	ND	ND			0.069
			(Well)		DAVY(S)	7/15/2004															ND	ND	ND				0
					SPECPRO	12/6/2004	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	12/29/2004															0.102	0.008	ND	ND			0.11
					STL Denver	12/6/2004															0.055	ND					0.055
																											0
	Water's Edge	165	NEW REPLACEMT. WELL		STL Denver	1/13/2005															ND	ND					0
			WE-SQ001	Miller	SPECPRO	2/23/2005	ND	15.00	ND	ND	ND	0.3	ND	ND	1.5	ND		ND									0
				(old Wold res)	STL Denver	2/23/2005															ND	ND					0
					ENCHEM	4/19/2005	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	5/31/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005															ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/28/2006	ND	0.77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/27/2006	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/27/2007	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/29/2007	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/27/2007	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/26/2007	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/25/2008	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/27/2008	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/25/2008	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/23/2009	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/26/2009	ND	0.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/24/2009	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/30/2009	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/22/2010	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	5/24/2010	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/31/2010	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/29/2010	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	February, 2011																					0
					SPECPRO	5/31/2011	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	8/29/2011	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	11/28/2011	ND	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					SPECPRO	2/27/2012	ND	0.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	6/4/2012	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	8/27/2012	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	1.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	2/25/2013	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	5/28/2013	ND	1.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					BTS, LLC	8/19/2013	ND	1.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
	Water's Edge	156	WE-RR542	Heffron, Sr.	OLIN	4/13/2004	6.41	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
				Picard	DAVY	5/26/2004	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	7/15/2004															0.018	0.005	ND	ND			0.023
					DAVY(S)	7/15/2004															ND	ND	ND				0
					STL Denver	9/17/04 (10 min)															ND	ND					0
					STL Denver	9/17/04 (30 min)															ND	ND					0
					SPECPRO	12/6/2004	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	12/6/2004															ND	ND					0
					SPECPRO	2/23/2005	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	2/23/2005															ND	ND					0
					SPECPRO	5/31/2005	ND	0.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	5/31/2005															ND	ND					0
					NORTHERN LAKES	8/29/2005	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013															ND	ND	ND	ND	ND	ND	0
	Water's Edge	169	WE-RR598	Ohlsen	NORTHERN LAKES	8/29/2005	ND	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
				Chow	STL Denver	8/29/2005															ND	ND					0
				Jaime/Hilgemann	SPECPRO	11/28/2005	ND	0.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
				Hartmann	STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	1.02	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R
					BTS, LLC	11/26/2012	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013															ND	ND	ND	ND	ND	ND	0
	Water's Edge	170	WE-SQ002	Neumaier	NORTHERN LAKES	8/29/2005	ND	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/29/2005															ND	ND					0
					SPECPRO	11/28/2005	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND								0
					STL Denver	11/28/2005															ND	ND					0
					SPECPRO	2/27/2006	ND	0.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	2/27/2006															ND	ND					0
					SPECPRO	5/30/2006	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2006	ND	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	0.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	1.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	0.017
					SPECPRO	8/25/2008	ND	0.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	2/23/2009	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.47	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013																				0
	Water's Edge	174	WE-TF023	Hilgemann	SPECPRO	5/30/2006	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					STL Denver	5/30/2006																				0
					SPECPRO	8/28/2006	ND	1.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/27/2006	ND	0.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2007	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	0.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	0.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2008	ND	1.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	0.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/25/2013	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013																				0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

						All results are expressed as µg/l (micrograms per liter)																					
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
	Water's Edge	129	WE-TM599	Riordan	SPECPRO	2/27/2007	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.014
					SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	0.17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/31/2010	ND	0.97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	November, 2010																					0
					SPECPRO	February, 2011																					0
					SPECPRO	5/31/2011	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	November, 2011																					0
					SPECPRO	February, 2012																					0
					BTS, LLC	6/4/2012	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	November, 2012																					0
					BTS, LLC	February, 2013																					0
					BTS, LLC	5/28/2013	ND	0.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013														ND	0						
	Water's Edge	430	WE-UA288	Gust, Lochner	SPECPRO	8/27/2007	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/26/2007	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
							NEW WELL INSTALLED																				
		431	WE-UK125 NEW REPLACEMENT		SPECPRO	2/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					SPECPRO	11/24/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/23/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/22/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/31/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/29/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/4/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	0
					BTS, LLC	11/26/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																									
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					BTS, LLC	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/28/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/19/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	Water's Edge	432	WE-UK124	Whalen	SPECPRO	2/25/2008	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	0.89	ND	ND	0.069	ND	ND	ND	ND	ND	0.069	
					SPECPRO	4/1/2008	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND	ND	ND	ND	0.026	
					SPECPRO	5/27/2008	ND	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND	ND	ND	ND	0.036	
					SPECPRO(D)	5/27/2008	ND	0.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02	
					SPECPRO	8/25/2008	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO(D)	8/25/2008	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/24/2008	ND	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	11/24/2008	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/23/2009	ND	0.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/23/2009	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/26/2009	ND	0.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	5/26/2009	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/24/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02	
					SPECPRO(D)	8/24/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	ND	0.019	
					SPECPRO	12/1/2009	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	ND	0.019	
					SPECPRO(D)	12/1/2009	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/22/2010	ND	0.56	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	2/22/2010	ND	0.57	0.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/24/2010	ND	0.58	0.14	ND	ND	0.24	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND	ND	ND	ND	0.023	
					SPECPRO(D)	5/24/2010	ND	0.57	0.1	ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2010	ND	0.58	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	ND	ND	ND	ND	0.016	
					SPECPRO(D)	8/30/2010	ND	0.54	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2010	ND	0.55	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO(D)	11/29/2010	ND	0.57	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/22/2011	ND	0.41	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND	ND	ND	ND	0.024	
					SPECPRO(D)	2/22/2011	ND	0.46	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/31/2011	ND	0.4	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	ND	0.022	
					SPECPRO(D)	5/31/2011	ND	0.43	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND	ND	ND	ND	0.019	
					SPECPRO	8/29/2011	ND	0.35	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO (D)	8/29/2011	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2011	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO (D)	11/28/2011	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/27/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO (D)	2/27/2012	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/4/2012	ND	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC(D)	6/4/2012	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/27/2012	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	
					BTS, LLC(D)	8/27/2012	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	R	R	
					BTS, LLC	11/26/2012	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	ND	0.025	
					BTS, LLC(D)	11/26/2012	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND	ND	ND	ND	0.024	
					BTS, LLC	2/25/2013	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015	
					BTS, LLC(D)	2/25/2013	ND	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	ND	0.015	
					BTS, LLC	5/28/2013	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02	
					BTS, LLC(D)	5/28/2013	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND	ND	ND	ND	0.021	
					BTS, LLC	8/19/2013	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.02	
					BTS, LLC(D)	8/19/2013	ND	0.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	ND	0.022	
	Water's Edge	433	WE-UA297	Krisko	BTS, LLC	5/28/2013	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	By:	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					BTS,LLC	8/19/2013															ND	ND	ND	ND	ND	ND	0
Bob or Diane	Wenger	414	Wenger		SPECPRO	8/6/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO(D)	10/15/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0
					SPECPRO	8/4/2008															ND	ND	ND	ND	ND	ND	0
					SPECPRO	7/16/2009															ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	1.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	0.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
David & Lynn	Werderits	116	Werdertis		OLIN	3/29/2004	3.04	ND	0.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/18/2004	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/2/2006	ND	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Paul & Barb	Weum	802	Weum (old Carl Graf)		OLIN	6/6/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	11/26/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/6/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	6/5/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	9/4/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	12/11/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/11/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/30/2004	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY(S)	3/30/2004	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND					0	
					EN CHEM	12/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	2/28/2005														ND	ND					0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						0	
					STL Denver	6/1/2005														ND	ND					0	
					NORTHERN LAKES	8/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	8/30/2005														ND	ND					0	
					SPECPRO	11/29/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							0	
					STL Denver	11/29/2005														ND	ND					0	
					SPECPRO	2/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/28/2006														ND	ND					0	
					SPECPRO	5/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/28/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	3/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/27/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
						March, 2008																				0	
					SPECPRO	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01
					SPECPRO	8/26/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0	
					SPECPRO	11/25/2008	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/24/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NC	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

		All results are expressed as µg/l (micrograms per liter)																								
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
					SPECPRO	8/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
				(old Carl Graf)	SPECPRO	2/23/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	5/25/2010	ND	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/22/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	6/1/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	11/29/2011	ND	1.3	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	6/5/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Gregory & Laurie	Wilkinson	428	Wilkinson		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	0	
					SPECPRO(D)	8/4/2008														ND	ND	ND	ND	ND	0	
					SPECPRO	8/3/2009														ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/21/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Kevin & Cindy	Woods	429	Woods		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/4/2008														ND	ND	ND	ND	ND	0	
					SPECPRO	7/16/2009														ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
Richard & Okla	Yanke	191	Yanke		OLIN	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
				Luetscher	DAVY(S)	3/23/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					DAVY	5/20/2004														ND	ND	ND	ND	ND	0	
					SPECPRO	8/8/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.41	ND	ND	ND	ND	ND	ND	0	
Larry	Zander	849	Zander (old Hanson)		OLIN	3/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	3/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					OLIN	5/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL/Enchem	9/14/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	12/7/2004														ND	ND				0	
					EN CHEM	12/28/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					SPECPRO	2/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
					STL Denver	2/28/2005														ND	ND				0	
					SPECPRO	6/1/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.20	ND						0	
					STL Denver	6/1/2005														ND	ND				0	
					NORTHERN LAKES	8/31/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.30	ND						0	
					STL Denver	8/31/2005														ND	ND				0	
					SPECPRO	11/30/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.50	ND						0	
					STL Denver	11/30/2005														ND	ND				0	
					SPECPRO	3/1/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.10	ND	ND	ND	ND	ND	ND	0	

Badger Army Ammunition Plant Residential Groundwater Test Results - History

							All results are expressed as µg/l (micrograms per liter)																				
First Name	Last Name	Well No.	Well in Name Of	Shared With:	Sample Analyzed	Date of Sample	Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total	
					STL Denver	3/1/2006															ND	ND					0
					SPECPRO	6/5/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.52	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/29/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/4/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/28/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/29/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.12	ND	R	R	R	R	R	R	R	R	0
					SPECPRO	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/26/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/2/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	5/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	9/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	12/1/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/24/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	6/6/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	11/30/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	2/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	6/6/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/28/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.33	ND	R	R	R	R	R	R	R	R	0
					BTS, LLC	11/27/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	2/26/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	5/29/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Darwin & Mary	Zick	965	Zick		OLIN	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND				0	
				Zick, J.	DAVY(S)	4/6/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND				0	
					DAVY	5/19/2004														ND	ND	ND				0	
					SPECPRO	7/31/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Darwin & Mary	Zick	125	Zick-2		SPECPRO	8/2/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Allen & Jannelle	Zurbachen	967	Zurbachen-A		SPECPRO	8/7/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/4/2008														ND	ND	0.02	ND	ND	ND	0.02	
					SPECPRO	8/25/2008														ND	0						
					SPECPRO	7/16/2009														ND	0						
					SPECPRO	8/25/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					SPECPRO	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
					BTS, LLC	8/20/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
MAPLE PARK RESIDENTIAL WELL TESTING RESULTS (one time only)																											
Bernie	Witte	907	Witte		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Alvin and Monica	Dyrud	907	Dyrud		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Guy	Wells	991	Wells		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Jerry	Black	166	Black		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Mike	Emery	167	Emery		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
Russell	Moely	979	Moely		SPECPRO	6/27/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0

**Badger Army Ammunition Plant
Residential Groundwater Test Results - History**

							All results are expressed as µg/l (micrograms per liter)																						
Sep '13 Round Level of Detection Level of Quantitation 2,3-DNT 0.014 0.042 2,4-DNT 0.014 0.042 2,5-DNT 0.014 0.042 2,6-DNT 0.014 0.042 3,4-DNT 0.014 0.042 3,5-DNT 0.014 0.042 *Level of detection and Level of quantitation may change each round.		= Under PAL and ES = Over Preventive Action Limit (PAL) = Over Enforcement Standard (ES) = No PAL or ES established = Not Tested ND = Compound was not detected R = Data was rejected during validation		Well No. First Name Last Name Pat Bram		Well in Name Of Shared With: Bram		By: Date of Sample SPECPRO 6/27/2005		Nitrate as N (mg/L)	Dichlorodifluoromethane	Chloroform	Carbon Tetrachloride	Dibromochloromethane	Bromodichloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Toluene	Xylenes	Ethyl Ether	1,1,2-Trichloroethane	2,6-Dinitrotoluene	2,4-Dinitrotoluene	2,3-Dinitrotoluene	3,4-Dinitrotoluene	2,5-Dinitrotoluene	3,5-Dinitrotoluene	Dinitrotoluene, Total
							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	

* The field blank corresponding to this sample contained 2,4-DNT at 0.0169 µg/l, and 2,6-DNT at 0.0198 µg/l. Data has been qualified UB#. Where # is 5X the value of the field blank contamination. Data are considered undetected values.

Notes:
Ethyl Ether PAL and ES effective 1 January 2011
Dinitrotoluene, Total PAL and ES effective 1 January 2011