

LTA: 212Ka05NAME:
Webb Lake Collapsed BarrensACRES:
148221.12SQUARE MILES:
231.596**DESCRIPTION:**

The characteristic landform pattern is rolling collapsed outwash plain with lakes common. Soils are predominantly excessively drained loamy sand over outwash. Common habitat types include PAm, QGCe, and forested lowland.

CLIMATE

| CODE | PERCENT |
|------|---------|
| 19 | 0 |
| 23 | 4 |
| 30 | 15 |
| 31 | 81 |

GEOLOGYBEDROCK TYPE DESCRIPTION
Igneous, Metamorphic, and Volcanic RockAVERAGE DEPTH
TO BEDROCK
10000BEDROCK DEPTH
DESCRIPTION
Bedrock is between 100 feet and 50 feet of the land surface**GEOMORPHOLOGY**GEOMORPHOLOGY PROCESS
Glacial Meltwater DepositionTOPOGRAPHY
RollingSURFACE
Pitted Outwash Plain**SOIL INFORMATION****SOIL ASSOCIATIONS**

Mahtomedi-Menahga-Graycalm-Seelyeville-Loxley

SOIL DESCRIPTION

Excessively drained sandy soils with a loamy sand surface over non-calcareous gravelly sand or sand outwash, along with very poorly drained nonacid and acid organic soils.

SURFACE TEXTURES
LS-MK-PTGENERAL TEXTURES
Sandy-MuckyFAMILY TEXTURES
SDRAINAGE CLASSES
ED-VPDPARENT MATERIAL
Outwash-Organic**KOTAR'S HABITAT**

| HABITAT 1 | HABITAT 2 | HABITAT 3 | HABITAT 4 | HABITAT 5 | HABITAT 6 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| PAm | QGCe | Lowland | | | |

*Listed in order of probability occurrence, with each having an occurrence of 10% or greater

WISCLAND LAND COVER

| COVER TYPE CLASS | ACRES | PERCENT |
|--------------------------------|-------|---------|
| Agricultural Land | 899 | 1 |
| Bare Land | 225 | 0 |
| Forested Wetland | 11809 | 8 |
| Grassland | 11366 | 8 |
| High Intensity Urban Area | 68 | 0 |
| Low Intensity Urban Area | 174 | 0 |
| Nonforested Wetland | 13754 | 9 |
| Open Water | 15293 | 10 |
| Shrubland | 7038 | 5 |
| Upland Broad-leaved Deciduous | 63555 | 43 |
| Upland Coniferous Forest | 15988 | 11 |
| Upland Mixed Deciduous/Conifer | 8054 | 5 |

FINLEY'S PRESETTLEMENT VEGETATION INFORMATION

| CODE | PERCENT | DEFINITION |
|--------------|---------|---|
| Hydrographic | 5 | Water |
| HH/P | 0 | Hemlock, Sugar Maple, Yellow Birch, White Pine, Red Pine |
| NH/P | 0 | Sugar Maple, Yellow Birch, White Pine, Red Pine |
| PW/PR | 4 | White Pine, Red Pine |
| PJ/OX | 77 | Jack Pine, Scrub Oak and Barrens |
| ABW/P | 0 | Aspen, White Birch, Pine |
| NH/O | 0 | Sugar Maple, Basswood, Red Oak, White Oak, Black Oak |
| OO | 0 | Oak - Black, White, and Burr Oak |
| UB | 0 | Brush |
| SC | 4 | Swamp Conifers - White Cedar, Black Spruce, Tamarack, Hemlock |
| LH | 0 | Lowland Hardwoods - Willow, Soft Maple, Box Elder, Ash, Elm, Cotton Wood, River Birch |

HYDROLOGY

| PERENNIAL STREAMS | INTERMITTENT STREAMS | OPEN WATER | MARSH ACRES | DEPTH TO AQUIFER | SURFACE DRAINAGE |
|-------------------|----------------------|-------------|-------------|------------------|------------------|
| 120 Miles | 3 Miles | 15890 Acres | 15816 Acres | 20'-50' | deranged |