



Wisconsin Public Service Corporation


700 North Adams Street
P.O. Box 19001
Green Bay, WI 54307-9001

www.wisconsinpublicservice.com

April 2, 2019

Mr. Scott Isaacs
Municipal Service Building
2026 New Jersey Avenue
Sheboygan, WI 53081

RE: Recent Sampling Results
Sheboygan Campmarina MGP Site
732 North Water Street, Sheboygan, Wisconsin, 53081
WDNR BRRTS# 02-60-000095 / USEPA # WIN000510058



Dear Mr. Isaacs,

WEC Business Support, LLC (WBS), managing the Wisconsin Public Service Corporation (WPSC) former manufactured gas plant site at 732 North Water Street is providing sample results of groundwater samples collected from locations MW701R, MW706, MW707R, MW708, MW709R, PZ701, PZ702, and PZ703 in December 2018 as part of routine, semi-annual monitoring. Wisconsin Administrative Code Chapter NR716.14 requires responsible parties (WPSC for the above-mentioned site) to report sampling results to the property owner, and occupant, as applicable.

Results of the sampling are summarized in the attached. This includes a summary table of the results compared to State guidance values. Copies of the associated laboratory reports and figures showing the locations of samples collected on your property are also included. The results are presented to the USEPA in monthly progress reports.

We appreciate your cooperation as sampling progresses. If you need additional information, please contact John Feeney from the WDNR at 920-893-8523 or myself at 920-433-2643.


Sincerely,

A handwritten signature in black ink, appearing to read 'BFB'.

Brian F. Bartoszek, PE
Director Land Quality – Environmental

Enc: Figure 1. City of Sheboygan
Table 1. December 2018 Groundwater Analytical Results for the City of Sheboygan
Table 2. Sample Key for City of Sheboygan
Laboratory Report 40181071

CC: WDNR PM – Mr. John Feeney



0 50 100
SCALE IN FEET

N
 PZ-701 PIEZOMETER
 MM-701R MONITORING WELL
 PROPERTY BOUNDARY

SOURCE NOTES:
 1. COORDINATE REFERENCE SYSTEM IS NAD 1983 SHEBOYGAN COUNTY COORDINATE SYSTEM, US SURVEY FEET.
 2. IMAGERY LAYER CREDIT: Source: ESRI, DigitalGlobe, GeoEye, IGN, AerGRID, USDA, CNES, IGN, SNT, USGS/Air Force, AeroGRID, IGN, JGFA, Swisstopo, and the GIS User Community

OBG

PROJECT NO.
67971

FIGURE NO.
1

CITY OF SHEBOYGAN

RECENT SAMPLING RESULTS
 FORMER CAMPMARINA MANUFACTURED GAS PLANT
 WISCONSIN PUBLIC SERVICE CORPORATION
 SHEBOYGAN, WISCONSIN

BRRTS# 02-60-000095

DRAWN BY:	DMD	DATE:	04/08/16
CHECKED BY:	ANS	DATE:	05/18/16
APPROVED BY:	KRM	DATE:	05/18/16
DRAWING NO: Fig 1_City of Stevens Point			
REFERENCE: .			

Table 1. December 2018 Groundwater Analytical Results for the City of Sheboygan

December 2018 Sample Results Notification

Wisconsin Public Service Corp., Former Manufactured Gas Plant Site - Campmarina

732 Water Street, Sheboygan, Wisconsin

BRRTS#: 0260000095 FID#: 460134950 USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	PAH	
			Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
Reporting Units:			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
WI Groundwater PAL:			NS	NS	600	NS	0.02	0.02	NS	NS	0.02	NS	80	80	NS	NS	NS	10	NS	50
WI Groundwater ES:			NS	NS	3000	NS	0.2	0.2	NS	NS	0.2	NS	400	400	NS	NS	NS	100	NS	250
121318007	MW-701R	12/13/2018	10.3	123	5.6 J	1.2 J	<1.2* U	0.76 J	1.1 J	<0.85 U	<1.5* U	<1.1 U	3.3 J	30.8	<2.0 U	170	141	1.500	27.7	4.5
121318009	MW-706	12/13/2018	81.3	0.80 J	6.2	<0.67 U	<0.94 U	<0.51 U	0.82 J	<0.67 U	<1.2* U	<0.89 U	2.6 J	19.6	<1.6 U	104	93.0	667	29.0	3.2 J
121318003	MW-707R	12/13/2018	26.6	0.73	1.5	0.044	0.016 J	0.015 J	0.018 J	0.0098 J	0.038 J	<0.010 U	0.81	9.9	<0.018 U	49.7	0.060	12.8	6.4	0.90
121318004	MW-707R Dup	12/13/2018	24.9	0.71	1.4	0.045	0.015 J	0.016 J	0.018 J	0.0081 J	0.033 J	<0.011 U	0.78	8.9	<0.019 U	46.9	0.065	15.1	5.7	0.88
121318002	MW-708	12/13/2018	<0.0066 U	<0.0054 U	<0.011 U	<0.0082 U	<0.011 U	<0.0062 U	0.014 J	<0.0082 U	<0.014 U	<0.011 U	<0.012 U	<0.0087 U	<0.019 U	<0.0064 U	0.010 J	0.022 J	<0.015 U	0.011 J
121318001	MW-709R	12/13/2018	<0.0063 U	<0.0052 U	<0.011 U	<0.0079 U	<0.011 U	<0.0063 U	0.014 J	<0.0079 U	<0.014 U	<0.011 U	<0.010 U	<0.0083 U	<0.018 U	<0.0061 U	<0.0051 U	<0.019 U	<0.014 U	0.0083 J
121318006	PZ-701	12/13/2018	<0.0067 U	<0.0055 U	<0.011 U	<0.0083 U	<0.012 U	<0.0063 U	0.017 J	<0.0083 U	<0.014 U	<0.011 U	<0.012 U	<0.0088 U	<0.019 U	0.0076 J	0.0076 J	<0.020 U	<0.015 U	0.01 J
121318008	PZ-702	12/13/2018	<0.0061 U	<0.0050 U	<0.010 U	<0.0076 U	<0.011 U	<0.0057 U	0.014 J	<0.0076 U	<0.013 U	<0.010 U	<0.011 U	<0.0080 U	<0.018 U	<0.0059 U	0.0049 J	<0.018 U	<0.014 U	0.0088 J
121318005	PZ-703	12/13/2018	0.30	0.029	0.012 J	0.013 J	0.013 J	<0.0065 U	0.018 J	<0.0086 U	<0.015 U	<0.011 U	0.022 J	0.11	<0.020 U	0.042	0.012 J	0.055 J	0.059 J	0.03 J

Notes:
Underline = concentration that attains or exceeds WI Groundwater PAL
BOLD = concentration that attains or exceeds WI Groundwater ES

* = Level of Detection (LOD) meets or exceeds the PAL and/or the ES Groundwater Criteria
 -- = Analysis not performed
 < = Concentration is less than reported limit
 µg/L = micrograms per liter
 BTEX = benzene, toluene, ethylbenzene and xylenes
 Dup = Quality control field duplicate sample
 PAL = Preventive Action Limit
 ES = Enforcement Standard
 PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective February 2017.
 J = Estimated concentration
 NS = no standard
 PAH = Polycyclic Aromatic Hydrocarbons
 U = Not detected

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.

Table 1. December 2018 Groundwater Analytical Results for the City of Sheboygan

December 2018 Sample Results Notification

Wisconsin Public Service Corp., Former Manufactured Gas Plant Site - Campmarina

732 Water Street, Sheboygan, Wisconsin

BRRTS#: 0260000095 FID#: 460134950 USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	BTEX	BTEX	BTEX	BTEX	Inorganic	Inorganic	Organic
			Benzene	Ethylbenzene	Toluene	Xylenes, Total	Nitrogen, NO2 + NO3, Total	Sulfate, Total	Methane
Reporting Units:			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
WI Groundwater PAL:			<u>0.5</u>	<u>140</u>	<u>160</u>	<u>400</u>	<u>2,000</u>	<u>125,000</u>	NS
WI Groundwater ES:			5	700	800	2,000	10,000	250,000	NS
121318007	MW-701R	12/13/2018	<u>4,140</u>	<u>585</u>	<u>2,830</u>	<u>646</u>	330	116,000	5.1
121318009	MW-706	12/13/2018	<u>3,710</u>	<u>280</u>	16.8 J	126 J	<95 U	<5,000 U	4,920
121318003	MW-707R	12/13/2018	<u>1,310</u>	<u>1,190</u>	10.1 J	143	<95 U	<u>279,000</u>	12,900
121318004	MW-707R Dup	12/13/2018	<u>1,150</u>	<u>1,050</u>	8.4 J	129	<95 U	<u>277,000</u>	5,050
121318002	MW-708	12/13/2018	<0.25 U	<0.22 U	<0.17 U	<1.5 U	250 J	55,200	<1.4 U
121318001	MW-709R	12/13/2018	<0.25 U	<0.22 U	<0.17 U	<1.5 U	<95 U	37,500	2,570
121318006	PZ-701	12/13/2018	<0.25 U	<0.22 U	<0.17 U	<1.5 U	<95 U	1,800 J	<1.4 U
121318008	PZ-702	12/13/2018	<0.25 U	<0.22 U	<0.17 U	<1.5 U	130 J	<u>129,000</u>	<1.4 U
121318005	PZ-703	12/13/2018	<u>392</u>	<u>179</u>	10.9 J	84.3	290	1,600 J	2,140

[O:EXC 1/8/19, SGW 1/9/19][U:EXC 2/28/2019, QC:AGC 3/8/19]

Notes:

Underline = concentration that attains or exceeds WI Groundwater PAL

BOLD = concentration that attains or exceeds WI Groundwater ES

* = Level of Detection (LOD) meets or exceeds the PAL and/or the ES Groundwater Criteria

-- = Analysis not performed

< = Concentration is less than reported limit

µg/L = micrograms per liter

BTEX = benzene, toluene, ethylbenzene and xylenes

Dup = Quality control field duplicate sample

PAL = Preventive Action Limit

ES = Enforcement Standard

PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective February 2017.

J = Estimated concentration

NS = no standard

PAH = Polycyclic Aromatic Hydrocarbons

U = Not detected

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.

Table 2. Sample Key for City of Sheboygan

December 2018 Sample Results Notification
 Wisconsin Public Service Corporation - Campmarina Former Manufactured Gas Plant Site
 732 Water Street, Sheboygan, Wisconsin
 BRRTS#: 0260000095 FID#: 460134950 USEPA#: WIN000510058

PACE Lab Report	9-digit code	Location ID Name	Duplicate of	Matrix	Sample Date
40181071	121318001	MW-709R	--	Groundwater	12/13/2018
40181071	121318002	MW-708	--	Groundwater	12/13/2018
40181071	121318003	MW-707R	--	Groundwater	12/13/2018
40181071	121318004	MW-707R Dup	MW-707R	Groundwater	12/13/2018
40181071	121318005	PZ-703	--	Groundwater	12/13/2018
40181071	121318006	PZ-701	--	Groundwater	12/13/2018
40181071	121318007	MW-701R	--	Groundwater	12/13/2018
40181071	121318008	PZ-702	--	Groundwater	12/13/2018
40181071	121318009	MW-706	--	Groundwater	12/13/2018

[O:ECK 1/8/19, C:SGW 1/9/19, QA: AGC 3/8/19]

Notes:

Sorted by: Matrix, Lab Report #, 9-digit code

DUP = Quality Assurance / Quality Control Field Duplicate Sample

-- = not applicable



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

January 31, 2019

Andrew Cawrse
OBG
234 W Florida St
Milwaukee, WI 53204

RE: Project: 67971 CAMP MARINA-Revised Report
Pace Project No.: 40181071

Dear Andrew Cawrse:

Enclosed are the analytical results for sample(s) received by the laboratory on December 14, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: NRT Data, OBG



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: 67971 CAMP MARINA-Revised Report
Pace Project No.: 40181071

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 67971 CAMP MARINA-Revised Report
Pace Project No.: 40181071

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40181071001	121318001	Water	12/13/18 08:20	12/14/18 15:30
40181071002	121318002	Water	12/13/18 09:19	12/14/18 15:30
40181071003	121318003	Water	12/13/18 09:59	12/14/18 15:30
40181071004	121318004	Water	12/13/18 10:04	12/14/18 15:30
40181071005	121318005	Water	12/13/18 10:52	12/14/18 15:30
40181071006	121318006	Water	12/13/18 11:38	12/14/18 15:30
40181071007	121318007	Water	12/13/18 13:15	12/14/18 15:30
40181071008	121318008	Water	12/13/18 14:18	12/14/18 15:30
40181071009	121318009	Water	12/13/18 15:08	12/14/18 15:30
40181071010	121318010	Water	12/13/18 15:30	12/14/18 15:30
40181071011	121318011	Water	12/13/18 00:00	12/14/18 15:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40181071001	121318001	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071002	121318002	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071003	121318003	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071004	121318004	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071005	121318005	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071006	121318006	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071007	121318007	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071008	121318008	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Lab ID	Sample ID	Method	Analysts	Analytes Reported
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071009	121318009	EPA 8015B Modified	ALD	1
		EPA 8270 by HVI	TPO	20
		EPA 8260	HNW	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40181071010	121318010	EPA 8260	HNW	7
40181071011	121318011	EPA 8260	HNW	7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318001 Lab ID: 40181071001 Collected: 12/13/18 08:20 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV Analytical Method: EPA 8015B Modified									
Methane	2570	ug/L	28.0	13.7	10		12/19/18 13:54	74-82-8	
8270 MSSV PAH by HVI Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510									
Acenaphthene	<0.0063	ug/L	0.032	0.0063	1	12/18/18 13:20	12/24/18 18:33	83-32-9	
Acenaphthylene	<0.0052	ug/L	0.026	0.0052	1	12/18/18 13:20	12/24/18 18:33	208-96-8	
Anthracene	<0.011	ug/L	0.054	0.011	1	12/18/18 13:20	12/24/18 18:33	120-12-7	
Benzo(a)anthracene	<0.0079	ug/L	0.039	0.0079	1	12/18/18 13:20	12/24/18 18:33	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.055	0.011	1	12/18/18 13:20	12/24/18 18:33	50-32-8	
Benzo(b)fluoranthene	<0.0060	ug/L	0.030	0.0060	1	12/18/18 13:20	12/24/18 18:33	205-99-2	
Benzo(g,h,i)perylene	0.014J	ug/L	0.035	0.0071	1	12/18/18 13:20	12/24/18 18:33	191-24-2	
Benzo(k)fluoranthene	<0.0079	ug/L	0.039	0.0079	1	12/18/18 13:20	12/24/18 18:33	207-08-9	
Chrysene	<0.014	ug/L	0.068	0.014	1	12/18/18 13:20	12/24/18 18:33	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.052	0.010	1	12/18/18 13:20	12/24/18 18:33	53-70-3	
Fluoranthene	<0.011	ug/L	0.056	0.011	1	12/18/18 13:20	12/24/18 18:33	206-44-0	
Fluorene	<0.0083	ug/L	0.042	0.0083	1	12/18/18 13:20	12/24/18 18:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.092	0.018	1	12/18/18 13:20	12/24/18 18:33	193-39-5	
1-Methylnaphthalene	<0.0061	ug/L	0.031	0.0061	1	12/18/18 13:20	12/24/18 18:33	90-12-0	
2-Methylnaphthalene	<0.0051	ug/L	0.026	0.0051	1	12/18/18 13:20	12/24/18 18:33	91-57-6	
Naphthalene	<0.019	ug/L	0.095	0.019	1	12/18/18 13:20	12/24/18 18:33	91-20-3	
Phenanthrene	<0.014	ug/L	0.072	0.014	1	12/18/18 13:20	12/24/18 18:33	85-01-8	
Pyrene	0.0083J	ug/L	0.040	0.0080	1	12/18/18 13:20	12/24/18 18:33	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	62	%	29-80		1	12/18/18 13:20	12/24/18 18:33	321-60-8	
Terphenyl-d14 (S)	78	%	10-123		1	12/18/18 13:20	12/24/18 18:33	1718-51-0	
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		12/18/18 12:04	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		12/18/18 12:04	100-41-4	
Toluene	<0.17	ug/L	5.0	0.17	1		12/18/18 12:04	108-88-3	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		12/18/18 12:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		1		12/18/18 12:04	1868-53-7	
Toluene-d8 (S)	110	%	70-130		1		12/18/18 12:04	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		1		12/18/18 12:04	460-00-4	
300.0 IC Anions 28 Days Analytical Method: EPA 300.0									
Sulfate	37.5	mg/L	3.0	1.0	1		12/18/18 19:14	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	<0.095	mg/L	0.25	0.095	1		12/26/18 12:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318002 Lab ID: 40181071002 Collected: 12/13/18 09:19 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Methane	<1.4	ug/L	2.8	1.4	1		12/19/18 11:11	74-82-8	
8270 MSSV PAH by HVI		Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510							
Acenaphthene	<0.0066	ug/L	0.033	0.0066	1	12/18/18 13:20	12/24/18 18:50	83-32-9	
Acenaphthylene	<0.0054	ug/L	0.027	0.0054	1	12/18/18 13:20	12/24/18 18:50	208-96-8	
Anthracene	<0.011	ug/L	0.057	0.011	1	12/18/18 13:20	12/24/18 18:50	120-12-7	
Benzo(a)anthracene	<0.0082	ug/L	0.041	0.0082	1	12/18/18 13:20	12/24/18 18:50	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.057	0.011	1	12/18/18 13:20	12/24/18 18:50	50-32-8	
Benzo(b)fluoranthene	<0.0062	ug/L	0.031	0.0062	1	12/18/18 13:20	12/24/18 18:50	205-99-2	
Benzo(g,h,i)perylene	0.014J	ug/L	0.037	0.0074	1	12/18/18 13:20	12/24/18 18:50	191-24-2	
Benzo(k)fluoranthene	<0.0082	ug/L	0.041	0.0082	1	12/18/18 13:20	12/24/18 18:50	207-08-9	
Chrysene	<0.014	ug/L	0.071	0.014	1	12/18/18 13:20	12/24/18 18:50	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.054	0.011	1	12/18/18 13:20	12/24/18 18:50	53-70-3	
Fluoranthene	<0.012	ug/L	0.058	0.012	1	12/18/18 13:20	12/24/18 18:50	206-44-0	
Fluorene	<0.0087	ug/L	0.043	0.0087	1	12/18/18 13:20	12/24/18 18:50	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.019	ug/L	0.096	0.019	1	12/18/18 13:20	12/24/18 18:50	193-39-5	
1-Methylnaphthalene	<0.0064	ug/L	0.032	0.0064	1	12/18/18 13:20	12/24/18 18:50	90-12-0	
2-Methylnaphthalene	0.010J	ug/L	0.027	0.0053	1	12/18/18 13:20	12/24/18 18:50	91-57-6	
Naphthalene	0.022J	ug/L	0.10	0.020	1	12/18/18 13:20	12/24/18 18:50	91-20-3	
Phenanthrene	<0.015	ug/L	0.075	0.015	1	12/18/18 13:20	12/24/18 18:50	85-01-8	
Pyrene	0.011J	ug/L	0.042	0.0083	1	12/18/18 13:20	12/24/18 18:50	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	63	%	29-80		1	12/18/18 13:20	12/24/18 18:50	321-60-8	
Terphenyl-d14 (S)	78	%	10-123		1	12/18/18 13:20	12/24/18 18:50	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		12/18/18 12:27	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		12/18/18 12:27	100-41-4	
Toluene	<0.17	ug/L	5.0	0.17	1		12/18/18 12:27	108-88-3	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		12/18/18 12:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		1		12/18/18 12:27	1868-53-7	
Toluene-d8 (S)	110	%	70-130		1		12/18/18 12:27	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		1		12/18/18 12:27	460-00-4	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Sulfate	55.2	mg/L	3.0	1.0	1		12/18/18 19:27	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	0.25J	mg/L	0.25	0.095	1		12/26/18 12:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318003 Lab ID: 40181071003 Collected: 12/13/18 09:59 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Methane	12900	ug/L	140	68.5	50		12/19/18 14:01	74-82-8	
8270 MSSV PAH by HVI									
Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510									
Acenaphthene	26.6	ug/L	0.031	0.0062	1	12/18/18 13:20	12/25/18 00:39	83-32-9	E
Acenaphthylene	0.73	ug/L	0.025	0.0051	1	12/18/18 13:20	12/25/18 00:39	208-96-8	
Anthracene	1.5	ug/L	0.053	0.011	1	12/18/18 13:20	12/25/18 00:39	120-12-7	
Benzo(a)anthracene	0.044	ug/L	0.039	0.0077	1	12/18/18 13:20	12/25/18 00:39	56-55-3	
Benzo(a)pyrene	0.016J	ug/L	0.054	0.011	1	12/18/18 13:20	12/25/18 00:39	50-32-8	
Benzo(b)fluoranthene	0.015J	ug/L	0.029	0.0059	1	12/18/18 13:20	12/25/18 00:39	205-99-2	
Benzo(g,h,i)perylene	0.018J	ug/L	0.035	0.0069	1	12/18/18 13:20	12/25/18 00:39	191-24-2	
Benzo(k)fluoranthene	0.0098J	ug/L	0.039	0.0077	1	12/18/18 13:20	12/25/18 00:39	207-08-9	
Chrysene	0.038J	ug/L	0.067	0.013	1	12/18/18 13:20	12/25/18 00:39	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.051	0.010	1	12/18/18 13:20	12/25/18 00:39	53-70-3	
Fluoranthene	0.81	ug/L	0.054	0.011	1	12/18/18 13:20	12/25/18 00:39	206-44-0	
Fluorene	9.9	ug/L	0.041	0.0081	1	12/18/18 13:20	12/25/18 00:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.090	0.018	1	12/18/18 13:20	12/25/18 00:39	193-39-5	
1-Methylnaphthalene	49.7	ug/L	0.030	0.0060	1	12/18/18 13:20	12/25/18 00:39	90-12-0	E
2-Methylnaphthalene	0.060	ug/L	0.025	0.0050	1	12/18/18 13:20	12/25/18 00:39	91-57-6	
Naphthalene	12.8	ug/L	0.094	0.019	1	12/18/18 13:20	12/25/18 00:39	91-20-3	
Phenanthrene	6.4	ug/L	0.070	0.014	1	12/18/18 13:20	12/25/18 00:39	85-01-8	
Pyrene	0.90	ug/L	0.039	0.0078	1	12/18/18 13:20	12/25/18 00:39	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%	29-80		1	12/18/18 13:20	12/25/18 00:39	321-60-8	
Terphenyl-d14 (S)	69	%	10-123		1	12/18/18 13:20	12/25/18 00:39	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260									
Benzene	1310	ug/L	25.0	6.2	25		12/18/18 09:50	71-43-2	
Ethylbenzene	1190	ug/L	25.0	5.5	25		12/18/18 09:50	100-41-4	
Toluene	10.1J	ug/L	125	4.3	25		12/18/18 09:50	108-88-3	
Xylene (Total)	143	ug/L	75.0	37.5	25		12/18/18 09:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		25		12/18/18 09:50	1868-53-7	
Toluene-d8 (S)	111	%	70-130		25		12/18/18 09:50	2037-26-5	
4-Bromofluorobenzene (S)	108	%	70-130		25		12/18/18 09:50	460-00-4	
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Sulfate	279	mg/L	30.0	10.0	10		12/19/18 12:19	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	<0.095	mg/L	0.25	0.095	1		12/26/18 12:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318004 Lab ID: 40181071004 Collected: 12/13/18 10:04 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Methane	5050	ug/L	280	137	100		12/19/18 14:36	74-82-8	
8270 MSSV PAH by HVI		Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510							
Acenaphthene	24.9	ug/L	0.032	0.0065	1	12/18/18 13:20	12/25/18 00:56	83-32-9	E
Acenaphthylene	0.71	ug/L	0.026	0.0053	1	12/18/18 13:20	12/25/18 00:56	208-96-8	
Anthracene	1.4	ug/L	0.056	0.011	1	12/18/18 13:20	12/25/18 00:56	120-12-7	
Benzo(a)anthracene	0.045	ug/L	0.040	0.0080	1	12/18/18 13:20	12/25/18 00:56	56-55-3	
Benzo(a)pyrene	0.015J	ug/L	0.056	0.011	1	12/18/18 13:20	12/25/18 00:56	50-32-8	
Benzo(b)fluoranthene	0.016J	ug/L	0.031	0.0061	1	12/18/18 13:20	12/25/18 00:56	205-99-2	
Benzo(g,h,i)perylene	0.018J	ug/L	0.036	0.0072	1	12/18/18 13:20	12/25/18 00:56	191-24-2	
Benzo(k)fluoranthene	0.0081J	ug/L	0.040	0.0080	1	12/18/18 13:20	12/25/18 00:56	207-08-9	
Chrysene	0.033J	ug/L	0.069	0.014	1	12/18/18 13:20	12/25/18 00:56	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.053	0.011	1	12/18/18 13:20	12/25/18 00:56	53-70-3	
Fluoranthene	0.78	ug/L	0.057	0.011	1	12/18/18 13:20	12/25/18 00:56	206-44-0	
Fluorene	8.9	ug/L	0.042	0.0085	1	12/18/18 13:20	12/25/18 00:56	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.019	ug/L	0.094	0.019	1	12/18/18 13:20	12/25/18 00:56	193-39-5	
1-Methylnaphthalene	46.9	ug/L	0.031	0.0063	1	12/18/18 13:20	12/25/18 00:56	90-12-0	E
2-Methylnaphthalene	0.065	ug/L	0.026	0.0052	1	12/18/18 13:20	12/25/18 00:56	91-57-6	
Naphthalene	15.1	ug/L	0.097	0.020	1	12/18/18 13:20	12/25/18 00:56	91-20-3	
Phenanthrene	5.7	ug/L	0.073	0.015	1	12/18/18 13:20	12/25/18 00:56	85-01-8	
Pyrene	0.88	ug/L	0.041	0.0081	1	12/18/18 13:20	12/25/18 00:56	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	29-80		1	12/18/18 13:20	12/25/18 00:56	321-60-8	
Terphenyl-d14 (S)	64	%	10-123		1	12/18/18 13:20	12/25/18 00:56	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260							
Benzene	1150	ug/L	25.0	6.2	25		12/18/18 10:12	71-43-2	
Ethylbenzene	1050	ug/L	25.0	5.5	25		12/18/18 10:12	100-41-4	
Toluene	8.4J	ug/L	125	4.3	25		12/18/18 10:12	108-88-3	
Xylene (Total)	129	ug/L	75.0	37.5	25		12/18/18 10:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		25		12/18/18 10:12	1868-53-7	
Toluene-d8 (S)	112	%	70-130		25		12/18/18 10:12	2037-26-5	
4-Bromofluorobenzene (S)	107	%	70-130		25		12/18/18 10:12	460-00-4	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Sulfate	277	mg/L	30.0	10.0	10		12/19/18 12:32	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	<0.095	mg/L	0.25	0.095	1		12/26/18 12:29		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318005 Lab ID: 40181071005 Collected: 12/13/18 10:52 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Methane	2140	ug/L	28.0	13.7	10		12/19/18 14:15	74-82-8	
8270 MSSV PAH by HVI		Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510							
Acenaphthene	0.30	ug/L	0.034	0.0069	1	12/18/18 13:20	12/24/18 19:07	83-32-9	
Acenaphthylene	0.029	ug/L	0.028	0.0057	1	12/18/18 13:20	12/24/18 19:07	208-96-8	
Anthracene	0.012J	ug/L	0.059	0.012	1	12/18/18 13:20	12/24/18 19:07	120-12-7	
Benzo(a)anthracene	0.013J	ug/L	0.043	0.0086	1	12/18/18 13:20	12/24/18 19:07	56-55-3	
Benzo(a)pyrene	0.013J	ug/L	0.060	0.012	1	12/18/18 13:20	12/24/18 19:07	50-32-8	
Benzo(b)fluoranthene	<0.0065	ug/L	0.033	0.0065	1	12/18/18 13:20	12/24/18 19:07	205-99-2	
Benzo(g,h,i)perylene	0.018J	ug/L	0.039	0.0077	1	12/18/18 13:20	12/24/18 19:07	191-24-2	
Benzo(k)fluoranthene	<0.0086	ug/L	0.043	0.0086	1	12/18/18 13:20	12/24/18 19:07	207-08-9	
Chrysene	<0.015	ug/L	0.074	0.015	1	12/18/18 13:20	12/24/18 19:07	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.057	0.011	1	12/18/18 13:20	12/24/18 19:07	53-70-3	
Fluoranthene	0.022J	ug/L	0.061	0.012	1	12/18/18 13:20	12/24/18 19:07	206-44-0	
Fluorene	0.11	ug/L	0.045	0.0091	1	12/18/18 13:20	12/24/18 19:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.020	ug/L	0.10	0.020	1	12/18/18 13:20	12/24/18 19:07	193-39-5	
1-Methylnaphthalene	0.042	ug/L	0.034	0.0067	1	12/18/18 13:20	12/24/18 19:07	90-12-0	
2-Methylnaphthalene	0.012J	ug/L	0.028	0.0056	1	12/18/18 13:20	12/24/18 19:07	91-57-6	
Naphthalene	0.055J	ug/L	0.10	0.021	1	12/18/18 13:20	12/24/18 19:07	91-20-3	
Phenanthrene	0.059J	ug/L	0.078	0.016	1	12/18/18 13:20	12/24/18 19:07	85-01-8	
Pyrene	0.030J	ug/L	0.043	0.0087	1	12/18/18 13:20	12/24/18 19:07	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%	29-80		1	12/18/18 13:20	12/24/18 19:07	321-60-8	
Terphenyl-d14 (S)	69	%	10-123		1	12/18/18 13:20	12/24/18 19:07	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260							
Benzene	392	ug/L	5.0	1.2	5		12/18/18 10:35	71-43-2	
Ethylbenzene	179	ug/L	5.0	1.1	5		12/18/18 10:35	100-41-4	
Toluene	10.9J	ug/L	25.0	0.86	5		12/18/18 10:35	108-88-3	
Xylene (Total)	84.3	ug/L	15.0	7.5	5		12/18/18 10:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	94	%	70-130		5		12/18/18 10:35	1868-53-7	
Toluene-d8 (S)	111	%	70-130		5		12/18/18 10:35	2037-26-5	
4-Bromofluorobenzene (S)	109	%	70-130		5		12/18/18 10:35	460-00-4	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Sulfate	1.6J	mg/L	3.0	1.0	1		12/18/18 20:07	14808-79-8	M0
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	0.29	mg/L	0.25	0.095	1		12/26/18 12:29		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318006 Lab ID: 40181071006 Collected: 12/13/18 11:38 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Methane	<1.4	ug/L	2.8	1.4	1		12/19/18 13:40	74-82-8	
8270 MSSV PAH by HVI		Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510							
Acenaphthene	<0.0067	ug/L	0.033	0.0067	1	12/18/18 13:20	12/24/18 19:23	83-32-9	
Acenaphthylene	<0.0055	ug/L	0.027	0.0055	1	12/18/18 13:20	12/24/18 19:23	208-96-8	
Anthracene	<0.011	ug/L	0.057	0.011	1	12/18/18 13:20	12/24/18 19:23	120-12-7	
Benzo(a)anthracene	<0.0083	ug/L	0.041	0.0083	1	12/18/18 13:20	12/24/18 19:23	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.058	0.012	1	12/18/18 13:20	12/24/18 19:23	50-32-8	
Benzo(b)fluoranthene	<0.0063	ug/L	0.032	0.0063	1	12/18/18 13:20	12/24/18 19:23	205-99-2	
Benzo(g,h,i)perylene	0.017J	ug/L	0.037	0.0075	1	12/18/18 13:20	12/24/18 19:23	191-24-2	
Benzo(k)fluoranthene	<0.0083	ug/L	0.041	0.0083	1	12/18/18 13:20	12/24/18 19:23	207-08-9	
Chrysene	<0.014	ug/L	0.072	0.014	1	12/18/18 13:20	12/24/18 19:23	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.055	0.011	1	12/18/18 13:20	12/24/18 19:23	53-70-3	
Fluoranthene	<0.012	ug/L	0.059	0.012	1	12/18/18 13:20	12/24/18 19:23	206-44-0	
Fluorene	<0.0088	ug/L	0.044	0.0088	1	12/18/18 13:20	12/24/18 19:23	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.019	ug/L	0.097	0.019	1	12/18/18 13:20	12/24/18 19:23	193-39-5	
1-Methylnaphthalene	0.0076J	ug/L	0.032	0.0065	1	12/18/18 13:20	12/24/18 19:23	90-12-0	
2-Methylnaphthalene	0.0076J	ug/L	0.027	0.0054	1	12/18/18 13:20	12/24/18 19:23	91-57-6	
Naphthalene	<0.020	ug/L	0.10	0.020	1	12/18/18 13:20	12/24/18 19:23	91-20-3	
Phenanthrene	<0.015	ug/L	0.076	0.015	1	12/18/18 13:20	12/24/18 19:23	85-01-8	
Pyrene	0.010J	ug/L	0.042	0.0084	1	12/18/18 13:20	12/24/18 19:23	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%	29-80		1	12/18/18 13:20	12/24/18 19:23	321-60-8	
Terphenyl-d14 (S)	83	%	10-123		1	12/18/18 13:20	12/24/18 19:23	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		12/18/18 12:49	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		12/18/18 12:49	100-41-4	
Toluene	<0.17	ug/L	5.0	0.17	1		12/18/18 12:49	108-88-3	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		12/18/18 12:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	70-130		1		12/18/18 12:49	1868-53-7	
Toluene-d8 (S)	111	%	70-130		1		12/18/18 12:49	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		1		12/18/18 12:49	460-00-4	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Sulfate	1.8J	mg/L	3.0	1.0	1		12/19/18 14:59	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	<0.095	mg/L	0.25	0.095	1		12/26/18 12:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318007 Lab ID: 40181071007 Collected: 12/13/18 13:15 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV Analytical Method: EPA 8015B Modified									
Methane	5.1	ug/L	2.8	1.4	1		12/19/18 12:01	74-82-8	
8270 MSSV PAH by HVI Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510									
Acenaphthene	10.3	ug/L	3.4	0.68	100	12/19/18 13:23	12/20/18 11:55	83-32-9	M6
Acenaphthylene	123	ug/L	2.8	0.56	100	12/19/18 13:23	12/20/18 11:55	208-96-8	L1,M6
Anthracene	5.6J	ug/L	5.9	1.2	100	12/19/18 13:23	12/20/18 11:55	120-12-7	M6
Benzo(a)anthracene	1.2J	ug/L	4.2	0.85	100	12/19/18 13:23	12/20/18 11:55	56-55-3	M6
Benzo(a)pyrene	<1.2	ug/L	5.9	1.2	100	12/19/18 13:23	12/20/18 11:55	50-32-8	
Benzo(b)fluoranthene	0.76J	ug/L	3.2	0.64	100	12/19/18 13:23	12/20/18 11:55	205-99-2	
Benzo(g,h,i)perylene	1.1J	ug/L	3.8	0.76	100	12/19/18 13:23	12/20/18 11:55	191-24-2	
Benzo(k)fluoranthene	<0.85	ug/L	4.2	0.85	100	12/19/18 13:23	12/20/18 11:55	207-08-9	
Chrysene	<1.5	ug/L	7.3	1.5	100	12/19/18 13:23	12/20/18 11:55	218-01-9	
Dibenz(a,h)anthracene	<1.1	ug/L	5.6	1.1	100	12/19/18 13:23	12/20/18 11:55	53-70-3	
Fluoranthene	3.3J	ug/L	6.0	1.2	100	12/19/18 13:23	12/20/18 11:55	206-44-0	M6
Fluorene	30.8	ug/L	4.5	0.90	100	12/19/18 13:23	12/20/18 11:55	86-73-7	M6
Indeno(1,2,3-cd)pyrene	<2.0	ug/L	9.9	2.0	100	12/19/18 13:23	12/20/18 11:55	193-39-5	
1-Methylnaphthalene	170	ug/L	3.3	0.66	100	12/19/18 13:23	12/20/18 11:55	90-12-0	M6
2-Methylnaphthalene	141	ug/L	2.8	0.55	100	12/19/18 13:23	12/20/18 11:55	91-57-6	M6
Naphthalene	1500	ug/L	10.3	2.1	100	12/19/18 13:23	12/20/18 11:55	91-20-3	M6
Phenanthrene	27.7	ug/L	7.7	1.5	100	12/19/18 13:23	12/20/18 11:55	85-01-8	M6
Pyrene	4.5	ug/L	4.3	0.86	100	12/19/18 13:23	12/20/18 11:55	129-00-0	M6
Surrogates									
2-Fluorobiphenyl (S)	64	%	29-80		100	12/19/18 13:23	12/20/18 11:55	321-60-8	
Terphenyl-d14 (S)	0	%	10-123		100	12/19/18 13:23	12/20/18 11:55	1718-51-0	S4
8260 MSV UST Analytical Method: EPA 8260									
Benzene	4140	ug/L	50.0	12.3	50		12/18/18 11:42	71-43-2	
Ethylbenzene	585	ug/L	50.0	10.9	50		12/18/18 11:42	100-41-4	
Toluene	2830	ug/L	250	8.6	50		12/18/18 11:42	108-88-3	
Xylene (Total)	646	ug/L	150	75.0	50		12/18/18 11:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		50		12/18/18 11:42	1868-53-7	
Toluene-d8 (S)	109	%	70-130		50		12/18/18 11:42	2037-26-5	
4-Bromofluorobenzene (S)	107	%	70-130		50		12/18/18 11:42	460-00-4	
300.0 IC Anions 28 Days Analytical Method: EPA 300.0									
Sulfate	116	mg/L	15.0	5.0	5		12/20/18 10:52	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	0.33	mg/L	0.25	0.095	1		12/26/18 12:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318008 Lab ID: 40181071008 Collected: 12/13/18 14:18 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Methane	<1.4	ug/L	2.8	1.4	1		12/19/18 12:07	74-82-8	
8270 MSSV PAH by HVI		Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510							
Acenaphthene	<0.0061	ug/L	0.030	0.0061	1	12/18/18 13:20	12/24/18 19:40	83-32-9	
Acenaphthylene	<0.0050	ug/L	0.025	0.0050	1	12/18/18 13:20	12/24/18 19:40	208-96-8	
Anthracene	<0.010	ug/L	0.052	0.010	1	12/18/18 13:20	12/24/18 19:40	120-12-7	
Benzo(a)anthracene	<0.0076	ug/L	0.038	0.0076	1	12/18/18 13:20	12/24/18 19:40	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.053	0.011	1	12/18/18 13:20	12/24/18 19:40	50-32-8	
Benzo(b)fluoranthene	<0.0057	ug/L	0.029	0.0057	1	12/18/18 13:20	12/24/18 19:40	205-99-2	
Benzo(g,h,i)perylene	0.014J	ug/L	0.034	0.0068	1	12/18/18 13:20	12/24/18 19:40	191-24-2	
Benzo(k)fluoranthene	<0.0076	ug/L	0.038	0.0076	1	12/18/18 13:20	12/24/18 19:40	207-08-9	
Chrysene	<0.013	ug/L	0.065	0.013	1	12/18/18 13:20	12/24/18 19:40	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.050	0.010	1	12/18/18 13:20	12/24/18 19:40	53-70-3	
Fluoranthene	<0.011	ug/L	0.053	0.011	1	12/18/18 13:20	12/24/18 19:40	206-44-0	
Fluorene	<0.0080	ug/L	0.040	0.0080	1	12/18/18 13:20	12/24/18 19:40	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.088	0.018	1	12/18/18 13:20	12/24/18 19:40	193-39-5	
1-Methylnaphthalene	<0.0059	ug/L	0.030	0.0059	1	12/18/18 13:20	12/24/18 19:40	90-12-0	
2-Methylnaphthalene	0.0049J	ug/L	0.024	0.0049	1	12/18/18 13:20	12/24/18 19:40	91-57-6	
Naphthalene	<0.018	ug/L	0.092	0.018	1	12/18/18 13:20	12/24/18 19:40	91-20-3	
Phenanthrene	<0.014	ug/L	0.069	0.014	1	12/18/18 13:20	12/24/18 19:40	85-01-8	
Pyrene	0.0088J	ug/L	0.038	0.0076	1	12/18/18 13:20	12/24/18 19:40	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	59	%	29-80		1	12/18/18 13:20	12/24/18 19:40	321-60-8	
Terphenyl-d14 (S)	74	%	10-123		1	12/18/18 13:20	12/24/18 19:40	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		12/18/18 13:12	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		12/18/18 13:12	100-41-4	
Toluene	<0.17	ug/L	5.0	0.17	1		12/18/18 13:12	108-88-3	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		12/18/18 13:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		1		12/18/18 13:12	1868-53-7	
Toluene-d8 (S)	110	%	70-130		1		12/18/18 13:12	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		1		12/18/18 13:12	460-00-4	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Sulfate	129	mg/L	15.0	5.0	5		12/20/18 13:59	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	0.13J	mg/L	0.25	0.095	1		12/26/18 12:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Sample: 121318009 Lab ID: 40181071009 Collected: 12/13/18 15:08 Received: 12/14/18 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Methane	4920	ug/L	70.0	34.2	25		12/19/18 14:43	74-82-8	
8270 MSSV PAH by HVI									
Analytical Method: EPA 8270 by HVI Preparation Method: EPA 3510									
Acenaphthene	81.3	ug/L	2.7	0.54	80	12/18/18 13:20	12/21/18 21:07	83-32-9	
Acenaphthylene	0.80J	ug/L	2.2	0.44	80	12/18/18 13:20	12/21/18 21:07	208-96-8	
Anthracene	6.2	ug/L	4.6	0.93	80	12/18/18 13:20	12/21/18 21:07	120-12-7	
Benzo(a)anthracene	<0.67	ug/L	3.4	0.67	80	12/18/18 13:20	12/21/18 21:07	56-55-3	
Benzo(a)pyrene	<0.94	ug/L	4.7	0.94	80	12/18/18 13:20	12/21/18 21:07	50-32-8	
Benzo(b)fluoranthene	<0.51	ug/L	2.5	0.51	80	12/18/18 13:20	12/21/18 21:07	205-99-2	
Benzo(g,h,i)perylene	0.82J	ug/L	3.0	0.60	80	12/18/18 13:20	12/21/18 21:07	191-24-2	
Benzo(k)fluoranthene	<0.67	ug/L	3.4	0.67	80	12/18/18 13:20	12/21/18 21:07	207-08-9	
Chrysene	<1.2	ug/L	5.8	1.2	80	12/18/18 13:20	12/21/18 21:07	218-01-9	
Dibenz(a,h)anthracene	<0.89	ug/L	4.5	0.89	80	12/18/18 13:20	12/21/18 21:07	53-70-3	
Fluoranthene	2.6J	ug/L	4.7	0.95	80	12/18/18 13:20	12/21/18 21:07	206-44-0	
Fluorene	19.6	ug/L	3.5	0.71	80	12/18/18 13:20	12/21/18 21:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.6	ug/L	7.8	1.6	80	12/18/18 13:20	12/21/18 21:07	193-39-5	
1-Methylnaphthalene	104	ug/L	2.6	0.52	80	12/18/18 13:20	12/21/18 21:07	90-12-0	
2-Methylnaphthalene	93.0	ug/L	2.2	0.44	80	12/18/18 13:20	12/21/18 21:07	91-57-6	
Naphthalene	667	ug/L	8.1	1.6	80	12/18/18 13:20	12/21/18 21:07	91-20-3	
Phenanthrene	29.0	ug/L	6.1	1.2	80	12/18/18 13:20	12/21/18 21:07	85-01-8	
Pyrene	3.2J	ug/L	3.4	0.68	80	12/18/18 13:20	12/21/18 21:07	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	53	%	29-80		80	12/18/18 13:20	12/21/18 21:07	321-60-8	
Terphenyl-d14 (S)	0	%	10-123		80	12/18/18 13:20	12/21/18 21:07	1718-51-0	S4
8260 MSV UST									
Analytical Method: EPA 8260									
Benzene	3710	ug/L	50.0	12.3	50		12/18/18 11:20	71-43-2	
Ethylbenzene	280	ug/L	50.0	10.9	50		12/18/18 11:20	100-41-4	
Toluene	16.8J	ug/L	250	8.6	50		12/18/18 11:20	108-88-3	
Xylene (Total)	126J	ug/L	150	75.0	50		12/18/18 11:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		50		12/18/18 11:20	1868-53-7	
Toluene-d8 (S)	110	%	70-130		50		12/18/18 11:20	2037-26-5	
4-Bromofluorobenzene (S)	106	%	70-130		50		12/18/18 11:20	460-00-4	
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Sulfate	<5.0	mg/L	15.0	5.0	5		12/19/18 16:06	14808-79-8	D3
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	<0.095	mg/L	0.25	0.095	1		12/26/18 12:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Sample results have been redacted.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309595 Analysis Method: EPA 8015B Modified
 QC Batch Method: EPA 8015B Modified Analysis Description: Methane, Ethane, Ethene GCV
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007,
 40181071008, 40181071009

METHOD BLANK: 1808376 Matrix: Water
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007,
 40181071008, 40181071009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methane	ug/L	<1.4	2.8	12/19/18 09:25	

LABORATORY CONTROL SAMPLE & LCSD: 1808377 1808378

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	28.6	29.1	29.1	102	102	80-120	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1808379 1808380

Parameter	Units	40181071007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methane	ug/L	5.1	28.6	28.6	48.7	47.0	153	147	44-167	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309442 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007,
 40181071008, 40181071009, 40181071010, 40181071011

METHOD BLANK: 1807744 Matrix: Water
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007,
 40181071008, 40181071009, 40181071010, 40181071011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.25	1.0	12/18/18 07:58	
Ethylbenzene	ug/L	<0.22	1.0	12/18/18 07:58	
Toluene	ug/L	<0.17	5.0	12/18/18 07:58	
Xylene (Total)	ug/L	<1.5	3.0	12/18/18 07:58	
4-Bromofluorobenzene (S)	%	103	70-130	12/18/18 07:58	
Dibromofluoromethane (S)	%	102	70-130	12/18/18 07:58	
Toluene-d8 (S)	%	111	70-130	12/18/18 07:58	

LABORATORY CONTROL SAMPLE: 1807745

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	57.0	114	69-137	
Ethylbenzene	ug/L	50	60.1	120	86-127	
Toluene	ug/L	50	58.5	117	84-124	
Xylene (Total)	ug/L	150	163	108	70-130	
4-Bromofluorobenzene (S)	%			113	70-130	
Dibromofluoromethane (S)	%			101	70-130	
Toluene-d8 (S)	%			110	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1807746 1807747

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD	Qual
		40181071007 Result	Spike Conc.	Spike Conc.	Result						
Benzene	ug/L	4140	6250	6250	11400	11700	116	121	66-143	3	20
Ethylbenzene	ug/L	585	6250	6250	8390	8440	125	126	81-136	1	20
Toluene	ug/L	2830	6250	6250	10500	10600	123	125	81-130	1	20
Xylene (Total)	ug/L	646	18800	18800	21700	21800	112	113	70-134	0	20
4-Bromofluorobenzene (S)	%						114	113	70-130		
Dibromofluoromethane (S)	%						100	102	70-130		
Toluene-d8 (S)	%						112	111	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309516 Analysis Method: EPA 8270 by HVI
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by HVI
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071008, 40181071009

METHOD BLANK: 1807912 Matrix: Water
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071008, 40181071009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.0059	0.030	12/20/18 11:22	
2-Methylnaphthalene	ug/L	<0.0049	0.024	12/20/18 11:22	
Acenaphthene	ug/L	<0.0061	0.030	12/20/18 11:22	
Acenaphthylene	ug/L	<0.0050	0.025	12/20/18 11:22	
Anthracene	ug/L	<0.010	0.052	12/20/18 11:22	
Benzo(a)anthracene	ug/L	<0.0076	0.038	12/20/18 11:22	
Benzo(a)pyrene	ug/L	<0.011	0.053	12/20/18 11:22	
Benzo(b)fluoranthene	ug/L	<0.0057	0.029	12/20/18 11:22	
Benzo(g,h,i)perylene	ug/L	<0.0068	0.034	12/20/18 11:22	
Benzo(k)fluoranthene	ug/L	<0.0076	0.038	12/20/18 11:22	
Chrysene	ug/L	<0.013	0.065	12/20/18 11:22	
Dibenz(a,h)anthracene	ug/L	<0.010	0.050	12/20/18 11:22	
Fluoranthene	ug/L	<0.011	0.053	12/20/18 11:22	
Fluorene	ug/L	<0.0080	0.040	12/20/18 11:22	
Indeno(1,2,3-cd)pyrene	ug/L	<0.018	0.088	12/20/18 11:22	
Naphthalene	ug/L	<0.018	0.092	12/20/18 11:22	
Phenanthrene	ug/L	<0.014	0.069	12/20/18 11:22	
Pyrene	ug/L	<0.0076	0.038	12/20/18 11:22	
2-Fluorobiphenyl (S)	%	72	29-80	12/20/18 11:22	
Terphenyl-d14 (S)	%	95	10-123	12/20/18 11:22	

LABORATORY CONTROL SAMPLE: 1807913

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.4	68	50-91	
2-Methylnaphthalene	ug/L	2	1.4	70	48-89	
Acenaphthene	ug/L	2	1.6	81	48-120	
Acenaphthylene	ug/L	2	1.6	82	44-84	
Anthracene	ug/L	2	1.6	79	57-120	
Benzo(a)anthracene	ug/L	2	1.9	93	33-108	
Benzo(a)pyrene	ug/L	2	1.9	95	55-108	
Benzo(b)fluoranthene	ug/L	2	1.8	91	47-106	
Benzo(g,h,i)perylene	ug/L	2	1.2	58	20-75	
Benzo(k)fluoranthene	ug/L	2	1.7	87	50-116	
Chrysene	ug/L	2	1.7	86	64-140	
Dibenz(a,h)anthracene	ug/L	2	0.96	48	14-70	
Fluoranthene	ug/L	2	1.7	86	61-112	
Fluorene	ug/L	2	1.8	89	53-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

LABORATORY CONTROL SAMPLE: 1807913

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Indeno(1,2,3-cd)pyrene	ug/L	2	1.7	85	43-105	
Naphthalene	ug/L	2	1.3	65	38-90	
Phenanthrene	ug/L	2	1.7	83	47-105	
Pyrene	ug/L	2	1.8	91	62-119	
2-Fluorobiphenyl (S)	%			68	29-80	
Terphenyl-d14 (S)	%			89	10-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1807914 1807915

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40181040001 Result	Spike Conc.	Spike Conc.	MS Result					
1-Methylnaphthalene	ug/L	31.1	2.1	2.1	33.0	34.4	93	162	41-93	4 24 M6
2-Methylnaphthalene	ug/L	7.9	2.1	2.1	9.7	10.1	85	105	45-120	4 28
Acenaphthene	ug/L	67.7	2.1	2.1	68.4	72.1	32	210	38-120	5 23 M6
Acenaphthylene	ug/L	5.8	2.1	2.1	6.9	7.0	53	59	33-84	1 25
Anthracene	ug/L	2.5	2.1	2.1	4.1	4.0	76	76	37-120	1 27
Benzo(a)anthracene	ug/L	0.31J	2.1	2.1	1.6	1.3	60	49	10-108	16 31
Benzo(a)pyrene	ug/L	<0.23	2.1	2.1	1.1J	1.0J	51	49	10-108	29
Benzo(b)fluoranthene	ug/L	<0.12	2.1	2.1	1.2	1.1	55	52	10-106	7 27
Benzo(g,h,i)perylene	ug/L	0.24J	2.1	2.1	0.76	0.73	24	23	10-120	5 33
Benzo(k)fluoranthene	ug/L	<0.16	2.1	2.1	1.2	1.0	57	49	10-116	17 28
Chrysene	ug/L	<0.28	2.1	2.1	1.6	1.6	64	65	19-140	0 30
Dibenz(a,h)anthracene	ug/L	<0.22	2.1	2.1	0.48J	0.49J	23	23	10-120	40
Fluoranthene	ug/L	5.4	2.1	2.1	6.6	6.6	53	56	38-112	0 28
Fluorene	ug/L	23.4	2.1	2.1	26.3	27.7	139	209	42-120	5 25 M6
Indeno(1,2,3-cd)pyrene	ug/L	<0.38	2.1	2.1	0.91J	0.80J	43	39	10-105	30
Naphthalene	ug/L	223	2.1	2.1	243	252	957	1380	38-120	3 26 M6
Phenanthrene	ug/L	12.9	2.1	2.1	14.2	14.9	59	97	39-105	5 24
Pyrene	ug/L	9.1	2.1	2.1	9.7	10.2	26	51	38-119	5 32 M6
2-Fluorobiphenyl (S)	%						65	64	29-80	
Terphenyl-d14 (S)	%						46	45	10-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309646 Analysis Method: EPA 8270 by HVI
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by HVI
 Associated Lab Samples: 40181071007

METHOD BLANK: 1808583 Matrix: Water
 Associated Lab Samples: 40181071007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.0059	0.030	12/20/18 11:05	
2-Methylnaphthalene	ug/L	<0.0049	0.024	12/20/18 11:05	
Acenaphthene	ug/L	<0.0061	0.030	12/20/18 11:05	
Acenaphthylene	ug/L	<0.0050	0.025	12/20/18 11:05	
Anthracene	ug/L	<0.010	0.052	12/20/18 11:05	
Benzo(a)anthracene	ug/L	<0.0076	0.038	12/20/18 11:05	
Benzo(a)pyrene	ug/L	<0.011	0.053	12/20/18 11:05	
Benzo(b)fluoranthene	ug/L	<0.0057	0.029	12/20/18 11:05	
Benzo(g,h,i)perylene	ug/L	<0.0068	0.034	12/20/18 11:05	
Benzo(k)fluoranthene	ug/L	<0.0076	0.038	12/20/18 11:05	
Chrysene	ug/L	<0.013	0.065	12/20/18 11:05	
Dibenz(a,h)anthracene	ug/L	<0.010	0.050	12/20/18 11:05	
Fluoranthene	ug/L	<0.011	0.053	12/20/18 11:05	
Fluorene	ug/L	<0.0080	0.040	12/20/18 11:05	
Indeno(1,2,3-cd)pyrene	ug/L	<0.018	0.088	12/20/18 11:05	
Naphthalene	ug/L	<0.018	0.092	12/20/18 11:05	
Phenanthrene	ug/L	<0.014	0.069	12/20/18 11:05	
Pyrene	ug/L	<0.0076	0.038	12/20/18 11:05	
2-Fluorobiphenyl (S)	%	75	29-80	12/20/18 11:05	
Terphenyl-d14 (S)	%	103	10-123	12/20/18 11:05	

LABORATORY CONTROL SAMPLE: 1808584

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.5	75	50-91	
2-Methylnaphthalene	ug/L	2	1.6	78	48-89	
Acenaphthene	ug/L	2	1.8	90	48-120	
Acenaphthylene	ug/L	2	1.8	92	44-84	L1
Anthracene	ug/L	2	1.8	89	57-120	
Benzo(a)anthracene	ug/L	2	1.9	96	33-108	
Benzo(a)pyrene	ug/L	2	2.1	104	55-108	
Benzo(b)fluoranthene	ug/L	2	2.0	98	47-106	
Benzo(g,h,i)perylene	ug/L	2	1.4	71	20-75	
Benzo(k)fluoranthene	ug/L	2	2.0	101	50-116	
Chrysene	ug/L	2	1.9	96	64-140	
Dibenz(a,h)anthracene	ug/L	2	1.3	63	14-70	
Fluoranthene	ug/L	2	1.9	94	61-112	
Fluorene	ug/L	2	2.0	100	53-120	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.9	96	43-105	
Naphthalene	ug/L	2	1.4	71	38-90	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

LABORATORY CONTROL SAMPLE: 1808584

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenanthrene	ug/L	2	1.8	90	47-105	
Pyrene	ug/L	2	2.0	99	62-119	
2-Fluorobiphenyl (S)	%			80	29-80	
Terphenyl-d14 (S)	%			99	10-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1808585 1808586

Parameter	Units	1808585		1808586		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40181071007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
1-Methylnaphthalene	ug/L	170	2.3	2.2	188	215	750	2000	41-93	14	24 M6
2-Methylnaphthalene	ug/L	141	2.3	2.2	166	184	1080	1950	45-120	11	28 M6
Acenaphthene	ug/L	10.3	2.3	2.2	12.8	13.3	107	132	38-120	4	23 M6
Acenaphthylene	ug/L	123	2.3	2.2	142	150	791	1220	33-84	6	25 M6
Anthracene	ug/L	5.6J	2.3	2.2	8.3	8.1	121	114	37-120	3	27 M6
Benzo(a)anthracene	ug/L	1.2J	2.3	2.2	3.6J	4.0J	101	126	10-108		31 M6
Benzo(a)pyrene	ug/L	<1.2	2.3	2.2	1.8J	2.0J	49	57	10-108		29
Benzo(b)fluoranthene	ug/L	0.76J	2.3	2.2	2.1J	1.9J	57	51	10-106		27
Benzo(g,h,i)perylene	ug/L	1.1J	2.3	2.2	1.8J	1.6J	29	22	10-120		33
Benzo(k)fluoranthene	ug/L	<0.85	2.3	2.2	1.1J	1.3J	28	35	10-116		28
Chrysene	ug/L	<1.5	2.3	2.2	2.2J	2.3J	36	42	19-140		30
Dibenz(a,h)anthracene	ug/L	<1.1	2.3	2.2	<1.4	<1.4	21	24	10-120		40
Fluoranthene	ug/L	3.3J	2.3	2.2	5.8J	6.1J	108	126	38-112		28 M6
Fluorene	ug/L	30.8	2.3	2.2	34.8	38.3	174	339	42-120	10	25 M6
Indeno(1,2,3-cd)pyrene	ug/L	<2.0	2.3	2.2	<2.5	<2.4	18	32	10-105		30
Naphthalene	ug/L	1500	2.3	2.2	1610	1820	5110	14600	38-120	12	26 M6
Phenanthrene	ug/L	27.7	2.3	2.2	32.5	36.0	207	374	39-105	10	24 M6
Pyrene	ug/L	4.5	2.3	2.2	6.6	7.6	93	143	38-119	15	32 M6
2-Fluorobiphenyl (S)	%						66	68	29-80		
Terphenyl-d14 (S)	%						0	0	10-123		S4

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309412 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005

METHOD BLANK: 1807511 Matrix: Water
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<1.0	3.0	12/18/18 13:38	

LABORATORY CONTROL SAMPLE: 1807512

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	20.5	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1807513 1807514

Parameter	Units	40181076001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	97.3	400	400	543	542	111	111	90-110	0	15	MO

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1807515 1807516

Parameter	Units	40181071005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	1.6J	20	20	24.1	24.6	113	115	90-110	2	15	MO

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 309571 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Associated Lab Samples: 40181071006, 40181071007, 40181071008, 40181071009

METHOD BLANK: 1808253 Matrix: Water
 Associated Lab Samples: 40181071006, 40181071007, 40181071008, 40181071009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<1.0	3.0	12/19/18 11:52	

LABORATORY CONTROL SAMPLE: 1808254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	18.7	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1808255 1808256

Parameter	Units	40181104021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
										RPD	RPD	
Sulfate	mg/L	19.0	100	100	132	143	113	124	90-110	8	15	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1808257 1808258

Parameter	Units	40181071007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
										RPD	RPD	
Sulfate	mg/L	116	100	100	224	220	108	104	90-110	2	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

QC Batch: 310099 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007, 40181071008, 40181071009

METHOD BLANK: 1811059 Matrix: Water
 Associated Lab Samples: 40181071001, 40181071002, 40181071003, 40181071004, 40181071005, 40181071006, 40181071007, 40181071008, 40181071009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.095	0.25	12/26/18 12:26	

LABORATORY CONTROL SAMPLE: 1811060

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1811063 1811064

Parameter	Units	1811063		1811064		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40181071007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result					
Nitrogen, NO2 plus NO3	mg/L	0.33	2.5	2.5	2.9	2.9	102	103	90-110	2 20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 67971 CAMP MARINA-Revised Report
Pace Project No.: 40181071

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above LOD.
J - Estimated concentration at or above the LOD and below the LOQ.
LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.
LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E Analyte concentration exceeded the calibration range. The reported result is estimated.
L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.
S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 67971 CAMP MARINA-Revised Report
 Pace Project No.: 40181071

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40181071001	121318001	EPA 8015B Modified	309595		
40181071002	121318002	EPA 8015B Modified	309595		
40181071003	121318003	EPA 8015B Modified	309595		
40181071004	121318004	EPA 8015B Modified	309595		
40181071005	121318005	EPA 8015B Modified	309595		
40181071006	121318006	EPA 8015B Modified	309595		
40181071007	121318007	EPA 8015B Modified	309595		
40181071008	121318008	EPA 8015B Modified	309595		
40181071009	121318009	EPA 8015B Modified	309595		
40181071001	121318001	EPA 3510	309516	EPA 8270 by HVI	309575
40181071002	121318002	EPA 3510	309516	EPA 8270 by HVI	309575
40181071003	121318003	EPA 3510	309516	EPA 8270 by HVI	309575
40181071004	121318004	EPA 3510	309516	EPA 8270 by HVI	309575
40181071005	121318005	EPA 3510	309516	EPA 8270 by HVI	309575
40181071006	121318006	EPA 3510	309516	EPA 8270 by HVI	309575
40181071007	121318007	EPA 3510	309646	EPA 8270 by HVI	309692
40181071008	121318008	EPA 3510	309516	EPA 8270 by HVI	309575
40181071009	121318009	EPA 3510	309516	EPA 8270 by HVI	309575
40181071001	121318001	EPA 8260	309442		
40181071002	121318002	EPA 8260	309442		
40181071003	121318003	EPA 8260	309442		
40181071004	121318004	EPA 8260	309442		
40181071005	121318005	EPA 8260	309442		
40181071006	121318006	EPA 8260	309442		
40181071007	121318007	EPA 8260	309442		
40181071008	121318008	EPA 8260	309442		
40181071009	121318009	EPA 8260	309442		
40181071010	121318010	EPA 8260	309442		
40181071011	121318011	EPA 8260	309442		
40181071001	121318001	EPA 300.0	309412		
40181071002	121318002	EPA 300.0	309412		
40181071003	121318003	EPA 300.0	309412		
40181071004	121318004	EPA 300.0	309412		
40181071005	121318005	EPA 300.0	309412		
40181071006	121318006	EPA 300.0	309571		
40181071007	121318007	EPA 300.0	309571		
40181071008	121318008	EPA 300.0	309571		
40181071009	121318009	EPA 300.0	309571		
40181071001	121318001	EPA 353.2	310099		
40181071002	121318002	EPA 353.2	310099		
40181071003	121318003	EPA 353.2	310099		
40181071004	121318004	EPA 353.2	310099		
40181071005	121318005	EPA 353.2	310099		
40181071006	121318006	EPA 353.2	310099		
40181071007	121318007	EPA 353.2	310099		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 67971 CAMP MARINA-Revised Report
Pace Project No.: 40181071

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40181071008	121318008	EPA 353.2	310099		
40181071009	121318009	EPA 353.2	310099		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Jk

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40181071
 COL # 67971-12/18
 QC: ABB 12/13/18

Page 28 of 31

Course: Pace / CR Logistics

Page: 1 of 1

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:
Company: OBG	Report To: GDSdata@OBG.com	Attention: Accounts Payable
Address: 234 W. Florida St	Copy To: Andrew.Cowbe@obg.com	Company Name: WEC Business Services, LLC
Milwaukee, WI	Purchase Order No.: 3400010643	Address: PO Box 19800, Green Bay, WI 54307
Email To: GDSdata@OBG.com	Project Name: <i>Comparsina</i>	Pace Quote Reference:
Phone: 28-981-2838 Fax:	Project Number: 67971/204	Pace Project Manager:
Requested Due Date/TAT: standard		Pace Profile #:
		REGULATORY AGENCY
		<input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER
		<input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER
		Site Location: WI
		STATE: WI

ITEM #	Section D Required Client Information		Valid Matrix Codes		MATRIX CODE	SAMPLE TYPE (G-GRAB C-COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Requested Analysis Filtered (Y/N)		Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
	SAMPLE ID (A-Z, 0-9/...) Sample IDs MUST BE UNIQUE	MATRIX	CODE	COMPOSITE START			COMPOSITE END/GRAB	DATE	TIME	DATE			TIME	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	Analysis Test		
1	121318a1								12/13/18	0820	6		X						X	X			2	001
2	121318a2									0919	6		X						X	X			2	002
3	121318a3									0959	6		X						X	X			2	003
4	121318a4									1004	6		X						X	X			2	004
5	121318a5								12/13/18	1052	6		X						X	X			2	005
6	121318a6									1138	6		X						X	X			2	006
7	121318a7									1315	18		X						X	X			2	MS/MSD 007
8	121318a8									1418	6		X						X	X			2	008
9	121318a9									1508	6		X						X	X			2	009
10	121318a10									1530	3		X						X	X			1	BTEX ONLY 010
11	121318a11									-	2		X						X	X			1	Top Blank BTEX ONLY 011
12										-														

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
EPA Level 2	<i>Alex Butcher</i>	12/14/18	0800	<i>Alex Butcher</i>	12/14/18	1530	RO1	Y	Y	Y

custody seals: 67971-a1 & a2

SAMPLER NAME AND SIGNATURE				Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:		<i>Kyle Schenck / Alex Butcher</i>					
SIGNATURE of SAMPLER:		<i>[Signatures]</i>					
DATE Signed (MM/DD/YY):				12/13/18			

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.



CHAIN-OF-CUSTODY / Analytical Request Document

40181071
COL # 67971-1218-002
QC: ABB 12/13/18

Can # : Pace / CS Logistics

Section A Required Client Information: Company: OBG, Address: 234 W. Florida St, Milwaukee, WI... Section B Required Project Information: Report To: GDSdata@OBG.com, Copy To: Andrew.Courvel@obg.com... Section C Invoice Information: Attention: Accounts Payable, Company Name: WEC Business Services, LLC... REGULATORY AGENCY: NPDES, GROUND WATER, DRINKING WATER, UST, RCRA, OTHER... Site Location: WI

Table with columns: ITEM #, Section D Required Client Information, Valid Matrix Codes, COLLECTED (Composite Start/End), Preservatives, Analysis Test, Requested Analysis Filtered (Y/N), Residual Chlorine (Y/N), Pace Project No./ Lab I.D.

Table with columns: ADDITIONAL COMMENTS, RELINQUISHED BY / AFFILIATION, DATE, TIME, ACCEPTED BY / AFFILIATION, DATE, TIME, SAMPLE CONDITIONS

SAMPLER NAME AND SIGNATURE, PRINT Name of SAMPLER: Alex Bucher, SIGNATURE of SAMPLER, DATE Signed (MM/DD/YY): 12/13/18, Temp in °C, Received on Ice (Y/N), Custody Sealed Cooler (Y/N), Samples Intact (Y/N)

Custody seals: 67971-003 & 004

Sample Preservation Receipt Form

Client Name: OBG Project # 40181071

All containers needing preservation have been checked and noted below: Yes No N/A


Lab Lot# of pH paper: 105788 Lab Std #/ID of preservation (if pH adjusted):

Initial when completed: [Signature] Date/Time:

Pace Lab #	Glass						Plastic						Vials				Jars			General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3C	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU								WGFU	WPFU	SP5T	ZPLC	GN
001				2																													2.5 / 5 / 10
002				2																													2.5 / 5 / 10
003				2																													2.5 / 5 / 10
004				2																													2.5 / 5 / 10
005				2																													2.5 / 5 / 10
006				2																													2.5 / 5 / 10
007				6						3				3																			2.5 / 5 / 10
008				2																													2.5 / 5 / 10
009				2																													2.5 / 5 / 10
010																																	2.5 / 5 / 10
011																																	2.5 / 5 / 10
012																																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10


Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3C	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: DBG
Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: **WO# : 40181071**

 40181071

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other _____
Thermometer Used SR - NA **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature Uncorr: _____ /Corr: RD

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Person examining contents:
 Date: 12/17/18
 Initials: [Signature]

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis	Matrix: <u>W</u>	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	<u>410</u>	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

Project Manager Review: [Signature] **Date:** 12-17-18