



**We Energies**  
231 W. Michigan St.  
Milwaukee, WI 53203  
www.we-energies.com

February 3, 2022

Peter Ramanauskas  
RCRA Corrective Action Project Manager  
Regional PCB Coordinator  
EPA Region 5  
77 W. Jackson Boulevard (LR-16J)  
Chicago, IL 60604

Re: 761.61(c) Application for Risk Based Disposal  
We Energies Gas Main Replacement Project, Amcast Residential Yards, Park Lane and Spring  
Street, Cedarburg, WI

Dear Mr. Ramanauskas,

On behalf of Wisconsin Electric Power Company (dba We Energies) we respectfully submit this application under 40 CFR § 761.61(c) to dispose of soils generated during gas main replacement activities within the Amcast Residential Yards portion of the Amcast Industrial Superfund Site (US EPA ID WIN000510210; Site ID 0510210; and Wisconsin Department of Natural Resources [WDNR] BRRTS# 02-46-000795). Soils in this residential neighborhood are regulated under TSCA based on polychlorinated biphenyl (PCB) source concentrations from the Amcast Industrial Superfund Site. We are requesting a risk based approval to dispose of soils based on their as-found concentrations of <50 parts per million (ppm) at a non-Toxic Substances Control Act (TSCA) regulated disposal facility.

We Energies understands that the Amcast Residential Yards site is bounded by Hamilton Road on the west, Park Lane on the south, and Wilshire Drive on the east. The gas service main in this neighborhood is nearing the end of its useful life expectancy (60+ years) and replacement is needed to preserve service to our customers and maintain a safe and reliable distribution network. In order to replace the gas service main in this area, We Energies anticipates new service lines will be installed by trenching in the locations depicted in the attached figure. We intend to dispose of spoils generated within the Amcast Residential Yards site through this process and with your approval.

A sampling plan for a subsurface soil investigation was approved by you via email on November 12, 2021. This investigation was completed along the proposed gas main installation route during late November 2021 by Kapur Inc. on behalf of We Energies. The purpose of the investigation was to assess soils to be managed within the Amcast Residential Yards site for PCB content and collect data for waste characterization. The following section describes the history of impact, the investigation, and the proposed management plan.

### ***761.61(c) Application for Risk Based Disposal***

We Energies provides the following items as required in 40 CFR § 761.61(a)(3):

Nature of Contamination – Soil sampling performed during 2003, 2005 and 2007 in the residential neighborhood to the south and west of the Amcast North site indicated concentrations of PCBs in soil on the residential properties ranging from non-detect to 79 ppm. Results of this investigation were summarized in a Remedial Investigation / Feasibility Study by CH2M Hill dated April 2013.

Procedures Used for Sampling – As noted in the attached Environmental Activities Update prepared by Kapur Inc., a total of 22 soil borings were installed using direct push methodology along the route of the proposed gas main installation. Two samples (one shallow, one deep) from each boring were sent for PCB analysis. Select samples were submitted for laboratory analysis of volatile organic compounds (VOCs) and Diesel

Range Organics (DRO). A composite sample for landfill waste characterization was submitted for laboratory analysis of Protocol B, Gasoline Range Organics (GRO), and DRO. A map depicting the sample locations and table summarizing the analytical results are included in the attachment.

Location and Extent of the Contaminated Area – Based on the analytical results, PCBs were detected at concentrations exceeding 1.0 ppm at two locations: SB-1 (0-2') at 1.4 ppm and SB-9 (2-4') at 4.4 ppm. Concentrations greater than 1.0 ppm result in these soils being regulated under TSCA. Both these samples were located near the intersection of Park Lane and Wilshire Drive. All other results were below 1.0 ppm.

Cleanup Plan for the Site – We Energies anticipates managing generated materials by disposing all generated spoils at a Non-TSCA, Resource Conservation and Recovery Act (RCRA) Subtitle D regulated landfill. We Energies is not engaged in the cleanup of the larger Amcast Industrial Site and will only manage materials generated during trenching associated with the gas main replacement project within the Amcast Residential Yards.

Written Certification – We Energies certifies that all sampling plans, sample collection procedures, sample preparation procedures, extraction procedures, and chemical analysis procedures used to assess and characterize PCB contamination are on file within our internal document management system and will be available upon request for EPA inspection.

We Energies respectfully requests approval of this application to manage materials generated during the gas main replacement project in the Amcast Residential Yards at Park Lane and Spring Street, Cedarburg, WI at a Non-TSCA, RCRA Subtitle D landfill.

Please don't hesitate to contact me at [marita.stollenwerk@wecenergygroup.com](mailto:marita.stollenwerk@wecenergygroup.com) or 414-221-4172 with any questions.

Respectfully,



Marita D. Stollenwerk, P.G.  
We Energies

Attachments: Gas Main Replacement Sketch  
Environmental Activities Update, Kapur Inc., January 14, 2022

CC: Jennifer Dorman, WDNR (via email)

**4705061**



C  T  V: CEDARBURG

CUST/PROJ NAME: PARK LN & SPRING ST PHASE 2

PROJECT LOCATION: PARK LN, BURR LN, & WILSHIRE DR

PREPARED BY: JUSTIN BUSH (K)

E-MAIL: Justin.Bush@wecenergygroup.com

OFFICE #: (414) 410-5212 CELL #: \_\_\_\_\_

PROJECT ID: NO4705061G IO #: MRO47502106

CGS #: \_\_\_\_\_

**TYPE OF WORK:**

GDAM MAIN REPLACEMENT  MAIN EXTENSION

PAVING RELOCATION  SERVICE

OTHER \_\_\_\_\_

**STAKING REQUIREMENTS:**

SURVEYOR  STAKED

DESIGNER  NOT NEEDED

**MAIN / SERVICE IN EASEMENT:**

YES ROW WR# \_\_\_\_\_

CORROSION CONTACT: LARRY VANBOGELEN

PHONE #: (414) 221-3648

RESTORE PRIVATE PROPERTY:  WE ENERGIES  CUSTOMER

RAILROAD PERMITTING/FLAGGING REQUIRED  YES  NO

RR NAME \_\_\_\_\_

MAIN SIZE, MAT'L, FT      INSTALL METHOD & FOOTAGE

2", PE, 3990'      DIR. BORE 1589' ; OPEN CUT 2401'

**RELATED WR's**

MAIN RETIREMENT WR 4705062 FOOTAGE 2690'

SERVICE REPLACEMENT WR 4705063 NO. 26

SERVICE RECONNECT WR 4705064 NO. 4

**EROSION CONTROL NOTES**

IF DISTURBANCE OCCURS IN SUMMER, FINAL STABILIZATION SHALL BE PERMANENT SEED AND PROPERLY ANCHORED MULCH, UNLESS NOTED. IF DISTURBANCE OCCURS IN WINTER, TEMPORARY STABILIZATION SHALL BE SOIL STABILIZER, UNLESS NOTED. FINAL STABILIZATION IS REQUIRED IN SPRING.

IF DISTURBANCE OCCURS WITHIN THE SLOPE INTERCEPT, FINAL STABILIZATION SHALL BE SOIL STABILIZER, UNLESS NOTED. IF DISTURBANCE OCCURS OUTSIDE THE SLOPE INTERCEPT, FINAL STABILIZATION SHALL BE PERMANENT SEED AND PROPERLY ANCHORED MULCH, UNLESS NOTED.

IF DISTURBANCE OCCURS IN AGRICULTURAL FIELDS, SOIL SEGREGATION WILL NEED TO TAKE PLACE TO RETURN FIELDS TO PRE-CONSTRUCTION SOIL STRATIFICATION AND TO PRE-CONSTRUCTION ELEVATIONS.

DEPENDING ON THE TIME OF YEAR AND WEATHER CONDITIONS, CONSIDER USING PLATES/MATS IN WETLANDS OR CROSSING DITCHES.



STOCKPILE MATERIALS SHALL BE PLACED UPSLOPE FROM EXCAVATION. IF STOCKPILE MATERIALS MUST BE PLACED DOWNSLOPE OF EXCAVATION, PROTECT STOCKPILES WITH 12" WATTLES.

PROJECT SPECIFIC EROSION CONTROL NOTES: \_\_\_\_\_

PLAN OF PROPOSED IMPROVEMENT  
**GAS MAIN REPLACEMENT**  
 PARK LN & SPRING ST PHASE 2  
 CITY OF CEDARBURG, WISCONSIN



ALL MAIN OUTSIDE OF ROADWAY TO BE INSTALLED AT 36" DEPTH OF COVER & ALL MAIN INSIDE OF ROADWAY TO BE INSTALLED AT 48" DEPTH UNLESS OTHERWISE NOTED.




**CONTACT LIST**  
 DESIGNER: JUSTIN BUSH (414)410-5212  
 ENGINEER: ERIC HECKMAN (414)944-5549  
 EROSION CONTROL: GEORGE STROSCHEIN (920) 380-3471  
 ENVIRONMENTAL: KATHRYN MCNELLY-BELL (414) 795-4305  
 CORROSION: LARRY VANBOGELEN (414)221-3648  
 SR PROJECTS SUPERVISOR: ALICIA HOLDORF (414)944-5695

**WR 4705061**

REV.	DESCRIPTION	BY	DATE
0	DESIGN APPROVED FOR CONSTRUCTION	JB	


S:\Clients\WEC\_Gas Major Projects\Projects\2020 projects\BOS\4522881 Park Ln & Spring St - Cedarburg - GDAM\Design\4705061 - PHASE 2\47




**CORROSION NOTE:**  
 6 Install a TYPE #3 Locate Point Here. Bring up a #12 wire from the new #10 PE main tracer wire and bring up a #12 wire from the other side of the new #10 PE main tracer wire and a 1# anode wire up into a Test Post. Keep wires separate and mark them with direction and material (N&S). Use part #'s 0071-0001 & 0079-3008 or 3012.

Item No.	Description
1	TEE, 2" H-17500 MUELLER 250# SERVICE
2	TRANSITION 2" X 2" IPS
3	CAP, 2" GRB STD WELD
4	HALF STOP, 2" H-17190 (SAVE-A-VALVE)
5	VALVE, 2" IPS PE PLAIN END (CONV. V26656)
6	LOCATE POINT TYPE#3
7	ANODE, 1 LB. MAGNESIUM GRADE H1-A


Pipe Footage	
264'	2" PE MAIN- OPEN CUT



No 17# anode needed. Connect the new PE main tracer wire to the existing steel main.





DETAIL A



Item No.	Description
1	TEE, 2" IPS SOCKET FUSE
2	TEE, 2" IPS SOCKET FUSE
3	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE
4	ANODE, 1 LB. MAGNESIUM GRADE H1-A
5	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE
6	ANODE, 1 LB. MAGNESIUM GRADE H1-A
7	ELL, 2" IPS 90 DEG SOCKET FUSE


Pipe Footage	
107'	2" PE MAIN- DIRECTIONAL BORE
1228'	2" PE MAIN- OPEN CUT






Item No.	Description
1	SQUEEZE POINT
2	COUPLING, 2" IPS ELECTROFUSE
3	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE (TEMP)
4	SQUEEZE POINT
5	TEE, 2" IPS SOCKET FUSE
6	TEE, 2" IPS SOCKET FUSE
7	ELL, 2" IPS 90 DEG SOCKET FUSE
8	ELL, 2" IPS 90 DEG SOCKET FUSE

Pipe Footage	
652'	2" PE MAIN- DIRECTIONAL BORE
587'	2" PE MAIN- OPEN CUT




DETAIL A



SHEET 5

SHEET 3




Item No.	Description
1	ELL, 2" IPS 90 DEG SOCKET FUSE
2	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE
3	ANODE, 1 LB. MAGNESIUM GRADE H1-A

Pipe Footage	
431'	2" PE MAIN- DIRECTIONAL BORE
312'	2" PE MAIN- OPEN CUT




Item No.	Description
1	SQUEEZE POINT
2	COUPLING, 2" IPS ELECTROFUSE
3	SQUEEZE POINT
4	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE (TEMP)

DETAIL A



Pipe Footage	
203'	2" PE MAIN- DIRECTIONAL BORE



W55N451 LENOX PL  
ID# 257114  
REPLACE M-B  
IN/OUT


W55N453 LENOX PL  
ID# 257114  
REPLACE M-B  
IN/OUT

W55N447 LENOX PL  
ID# 257113  
REPLACE M-B  
IN/OUT

W55N449 LENOX PL  
ID# 257113  
REPLACE M-B  
IN/OUT

SHEET 5






Item No.	Description
1	ELL, 2" IPS 90 DEG SOCKET FUSE
2	ELL, 2" IPS 90 DEG SOCKET FUSE
3	SQUEEZE POINT
4	ANODE, 1 LB. MAGNESIUM GRADE H1-A
5	COUPLING, 2" IPS ELECTROFUSE
6	CAP, 2" IPS SOCKET X 1/2" CTS PURGE FUSE (TEMP)
7	SQUEEZE POINT
8	TEE, 2" IPS X 1" CTS ELECTROFUSE
9	TEE, 2" IPS X 1" CTS ELECTROFUSE
10	SQUEEZE POINT

Pipe Footage	
196'	2" PE MAIN- DIRECTIONAL BORE
10'	2" PE MAIN- OPEN CUT

**4 CORROSION NOTE:**  
Connect the new PE main tracer wire to the existing PE main tracer wire and install a 1# anode at the tie-in location(s).










**DETAIL A**

**WE ENERGIES - GAS OPERATIONS**



















NOTES:  
 Existing facilities should be field verified prior to excavation.  
 Utility information shown are from plans and have not been field verified.  
 Maintain 12" min vertical clearance at crossing of existing electrical facilities.  
 Maintain 6" min vertical clearance at crossing of other existing facilities.  
 Maintain 18" min vertical clearance at crossing of existing storm sewer pipes.  
 Maintain 5' clearance from storm sewer inlets.  
 Staking of route or ROW by surveyor required prior to construction.  
 Clearances shown are min distances – reference permit for specific clearance requirements.  
 Additional information on excavation, backfilling & clearances can be found in the Gas CRS 201.  
 Restore all pavement, ROW, sidewalks, and customer's private property.

CONVENTIONAL SYMBOLS

-  END OF MAIN CAPPED WITH AN ANODE ATTACHED TO THE TRACER WIRE – 2' x 4' EXCAVATION.
-  VALVE IN AN 8" DIAMETER METALLIC BOX SET TO GRADE
-  17# ANODE ATTACHED TO THE MAIN IN THE SAME TRENCH
-  GAS MAIN CUT OFF AND CAPPED 4' x 5' EXCAVATION
-  METER CHANGE
-  TEST & RECONNECT SERVICE
-  REPLACE SERVICE

EROSION CONTROL LEGEND

 APPROXIMATE LOCATION FOR UNDERGROUND FACILITY EXCAVATION

 A/B/C/D	INLET PROTECTION, TYPE
	12" WATTLE or 12"/20" SEDIMENT LOG or 9.5"/20" EROSION EEL
	STONE DITCH CHECK
	SAND or ROCK BAG
	MULCH
	SOIL STABILIZER, TYPE B
	EROSION MAT CLASS I, TYPE A
	EROSION MAT CLASS I, TYPE B
	EROSION MAT CLASS I, TYPE A URBAN
	EROSION MAT CLASS I, TYPE B URBAN
	EROSION MAT CLASS II
	EROSION MAT CLASS III
	VEGETATIVE BUFFER
	TRACKING PAD
	TIMBER MAT
	SILT FENCE
	APPROXIMATE DEWATERING BASIN LOCATION
	SURFACE WATER FLOW

**WE ENERGIES WORK REQUEST ENVIRONMENTAL NOTES (Notes 1 through 7 apply to ALL work requests)**

**General**

1. If WDNR and/or USACE permits were obtained for the project, all permit conditions shall be met during construction of the project.

**Erosion Control**

2. If soil disturbance occurs on slopes or channels/ditches leading to wetlands or waterways, or within wetlands, the disturbed areas shall be stabilized and appropriate erosion control Best Management Practices (BMP's) shall be implemented.
3. Erosion Control BMR's shall meet or exceed the approved WDNR Storm Water Management Technical Standards ([http://dnr.wi.gov/topic/stormwater/standards/const\\_standards.html](http://dnr.wi.gov/topic/stormwater/standards/const_standards.html)). Refer to We Energies Construction Site Sediment and Erosion Control Standards.
4. Inspect installed erosion control BMP's at least one time per week and after 1/2" rain events: repair as necessary.
5. When temporary stabilization is required (e.g. for winter or short-term construction) prior to final restoration, soil stabilizer shall be installed wherever possible. Erosion mat shall be used temporarily only where appropriate, in accordance with state standards, and when approved by the Operations Supervisor.

**Contaminated Soils**

6. Whenever soil exhibiting obvious signs of contamination (e.g., discoloration, petroleum or solvent odor, free liquids other than water, buried containers or tanks, or other obvious signs of environmental impacts) is encountered during excavation or installation, cease work immediately, take appropriate immediate precautions to ensure worker health and safety, and contact the Operations Supervisor or Inspector.

**Spills**

7. If an oil spill occurs during construction, call the Environmental Incident Response Team (EIRT) at 414-430-3478:
  - a. Any quantity of oil is spilled into surface water;
  - b. Any oil spill greater than 50 ppm PCB into a sewer, vegetable garden, or grazing land;
  - c. Any oil spill containing greater than 500 ppm PCB;
  - d. Five gallons or more of oil spilled to the ground;
  - e. Any oil spill involving a police department, fire department, DNR, or concerned property owner.

**Notes 8 through 27 apply as noted at specific points within each work request:**

**Dewatering**

8. Dewatering of pits or trenches shall be done in accordance with state standards. Use an approved sediment bag, a straw bale dewatering basin, a combination of both, or equivalent.

**Wetlands**

9. As much as practicable, the majority of the work shall be staged from the public roadways and road shoulders, keeping equipment out of adjacent wetlands.
10. All work shall be conducted to minimize soil disturbance. No rutting will be allowed within the wetlands.
11. If soils are not frozen or stable to a point that avoids rutting, timber mats, mud tracks, or equivalent shall be utilized to access pole locations.
12. Excavated soils cannot be stockpiled in wetlands.

**Waterways**

13. All excess spoils shall be removed from wetlands and placed in a suitable upland location.
14. Trenching and pit excavations within wetlands shall include soil segregation to facilitate restoration of pre-construction soil stratification, and restoration to pre-construction elevations.
15. Poles scheduled to be removed, and that occur within wetland, shall be cut at the ground surface.
16. No work can be performed within the banks or below the ordinary high watermark of any navigable waterways/streams.
17. No crossing of navigable waterways with equipment can occur. Foot traffic is allowed.
18. Any disturbed soil within 75-feet of the ordinary high water mark of any navigable waterways/streams shall be stabilized within 24 hours of construction completion.

**Threatened and Endangered Species**

19. Threatened or endangered species are known to occur in the work area. It is illegal to harass, harm, or kill a protected species under state and federal regulations. Proper precautions shall be taken to ensure harm to individuals is avoided.
20. In order to protect the threatened or endangered species, work must be conducted between November 5 and March 15.
21. Exclusion fencing must be installed at the work area prior to March 15.
22. A qualified biologist must be present when conducting work at this location.

**Invasive Species**

23. State regulated invasive species are known to occur in the work area. Reasonable precautions are legally required to prevent the spread of these species. The Wisconsin Council on Forestry Transportation and Utility Rights-of Way Best Management Practices should be followed: (<http://council.wisconsinforestry.org/invasives/transportation/>).

**Cultural and Historical Resources, cont.**

24. The project is within or adjacent to an area that is identified by the State of Wisconsin as potentially having Native American artifacts, burial mounds or burial sites, which could be encountered during construction.
25. If human bone or any artifacts are discovered during construction, work must cease immediately. Contact the Environmental Department who will contact the State Burial Sites Preservation Office and determine the next steps that must be taken in order to comply with state law. Work at that site MAY NOT PROCEED until the Environmental Department authorizes it.
26. A "qualified archaeologist," as specified under Wis. Stats 157.70 (1) (i) and Wis. Admin. Code HS 2.04 (6), must be present to monitor all ground disturbing activities.

**Frac-out Contingency Plan**

27. A frac-out contingency plan shall be on-site and implemented accordingly. The contingency plan shall incorporate the following components.
  - a. Continuously inspect the bore paths for frac-outs in order to respond quickly and appropriately.
  - b. Containment materials (e.g. silt fence, straw bales, sand bags, etc.) shall be on site and available should a frac-out occur.



January 14, 2022

Marita Stollenwerk, P.G.  
WEC Energy Group  
333 W Everett Street  
Milwaukee, Wisconsin 53203

RE: Environmental Activities Update  
Cedarburg Gas Main Replacement  
IO # MRO47502106, WR # 4522881/4705061  
Park Lane and Spring Street  
Cedarburg, WI 53012

Dear Ms. Stollenwerk,

Kapur Inc. (Kapur) has completed the installation of geoprobe soil borings and environmental soil sampling for the above referenced work request.

**Site Background:**

The residential properties located along Park Lane, Burr Lane and Wilshire Drive are all located within the Amcast Industrial Corporation EPA Superfund Site (U.S. EPA ID WIN000510210; Site ID 0510210 and WDNR BRRTS# 02-46-000795) and are identified as the Residential Yards (CH2M Hill Figure 1-1). This area has been historically impacted by PCB laden oils used for dust suppression. We Energies is proposing to replace the gas mains in this area due to the age of the existing gas mains. Sampling was conducted to provide PCB disposal information.

**Activities Conducted:**

On November 29, 2021, Kapur supervised the installation of twenty-two (22) soil borings, SB-1 through SB-22, by Horizon Construction and Exploration of Fredonia, Wisconsin. The borings were advanced using a Geoprobe within the project corridor to a maximum depth of four (4) feet below ground surface (ft bgs). A total of forty-four (44) soil samples from SB-1 through SB-22 were field screened using a photoionization detector (PID). Soil samples were submitted to Pace Analytical (Pace) of Green Bay, Wisconsin (Wisconsin Department of Natural Resources (WDNR) Certification #: 405132750) for laboratory analysis of polychlorinated biphenyls (PCBs). Select samples were submitted for laboratory analysis of volatile organic compounds (VOCs) and Diesel Range Organics (DRO). A composite sample for landfill waste characterization was submitted to Pace for laboratory analysis of Protocol B, Gasoline Range Organics (GRO), and DRO. Field observations and laboratory analytical results of the soil investigation indicated:





- The soils located at the site include topsoil or asphalt to a depth of approximately one (1) foot over fill (sand and gravel fill or clay with sand fill), over native material composed of mostly silt and silt with clay, with layers of sand, sandy clay, and/or silty sand to a maximum boring depth of four (4) feet bgs.
- Unidentified odors were noted in SB-15 (0-2') and SB-17 (0-2'). No obvious odor or staining was noted during the remaining soil boring activities.
- PID readings remained below background levels (<10 parts per million by volume in air (ppmv)) during soil boring activities in all soil borings except SB-20.
  - The greatest PID readings were observed in soil boring SB-20, with the greatest reading observed in the 0-2 ft bgs interval (13.0 ppmv). The PID reading decreased to 1.1 ppmv in the 2-4 ft bgs sample interval.

### **Analytical Results:**

Laboratory analysis of soil indicated:

- Of the PCBs:
  - Soil impacted with Total PCBs exceeding 1.0 ppm is located at the intersection of Park Lane and Wilshire Drive in soil borings SB-1 (0-2') and SB-9 (2-4'). All other results were below 1.0 ppm
  - PCB-1248 was detected above the applicable ch. NR 720 Industrial Direct Contact RCLs and the applicable EPA Resident Regional Screening Levels (RSL).
  - PCB-1254 was detected above the applicable ch. NR 720 Non-Industrial Direct Contact RCLs and the applicable EPA Resident RSL.
- DRO:
  - DRO was detected at a maximum concentration of 266 mg/kg. There is no established standard for DRO.

Laboratory analysis of waste characterization soil indicated:

- Protocol B:
  - There were no TCLP exceedances of any Protocol B parameter analyzed.
- GRO:
  - GRO was detected below the laboratory reporting limits (LRLs). There is no established standard for GRO.
- DRO:
  - DRO was detected at a maximum concentration of 243 mg/kg. There is no established standard for DRO.





Borehole locations can be found on WR 4705061 Sketch. Soil boring results can be found in Table 1 and the composite landfill waste characterization sample results can be found in Table 2. Field forms, soil boring logs and abandonment forms can be found in Appendix A. Soil laboratory analytical reports can be found in Appendix B.

**Conclusions:**

Soil impacted with PCBs were identified exceeding applicable ch. NR 720 standards and EPA Resident RSLs site wide, primarily along Park Lane and Burr Lane. The exceedances decreased with depth in all soil borings except for SB-9.

Soil impacted with Total PCBs exceeding 1.0 ppm is located at the intersection of Park Lane and Wilshire Drive in soil borings SB-1 (0-2') and SB-9 (2-4'). All other results were below 1.0 ppm.

The composite landfill waste characterization sample had no TCLP exceedances for any of the parameters analyzed via Protocol B. The Total PCB concentration was below 1.0 ppm.

**Recommendations:**

As this work was conducted in an area of a known EPA Superfund Site, Amcast Industrial Site (U.S. EPA ID WIN000510210; Site ID 0510210 and WDNR BRRTS # 02-46-000795), notification of the soil sampling results to the EPA and current consulting firm is recommended.

If you have any questions or concerns, please feel free to reach me at the office (414) 410-5206.

Sincerely,  
KAPUR INC.

Ashley A. Wagner, P.G.  
Environmental Manager

Patricia Hermann  
Senior Environmental Scientist

Attachments





## FIGURES





C  T  V: CEDARBURG

CUST/PROJ NAME: PARK LN & SPRING ST PHASE 2

PROJECT LOCATION: PARK LN, BURR LN, & WILSHIRE DR

PREPARED BY: JUSTIN BUSH (K)

E-MAIL: Justin.Bush@wecenergygroup.com

OFFICE #: (414) 410-5212 CELL #:

PROJECT ID: NO4705061G IO #: MRO47502106

CGS #:

**TYPE OF WORK:**

GDAM MAIN REPLACEMENT  MAIN EXTENSION

PAVING RELOCATION  SERVICE

OTHER

**STAKING REQUIREMENTS:**

SURVEYOR  STAKED

DESIGNER  NOT NEEDED

**MAIN / SERVICE IN EASEMENT:**

YES  ROW WR#

CORROSION CONTACT: LARRY VANBOGELEN

PHONE #: (414) 221-3648

RESTORE PRIVATE PROPERTY:  WE ENERGIES  CUSTOMER

RAILROAD PERMITTING/FLAGGING REQUIRED  YES  NO

RR NAME

MAIN SIZE, MAT'L, FT INSTALL METHOD & FOOTAGE

2", PE, 4000' DIR. BORE 1594' ; OPEN CUT 2406'

**RELATED WR's**

MAIN RETIREMENT WR 4705062 FOOTAGE TBD

SERVICE REPLACEMENT WR 4705063 NO. TBD

SERVICE RECONNECT WR 4705064 NO. TBD

**EROSION CONTROL NOTES**

- IF DISTURBANCE OCCURS IN SUMMER, FINAL STABILIZATION SHALL BE PERMANENT SEED AND PROPERLY ANCHORED MULCH, UNLESS NOTED. IF DISTURBANCE OCCURS IN WINTER, TEMPORARY STABILIZATION SHALL BE SOIL STABILIZER, UNLESS NOTED. FINAL STABILIZATION IS REQUIRED IN SPRING.
- IF DISTURBANCE OCCURS WITHIN THE SLOPE INTERCEPT, FINAL STABILIZATION SHALL BE SOIL STABILIZER, UNLESS NOTED. IF DISTURBANCE OCCURS OUTSIDE THE SLOPE INTERCEPT, FINAL STABILIZATION SHALL BE PERMANENT SEED AND PROPERLY ANCHORED MULCH, UNLESS NOTED.
- IF DISTURBANCE OCCURS IN AGRICULTURAL FIELDS, SOIL SEGREGATION WILL NEED TO TAKE PLACE TO RETURN FIELDS TO PRE-CONSTRUCTION SOIL STRATIFICATION AND TO PRE-CONSTRUCTION ELEVATIONS.
- DEPENDING ON THE TIME OF YEAR AND WEATHER CONDITIONS, CONSIDER USING PLATES/MATS IN WETLANDS OR CROSSING DITCHES.
- STOCKPILE MATERIALS SHALL BE PLACED UPSLOPE FROM EXCAVATION. IF STOCKPILE MATERIALS MUST BE PLACED DOWNSLOPE OF EXCAVATION, PROTECT STOCKPILES WITH 12" WATTLES.
- PROJECT SPECIFIC EROSION CONTROL NOTES:



PLAN OF PROPOSED IMPROVEMENT  
**GAS MAIN REPLACEMENT**  
PARK LN & SPRING ST PHASE 2  
CITY OF CEDARBURG, WISCONSIN



ALL MAIN OUTSIDE OF ROADWAY TO BE INSTALLED AT 36" DEPTH OF COVER & ALL MAIN INSIDE OF ROADWAY TO BE INSTALLED AT 48" DEPTH UNLESS OTHERWISE NOTED.

- Soil Boring - In ROW, not in pavement
- Soil Boring - In ROW, in pavement
- Soil Boring - With PCBs Exceeding Standard

\*Note: Locations on this figure are approximate. Coordinates have been provided to We Energies Designer to add to the master file.



**CONTACT LIST**  
 DESIGNER: JUSTIN BUSH (414)410-5212  
 ENGINEER: ERIC HECKMAN (414)944-5549  
 EROSION CONTROL: LANCE NEWMAN (414)944-5769  
 ENVIRONMENTAL: SUSAN SCHUMACHER (414)221-2189  
 CORROSION: LARRY VANBOGELEN (414)221-3648  
 SR PROJECTS SUPERVISOR: ALICIA HOLDORF (414)944-5695

**WR 4705061**

REV.	DESCRIPTION	BY	DATE
0	DESIGN APPROVED FOR CONSTRUCTION	JB	

I:\mllw\s-drive\Clients\WEC\_Gas Major Projects\Projects\2020\_projects\BOS\4522881\_Park Ln & Spring St - Cedarburg - GDAM\Design\4705061



# TABLES







Table 1.: Soil Analytical Results  
Cedarburg Gas Main Replacement, WR 4522881  
Park Lane and Spring Street, Cedarburg, Wisconsin

Parameter	Units	US EPA Resident Soil RSL	ch. NR 720 Direct Contact Industrial RCL' s	ch. NR 720 Direct Contact Non-Industrial RCL' s	ch. NR 720 Soil to Groundwater Pathway RCL's	Background Threshold Value	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7							
							SB-8	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14							
Sample Date:							11/29/2021													
Soil Type:							TS	ML	FILL	ML	CL/ML	CL/ML	CL/ML	CL/ML						
Saturated/Unsaturated:							U	U	U	U	U	U	U	U						
Sample Depth:							0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'						
<b>Volatile Organic Compounds (VOCs)</b>																				
Ethylbenzene	mg/kg	5.8	35.4	8.0	1.6		NA													
Toluene	mg/kg	490	818	818	1.1		NA													
m&p-Xylene	mg/kg	55	778	778			NA													
o-Xylene	mg/kg	690	434	434			NA													
<b>Polychlorinated Biphenyls (PCBs)</b>																				
PCB, Total	mg/kg		0.74	0.23	0.0094		[1.40]	[0.15]	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	[0.07]	<0.017	
PCB-1016 (Aroclor 1016)	mg/kg	0.41	21.2	4.1			<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1221 (Aroclor 1221)	mg/kg	0.2	0.59	0.21			<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1232 (Aroclor 1232)	mg/kg	0.17	0.59	0.19			<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1242 (Aroclor 1242)	mg/kg	0.23	0.74	0.24			<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1248 (Aroclor 1248)	mg/kg	0.23	0.74	0.24			[1.30]	0.15	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	0.07	<0.017	
PCB-1254 (Aroclor 1254)	mg/kg	0.12	0.74	0.24			<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1260 (Aroclor 1260)	mg/kg	0.24	0.74	0.24			0.10 J	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1262 (Aroclor 1262)	mg/kg						<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
PCB-1268 (Aroclor 1268)	mg/kg						<0.036	<0.017	<0.017	<0.016	<0.017	<0.018	<0.019	<0.019	<0.017	<0.017	<0.017	<0.017	<0.017	
<b>Diesel Range Organics</b>																				
Diesel Range Organics	mg/kg						NA													
Percent Moisture	%						15.3	9.8	12.9	7.5	12.2	13.7	19.1	19.1	11.8	10.1	10.5	12.7	11.2	12.7
PID	ppmv						1.2	0.4	0.2	1.4	2.3	0.3	7.3	0.1	0.5	0.8	0.0	0.0	0.7	0.7

Parameter	Units	US EPA Resident Soil RSL	ch. NR 720 Direct Contact Industrial RCL' s	ch. NR 720 Direct Contact Non-Industrial RCL' s	ch. NR 720 Soil to Groundwater Pathway RCL's	Background Threshold Value	SB-8	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14							
							SB-8	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14							
Sample Date:							11/29/2021													
Soil Type:							CL/ML	CL/ML	CL/ML	ML	CL/ML	CL/ML	FILL	ML	CL/ML	ML	TS	ML	TS	ML
Saturated/Unsaturated:							U	U	U	U	U	U	U	U	U	U	U	U	U	U
Sample Depth:							0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'
<b>Volatile Organic Compounds (VOCs)</b>																				
Ethylbenzene	mg/kg	5.8	35.4	8.0	1.6		NA													
Toluene	mg/kg	490	818	818	1.1		NA													
m&p-Xylene	mg/kg	55	778	778			NA													
o-Xylene	mg/kg	690	434	434			NA													
<b>Polychlorinated Biphenyls (PCBs)</b>																				
PCB, Total	mg/kg		0.74	0.23	0.0094		<0.017	<0.018	[0.42]	[4.40]	[0.065]	<0.018	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	[0.035]	<0.018
PCB-1016 (Aroclor 1016)	mg/kg	0.41	21.2	4.1			<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1221 (Aroclor 1221)	mg/kg	0.2	0.59	0.21			<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1232 (Aroclor 1232)	mg/kg	0.17	0.59	0.19			<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1242 (Aroclor 1242)	mg/kg	0.23	0.74	0.24			<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1248 (Aroclor 1248)	mg/kg	0.23	0.74	0.24			<0.017	<0.018	[0.40]	[4.20]	0.019 J	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1254 (Aroclor 1254)	mg/kg	0.12	0.74	0.24			<0.017	<0.018	<0.017	<0.087	0.047 J	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	0.035 J	<0.018
PCB-1260 (Aroclor 1260)	mg/kg	0.24	0.74	0.24			<0.017	<0.018	0.024 J	0.23 J	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1262 (Aroclor 1262)	mg/kg						<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
PCB-1268 (Aroclor 1268)	mg/kg						<0.017	<0.018	<0.017	<0.087	<0.017	<0.018	<0.018	<0.017	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
<b>Diesel Range Organics</b>																				
Diesel Range Organics	mg/kg						NA													
Percent Moisture	%						11.6	15.2	11.9	12.9	8.4	14.9	16.6	17.1	11.7	13.9	17.6	14.6	17.5	17.4
PID	ppmv						0.3	0.4	0.0	0.0	0.1	0.0	1.1	0.1	0.1	0.7	8.6	0.8	1.5	1.2

Only analytes with a detection in at least one sample are shown

(2-3) = sample depth in feet below ground surface

PID - Photoionization Detector

ppmv = parts per million by volume in air

\* = concentration is above RCL but below Background Threshold

Concentrations equal to or exceeding the NR 720 Soil RCL Industrial Direct Contact Standards are in **red bold**

Concentrations equal to or exceeding the NR 720 Soil RCL Non-Industrial Direct Contact Standards are in **blue bold**

Concentrations equal to or exceeding the NR 720 Soil RCL (via EPA RSLs) Soil to Groundwater Standards are in **[ brackets ]**

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

NA = Not Analyzed

NR = Not Reported/Below Detection Limits

mg/kg = milligrams per kilogram equal to parts per million (ppm)

RCL = Residual Contaminant Level

RSL = Regional Screening Level

Soil Classification:

CL = Clay of low plasticity

MH = Elastic silt

ML = Silt

SC = Clayey sand

SM = Silty sand

SP = Poorly graded sand

SW = Well graded sand, fine to coarse



Table 1.: Soil Analytical Results  
Cedarburg Gas Main Replacement, WR 4522881  
Park Lane and Spring Street, Cedarburg, Wisconsin

Parameter	Units	US EPA Resident Soil RSL	ch. NR 720 Direct Contact Industrial RCL' s	ch. NR 720 Direct Contact Non-Industrial RCL' s	ch. NR 720 Soil to Groundwater Pathway RCL's	Background Threshold Value	SB-15	SB-16	SB-17	SB-18	SB-19	SB-20	SB-21									
Sample Date:							11/29/2021															
Soil Type:							FILL	ML	FILL	CL	FILL	CL/ML	FILL	CL/ML	FILL	SP/SM	TS	ML	SM	ML		
Saturated/Unsaturated:							U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
Sample Depth:							0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'	0-2'	2-4'
<b>Volatile Organic Compounds (VOCs)</b>																						
Ethylbenzene	mg/kg	5.8	35.4	8.0	1.6		NA				0.028 J	NA										
Toluene	mg/kg	490	818	818	1.1		NA				0.36	NA										
m&p-Xylene	mg/kg	55	778	778			NA				0.084 J	NA										
o-Xylene	mg/kg	690	434	434			NA				0.030 J	NA										
<b>Polychlorinated Biphenyls (PCBs)</b>																						
PCB, Total	mg/kg		0.74	0.23	0.0094		<0.018	<0.018	[0.14]	<0.016	[0.017]	<0.018	[0.19]	<0.017	<0.017	<0.017	[0.72]	<0.018	<0.16	<0.017		
PCB-1016 (Aroclor 1016)	mg/kg	0.41	21.2	4.1			<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1221 (Aroclor 1221)	mg/kg	0.2	0.59	0.21			<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1232 (Aroclor 1232)	mg/kg	0.17	0.59	0.19			<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1242 (Aroclor 1242)	mg/kg	0.23	0.74	0.24			<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1248 (Aroclor 1248)	mg/kg	0.23	0.74	0.24			<0.018	<0.018	0.042 J	<0.016	0.017 J	<0.018	0.017 J	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1254 (Aroclor 1254)	mg/kg	0.12	0.74	0.24			<0.018	<0.018	0.076	<0.016	<0.016	<0.018	0.14	<0.017	<0.017	<0.017	[0.72]	<0.018	<0.16	<0.017		
PCB-1260 (Aroclor 1260)	mg/kg	0.24	0.74	0.24			<0.018	<0.018	0.019 J	<0.016	<0.016	<0.018	0.029 J	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1262 (Aroclor 1262)	mg/kg						<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
PCB-1268 (Aroclor 1268)	mg/kg						<0.018	<0.018	<0.018	<0.016	<0.016	<0.018	<0.016	<0.017	<0.017	<0.017	<0.017	<0.018	<0.16	<0.017		
<b>Diesel Range Organics</b>																						
Diesel Range Organics	mg/kg						NA				266	NA										
Percent Moisture	%						13.1	14	13.5	3.0	3.4	15.7	6.7	12.2	10.4	11.2	8.3	14.2	6.1	7.7		
PID	ppmv						0.3	0.5	0.2	0.5	0.4	1.0	0.4	0.5	7.4	1.0	13.0	1.1	5.1	0.9		

Parameter	Units	US EPA Resident Soil RSL	ch. NR 720 Direct Contact Industrial RCL' s	ch. NR 720 Direct Contact Non-Industrial RCL' s	ch. NR 720 Soil to Groundwater Pathway RCL's	Background Threshold Value	SB-22
Sample Date:							11/29/2021
Soil Type:							FILL ML
Saturated/Unsaturated:							U U
Sample Depth:							0-2' 2-4'
<b>Volatile Organic Compounds (VOCs)</b>							
Ethylbenzene	mg/kg	5.8	35.4	8.0	1.6		NA
Toluene	mg/kg	490	818	818	1.1		
m&p-Xylene	mg/kg	55	778	778			
o-Xylene	mg/kg	690	434	434			
<b>Polychlorinated Biphenyls (PCBs)</b>							
PCB, Total	mg/kg		0.74	0.23	0.0094		[0.27] <0.018
PCB-1016 (Aroclor 1016)	mg/kg	0.41	21.2	4.1			<0.017 <0.018
PCB-1221 (Aroclor 1221)	mg/kg	0.2	0.59	0.21			<0.017 <0.018
PCB-1232 (Aroclor 1232)	mg/kg	0.17	0.59	0.19			<0.017 <0.018
PCB-1242 (Aroclor 1242)	mg/kg	0.23	0.74	0.24			<0.017 <0.018
PCB-1248 (Aroclor 1248)	mg/kg	0.23	0.74	0.24			0.042 J <0.018
PCB-1254 (Aroclor 1254)	mg/kg	0.12	0.74	0.24			0.18 <0.018
PCB-1260 (Aroclor 1260)	mg/kg	0.24	0.74	0.24			0.047 J <0.018
PCB-1262 (Aroclor 1262)	mg/kg						<0.017 <0.018
PCB-1268 (Aroclor 1268)	mg/kg						<0.017 <0.018
<b>Diesel Range Organics</b>							
Diesel Range Organics	mg/kg						NA
Percent Moisture	%						11.1 16.4
PID	ppmv						0.6 0.8

Only analytes with a detection in at least one sample are shown

(2-3) = sample depth in feet below ground surface

PID - Photoionization Detector

ppmv = parts per million by volume in air

\* = concentration is above RCL but below Background Threshold

Concentrations equal to or exceeding the NR 720 Soil RCL Industrial Direct Contact Standards are in **red bold**

Concentrations equal to or exceeding the NR 720 Soil RCL Non-Industrial Direct Contact Standards are in **blue bold**

Concentrations equal to or exceeding the NR 720 Soil RCL (via EPA RSLs) Soil to Groundwater Standards are in **[ brackets ]**

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

NA = Not Analyzed

NR = Not Reported/Below Detection Limits

mg/kg = milligrams per kilogram equal to parts per million (ppm)

RCL = Residual Contaminant Level

RSL = Regional Screening Level

Soil Classification:

CL = Clay of low plasticity

MH = Elastic silt

ML = Silt

SC = Clayey sand

SM = Silty sand

SP = Poorly graded sand

SW = Well graded sand, fine to coo



Table 2: Soil Analytical Results  
Cedarburg Gas Main Replacement, WR 4522881  
Park Lane and Spring Street, Cedarburg, Wisconsin

Parameter	Units	ch. NR 720 Direct Contact Industrial RCL's	ch. NR 720 Direct Contact Non-Industrial RCL's	ch. NR 720 Soil to Groundwater Pathway RCL's	Background Threshold Value	C-1
<b>Protocol B</b>						
1,4-Dichlorobenzene	mg/L		3.7	0.14		<0.014
2,4,5-Trichlorophenol	mg/L	82,100	6,320			<0.0064
2,4,6-Trichlorophenol	mg/L	209	49.3			<0.0080
2,4-Dinitrotoluene	mg/L	2,460	190			<0.011
2-Methylphenol(o-Cresol)	mg/L	41,000	3,160			<0.0093
3&4-Methylphenol(m&p Cresol)	mg/L					<0.0061
Hexachloro-1,3-butadiene	mg/L	7.2	1.6			<0.017
Hexachlorobenzene	mg/L	1.2	0.3	0.025		<0.011
Hexachloroethane	mg/L	11.1	2.5			<0.014
Nitrobenzene	mg/L	32.4	7.4			<0.011
Pentachlorophenol	mg/L	2.7	1.0	0.0028		<0.046
Phenol	mg/L	100,000	19,000	2.3		<0.0032
Pyridine	mg/L	1,170	78.2	0.0034		<0.015
Flashpoint	deg F					>200
Sulfide, Reactive	mg/kg					<11.2
Total Solids	%					89
Free Liquids	no units					Pass
Chlorine, Total	%					ND
pH at 25 Degrees C	Std. Units					8.53
Cyanide, Reactive	mg/kg					<0.45
1,1-Dichloroethene	mg/L	22.2	5.1	0.48		<0.0058
1,2-Dichloroethane	mg/L	376	376	1.2		<0.0029
2-Butanone (MEK)	mg/L	28,400	28,400	0.833		<0.065
Benzene	mg/L	7.1	1.6	0.0052		<0.0030
Carbon tetrachloride	mg/L	4.0	0.92	0.0038		<0.0037
Chlorobenzene	mg/L	761	370	0.14		<0.0086
Chloroform	mg/L	2.0	0.45	0.0034		<0.012
Tetrachloroethene	mg/L	153	33.0	0.0046		<0.0041
Trichloroethene	mg/L	8.8	1.3	0.0036		<0.0032
<b>RCRA Metals</b>						
Arsenic	mg/L	3.0	0.677	0.5484	8.3	<0.0084
Barium	mg/L	100,000	15,300	164.8	364	0.25
Cadmium	mg/L	985	71.1	0.752	1.07	<0.0013
Chromium	mg/L			360,000	43.5	0.0030 J
Lead	mg/L	800	400	27.0	51.6	<0.0059
Selenium	mg/L	5,840	391	0.52		<0.012
Silver	mg/L	5840	391	0.85		<0.0032
Mercury	mg/L	3.13	3.13	0.208		0.000087 J
<b>Polychlorinated Biphenyls (PCBs)</b>						
PCB, Total	mg/kg	0.74	0.23	0.0094		[0.09]
PCB-1016 (Aroclor 1016)	mg/kg	21.2	4.1			<0.017
PCB-1221 (Aroclor 1221)	mg/kg	0.59	0.21			<0.017
PCB-1232 (Aroclor 1232)	mg/kg	0.59	0.19			<0.017
PCB-1242 (Aroclor 1242)	mg/kg	0.74	0.24			<0.017
PCB-1248 (Aroclor 1248)	mg/kg	0.74	0.24			0.06
PCB-1254 (Aroclor 1254)	mg/kg	0.74	0.24			0.030 J
PCB-1260 (Aroclor 1260)	mg/kg	0.74	0.24			<0.017
PCB-1262 (Aroclor 1262)	mg/kg					<0.017
PCB-1268 (Aroclor 1268)	mg/kg					<0.017
<b>Gasoline Range Organics</b>						
Gasoline Range Organics	mg/kg					<1.4
<b>Diesel Range Organics</b>						
Diesel Range Organics	mg/kg					243
Percent Moisture	%					11.3

Only analytes with a detection in at least one sample are shown

(2-3) = sample depth in feet below ground surface

PID - Photoionization Detector

ppmv = parts per million by volume in air

\* = concentration is above RCL but below Background Threshold

Concentrations equal to or exceeding the NR 720 Soil RCL Industrial Direct Contact Standards are in **red bold**

Concentrations equal to or exceeding the NR 720 Soil RCL Non-Industrial Direct Contact Standards are in **blue bold**

Concentrations equal to or exceeding the NR 720 Soil RCL (via EPA RSLs) Soil to Groundwater Standards are in **[ brackets ]**

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

NA = Not Analyzed

NR = Not Reported/Below Detection Limits

mg/kg = milligrams per kilogram equal to parts per million (ppm)

RCL = Residual Contaminant Level

NA = Not Analyzed

Soil Classification:

CL = Clay of low plasticity

MH = Elastic silt

ML = Silt

SC = Clayey sand

SM = Silty sand

SP = Poorly graded sand

SW = Well graded sand, fine to coarse





## **ATTACHMENT A**

### **FIELD FORMS AND SOIL BORING LOGS**



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-1</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b> Long <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E		County <b>Ozaukee</b>		County Code <b>46</b>	
Facility ID		Civil Town/City/ or Village <b>Cedarburg</b>			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 35		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILT. Silt, greyish brown, no odor.											
			1.2		ML			1.2							Moist, sampled interval (0-2)
			2.0												
			2.5												
			3.0												
			3.5												
			4.0	End of boring @ 4 ft				0.4							Dry, sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-2</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 36		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	CLAY. Clay with trace fine grained gravel, reddish brown, no odor.	CL										
			1.5	SILT. Silt, grey, no odor.	ML			0.2							
			2.0												
			2.5	SAND. Poorly graded, fine grained sand, brown, no odor.	SP										
			3.0												
			3.5												
			4.0	End of boring @ 4 ft				1.5							Moist, sampled interval (0-2)  Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-3</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b> Long <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E		Facility ID		County <b>Ozaukee</b>	
County Code <b>46</b>		Civil Town/City/ or Village <b>Cedarburg</b>			





Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 46		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILTY CLAY. Silty clay, brown mottled grey, no odor.				2.3							Dry, sampled interval (0-2)
			4.0	End of boring @ 4 ft	CL-ML			0.3							sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-4</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 39			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	SILTY CLAY. Silty clay, brown, no odor.											
			1.0		CL-ML										
			1.5												
			2.0	SILTY CLAY. Silty clay, brown, wet but not saturated, no odor.				7.3							Moist to wet, sampled interval (0-2)
			2.5		CL-ML										
			3.0												
			3.5	SILTY CLAY. Silty clay, brown, no odor.											
			4.0		CL-ML										
				End of boring @ 4 ft				0.1							Sampled interval (2-4)



I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-5</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 48		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILTY CLAY. Silty clay, brown, no odor.				0.5							Dry, sampled interval (0-2)
			4.0	End of boring @ 4 ft				0.8							sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-6</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 48			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	SILT. Silt with clay, brown, no odor.											
			4.0	End of boring @ 4 ft											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-7</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 44			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	SILT. Silt with clay, brown, no odor.											
			0.7		CL-ML			0.7							Moist, sampled interval (0-2)
			4.0	End of boring @ 4 ft				0.7							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-8</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 48			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	SILTY CLAY. Silty clay with gravel, light brown, no odor.				0.3							Dry, sampled interval (0-2)
			4.0	End of boring @ 4 ft				0.4							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-9</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 33		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILTY CLAY. Silt with clay, light brown, no odor.	CL-ML										
			2.0	SILT. Silt, trace gravel, possibly burried topsoil, brown, no odor.				0.0							Dry, sampled interval (0-2)
			3.0		ML										
			4.0	End of boring @ 4 ft				0.0							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-10</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 34		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILTY CLAY. Silty clay, brown, no odor.				0.9							Dry, sampled interval (0-2)
			2.0												
			2.5		CL-ML										
			3.0												
			3.5												
			4.0	End of boring @ 4 ft				2.0							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-11</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 33		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	FILL. Clay fill with gravel possible foundry fragement, brown, no odor.											
			2.0		GP-GC			1.1							Dry, sampled interval (0-2)
			3.0	SILT. Silt, light brown, no odor.											
			3.5		ML										
			4.0	End of boring @ 4 ft				0.1							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-12</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b> Long <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E		County <b>Ozaukee</b>		County Code <b>46</b>	
Facility ID		Civil Town/City/ or Village <b>Cedarburg</b>			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 41		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILT. Silt with clay, brown, no odor.	CL-ML			0.1							
			2.5	SILT. Silt, grey, no odor.	ML										Dry to moist, sampled interval (0-2)
			4.0	End of boring @ 4 ft				0.7							Dry, sampled interval (0-2)



I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-13</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 42		0.5	TOPSOIL. Topsoil with sand and gravel, dark brown, no odor.											
			1.0	SILT. Silt with clay, trace gravel, brown, no odor.											
			2.0					8.6							Moist, sampled interval (0-2)
			2.5		ML										
			3.0												
			3.5												
			4.0	End of boring @ 4 ft				0.8							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-14</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat _____ " _____ "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long _____ " _____ "		Feet _____ Feet _____	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 39		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILT. Silt with clay, brown, no odor.											
			1.5												
			2.0												
			2.5		ML			1.5							Moist, sampled interval (0-2)
			3.0												
			3.5												
			4.0	End of boring @ 4 ft				1.2							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-15</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	





Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 36			ASPHALT. Asphalt and gravel, no odor.											
			0.5	FILL. Sand and gravel fill, brownish black, weak odor present.	GP										
			1.0	SAND. Poorly graded, fine grained sand, brown, no odor.	SP				0.3						Moist, sampled interval (0-2)
			2.0												
			2.5												
			3.0	SILT. Silt little clay and sand, brown, no odor.	ML										
			3.5												
			4.0	End of boring @ 4 ft					0.5						Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-16</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 33			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	FILL. Sand and gravel fill, brown and black, no odor.	GP										
			1.5	SANDY CLAY. Sandy clay with gravel, brown, no odor.	CL			0.2							Sampled interval (0-2)
			3.0	CLAY. Clay with trace sand, brown, no odor.	CL										
			4.0	End of boring @ 4 ft				0.5							Moist to wet, sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-17</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	





Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 40			TOPSOIL. Dark brown topsoil, no odor.											
			0.5	FILL. Sand and gravel fill, black, no odor.	GP										
				FILL. Sand and gravel fill, yellow, no odor.	GP										
			1.0	FILL. Sand and gravel fill, grey, weak organic like odor.	GP										
			1.5	CLAY. Clay with gravel, grey, no odor.	CL										
			2.0	SILTY CLAY. Silty clay, grey, wet but not saturated, no odor.				0.4							Sampled interval (0-2)
			3.0		CL-ML										
			4.0	End of boring @ 4 ft				1.0							Moist to wet, sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-18</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 40			ASPHALT.											
			0.5	FILL. Sand and gravel fill, brownish grey, no odor.	GP										
			2.0	SILTY CLAY. Silty clay, dark brown, no odor.	CL-ML			0.4							Moist, samped interval (0-2)
			3.0	SILTY CLAY. Silty clay trace gravel, brown, no odor.	CL-ML										
			4.0	End of boring @ 4 ft				0.5							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-19</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>		State Plane <b>N, E S/C/N</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Lat _____ ' _____ "		Long _____ ' _____ "	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	




Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 36			ASPHALT.											
			0.5	FILL. Sand and gravel fill, grey and black, no odor.	GP										
			1.0	FILL. Sand and gravel fill, brown, no odor.	GP										
			2.0	CLAY. Clay, reddish brown, no odor.	CL			7.4							Moist, sampled interval (0-2)
			2.5	SILT. Silt with sand and gravel, little sand, light brown, no odor.	SP-SM										
			4.0	End of boring @ 4 ft				1.0							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-20</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>		Long <b>_____ ' _____ "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>	
				Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 27		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	GRAVEL. Poorly graded gravel, brown, no odor.	GP										
			2.0	SILT. Silt, brown, no odor.				13.0							Dry to Moist, sampled interval (0-2)
			3.0		ML										
			4.0	End of boring @ 4 ft				1.1							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	---------------------------



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>			License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-21</b>		
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>			Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>		
WI Unique Well No.		DNR Well ID No.	Common Well Name		Borehole Diameter <b>2.0 inches</b>		
			Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>			Lat <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
<b>SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E</b>			Long <b>_____ ' _____ "</b>				
Facility ID		County <b>Ozaukee</b>		County Code <b>46</b>		Civil Town/City/ or Village <b>Cedarburg</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 35		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	SILTY SAND. Silty sand with gravel fill, brown, no odor.	SM										
			2.0	SILT. Silt, greyish brown, no odor.				5.1							Moist, sampled interval (0-2)
			3.0		ML										
			4.0	End of boring @ 4 ft				0.9							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>We Energies Cedarburg</b>		License/Permit/Monitoring Number <b>NA</b>		Boring Number <b>SB-22</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Adam Sweet Horizon Drilling Construction and Exploration</b>		Date Drilling Started <b>11/29/2021</b>		Date Drilling Completed <b>11/29/2021</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Lat <b>_____ ' _____ "</b> Long <b>_____ ' _____ "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SE 1/4 of NW 1/4 of Section 35, T 10 N, R 21 E		County <b>Ozaukee</b>		County Code <b>46</b>	
Facility ID		Civil Town/City/ or Village <b>Cedarburg</b>			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	48 33		0.5	TOPSOIL. Dark brown topsoil, no odor.											
			1.0	FILL. Clay with sand and gravel fill, brown, no odor.											
			2.0		GP-GC			0.6							Moist, sampled interval (0-2)
			3.0	SILT. Silt, reddish brown, no odor.											
			3.5		ML										
			4.0	End of boring @ 4 ft				0.8							Sampled interval (2-4)

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Kapur &amp; Associates, Inc.</b> 7711 N Port Washington Rd Milwaukee, WI 53217	Tel: 414-751-7200 Fax:
---------------	----------------------------------------------------------------------------------------------	---------------------------

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-1		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
				<input type="checkbox"/> OTH001		Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code 53012				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy) 11/29/2021		If a Well Construction Report is available, please attach.					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)		From (ft.)    To (ft.)    No. Yards, Sacks Sealant or Volume (circle one)    Mix Ratio or Mud Weight Surface    4    0.25			
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)					

**5. Material Used to Fill Well / Drillhole**

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road			Telephone Number ( )	Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>		Date Signed 12/27/2021

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>	WI Unique Well # of Removed Well <b>SB-2</b>	Parcel #	Facility Name
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS)
1/4 / 1/4 SE    1/4 NW or Gov't Lot #	Section <b>35</b>	Township <b>10 N</b>	License/Permit/Monitoring #
		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner
Well Street Address <b>Park Lane and Spring Street</b>			Present Well Owner
Well City, Village or Town <b>Cedarburg</b>		Well ZIP Code <b>53012</b>	Mailing Address of Present Owner
Subdivision Name		Lot #	City of Present Owner    State    ZIP Code

**Reason for Removal from Service**    WI Unique Well # of Replacement Well

**Environmental Samples Only**    \_\_\_\_\_

**3. Filled & Sealed Well / Drillhole / Borehole Information**

Monitoring Well    Original Construction Date (mm/dd/yyyy)  
 Water Well    **11/29/2021**  
 Borehole / Drillhole    If a Well Construction Report is available, please attach.

Construction Type:

Drilled     Driven (Sandpoint)     Dug  
 Other (specify): \_\_\_\_\_

Formation Type:

Unconsolidated Formation     Bedrock

Total Well Depth From Ground Surface (ft.)    Casing Diameter (in.)

**4**    \_\_\_\_\_

Lower Drillhole Diameter (in.)    Casing Depth (ft.)

**2**    \_\_\_\_\_

Was well annular space grouted?     Yes     No     Unknown

If yes, to what depth (feet)?    Depth to Water (feet)

\_\_\_\_\_    \_\_\_\_\_

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?     Yes     No     N/A

Liner(s) removed?     Yes     No     N/A

Liner(s) perforated?     Yes     No     N/A

Screen removed?     Yes     No     N/A

Casing left in place?     Yes     No     N/A

Was casing cut off below surface?     Yes     No     N/A

Did sealing material rise to surface?     Yes     No     N/A

Did material settle after 24 hours?     Yes     No     N/A

If yes, was hole retopped?     Yes     No     N/A

If bentonite chips were used, were they hydrated with water from a known safe source?     Yes     No     N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity     Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)     Other (Explain): \_\_\_\_\_

Sealing Materials

Neat Cement Grout     Concrete  
 Sand-Cement (Concrete) Grout     Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips     Bentonite - Cement Grout  
 Granular Bentonite     Bentonite - Sand Slurry

<b>5. Material Used to Fill Well / Drillhole</b>	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>	Surface	<b>4</b>	<b>0.25</b>	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>		Telephone Number (    )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Shmiter S. Kapor</i>	Date Signed <b>12/27/2021</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-3	Parcel #	Facility Name	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS)	
1/4 / 1/4 SE	1/4 NW	Section 35	Township 10 N	Range 21	Original Well Owner
Well Street Address <b>Park Lane and Spring Street</b>		Well ZIP Code 53012		Present Well Owner	
Well City, Village or Town <b>Cedarburg</b>		Subdivision Name		Mailing Address of Present Owner	
or Gov't Lot #		Lot #	City of Present Owner		State      ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>	WI Unique Well # of Replacement Well _____	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11/29/2021	Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
<input checked="" type="checkbox"/> Borehole / Drillhole	Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) 4	Casing Diameter (in.)	For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)	Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	From (ft.)      To (ft.)      No. Yards, Sacks Sealant or Volume (circle one)      Mix Ratio or Mud Weight Surface      4      0.25
If yes, to what depth (feet)?	Depth to Water (feet)		

**5. Material Used to Fill Well / Drillhole**

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road		Telephone Number ( )	Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>	Date Signed 12/27/2021

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>	WI Unique Well # of Removed Well <b>SB-4</b>	Parcel #
Latitude / Longitude (see instructions)	Format Code	Method Code
_____ N	<input type="checkbox"/> DD	<input type="checkbox"/> GPS008
_____ W	<input type="checkbox"/> DDM	<input type="checkbox"/> SCR002
		<input type="checkbox"/> OTH001

Facility Name
Facility ID (FID or PWS)
License/Permit/Monitoring #

1/4 / 1/4 SE	1/4 NW	Section	Township	Range	<input checked="" type="checkbox"/> E
		35	10 N	21	<input type="checkbox"/> W

Original Well Owner
Present Well Owner

Well Street Address <b>Park Lane and Spring Street</b>
-----------------------------------------------------------

Mailing Address of Present Owner
----------------------------------

Well City, Village or Town <b>Cedarburg</b>	Well ZIP Code <b>53012</b>
------------------------------------------------	-------------------------------

City of Present Owner	State	ZIP Code
-----------------------	-------	----------

Subdivision Name	Lot #
------------------	-------

Reason for Removal from Service <b>Environmental Samples Only</b>	WI Unique Well # of Replacement Well
----------------------------------------------------------------------	--------------------------------------

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A

**3. Filled & Sealed Well / Drillhole / Borehole Information**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	

Construction Type:
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____

Formation Type:
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock

Total Well Depth From Ground Surface (ft.) <b>4</b>	Casing Diameter (in.)
--------------------------------------------------------	-----------------------

Required Method of Placing Sealing Material
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____

Lower Drillhole Diameter (in.) <b>2</b>	Casing Depth (ft.)
--------------------------------------------	--------------------

Sealing Materials
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips

Was well annular space grouted?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
---------------------------------	------------------------------------------------------------------------------------------------------

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>	<b>Surface</b>	<b>4</b>	<b>0.25</b>	

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	<b>DNR Use Only</b>	
Street or Route <b>7711 N Port Washington Road</b>		Telephone Number ( )	Date Received	Noted By
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Comments	
Signature of Person Doing Work <i>Don Miller</i>			Date Signed <b>12/27/2021</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well <b>SB-5</b>		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code <b>53012</b>				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Construction Type:		Formation Type:		Sealing Materials			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) <b>4</b>		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.) <b>2</b>		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Casing Depth (ft.)		From (ft.)    To (ft.)    No. Yards, Sacks Sealant or Volume (circle one)    Mix Ratio or Mud Weight <b>Surface    4                      0.25</b>			
If yes, to what depth (feet)?		Depth to Water (feet)					

**5. Material Used to Fill Well / Drillhole**

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number (    )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>		Date Signed <b>12/27/2021</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well <b>SB-6</b>		Hicap #		Facility Name			
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)			
¼ / ¼ SE    ¼ NW or Gov't Lot #		Section <b>35</b>		Township <b>10 N</b>		Range <b>21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		License/Permit/Monitoring #	
Well Street Address <b>Park Lane and Spring Street</b>						Original Well Owner			
Well City, Village or Town <b>Cedarburg</b>						Present Well Owner			
Subdivision Name						Well ZIP Code <b>53012</b>		Mailing Address of Present Owner	
Lot #						City of Present Owner		State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
<input checked="" type="checkbox"/> Borehole / Drillhole		Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)		No. Yards, Sacks Sealant or Volume (circle one) <b>0.25</b>					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Depth to Water (feet)		Mix Ratio or Mud Weight			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>	Surface	<b>4</b>	<b>0.25</b>	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>		Date Received		Noted By		
Street or Route <b>7711 N Port Washington Road</b>				Telephone Number (    )		Comments			
City <b>Milwaukee</b>		State <b>WI</b>	ZIP Code <b>53217</b>		Signature of Person Doing Work <i>Don Miller</i>		Date Signed <b>12/27/2021</b>		



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-7		Hicap #		Facility Name			
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)			
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #			
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002		Original Well Owner			
1/4 / 1/4 SE    1/4 NW		Section		Township		Range		Original Well Owner	
or Gov't Lot #		35		10 N		21 <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner	
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>				Well ZIP Code 53012		City of Present Owner			
Subdivision Name				Lot #		State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A							
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 11/29/2021		Required Method of Placing Sealing Material							
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____							
<input checked="" type="checkbox"/> Borehole / Drillhole				Sealing Materials							
Construction Type:				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____ <input checked="" type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips							
Formation Type:				For Monitoring Wells and Monitoring Well Boreholes Only:							
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry							
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)		Surface		4		0.25			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown											
If yes, to what depth (feet)?				Depth to Water (feet)							

5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips				Surface	4	0.25	

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021		Date Received		Noted By
Street or Route 7711 N Port Washington Road			Telephone Number ( )		Comments		
City Milwaukee		State WI	ZIP Code 53217		Signature of Person Doing Work <i>Shmiter S. Kapor</i>		Date Signed 12/27/2021

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>	WI Unique Well # of Removed Well <b>SB-8</b>	Parcel #	Facility Name
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS)
1/4 / 1/4 SE    1/4 NW or Gov't Lot #	Section <b>35</b>	Township <b>10 N</b>	License/Permit/Monitoring #
		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner
Well Street Address <b>Park Lane and Spring Street</b>			Present Well Owner
Well City, Village or Town <b>Cedarburg</b>		Well ZIP Code <b>53012</b>	Mailing Address of Present Owner
Subdivision Name		Lot #	City of Present Owner    State    ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>	WI Unique Well # of Replacement Well _____	<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips		
Total Well Depth From Ground Surface (ft.) <b>4</b>	Casing Diameter (in.)	For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		
Lower Drillhole Diameter (in.) <b>2</b>	Casing Depth (ft.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>		Telephone Number (    )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>	Date Signed <b>12/27/2021</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well <b>SB-9</b>		Hicap #		Facility Name					
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)					
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #					
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002		Original Well Owner					
<input type="checkbox"/> OTH001		Well Street Address <b>Park Lane and Spring Street</b>		Present Well Owner		Mailing Address of Present Owner					
1/4 / 1/4 SE    1/4 NW		Section <b>35</b>		Township <b>10 N</b>		Range <b>21 E</b>		City of Present Owner		State	ZIP Code
or Gov't Lot #		Well ZIP Code <b>53012</b>		City of Present Owner		State	ZIP Code				
Subdivision Name		Lot #		City of Present Owner		State	ZIP Code				

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		Liner(s) removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
If a Well Construction Report is available, please attach.		Liner(s) perforated?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
Construction Type:		Screen removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
<input type="checkbox"/> Monitoring Well		Casing left in place?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
<input type="checkbox"/> Water Well		Was casing cut off below surface?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A		
<input checked="" type="checkbox"/> Borehole / Drillhole		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A		
Formation Type:		Did material settle after 24 hours?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
<input checked="" type="checkbox"/> Unconsolidated Formation		If yes, was hole retopped?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A		
<input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A		
Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)		Required Method of Placing Sealing Material				
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped				
Was well annular space grouted?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown <input type="checkbox"/>		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____				
If yes, to what depth (feet)?		Depth to Water (feet)		Sealing Materials				
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete				
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips				
				For Monitoring Wells and Monitoring Well Boreholes Only:				
				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout				
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry				

5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips		Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>		Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number (    )		Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>		Date Signed <b>12/27/2021</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well <b>SB-10</b>		Hicap #		Facility Name			
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)			
1/4 / 1/4 SE    1/4 NW or Gov't Lot #		Section <b>35</b>		Township <b>10 N</b>		Range <b>21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		License/Permit/Monitoring #	
Well Street Address <b>Park Lane and Spring Street</b>						Original Well Owner			
Well City, Village or Town <b>Cedarburg</b>						Present Well Owner			
Subdivision Name						Well ZIP Code <b>53012</b>		Mailing Address of Present Owner	
Lot #						City of Present Owner		State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
<input checked="" type="checkbox"/> Borehole / Drillhole		Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Depth to Water (feet)					

<b>5. Material Used to Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>				Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>		Date Received		Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number (    )		Comments		
City <b>Milwaukee</b>		State <b>WI</b>	ZIP Code <b>53217</b>		Signature of Person Doing Work <i>Don Miller</i>		Date Signed <b>12/27/2021</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-11		Hicap #		Facility Name			
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)			
1/4 / 1/4 SE    1/4 NW or Gov't Lot #		Section 35		Township 10 N		Range 21		Original Well Owner	
								Present Well Owner	
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>				Well ZIP Code 53012		City of Present Owner			
Subdivision Name				Lot #		State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 11/29/2021		Required Method of Placing Sealing Material					
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
<input checked="" type="checkbox"/> Borehole / Drillhole				Sealing Materials					
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				For Monitoring Wells and Monitoring Well Boreholes Only:					
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown									
If yes, to what depth (feet)?		Depth to Water (feet)							

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021		Date Received		Noted By		
Street or Route 7711 N Port Washington Road				Telephone Number ( )		Comments			
City Milwaukee		State WI	ZIP Code 53217		Signature of Person Doing Work <i>Don Miller</i>		Date Signed 12/27/2021		

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-12		Hicap #		Facility Name			
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)			
1/4 / 1/4 SE    1/4 NW or Gov't Lot #		Section 35		Township 10 N		Range 21		Original Well Owner	
								Present Well Owner	
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>				Well ZIP Code 53012		City of Present Owner			
Subdivision Name				Lot #		State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 11/29/2021							
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.							
<input checked="" type="checkbox"/> Borehole / Drillhole									
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown									
If yes, to what depth (feet)?		Depth to Water (feet)							

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #		Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021		Date Received		Noted By	
Street or Route 7711 N Port Washington Road				Telephone Number ( )		Comments			
City Milwaukee		State WI	ZIP Code 53217		Signature of Person Doing Work <i>Don Miller</i>			Date Signed 12/27/2021	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well <b>SB-13</b>		Hicap #		Facility Name			
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)			
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #			
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002					
		<input type="checkbox"/> OTH001				Original Well Owner			
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner			
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W				
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>			Well ZIP Code <b>53012</b>			City of Present Owner			
Subdivision Name			Lot #			State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Construction Type:				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____									
Formation Type:									
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock									
Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)							
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)							
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)							

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number ( )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>	Date Signed <b>12/27/2021</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-14		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code 53012				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		11/29/2021		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
Construction Type:				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug							
Other (specify): _____							
Formation Type:							
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock							
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)					
4							
Lower Drillhole Diameter (in.)		Casing Depth (ft.)					
2							
Was well annular space grouted?							
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)					

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road		Telephone Number ( )		Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>	Date Signed 12/27/2021	



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-15		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code 53012				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

Reason for Removal from Service <b>Environmental Samples Only</b>	WI Unique Well # of Replacement Well _____	<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>								
----------------------------------------------------------------------	-----------------------------------------------	--------------------------------------------------------------	--	--	--	--	--	--	--	--

<b>3. Filled &amp; Sealed Well / Drillhole / Borehole Information</b>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A								
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 11/29/2021		Required Method of Placing Sealing Material						
Construction Type:		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Formation Type:		Sealing Materials						
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) 4		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips						
Lower Drillhole Diameter (in.) 2		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry						
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Casing Depth (ft.)								
If yes, to what depth (feet)?		Depth to Water (feet)								

<b>5. Material Used to Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips				Surface	4	0.25	

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received		Noted By	
Street or Route 7711 N Port Washington Road			Telephone Number ( )		Comments		
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>			Date Signed 12/27/2021	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-16		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code <b>53012</b>				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A						
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips						
<input checked="" type="checkbox"/> Borehole / Drillhole				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry						
Construction Type:				Required Method of Placing Sealing Material						
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
Formation Type:				Did casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A						
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock								
Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)								
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)								
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown										
If yes, to what depth (feet)?		Depth to Water (feet)								

5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips				Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number (   )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>	Date Signed <b>12/27/2021</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-17		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code 53012				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A						
Original Construction Date (mm/dd/yyyy) 11/29/2021		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips						
Construction Type:				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry						
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____										
Formation Type:										
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock										
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)								
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)								
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown								
If yes, to what depth (feet)?		Depth to Water (feet)								

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road		Telephone Number ( )		Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>	Date Signed 12/27/2021	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to DNR Bureau:**

**Verification Only of Fill and Seal**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-18		Hicap #		Facility Name			
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)			
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #			
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002					
		<input type="checkbox"/> OTH001				Original Well Owner			
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner			
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W				
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>			Well ZIP Code 53012			City of Present Owner			
Subdivision Name			Lot #			State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
Original Construction Date (mm/dd/yyyy) 11/29/2021		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips					
Construction Type:				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____									
Formation Type:									
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock									
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)							
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)							
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)							

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	0.25	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road		Telephone Number ( )		Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>	Date Signed 12/27/2021	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-19		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code 53012				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>						
----------------------------------------------------------------------	--	-----------------------------------------------	--	--------------------------------------------------------------	--	--	--	--	--	--

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A						
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips						
Total Well Depth From Ground Surface (ft.) <b>4</b>		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry						
Lower Drillhole Diameter (in.) <b>2</b>		Casing Depth (ft.)								
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown										
If yes, to what depth (feet)?		Depth to Water (feet)								

<b>5. Material Used to Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>				Surface	4	0.25	

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received		Noted By	
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number ( )		Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>			Date Signed <b>12/27/2021</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-20		Hicap #		Facility Name				
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)				
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #				
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002						
		<input type="checkbox"/> OTH001				Original Well Owner				
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner				
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W					
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner				
Well City, Village or Town <b>Cedarburg</b>						Well ZIP Code <b>53012</b>				
Subdivision Name						Lot #		City of Present Owner	State	ZIP Code

Reason for Removal from Service <b>Environmental Samples Only</b>	WI Unique Well # of Replacement Well _____	<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>								
----------------------------------------------------------------------	-----------------------------------------------	--------------------------------------------------------------	--	--	--	--	--	--	--	--

<b>3. Filled &amp; Sealed Well / Drillhole / Borehole Information</b>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A								
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>11/29/2021</b>	Required Method of Placing Sealing Material								
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____								
<input checked="" type="checkbox"/> Borehole / Drillhole		Sealing Materials								
Construction Type:		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____ <input checked="" type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips								
Formation Type:		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry								
Total Well Depth From Ground Surface (ft.) <b>4</b>	Casing Diameter (in.)	From (ft.)      To (ft.)      No. Yards, Sacks Sealant or Volume (circle one)      Mix Ratio or Mud Weight <b>Surface</b> <b>4</b> <b>0.25</b>								
Lower Drillhole Diameter (in.) <b>2</b>	Casing Depth (ft.)									
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown										
If yes, to what depth (feet)?		Depth to Water (feet)								

5. Material Used to Fill Well / Drillhole			
3/8" Bentonite Chips	Surface	4	0.25

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>11/29/2021</b>	Date Received	Noted By
Street or Route <b>7711 N Port Washington Road</b>			Telephone Number ( )	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53217</b>	Signature of Person Doing Work <i>Don Miller</i>		Date Signed <b>12/27/2021</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-21		Hicap #		Facility Name			
Latitude / Longitude (see instructions)		Format Code		Method Code		Facility ID (FID or PWS)			
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #			
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002					
		<input type="checkbox"/> OTH001				Original Well Owner			
¼ / ¼ SE	¼ NW	Section	Township	Range	<input checked="" type="checkbox"/> E	Present Well Owner			
or Gov't Lot #		35	10 N	21	<input type="checkbox"/> W				
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>			Well ZIP Code 53012			City of Present Owner			
Subdivision Name			Lot #			State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A							
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Required Method of Placing Sealing Material							
<input type="checkbox"/> Water Well		11/29/2021		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped							
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____							
Construction Type:				Sealing Materials							
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete							
<input type="checkbox"/> Other (specify): _____				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips							
Formation Type:				For Monitoring Wells and Monitoring Well Boreholes Only:							
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout							
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
4				Surface		4		0.25			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)									
2											
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown											
If yes, to what depth (feet)?				Depth to Water (feet)							

5. Material Used to Fill Well / Drillhole			
3/8" Bentonite Chips	Surface	4	0.25

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021	Date Received	Noted By
Street or Route 7711 N Port Washington Road			Telephone Number ( )	Comments	
City Milwaukee	State WI	ZIP Code 53217	Signature of Person Doing Work <i>Don Miller</i>		Date Signed 12/27/2021

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Ozaukee</b>		WI Unique Well # of Removed Well SB-22		Hicap #		Facility Name			
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)			
1/4 / 1/4 SE    1/4 NW or Gov't Lot #		Section 35		Township 10 N		Range 21		Original Well Owner	
						<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner	
Well Street Address <b>Park Lane and Spring Street</b>						Mailing Address of Present Owner			
Well City, Village or Town <b>Cedarburg</b>				Well ZIP Code 53012		City of Present Owner			
Subdivision Name				Lot #		State		ZIP Code	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Environmental Samples Only</b>		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A						
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 11/29/2021								
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.								
<input checked="" type="checkbox"/> Borehole / Drillhole										
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____						
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips						
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry						
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)		From (ft.) Surface		To (ft.) 4		No. Yards, Sacks Sealant or Volume (circle one) 0.25		Mix Ratio or Mud Weight
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				If yes, to what depth (feet)?		Depth to Water (feet)				

5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips				Surface	4	0.25	

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person or Firm Doing Filling & Sealing <b>Kapur Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/29/2021		Date Received		Noted By
Street or Route 7711 N Port Washington Road			Telephone Number ( )		Comments		
City Milwaukee		State WI	ZIP Code 53217		Signature of Person Doing Work <i>Don Miller</i>		Date Signed 12/27/2021





## KAPUR & ASSOCIATES PID RESULTS FIELD FORM

<b>PROJECT NAME</b>	WE CEDARBURG	<b>DATE(S)</b>	11/29/21
<b>PROJECT NUMBER</b>	22.0114.01	<b>WEATHER</b>	35, CLOUDY
<b>LOCATION</b>	CEDARBURG, WI	<b>DRILING TYPE</b>	GEOPROBE
<b>FIELD STAFF</b>	JENNY SKWERES	<b>DRILLING CONTRACTOR</b>	Horizon
	ASHLEY WAGNER	<b>INSTRUMENT</b>	Mini Rae 3000

BOREHOLE ID	SB-1			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	9:38	13:35	TS	M	1.2	N	Y
2-4	9:39	13:36	ML	D	0.4	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

BOREHOLE ID	SB-2			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	9:44	13:37	GP/GC*	M	0.2	N	Y
2-4	9:45	13:38	ML	M	1.4	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



# KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILLING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-3			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	9:53	13:39	CL/ML	D	2.3	N	Y
2-4	9:54	13:40	CL/ML	D	0.3	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

BOREHOLE ID	SB-4			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	9:58	13:41	CL/ML	M	7.3	N	Y
2-4	9:59	13:42	CL/ML	W	0.1	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
\* = Fill  
\*\* = Possible Fill





### KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-7			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	10:35	13:47	CL/ML	M	0.7	N	Y
2-4	10:34	13:48	CL/ML	M	0.7	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

BOREHOLE ID	SB-8			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	10:44	13:49	CL/ML	D	0.3	N	Y
2-4	10:45	13:50	CL/ML	D	0.4	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



**KAPUR & ASSOCIATES PID RESULTS FIELD FORM**

<b>PROJECT NAME</b>	<b>WE CEDARBURG</b>	<b>DATE(S)</b>	<b>11/29/21</b>
<b>PROJECT NUMBER</b>	<b>22.0114.01</b>	<b>WEATHER</b>	<b>35, CLOUDY</b>
<b>LOCATION</b>	<b>CEDARBURG, WI</b>	<b>DRILLING TYPE</b>	<b>GEOPROBE</b>
<b>FIELD STAFF</b>	<b>JENNY SKWERES</b>	<b>DRILLING CONTRACTOR</b>	<b>Horizon</b>
	<b>ASHLEY WAGNER</b>	<b>INSTRUMENT</b>	<b>Mini Rae 3000</b>

<b>BOREHOLE ID</b>	<b>SB-9</b>			<b>DATE</b>	<b>11/29/21</b>		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	11:09	13:51	CL/ML	D	0.0	N	Y
2-4	11:10	13:52	ML	D	0.0	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

<b>BOREHOLE ID</b>	<b>SB-10</b>			<b>DATE</b>	<b>11/29/21</b>		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	11:14	13:53	CL/ML	D	0.1	N	Y
2-4	11:15	13:54	CL/ML	D	0.0	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



## KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILLING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-11			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	11:31	13:55	GP/GC*	D	1.1	N	Y
2-4	11:32	13:56	ML	D	0.1	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

BOREHOLE ID	SB-12			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	11:40	13:57	CL/ML	D	0.1	N	Y
2-4	11:41	13:58	ML	D	0.7	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
\* = Fill  
\*\* = Possible Fill



### KAPUR & ASSOCIATES PID RESULTS FIELD FORM

<b>PROJECT NAME</b>	WE CEDARBURG	<b>DATE(S)</b>	11/29/21
<b>PROJECT NUMBER</b>	22.0114.01	<b>WEATHER</b>	35, CLOUDY
<b>LOCATION</b>	CEDARBURG, WI	<b>DRILING TYPE</b>	GEOPROBE
<b>FIELD STAFF</b>	JENNY SKWERES	<b>DRILLING CONTRACTOR</b>	Horizon
	ASHLEY WAGNER	<b>INSTRUMENT</b>	Mini Rae 3000

<b>BOREHOLE ID</b>	SB-13			<b>DATE</b>	11/29/21		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	11:45	13:59	TS	M	8.6	N	Y
2-4	11:46	14:00	ML	M	0.8	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

<b>BOREHOLE ID</b>	SB-14			<b>DATE</b>	11/29/21		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	11:53	14:01	TS	M	1.5	N	Y
2-4	11:54	14:02	ML	M	1.2	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-15			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	12:11	14:03	GP/SP*	M	0.3	N	Y
2-4	12:12	14:04	ML	M	0.5	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES	Weak odor @ 0.5-1.0' ft						

BOREHOLE ID	SB-16			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	12:24	14:05	GP *	M	0.2	N	Y
2-4	12:25	14:06	CL	W	0.5	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill





KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-17			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	12:20	14:07	GP*	M	0.4	N	Y
2-4	12:21	14:08	Cl/ML	W	1.0	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
NOTES	Weak odor @ 0.8 to 1.4' ft						

BOREHOLE ID	SB-18			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	12:43	14:09	GP*	M	0.4	N	Y
2-4	12:44	14:10	Cl/ML	M	0.5	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



### KAPUR & ASSOCIATES PID RESULTS FIELD FORM

PROJECT NAME	WE CEDARBURG	DATE(S)	11/29/21
PROJECT NUMBER	22.0114.01	WEATHER	35, CLOUDY
LOCATION	CEDARBURG, WI	DRILING TYPE	GEOPROBE
FIELD STAFF	JENNY SKWERES	DRILLING CONTRACTOR	Horizon
	ASHLEY WAGNER	INSTRUMENT	Mini Rae 3000

BOREHOLE ID	SB-19			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	12:48	14:11	GP*	M	7.4	N	Y
2-4	12:49	14:12	SP/SM	M	1.0	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

BOREHOLE ID	SB-20			DATE	11/29/21		
DEPTH	TIME COLLECTED	TIME ANALYZED	SOIL TYPE	MOISTURE	PID (PEAK)	ODOR? (Y/N)	SAMPLED? (Y/N)
0-2	13:06	14:13	TS	M	13.0	N	Y
2-4	13:07	14:14	ML	M	1.1	N	Y
APPROXIMATE DEPTH TO WATER TABLE							
NOTES							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
\* = Fill  
\*\* = Possible Fill



**KAPUR & ASSOCIATES PID RESULTS FIELD FORM**

<b>PROJECT NAME</b>	WE CEDARBURG	<b>DATE(S)</b>	11/29/21
<b>PROJECT NUMBER</b>	22.0114.01	<b>WEATHER</b>	35, CLOUDY
<b>LOCATION</b>	CEDARBURG, WI	<b>DRILING TYPE</b>	GEOPROBE
<b>FIELD STAFF</b>	JENNY SKWERES	<b>DRILLING CONTRACTOR</b>	Horizon
	ASHLEY WAGNER	<b>INSTRUMENT</b>	Mini Rae 3000

<b>BOREHOLE ID</b>	<b>SB-21</b>			<b>DATE</b>	<b>11/29/21</b>		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	13:23	14:15	SM	M	5.1	N	Y
2-4	13:24	14:16	ML	M	0.9	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

<b>BOREHOLE ID</b>	<b>SB-22</b>			<b>DATE</b>	<b>11/29/21</b>		
<b>DEPTH</b>	<b>TIME COLLECTED</b>	<b>TIME ANALYZED</b>	<b>SOIL TYPE</b>	<b>MOISTURE</b>	<b>PID (PEAK)</b>	<b>ODOR? (Y/N)</b>	<b>SAMPLED? (Y/N)</b>
0-2	13:33	14:17	GP/GC*	M	0.6	N	Y
2-4	13:34	14:18	ML	M	0.8	N	Y
<b>APPROXIMATE DEPTH TO WATER TABLE</b>							
<b>NOTES</b>							

Moisture: D = Dry, M = Moist, W = Wet, S = Saturated  
 \* = Fill  
 \*\* = Possible Fill



**ATTACHMENT B**

**LABORATORY ANALYTICAL REPORT &  
CHAIN OF CUSTODY**



December 13, 2021

Ashley Wagner  
Kapur & Associates  
7711 N Port Washington Road  
Milwaukee, WI 53217

RE: Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Dear Ashley Wagner:

Enclosed are the analytical results for sample(s) received by the laboratory on November 30, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Asheville
- Pace Analytical Services - Green Bay
- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska  
christopher.hyska@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Kapur Environmental, Kapur & Associates, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

---

### Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
ANAB DOD-ELAP Rad Accreditation #: L2417  
Alabama Certification #: 41590  
Arizona Certification #: AZ0734  
Arkansas Certification  
California Certification #: 04222CA  
Colorado Certification #: PA01547  
Connecticut Certification #: PH-0694  
Delaware Certification  
EPA Region 4 DW Rad  
Florida/TNI Certification #: E87683  
Georgia Certification #: C040  
Florida: Cert E871149 SEKS WET  
Guam Certification  
Hawaii Certification  
Idaho Certification  
Illinois Certification  
Indiana Certification  
Iowa Certification #: 391  
Kansas/TNI Certification #: E-10358  
Kentucky Certification #: KY90133  
KY WW Permit #: KY0098221  
KY WW Permit #: KY0000221  
Louisiana DHH/TNI Certification #: LA180012  
Louisiana DEQ/TNI Certification #: 4086  
Maine Certification #: 2017020  
Maryland Certification #: 308  
Massachusetts Certification #: M-PA1457  
Michigan/PADEP Certification #: 9991

Missouri Certification #: 235  
Montana Certification #: Cert0082  
Nebraska Certification #: NE-OS-29-14  
Nevada Certification #: PA014572018-1  
New Hampshire/TNI Certification #: 297617  
New Jersey/TNI Certification #: PA051  
New Mexico Certification #: PA01457  
New York/TNI Certification #: 10888  
North Carolina Certification #: 42706  
North Dakota Certification #: R-190  
Ohio EPA Rad Approval: #41249  
Oregon/TNI Certification #: PA200002-010  
Pennsylvania/TNI Certification #: 65-00282  
Puerto Rico Certification #: PA01457  
Rhode Island Certification #: 65-00282  
South Dakota Certification  
Tennessee Certification #: 02867  
Texas/TNI Certification #: T104704188-17-3  
Utah/TNI Certification #: PA014572017-9  
USDA Soil Permit #: P330-17-00091  
Vermont Dept. of Health: ID# VT-0282  
Virgin Island/PADEP Certification  
Virginia/VELAP Certification #: 9526  
Washington Certification #: C868  
West Virginia DEP Certification #: 143  
West Virginia DHHR Certification #: 9964C  
Wisconsin Approve List for Rad  
Wyoming Certification #: 8TMS-L

---

### Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302  
Florida/NELAP Certification #: E87948  
Illinois Certification #: 200050  
Kentucky UST Certification #: 82  
Louisiana Certification #: 04168  
Minnesota Certification #: 055-999-334  
New York Certification #: 12064  
North Dakota Certification #: R-150

Virginia VELAP ID: 460263  
South Carolina Certification #: 83006001  
Texas Certification #: T104704529-14-1  
Wisconsin Certification #: 405132750  
Wisconsin DATCP Certification #: 105-444  
USDA Soil Permit #: P330-16-00157  
Federal Fish & Wildlife Permit #: LE51774A-0

---

### Pace Analytical Services Asheville

2225 Riverside Drive, Asheville, NC 28804  
Florida/NELAP Certification #: E87648  
North Carolina Drinking Water Certification #: 37712  
North Carolina Wastewater Certification #: 40

South Carolina Laboratory ID: 99030  
South Carolina Certification #: 99030001  
Virginia/VELAP Certification #: 460222

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40237575001	SB-1 (0-2)	Solid	11/29/21 09:38	11/30/21 08:25
40237575002	SB-1 (2-4)	Solid	11/29/21 09:39	11/30/21 08:25
40237575003	SB-2 (0-2)	Solid	11/29/21 09:44	11/30/21 08:25
40237575004	SB-2 (2-4)	Solid	11/29/21 09:45	11/30/21 08:25
40237575005	SB-3 (0-2)	Solid	11/29/21 09:53	11/30/21 08:25
40237575006	SB-3 (2-4)	Solid	11/29/21 09:54	11/30/21 08:25
40237575007	SB-4 (0-2)	Solid	11/29/21 09:58	11/30/21 08:25
40237575008	SB-4 (2-4)	Solid	11/29/21 09:59	11/30/21 08:25
40237575009	SB-5 (0-2)	Solid	11/29/21 10:05	11/30/21 08:25
40237575010	SB-5 (2-4)	Solid	11/29/21 10:06	11/30/21 08:25
40237575011	SB-6 (0-2)	Solid	11/29/21 10:24	11/30/21 08:25
40237575012	SB-6 (2-4)	Solid	11/29/21 10:25	11/30/21 08:25
40237575013	SB-7 (0-2)	Solid	11/29/21 10:35	11/30/21 08:25
40237575014	SB-7 (2-4)	Solid	11/29/21 10:34	11/30/21 08:25
40237575015	SB-8 (0-2)	Solid	11/29/21 10:44	11/30/21 08:25
40237575016	SB-8 (2-4)	Solid	11/29/21 10:45	11/30/21 08:25
40237575017	SB-9 (0-2)	Solid	11/29/21 11:09	11/30/21 08:25
40237575018	SB-9 (2-4)	Solid	11/29/21 11:10	11/30/21 08:25
40237575019	SB-10 (0-2)	Solid	11/29/21 11:14	11/30/21 08:25
40237575020	SB-10 (2-4)	Solid	11/29/21 11:15	11/30/21 08:25
40237575021	SB-11 (0-2)	Solid	11/29/21 11:31	11/30/21 08:25
40237575022	SB-11 (2-4)	Solid	11/29/21 11:32	11/30/21 08:25
40237575023	SB-12 (0-2)	Solid	11/29/21 11:40	11/30/21 08:25
40237575024	SB-12 (2-4)	Solid	11/29/21 11:41	11/30/21 08:25
40237575025	SB-13 (0-2)	Solid	11/29/21 11:45	11/30/21 08:25
40237575026	SB-13 (2-4)	Solid	11/29/21 11:46	11/30/21 08:25
40237575027	SB-14 (0-2)	Solid	11/29/21 11:53	11/30/21 08:25
40237575028	SB-14 (2-4)	Solid	11/29/21 11:54	11/30/21 08:25
40237575029	SB-15 (0-2)	Solid	11/29/21 12:11	11/30/21 08:25
40237575030	SB-15 (2-4)	Solid	11/29/21 12:12	11/30/21 08:25
40237575031	SB-16 (0-2)	Solid	11/29/21 12:24	11/30/21 08:25
40237575032	SB-16 (2-4)	Solid	11/29/21 12:25	11/30/21 08:25
40237575033	SB-17 (0-2)	Solid	11/29/21 12:20	11/30/21 08:25
40237575034	SB-17 (2-4)	Solid	11/29/21 12:21	11/30/21 08:25
40237575035	SB-18 (0-2)	Solid	11/29/21 12:43	11/30/21 08:25
40237575036	SB-18 (2-4)	Solid	11/29/21 12:44	11/30/21 08:25
40237575037	SB-19 (0-2)	Solid	11/29/21 12:48	11/30/21 08:25

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40237575038	SB-19 (2-4)	Solid	11/29/21 12:49	11/30/21 08:25
40237575039	SB-20 (0-2)	Solid	11/29/21 13:06	11/30/21 08:25
40237575040	SB-20 (2-4)	Solid	11/29/21 13:07	11/30/21 08:25
40237575041	SB-21 (0-2)	Solid	11/29/21 13:23	11/30/21 08:25
40237575042	SB-21 (2-4)	Solid	11/29/21 13:24	11/30/21 08:25
40237575043	SB-22 (0-2)	Solid	11/29/21 13:33	11/30/21 08:25
40237575044	SB-22 (2-4)	Solid	11/29/21 13:34	11/30/21 08:25
40237575045	C-1	Solid	11/29/21 14:27	11/30/21 08:25
40237575046	TRIP BLANK	Solid	11/29/21 14:27	11/30/21 08:25

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40237575001	SB-1 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575002	SB-1 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575003	SB-2 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575004	SB-2 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575005	SB-3 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575006	SB-3 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575007	SB-4 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575008	SB-4 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575009	SB-5 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575010	SB-5 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575011	SB-6 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575012	SB-6 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575013	SB-7 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575014	SB-7 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575015	SB-8 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575016	SB-8 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575017	SB-9 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575018	SB-9 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	AXW	1	PASI-G
40237575019	SB-10 (0-2)	EPA 8082	BLM	12	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40237575020	SB-10 (2-4)	ASTM D2974-87	AXW	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575021	SB-11 (0-2)	ASTM D2974-87	AXW	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575022	SB-11 (2-4)	ASTM D2974-87	AXW	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575023	SB-12 (0-2)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575024	SB-12 (2-4)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575025	SB-13 (0-2)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575026	SB-13 (2-4)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575027	SB-14 (0-2)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575028	SB-14 (2-4)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575029	SB-15 (0-2)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575030	SB-15 (2-4)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575031	SB-16 (0-2)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575032	SB-16 (2-4)	ASTM D2974-87	SRK	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575033	SB-17 (0-2)	ASTM D2974-87	MRP	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575034	SB-17 (2-4)	WI MOD DRO	MRN	1	PASI-G
		EPA 8260	ALD	64	PASI-G
40237575035	SB-18 (0-2)	ASTM D2974-87	MRP	1	PASI-G
		EPA 8082	BLM	12	PASI-G
40237575036	SB-18 (2-4)	ASTM D2974-87	MRP	1	PASI-G
		EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40237575037	SB-19 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575038	SB-19 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575039	SB-20 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575040	SB-20 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575041	SB-21 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575042	SB-21 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575043	SB-22 (0-2)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575044	SB-22 (2-4)	EPA 8082	BLM	12	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40237575045	C-1	EPA 8082	BLM	12	PASI-G
		WI MOD DRO	MRN	1	PASI-G
		WI MOD GRO	ALD	2	PASI-G
		EPA 6010D	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	TPO	17	PASI-G
		EPA 8260	LAP	13	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
		EPA 1010	DEY	1	PASI-G
		SM 2540G	HNT	1	PASI-G
		EPA 9045	ALY	1	PASI-G
		EPA 9076	MJP	1	PASI-A
		EPA 9095	DEY	1	PASI-G
		EPA 9014	NAH	1	PASI-PA
SM 4500-S2-F-2011	NAH	1	PASI-PA		
40237575046	TRIP BLANK	EPA 8260	ALD	64	PASI-G

PASI-A = Pace Analytical Services - Asheville

PASI-G = Pace Analytical Services - Green Bay

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40237575001</b>	<b>SB-1 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	1.3	mg/kg	0.12	12/01/21 16:35	
EPA 8082	PCB-1260 (Aroclor 1260)	0.10J	mg/kg	0.12	12/01/21 16:35	
EPA 8082	PCB, Total	1.4	mg/kg	0.12	12/01/21 16:35	
ASTM D2974-87	Percent Moisture	15.3	%	0.10	11/30/21 15:11	
<b>40237575002</b>	<b>SB-1 (2-4)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.15	mg/kg	0.056	12/01/21 10:22	
EPA 8082	PCB, Total	0.15	mg/kg	0.056	12/01/21 10:22	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	11/30/21 15:11	
<b>40237575003</b>	<b>SB-2 (0-2)</b>					
ASTM D2974-87	Percent Moisture	12.9	%	0.10	11/30/21 15:11	
<b>40237575004</b>	<b>SB-2 (2-4)</b>					
ASTM D2974-87	Percent Moisture	7.5	%	0.10	11/30/21 15:11	
<b>40237575005</b>	<b>SB-3 (0-2)</b>					
ASTM D2974-87	Percent Moisture	12.2	%	0.10	11/30/21 15:11	
<b>40237575006</b>	<b>SB-3 (2-4)</b>					
ASTM D2974-87	Percent Moisture	13.7	%	0.10	11/30/21 15:11	
<b>40237575007</b>	<b>SB-4 (0-2)</b>					
ASTM D2974-87	Percent Moisture	19.1	%	0.10	11/30/21 15:11	
<b>40237575008</b>	<b>SB-4 (2-4)</b>					
ASTM D2974-87	Percent Moisture	19.1	%	0.10	11/30/21 15:11	
<b>40237575009</b>	<b>SB-5 (0-2)</b>					
ASTM D2974-87	Percent Moisture	11.8	%	0.10	11/30/21 15:11	
<b>40237575010</b>	<b>SB-5 (2-4)</b>					
ASTM D2974-87	Percent Moisture	10.1	%	0.10	11/30/21 15:12	
<b>40237575011</b>	<b>SB-6 (0-2)</b>					
ASTM D2974-87	Percent Moisture	10.5	%	0.10	11/30/21 15:12	
<b>40237575012</b>	<b>SB-6 (2-4)</b>					
ASTM D2974-87	Percent Moisture	12.7	%	0.10	11/30/21 15:12	
<b>40237575013</b>	<b>SB-7 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.070	mg/kg	0.056	12/01/21 15:29	
EPA 8082	PCB, Total	0.070	mg/kg	0.056	12/01/21 15:29	
ASTM D2974-87	Percent Moisture	11.2	%	0.10	12/01/21 17:27	
<b>40237575014</b>	<b>SB-7 (2-4)</b>					
ASTM D2974-87	Percent Moisture	12.7	%	0.10	12/01/21 17:27	
<b>40237575015</b>	<b>SB-8 (0-2)</b>					
ASTM D2974-87	Percent Moisture	11.6	%	0.10	12/01/21 17:27	
<b>40237575016</b>	<b>SB-8 (2-4)</b>					
ASTM D2974-87	Percent Moisture	15.2	%	0.10	12/01/21 17:28	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 22.0114 WE CEDARBURG WR4705061  
 Pace Project No.: 40237575

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40237575017</b>	<b>SB-9 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.40	mg/kg	0.057	12/01/21 19:29	
EPA 8082	PCB-1260 (Aroclor 1260)	0.024J	mg/kg	0.057	12/01/21 19:29	
EPA 8082	PCB, Total	0.42	mg/kg	0.057	12/01/21 19:29	
ASTM D2974-87	Percent Moisture	11.9	%	0.10	12/01/21 17:28	
<b>40237575018</b>	<b>SB-9 (2-4)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	4.2	mg/kg	0.29	12/01/21 19:51	
EPA 8082	PCB-1260 (Aroclor 1260)	0.23J	mg/kg	0.29	12/01/21 19:51	
EPA 8082	PCB, Total	4.4	mg/kg	0.29	12/01/21 19:51	
ASTM D2974-87	Percent Moisture	12.9	%	0.10	12/01/21 17:28	
<b>40237575019</b>	<b>SB-10 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.019J	mg/kg	0.055	12/01/21 20:12	
EPA 8082	PCB-1254 (Aroclor 1254)	0.047J	mg/kg	0.055	12/01/21 20:12	
EPA 8082	PCB, Total	0.065	mg/kg	0.055	12/01/21 20:12	
ASTM D2974-87	Percent Moisture	8.4	%	0.10	12/01/21 17:28	
<b>40237575020</b>	<b>SB-10 (2-4)</b>					
ASTM D2974-87	Percent Moisture	14.9	%	0.10	12/01/21 17:28	
<b>40237575021</b>	<b>SB-11 (0-2)</b>					
ASTM D2974-87	Percent Moisture	16.6	%	0.10	12/01/21 17:28	
<b>40237575022</b>	<b>SB-11 (2-4)</b>					
ASTM D2974-87	Percent Moisture	17.1	%	0.10	12/06/21 15:44	
<b>40237575023</b>	<b>SB-12 (0-2)</b>					
ASTM D2974-87	Percent Moisture	11.7	%	0.10	12/06/21 15:44	
<b>40237575024</b>	<b>SB-12 (2-4)</b>					
ASTM D2974-87	Percent Moisture	13.9	%	0.10	12/06/21 15:44	
<b>40237575025</b>	<b>SB-13 (0-2)</b>					
ASTM D2974-87	Percent Moisture	17.6	%	0.10	12/06/21 15:44	
<b>40237575026</b>	<b>SB-13 (2-4)</b>					
ASTM D2974-87	Percent Moisture	14.6	%	0.10	12/06/21 15:45	
<b>40237575027</b>	<b>SB-14 (0-2)</b>					
EPA 8082	PCB-1254 (Aroclor 1254)	0.035J	mg/kg	0.061	12/02/21 01:39	
EPA 8082	PCB, Total	0.035J	mg/kg	0.061	12/02/21 01:39	
ASTM D2974-87	Percent Moisture	17.5	%	0.10	12/06/21 15:45	
<b>40237575028</b>	<b>SB-14 (2-4)</b>					
ASTM D2974-87	Percent Moisture	17.4	%	0.10	12/06/21 15:45	
<b>40237575029</b>	<b>SB-15 (0-2)</b>					
ASTM D2974-87	Percent Moisture	13.1	%	0.10	12/06/21 15:45	
<b>40237575030</b>	<b>SB-15 (2-4)</b>					
ASTM D2974-87	Percent Moisture	14.0	%	0.10	12/06/21 15:45	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40237575031</b>	<b>SB-16 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.042J	mg/kg	0.058	12/01/21 22:45	
EPA 8082	PCB-1254 (Aroclor 1254)	0.076	mg/kg	0.058	12/01/21 22:45	
EPA 8082	PCB-1260 (Aroclor 1260)	0.019J	mg/kg	0.058	12/01/21 22:45	
EPA 8082	PCB, Total	0.14	mg/kg	0.058	12/01/21 22:45	
ASTM D2974-87	Percent Moisture	13.5	%	0.10	12/06/21 15:45	
<b>40237575032</b>	<b>SB-16 (2-4)</b>					
ASTM D2974-87	Percent Moisture	3.0	%	0.10	11/30/21 16:28	
<b>40237575033</b>	<b>SB-17 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.017J	mg/kg	0.052	12/01/21 23:28	
EPA 8082	PCB, Total	0.017J	mg/kg	0.052	12/01/21 23:28	
WI MOD DRO	Diesel Range Organics	266	mg/kg	79.5	12/03/21 08:01	D3,DC
EPA 8260	Ethylbenzene	0.028J	mg/kg	0.053	12/02/21 03:57	
EPA 8260	Toluene	0.36	mg/kg	0.053	12/02/21 03:57	
EPA 8260	m&p-Xylene	0.084J	mg/kg	0.11	12/02/21 03:57	
EPA 8260	o-Xylene	0.030J	mg/kg	0.053	12/02/21 03:57	
ASTM D2974-87	Percent Moisture	3.4	%	0.10	11/30/21 16:28	
<b>40237575034</b>	<b>SB-17 (2-4)</b>					
ASTM D2974-87	Percent Moisture	15.7	%	0.10	11/30/21 16:28	
<b>40237575035</b>	<b>SB-18 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.017J	mg/kg	0.054	12/02/21 00:12	
EPA 8082	PCB-1254 (Aroclor 1254)	0.14	mg/kg	0.054	12/02/21 00:12	
EPA 8082	PCB-1260 (Aroclor 1260)	0.029J	mg/kg	0.054	12/02/21 00:12	
EPA 8082	PCB, Total	0.19	mg/kg	0.054	12/02/21 00:12	
ASTM D2974-87	Percent Moisture	6.7	%	0.10	11/30/21 16:28	
<b>40237575036</b>	<b>SB-18 (2-4)</b>					
ASTM D2974-87	Percent Moisture	12.2	%	0.10	11/30/21 16:28	
<b>40237575037</b>	<b>SB-19 (0-2)</b>					
ASTM D2974-87	Percent Moisture	10.4	%	0.10	11/30/21 16:29	
<b>40237575038</b>	<b>SB-19 (2-4)</b>					
ASTM D2974-87	Percent Moisture	11.2	%	0.10	11/30/21 16:29	
<b>40237575039</b>	<b>SB-20 (0-2)</b>					
EPA 8082	PCB-1254 (Aroclor 1254)	0.72	mg/kg	0.055	12/03/21 19:17	
EPA 8082	PCB, Total	0.72	mg/kg	0.055	12/03/21 19:17	
ASTM D2974-87	Percent Moisture	8.3	%	0.10	11/30/21 16:29	
<b>40237575040</b>	<b>SB-20 (2-4)</b>					
ASTM D2974-87	Percent Moisture	14.2	%	0.10	11/30/21 16:29	
<b>40237575041</b>	<b>SB-21 (0-2)</b>					
ASTM D2974-87	Percent Moisture	6.1	%	0.10	11/30/21 16:29	
<b>40237575042</b>	<b>SB-21 (2-4)</b>					
ASTM D2974-87	Percent Moisture	7.7	%	0.10	11/30/21 16:29	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40237575043</b>	<b>SB-22 (0-2)</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.042J	mg/kg	0.056	12/04/21 01:53	
EPA 8082	PCB-1254 (Aroclor 1254)	0.18	mg/kg	0.056	12/04/21 01:53	
EPA 8082	PCB-1260 (Aroclor 1260)	0.047J	mg/kg	0.056	12/04/21 01:53	
EPA 8082	PCB, Total	0.27	mg/kg	0.056	12/04/21 01:53	
ASTM D2974-87	Percent Moisture	11.1	%	0.10	11/30/21 16:29	
<b>40237575044</b>	<b>SB-22 (2-4)</b>					
ASTM D2974-87	Percent Moisture	16.4	%	0.10	11/30/21 16:30	
<b>40237575045</b>	<b>C-1</b>					
EPA 8082	PCB-1248 (Aroclor 1248)	0.060	mg/kg	0.056	12/04/21 13:14	
EPA 8082	PCB-1254 (Aroclor 1254)	0.030J	mg/kg	0.056	12/04/21 13:14	
EPA 8082	PCB, Total	0.090	mg/kg	0.056	12/04/21 13:14	
WI MOD DRO	Diesel Range Organics	243	mg/kg	81.0	12/03/21 08:10	D3,DC
EPA 6010D	Barium	0.25	mg/L	0.0050	12/02/21 23:02	
EPA 6010D	Chromium	0.0030J	mg/L	0.010	12/02/21 23:02	
EPA 7470	Mercury	0.000087J	mg/L	0.00020	12/07/21 12:53	
ASTM D2974-87	Percent Moisture	11.3	%	0.10	11/30/21 16:30	
EPA 1010	Flashpoint	>200	deg F		12/02/21 13:52	1q
SM 2540G	Total Solids	89.0	%	0.10	12/03/21 15:55	
EPA 9045	pH at 25 Degrees C	8.53	Std. Units	0.100	12/02/21 09:35	H6
EPA 9095	Free Liquids	Pass	no units		12/02/21 16:32	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-1 (0-2)**      **Lab ID: 40237575001**      Collected: 11/29/21 09:38      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	53469-21-9	
PCB-1248 (Aroclor 1248)	1.3	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	11097-69-1	
PCB-1260 (Aroclor 1260)	0.10J	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.036	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	11100-14-4	
PCB, Total	1.4	mg/kg	0.12	0.036	2	11/30/21 14:00	12/01/21 16:35	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	75	%	67-102		2	11/30/21 14:00	12/01/21 16:35	877-09-8	
Decachlorobiphenyl (S)	73	%	47-114		2	11/30/21 14:00	12/01/21 16:35	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	15.3	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-1 (2-4)**      **Lab ID: 40237575002**      Collected: 11/29/21 09:39      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	53469-21-9	
PCB-1248 (Aroclor 1248)	0.15	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	11100-14-4	
PCB, Total	0.15	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 10:22	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	82	%	67-102		1	11/30/21 14:00	12/01/21 10:22	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	11/30/21 14:00	12/01/21 10:22	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	9.8	%	0.10	0.10	1		11/30/21 15:11		
------------------	-----	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-2 (0-2)**      **Lab ID: 40237575003**      Collected: 11/29/21 09:44      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:13	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	83	%	67-102		1	11/30/21 14:00	12/01/21 12:13	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	11/30/21 14:00	12/01/21 12:13	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	12.9	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-2 (2-4)**      **Lab ID: 40237575004**      Collected: 11/29/21 09:45      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	11100-14-4	
PCB, Total	<0.016	mg/kg	0.054	0.016	1	11/30/21 14:00	12/01/21 12:35	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	83	%	67-102		1	11/30/21 14:00	12/01/21 12:35	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	11/30/21 14:00	12/01/21 12:35	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	7.5	%	0.10	0.10	1		11/30/21 15:11		
------------------	-----	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-3 (0-2)**      **Lab ID: 40237575005**      Collected: 11/29/21 09:53      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 12:57	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	85	%	67-102		1	11/30/21 14:00	12/01/21 12:57	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	11/30/21 14:00	12/01/21 12:57	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	12.2	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-3 (2-4)**      **Lab ID: 40237575006**      Collected: 11/29/21 09:54      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	11100-14-4	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	11/30/21 14:00	12/01/21 10:44	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	86	%	67-102		1	11/30/21 14:00	12/01/21 10:44	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	11/30/21 14:00	12/01/21 10:44	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	13.7	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-4 (0-2)**      **Lab ID: 40237575007**      Collected: 11/29/21 09:58      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	11100-14-4	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:19	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	87	%	67-102		1	11/30/21 14:00	12/01/21 13:19	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	11/30/21 14:00	12/01/21 13:19	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	19.1	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-4 (2-4)**      **Lab ID: 40237575008**      Collected: 11/29/21 09:59      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	11100-14-4	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	11/30/21 14:00	12/01/21 13:41	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	87	%	67-102		1	11/30/21 14:00	12/01/21 13:41	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	11/30/21 14:00	12/01/21 13:41	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	19.1	%	0.10	0.10	1		11/30/21 15:11		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-5 (0-2)**      **Lab ID: 40237575009**      Collected: 11/29/21 10:05      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 14:02	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	80	%	67-102		1	11/30/21 14:00	12/01/21 14:02	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		1	11/30/21 14:00	12/01/21 14:02	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>11.8</b>	%	0.10	0.10	1		11/30/21 15:11		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-5 (2-4)**      **Lab ID: 40237575010**      Collected: 11/29/21 10:06      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	11100-14-4	
PCB, Total	<0.017	mg/kg	0.055	0.017	1	11/30/21 14:00	12/01/21 14:24	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	11/30/21 14:00	12/01/21 14:24	877-09-8	
Decachlorobiphenyl (S)	85	%	47-114		1	11/30/21 14:00	12/01/21 14:24	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>10.1</b>	%	0.10	0.10	1		11/30/21 15:12		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-6 (0-2)**      **Lab ID: 40237575011**      Collected: 11/29/21 10:24      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	11100-14-4	
PCB, Total	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 14:46	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	87	%	67-102		1	11/30/21 14:00	12/01/21 14:46	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	11/30/21 14:00	12/01/21 14:46	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>10.5</b>	%	0.10	0.10	1		11/30/21 15:12		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-6 (2-4)**      **Lab ID: 40237575012**      Collected: 11/29/21 10:25      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:08	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	82	%	67-102		1	11/30/21 14:00	12/01/21 15:08	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	11/30/21 14:00	12/01/21 15:08	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>12.7</b>	%	0.10	0.10	1		11/30/21 15:12		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-7 (0-2)**      **Lab ID: 40237575013**      Collected: 11/29/21 10:35      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	53469-21-9	
PCB-1248 (Aroclor 1248)	0.070	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	11100-14-4	
PCB, Total	0.070	mg/kg	0.056	0.017	1	11/30/21 14:00	12/01/21 15:29	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	11/30/21 14:00	12/01/21 15:29	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	11/30/21 14:00	12/01/21 15:29	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	11.2	%	0.10	0.10	1		12/01/21 17:27		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-7 (2-4)**      **Lab ID: 40237575014**      Collected: 11/29/21 10:34      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 15:51	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	85	%	67-102		1	11/30/21 14:00	12/01/21 15:51	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	11/30/21 14:00	12/01/21 15:51	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	12.7	%	0.10	0.10	1		12/01/21 17:27		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-8 (0-2)**      **Lab ID: 40237575015**      Collected: 11/29/21 10:44      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	11/30/21 14:00	12/01/21 16:13	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	82	%	67-102		1	11/30/21 14:00	12/01/21 16:13	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	11/30/21 14:00	12/01/21 16:13	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **11.6**      %      0.10      0.10      1      12/01/21 17:27

**Sample: SB-8 (2-4)**      **Lab ID: 40237575016**      Collected: 11/29/21 10:45      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	11100-14-4	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 19:07	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	89	%	67-102		1	12/01/21 05:15	12/01/21 19:07	877-09-8	
Decachlorobiphenyl (S)	89	%	47-114		1	12/01/21 05:15	12/01/21 19:07	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **15.2**      %      0.10      0.10      1      12/01/21 17:28

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-9 (0-2)**      **Lab ID: 40237575017**      Collected: 11/29/21 11:09      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	53469-21-9	
PCB-1248 (Aroclor 1248)	0.40	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	11097-69-1	
PCB-1260 (Aroclor 1260)	0.024J	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	11100-14-4	
PCB, Total	0.42	mg/kg	0.057	0.017	1	12/01/21 05:15	12/01/21 19:29	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	90	%	67-102		1	12/01/21 05:15	12/01/21 19:29	877-09-8	
Decachlorobiphenyl (S)	90	%	47-114		1	12/01/21 05:15	12/01/21 19:29	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	11.9	%	0.10	0.10	1		12/01/21 17:28		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-9 (2-4)**      **Lab ID: 40237575018**      Collected: 11/29/21 11:10      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	53469-21-9	
PCB-1248 (Aroclor 1248)	4.2	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	11097-69-1	
PCB-1260 (Aroclor 1260)	0.23J	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.087	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	11100-14-4	
PCB, Total	4.4	mg/kg	0.29	0.087	5	12/01/21 05:15	12/01/21 19:51	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	93	%	67-102		5	12/01/21 05:15	12/01/21 19:51	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		5	12/01/21 05:15	12/01/21 19:51	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	12.9	%	0.10	0.10	1		12/01/21 17:28		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-10 (0-2)**      **Lab ID: 40237575019**      Collected: 11/29/21 11:14      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	53469-21-9	
PCB-1248 (Aroclor 1248)	0.019J	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	12672-29-6	
PCB-1254 (Aroclor 1254)	0.047J	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	11100-14-4	
PCB, Total	0.065	mg/kg	0.055	0.017	1	12/01/21 05:15	12/01/21 20:12	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	86	%	67-102		1	12/01/21 05:15	12/01/21 20:12	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	12/01/21 05:15	12/01/21 20:12	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **8.4**      %      0.10      0.10      1      12/01/21 17:28

**Sample: SB-10 (2-4)**      **Lab ID: 40237575020**      Collected: 11/29/21 11:15      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	11100-14-4	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 20:34	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	95	%	67-102		1	12/01/21 05:15	12/01/21 20:34	877-09-8	
Decachlorobiphenyl (S)	92	%	47-114		1	12/01/21 05:15	12/01/21 20:34	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **14.9**      %      0.10      0.10      1      12/01/21 17:28

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-11 (0-2)**      **Lab ID: 40237575021**      Collected: 11/29/21 11:31      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	11100-14-4	
PCB, Total	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 20:56	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	91	%	67-102		1	12/01/21 05:15	12/01/21 20:56	877-09-8	
Decachlorobiphenyl (S)	88	%	47-114		1	12/01/21 05:15	12/01/21 20:56	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>16.6</b>	%	0.10	0.10	1		12/01/21 17:28		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-11 (2-4)**      **Lab ID: 40237575022**      Collected: 11/29/21 11:32      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	11100-14-4	
PCB, Total	<0.018	mg/kg	0.060	0.018	1	12/01/21 05:15	12/01/21 21:18	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	92	%	67-102		1	12/01/21 05:15	12/01/21 21:18	877-09-8	
Decachlorobiphenyl (S)	90	%	47-114		1	12/01/21 05:15	12/01/21 21:18	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>17.1</b>	%	0.10	0.10	1		12/06/21 15:44		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-12 (0-2)**      **Lab ID: 40237575023**      Collected: 11/29/21 11:40      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	11100-14-4	
PCB, Total	<0.017	mg/kg	0.056	0.017	1	12/01/21 05:15	12/01/21 21:39	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	92	%	67-102		1	12/01/21 05:15	12/01/21 21:39	877-09-8	
Decachlorobiphenyl (S)	91	%	47-114		1	12/01/21 05:15	12/01/21 21:39	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		12/06/21 15:44		

**Sample: SB-12 (2-4)**      **Lab ID: 40237575024**      Collected: 11/29/21 11:41      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	11100-14-4	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 00:33	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	93	%	67-102		1	12/01/21 05:15	12/02/21 00:33	877-09-8	
Decachlorobiphenyl (S)	86	%	47-114		1	12/01/21 05:15	12/02/21 00:33	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.9	%	0.10	0.10	1		12/06/21 15:44		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-13 (0-2)**      **Lab ID: 40237575025**      Collected: 11/29/21 11:45      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	11100-14-4	
PCB, Total	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 00:55	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	95	%	67-102		1	12/01/21 05:15	12/02/21 00:55	877-09-8	
Decachlorobiphenyl (S)	86	%	47-114		1	12/01/21 05:15	12/02/21 00:55	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>17.6</b>	%	0.10	0.10	1		12/06/21 15:44		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-13 (2-4)**      **Lab ID: 40237575026**      Collected: 11/29/21 11:46      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	11100-14-4	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/02/21 01:17	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	95	%	67-102		1	12/01/21 05:15	12/02/21 01:17	877-09-8	
Decachlorobiphenyl (S)	89	%	47-114		1	12/01/21 05:15	12/02/21 01:17	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>14.6</b>	%	0.10	0.10	1		12/06/21 15:45		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-14 (0-2)**      **Lab ID: 40237575027**      Collected: 11/29/21 11:53      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	12672-29-6	
PCB-1254 (Aroclor 1254)	0.035J	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	11100-14-4	
PCB, Total	0.035J	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 01:39	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	93	%	67-102		1	12/01/21 05:15	12/02/21 01:39	877-09-8	
Decachlorobiphenyl (S)	86	%	47-114		1	12/01/21 05:15	12/02/21 01:39	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	17.5	%	0.10	0.10	1		12/06/21 15:45		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-14 (2-4)**      **Lab ID: 40237575028**      Collected: 11/29/21 11:54      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	11100-14-4	
PCB, Total	<0.018	mg/kg	0.061	0.018	1	12/01/21 05:15	12/02/21 02:00	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	92	%	67-102		1	12/01/21 05:15	12/02/21 02:00	877-09-8	
Decachlorobiphenyl (S)	87	%	47-114		1	12/01/21 05:15	12/02/21 02:00	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	17.4	%	0.10	0.10	1		12/06/21 15:45		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-15 (0-2)**      **Lab ID: 40237575029**      Collected: 11/29/21 12:11      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	11100-14-4	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:22	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	90	%	67-102		1	12/01/21 05:15	12/02/21 02:22	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	12/01/21 05:15	12/02/21 02:22	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>13.1</b>	%	0.10	0.10	1		12/06/21 15:45		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-15 (2-4)**      **Lab ID: 40237575030**      Collected: 11/29/21 12:12      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	11100-14-4	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/02/21 02:44	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	93	%	67-102		1	12/01/21 05:15	12/02/21 02:44	877-09-8	
Decachlorobiphenyl (S)	86	%	47-114		1	12/01/21 05:15	12/02/21 02:44	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>14.0</b>	%	0.10	0.10	1		12/06/21 15:45		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-16 (0-2)**      **Lab ID: 40237575031**      Collected: 11/29/21 12:24      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	53469-21-9	
PCB-1248 (Aroclor 1248)	0.042J	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	12672-29-6	
PCB-1254 (Aroclor 1254)	0.076	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	11097-69-1	
PCB-1260 (Aroclor 1260)	0.019J	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	11100-14-4	
PCB, Total	0.14	mg/kg	0.058	0.018	1	12/01/21 05:15	12/01/21 22:45	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	12/01/21 05:15	12/01/21 22:45	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	12/01/21 05:15	12/01/21 22:45	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	13.5	%	0.10	0.10	1		12/06/21 15:45		
------------------	------	---	------	------	---	--	----------------	--	--

**Sample: SB-16 (2-4)**      **Lab ID: 40237575032**      Collected: 11/29/21 12:25      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	11100-14-4	
PCB, Total	<0.016	mg/kg	0.051	0.016	1	12/01/21 05:15	12/01/21 23:06	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	93	%	67-102		1	12/01/21 05:15	12/01/21 23:06	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	12/01/21 05:15	12/01/21 23:06	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	3.0	%	0.10	0.10	1		11/30/21 16:28		
------------------	-----	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-17 (0-2)**      **Lab ID: 40237575033**      Collected: 11/29/21 12:20      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	53469-21-9	
PCB-1248 (Aroclor 1248)	0.017J	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.016	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	11100-14-4	
PCB, Total	0.017J	mg/kg	0.052	0.016	1	12/01/21 05:15	12/01/21 23:28	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	91	%	67-102		1	12/01/21 05:15	12/01/21 23:28	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	12/01/21 05:15	12/01/21 23:28	2051-24-3	

### WIDRO GCS

Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO

Pace Analytical Services - Green Bay

Diesel Range Organics	<b>266</b>	mg/kg	79.5	23.8	20	12/02/21 08:38	12/03/21 08:01		D3,DC
-----------------------	------------	-------	------	------	----	----------------	----------------	--	-------

### 8260 MSV Med Level Normal List

Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B

Pace Analytical Services - Green Bay

Benzene	<0.013	mg/kg	0.021	0.013	1	12/01/21 10:00	12/02/21 03:57	71-43-2	
Bromobenzene	<0.021	mg/kg	0.053	0.021	1	12/01/21 10:00	12/02/21 03:57	108-86-1	
Bromochloromethane	<0.015	mg/kg	0.053	0.015	1	12/01/21 10:00	12/02/21 03:57	74-97-5	
Bromodichloromethane	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	75-27-4	
Bromoform	<0.24	mg/kg	0.27	0.24	1	12/01/21 10:00	12/02/21 03:57	75-25-2	
Bromomethane	<0.075	mg/kg	0.27	0.075	1	12/01/21 10:00	12/02/21 03:57	74-83-9	
n-Butylbenzene	<0.024	mg/kg	0.053	0.024	1	12/01/21 10:00	12/02/21 03:57	104-51-8	
sec-Butylbenzene	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	135-98-8	
tert-Butylbenzene	<0.017	mg/kg	0.053	0.017	1	12/01/21 10:00	12/02/21 03:57	98-06-6	
Carbon tetrachloride	<0.012	mg/kg	0.053	0.012	1	12/01/21 10:00	12/02/21 03:57	56-23-5	
Chlorobenzene	<0.0064	mg/kg	0.053	0.0064	1	12/01/21 10:00	12/02/21 03:57	108-90-7	
Chloroethane	<0.023	mg/kg	0.27	0.023	1	12/01/21 10:00	12/02/21 03:57	75-00-3	
Chloroform	<0.038	mg/kg	0.27	0.038	1	12/01/21 10:00	12/02/21 03:57	67-66-3	
Chloromethane	<0.020	mg/kg	0.053	0.020	1	12/01/21 10:00	12/02/21 03:57	74-87-3	
2-Chlorotoluene	<0.017	mg/kg	0.053	0.017	1	12/01/21 10:00	12/02/21 03:57	95-49-8	
4-Chlorotoluene	<0.020	mg/kg	0.053	0.020	1	12/01/21 10:00	12/02/21 03:57	106-43-4	
1,2-Dibromo-3-chloropropane	<0.041	mg/kg	0.27	0.041	1	12/01/21 10:00	12/02/21 03:57	96-12-8	
Dibromochloromethane	<0.18	mg/kg	0.27	0.18	1	12/01/21 10:00	12/02/21 03:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.015	mg/kg	0.053	0.015	1	12/01/21 10:00	12/02/21 03:57	106-93-4	
Dibromomethane	<0.016	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	74-95-3	
1,2-Dichlorobenzene	<0.017	mg/kg	0.053	0.017	1	12/01/21 10:00	12/02/21 03:57	95-50-1	
1,3-Dichlorobenzene	<0.015	mg/kg	0.053	0.015	1	12/01/21 10:00	12/02/21 03:57	541-73-1	
1,4-Dichlorobenzene	<0.015	mg/kg	0.053	0.015	1	12/01/21 10:00	12/02/21 03:57	106-46-7	
Dichlorodifluoromethane	<0.023	mg/kg	0.053	0.023	1	12/01/21 10:00	12/02/21 03:57	75-71-8	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Sample: **SB-17 (0-2)** Lab ID: **40237575033** Collected: 11/29/21 12:20 Received: 11/30/21 08:25 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<0.014	mg/kg	0.053	0.014	1	12/01/21 10:00	12/02/21 03:57	75-34-3	
1,2-Dichloroethane	<0.012	mg/kg	0.053	0.012	1	12/01/21 10:00	12/02/21 03:57	107-06-2	
1,1-Dichloroethene	<0.018	mg/kg	0.053	0.018	1	12/01/21 10:00	12/02/21 03:57	75-35-4	
cis-1,2-Dichloroethene	<0.011	mg/kg	0.053	0.011	1	12/01/21 10:00	12/02/21 03:57	156-59-2	
trans-1,2-Dichloroethene	<0.012	mg/kg	0.053	0.012	1	12/01/21 10:00	12/02/21 03:57	156-60-5	
1,2-Dichloropropane	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	78-87-5	
1,3-Dichloropropane	<0.012	mg/kg	0.053	0.012	1	12/01/21 10:00	12/02/21 03:57	142-28-9	
2,2-Dichloropropane	<0.014	mg/kg	0.053	0.014	1	12/01/21 10:00	12/02/21 03:57	594-20-7	
1,1-Dichloropropene	<0.017	mg/kg	0.053	0.017	1	12/01/21 10:00	12/02/21 03:57	563-58-6	
cis-1,3-Dichloropropene	<0.035	mg/kg	0.27	0.035	1	12/01/21 10:00	12/02/21 03:57	10061-01-5	
trans-1,3-Dichloropropene	<0.15	mg/kg	0.27	0.15	1	12/01/21 10:00	12/02/21 03:57	10061-02-6	
Diisopropyl ether	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	108-20-3	
Ethylbenzene	<b>0.028J</b>	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	100-41-4	
Hexachloro-1,3-butadiene	<0.11	mg/kg	0.27	0.11	1	12/01/21 10:00	12/02/21 03:57	87-68-3	
Isopropylbenzene (Cumene)	<0.014	mg/kg	0.053	0.014	1	12/01/21 10:00	12/02/21 03:57	98-82-8	
p-Isopropyltoluene	<0.016	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	99-87-6	
Methylene Chloride	<0.015	mg/kg	0.053	0.015	1	12/01/21 10:00	12/02/21 03:57	75-09-2	
Methyl-tert-butyl ether	<0.016	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	1634-04-4	
Naphthalene	<0.017	mg/kg	0.27	0.017	1	12/01/21 10:00	12/02/21 03:57	91-20-3	
n-Propylbenzene	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	103-65-1	
Styrene	<0.014	mg/kg	0.053	0.014	1	12/01/21 10:00	12/02/21 03:57	100-42-5	
1,1,1,2-Tetrachloroethane	<0.013	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.019	mg/kg	0.053	0.019	1	12/01/21 10:00	12/02/21 03:57	79-34-5	
Tetrachloroethene	<0.021	mg/kg	0.053	0.021	1	12/01/21 10:00	12/02/21 03:57	127-18-4	
Toluene	<b>0.36</b>	mg/kg	0.053	0.013	1	12/01/21 10:00	12/02/21 03:57	108-88-3	
1,2,3-Trichlorobenzene	<0.060	mg/kg	0.27	0.060	1	12/01/21 10:00	12/02/21 03:57	87-61-6	
1,2,4-Trichlorobenzene	<0.044	mg/kg	0.27	0.044	1	12/01/21 10:00	12/02/21 03:57	120-82-1	
1,1,1-Trichloroethane	<0.014	mg/kg	0.053	0.014	1	12/01/21 10:00	12/02/21 03:57	71-55-6	
1,1,2-Trichloroethane	<0.019	mg/kg	0.053	0.019	1	12/01/21 10:00	12/02/21 03:57	79-00-5	
Trichloroethene	<0.020	mg/kg	0.053	0.020	1	12/01/21 10:00	12/02/21 03:57	79-01-6	
Trichlorofluoromethane	<0.016	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	75-69-4	
1,2,3-Trichloropropane	<0.026	mg/kg	0.053	0.026	1	12/01/21 10:00	12/02/21 03:57	96-18-4	
1,2,4-Trimethylbenzene	<0.016	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	95-63-6	
1,3,5-Trimethylbenzene	<0.017	mg/kg	0.053	0.017	1	12/01/21 10:00	12/02/21 03:57	108-67-8	
Vinyl chloride	<0.011	mg/kg	0.053	0.011	1	12/01/21 10:00	12/02/21 03:57	75-01-4	
m&p-Xylene	<b>0.084J</b>	mg/kg	0.11	0.023	1	12/01/21 10:00	12/02/21 03:57	179601-23-1	
o-Xylene	<b>0.030J</b>	mg/kg	0.053	0.016	1	12/01/21 10:00	12/02/21 03:57	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	104	%	67-159		1	12/01/21 10:00	12/02/21 03:57	2037-26-5	
4-Bromofluorobenzene (S)	96	%	66-153		1	12/01/21 10:00	12/02/21 03:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	82-158		1	12/01/21 10:00	12/02/21 03:57	2199-69-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-17 (0-2)**      **Lab ID: 40237575033**      Collected: 11/29/21 12:20      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	3.4	%	0.10	0.10	1		11/30/21 16:28		

**Sample: SB-17 (2-4)**      **Lab ID: 40237575034**      Collected: 11/29/21 12:21      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	11100-14-4	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	12/01/21 05:15	12/01/21 23:50	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	91	%	67-102		1	12/01/21 05:15	12/01/21 23:50	877-09-8	
Decachlorobiphenyl (S)	86	%	47-114		1	12/01/21 05:15	12/01/21 23:50	2051-24-3	

<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	15.7	%	0.10	0.10	1		11/30/21 16:28		

**Sample: SB-18 (0-2)**      **Lab ID: 40237575035**      Collected: 11/29/21 12:43      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	53469-21-9	
PCB-1248 (Aroclor 1248)	0.017J	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	12672-29-6	
PCB-1254 (Aroclor 1254)	0.14	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	11097-69-1	
PCB-1260 (Aroclor 1260)	0.029J	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	11096-82-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: SB-18 (0-2)**      **Lab ID: 40237575035**      Collected: 11/29/21 12:43      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1262 (Aroclor 1262)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.016	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	11100-14-4	
PCB, Total	0.19	mg/kg	0.054	0.016	1	12/01/21 05:15	12/02/21 00:12	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	94	%	67-102		1	12/01/21 05:15	12/02/21 00:12	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	12/01/21 05:15	12/02/21 00:12	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.7	%	0.10	0.10	1		11/30/21 16:28		

**Sample: SB-18 (2-4)**      **Lab ID: 40237575036**      Collected: 11/29/21 12:44      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	11100-14-4	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	12/02/21 05:29	12/03/21 17:06	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	87	%	67-102		1	12/02/21 05:29	12/03/21 17:06	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		1	12/02/21 05:29	12/03/21 17:06	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.2	%	0.10	0.10	1		11/30/21 16:28		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-19 (0-2)**      **Lab ID: 40237575037**      Collected: 11/29/21 12:48      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	11100-14-4	
PCB, Total	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 17:50	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	91	%	67-102		1	12/02/21 05:29	12/03/21 17:50	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	12/02/21 05:29	12/03/21 17:50	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **10.4**      %      0.10      0.10      1      11/30/21 16:29

**Sample: SB-19 (2-4)**      **Lab ID: 40237575038**      Collected: 11/29/21 12:49      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	11100-14-4	
PCB, Total	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/03/21 18:34	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	90	%	67-102		1	12/02/21 05:29	12/03/21 18:34	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	12/02/21 05:29	12/03/21 18:34	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **11.2**      %      0.10      0.10      1      11/30/21 16:29

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-20 (0-2)**      **Lab ID: 40237575039**      Collected: 11/29/21 13:06      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	12672-29-6	
PCB-1254 (Aroclor 1254)	0.72	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	11100-14-4	
PCB, Total	0.72	mg/kg	0.055	0.017	1	12/02/21 05:29	12/03/21 19:17	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	12/02/21 05:29	12/03/21 19:17	877-09-8	
Decachlorobiphenyl (S)	73	%	47-114		1	12/02/21 05:29	12/03/21 19:17	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **8.3**      %      0.10      0.10      1      11/30/21 16:29

**Sample: SB-20 (2-4)**      **Lab ID: 40237575040**      Collected: 11/29/21 13:07      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	11100-14-4	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	12/02/21 05:29	12/04/21 01:09	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	12/02/21 05:29	12/04/21 01:09	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	12/02/21 05:29	12/04/21 01:09	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **14.2**      %      0.10      0.10      1      11/30/21 16:29

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-21 (0-2)**      **Lab ID: 40237575041**      Collected: 11/29/21 13:23      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	12674-11-2	D3
PCB-1221 (Aroclor 1221)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	11100-14-4	
PCB, Total	<0.16	mg/kg	0.53	0.16	10	12/02/21 05:29	12/03/21 20:45	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	95	%	67-102		10	12/02/21 05:29	12/03/21 20:45	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		10	12/02/21 05:29	12/03/21 20:45	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	6.1	%	0.10	0.10	1		11/30/21 16:29		
------------------	-----	---	------	------	---	--	----------------	--	--

**Sample: SB-21 (2-4)**      **Lab ID: 40237575042**      Collected: 11/29/21 13:24      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	11100-14-4	
PCB, Total	<0.017	mg/kg	0.054	0.017	1	12/02/21 05:29	12/03/21 09:53	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	84	%	67-102		1	12/02/21 05:29	12/03/21 09:53	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	12/02/21 05:29	12/03/21 09:53	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	7.7	%	0.10	0.10	1		11/30/21 16:29		
------------------	-----	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: SB-22 (0-2)**      **Lab ID: 40237575043**      Collected: 11/29/21 13:33      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	53469-21-9	
PCB-1248 (Aroclor 1248)	0.042J	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	12672-29-6	
PCB-1254 (Aroclor 1254)	0.18	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	11097-69-1	
PCB-1260 (Aroclor 1260)	0.047J	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	11100-14-4	
PCB, Total	0.27	mg/kg	0.056	0.017	1	12/02/21 05:29	12/04/21 01:53	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	79	%	67-102		1	12/02/21 05:29	12/04/21 01:53	877-09-8	
Decachlorobiphenyl (S)	64	%	47-114		1	12/02/21 05:29	12/04/21 01:53	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **11.1**      %      0.10      0.10      1      11/30/21 16:29

**Sample: SB-22 (2-4)**      **Lab ID: 40237575044**      Collected: 11/29/21 13:34      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	11100-14-4	
PCB, Total	<0.018	mg/kg	0.060	0.018	1	12/02/21 05:29	12/04/21 02:37	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	83	%	67-102		1	12/02/21 05:29	12/04/21 02:37	877-09-8	
Decachlorobiphenyl (S)	73	%	47-114		1	12/02/21 05:29	12/04/21 02:37	2051-24-3	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **16.4**      %      0.10      0.10      1      11/30/21 16:30

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: C-1**      **Lab ID: 40237575045**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	53469-21-9	
PCB-1248 (Aroclor 1248)	0.060	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	12672-29-6	
PCB-1254 (Aroclor 1254)	0.030J	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	11096-82-5	
PCB-1262 (Aroclor 1262)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	37324-23-5	
PCB-1268 (Aroclor 1268)	<0.017	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	11100-14-4	
PCB, Total	0.090	mg/kg	0.056	0.017	1	12/03/21 06:00	12/04/21 13:14	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	88	%	67-102		1	12/03/21 06:00	12/04/21 13:14	877-09-8	
Decachlorobiphenyl (S)	70	%	47-114		1	12/03/21 06:00	12/04/21 13:14	2051-24-3	
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO									
Pace Analytical Services - Green Bay									
Diesel Range Organics	243	mg/kg	81.0	24.2	20	12/02/21 08:38	12/03/21 08:10		D3,DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.4	mg/kg	2.8	1.4	1	12/01/21 07:30	12/01/21 13:21		P4
<b>Surrogates</b>									
a,a,a-Trifluorotoluene (S)	102	%	80-120		1	12/01/21 07:30	12/01/21 13:21	98-08-8	P4
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 12/01/21 13:55									
Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	12/02/21 10:05	12/02/21 23:02	7440-38-2	
Barium	0.25	mg/L	0.0050	0.0015	1	12/02/21 10:05	12/02/21 23:02	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	12/02/21 10:05	12/02/21 23:02	7440-43-9	
Chromium	0.0030J	mg/L	0.010	0.0025	1	12/02/21 10:05	12/02/21 23:02	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	12/02/21 10:05	12/02/21 23:02	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	12/02/21 10:05	12/02/21 23:02	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	12/02/21 10:05	12/02/21 23:02	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 12/01/21 13:55									
Pace Analytical Services - Green Bay									
Mercury	0.000087J	mg/L	0.00020	0.000066	1	12/07/21 07:10	12/07/21 12:53	7439-97-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: C-1**      **Lab ID: 40237575045**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV TCLP Sep Funnel</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3510									
Leachate Method/Date: EPA 1311; 12/01/21 13:55									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<0.014	mg/L	0.050	0.014	1	12/06/21 11:50	12/08/21 11:30	106-46-7	
2,4-Dinitrotoluene	<0.011	mg/L	0.050	0.011	1	12/06/21 11:50	12/08/21 11:30	121-14-2	
Hexachloro-1,3-butadiene	<0.017	mg/L	0.050	0.017	1	12/06/21 11:50	12/08/21 11:30	87-68-3	L2
Hexachlorobenzene	<0.011	mg/L	0.055	0.011	1	12/06/21 11:50	12/08/21 11:30	118-74-1	
Hexachloroethane	<0.014	mg/L	0.050	0.014	1	12/06/21 11:50	12/08/21 11:30	67-72-1	
2-Methylphenol(o-Cresol)	<0.0093	mg/L	0.050	0.0093	1	12/06/21 11:50	12/08/21 11:30	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.0061	mg/L	0.050	0.0061	1	12/06/21 11:50	12/08/21 11:30		
Nitrobenzene	<0.011	mg/L	0.050	0.011	1	12/06/21 11:50	12/08/21 11:30	98-95-3	
Pentachlorophenol	<0.046	mg/L	0.15	0.046	1	12/06/21 11:50	12/08/21 11:30	87-86-5	
Phenol	<0.0032	mg/L	0.050	0.0032	1	12/06/21 11:50	12/08/21 11:30	108-95-2	
Pyridine	<0.015	mg/L	0.050	0.015	1	12/06/21 11:50	12/08/21 11:30	110-86-1	
2,4,5-Trichlorophenol	<0.0064	mg/L	0.050	0.0064	1	12/06/21 11:50	12/08/21 11:30	95-95-4	
2,4,6-Trichlorophenol	<0.0080	mg/L	0.050	0.0080	1	12/06/21 11:50	12/08/21 11:30	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	79	%	41-118		1	12/06/21 11:50	12/08/21 11:30	4165-60-0	
2-Fluorobiphenyl (S)	86	%	54-107		1	12/06/21 11:50	12/08/21 11:30	321-60-8	
2,4,6-Tribromophenol (S)	105	%	62-172		1	12/06/21 11:50	12/08/21 11:30	118-79-6	
Phenol-d6 (S)	39	%	12-120		1	12/06/21 11:50	12/08/21 11:30	13127-88-3	
<b>8260 MSV TCLP</b>									
Analytical Method: EPA 8260    Leachate Method/Date: EPA 1311; 12/01/21 13:55									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		12/03/21 14:16	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		12/03/21 14:16	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		12/03/21 14:16	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		12/03/21 14:16	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		12/03/21 14:16	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		12/03/21 14:16	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		12/03/21 14:16	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		12/03/21 14:16	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		12/03/21 14:16	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		12/03/21 14:16	75-01-4	
<b>Surrogates</b>									
Toluene-d8 (S)	105	%	70-130		10		12/03/21 14:16	2037-26-5	
4-Bromofluorobenzene (S)	103	%	70-130		10		12/03/21 14:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		10		12/03/21 14:16	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.3	%	0.10	0.10	1		11/30/21 16:30		
<b>1010 Flashpoint,Closed Cup</b>									
Analytical Method: EPA 1010									
Pace Analytical Services - Green Bay									
Flashpoint	>200	deg F			1		12/02/21 13:52		1q

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

**Sample: C-1**      **Lab ID: 40237575045**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>2540G Total Percent Solids</b>									
Analytical Method: SM 2540G Pace Analytical Services - Green Bay									
Total Solids	<b>89.0</b>	%	0.10	0.10	1		12/03/21 15:55		
<b>9045 pH Soil</b>									
Analytical Method: EPA 9045 Pace Analytical Services - Green Bay									
pH at 25 Degrees C	<b>8.53</b>	Std. Units	0.100	0.0100	1		12/02/21 09:35		H6
<b>9076 Total Chlorine</b>									
Analytical Method: EPA 9076 Pace Analytical Services - Asheville									
Chlorine, Total	ND	%	0.010	0.010	1		12/09/21 14:02	7782-50-5	N2
<b>9095 Paint Filter Liquid Test</b>									
Analytical Method: EPA 9095 Pace Analytical Services - Green Bay									
Free Liquids	<b>Pass</b>	no units			1		12/02/21 16:32		
<b>733C S Reactive Cyanide</b>									
Analytical Method: EPA 9014    Preparation Method: SW-846 7.3.3.2 Pace Analytical Services - Greensburg									
Cyanide, Reactive	<b>&lt;0.45</b>	mg/kg	1.1	0.45	1	12/03/21 12:00	12/03/21 12:47		
<b>734S Reactive Sulfide</b>									
Analytical Method: SM 4500-S2-F-2011    Preparation Method: SW-846 7.3.4.2 Pace Analytical Services - Greensburg									
Sulfide, Reactive	<b>&lt;11.2</b>	mg/kg	11.2	11.2	1	12/02/21 15:21	12/02/21 15:24		

**Sample: TRIP BLANK**      **Lab ID: 40237575046**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "wet-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<b>&lt;0.012</b>	mg/kg	0.020	0.012	1	12/01/21 10:00	12/01/21 23:54	71-43-2	
Bromobenzene	<b>&lt;0.020</b>	mg/kg	0.050	0.020	1	12/01/21 10:00	12/01/21 23:54	108-86-1	
Bromochloromethane	<b>&lt;0.014</b>	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	74-97-5	
Bromodichloromethane	<b>&lt;0.012</b>	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	75-27-4	
Bromoform	<b>&lt;0.22</b>	mg/kg	0.25	0.22	1	12/01/21 10:00	12/01/21 23:54	75-25-2	
Bromomethane	<b>&lt;0.070</b>	mg/kg	0.25	0.070	1	12/01/21 10:00	12/01/21 23:54	74-83-9	
n-Butylbenzene	<b>&lt;0.023</b>	mg/kg	0.050	0.023	1	12/01/21 10:00	12/01/21 23:54	104-51-8	
sec-Butylbenzene	<b>&lt;0.012</b>	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	135-98-8	
tert-Butylbenzene	<b>&lt;0.016</b>	mg/kg	0.050	0.016	1	12/01/21 10:00	12/01/21 23:54	98-06-6	
Carbon tetrachloride	<b>&lt;0.011</b>	mg/kg	0.050	0.011	1	12/01/21 10:00	12/01/21 23:54	56-23-5	
Chlorobenzene	<b>&lt;0.0060</b>	mg/kg	0.050	0.0060	1	12/01/21 10:00	12/01/21 23:54	108-90-7	
Chloroethane	<b>&lt;0.021</b>	mg/kg	0.25	0.021	1	12/01/21 10:00	12/01/21 23:54	75-00-3	
Chloroform	<b>&lt;0.036</b>	mg/kg	0.25	0.036	1	12/01/21 10:00	12/01/21 23:54	67-66-3	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: TRIP BLANK**      **Lab ID: 40237575046**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

**Results reported on a "wet-weight" basis**

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chloromethane	<0.019	mg/kg	0.050	0.019	1	12/01/21 10:00	12/01/21 23:54	74-87-3	
2-Chlorotoluene	<0.016	mg/kg	0.050	0.016	1	12/01/21 10:00	12/01/21 23:54	95-49-8	
4-Chlorotoluene	<0.019	mg/kg	0.050	0.019	1	12/01/21 10:00	12/01/21 23:54	106-43-4	
1,2-Dibromo-3-chloropropane	<0.039	mg/kg	0.25	0.039	1	12/01/21 10:00	12/01/21 23:54	96-12-8	
Dibromochloromethane	<0.17	mg/kg	0.25	0.17	1	12/01/21 10:00	12/01/21 23:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	106-93-4	
Dibromomethane	<0.015	mg/kg	0.050	0.015	1	12/01/21 10:00	12/01/21 23:54	74-95-3	
1,2-Dichlorobenzene	<0.016	mg/kg	0.050	0.016	1	12/01/21 10:00	12/01/21 23:54	95-50-1	
1,3-Dichlorobenzene	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	541-73-1	
1,4-Dichlorobenzene	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	106-46-7	
Dichlorodifluoromethane	<0.022	mg/kg	0.050	0.022	1	12/01/21 10:00	12/01/21 23:54	75-71-8	
1,1-Dichloroethane	<0.013	mg/kg	0.050	0.013	1	12/01/21 10:00	12/01/21 23:54	75-34-3	
1,2-Dichloroethane	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	107-06-2	
1,1-Dichloroethene	<0.017	mg/kg	0.050	0.017	1	12/01/21 10:00	12/01/21 23:54	75-35-4	
cis-1,2-Dichloroethene	<0.011	mg/kg	0.050	0.011	1	12/01/21 10:00	12/01/21 23:54	156-59-2	
trans-1,2-Dichloroethene	<0.011	mg/kg	0.050	0.011	1	12/01/21 10:00	12/01/21 23:54	156-60-5	
1,2-Dichloropropane	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	78-87-5	
1,3-Dichloropropane	<0.011	mg/kg	0.050	0.011	1	12/01/21 10:00	12/01/21 23:54	142-28-9	
2,2-Dichloropropane	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	594-20-7	
1,1-Dichloropropene	<0.016	mg/kg	0.050	0.016	1	12/01/21 10:00	12/01/21 23:54	563-58-6	
cis-1,3-Dichloropropene	<0.033	mg/kg	0.25	0.033	1	12/01/21 10:00	12/01/21 23:54	10061-01-5	
trans-1,3-Dichloropropene	<0.14	mg/kg	0.25	0.14	1	12/01/21 10:00	12/01/21 23:54	10061-02-6	
Diisopropyl ether	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	108-20-3	
Ethylbenzene	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	100-41-4	
Hexachloro-1,3-butadiene	<0.099	mg/kg	0.25	0.099	1	12/01/21 10:00	12/01/21 23:54	87-68-3	
Isopropylbenzene (Cumene)	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	98-82-8	
p-Isopropyltoluene	<0.015	mg/kg	0.050	0.015	1	12/01/21 10:00	12/01/21 23:54	99-87-6	
Methylene Chloride	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	75-09-2	
Methyl-tert-butyl ether	<0.015	mg/kg	0.050	0.015	1	12/01/21 10:00	12/01/21 23:54	1634-04-4	
Naphthalene	<0.016	mg/kg	0.25	0.016	1	12/01/21 10:00	12/01/21 23:54	91-20-3	
n-Propylbenzene	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	103-65-1	
Styrene	<0.013	mg/kg	0.050	0.013	1	12/01/21 10:00	12/01/21 23:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.012	mg/kg	0.050	0.012	1	12/01/21 10:00	12/01/21 23:54	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.018	mg/kg	0.050	0.018	1	12/01/21 10:00	12/01/21 23:54	79-34-5	
Tetrachloroethene	<0.019	mg/kg	0.050	0.019	1	12/01/21 10:00	12/01/21 23:54	127-18-4	
Toluene	<0.013	mg/kg	0.050	0.013	1	12/01/21 10:00	12/01/21 23:54	108-88-3	
1,2,3-Trichlorobenzene	<0.056	mg/kg	0.25	0.056	1	12/01/21 10:00	12/01/21 23:54	87-61-6	
1,2,4-Trichlorobenzene	<0.041	mg/kg	0.25	0.041	1	12/01/21 10:00	12/01/21 23:54	120-82-1	
1,1,1-Trichloroethane	<0.013	mg/kg	0.050	0.013	1	12/01/21 10:00	12/01/21 23:54	71-55-6	
1,1,2-Trichloroethane	<0.018	mg/kg	0.050	0.018	1	12/01/21 10:00	12/01/21 23:54	79-00-5	
Trichloroethene	<0.019	mg/kg	0.050	0.019	1	12/01/21 10:00	12/01/21 23:54	79-01-6	
Trichlorofluoromethane	<0.014	mg/kg	0.050	0.014	1	12/01/21 10:00	12/01/21 23:54	75-69-4	
1,2,3-Trichloropropane	<0.024	mg/kg	0.050	0.024	1	12/01/21 10:00	12/01/21 23:54	96-18-4	
1,2,4-Trimethylbenzene	<0.015	mg/kg	0.050	0.015	1	12/01/21 10:00	12/01/21 23:54	95-63-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

**Sample: TRIP BLANK**      **Lab ID: 40237575046**      Collected: 11/29/21 14:27      Received: 11/30/21 08:25      Matrix: Solid

*Results reported on a "wet-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
1,3,5-Trimethylbenzene	<0.016	mg/kg	0.050	0.016	1	12/01/21 10:00	12/01/21 23:54	108-67-8	
Vinyl chloride	<0.010	mg/kg	0.050	0.010	1	12/01/21 10:00	12/01/21 23:54	75-01-4	
m&p-Xylene	<0.021	mg/kg	0.10	0.021	1	12/01/21 10:00	12/01/21 23:54	179601-23-1	
o-Xylene	<0.015	mg/kg	0.050	0.015	1	12/01/21 10:00	12/01/21 23:54	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	86	%	67-159		1	12/01/21 10:00	12/01/21 23:54	2037-26-5	
4-Bromofluorobenzene (S)	83	%	66-153		1	12/01/21 10:00	12/01/21 23:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	91	%	82-158		1	12/01/21 10:00	12/01/21 23:54	2199-69-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403073

Analysis Method: WI MOD GRO

QC Batch Method: TPH GRO/PVOC WI ext.

Analysis Description: WIGRO Solid GCV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2327214

Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	<1.2	2.5	12/01/21 09:54	
a,a,a-Trifluorotoluene (S)	%	102	80-120	12/01/21 09:54	

LABORATORY CONTROL SAMPLE & LCSD: 2327215

2327216

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Gasoline Range Organics	mg/kg	10	11.6	11.5	116	115	80-120	2	20	
a,a,a-Trifluorotoluene (S)	%				106	105	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403532	Analysis Method: EPA 7470
QC Batch Method: EPA 7470	Analysis Description: 7470 Mercury TCLP
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2329626 Matrix: Water

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	12/07/21 12:27	

METHOD BLANK: 2327256 Matrix: Water

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	12/07/21 13:00	

METHOD BLANK: 2329013 Matrix: Water

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	12/07/21 12:46	

LABORATORY CONTROL SAMPLE: 2329627

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.005	0.0048	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2329628 2329629

Parameter	Units	40237739001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/L	<0.000066	0.005	0.005	0.0057	0.0058	114	115	85-115	0	20	

MATRIX SPIKE SAMPLE: 2329630

Parameter	Units	40237577001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.18J ug/L	0.005	0.0061	118	85-115	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

MATRIX SPIKE SAMPLE:							
Parameter	Units	50303942001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.28 ug/L	0.005	0.0062	119	85-115	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403230 Analysis Method: EPA 6010D  
QC Batch Method: EPA 3010A Analysis Description: 6010D MET TCLP  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2327836 Matrix: Water

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	12/02/21 22:58	
Barium	mg/L	<0.0015	0.0050	12/02/21 22:58	
Cadmium	mg/L	<0.0013	0.0050	12/02/21 22:58	
Chromium	mg/L	<0.0025	0.010	12/02/21 22:58	
Lead	mg/L	<0.0059	0.020	12/02/21 22:58	
Selenium	mg/L	<0.012	0.040	12/02/21 22:58	
Silver	mg/L	<0.0032	0.010	12/02/21 22:58	

METHOD BLANK: 2327020 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	12/02/21 23:49	
Barium	mg/L	0.0022J	0.0050	12/02/21 23:49	
Cadmium	mg/L	<0.0013	0.0050	12/02/21 23:49	
Chromium	mg/L	<0.0025	0.010	12/02/21 23:49	
Lead	mg/L	<0.0059	0.020	12/02/21 23:49	
Selenium	mg/L	<0.012	0.040	12/02/21 23:49	
Silver	mg/L	<0.0032	0.010	12/02/21 23:49	

METHOD BLANK: 2327255 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	12/02/21 23:31	
Barium	mg/L	0.0019J	0.0050	12/02/21 23:31	
Cadmium	mg/L	<0.0013	0.0050	12/02/21 23:31	
Chromium	mg/L	<0.0025	0.010	12/02/21 23:31	
Lead	mg/L	<0.0059	0.020	12/02/21 23:31	
Selenium	mg/L	<0.012	0.040	12/02/21 23:31	
Silver	mg/L	<0.0032	0.010	12/02/21 23:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

LABORATORY CONTROL SAMPLE: 2327837

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.25	0.23	90	80-120	
Barium	mg/L	0.25	0.22	87	80-120	
Cadmium	mg/L	0.25	0.23	92	80-120	
Chromium	mg/L	0.25	0.22	89	80-120	
Lead	mg/L	0.25	0.24	95	80-120	
Selenium	mg/L	0.25	0.24	96	80-120	
Silver	mg/L	0.12	0.12	94	80-120	

MATRIX SPIKE SAMPLE: 2327838

Parameter	Units	40237541001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.017	0.25	0.25	99	75-125	
Barium	mg/L	0.25	0.25	0.51	105	75-125	
Cadmium	mg/L	<0.0027	0.25	0.26	106	75-125	
Chromium	mg/L	0.053	0.25	0.30	101	75-125	
Lead	mg/L	<0.012	0.25	0.27	105	75-125	
Selenium	mg/L	<0.024	0.25	0.31	115	75-125	
Silver	mg/L	0.0098J	0.12	0.14	107	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327839 2327840

Parameter	Units	40237575045 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/L	<0.0084	0.25	0.25	0.25	0.25	97	97	75-125	0	20	
Barium	mg/L	0.25	0.25	0.25	0.49	0.49	95	93	75-125	1	20	
Cadmium	mg/L	<0.0013	0.25	0.25	0.26	0.25	102	101	75-125	1	20	
Chromium	mg/L	0.0030J	0.25	0.25	0.24	0.23	94	92	75-125	2	20	
Lead	mg/L	<0.0059	0.25	0.25	0.25	0.24	99	97	75-125	2	20	
Selenium	mg/L	<0.012	0.25	0.25	0.25	0.26	102	104	75-125	2	20	
Silver	mg/L	<0.0032	0.12	0.12	0.13	0.13	105	101	75-125	3	20	

MATRIX SPIKE SAMPLE: 2327841

Parameter	Units	40237577001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.011J	0.25	0.26	98	75-125	
Barium	mg/L	0.47	0.25	0.73	103	75-125	
Cadmium	mg/L	0.0025J	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0025	0.25	0.24	96	75-125	
Lead	mg/L	<0.0059	0.25	0.25	102	75-125	
Selenium	mg/L	<0.012	0.25	0.28	111	75-125	
Silver	mg/L	<0.0032	0.12	0.14	107	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

MATRIX SPIKE SAMPLE:		2327842					
Parameter	Units	50303942001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.012J	0.25	0.26	99	75-125	
Barium	mg/L	1.4	0.25	1.6	72	75-125	P6
Cadmium	mg/L	<0.0013	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0025	0.25	0.23	93	75-125	
Lead	mg/L	<0.0059	0.25	0.25	99	75-125	
Selenium	mg/L	<0.012	0.25	0.28	112	75-125	
Silver	mg/L	<0.0032	0.12	0.14	108	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403131

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575033, 40237575046

METHOD BLANK: 2327475

Matrix: Solid

Associated Lab Samples: 40237575033, 40237575046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	mg/kg	<0.012	0.050	12/01/21 19:11	
1,1,1-Trichloroethane	mg/kg	<0.013	0.050	12/01/21 19:11	
1,1,2,2-Tetrachloroethane	mg/kg	<0.018	0.050	12/01/21 19:11	
1,1,2-Trichloroethane	mg/kg	<0.018	0.050	12/01/21 19:11	
1,1-Dichloroethane	mg/kg	<0.013	0.050	12/01/21 19:11	
1,1-Dichloroethene	mg/kg	<0.017	0.050	12/01/21 19:11	
1,1-Dichloropropene	mg/kg	<0.016	0.050	12/01/21 19:11	
1,2,3-Trichlorobenzene	mg/kg	<0.056	0.25	12/01/21 19:11	
1,2,3-Trichloropropane	mg/kg	<0.024	0.050	12/01/21 19:11	
1,2,4-Trichlorobenzene	mg/kg	<0.041	0.25	12/01/21 19:11	
1,2,4-Trimethylbenzene	mg/kg	<0.015	0.050	12/01/21 19:11	
1,2-Dibromo-3-chloropropane	mg/kg	<0.039	0.25	12/01/21 19:11	
1,2-Dibromoethane (EDB)	mg/kg	<0.014	0.050	12/01/21 19:11	
1,2-Dichlorobenzene	mg/kg	<0.016	0.050	12/01/21 19:11	
1,2-Dichloroethane	mg/kg	<0.012	0.050	12/01/21 19:11	
1,2-Dichloropropane	mg/kg	<0.012	0.050	12/01/21 19:11	
1,3,5-Trimethylbenzene	mg/kg	<0.016	0.050	12/01/21 19:11	
1,3-Dichlorobenzene	mg/kg	<0.014	0.050	12/01/21 19:11	
1,3-Dichloropropane	mg/kg	<0.011	0.050	12/01/21 19:11	
1,4-Dichlorobenzene	mg/kg	<0.014	0.050	12/01/21 19:11	
2,2-Dichloropropane	mg/kg	<0.014	0.050	12/01/21 19:11	
2-Chlorotoluene	mg/kg	<0.016	0.050	12/01/21 19:11	
4-Chlorotoluene	mg/kg	<0.019	0.050	12/01/21 19:11	
Benzene	mg/kg	<0.012	0.020	12/01/21 19:11	
Bromobenzene	mg/kg	<0.020	0.050	12/01/21 19:11	
Bromochloromethane	mg/kg	<0.014	0.050	12/01/21 19:11	
Bromodichloromethane	mg/kg	<0.012	0.050	12/01/21 19:11	
Bromoform	mg/kg	<0.22	0.25	12/01/21 19:11	
Bromomethane	mg/kg	<0.070	0.25	12/01/21 19:11	
Carbon tetrachloride	mg/kg	<0.011	0.050	12/01/21 19:11	
Chlorobenzene	mg/kg	<0.0060	0.050	12/01/21 19:11	
Chloroethane	mg/kg	<0.021	0.25	12/01/21 19:11	
Chloroform	mg/kg	<0.036	0.25	12/01/21 19:11	
Chloromethane	mg/kg	<0.019	0.050	12/01/21 19:11	
cis-1,2-Dichloroethene	mg/kg	<0.011	0.050	12/01/21 19:11	
cis-1,3-Dichloropropene	mg/kg	<0.033	0.25	12/01/21 19:11	
Dibromochloromethane	mg/kg	<0.17	0.25	12/01/21 19:11	
Dibromomethane	mg/kg	<0.015	0.050	12/01/21 19:11	
Dichlorodifluoromethane	mg/kg	<0.022	0.050	12/01/21 19:11	
Diisopropyl ether	mg/kg	<0.012	0.050	12/01/21 19:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

METHOD BLANK: 2327475

Matrix: Solid

Associated Lab Samples: 40237575033, 40237575046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	mg/kg	<0.012	0.050	12/01/21 19:11	
Hexachloro-1,3-butadiene	mg/kg	<0.099	0.25	12/01/21 19:11	
Isopropylbenzene (Cumene)	mg/kg	<0.014	0.050	12/01/21 19:11	
m&p-Xylene	mg/kg	<0.021	0.10	12/01/21 19:11	
Methyl-tert-butyl ether	mg/kg	<0.015	0.050	12/01/21 19:11	
Methylene Chloride	mg/kg	<0.014	0.050	12/01/21 19:11	
n-Butylbenzene	mg/kg	<0.023	0.050	12/01/21 19:11	
n-Propylbenzene	mg/kg	<0.012	0.050	12/01/21 19:11	
Naphthalene	mg/kg	<0.016	0.25	12/01/21 19:11	
o-Xylene	mg/kg	<0.015	0.050	12/01/21 19:11	
p-Isopropyltoluene	mg/kg	<0.015	0.050	12/01/21 19:11	
sec-Butylbenzene	mg/kg	<0.012	0.050	12/01/21 19:11	
Styrene	mg/kg	<0.013	0.050	12/01/21 19:11	
tert-Butylbenzene	mg/kg	<0.016	0.050	12/01/21 19:11	
Tetrachloroethene	mg/kg	<0.019	0.050	12/01/21 19:11	
Toluene	mg/kg	<0.013	0.050	12/01/21 19:11	
trans-1,2-Dichloroethene	mg/kg	<0.011	0.050	12/01/21 19:11	
trans-1,3-Dichloropropene	mg/kg	<0.14	0.25	12/01/21 19:11	
Trichloroethene	mg/kg	<0.019	0.050	12/01/21 19:11	
Trichlorofluoromethane	mg/kg	<0.014	0.050	12/01/21 19:11	
Vinyl chloride	mg/kg	<0.010	0.050	12/01/21 19:11	
1,2-Dichlorobenzene-d4 (S)	%	105	82-158	12/01/21 19:11	
4-Bromofluorobenzene (S)	%	101	66-153	12/01/21 19:11	
Toluene-d8 (S)	%	107	67-159	12/01/21 19:11	

LABORATORY CONTROL SAMPLE: 2327476

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/kg	2.5	2.3	91	70-130	
1,1,2,2-Tetrachloroethane	mg/kg	2.5	2.5	101	65-129	
1,1,2-Trichloroethane	mg/kg	2.5	2.5	102	70-130	
1,1-Dichloroethane	mg/kg	2.5	2.7	107	70-130	
1,1-Dichloroethene	mg/kg	2.5	2.2	89	67-120	
1,2,4-Trichlorobenzene	mg/kg	2.5	2.2	87	64-130	
1,2-Dibromo-3-chloropropane	mg/kg	2.5	2.3	91	57-119	
1,2-Dibromoethane (EDB)	mg/kg	2.5	2.5	100	70-130	
1,2-Dichlorobenzene	mg/kg	2.5	2.5	99	70-130	
1,2-Dichloroethane	mg/kg	2.5	2.6	106	70-130	
1,2-Dichloropropane	mg/kg	2.5	2.5	101	72-118	
1,3-Dichlorobenzene	mg/kg	2.5	2.5	98	70-130	
1,4-Dichlorobenzene	mg/kg	2.5	2.4	98	70-130	
Benzene	mg/kg	2.5	2.5	100	70-130	
Bromodichloromethane	mg/kg	2.5	2.3	94	70-130	
Bromoform	mg/kg	2.5	2.4	96	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

LABORATORY CONTROL SAMPLE: 2327476

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	mg/kg	2.5	2.5	100	13-153	
Carbon tetrachloride	mg/kg	2.5	2.3	90	73-134	
Chlorobenzene	mg/kg	2.5	2.5	100	70-130	
Chloroethane	mg/kg	2.5	2.6	104	19-170	
Chloroform	mg/kg	2.5	2.6	104	79-120	
Chloromethane	mg/kg	2.5	1.8	71	45-117	
cis-1,2-Dichloroethene	mg/kg	2.5	2.5	98	70-130	
cis-1,3-Dichloropropene	mg/kg	2.5	2.4	98	68-130	
Dibromochloromethane	mg/kg	2.5	2.3	94	70-130	
Dichlorodifluoromethane	mg/kg	2.5	0.81	32	15-135	
Ethylbenzene	mg/kg	2.5	2.5	99	78-120	
Isopropylbenzene (Cumene)	mg/kg	2.5	2.3	94	70-130	
m&p-Xylene	mg/kg	5	4.9	98	70-130	
Methyl-tert-butyl ether	mg/kg	2.5	2.4	98	65-130	
Methylene Chloride	mg/kg	2.5	2.4	98	70-130	
o-Xylene	mg/kg	2.5	2.5	98	70-130	
Styrene	mg/kg	2.5	2.6	105	70-130	
Tetrachloroethene	mg/kg	2.5	2.3	94	70-130	
Toluene	mg/kg	2.5	2.6	105	76-120	
trans-1,2-Dichloroethene	mg/kg	2.5	2.4	97	70-130	
trans-1,3-Dichloropropene	mg/kg	2.5	2.4	95	70-130	
Trichloroethene	mg/kg	2.5	2.5	99	70-130	
Trichlorofluoromethane	mg/kg	2.5	2.0	79	49-153	
Vinyl chloride	mg/kg	2.5	2.0	81	58-121	
1,2-Dichlorobenzene-d4 (S)	%			103	82-158	
4-Bromofluorobenzene (S)	%			100	66-153	
Toluene-d8 (S)	%			102	67-159	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403208	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV TCLP
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2327766 Matrix: Water

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.00058	0.0010	12/03/21 09:21	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	12/03/21 09:21	
2-Butanone (MEK)	mg/L	<0.0065	0.025	12/03/21 09:21	
Benzene	mg/L	<0.00030	0.0010	12/03/21 09:21	
Carbon tetrachloride	mg/L	<0.00037	0.0010	12/03/21 09:21	
Chlorobenzene	mg/L	<0.00086	0.0010	12/03/21 09:21	
Chloroform	mg/L	<0.0012	0.0050	12/03/21 09:21	
Tetrachloroethene	mg/L	<0.00041	0.0010	12/03/21 09:21	
Trichloroethene	mg/L	<0.00032	0.0010	12/03/21 09:21	
Vinyl chloride	mg/L	<0.00017	0.0010	12/03/21 09:21	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	12/03/21 09:21	
4-Bromofluorobenzene (S)	%	104	70-130	12/03/21 09:21	
Toluene-d8 (S)	%	103	70-130	12/03/21 09:21	

METHOD BLANK: 2327258 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0058	0.010	12/03/21 13:36	
1,2-Dichloroethane	mg/L	<0.0029	0.010	12/03/21 13:36	
2-Butanone (MEK)	mg/L	<0.065	0.25	12/03/21 13:36	
Benzene	mg/L	<0.0030	0.010	12/03/21 13:36	
Carbon tetrachloride	mg/L	<0.0037	0.010	12/03/21 13:36	
Chlorobenzene	mg/L	<0.0086	0.010	12/03/21 13:36	
Chloroform	mg/L	<0.012	0.050	12/03/21 13:36	
Tetrachloroethene	mg/L	<0.0041	0.010	12/03/21 13:36	
Trichloroethene	mg/L	<0.0032	0.010	12/03/21 13:36	
Vinyl chloride	mg/L	<0.0017	0.010	12/03/21 13:36	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	12/03/21 13:36	
4-Bromofluorobenzene (S)	%	103	70-130	12/03/21 13:36	
Toluene-d8 (S)	%	103	70-130	12/03/21 13:36	

LABORATORY CONTROL SAMPLE: 2327767

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	0.05	0.060	121	85-126	
1,2-Dichloroethane	mg/L	0.05	0.056	113	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

LABORATORY CONTROL SAMPLE: 2327767

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.05	0.056	113	70-132	
Carbon tetrachloride	mg/L	0.05	0.059	118	70-130	
Chlorobenzene	mg/L	0.05	0.056	112	70-130	
Chloroform	mg/L	0.05	0.057	115	80-122	
Tetrachloroethene	mg/L	0.05	0.050	101	70-130	
Trichloroethene	mg/L	0.05	0.053	107	70-130	
Vinyl chloride	mg/L	0.05	0.064	128	63-142	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2328630 2328631

Parameter	Units	40237222004		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result					
1,1-Dichloroethene	mg/L	<5.8 ug/L	0.5	0.5	0.56	0.54	111	108	76-132	3	20	
1,2-Dichloroethane	mg/L	<2.9 ug/L	0.5	0.5	0.51	0.51	102	102	70-130	0	20	
Benzene	mg/L	<3.0 ug/L	0.5	0.5	0.52	0.51	104	101	70-132	3	20	
Carbon tetrachloride	mg/L	<3.7 ug/L	0.5	0.5	0.55	0.55	111	109	70-132	2	20	
Chlorobenzene	mg/L	<8.6 ug/L	0.5	0.5	0.51	0.50	103	101	70-130	2	20	
Chloroform	mg/L	<11.8 ug/L	0.5	0.5	0.53	0.52	106	104	80-122	2	20	
Tetrachloroethene	mg/L	<4.1 ug/L	0.5	0.5	0.47	0.46	94	93	70-130	1	20	
Trichloroethene	mg/L	<3.2 ug/L	0.5	0.5	0.52	0.49	104	97	70-130	7	20	
Vinyl chloride	mg/L	<1.7 ug/L	0.5	0.5	0.60	0.58	120	116	61-143	3	20	
1,2-Dichlorobenzene-d4 (S)	%						97	97	70-130			
4-Bromofluorobenzene (S)	%						106	105	70-130			
Toluene-d8 (S)	%						104	105	70-130			

MATRIX SPIKE SAMPLE: 2328632

Parameter	Units	50303942001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	<5.8 ug/L	0.5	0.51	103	76-132	
1,2-Dichloroethane	mg/L	<2.9 ug/L	0.5	0.49	97	70-130	
Benzene	mg/L	<3.0 ug/L	0.5	0.50	100	70-132	
Carbon tetrachloride	mg/L	<3.7 ug/L	0.5	0.51	102	70-132	
Chlorobenzene	mg/L	<8.6 ug/L	0.5	0.48	97	70-130	
Chloroform	mg/L	<11.8 ug/L	0.5	0.50	101	80-122	
Tetrachloroethene	mg/L	<4.1 ug/L	0.5	0.44	87	70-130	
Trichloroethene	mg/L	<3.2 ug/L	0.5	0.48	96	70-130	
Vinyl chloride	mg/L	<1.7 ug/L	0.5	0.57	113	61-143	
1,2-Dichlorobenzene-d4 (S)	%				98	70-130	
4-Bromofluorobenzene (S)	%				106	70-130	
Toluene-d8 (S)	%				102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

MATRIX SPIKE SAMPLE: 2328633		40237577001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,1-Dichloroethene	mg/L	<5.8 ug/L	0.5	0.52	104	76-132	
1,2-Dichloroethane	mg/L	<2.9 ug/L	0.5	0.50	100	70-130	
Benzene	mg/L	<3.0 ug/L	0.5	0.50	99	70-132	
Carbon tetrachloride	mg/L	<3.7 ug/L	0.5	0.53	106	70-132	
Chlorobenzene	mg/L	<8.6 ug/L	0.5	0.50	99	70-130	
Chloroform	mg/L	<11.8 ug/L	0.5	0.51	103	80-122	
Tetrachloroethene	mg/L	<4.1 ug/L	0.5	0.45	91	70-130	
Trichloroethene	mg/L	<3.2 ug/L	0.5	0.49	98	70-130	
Vinyl chloride	mg/L	<1.7 ug/L	0.5	0.56	112	61-143	
1,2-Dichlorobenzene-d4 (S)	%				96	70-130	
4-Bromofluorobenzene (S)	%				106	70-130	
Toluene-d8 (S)	%				105	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch:	403034	Analysis Method:	EPA 8082
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575001, 40237575002, 40237575003, 40237575004, 40237575005, 40237575006, 40237575007, 40237575008, 40237575009, 40237575010, 40237575011, 40237575012, 40237575013, 40237575014, 40237575015

METHOD BLANK: 2327051 Matrix: Solid  
Associated Lab Samples: 40237575001, 40237575002, 40237575003, 40237575004, 40237575005, 40237575006, 40237575007, 40237575008, 40237575009, 40237575010, 40237575011, 40237575012, 40237575013, 40237575014, 40237575015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1262 (Aroclor 1262)	mg/kg	<0.015	0.050	12/01/21 05:47	
PCB-1268 (Aroclor 1268)	mg/kg	<0.015	0.050	12/01/21 05:47	
Decachlorobiphenyl (S)	%	92	47-114	12/01/21 05:47	
Tetrachloro-m-xylene (S)	%	92	67-102	12/01/21 05:47	

LABORATORY CONTROL SAMPLE: 2327052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.43	85	69-115	
PCB-1262 (Aroclor 1262)	mg/kg		<0.015			
PCB-1268 (Aroclor 1268)	mg/kg		<0.015			
Decachlorobiphenyl (S)	%			88	47-114	
Tetrachloro-m-xylene (S)	%			88	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327053 2327054

Parameter	Units	2327053		2327054		% Rec Limits	% Rec	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result					
PCB-1016 (Aroclor 1016)	mg/kg	<0.018		<0.018	<0.018				20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.018		<0.018	<0.018				20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.018		<0.018	<0.018				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327053		2327054		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237575006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
PCB-1242 (Aroclor 1242)	mg/kg	<0.018			<0.018	<0.018						20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.018			<0.018	<0.018						20	
PCB-1254 (Aroclor 1254)	mg/kg	<0.018			<0.018	<0.018						20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.018	0.58	0.58	0.43	0.45	75	78	45-120	5	20		
PCB-1262 (Aroclor 1262)	mg/kg	<0.018			<0.018	<0.018						20	
PCB-1268 (Aroclor 1268)	mg/kg	<0.018			<0.018	<0.018						20	
Decachlorobiphenyl (S)	%						76	81	47-114				
Tetrachloro-m-xylene (S)	%						82	85	67-102				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch:	403068	Analysis Method:	EPA 8082
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575016, 40237575017, 40237575018, 40237575019, 40237575020, 40237575021, 40237575022, 40237575023, 40237575024, 40237575025, 40237575026, 40237575027, 40237575028, 40237575029, 40237575030, 40237575031, 40237575032, 40237575033, 40237575034, 40237575035

METHOD BLANK: 2327195 Matrix: Solid  
Associated Lab Samples: 40237575016, 40237575017, 40237575018, 40237575019, 40237575020, 40237575021, 40237575022, 40237575023, 40237575024, 40237575025, 40237575026, 40237575027, 40237575028, 40237575029, 40237575030, 40237575031, 40237575032, 40237575033, 40237575034, 40237575035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1262 (Aroclor 1262)	mg/kg	<0.015	0.050	12/01/21 17:40	
PCB-1268 (Aroclor 1268)	mg/kg	<0.015	0.050	12/01/21 17:40	
Decachlorobiphenyl (S)	%	93	47-114	12/01/21 17:40	
Tetrachloro-m-xylene (S)	%	93	67-102	12/01/21 17:40	

LABORATORY CONTROL SAMPLE: 2327196

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.45	89	69-115	
PCB-1262 (Aroclor 1262)	mg/kg		<0.015			
PCB-1268 (Aroclor 1268)	mg/kg		<0.015			
Decachlorobiphenyl (S)	%			91	47-114	
Tetrachloro-m-xylene (S)	%			92	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327197 2327198

Parameter	Units	2327197		2327198		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.016		<0.016	<0.016					20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.016		<0.016	<0.016					20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.016		<0.016	<0.016					20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327197		2327198		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237575032 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
PCB-1242 (Aroclor 1242)	mg/kg	<0.016			<0.016	<0.016						20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.016			<0.016	<0.016						20	
PCB-1254 (Aroclor 1254)	mg/kg	<0.016			<0.016	<0.016						20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.016	0.52	0.52	0.45	0.45	87	88	45-120	1	20		
PCB-1262 (Aroclor 1262)	mg/kg	<0.016			<0.016	<0.016						20	
PCB-1268 (Aroclor 1268)	mg/kg	<0.016			<0.016	<0.016						20	
Decachlorobiphenyl (S)	%						88	90	47-114				
Tetrachloro-m-xylene (S)	%						91	91	67-102				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch:	403193	Analysis Method:	EPA 8082
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575036, 40237575037, 40237575038, 40237575039, 40237575040, 40237575041, 40237575042, 40237575043, 40237575044

METHOD BLANK: 2327726 Matrix: Solid  
Associated Lab Samples: 40237575036, 40237575037, 40237575038, 40237575039, 40237575040, 40237575041, 40237575042, 40237575043, 40237575044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1262 (Aroclor 1262)	mg/kg	<0.015	0.050	12/03/21 07:42	
PCB-1268 (Aroclor 1268)	mg/kg	<0.015	0.050	12/03/21 07:42	
Decachlorobiphenyl (S)	%	97	47-114	12/03/21 07:42	
Tetrachloro-m-xylene (S)	%	92	67-102	12/03/21 07:42	

LABORATORY CONTROL SAMPLE: 2327727

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.44	88	69-115	
PCB-1262 (Aroclor 1262)	mg/kg		<0.015			
PCB-1268 (Aroclor 1268)	mg/kg		<0.015			
Decachlorobiphenyl (S)	%			95	47-114	
Tetrachloro-m-xylene (S)	%			92	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327728 2327729

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237575042	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.017			<0.016	<0.016				20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.017			<0.016	<0.016				20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.017			<0.016	<0.016				20	
PCB-1242 (Aroclor 1242)	mg/kg	<0.017			<0.016	<0.016				20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.017			<0.016	<0.016				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2327728		2327729		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237575042 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
PCB-1254 (Aroclor 1254)	mg/kg	<0.017			<0.016	<0.016						20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.017	0.54	0.54	0.46	0.45	85	83	45-120	3	20		
PCB-1262 (Aroclor 1262)	mg/kg	<0.017			<0.016	<0.016						20	
PCB-1268 (Aroclor 1268)	mg/kg	<0.017			<0.016	<0.016						20	
Decachlorobiphenyl (S)	%						86	86	47-114				
Tetrachloro-m-xylene (S)	%						91	94	67-102				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403301 Analysis Method: EPA 8082  
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2328335 Matrix: Solid  
Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1262 (Aroclor 1262)	mg/kg	<0.015	0.050	12/04/21 11:02	
PCB-1268 (Aroclor 1268)	mg/kg	<0.015	0.050	12/04/21 11:02	
Decachlorobiphenyl (S)	%	91	47-114	12/04/21 11:02	
Tetrachloro-m-xylene (S)	%	90	67-102	12/04/21 11:02	

LABORATORY CONTROL SAMPLE: 2328336

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.42	85	69-115	
PCB-1262 (Aroclor 1262)	mg/kg		<0.015			
PCB-1268 (Aroclor 1268)	mg/kg		<0.015			
Decachlorobiphenyl (S)	%			92	47-114	
Tetrachloro-m-xylene (S)	%			93	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2328337 2328338

Parameter	Units	40237623002		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		Result	Result									
PCB-1016 (Aroclor 1016)	mg/kg	<16.0	ug/kg			<0.016	<0.016				20	
PCB-1221 (Aroclor 1221)	mg/kg	<16.0	ug/kg			<0.016	<0.016				20	
PCB-1232 (Aroclor 1232)	mg/kg	<16.0	ug/kg			<0.016	<0.016				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2328337		2328338		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237623002 Result	MS Spike Conc.	MSD Spike Conc.									
PCB-1242 (Aroclor 1242)	mg/kg	<16.0 ug/kg			<0.016	<0.016						20	
PCB-1248 (Aroclor 1248)	mg/kg	<16.0 ug/kg			<0.016	<0.016						20	
PCB-1254 (Aroclor 1254)	mg/kg	<16.0 ug/kg			<0.016	<0.016						20	
PCB-1260 (Aroclor 1260)	mg/kg	<16.0 ug/kg	0.52	0.52	0.45	0.44	86	84	45-120		2	20	
PCB-1262 (Aroclor 1262)	mg/kg	<16.0 ug/kg			<0.016	<0.016						20	
PCB-1268 (Aroclor 1268)	mg/kg	<16.0 ug/kg			<0.016	<0.016						20	
Decachlorobiphenyl (S)	%							92	91	47-114			
Tetrachloro-m-xylene (S)	%							93	89	67-102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403447      Analysis Method: EPA 8270E  
QC Batch Method: EPA 3510      Analysis Description: 8270E TCLP MSSV  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2329202      Matrix: Water  
Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.0029	0.010	12/08/21 10:27	
2,4,5-Trichlorophenol	mg/L	<0.0013	0.010	12/08/21 10:27	
2,4,6-Trichlorophenol	mg/L	<0.0016	0.010	12/08/21 10:27	
2,4-Dinitrotoluene	mg/L	<0.0021	0.010	12/08/21 10:27	
2-Methylphenol(o-Cresol)	mg/L	<0.0019	0.010	12/08/21 10:27	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.0012	0.010	12/08/21 10:27	
Hexachloro-1,3-butadiene	mg/L	<0.0033	0.010	12/08/21 10:27	
Hexachlorobenzene	mg/L	<0.0023	0.011	12/08/21 10:27	
Hexachloroethane	mg/L	<0.0028	0.010	12/08/21 10:27	
Nitrobenzene	mg/L	<0.0021	0.010	12/08/21 10:27	
Pentachlorophenol	mg/L	<0.0091	0.030	12/08/21 10:27	
Phenol	mg/L	<0.00064	0.010	12/08/21 10:27	
Pyridine	mg/L	<0.0030	0.010	12/08/21 10:27	
2,4,6-Tribromophenol (S)	%	104	62-172	12/08/21 10:27	
2-Fluorobiphenyl (S)	%	83	54-107	12/08/21 10:27	
Nitrobenzene-d5 (S)	%	81	41-118	12/08/21 10:27	
Phenol-d6 (S)	%	39	12-120	12/08/21 10:27	

METHOD BLANK: 2327257      Matrix: Water  
Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.014	0.050	12/08/21 11:09	
2,4,5-Trichlorophenol	mg/L	<0.0064	0.050	12/08/21 11:09	
2,4,6-Trichlorophenol	mg/L	<0.0080	0.050	12/08/21 11:09	
2,4-Dinitrotoluene	mg/L	<0.011	0.050	12/08/21 11:09	
2-Methylphenol(o-Cresol)	mg/L	<0.0093	0.050	12/08/21 11:09	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.0061	0.050	12/08/21 11:09	
Hexachloro-1,3-butadiene	mg/L	<0.017	0.050	12/08/21 11:09	
Hexachlorobenzene	mg/L	<0.011	0.055	12/08/21 11:09	
Hexachloroethane	mg/L	<0.014	0.050	12/08/21 11:09	
Nitrobenzene	mg/L	<0.011	0.050	12/08/21 11:09	
Pentachlorophenol	mg/L	<0.046	0.15	12/08/21 11:09	
Phenol	mg/L	<0.0032	0.050	12/08/21 11:09	
Pyridine	mg/L	<0.015	0.050	12/08/21 11:09	
2,4,6-Tribromophenol (S)	%	105	62-172	12/08/21 11:09	
2-Fluorobiphenyl (S)	%	89	54-107	12/08/21 11:09	
Nitrobenzene-d5 (S)	%	79	41-118	12/08/21 11:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

METHOD BLANK: 2327257 Matrix: Water  
Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Phenol-d6 (S)	%	42	12-120	12/08/21 11:09	

LABORATORY CONTROL SAMPLE: 2329203

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	0.05	0.029	59	46-89	
2,4,5-Trichlorophenol	mg/L	0.05	0.048	96	60-122	
2,4,6-Trichlorophenol	mg/L	0.05	0.049	98	59-119	
2,4-Dinitrotoluene	mg/L	0.05	0.055	111	70-130	
2-Methylphenol(o-Cresol)	mg/L	0.05	0.050	100	47-130	
3&4-Methylphenol(m&p Cresol)	mg/L	0.05	0.044	87	43-130	
Hexachloro-1,3-butadiene	mg/L	0.05	0.023	45	51-103	L2
Hexachlorobenzene	mg/L	0.05	0.052	103	70-130	
Hexachloroethane	mg/L	0.05	0.024	48	35-102	
Nitrobenzene	mg/L	0.05	0.045	90	70-130	
Pentachlorophenol	mg/L	0.05	0.034	69	53-101	
Phenol	mg/L	0.05	0.022	44	28-120	
Pyridine	mg/L	0.05	0.030	60	10-130	
2,4,6-Tribromophenol (S)	%			102	62-172	
2-Fluorobiphenyl (S)	%			89	54-107	
Nitrobenzene-d5 (S)	%			91	41-118	
Phenol-d6 (S)	%			43	12-120	

MATRIX SPIKE SAMPLE: 2329204

Parameter	Units	40237577001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	<14.4 ug/L	0.25	0.16	63	46-99	
2,4,5-Trichlorophenol	mg/L	<6.4 ug/L	0.25	0.25	101	24-139	
2,4,6-Trichlorophenol	mg/L	<8.0 ug/L	0.25	0.26	104	18-131	
2,4-Dinitrotoluene	mg/L	<10.6 ug/L	0.25	0.28	112	22-158	
2-Methylphenol(o-Cresol)	mg/L	<9.3 ug/L	0.25	0.26	105	29-130	
3&4-Methylphenol(m&p Cresol)	mg/L	<6.1 ug/L	0.25	0.25	101	19-130	
Hexachloro-1,3-butadiene	mg/L	<16.5 ug/L	0.25	0.13	52	51-113	
Hexachlorobenzene	mg/L	<11.5 ug/L	0.25	0.26	105	70-130	
Hexachloroethane	mg/L	<14.2 ug/L	0.25	0.14	57	35-102	
Nitrobenzene	mg/L	<10.7 ug/L	0.25	0.27	109	51-130	
Pentachlorophenol	mg/L	<45.5 ug/L	0.25	0.24	94	10-200	
Phenol	mg/L	<3.2 ug/L	0.25	0.15	60	14-120	
Pyridine	mg/L	<15.1 ug/L	0.25	0.16	64	10-130	
2,4,6-Tribromophenol (S)	%				119	62-172	
2-Fluorobiphenyl (S)	%				96	54-107	
Nitrobenzene-d5 (S)	%				97	41-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

MATRIX SPIKE SAMPLE: 2329204		40237577001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Phenol-d6 (S)	%				49	12-120	

MATRIX SPIKE SAMPLE: 2329205		40237575045	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.014	0.25	0.15	62	46-99	
2,4,5-Trichlorophenol	mg/L	<0.0064	0.25	0.24	98	24-139	
2,4,6-Trichlorophenol	mg/L	<0.0080	0.25	0.24	95	18-131	
2,4-Dinitrotoluene	mg/L	<0.011	0.25	0.28	110	22-158	
2-Methylphenol(o-Cresol)	mg/L	<0.0093	0.25	0.26	103	29-130	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.0061	0.25	0.25	98	19-130	
Hexachloro-1,3-butadiene	mg/L	<0.017	0.25	0.14	55	51-113	
Hexachlorobenzene	mg/L	<0.011	0.25	0.26	105	70-130	
Hexachloroethane	mg/L	<0.014	0.25	0.14	57	35-102	
Nitrobenzene	mg/L	<0.011	0.25	0.22	89	51-130	
Pentachlorophenol	mg/L	<0.046	0.25	0.20	80	10-200	
Phenol	mg/L	<0.0032	0.25	0.13	50	14-120	
Pyridine	mg/L	<0.015	0.25	0.16	64	10-130	
2,4,6-Tribromophenol (S)	%				111	62-172	
2-Fluorobiphenyl (S)	%				93	54-107	
Nitrobenzene-d5 (S)	%				89	41-118	
Phenol-d6 (S)	%				47	12-120	

MATRIX SPIKE SAMPLE: 2329206		50303942001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	<14.4 ug/L	0.25	0.16	66	46-99	
2,4,5-Trichlorophenol	mg/L	<6.4 ug/L	0.25	0.26	104	24-139	
2,4,6-Trichlorophenol	mg/L	<8.0 ug/L	0.25	0.25	99	18-131	
2,4-Dinitrotoluene	mg/L	<10.6 ug/L	0.25	0.27	110	22-158	
2-Methylphenol(o-Cresol)	mg/L	<9.3 ug/L	0.25	0.26	106	29-130	
3&4-Methylphenol(m&p Cresol)	mg/L	<6.1 ug/L	0.25	0.22	90	19-130	
Hexachloro-1,3-butadiene	mg/L	<16.5 ug/L	0.25	0.15	58	51-113	
Hexachlorobenzene	mg/L	<11.5 ug/L	0.25	0.28	111	70-130	
Hexachloroethane	mg/L	<14.2 ug/L	0.25	0.15	60	35-102	
Nitrobenzene	mg/L	<10.7 ug/L	0.25	0.24	97	51-130	
Pentachlorophenol	mg/L	<45.5 ug/L	0.25	0.20	81	10-200	
Phenol	mg/L	<3.2 ug/L	0.25	0.12	49	14-120	
Pyridine	mg/L	<15.1 ug/L	0.25	0.16	65	10-130	
2,4,6-Tribromophenol (S)	%				107	62-172	
2-Fluorobiphenyl (S)	%				94	54-107	
Nitrobenzene-d5 (S)	%				91	41-118	
Phenol-d6 (S)	%				49	12-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403191	Analysis Method: WI MOD DRO
QC Batch Method: WI MOD DRO	Analysis Description: WIDRO GCS
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575033, 40237575045

METHOD BLANK: 2327719 Matrix: Solid  
Associated Lab Samples: 40237575033, 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	<1.3	4.4	12/03/21 06:31	

Parameter	Units	2327720					2327721				
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Diesel Range Organics	mg/kg	40	33.3	31.6	83	79	70-120	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

---

QC Batch:	403046	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575001, 40237575002, 40237575003, 40237575004, 40237575005, 40237575006, 40237575007, 40237575008, 40237575009, 40237575010, 40237575011, 40237575012

---

SAMPLE DUPLICATE: 2327081

Parameter	Units	40237562003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	6.3	6.4	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

---

QC Batch:	403048	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575032, 40237575033, 40237575034, 40237575035, 40237575036, 40237575037, 40237575038, 40237575039, 40237575040, 40237575041, 40237575042, 40237575043, 40237575044, 40237575045

---

SAMPLE DUPLICATE: 2327147

Parameter	Units	40237562005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.7	5.7	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403174

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575013, 40237575014, 40237575015, 40237575016, 40237575017, 40237575018, 40237575019, 40237575020, 40237575021

SAMPLE DUPLICATE: 2327668

Parameter	Units	40237575015 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	11.6	11.6	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403496

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575022, 40237575023, 40237575024, 40237575025, 40237575026, 40237575027, 40237575028, 40237575029, 40237575030, 40237575031

SAMPLE DUPLICATE: 2329503

Parameter	Units	40237694001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	13.4	13.9	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

QC Batch: 403244	Analysis Method: EPA 1010
QC Batch Method: EPA 1010	Analysis Description: 1010 Flash Point, Closed Cup
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

LABORATORY CONTROL SAMPLE: 2327995

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Flashpoint	deg F		83.0			

SAMPLE DUPLICATE: 2328154

Parameter	Units	10589271001 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	>200	>200			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403364

Analysis Method: SM 2540G

QC Batch Method: SM 2540G

Analysis Description: 2540G Total Solids

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2328701

Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Solids	%	<0.10	0.10	12/03/21 15:54	

LABORATORY CONTROL SAMPLE: 2328702

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Solids	%	746	738	99	80-120	

SAMPLE DUPLICATE: 2328717

Parameter	Units	40237763001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Solids	%	95.6	95.2	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403213

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

SAMPLE DUPLICATE: 2327782

Parameter	Units	40237459001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.96	7.05	1	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 403275	Analysis Method: EPA 9095
QC Batch Method: EPA 9095	Analysis Description: 9095 PAINT FILTER LIQUID TEST
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237575045

METHOD BLANK: 2328160 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Free Liquids	no units	Fail		12/02/21 16:20	

LABORATORY CONTROL SAMPLE: 2328161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Free Liquids	no units		Pass			

SAMPLE DUPLICATE: 2328162

Parameter	Units	40237575045 Result	Dup Result	RPD	Max RPD	Qualifiers
Free Liquids	no units	Pass	Pass			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 474679	Analysis Method: EPA 9014
QC Batch Method: SW-846 7.3.3.2	Analysis Description: 733C Reactive Cyanide
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 40237575045

METHOD BLANK: 2293059 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide, Reactive	mg/kg	<0.40	1.0	12/03/21 12:43	

LABORATORY CONTROL SAMPLE: 2293060

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide, Reactive	mg/kg	100	<0.40	0	0-8	

SAMPLE DUPLICATE: 2293061

Parameter	Units	50303876001 Result	Dup Result	RPD	Max RPD	Qualifiers
Cyanide, Reactive	mg/kg	ND	<0.65		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

QC Batch: 474680	Analysis Method: SM 4500-S2-F-2011
QC Batch Method: SW-846 7.3.4.2	Analysis Description: 734S Reactive Sulfide
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 40237575045

METHOD BLANK: 2293062 Matrix: Solid

Associated Lab Samples: 40237575045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide, Reactive	mg/kg	<10.0	10.0	12/02/21 15:24	

LABORATORY CONTROL SAMPLE: 2293063

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide, Reactive	mg/kg	201	12.1	6	0-52	

SAMPLE DUPLICATE: 2293064

Parameter	Units	50303876001 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfide, Reactive	mg/kg	ND	<16.3		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

- 1q Use of method EPA 1010A for flash point analysis on solid samples is for informational purposes only. It is the user's responsibility to verify the acceptance of this data for intended use.
- D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
- DC Chromatographic pattern inconsistent with typical Diesel Fuel.
- H6 Analysis initiated outside of the 15 minute EPA required holding time.
- L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.
- M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
- N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
- P4 Sample field preservation does not meet EPA or method recommendations for this analysis.
- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22.0114 WE CEDARBURG WR4705061  
Pace Project No.: 40237575

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237575001	SB-1 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575002	SB-1 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575003	SB-2 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575004	SB-2 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575005	SB-3 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575006	SB-3 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575007	SB-4 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575008	SB-4 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575009	SB-5 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575010	SB-5 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575011	SB-6 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575012	SB-6 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575013	SB-7 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575014	SB-7 (2-4)	EPA 3541	403034	EPA 8082	403035
40237575015	SB-8 (0-2)	EPA 3541	403034	EPA 8082	403035
40237575016	SB-8 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575017	SB-9 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575018	SB-9 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575019	SB-10 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575020	SB-10 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575021	SB-11 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575022	SB-11 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575023	SB-12 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575024	SB-12 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575025	SB-13 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575026	SB-13 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575027	SB-14 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575028	SB-14 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575029	SB-15 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575030	SB-15 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575031	SB-16 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575032	SB-16 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575033	SB-17 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575034	SB-17 (2-4)	EPA 3541	403068	EPA 8082	403070
40237575035	SB-18 (0-2)	EPA 3541	403068	EPA 8082	403070
40237575036	SB-18 (2-4)	EPA 3541	403193	EPA 8082	403206
40237575037	SB-19 (0-2)	EPA 3541	403193	EPA 8082	403206
40237575038	SB-19 (2-4)	EPA 3541	403193	EPA 8082	403206
40237575039	SB-20 (0-2)	EPA 3541	403193	EPA 8082	403206
40237575040	SB-20 (2-4)	EPA 3541	403193	EPA 8082	403206
40237575041	SB-21 (0-2)	EPA 3541	403193	EPA 8082	403206
40237575042	SB-21 (2-4)	EPA 3541	403193	EPA 8082	403206
40237575043	SB-22 (0-2)	EPA 3541	403193	EPA 8082	403206
40237575044	SB-22 (2-4)	EPA 3541	403193	EPA 8082	403206
40237575045	C-1	EPA 3541	403301	EPA 8082	403303
40237575033	SB-17 (0-2)	WI MOD DRO	403191	WI MOD DRO	403271
40237575045	C-1	WI MOD DRO	403191	WI MOD DRO	403271

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237575045	C-1	TPH GRO/PVOC WI ext.	403073	WI MOD GRO	403116
40237575045	C-1	EPA 3010A	403230	EPA 6010D	403280
40237575045	C-1	EPA 7470	403532	EPA 7470	403555
40237575045	C-1	EPA 3510	403447	EPA 8270E	403507
40237575033	SB-17 (0-2)	EPA 5035/5030B	403131	EPA 8260	403137
40237575046	TRIP BLANK	EPA 5035/5030B	403131	EPA 8260	403137
40237575045	C-1	EPA 8260	403208		
40237575001	SB-1 (0-2)	ASTM D2974-87	403046		
40237575002	SB-1 (2-4)	ASTM D2974-87	403046		
40237575003	SB-2 (0-2)	ASTM D2974-87	403046		
40237575004	SB-2 (2-4)	ASTM D2974-87	403046		
40237575005	SB-3 (0-2)	ASTM D2974-87	403046		
40237575006	SB-3 (2-4)	ASTM D2974-87	403046		
40237575007	SB-4 (0-2)	ASTM D2974-87	403046		
40237575008	SB-4 (2-4)	ASTM D2974-87	403046		
40237575009	SB-5 (0-2)	ASTM D2974-87	403046		
40237575010	SB-5 (2-4)	ASTM D2974-87	403046		
40237575011	SB-6 (0-2)	ASTM D2974-87	403046		
40237575012	SB-6 (2-4)	ASTM D2974-87	403046		
40237575013	SB-7 (0-2)	ASTM D2974-87	403174		
40237575014	SB-7 (2-4)	ASTM D2974-87	403174		
40237575015	SB-8 (0-2)	ASTM D2974-87	403174		
40237575016	SB-8 (2-4)	ASTM D2974-87	403174		
40237575017	SB-9 (0-2)	ASTM D2974-87	403174		
40237575018	SB-9 (2-4)	ASTM D2974-87	403174		
40237575019	SB-10 (0-2)	ASTM D2974-87	403174		
40237575020	SB-10 (2-4)	ASTM D2974-87	403174		
40237575021	SB-11 (0-2)	ASTM D2974-87	403174		
40237575022	SB-11 (2-4)	ASTM D2974-87	403496		
40237575023	SB-12 (0-2)	ASTM D2974-87	403496		
40237575024	SB-12 (2-4)	ASTM D2974-87	403496		
40237575025	SB-13 (0-2)	ASTM D2974-87	403496		
40237575026	SB-13 (2-4)	ASTM D2974-87	403496		
40237575027	SB-14 (0-2)	ASTM D2974-87	403496		
40237575028	SB-14 (2-4)	ASTM D2974-87	403496		
40237575029	SB-15 (0-2)	ASTM D2974-87	403496		
40237575030	SB-15 (2-4)	ASTM D2974-87	403496		
40237575031	SB-16 (0-2)	ASTM D2974-87	403496		
40237575032	SB-16 (2-4)	ASTM D2974-87	403048		
40237575033	SB-17 (0-2)	ASTM D2974-87	403048		
40237575034	SB-17 (2-4)	ASTM D2974-87	403048		
40237575035	SB-18 (0-2)	ASTM D2974-87	403048		
40237575036	SB-18 (2-4)	ASTM D2974-87	403048		
40237575037	SB-19 (0-2)	ASTM D2974-87	403048		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22.0114 WE CEDARBURG WR4705061

Pace Project No.: 40237575

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237575038	SB-19 (2-4)	ASTM D2974-87	403048		
40237575039	SB-20 (0-2)	ASTM D2974-87	403048		
40237575040	SB-20 (2-4)	ASTM D2974-87	403048		
40237575041	SB-21 (0-2)	ASTM D2974-87	403048		
40237575042	SB-21 (2-4)	ASTM D2974-87	403048		
40237575043	SB-22 (0-2)	ASTM D2974-87	403048		
40237575044	SB-22 (2-4)	ASTM D2974-87	403048		
40237575045	C-1	ASTM D2974-87	403048		
40237575045	C-1	EPA 1010	403244		
40237575045	C-1	SM 2540G	403364		
40237575045	C-1	EPA 9045	403213		
40237575045	C-1	EPA 9076	665074		
40237575045	C-1	EPA 9095	403275		
40237575045	C-1	SW-846 7.3.3.2	474679	EPA 9014	474934
40237575045	C-1	SW-846 7.3.4.2	474680	SM 4500-S2-F-2011	474803

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

40237575

UPPER MIDWEST REGION

Page 1 of 4

MN: 612-607-1700 WI: 920-469-2436



COC No.

*(Please Print Clearly)*

Company Name: Kapur & Associates Inc.  
 Branch/Location: Glendale, WI  
 Project Contact: Ashley Wagner  
 Phone: (414)410-5206  
 Project Number: 22.0114.01  
 Project Name: We Cedarburg WR 4705061  
 Project State: Wisconsin  
 Sampled By (Print): Jennifer Skweres  
 Sampled By (Sign): *[Signature]*

**CHAIN OF CUSTODY**

\*Preservation Codes  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

FILTERED? (YES/NO)  
 PRESERVATION (CODE)\*

Y / N	Pick Letter	Analyses Requested	PCBs and Dry Weight							
		N								
	A									

Quote #: \_\_\_\_\_  
 Mail To Contact: Ashley Wagner  
 Mail To Company: Kapur & Associates Inc.  
 Mail To Address: 7711 N Port Washington Rd. Milwaukee, WI 53217  
 Invoice To Contact: Marita Stollenwerk  
 Invoice To Company: We Energies  
 Invoice To Address: \_\_\_\_\_  
 Invoice To Phone: 414-221-4172

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	SB-1 (0-2)	11/29/21	9:38	S
002	SB-1 (2-4)	11/29/21	9:39	S
003	SB-2 (0-2)	11/29/21	9:44	S
004	SB-2 (2-4)	11/29/21	9:45	S
005	SB-3 (0-2)	11/29/21	9:53	S
006	SB-3 (2-4)	11/29/21	9:54	S
007	SB-4 (0-2)	11/29/21	9:58	S
008	SB-4 (2-4)	11/29/21	9:59	S
009	SB-5 (0-2)	11/29/21	10:05	S
010	SB-5 (2-4)	11/29/21	10:06	S
011	SB-6 (0-2)	11/29/21	10:24	S
012	SB-6 (2-4)	11/29/21	10:25	S
013	SB-7 (0-2)	11/29/21	10:35	S

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Relinquished By: *[Signature]* Date/Time: 11/29/21 16:29 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: *[Signature]* Date/Time: 11/30/21 08:15 Received By: *[Signature]* Date/Time: 11/30/21 08:25

Transmit Prelim Rush Results by (complete what you want): \_\_\_\_\_

Receipt Temp = 0 °C

Sample Receipt pH OK / Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

Samples on HOLD are subject to special pricing and release of liability

Version 6.0 06/14/06



(Please Print Clearly)

UPPER MIDWEST REGION

Page 3 of 4

Company Name: Kapur & Associates Inc.  
 Branch/Location: Glendale, WI  
 Project Contact: Ashley Wagner  
 Phone: (414)410-5206  
 Project Number: 22.0114.01  
 Project Name: We Cedarburg WR 4705061  
 Project State: Wisconsin  
 Sampled By (Print): Jennifer Skweres  
 Sampled By (Sign): *Jennifer Skweres*  
 PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_



MN: 612-607-1700 WI: 920-469-2436

COC No.

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y / N	N	N	N															
Pick Letter	F	A	A															
Analyses Requested	VOCs	PCBs and Dry Weight	DRO															

Quote #: \_\_\_\_\_  
 Mail To Contact: Ashley Wagner  
 Mail To Company: Kapur & Associates Inc.  
 Mail To Address: 7711 N Port Washington Rd.  
 Milwaukee, WI 53217  
 Invoice To Contact: Marita Stollenwerk  
 Invoice To Company: We Energies  
 Invoice To Address: \_\_\_\_\_  
 Invoice To Phone: 414-221-4172

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y / N	N	N	N											
		DATE	TIME																
027	SB-14 (0-2)	11/29/21	11:53	S				X											
028	SB-14 (2-4)	11/29/21	11:54	S				X											
029	SB-15 (0-2)	11/29/21	12:11	S				X											
030	SB-15 (2-4)	11/29/21	12:12	S				X											
031	SB-16 (0-2)	11/29/21	12:24	S				X											
032	SB-16 (2-4)	11/29/21	12:25	S				X											
033	SB-17 (0-2)	11/29/21	12:20	S		X	X	X											
034	SB-17 (2-4)	11/29/21	12:21	S				X											
035	SB-18 (0-2)	11/29/21	12:43	S				X											
036	SB-18 (2-4)	11/29/21	12:44	S				X											
037	SB-19 (0-2)	11/29/21	12:48	S				X											
038	SB-19 (2-4)	11/29/21	12:49	S				X											
039	SB-20 (0-2)	11/29/21	13:06	S				X											

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed: _____	Relinquished By: <i>Jennifer Skweres</i> Date/Time: 10:29 11/29/21	Received By: _____ Date/Time: _____	PACE Project No. _____
Transmit Prelim Rush Results by (complete what you want): _____	Relinquished By: <i>C. Rogstad</i> Date/Time: 11/30/21 0825	Received By: <i>Sebastian Wylke</i> Date/Time: 11/30/21 0825	Receipt Temp = 0 °C
Email #1: _____	Relinquished By: _____ Date/Time: _____	Received By: <i>Paw</i> Date/Time: _____	Sample Receipt pH OK / Adjusted
Email #2: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Cooler Custody Seal Present / Not Present Intact / Not Intact
Telephone: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Fax: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	

Samples on HOLD are subject to special pricing and release of liability

Version 6.0 06/14/06

40237575

UPPER MIDWEST REGION  
MN: 612-607-1700 WI: 920-469-2436

Page 4 of 4

*(Please Print Clearly)*

**Company Name:** Kapur & Associates Inc.

**Branch/Location:** Glendale, WI

**Project Contact:** Ashley Wagner

**Phone:** (414)410-5206

**Project Number:** 22.0114.01

**Project Name:** We Cedarburg WR 4705061

**Project State:** Wisconsin

**Sampled By (Print):** Jennifer Skweres

**Sampled By (Sign):** *Jennifer Skweres*

**PO #:** \_\_\_\_\_ **Regulatory Program:** \_\_\_\_\_



### CHAIN OF CUSTODY

**Preservation Codes**  
A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
PRESERVATION  
(CODE)\*

Y/N	N	N	N	N	N					
Pick Letter	F	A	A	A	A					
Analyses Requested	VOCs	PCBs and Dry Weight	DRO	Protocol B + GRO	Extra Volume					

**Data Package Options** (billable)  
EPA Level III  
EPA Level IV

**MS/MSD**  
On your sample (billable)  
NOT needed on your sample

**Matrix Codes**  
A = Air W = Water  
B = Biota DW = Drinking Water  
C = Charcoal GW = Ground Water  
O = Oil SW = Surface Water  
S = Soil WW = Waste Water  
SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	VOCs	PCBs and Dry Weight	DRO	Protocol B + GRO	Extra Volume
		DATE	TIME						
040	SB-20 (2-4)	11/29/21	13:07	S		X			
041	SB-21 (0-2)	11/29/21	13:23	S		X			
042	SB-21 (2-4)	11/29/21	13:24	S		X			
043	SB-22 (0-2)	11/29/21	13:33	S		X			
044	SB-22 (2-4)	11/29/21	13:34	S		X			
045	C-1	11/29/21	14:27	S			X	X	X
046	Trip Blank	--	--	MeOH	X				

**Quote #:** \_\_\_\_\_

**Mail To Contact:** Ashley Wagner

**Mail To Company:** Kapur & Associates Inc.

**Mail To Address:** 7711 N Port Washington Rd.  
Milwaukee, WI 53217

**Invoice To Contact:** Marita Stollenwerk

**Invoice To Company:** We Energies

**Invoice To Address:** \_\_\_\_\_

**Invoice To Phone:** 414-221-4172

**CLIENT COMMENTS**

**LAB COMMENTS (Lab Use Only)**

**Profile #**

Include % Chlorine in  
Protocol B  
Do not run for total  
concentrations until  
talking to Kapur

**Rush Turnaround Time Requested - Prelims**  
(Rush TAT subject to approval/surcharge)  
Date Needed: \_\_\_\_\_

Relinquished By: *[Signature]* Date/Time: 11/29/21 16:29  
Received By: *[Signature]* Date/Time: 11/30/21 08:25

Transmit Prelim Rush Results by (complete what you want): \_\_\_\_\_

Relinquished By: *[Signature]* Date/Time: 11/30/21 08:25  
Received By: *[Signature]* Date/Time: 11/30/21 08:25

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. \_\_\_\_\_

Receipt Temp = 0 °C

Sample Receipt pH  
OK / Adjusted

Cooler Custody Seal  
Present / Not Present  
Intact / Not Intact

Version 6.0 06/14/06

### Sample Preservation Receipt Form

Client Name: Kapur

Project # 40237575

All containers needing preservation have been checked and noted below:  Yes  No  N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN		
001																				/															2.5 / 5 / 10
002																				/															2.5 / 5 / 10
003																				/															2.5 / 5 / 10
004																				/															2.5 / 5 / 10
005																				/															2.5 / 5 / 10
006																				/															2.5 / 5 / 10
007																				/															2.5 / 5 / 10
008																				/															2.5 / 5 / 10
009																				/															2.5 / 5 / 10
010																				/															2.5 / 5 / 10
011																				/															2.5 / 5 / 10
012																				/															2.5 / 5 / 10
013																				/															2.5 / 5 / 10
014																				/															2.5 / 5 / 10
015																				/															2.5 / 5 / 10
016																				/															2.5 / 5 / 10
017																				/															2.5 / 5 / 10
018																				/															2.5 / 5 / 10
019																				/															2.5 / 5 / 10
020																				/															2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: \_\_\_\_\_ Headspace in VOA Vials (>6mm) :  Yes  No  N/A \*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Preservation Receipt Form

Client Name: Kapur

Project #: 40237575

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WG9U	WPFU	SP5T								ZPLC	GN			
021																				/																2.5 / 5 / 10
022																				/																2.5 / 5 / 10
023																				/																2.5 / 5 / 10
024																				/																2.5 / 5 / 10
025																				/																2.5 / 5 / 10
026																				/																2.5 / 5 / 10
027																				/																2.5 / 5 / 10
028																				/																2.5 / 5 / 10
029																				/																2.5 / 5 / 10
030																				/																2.5 / 5 / 10
031																				/																2.5 / 5 / 10
032																				/																2.5 / 5 / 10
033																	/			/		/														2.5 / 5 / 10
034																				/																2.5 / 5 / 10
035																				/																2.5 / 5 / 10
036																				/																2.5 / 5 / 10
037																				/																2.5 / 5 / 10
038																				/																2.5 / 5 / 10
039																				/																2.5 / 5 / 10
040																				/																2.5 / 5 / 10
041																				/																2.5 / 5 / 10
042																				/																2.5 / 5 / 10
043																				/																2.5 / 5 / 10
044																				/																2.5 / 5 / 10
045																				/																2.5 / 5 / 10
046																	/			/		/														2.5 / 5 / 10
																				/																2.5 / 5 / 10

JC  
11/30/21

11/30/21 SWJ  
11/30/21 SWJ



**Sample Condition Upon Receipt Form (SCUR)**

Client Name: Kapur & Assoc.

Project #:

**WO#: 40237575**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 105 Type of Ice:  Wet  Blue  Dry  None  Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 15 /Corr: 0

Temp Blank Present:  yes  no

Biological Tissue is Frozen:  yes  no

Person examining contents:

Date: 11/30/21 /Initials: SKW

Labeled By Initials: JSS

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>B106901VB</u>		

**Client Notification/ Resolution:**

If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir