

November 20, 2018

Brynn Bemis
City of Madison - Department of Engineering
210 Martin Luther King Jr Blvd
Room 115
Madison, WI 53703


RE: Project: MKC-RAIN GARDEN
Pace Project No.: 40179352

Dear Brynn Bemis:

Enclosed are the analytical results for sample(s) received by the laboratory on November 09, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40179352001	GRAB-1	Solid	11/07/18 15:20	11/09/18 09:00
40179352002	GRAB-2	Solid	11/07/18 15:30	11/09/18 09:00
40179352003	GRAB-3	Solid	11/07/18 15:35	11/09/18 09:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40179352001	GRAB-1	EPA 8082	BLM	10
		ASTM D2974-87	TEL	1
40179352002	GRAB-2	EPA 8082	BLM	10
		ASTM D2974-87	TEL	1
40179352003	GRAB-3	EPA 8082	BLM	10
		ASTM D2974-87	TEL	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Sample: GRAB-1 **Lab ID: 40179352001** Collected: 11/07/18 15:20 Received: 11/09/18 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	12674-11-2	
PCB-1221 (Aroclor 1221)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	11104-28-2	
PCB-1232 (Aroclor 1232)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	11141-16-5	
PCB-1242 (Aroclor 1242)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	53469-21-9	
PCB-1248 (Aroclor 1248)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	12672-29-6	
PCB-1254 (Aroclor 1254)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	11097-69-1	
PCB-1260 (Aroclor 1260)	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	11096-82-5	
PCB, Total	<30.2	ug/kg	60.4	30.2	1	11/16/18 13:51	11/19/18 14:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	56-98		1	11/16/18 13:51	11/19/18 14:38	877-09-8	
Decachlorobiphenyl (S)	74	%	49-104		1	11/16/18 13:51	11/19/18 14:38	2051-24-3	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	17.2	%	0.10	0.10	1		11/15/18 08:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Sample: GRAB-2 **Lab ID: 40179352002** Collected: 11/07/18 15:30 Received: 11/09/18 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<34.3	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	12674-11-2	
PCB-1221 (Aroclor 1221)	<34.3	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	11104-28-2	
PCB-1232 (Aroclor 1232)	<34.3	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	11141-16-5	
PCB-1242 (Aroclor 1242)	<34.3	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	53469-21-9	
PCB-1248 (Aroclor 1248)	219	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	12672-29-6	
PCB-1254 (Aroclor 1254)	156	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	11097-69-1	
PCB-1260 (Aroclor 1260)	<34.3	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	11096-82-5	
PCB, Total	375	ug/kg	68.6	34.3	1	11/16/18 13:51	11/19/18 14:56	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	56-98		1	11/16/18 13:51	11/19/18 14:56	877-09-8	
Decachlorobiphenyl (S)	72	%	49-104		1	11/16/18 13:51	11/19/18 14:56	2051-24-3	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	27.1	%	0.10	0.10	1		11/15/18 08:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

Sample: GRAB-3 **Lab ID: 40179352003** Collected: 11/07/18 15:35 Received: 11/09/18 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082 Preparation Method: EPA 3541							
PCB-1016 (Aroclor 1016)	<38.4	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<38.4	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<38.4	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	11141-16-5	
PCB-1242 (Aroclor 1242)	86.1	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<38.4	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	12672-29-6	
PCB-1254 (Aroclor 1254)	54.6J	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<38.4	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	11096-82-5	
PCB, Total	141	ug/kg	76.8	38.4	1	11/16/18 13:51	11/19/18 15:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	56-98		1	11/16/18 13:51	11/19/18 15:14	877-09-8	
Decachlorobiphenyl (S)	65	%	49-104		1	11/16/18 13:51	11/19/18 15:14	2051-24-3	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	34.9	%	0.10	0.10	1		11/15/18 08:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MKC-RAIN GARDEN
Pace Project No.: 40179352

QC Batch: 306920 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Associated Lab Samples: 40179352001, 40179352002, 40179352003

METHOD BLANK: 1794837 Matrix: Solid
Associated Lab Samples: 40179352001, 40179352002, 40179352003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1221 (Aroclor 1221)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1232 (Aroclor 1232)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1242 (Aroclor 1242)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1248 (Aroclor 1248)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1254 (Aroclor 1254)	ug/kg	<25.0	50.0	11/19/18 08:34	
PCB-1260 (Aroclor 1260)	ug/kg	<25.0	50.0	11/19/18 08:34	
Decachlorobiphenyl (S)	%	78	49-104	11/19/18 08:34	
Tetrachloro-m-xylene (S)	%	73	56-98	11/19/18 08:34	

LABORATORY CONTROL SAMPLE: 1794838

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<25.0			
PCB-1221 (Aroclor 1221)	ug/kg		<25.0			
PCB-1232 (Aroclor 1232)	ug/kg		<25.0			
PCB-1242 (Aroclor 1242)	ug/kg		<25.0			
PCB-1248 (Aroclor 1248)	ug/kg		<25.0			
PCB-1254 (Aroclor 1254)	ug/kg		<25.0			
PCB-1260 (Aroclor 1260)	ug/kg	500	404	81	61-105	
Decachlorobiphenyl (S)	%			78	49-104	
Tetrachloro-m-xylene (S)	%			70	56-98	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1794839 1794840

Parameter	Units	40179374006		1794840		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
PCB-1016 (Aroclor 1016)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1221 (Aroclor 1221)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1232 (Aroclor 1232)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1242 (Aroclor 1242)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1248 (Aroclor 1248)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1254 (Aroclor 1254)	ug/kg	<25.0		<25.0	<25.0					20	
PCB-1260 (Aroclor 1260)	ug/kg	<25.0	500	500	406	425	81	85	35-125	5	20
Decachlorobiphenyl (S)	%						78	81	49-104		
Tetrachloro-m-xylene (S)	%						76	78	56-98		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

QC Batch:	306692	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40179352001, 40179352002, 40179352003		

SAMPLE DUPLICATE: 1793518

Parameter	Units	40179602004 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.8	5.8	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: MKC-RAIN GARDEN

Pace Project No.: 40179352

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MKC-RAIN GARDEN
Pace Project No.: 40179352

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40179352001	GRAB-1	EPA 3541	306920	EPA 8082	306921
40179352002	GRAB-2	EPA 3541	306920	EPA 8082	306921
40179352003	GRAB-3	EPA 3541	306920	EPA 8082	306921
40179352001	GRAB-1	ASTM D2974-87	306692		
40179352002	GRAB-2	ASTM D2974-87	306692		
40179352003	GRAB-3	ASTM D2974-87	306692		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436



40179352

CHAIN OF CUSTODY

***Preservation Codes**

A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
PRESERVATION (CODE)*

Y/N	Pick Letter	Analyses Requested																				
		NA																				
	A																					

Quote #:

Mail To Contact: Brynn Bemis

Mail To Company:

Mail To Address: bbemis@cityofmadison.com

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone: 608.267.1986

CLIENT COMMENTS **LAB COMMENTS (Lab Use Only)** **Profile #**

(Please Print Clearly)

Company Name: City of Madison

Branch/Location:

Project Contact: Brynn Bemis

Phone: 608.267.1986

Project Number:

Project Name: MKC-rain garden

Project State: WI

Sampled By (Print): Brynn Bemis

Sampled By (Sign): *Brynn Bemis*

PO #:

Regulatory Program:

Data Package Options (billable)

EPA Level III

EPA Level IV

MS/MSD (billable)

On your sample

NOT needed on your sample

Matrix Codes

A = Air W = Water
B = Biota DW = Drinking Water
C = Charcoal GW = Ground Water
O = Oil SW = Surface Water
S = Soil WW = Waste Water
SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	grab-1	11/7/18	15:20	S
002	grab-2	↓	15:30	S
003	grab-3	↓	15:35	S

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
Date Needed:

Relinquished By: *Brynn Bemis* Date/Time: 11/7/18 16:08

Received By: _____ Date/Time: _____

Relinquished By: *Walter* Date/Time: 11/9/18 0900

Received By: *Susank Klyne* Date/Time: 11/9/18 0900

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No.

40179352

Receipt Temp = *RO IC*

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

Sample Preservation Receipt Form

Client Name: City of Madison Project # 40179352

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/ Time:

Page

Pace Lab #	Glass						Plastic						Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)		
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3C	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU	SP5T	ZPLC	GN						
001																																2.5 / 5 / 10
002																																2.5 / 5 / 10
003																																2.5 / 5 / 10
004																																2.5 / 5 / 10
005																																2.5 / 5 / 10
006																																2.5 / 5 / 10
007																																2.5 / 5 / 10
008																																2.5 / 5 / 10
009																																2.5 / 5 / 10
010																																2.5 / 5 / 10
011																																2.5 / 5 / 10
012																																2.5 / 5 / 10
013																																2.5 / 5 / 10
014																																2.5 / 5 / 10
015																																2.5 / 5 / 10
016																																2.5 / 5 / 10
017																																2.5 / 5 / 10
018																																2.5 / 5 / 10
019																																2.5 / 5 / 10
020																																2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm) : Yes No N/A *if yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3C	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	



1241 Bellevue Street, Green Bay, WI 54302

Document Name:
Sample Condition Upon Receipt (SCUR)

Document No.:
F-GB-C-031-Rev.07

Document Revised: 25Apr2018

Issuing Authority:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: City of Madison

WO#: **40179352**

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: 1889805

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: KDTC Corr: _____

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 11-9-18
Initials: SW

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>original and the copy</u> <u>11-9-18</u> <u>SW</u>
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>col - time barely legible</u> <u>11-9-18</u> <u>SW</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Ar Br DM

Date: 11/9/18



FIGURE 1 - 2018 PCB Sampling of Rain Garden
Collected by City of Madison Engineering on 11/7/18.
Industrial Direct Contact Residual Contaminant Level is 0.744 mg/kg.

PCB sampling along bikepath



Nov 2018 rain garden sampling



0 10 20 30 40 Feet

1 inch = 20 feet