

From: Bruce Stefonek <bstefonek@co.oneida.wi.us>
Sent: Tuesday, July 30, 2019 7:45 AM
To: Stoltz, Carrie R - DNR
Subject: FW: Contamination Detected Municipal Well #7, WDNR BRRTS # 02-44-584094
Attachments: 20190730074038226.pdf

Carrie,

In the attachment you will find a Tier II report from 2018. This report shows everything we store in volume, anything else would be equipment maintenance related, i.e. oil, anti-freeze, grease all of which we recycle. The Oneida County Highway Department has been in this location since 1955, there has never been any manufacturing on this location. We interviewed the older employees for information and researched records, there has not been any documented hazardous substance spills, groundwater or surface water contamination, or any environmental investigations or remediation efforts on our property.

Would you please let me know if this suffices as our letter containing information requested? I could certainly copy and mail to you.

Bruce R. Stefonek
Oneida County Highway Commissioner
730 West Kemp Street
P.O. Box 696
Rhineland, WI. 54501
Ph 715-369-6131
Cell 715-493-0190

Safety Is Our Number ONE Goal!

-----Original Message-----

From: hd.lanier@co.oneida.wi.us <hd.lanier@co.oneida.wi.us>
Sent: Tuesday, July 30, 2019 6:41 AM
To: Bruce Stefonek <bstefonek@co.oneida.wi.us>
Subject:

This E-mail was sent from "RNPCAB362" (MP 2550/LD425).

Scan Date: 07.30.2019 07:40:38 (-0400)
Queries to: hd.lanier@co.oneida.wi.us

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY
 PO Box 7865, Madison, WI 53707-7865

Wisconsin Emergency Management
 DMA 1004 (R11-09) Wis. Stat 323.60

Reporting Period From January 1, 2018 to December 31, 2018

Annual Update Revised Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details			
Facility ID:	100812	LEPC:	Oneida County LEPC	Name:	ONEIDA COUNTY HIGHWAY DEPARTMENT		
Facility Name:	ONEIDA COUNTY HIGHWAY DEPARTMENT	Lat/Long:	45.6316731/-89.4233185	Attn:	Bruce Stefonek		
Facility Type:	Facility	Tribe:	<input type="checkbox"/>	Address:	P.O. BOX 696 RHINELANDER, WI , 54501, United States		
Maximum Occupants:	24			Phone:	715-369-6184	Email:	bstefonek@co.oneida.wi.us
Physical Location:	730 WEST KEMP STREET, RHINELANDER, WI , 54501	Municipality:	RHINELANDER, CITY OF - ONEIDA	Parent Company Details			
County:	Oneida County	Nature of Business:		Name:			
Fire Department:	RHINELANDER FIRE DEPT	NAICS Code:	237310	Dun and Brad No:			
Phone:	715-369-6184	SIC Code:	9131	Address:			
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		Dun and Brad No:	NA	Phone:	Email:		
Email:	bstefonek@co.oneida.wi.us	Facility/Company Website:					
Fax:	7153692790	FTE:	24				
Contact Name:	Bruce Stefonek						
Subject to EPCRA Section 312 (Annual Inventory)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Subject to Section 112r of Clean Air Act (CAA)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
RMP Facility ID:							
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
TRI Facility ID:							
Mailing Address				Regulatory Contact Information			
Company Name:	ONEIDA COUNTY HIGHWAY DEPARTMENT			Name:	Bruce Stefonek		
Attention:	BRUCE STEFONEK			Title:	Commissioner		
Street Address 1:	P.O. BOX 696			Phone:	715-369-6184	24 Hr. Phone:	715-493-0190
Street Address 2:				Email:	bstefonek@co.oneida.wi.us		
City:	RHINELANDER	State:	WI				
Zip:	54501	Phone:	715-369-6184				
Country:	United States						
				Facility Emergency Planning Coordinator			
				Name:	Bruce Stefonek		
				Title:	Highway Commissioner		
				Phone:	715-369-6184	24 Hr. Phone:	715-493-0190
				Email:	bstefonek@co.oneida.wi.us		
Emergency Contacts							
Name	Title	Phone	24 Hr. Phone	Email			
Bruce Stefonek	Highway Commissioner	715-369-6184	715-493-0190	bstefonek@co.oneida.wi.us			
Ben Rich	Patrol Superintendent	715-369-6184	715-493-0571	brich@co.oneida.wi.us			
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 10, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.					Optional Attachments		
Bruce Stefonek, Commissioner		3/15/2018 1:18:45 PM	715-369-6184	Bruce Stefonek	<input checked="" type="checkbox"/> Site Plan		
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	<input type="checkbox"/> Site Coordinate Abbreviations		
					<input type="checkbox"/> Other Safeguard measures		

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Reporting Exemption Exempt Not Exempt

Reason for Reporting Exemption (See Resources for definitions of Fee/Reporting Exemptions)

- a. This facility is not covered by the OSHA Hazard Communication Act and is not a private or public agency as defined by s. 323.60 (1)(h) and (i). (Please access the ? on the right side to see instructions in the Resources link).
- b. Per OSHA Hazard Communication Act regulations, hazardous chemicals present at this facility are not required to have Material Safety Data Sheets prepared for them or available to the facility because of one or more of the eight reporting exemptions at CFR Chapter 29, Section 1910.1200(b). (Please access the ? on the right side for eight OSHA Reporting Exemptions).
- c. Hazardous chemicals at this facility fall under one or more of the section 311(e) reporting exemptions. (Please access the ? on the right side for five 311(e) Reporting Exemptions).
- d. This is a Retail Gas Station and the higher reporting thresholds for gasoline and diesel fuel apply. (Please access the ? on the right side to see instructions in the Resources link).
- e. This facility NO LONGER has Hazardous Chemicals or Extremely Hazardous Substances at or above a reportable amount under section 311(SDS/Chemical List) or section 312 (annual Tier II Reporting). (Please access the ? on the right side to see instructions in the Resources link).
- f. This facility NEVER HAD Hazardous Chemicals or Extremely Hazardous Substances at or above a reportable amount under section 311(SDS/Chemical List) or section 312 (annual Tier II Reporting). (Please access the ? on the right side to see instructions in the Resources link).

Fee Exemption Exempt Not Exempt

Reason for Fee Exemption

- a. The operator of this facility had fewer than 10 full-time equivalent employees (20,080 hrs) in the state of Wisconsin in 2018. There were a Total of 24 full-time equivalent employees.
- b. This is a Federal or Federally recognized Tribal facility.

Partial Fee Exemption Exempt Not Exempt

Reason for Partial Fee Exemption(See Resources for definitions of Fee/Reporting Exemptions)

- a. Chemical is gasoline and/or diesel fuel present in reportable quantities and held for resale or retail at a petroleum marketing facility.
- b. Chemical is gasoline and/or diesel fuel at a retail gas station was stored in a tank(s) entirely underground, and 2) the facility was in compliance with all applicable Underground Storage program requirements at all times during the preceding calendar year, and 3) less than 75,000 gallons of gasoline and/or 100,000 gallons of diesel fuel were present any one time.
- c. Chemical is sand and/or gravel present in reportable quantities.
- d. Chemical is calcium chloride, sodium chloride and/or calcium magnesium acetate present in reportable quantities and used as a road deicing agent.
- e. Chemical is reported voluntarily and is not present in reportable quantities or exempt from reporting for Section 311(e) (SDS/Chemical List), Section 312 (annual Tier Two Reporting), and the OSHA Hazard Communications Act regulations.

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 308121 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7791-18-6 Trade Secret: <input type="checkbox"/> Chemical Name: AMP EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: 10/25/2017	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 36941 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 36941 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 1850 No of days onsite: 150	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location (lbs)</th> </tr> </thead> <tbody> <tr> <td>{A}Above ground tank</td> <td>{1}Ambient pressure</td> <td>{4}Ambient temperature</td> <td>Rhinelandershop</td> <td></td> <td>36941</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location (lbs)	{A}Above ground tank	{1}Ambient pressure	{4}Ambient temperature	Rhinelandershop		36941				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location (lbs)												
{A}Above ground tank	{1}Ambient pressure	{4}Ambient temperature	Rhinelandershop		36941												
Fee and/or Reporting Exemption																	
<input type="checkbox"/> Chemical is gasoline or diesel fuel, held for resale or retail. <input type="checkbox"/> Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground. <input type="checkbox"/> Chemical is sand and/or gravel. <input checked="" type="checkbox"/> Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent. <input type="checkbox"/> Chemical is reported voluntarily.																	

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 308031 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 8052-42-4 Trade Secret: <input type="checkbox"/> Chemical Name: ASPHALT JOINT SEALER EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On:	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 40000 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 20000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[K]Box</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>MATERIALS ARE STORED IN WOOD SHED AT THE BACK PART OF FACILITY.</td> <td></td> <td>40000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[K]Box	[1]Ambient pressure	[4]Ambient temperature	MATERIALS ARE STORED IN WOOD SHED AT THE BACK PART OF FACILITY.		40000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[K]Box	[1]Ambient pressure	[4]Ambient temperature	MATERIALS ARE STORED IN WOOD SHED AT THE BACK PART OF FACILITY.		40000												
Fee and/or Reporting Exemption																	
<input type="checkbox"/> Chemical is gasoline or diesel fuel, held for resale or retail. <input type="checkbox"/> Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground. <input type="checkbox"/> Chemical is sand and/or gravel. <input type="checkbox"/> Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent. <input type="checkbox"/> Chemical is reported voluntarily.																	

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 308030 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68476-30-2 Trade Secret: <input type="checkbox"/> Chemical Name: DIESEL FUEL NO. 2 EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On:	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 75000 Max Daily Amt Code: 09 Avg Daily Amt (lbs): 35000 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>(C)Tank inside building</td> <td>(1)Ambient pressure</td> <td>(4)Ambient temperature</td> <td>NORTH SIDE OF BUIDING IN A STORAGE BUILDING THAT IS PROPERLY MARKED.</td> <td></td> <td>75000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	(C)Tank inside building	(1)Ambient pressure	(4)Ambient temperature	NORTH SIDE OF BUIDING IN A STORAGE BUILDING THAT IS PROPERLY MARKED.		75000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
(C)Tank inside building	(1)Ambient pressure	(4)Ambient temperature	NORTH SIDE OF BUIDING IN A STORAGE BUILDING THAT IS PROPERLY MARKED.		75000												
Fee and/or Reporting Exemption																	
<input checked="" type="checkbox"/> Chemical is gasoline or diesel fuel, held for resale or retail. <input type="checkbox"/> Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground. <input type="checkbox"/> Chemical is sand and/or gravel. <input type="checkbox"/> Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent. <input type="checkbox"/> Chemical is reported voluntarily.																	

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 308032 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: SAND & GRAVEL EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On:	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 27000000 Max Daily Amt Code: 13 Avg Daily Amt (lbs): 15000000 Avg Daily Amt Code: 13 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: SAND AND GRAVEL</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>GRAVEL PILE LOCATED ON THE NORTH SIDE OF FACILITY AND SAND PILE LOCATED ON NORTH SIDE JUST BEYOND THE FUEL SYSTEM.</td> <td></td> <td>27000000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: SAND AND GRAVEL	[1]Ambient pressure	[4]Ambient temperature	GRAVEL PILE LOCATED ON THE NORTH SIDE OF FACILITY AND SAND PILE LOCATED ON NORTH SIDE JUST BEYOND THE FUEL SYSTEM.		27000000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[R]Other Desc: SAND AND GRAVEL	[1]Ambient pressure	[4]Ambient temperature	GRAVEL PILE LOCATED ON THE NORTH SIDE OF FACILITY AND SAND PILE LOCATED ON NORTH SIDE JUST BEYOND THE FUEL SYSTEM.		27000000												
Fee and/or Reporting Exemption																	
<input type="checkbox"/> Chemical is gasoline or diesel fuel, held for resale or retail. <input type="checkbox"/> Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground. <input checked="" type="checkbox"/> Chemical is sand and/or gravel. <input type="checkbox"/> Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent. <input type="checkbox"/> Chemical is reported voluntarily.																	

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 308028 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7647-14-5 Trade Secret: <input type="checkbox"/> Chemical Name: SODIUM CHLORIDE (NaCl) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On:	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location					
	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt (lbs): 20000000 Max Daily Amt Code: 13 Avg Daily Amt (lbs): 9000000 Avg Daily Amt Code: 12 Max Amt in Largest Container (lbs): No of days onsite: 365	{R}Other Desc: SODIUM CHLORIDE (NaCl)	{1}Ambient pressure	{4}Ambient temperature	MATERIAL IS LOCATED IN THE DOME AND A SMALL AMOUNT IN FIRST WOODEN SHED ON THE NORTHEAST PART OF THE PROPERTY.		20000000

Fee and/or Reporting Exemption

- Chemical is gasoline or diesel fuel, held for resale or retail.
- Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground.
- Chemical is sand and/or gravel.
- Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent.
- Chemical is reported voluntarily.

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 308029 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 8006-61-9 Trade Secret: <input type="checkbox"/> Chemical Name: UNLEADED GASOLINE EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On:	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 55000 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 28000 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location (lbs)</th> </tr> </thead> <tbody> <tr> <td>[C] Tank inside building</td> <td>[1] Ambient pressure</td> <td>[4] Ambient temperature</td> <td>MATERIAL IS LOCATED INSIDE METAL BUILDING LOCATED ON THE NORTHEAST SIDE OF PROPERTY</td> <td></td> <td>55000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location (lbs)	[C] Tank inside building	[1] Ambient pressure	[4] Ambient temperature	MATERIAL IS LOCATED INSIDE METAL BUILDING LOCATED ON THE NORTHEAST SIDE OF PROPERTY		55000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location (lbs)												
[C] Tank inside building	[1] Ambient pressure	[4] Ambient temperature	MATERIAL IS LOCATED INSIDE METAL BUILDING LOCATED ON THE NORTHEAST SIDE OF PROPERTY		55000												

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
 Reporting Period From January 1, 2018 to December 31, 2018

MIXTURE COMPONENTS

Chemical Name	% (lbs)	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
CUMENE	1	98-82-8	<input type="checkbox"/>		550	3
NAPHTHALENE	1	91-20-3	<input type="checkbox"/>		550	3
CYCLOHEXANE	1	110-82-7	<input type="checkbox"/>		550	3
ETHYLBENZENE	2	100-41-4	<input type="checkbox"/>		1100	4
BENZENE	2.3	71-43-2	<input type="checkbox"/>		1265	4
2,4-TRIMETHYLBENZENE	3	95-63-6	<input type="checkbox"/>		1650	4
N-HEXANE	7	110-54-3	<input type="checkbox"/>		3850	4
ETHYL ALCOHOL	10	64-17-5	<input type="checkbox"/>		5500	5
TOULENE	15	108-88-3	<input type="checkbox"/>		8250	5
XYLENE	15	1330-20-7	<input type="checkbox"/>		8250	5

Fee and/or Reporting Exemption

- Chemical is gasoline or diesel fuel, held for resale or retail.
- Chemical is gasoline and/or diesel fuel was stored in a tank(s) entirely underground.
- Chemical is sand and/or gravel.
- Chemical is calcium chloride, sodium chloride or calcium magnesium acetate used for deicing agent.
- Chemical is reported voluntarily.

WISCONSIN 2018 TIER II EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Wisconsin Emergency Management

Facility Name: ONEIDA COUNTY HIGHWAY DEPARTMENT Facility ID: 100812
Reporting Period From January 1, 2018 to December 31, 2018

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million