



December 14, 2021

Karl Beaster, PG
Sr. Environmental Advisor
Enbridge Energy, Limited Partnership
11 East Superior Street, Suite 125
Duluth, MN 55802
karl.beaster@enbridge.com

**Subject: Potable Well Sampling Results – November 2021
Enbridge Line 13 MP 312, Blackhawk Island Rd Valve Site, Ft. Atkinson, WI
WDNR BRRTS #02-28-586199**

Dear Mr. Beaster:

WSP USA Inc. (WSP) is pleased to submit the following summary of sampling results for potable wells that were sampled November 15 and 16, 2021 as a part of Enbridge's ongoing assessment of the Line 13 Milepost (MP) 312 Valve Site located at the intersection of Blackhawk Island Road and Westphal Lane near Ft Atkinson, Wisconsin. The samples were collected in accordance with the Supplemental Site Investigation Work Plan, dated May 4, 2021, which was approved by the Wisconsin Department of Natural Resources (WDNR) in a letter dated May 26, 2021. This summary of results is provided to fulfill the reporting requirements of NR 716.14, Wis. Adm. Code. A thorough presentation of the sampling procedures and results will be included in the Supplemental Site Investigation Report.

WSP collected water samples from 17 potable wells on November 15 and 16, 2021. The well locations are shown on Figure 1, and the available well construction information is provided in Table 1. The WDNR Unique Well Number (UWN) has been associated with 11 of the 17 wells based on the location coordinates listed in the WDNR well database. The depth and well construction information presented in Table 1 is based on the WDNR well logs and was not independently verified during the sampling activities. Potable wells were identified as a result of outreach conducted by Enbridge to property owners within approximately 1,500 feet of the Line 13 MP 312 Valve Site.

Groundwater samples were collected in accordance with WSP's Standard Operating Procedure. At 15 of the 17 potable well locations, the sample was collected from an outdoor spigot, while at two locations (Hachtel and Maasz) the sample was collected at an indoor spigot adjacent to the pressure tank. Enclosure A includes a photographic log of all the sampling points. At each potable well location, water was purged for a minimum of 15 minutes while recording geochemical measurements (pH, specific conductance, temperature, dissolved oxygen, turbidity, and oxidation reduction potential). After geochemical measurements had stabilized, samples were collected for laboratory analysis. Samples were transported by overnight courier to Pace Analytical of Green Bay, Wisconsin for analysis of volatile organic compounds (VOCs) using EPA Method 8260. A duplicate sample was collected at the Ness well location, and a trip blank sample was submitted with the shipment of potable well samples.

WSP USA
Suite 2800
211 North Broadway
St. Louis, MO 63102

Tel.: +1 314 206-4444
Fax: +1 314 421-1741
wsp.com



Table 2 includes sampling results for benzene, ethylbenzene, toluene, xylenes (BTEX) and trichloroethene (TCE), compounds that have been detected in samples from site monitoring wells. No VOCs were detected at concentrations above the laboratory limit of detection in any of the November 2021 potable well samples, duplicate, or trip blank. Enclosure B includes the laboratory reports.

Table 3 includes the historical sampling results for each well location. Neither BTEX compounds nor TCE have been detected in any of the historical potable well samples collected between April and November 2021.

Sampling results were provided to each of the property owners on December 3, 2021. Copies of the letters provided to the property owners are included in Enclosure C.

In accordance with Wisconsin Administrative Code, Chapter NR 712, the certification of a hydrogeologist for this sampling results submittal is included in Enclosure D.

Please do not hesitate to contact me if you have questions.

Kind regards,

A handwritten signature in black ink that reads "Tim Huff". The signature is written in a cursive style.

Timothy A. Huff
Senior Lead Geologist

TAH :
\\corp.pbwan.net\us\centraldata\usmes100\es-shares\clients\enbridge\fort atkinson, wi - 113 mp312_work plans and reports\2021-12 potable well sampling results to wdnr\2021.12.14_line13 mp312_potable well sampling results.docx

Encl.

FIGURE





ENBRIDGE

Drawn: WSP 12/7/2021

Approved: WSP 12/7/2021

Project #: 31401967.705



Legend

- Line 13 Valve
- Potable Well (WDNR Unique Well Number, if known)
- Monitoring Wells
- Enbridge Pipeline
- 1,500-ft radius from L13 MP312 Valve Site
- Site Fence
- Property Parcels

FIGURE 1
POTABLE WELL LOCATIONS

LINE 13 MP 312 VALVE SITE
FORT ATKINSON, WISCONSIN

ENBRIDGE ENERGY
LIMITED PARTNERSHIP

TABLES

**Table 1
Potable Well Construction Information
Line 13 MP 312 Valve Site
Fort Atkinson, Wisconsin**

Groundwater Sample Date	Well Name	WDNR Unique Well Number	Distance from Extent of Impacts (feet)	Direction from Site	Address	Parcel ID Number	Easting (NAD83 WIS FIPS 4803 FT)	Northing (NAD83 WIS FIPS 4803 FT)	Date Drilled	Well Purpose	Well Reason	Casing Type	Casing Diameter (inches)	Screen Diameter (inches)	Total Depth Drilled (feet bgs)	Depth to Bedrock (feet bgs)	Top of Screen Depth (feet bgs)	Bottom Screen Depth (feet bgs)
11/15/2021	Ness	LL177	940	SW	Tyler Ness N1811 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0741-001	2,269,401	333,105	11/22/1996	Private, Potable	Replacement for Old Well	Steel	6	6	78	ND	75	78
11/16/2021	Pundsack	YE929	850	S	K&J Pundsack Trust W6871 Hartwig Lane Fort Atkinson, WI 53538	016-0514-0832-005	2,269,834	333,039	11/3/2010	Private, Potable	Replacement for Point Well	Steel	6	5	60	ND	57	60
11/16/2021	Hachtel	SB164	745	S	Ronald & Victoria Hachtel W6876 Hartwig Lane Fort Atkinson, WI 53538	016-0514-0832-006	2,269,908	333,135	8/1/2003	Private, Potable	Replacement for Old Well	Steel	6	5	61	ND	58	61
11/15/2021	Wilson	QI965	815	S	Stephanie & Zachary Wilson N1828 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0832-002	2,269,695	333,100	8/1/2001	Private, Potable	New Well	Steel	6	6	81	ND	78	81
11/15/2021	Hartwig A	NV713	1180	N	Russell Hartwig N1975 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0822-005	2,269,860	335,063	12/10/1999	Private, Potable	Water supply for chicken	Steel	6	6	57	ND	54	57
11/15/2021	Hartwig B	NC813	1165	N	Russell Hartwig N1975 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0822-005	2,270,049	335,041	2/16/1999	Private, Potable	Replacement for Point Well	Steel	6	6	61	ND	58	61
11/15/2021	Lamberson	YI815	1110	N	Robert Lamberson N1962 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0823-001	2,270,245	334,948	2/21/2013	Private, Potable	Replacement for Point Well	Steel	6	5	60	ND	57	60
11/15/2021	Berndt	AAB420	495	SW	Robert Berndt N1859 Blackhawk Island Road Fort Atkinson, WI 53538	016-0514-0832-007	2,269,615	333,503	5/7/2020	Private, Potable	Replacement for Point Well	Steel	6	5	64	ND	59	64
11/15/2021	Lubbert A	NA	975	SE	Lisa Lubbert W6856 Christie Ct Fort Atkinson, WI 53538	016-0514-0832-008	2,270,363	333,007	--	--	--	--	--	--	--	--	--	--
11/15/2021	Lubbert B	LN354	1500	SE	Bound Property Investments W6851 Christie Ct Fort Atkinson, WI 53538	016-0514-0833-001	2,270,363	332,431	1/21/1997	Private, Potable	New Well	Steel	6	6	79	ND	76	79
11/15/2021	Lubbert C	LN369	1410	SE	Lisa Lubbert W6855 Christie Ct Fort Atkinson, WI 53538	016-0514-0833-002	2,270,424	332,558	2/12/1997	Private, Potable	New Well	Steel	6	6	93	ND	90	93
11/15/2021	Lubbert D	TS593	1285	SE	Lisa Lubbert W6856 Christie Ct Fort Atkinson, WI 53538	016-0514-0832-000	2,270,555	332,755	8/18/2004	Private, Potable	New Well	Steel	6	5	80	ND	77	80
11/16/2021	Gehrke	NA	990	S	Michelle Gehrke N1804 Blackhawk Island Road Fort Atkinson WI 53538	016-0514-0832-003	2,269,645	332,930	--	--	--	--	--	--	--	--	--	--
11/15/2021	Maasz	NA	590	S	Kevin Krause W6884 Hartwig Lane Fort Atkinson WI 53538	016-0514-0832-001	2,269,797	333,309	--	--	--	--	--	--	--	--	--	--
11/15/2021	Macleod	NA	335	N	Michael & Deanna Macleod N1908 Blackhawk Island Road Fort Atkinson WI 53538	016-0514-0823-002	2,270,086	334,179	--	--	--	--	--	--	--	--	--	--
11/15/2021	Bartz	NA	1190	E	Bartz Trust W6789 Westphal Lane Fort Atkinson WI 53538	016-0514-0824-000	2,271,120	333,981	--	--	--	--	--	--	--	--	--	--
11/15/2021	Overson	NA	1350	E	Tri-State Holdings LLC 11 East Superior St, Suite 125 Duluth MN 55802	016-0514-0824-002	2,271,283	334,003	--	--	--	--	--	--	--	--	--	--

Table 1
Potable Well Construction Information
Line 13 MP 312 Valve Site
Fort Atkinson, Wisconsin

Groundwater Sample Date	Well Name	WDNR Unique Well Number	Distance from Extent of Impacts (feet)	Direction from Site	Address	Parcel ID Number	Easting (NAD83 WIS FIPS 4803 FT)	Northing (NAD83 WIS FIPS 4803 FT)	Date Drilled	Well Purpose	Well Reason	Casing Type	Casing Diameter (inches)	Screen Diameter (inches)	Total Depth Drilled (feet bgs)	Depth to Bedrock (feet bgs)	Top of Screen Depth (feet bgs)	Bottom Screen Depth (feet bgs)
Additional wells listed in WDNR databased as installed within Section 8, Township 5N, Range 14E of Jefferson Country prior to 1988. Wells do not have assigned coordinates. Exact locations of these wells are unknown.																		
--	--	8BH711	Unknown		NA	--	--	--	6/2/1961	Unknown	Unknown	Steel	6	NA	81	ND	NA	NA
--	--	8BH712	Unknown		NA	--	--	--	5/4/1949	Private, Potable	Home use	Standard	4	NA	234	ND	NA	NA
--	--	8BH713	Unknown		NA	--	--	--	1/7/1964	Private, Potable	Home use	Standard	6	NA	83	ND	NA	NA
--	--	8BH714	Unknown		NA	--	--	--	1/8/1959	Private, Potable	Home use	Steel	5	NA	271	260	NA	NA
--	--	8BH715	Unknown		NA	--	--	--	5/26/1961	Private, Potable	Home use	Steel	6	NA	81	ND	NA	NA
--	--	8BH716	Unknown		NA	--	--	--	7/21/1973	Private, Potable	Unknown	Steel	6	NA	132	ND	NA	131
--	--	8BH717	Unknown		NA	--	--	--	2/12/1971	Private, Potable	Water supply for chicken	Steel	6	NA	298	263	NA	NA
--	--	8BH718	Unknown		NA	--	--	--	7/1/1974	City Owned	Sewage Treatment	Steel	Varies	NA	410	305	NA	NA

General Notes:

Well records obtained from Wisconsin Department of Natural Resources Well Records. Search completed on December 22, 2020.

Acronyms and Abbreviations:

NAD83 WIS FIPS 4803 FT = Coordinate System - North American Datum of 1983, State Plane Wisconsin, Federal Information Processing Standard, 4803 Feet

bgs = below ground surface

NA = not available

ND = not detected

TBD = to be determined

Table 2

Potable Well Analytical Results for Constituents of Concern - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Well Name	Sample ID	Date	Volatile Organic Compounds (ug/l)						Field Parameters (Final Reading)								
			Benzene	Ethylbenzene	Toluene	Trichloroethene	m&p-Xylene	o-Xylene	Purge Volume (gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
			Enforcement Standard (a)	700	800	5	2000 (b)	2000 (b)	--	--	--	--	--	--	--	--	--
			Preventative Action Limit (a)	140	160	0.5	400 (b)	400 (b)	--	--	--	--	--	--	--	--	--
Bartz	2021.11.15_BARTZ_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.56	0.533	0.0	0.00	10.96	-84	Clear	None
Berndt	2021.11.15_BERNDT_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.52	0.643	0.0	0.61	10.46	13	Clear	None
Gehrke	2021.11.16_GEHRKE_POTABLE	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	15	7.27	0.583	0.0	1.13	11.06	17	Clear	None
Hachtel	2021.11.16_HACHTEL_POTABLE	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	24	7.04	0.734	0.0	6.18	11.15	181	Clear	None
Hartwig A	2021.11.15_HARTWIG A_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.65	0.530	0.0	0.00	10.95	-89	Clear	None
Hartwig B	2021.11.15_HARTWIG B_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	35	7.45	0.621	0.0	0.18	11.29	174	Clear	None
Lamberson	2021.11.15_LAMBERSON_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.25	0.752	0.0	3.35	10.65	191	Clear	None
Lubbart A	2021.11.15_LUBBERT A_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.40	0.799	0.0	0.00	10.58	71	Clear	None
Lubbart B	2021.11.15_LUBBERT B_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	7.51	0.693	0.0	0.00	9.89	32	Clear	None
Lubbart C	2021.11.15_LUBBERT C_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	7.61	0.536	0.0	4.44	10.73	91	Clear	None
Lubbart D	2021.11.15_LUBBERT D_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.50	0.558	0.0	0.00	10.70	-67	Clear	None
Maasz	2021.11.15_MAASZ_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.68	0.501	21.0	2.53	11.60	-116	Clear	None
Macleod	2021.11.15_MACLEOD_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.46	0.624	0.0	3.68	12.70	105	Clear	None
Ness	2021.11.15_NESS_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.61	0.603	0.0	4.33	10.72	-5	Clear	None
Duplicate (Ness)	2021.11.15_DUPLICATE_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	--	--	--	--	--	--	--	--	--
Overson	2021.11.15_OVERSON_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.46	0.560	0.0	4.56	11.80	126	Clear	None
Pundsack	2021.11.16_PUNDSACK_POTABLE	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	6.95	0.775	0.0	7.19	10.96	165	Clear	None
Wilson	2021.11.15_WILSON_POTABLE	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	24	7.44	0.835	0.0	0.00	10.39	71	Clear	None
Trip Blank	TRIP BLANK	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	--	--	--	--	--	--	--	--	--

Shaded = Regulatory exceedance

Bold = Enforcement Standard exceedance

Italics = Preventative Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.

b/ Enforcement Standard and Preventative Action Limit are established for total xylenes (sum of m&p-xylene and o-xylene).

ug/L = Micrograms per liter; mS/cm = milliSiemens per centimeter; NTU = Nephelometric Turbidity Unit; C = Celcius; mV = millivolts

Table 3

**Historical Potable Well Analytical Results for Constituents of Concern
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Well Name	Date	Volatile Organic Compounds (ug/l)						Field Parameters (Final Reading)								
		Benzene	Ethylbenzene	Toluene	Trichloroethene	m&p-Xylene	o-Xylene	Purge Volume (gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
Enforcement Standard (a)		5	700	800	5	2000 (b)	2000 (b)	--	--	--	--	--	--	--	--	--
Preventative Action Limit (a)		0.5	140	160	0.5	400 (b)	400 (b)	--	--	--	--	--	--	--	--	--
Bartz	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	38	7.60	0.555	0.0	0.00	10.27	-104	Clear	None
	7/20/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	45	10.77 (d)	0.403	0.0	0.00	11.31	-117	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.56	0.533	0.0	0.00	10.96	-84	Clear	None
Berndt	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	32	7.60	0.641	0.3	0.00	10.9	23	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	40	7.46	0.616	0.0	0.00	12.62	50	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.52	0.643	0.0	0.61	10.46	13	Clear	None
Gehrke	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	13	7.45	0.614	0.0	0.00	10.27	14	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	10	7.32	0.504	0.0	0.55	15.08	-6	Clear	None
	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	15	7.27	0.583	0.0	1.13	11.06	17	Clear	None
Hachtel	4/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.55	0.747	0.0	4.68	9.09	240	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.13	0.626	0.0	6.43	13.10	212	Clear	None
	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	24	7.04	0.734	0.0	6.18	11.15	181	Clear	None
Hartwig A	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	60	7.65	0.556	0.4	0.00	10.48	47	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	35	7.43	0.453	0.0	0.00	12.61	-68	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.65	0.530	0.0	0.00	10.95	-89	Clear	None
Hartwig B	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	38	7.56	0.650	0.0	0.00	11.65	56	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	35	7.30	0.529	0.0	0.03	12.79	33	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	35	7.45	0.621	0.0	0.18	11.29	174	Clear	None
Lamberson	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	50	7.45	0.852	0.3	0.43	10.53	139	Clear	None
	7/20/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	45	8.86 (d)	0.643	0.0	2.41	13.04	223	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.25	0.752	0.0	3.35	10.65	191	Clear	None
Lubbert A	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	60	7.41	0.834	0.0	0.00	10.27	155	Clear	None
	7/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	125	7.26	0.683	0.0	3.59	11.01	253	Clear	None
Pace (c)	8/6/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	45	9.36 (d)	0.71	0.0	0.00	10.99	159	Clear	None
ALS (c)	8/6/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
Pace (c)	8/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	54	9.5 (d)	0.7	0.0	0.00	11.05	180	Clear	None
ALS (c)	8/16/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.40	0.799	0.0	0.00	10.58	71	Clear	None

Table 3

**Historical Potable Well Analytical Results for Constituents of Concern
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Well Name	Date	Volatile Organic Compounds (ug/l)						Field Parameters (Final Reading)								
		Benzene	Ethylbenzene	Toluene	Trichloroethene	m&p-Xylene	o-Xylene	Purge Volume (gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
Enforcement Standard (a)		5	700	800	5	2000 (b)	2000 (b)	--	--	--	--	--	--	--	--	--
Preventative Action Limit (a)		0.5	140	160	0.5	400 (b)	400 (b)	--	--	--	--	--	--	--	--	--
Lubbert B	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	41	7.34	0.705	0.0	0.00	9.77	129	Clear	None
	7/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	125	7.57	0.598	0.0	0.00	10.41	51	Clear	None
Pace (c)	8/6/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	33	9.9 (d)	0.616	0.0	0.00	10.98	38	Clear	None
ALS (c)	8/6/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
Pace (c)	8/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	11.62 (d)	0.612	0.0	0.00	10.74	38	Clear	None
ALS (c)	8/16/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	7.51	0.693	0.0	0.00	9.89	32	Clear	None
Lubbert C	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	35	7.3	0.567	0.0	4.54	10.25	152	Clear	None
	7/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	100	7.7	0.469	0.0	4.29	11.37	118	Clear	None
Pace (c)	8/6/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	9.15 (d)	0.496	0.0	2.81	15.53	151	Clear	None
ALS (c)	8/6/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
Pace (c)	8/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	11.65 (d)	0.487	0.0	1.85	11.32	90	Clear	None
ALS (c)	8/16/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	30	7.61	0.536	0.0	4.44	10.73	91	Clear	None
Lubbert D	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	38	7.42	0.583	1.7	0.00	9.96	-82	Clear	None
	7/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	100	7.63	0.483	0.0	0.00	11.12	-20	Clear	None
Pace (c)	8/6/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	45	11.24 (d)	0.504	0.0	0.00	11.37	-57	Clear	None
ALS (c)	8/6/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
Pace (c)	8/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	54	13.45 (d)	0.491	0.0	0.00	11.31	-70	Clear	None
ALS (c)	8/16/2021	<0.46	<0.34	<0.45	<0.43	<0.81	<0.31	--	--	--	--	--	--	--	--	--
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.50	0.558	0.0	0.00	10.70	-67	Clear	None
Maasz	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	43	7.82	0.517	0.3	0.00	10.22	-167	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.26	0.427	0.0	0.35	12.93	-87	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.68	0.501	21.0	2.53	11.60	-116	Clear	None
Macleod	4/2/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	NM	7.00	0.7	0.0	11.12	13.38	240	Clear	None
	7/20/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	40	7.64	0.545	0.0	4.26	13.70	246	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.46	0.624	0.0	3.68	12.70	105	Clear	None
Ness	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	38	7.64	0.616	0.0	2.22	11.38	88	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	40	7.59	0.523	0.0	2.75	13.76	91	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	7.61	0.603	0.0	4.33	10.72	-5	Clear	None

Table 3

Historical Potable Well Analytical Results for Constituents of Concern
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Well Name	Date	Volatile Organic Compounds (ug/l)						Field Parameters (Final Reading)								
		Benzene	Ethylbenzene	Toluene	Trichloroethene	m&p-Xylene	o-Xylene	Purge Volume (gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
Enforcement Standard (a)		5	700	800	5	2000 (b)	2000 (b)	--	--	--	--	--	--	--	--	--
Preventative Action Limit (a)		0.5	140	160	0.5	400 (b)	400 (b)	--	--	--	--	--	--	--	--	--
Overson	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	43	7.30	0.587	0.0	3.46	9.77	119	Clear	None
	7/20/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	50	10.04 (d)	0.520	0.0	5.10	11.25	128	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	21	7.46	0.560	0.0	4.56	11.80	126	Clear	None
Pundsack	4/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	90	7.35	0.783	0.0	3.22	11.03	220	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	40	6.97	0.681	0.0	4.65	11.47	187	Clear	None
	11/16/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	27	6.95	0.775	0.0	7.19	10.96	165	Clear	None
Wilson	4/1/2021	<0.25	<0.32	<0.27	<0.26	<0.47	<0.26	50	7.31	0.852	0.0	0.00	10.43	109	Clear	None
	7/19/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	40	7.23	0.74	0	0.13	10.95	126	Clear	None
	11/15/2021	<0.30	<0.33	<0.29	<0.32	<0.70	<0.35	24	7.44	0.835	0.0	0.00	10.39	71	Clear	None

Shaded = Regulatory exceedance

Bold = Enforcement Standard exceedance

Italics = Preventative Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.

b/ Enforcement Standard and Preventative Action Limit are established for total xylenes (sum of m&p-xylene and o-xylene).

c/ Split samples analyzed by Pace Analytical and ALS

d/ pH meter malfunction; out of calibration.

J = Estimated concentration at or above the Limit of Detection and below the Limit of Quantitation.

ug/L = Micrograms per liter

ENCLOSURE A – PHOTOGRAPHIC LOG

PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date
1	November 15, 2021
<p>View of the sampling location at the Berndt property (Parcel: 016-0514-0832-007). The exterior spigot is located on the western side of the residence.</p> <p>Well Name: "Berndt"</p> <p>WDNR Unique Well Number: AAB420</p>	



Photo No.	Date
2	November 15, 2021
<p>View of the Potable Well A sampling location at the Hartwig property (Parcel: 016-0514-0822-005). The sample was collected upstream of a pressure tank from inside a barn located immediately south of the well.</p> <p>Well Name: "Hartwig A"</p> <p>WDNR Unique Well Number: NV713</p>	



PHOTOGRAPHIC LOG		
Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705



Photo No.	Date	
3	November 15, 2021	
<p>View of the Potable Well B sampling location at the Hartwig property (Parcel: 016-0514-0822-005). The exterior spigot is located on the southern side of the residence.</p> <p>Well Name: "Hartwig B"</p> <p>WDNR Unique Well Number: NC813</p>		

Photo No.	Date	
4	November 15, 2021	
<p>View of the sampling location at the Maasz property (Parcel: 016-0514-0832-001). The sample was collected upstream of the pressure tank from inside the basement of the residence.</p> <p>Well Name: "Maasz"</p> <p>WDNR Unique Well Number: Unknown</p>		


PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date
5	November 15, 2021
<p>View of the sampling location at the Ness property (Parcel: 016-0514-0741-001). The exterior spigot is located on the southern side of the residence.</p> <p>Well Name: "Ness"</p> <p>WDNR Unique Well Number: LL177</p>	



Photo No.	Date
6	November 15, 2021
<p>View of the sampling location at the Wilson property (Parcel: 016-0514-0832-002). The exterior spigot is located on the southern side of the residence.</p> <p>Well Name: "Wilson"</p> <p>WDNR Unique Well Number: QI965</p>	



PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date
7	November 15, 2021
<p>View of the sampling location at the Bartz property (Parcel: 016-0514-0824-000). The exterior spigot is located on the southern side of the residence.</p> <p>Well Name: "Bartz"</p> <p>WDNR Unique Well Number: Unknown</p>	



Photo No.	Date
8	November 15, 2021
<p>View of the sampling location at the Lamberson property (Parcel: 016-0514-0823-001). The exterior spigot is located on the southeastern side of the residence.</p> <p>Well Name: "Lamberson"</p> <p>WDNR Unique Well Number: YI815</p>	



PHOTOGRAPHIC LOG		
Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705

Photo No.	Date	
9	November 15, 2021	
<p>View of the sampling location at the MacLeod property (Parcel: 016-0514-0823-002). The exterior spigot is located on the western side of the residence.</p> <p>Note: Physical well location not observed. Presumed location is within the basement of the building seen in this photograph or within a nearby out-building.</p> <p>Well Name: "MacLeod"</p> <p>WDNR Unique Well Number: Unknown</p>		

Photo No.	Date	
10	November 15, 2021	
<p>View of the sampling location at the former Overson property (Parcel: 016-0514-0824-002). The exterior spigot is located on the northern side of the residential structure.</p> <p>Note: Physical well location not observed. Presumed location is within the basement of the building seen in this photograph or within a nearby out-building.</p> <p>Well Name: "Overson"</p> <p>WDNR Unique Well Number: Unknown</p>		

PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date
11	November 15, 2021
<p>View of the Potable Well A sampling location at the Lubbert property (Parcel: 016-0514-0832-008). The exterior spigot is located on the southeast side of a barn.</p> <p>Well Name: "Lubbert A"</p> <p>WDNR Unique Well Number: Unknown</p>	



Photo No.	Date
12	November 15, 2021
<p>View of the Potable Well B sampling location at the Bound property (Parcel: 016-0514-0833-001). The exterior spigot is located on the northeast side of the residence.</p> <p>Well Name: "Lubbert B"</p> <p>WDNR Unique Well Number: LN354</p>	



PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date	Image
<p>13</p> <p>View of the Potable Well C sampling location at the Lubbert property (Parcel: 016-0514-0833-002). The exterior spigot is located on the east side of the residence.</p> <p>Well Name: "Lubbert C"</p> <p>WDNR Unique Well Number: LN369</p>	<p>November 15, 2021</p>	

Photo No.	Date	Image
<p>14</p> <p>View of the Potable Well D sampling location at the Lubbert property (Parcel: 016-0514-0832-000). The exterior spigot is located on the north side of the residence.</p> <p>Well Name: "Lubbert D"</p> <p>WDNR Unique Well Number: TS593</p>	<p>November 15, 2021</p>	

PHOTOGRAPHIC LOG

Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705
--------------------------------------	---	-----------------------------

Photo No.	Date
15	November 16, 2021
<p>View of the sampling location at the Gehrke property (Parcel: 016-0514-0832-003). The exterior spigot is located within a screened-in porch on the eastern side of the residence.</p> <p>Note: This well is shared with the adjacent-south Carothers property (Parcel: 016-0514-0832-004).</p> <p>Well Name: "Gehrke"</p> <p>WDNR Unique Well Number: Unknown</p>	



Photo No.	Date
16	November 16, 2021
<p>View of the sampling location at the Pundsack property (Parcel: 016-0514-0823-005). The exterior spigot is located on the southeastern side of the residence.</p> <p>Well Name: "Pundsack"</p> <p>WDNR Unique Well Number: YE929</p>	



PHOTOGRAPHIC LOG		
Enbridge Energy, Limited Partnership	LN 13 MP 312 Valve Site – Potable Well Sampling Fort Atkinson, Wisconsin	Project No. 31401967.705

Photo No.	Date	
17	November 16, 2021	
<p>View of the sampling location at the Hachtel property (Parcel: 016-0514-0832-006). The sample was collected upstream of the pressure tank from inside the basement of the residence.</p> <p>Well Name: "Hachtel"</p> <p>WDNR Unique Well Number: SB164</p>		

ENCLOSURE B – LABORATORY ANALYTICAL RESULTS

November 29, 2021

Timothy Huff
WSP USA
211 North Broadway
Saint Louis, MO 63102

RE: Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Dear Timothy Huff:


Enclosed are the analytical results for sample(s) received by the laboratory on November 17, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Matt Grady, WSP USA - MADISON
Cal Johnson, WSP USA - MADISON
Brian Kimpel, WSP USA



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40237116001	2021.11.15_HARTWIG_B_POTABLE	Water	11/15/21 10:50	11/17/21 08:35
40237116002	2021.11.15_HARTWIG_A_POTABLE	Water	11/15/21 11:40	11/17/21 08:35
40237116003	2021.11.15_LAMBERSON_POTABLE	Water	11/15/21 11:15	11/17/21 08:35
40237116004	2021.11.15_MACLEOD_POTABLE	Water	11/15/21 12:05	11/17/21 08:35
40237116005	2021.11.15_OVERSON_POTABLE	Water	11/15/21 12:40	11/17/21 08:35
40237116006	2021.11.15_BARTZ_POTABLE	Water	11/15/21 13:10	11/17/21 08:35
40237116007	2021.11.15_BERNDT_POTABLE	Water	11/15/21 13:45	11/17/21 08:35
40237116008	2021.11.15_NESS_POTABLE	Water	11/15/21 14:20	11/17/21 08:35
40237116009	2021.11.15_LUBBERT_A_POTABLE	Water	11/15/21 14:50	11/17/21 08:35
40237116010	2021.11.15_LUBBERT_B_POTABLE	Water	11/15/21 15:25	11/17/21 08:35
40237116011	2021.11.15_LUBBERT_C_POTABLE	Water	11/15/21 16:10	11/17/21 08:35
40237116012	2021.11.15_LUBBERT_D_POTABLE	Water	11/15/21 16:35	11/17/21 08:35
40237116013	2021.11.15_WILSON_POTABLE	Water	11/15/21 17:10	11/17/21 08:35
40237116014	2021.11.15_MAASZ_POTABLE	Water	11/15/21 18:25	11/17/21 08:35
40237116015	2021.11.15_DUPLICATE_POTABLE	Water	11/15/21 00:00	11/17/21 08:35
40237116016	2021.11.16_PUNDSACK_POTABLE	Water	11/16/21 11:30	11/17/21 08:35
40237116017	2021.11.16_HATCHEL_POTABLE	Water	11/16/21 12:00	11/17/21 08:35
40237116018	2021.11.16_GEHRKE_POTABLE	Water	11/16/21 12:55	11/17/21 08:35
40237116019	TRIP BLANK	Water	11/16/21 00:00	11/17/21 08:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40237116001	2021.11.15_HARTWIG_B_POTABLE	EPA 8260	LAP	68
40237116002	2021.11.15_HARTWIG_A_POTABLE	EPA 8260	LAP	68
40237116003	2021.11.15_LAMBERSON_POTABLE	EPA 8260	LAP	68
40237116004	2021.11.15_MACLEOD_POTABLE	EPA 8260	LAP	68
40237116005	2021.11.15_OVERSON_POTABLE	EPA 8260	LAP	68
40237116006	2021.11.15_BARTZ_POTABLE	EPA 8260	LAP	68
40237116007	2021.11.15_BERNDT_POTABLE	EPA 8260	LAP	68
40237116008	2021.11.15_NESS_POTABLE	EPA 8260	LAP	68
40237116009	2021.11.15_LUBBERT_A_POTABLE	EPA 8260	LAP	68
40237116010	2021.11.15_LUBBERT_B_POTABLE	EPA 8260	LAP	68
40237116011	2021.11.15_LUBBERT_C_POTABLE	EPA 8260	LAP	68
40237116012	2021.11.15_LUBBERT_D_POTABLE	EPA 8260	LAP	68
40237116013	2021.11.15_WILSON_POTABLE	EPA 8260	LAP	68
40237116014	2021.11.15_MAASZ_POTABLE	EPA 8260	LAP	68
40237116015	2021.11.15_DUPLICATE_POTABLE	EPA 8260	LAP	68
40237116016	2021.11.16_PUNDSACK_POTABLE	EPA 8260	LAP	68
40237116017	2021.11.16_HATCHEL_POTABLE	EPA 8260	LAP	68
40237116018	2021.11.16_GEHRKE_POTABLE	EPA 8260	LAP	68
40237116019	TRIP BLANK	EPA 8260	LAP	68

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_B_P Lab ID: 40237116001 Collected: 11/15/21 10:50 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:21	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:21	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:21	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:21	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:21	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:21	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:21	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:21	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:21	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:21	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:21	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:21	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:21	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:21	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:21	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:21	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:21	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:21	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:21	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:21	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:21	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_B_P Lab ID: 40237116001 Collected: 11/15/21 10:50 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:21	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:21	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:21	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:21	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:21	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:21	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:21	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:21	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:21	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:21	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		11/21/21 08:21	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/21 08:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/21/21 08:21	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_A_P **Lab ID:** 40237116002 **Collected:** 11/15/21 11:40 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:40	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:40	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:40	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:40	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:40	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:40	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:40	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:40	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:40	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:40	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:40	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:40	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:40	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:40	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:40	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:40	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:40	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:40	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:40	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:40	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:40	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_A_P **Lab ID:** 40237116002 **Collected:** 11/15/21 11:40 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:40	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:40	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:40	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:40	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:40	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:40	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:40	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:40	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:40	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:40	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:40	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 08:40	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/21 08:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 08:40	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LAMBERSON_ Lab ID: 40237116003 Collected: 11/15/21 11:15 Received: 11/17/21 08:35 Matrix: Water
POTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:59	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:59	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:59	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:59	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:59	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:59	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:59	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:59	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:59	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:59	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:59	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:59	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:59	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:59	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:59	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:59	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:59	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:59	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:59	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LAMBERSON_ **Lab ID:** 40237116003 Collected: 11/15/21 11:15 Received: 11/17/21 08:35 Matrix: Water
POTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:59	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:59	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:59	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:59	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:59	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:59	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:59	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:59	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:59	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:59	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:59	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:59	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 08:59	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 08:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 08:59	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_MACLEOD_PO Lab ID: 40237116004 Collected: 11/15/21 12:05 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:17	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:17	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:17	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:17	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:17	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:17	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:17	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:17	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:17	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:17	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:17	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:17	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:17	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:17	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:17	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:17	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:17	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:17	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_MACLEOD_PO Lab ID: 40237116004 Collected: 11/15/21 12:05 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:17	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:17	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:17	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:17	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:17	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:17	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:17	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:17	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:17	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:17	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:17	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		11/21/21 09:17	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/21 09:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 09:17	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_OVERSON_PO Lab ID: 40237116005 Collected: 11/15/21 12:40 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:36	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:36	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:36	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:36	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:36	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:36	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:36	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:36	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:36	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:36	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:36	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:36	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:36	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:36	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:36	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:36	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:36	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:36	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:36	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:36	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:36	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_OVERSON_PO **Lab ID:** 40237116005 **Collected:** 11/15/21 12:40 **Received:** 11/17/21 08:35 **Matrix:** Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:36	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:36	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:36	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:36	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:36	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:36	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:36	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:36	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:36	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:36	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:36	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 09:36	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 09:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 09:36	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_BARTZ_POTAB LE Lab ID: 40237116006 Collected: 11/15/21 13:10 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:55	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:55	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:55	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:55	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:55	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:55	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:55	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:55	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:55	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:55	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:55	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:55	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:55	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:55	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:55	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:55	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:55	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:55	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:55	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_BARTZ_POTAB LE **Lab ID:** 40237116006 **Collected:** 11/15/21 13:10 **Received:** 11/17/21 08:35 **Matrix:** Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:55	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:55	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:55	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:55	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:55	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:55	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:55	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:55	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:55	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:55	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 09:55	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 09:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/21/21 09:55	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_BERNDT_POTA Lab ID: 40237116007 Collected: 11/15/21 13:45 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:13	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:13	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:13	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:13	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:13	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:13	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:13	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:13	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:13	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:13	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:13	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:13	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:13	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:13	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:13	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:13	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:13	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:13	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:13	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:13	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:13	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_BERNDT_POTA Lab ID: 40237116007 Collected: 11/15/21 13:45 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:13	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:13	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:13	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:13	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:13	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:13	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:13	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:13	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:13	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:13	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:13	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 10:13	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 10:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1		11/21/21 10:13	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_NESS_POTABL **Lab ID:** 40237116008 **Collected:** 11/15/21 14:20 **Received:** 11/17/21 08:35 **Matrix:** Water
E

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:32	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:32	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:32	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:32	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:32	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:32	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:32	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:32	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:32	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:32	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:32	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:32	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:32	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:32	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:32	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:32	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:32	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:32	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_NESS_POTABL **Lab ID:** 40237116008 **Collected:** 11/15/21 14:20 **Received:** 11/17/21 08:35 **Matrix:** Water
E

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:32	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:32	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:32	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:32	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:32	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:32	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:32	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:32	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:32	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:32	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 10:32	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 10:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		11/21/21 10:32	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_A_P Lab ID: 40237116009 Collected: 11/15/21 14:50 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:51	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:51	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:51	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:51	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:51	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:51	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:51	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:51	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:51	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:51	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:51	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:51	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:51	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:51	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:51	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:51	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:51	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:51	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:51	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:51	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_A_P **Lab ID:** 40237116009 **Collected:** 11/15/21 14:50 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:51	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:51	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:51	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:51	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:51	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:51	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:51	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:51	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:51	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:51	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 10:51	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/21 10:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 10:51	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_B_P Lab ID: 40237116010 Collected: 11/15/21 15:25 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:09	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:09	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:09	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:09	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:09	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:09	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:09	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:09	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:09	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:09	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:09	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:09	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:09	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:09	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:09	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:09	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:09	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:09	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:09	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:09	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:09	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:09	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:09	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:09	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:09	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:09	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_B_P **Lab ID:** 40237116010 Collected: 11/15/21 15:25 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:09	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:09	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:09	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:09	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:09	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:09	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:09	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:09	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:09	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:09	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:09	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:09	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		11/21/21 11:09	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 11:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1		11/21/21 11:09	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_C_P Lab ID: 40237116011 Collected: 11/15/21 16:10 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:28	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:28	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:28	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:28	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:28	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:28	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:28	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:28	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:28	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:28	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:28	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:28	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:28	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:28	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:28	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:28	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:28	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:28	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:28	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:28	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_C_P **Lab ID:** 40237116011 Collected: 11/15/21 16:10 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:28	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:28	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:28	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:28	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:28	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:28	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:28	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:28	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:28	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:28	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 11:28	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 11:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 11:28	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_D_P **Lab ID:** 40237116012 **Collected:** 11/15/21 16:35 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:47	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:47	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:47	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:47	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:47	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:47	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:47	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:47	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:47	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:47	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:47	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:47	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:47	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:47	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:47	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:47	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:47	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:47	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:47	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:47	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_D_P Lab ID: 40237116012 Collected: 11/15/21 16:35 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:47	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:47	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:47	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:47	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:47	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:47	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:47	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:47	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:47	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:47	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:47	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 11:47	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/21/21 11:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 11:47	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_WILSON_POTA Lab ID: 40237116013 Collected: 11/15/21 17:10 Received: 11/17/21 08:35 Matrix: Water BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 12:05	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 12:05	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 12:05	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:05	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 12:05	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 12:05	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 12:05	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 12:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 12:05	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:05	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 12:05	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 12:05	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 12:05	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 12:05	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:05	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 12:05	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 12:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 12:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 12:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:05	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 12:05	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 12:05	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 12:05	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 12:05	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 12:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_WILSON_POTA Lab ID: 40237116013 Collected: 11/15/21 17:10 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 12:05	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 12:05	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 12:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 12:05	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 12:05	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 12:05	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:05	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:05	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 12:05	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 12:05	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 12:05	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 12:05	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 12:05	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/21/21 12:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1		11/21/21 12:05	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_MAASZ_POTA Lab ID: 40237116014 Collected: 11/15/21 18:25 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 12:24	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 12:24	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 12:24	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:24	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 12:24	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 12:24	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 12:24	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 12:24	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 12:24	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:24	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 12:24	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 12:24	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 12:24	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 12:24	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:24	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 12:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 12:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 12:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 12:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:24	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 12:24	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 12:24	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 12:24	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 12:24	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 12:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_MAASZ_POTA Lab ID: 40237116014 Collected: 11/15/21 18:25 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 12:24	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 12:24	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 12:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 12:24	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 12:24	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 12:24	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:24	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:24	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 12:24	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 12:24	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 12:24	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 12:24	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		11/21/21 12:24	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 12:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 12:24	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_DUPLICATE_P **Lab ID:** 40237116015 **Collected:** 11/15/21 00:00 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 12:43	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 12:43	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 12:43	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:43	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 12:43	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:43	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:43	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 12:43	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 12:43	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 12:43	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 12:43	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 12:43	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:43	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 12:43	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 12:43	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:43	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:43	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:43	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 12:43	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 12:43	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:43	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:43	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 12:43	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:43	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 12:43	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:43	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 12:43	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:43	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 12:43	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:43	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 12:43	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 12:43	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:43	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 12:43	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 12:43	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 12:43	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 12:43	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:43	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:43	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 12:43	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 12:43	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:43	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:43	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_DUPLICATE_P Lab ID: 40237116015 Collected: 11/15/21 00:00 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 12:43	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 12:43	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:43	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:43	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 12:43	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 12:43	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:43	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 12:43	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 12:43	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:43	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 12:43	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:43	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:43	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 12:43	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:43	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:43	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:43	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 12:43	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 12:43	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 12:43	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 12:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 12:43	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/21/21 12:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		11/21/21 12:43	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_PUNDSACK_P Lab ID: 40237116016 Collected: 11/16/21 11:30 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:01	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:01	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:01	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:01	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:01	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:01	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:01	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:01	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:01	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:01	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:01	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:01	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:01	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:01	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:01	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:01	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:01	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:01	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:01	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:01	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_PUNDSACK_P **Lab ID:** 40237116016 Collected: 11/16/21 11:30 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:01	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:01	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:01	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:01	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:01	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:01	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:01	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:01	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:01	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:01	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:01	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1		11/21/21 13:01	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 13:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 13:01	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_HATCHEL_POT **Lab ID:** 40237116017 **Collected:** 11/16/21 12:00 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:38	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:38	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:38	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:38	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:38	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:38	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:38	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:38	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:38	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:38	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:38	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:38	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:38	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:38	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:38	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:38	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:38	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:38	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:38	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:38	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_HATCHEL_POT **Lab ID:** 40237116017 **Collected:** 11/16/21 12:00 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:38	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:38	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:38	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:38	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:38	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:38	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:38	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:38	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:38	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:38	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		11/21/21 13:38	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 13:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		11/21/21 13:38	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT ABLE Lab ID: 40237116018 Collected: 11/16/21 12:55 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:57	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:57	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:57	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:57	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:57	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:57	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:57	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:57	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:57	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:57	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:57	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:57	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:57	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT **Lab ID:** 40237116018 **Collected:** 11/16/21 12:55 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:57	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:57	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:57	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:57	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:57	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:57	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:57	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 13:57	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 13:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 13:57	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: TRIP BLANK **Lab ID: 40237116019** Collected: 11/16/21 00:00 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 14:16	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 14:16	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 14:16	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 14:16	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 14:16	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 14:16	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 14:16	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 14:16	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 14:16	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 14:16	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 14:16	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 14:16	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 14:16	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 14:16	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 14:16	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 14:16	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 14:16	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 14:16	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 14:16	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 14:16	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 14:16	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 14:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 14:16	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 14:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 14:16	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 14:16	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 14:16	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 14:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 14:16	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 14:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 14:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 14:16	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 14:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 14:16	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 14:16	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 14:16	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 14:16	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 14:16	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 14:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 14:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 14:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 14:16	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 14:16	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 14:16	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 14:16	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: TRIP BLANK **Lab ID: 40237116019** Collected: 11/16/21 00:00 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 14:16	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 14:16	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 14:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 14:16	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 14:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 14:16	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 14:16	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 14:16	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 14:16	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 14:16	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 14:16	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 14:16	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 14:16	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 14:16	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 14:16	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 14:16	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 14:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 14:16	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 14:16	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 14:16	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		11/21/21 14:16	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/21 14:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1		11/21/21 14:16	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

QC Batch:	402153	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV Oxygenates
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237116001, 40237116002, 40237116003, 40237116004, 40237116005, 40237116006, 40237116007, 40237116008, 40237116009, 40237116010, 40237116011, 40237116012, 40237116013, 40237116014, 40237116015, 40237116016, 40237116017, 40237116018, 40237116019

METHOD BLANK: 2322452 Matrix: Water
Associated Lab Samples: 40237116001, 40237116002, 40237116003, 40237116004, 40237116005, 40237116006, 40237116007, 40237116008, 40237116009, 40237116010, 40237116011, 40237116012, 40237116013, 40237116014, 40237116015, 40237116016, 40237116017, 40237116018, 40237116019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/21/21 07:07	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/21/21 07:07	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/21/21 07:07	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	11/21/21 07:07	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/21/21 07:07	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/21/21 07:07	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/21/21 07:07	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/21/21 07:07	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	11/21/21 07:07	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/21/21 07:07	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/21/21 07:07	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/21/21 07:07	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/21/21 07:07	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/21/21 07:07	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/21/21 07:07	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/21/21 07:07	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/21/21 07:07	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/21/21 07:07	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/21/21 07:07	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/21/21 07:07	
2,2-Dichloropropane	ug/L	<4.2	5.0	11/21/21 07:07	
2-Chlorotoluene	ug/L	<0.89	5.0	11/21/21 07:07	
4-Chlorotoluene	ug/L	<0.89	5.0	11/21/21 07:07	
Benzene	ug/L	<0.30	1.0	11/21/21 07:07	
Bromobenzene	ug/L	<0.36	1.0	11/21/21 07:07	
Bromochloromethane	ug/L	<0.36	5.0	11/21/21 07:07	
Bromodichloromethane	ug/L	<0.42	1.0	11/21/21 07:07	
Bromoform	ug/L	<3.8	5.0	11/21/21 07:07	
Bromomethane	ug/L	<1.2	5.0	11/21/21 07:07	
Carbon tetrachloride	ug/L	<0.37	1.0	11/21/21 07:07	
Chlorobenzene	ug/L	<0.86	1.0	11/21/21 07:07	
Chloroethane	ug/L	<1.4	5.0	11/21/21 07:07	
Chloroform	ug/L	<1.2	5.0	11/21/21 07:07	
Chloromethane	ug/L	<1.6	5.0	11/21/21 07:07	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/21/21 07:07	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	11/21/21 07:07	
Cyclohexane	ug/L	<1.3	5.0	11/21/21 07:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

METHOD BLANK: 2322452 Matrix: Water
Associated Lab Samples: 40237116001, 40237116002, 40237116003, 40237116004, 40237116005, 40237116006, 40237116007, 40237116008, 40237116009, 40237116010, 40237116011, 40237116012, 40237116013, 40237116014, 40237116015, 40237116016, 40237116017, 40237116018, 40237116019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromochloromethane	ug/L	<2.6	5.0	11/21/21 07:07	
Dibromomethane	ug/L	<0.99	5.0	11/21/21 07:07	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/21/21 07:07	
Diisopropyl ether	ug/L	<1.1	5.0	11/21/21 07:07	
Ethylbenzene	ug/L	<0.33	1.0	11/21/21 07:07	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/21/21 07:07	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/21/21 07:07	
m&p-Xylene	ug/L	<0.70	2.0	11/21/21 07:07	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/21/21 07:07	
Methylcyclohexane	ug/L	<1.2	5.0	11/21/21 07:07	
Methylene Chloride	ug/L	<0.32	5.0	11/21/21 07:07	
n-Butylbenzene	ug/L	<0.86	1.0	11/21/21 07:07	
n-Heptane	ug/L	<1.6	5.0	11/21/21 07:07	
n-Hexane	ug/L	<1.5	5.0	11/21/21 07:07	
n-Propylbenzene	ug/L	<0.35	1.0	11/21/21 07:07	
Naphthalene	ug/L	<1.1	5.0	11/21/21 07:07	
o-Xylene	ug/L	<0.35	1.0	11/21/21 07:07	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/21/21 07:07	
sec-Butylbenzene	ug/L	<0.42	1.0	11/21/21 07:07	
Styrene	ug/L	<0.36	1.0	11/21/21 07:07	
tert-Butylbenzene	ug/L	<0.59	1.0	11/21/21 07:07	
Tetrachloroethene	ug/L	<0.41	1.0	11/21/21 07:07	
Toluene	ug/L	<0.29	1.0	11/21/21 07:07	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/21/21 07:07	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/21/21 07:07	
Trichloroethene	ug/L	<0.32	1.0	11/21/21 07:07	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/21/21 07:07	
Vinyl chloride	ug/L	<0.17	1.0	11/21/21 07:07	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/21/21 07:07	
4-Bromofluorobenzene (S)	%	97	70-130	11/21/21 07:07	
Toluene-d8 (S)	%	102	70-130	11/21/21 07:07	

LABORATORY CONTROL SAMPLE: 2322453

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.6	97	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	51.6	103	66-130	
1,1,2-Trichloroethane	ug/L	50	52.7	105	70-130	
1,1-Dichloroethane	ug/L	50	49.2	98	68-132	
1,1-Dichloroethene	ug/L	50	51.6	103	85-126	
1,2,4-Trichlorobenzene	ug/L	50	46.1	92	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	52.6	105	51-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

LABORATORY CONTROL SAMPLE: 2322453

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	50	51.4	103	70-130	
1,2-Dichlorobenzene	ug/L	50	47.7	95	70-130	
1,2-Dichloroethane	ug/L	50	48.4	97	70-130	
1,2-Dichloropropane	ug/L	50	49.6	99	78-125	
1,3-Dichlorobenzene	ug/L	50	48.4	97	70-130	
1,4-Dichlorobenzene	ug/L	50	49.3	99	70-130	
Benzene	ug/L	50	50.5	101	70-132	
Bromodichloromethane	ug/L	50	50.6	101	70-130	
Bromoform	ug/L	50	52.0	104	65-130	
Bromomethane	ug/L	50	37.2	74	44-128	
Carbon tetrachloride	ug/L	50	48.7	97	70-130	
Chlorobenzene	ug/L	50	49.3	99	70-130	
Chloroethane	ug/L	50	44.3	89	73-137	
Chloroform	ug/L	50	51.5	103	80-122	
Chloromethane	ug/L	50	30.7	61	27-148	
cis-1,2-Dichloroethene	ug/L	50	45.5	91	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.6	101	70-130	
Cyclohexane	ug/L	50	46.3	93	50-150	
Dibromochloromethane	ug/L	50	48.7	97	70-130	
Dichlorodifluoromethane	ug/L	50	21.2	42	22-151	
Ethylbenzene	ug/L	50	53.9	108	80-123	
Isopropylbenzene (Cumene)	ug/L	50	56.1	112	70-130	
m&p-Xylene	ug/L	100	104	104	70-130	
Methyl-tert-butyl ether	ug/L	50	47.1	94	66-130	
Methylcyclohexane	ug/L	50	54.7	109	50-150	
Methylene Chloride	ug/L	50	46.9	94	70-130	
o-Xylene	ug/L	50	53.2	106	70-130	
Styrene	ug/L	50	51.5	103	70-130	
Tetrachloroethene	ug/L	50	51.9	104	70-130	
Toluene	ug/L	50	50.7	101	80-121	
trans-1,2-Dichloroethene	ug/L	50	45.5	91	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.8	104	58-125	
Trichloroethene	ug/L	50	50.6	101	70-130	
Trichlorofluoromethane	ug/L	50	48.7	97	84-148	
Vinyl chloride	ug/L	50	39.9	80	63-142	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			103	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2324299 2324300

Parameter	Units	40237116001 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	49.8	50.3	100	101	70-130	1	20	
1,1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	52.4	53.0	105	106	66-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2324299												2324300											
Parameter	Units	40237116001		MS	MSD	MS		MSD		% Rec	% Rec	Limits	RPD	Max	RPD	Qual							
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec														
1,1,2-Trichloroethane	ug/L	<0.34	50	50	56.8	54.7	114	109	70-130	4	20												
1,1-Dichloroethane	ug/L	<0.30	50	50	50.4	50.5	101	101	68-132	0	20												
1,1-Dichloroethene	ug/L	<0.58	50	50	55.0	54.7	110	109	76-132	0	20												
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	42.1	46.7	84	93	70-130	10	20												
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	49.8	54.9	100	110	51-126	10	20												
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	51.4	50.1	103	100	70-130	3	20												
1,2-Dichlorobenzene	ug/L	<0.33	50	50	48.5	50.3	97	101	70-130	3	20												
1,2-Dichloroethane	ug/L	<0.29	50	50	53.7	53.1	107	106	70-130	1	20												
1,2-Dichloropropane	ug/L	<0.45	50	50	53.8	52.1	108	104	77-125	3	20												
1,3-Dichlorobenzene	ug/L	<0.35	50	50	46.5	47.7	93	95	70-130	3	20												
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.0	49.1	98	98	70-130	0	20												
Benzene	ug/L	<0.30	50	50	52.7	51.4	105	103	70-132	2	20												
Bromodichloromethane	ug/L	<0.42	50	50	54.4	53.6	109	107	70-130	1	20												
Bromoform	ug/L	<3.8	50	50	55.8	53.2	112	106	65-130	5	20												
Bromomethane	ug/L	<1.2	50	50	41.4	43.2	83	86	44-128	4	21												
Carbon tetrachloride	ug/L	<0.37	50	50	50.6	49.2	101	98	70-132	3	20												
Chlorobenzene	ug/L	<0.86	50	50	52.2	50.9	104	102	70-130	2	20												
Chloroethane	ug/L	<1.4	50	50	45.9	46.8	92	94	70-137	2	20												
Chloroform	ug/L	<1.2	50	50	53.8	52.7	108	105	80-122	2	20												
Chloromethane	ug/L	<1.6	50	50	30.3	31.9	61	64	17-149	5	20												
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	45.3	45.4	91	91	70-130	0	20												
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	49.8	50.3	100	101	70-130	1	20												
Cyclohexane	ug/L	<1.3	50	50	45.2	45.4	90	91	50-150	0	20												
Dibromochloromethane	ug/L	<2.6	50	50	49.9	49.1	100	98	70-130	2	20												
Dichlorodifluoromethane	ug/L	<0.46	50	50	19.6	20.5	39	41	22-158	5	20												
Ethylbenzene	ug/L	<0.33	50	50	56.3	54.8	113	110	80-123	3	20												
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	59.4	57.4	119	115	70-130	3	20												
m&p-Xylene	ug/L	<0.70	100	100	114	109	114	109	70-130	5	20												
Methyl-tert-butyl ether	ug/L	<1.1	50	50	46.3	46.6	93	93	66-130	1	20												
Methylcyclohexane	ug/L	<1.2	50	50	54.0	53.4	108	107	50-150	1	20												
Methylene Chloride	ug/L	<0.32	50	50	48.9	49.3	98	99	70-130	1	20												
o-Xylene	ug/L	<0.35	50	50	55.0	54.2	110	108	70-130	2	20												
Styrene	ug/L	<0.36	50	50	55.3	53.9	111	108	70-130	3	20												
Tetrachloroethene	ug/L	<0.41	50	50	55.1	53.2	110	106	70-130	4	20												
Toluene	ug/L	<0.29	50	50	53.5	52.9	107	106	80-121	1	20												
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	47.3	46.1	95	92	70-134	2	20												
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	53.1	52.5	106	105	58-130	1	20												
Trichloroethene	ug/L	<0.32	50	50	51.0	50.3	102	101	70-130	1	20												
Trichlorofluoromethane	ug/L	<0.42	50	50	50.0	49.6	100	99	82-151	1	20												
Vinyl chloride	ug/L	<0.17	50	50	40.4	41.3	81	83	61-143	2	20												
1,2-Dichlorobenzene-d4 (S)	%						100	101	70-130														
4-Bromofluorobenzene (S)	%						98	99	70-130														
Toluene-d8 (S)	%						105	105	70-130														

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237116001	2021.11.15_HARTWIG_B_POTAB LE	EPA 8260	402153		
40237116002	2021.11.15_HARTWIG_A_POTAB LE	EPA 8260	402153		
40237116003	2021.11.15_LAMBERSON_POTAB LE	EPA 8260	402153		
40237116004	2021.11.15_MACLEOD_POTABLE	EPA 8260	402153		
40237116005	2021.11.15_OVERSON_POTABLE	EPA 8260	402153		
40237116006	2021.11.15_BARTZ_POTABLE	EPA 8260	402153		
40237116007	2021.11.15_BERNDT_POTABLE	EPA 8260	402153		
40237116008	2021.11.15_NESS_POTABLE	EPA 8260	402153		
40237116009	2021.11.15_LUBBERT_A_POTAB LE	EPA 8260	402153		
40237116010	2021.11.15_LUBBERT_B_POTAB LE	EPA 8260	402153		
40237116011	2021.11.15_LUBBERT_C_POTAB LE	EPA 8260	402153		
40237116012	2021.11.15_LUBBERT_D_POTAB LE	EPA 8260	402153		
40237116013	2021.11.15_WILSON_POTABLE	EPA 8260	402153		
40237116014	2021.11.15_MAASZ_POTABLE	EPA 8260	402153		
40237116015	2021.11.15_DUPLICATE_POTABL E	EPA 8260	402153		
40237116016	2021.11.16_PUNDSACK_POTABL E	EPA 8260	402153		
40237116017	2021.11.16_HATCHEL_POTABLE	EPA 8260	402153		
40237116018	2021.11.16_GEHRKE_POTABLE	EPA 8260	402153		
40237116019	TRIP BLANK	EPA 8260	402153		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here
4023116

Company: **WSP USA, Inc.**

Billing Information:
WSP USA, Inc.

Address: **5957 Mckee Rd. Suite 7, Madison, WI 53719**

Report To: **Tim Huff, Cal Johnson**

Copy To: **Cal.Johnson@wsp.com**

Email To: **Tim.Huff@wsp.com**

Customer Project Name/Number:
ENB Line 13 MP312 Valve Site

Site Collection Info/Address:
State: **WI** County/City: **Fort Atkinson** Time Zone Collected: **[] PT [] MT [] CT [] ET**

Phone:

Site/Facility ID #:

Compliance Monitoring?
 Yes No

Collected By (print):
Cal Johnson

Purchase Order #:
Quote #:

DW PWS ID #:
DW Location Code:

Collected By (signature):
Cal Johnson

Turnaround Date Required:
Standard TAT

Immediately Packed on Ice:
 Yes No

Sample Disposal:
 Dispose as appropriate Return

Rush:
 Same Day Next Day
 2 Day 3 Day 4 Day 5 Day
(Expedite Charges Apply)

Field Filtered (if applicable):
 Yes No

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
2021.11.15_Hestwig B - Potable	DW	Grab	11/15/21	1050	-	-		3
2021.11.15_Hestwig A - Potable				1140	-	-		
2021.11.15_Lamberson - Potable				1115	-	-		
2021.11.15_Matlock - Potable				1205	-	-		
2021.11.15_Overson - Potable				1240	-	-		
2021.11.15_Birrer - Potable				1310	-	-		
2021.11.15_Birrer - Potable				1345	-	-		
2021.11.15_Ness - Potable				1420	-	-		
2021.11.15_Lubbert A - Potable				1450	-	-		
2021.11.15_Lubbert B - Potable				1525	-	-		

VOCs by EPA Method 8260

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type ** Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA

Custody Signatures Present Y N NA

Collector Signature Present Y N NA

Bottles Intact Y N NA

Correct Bottles Y N NA

Sufficient Volume Y N NA

Samples Received on Ice Y N NA

VOA - Headspace Acceptable Y N NA

USDA Regulated Soil Y N NA

Samples in Holding Time Y N NA

Residual Chlorine Present Y N NA

Cl Strips: _____

Sample pH Acceptable Y N NA

pH Strips: _____

Sulfide Present Y N NA

Lead Acetate Strips: _____

LAB USE ONLY:
Lab Sample # / Comments:

- 001
- 002
- 003
- 004
- 005
- 006
- 007
- 008
- 009
- 010

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Packing Material Used:

Lab Tracking #:

Radchem sample(s) screened (<500 cpm): Y N NA

Samples received via:
FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: _____ °C

Cooler 1 Therm Corr Factor: _____ °C

Cooler 1 Corrected Temp: _____ °C

Comments:

Relinquished by/Company: (Signature)
Cal Johnson WSP

Date/Time:
11/16/21 1430

Received by/Company: (Signature)
Jessica Wylee Pace

Date/Time:
11/16/21 0835

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:

Relinquished by/Company: (Signature)
Cal Johnson

Date/Time:
11/17/21 0835

Received by/Company: (Signature)
Jessica Wylee Pace

Date/Time:
11/17/21 0835

PM:
PB:

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Non Conformance(s): YES / NO Page: 49 of 52 of: 2



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40237116

ALL SHADED AREAS are for LAB USE ONLY

Company: **WSP USA, Inc.** Billing Information: **WSP USA, Inc.**

Address: 5957 Mckee Rd. Suite 7, Madison, WI 53719

Report To: **Tim Huff, Cal Johnson** Email To: **Tim.Huff@wsp.com**

Copy To: **Cal.Johnson@wsp.com** Site Collection Info/Address:

Customer Project Name/Number: **ENB Line 13 MP312 Valve Site** State: **WI** County/City: **Fort Atkinson** Time Zone Collected: **[] PT [] MT [x] CT [] ET**

Phone: Site/Facility ID #: Compliance Monitoring? **[] Yes [x] No**

Collected By (print): **Cal Johnson** Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): *[Signature]* Turnaround Date Required: **Standard TAT** Immediately Packed on Ice: **[x] Yes [] No**

Sample Disposal: **[x] Dispose as appropriate [] Return [] Archive [] Hold:** Rush: **[] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day** Field Filtered (if applicable): **[] Yes [x] No** Analysis: **(Expedite Charges Apply)**

Container Preservative Type ** Lab Project Manager:

3

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	VOCs by EPA Method 8260	Analyses	Lab Profile/Line:
			Date	Time	Date	Time					
2021.11.15 - Lubbert C - Potable	DW	Grab	11/15/21	1610	-	-		3	X		Lab Sample Receipt Checklist: Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signature Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: Y N NA Sample pH Acceptable Y N NA pH Strips: Y N NA Sulfide Present Y N NA Lead Acetate Strips: Y N NA LAB USE ONLY: Lab Sample # / Comments:
2021.11.15 - Lubbert D - Potable				1635	-	-					
2021.11.15 - Wj; Lson - Potable				1710	-	-					
2021.11.15 - M4452 - Potable				1825	-	-					
2021.11.15 - Dupl: cote - Potable				0000	-	-					
2021.11.16 - Ponds side Potable			11/16/21	1130	-	-					
2021.11.16 - Hackel - Potable				1200	-	-					
2021.11.16 - Gehrke - Potable				1255	-	-					
Trip Blank	-	-	-	-	-	-		2			

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Remarks / Special Conditions / Possible Hazards: Type of Ice Used: **Wet Blue Dry None** SHORT HOLDS PRESENT (<72 hours): **Y N N/A**

Packing Material Used: Lab Tracking #: Lab Sample Temperature Info: Temp Blank Received: **Y N NA** Therm ID#: Cooler 1 Temp Upon Receipt: **oC** Cooler 2 Temp Upon Receipt: **oC** Cooler 1 Term Cont. Factor: **oC** Cooler 2 Corrected Temp: **oC** Comments:

Radchem sample(s) screened (<500 cpm): **Y N NA** Samples received via: **FEDEX UPS Client Courier Pace Courier**

Relinquished by/Company: (Signature) **Cal Johnson WSP** Date/Time: **11/16/21 1430** Received by/Company: (Signature) **Susank Nyle Pace** Date/Time: **11/17/21 0835**

Relinquished by/Company: (Signature) **C. Rogustus** Date/Time: **11/17/21 0835** Received by/Company: (Signature) **Susank Nyle Pace** Date/Time: **11/17/21 0835**

Relinquished by/Company: (Signature) Date/Time: Received by/Company: (Signature) Date/Time:

MTJL LAB USE ONLY Table #: Acctnum: Template: Prelogin: PM: PB:

Trip Blank Received: **Y N NA** HCL MeOH TSP Other

Non Conformance(s): **YES / NO** Page: **2** of: **50**

WSP

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: _____

Project # 40237116

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN	
001																																	2.5 / 5 / 10
002																																	2.5 / 5 / 10
003																																	2.5 / 5 / 10
004																																	2.5 / 5 / 10
005																																	2.5 / 5 / 10
006																																	2.5 / 5 / 10
007																																	2.5 / 5 / 10
008																																	2.5 / 5 / 10
009																																	2.5 / 5 / 10
010																																	2.5 / 5 / 10
011																																	2.5 / 5 / 10
012																																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10

Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						


Sample Condition Upon Receipt Form (SCUR)

Client Name: WSP

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: _____

WO#: 40237116



40237116

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes no **Seals intact:** Yes no

Custody Seal on Samples Present: yes no **Seals intact:** yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: SR-105 **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature: Uncorr: 15 /Corr: 0

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
Date: 11/17/21 /Initials: SKU
Labeled By Initials: MP

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>471</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

ENCLOSURE C – SAMPLING RESULTS LETTERS



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Bartz Trust
W6789 Westphal Lane
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results**
Bartz Residence
W6789 Westphal Lane
Fort Atkinson, WI 53538

Dear Mr. Bartz:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Bartz
			Sample ID	2021.11.15_ BARTZ_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Bartz
			Sample ID	2021.11.15_ BARTZ_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_BARTZ_POTAB LE **Lab ID:** 40237116006 **Collected:** 11/15/21 13:10 **Received:** 11/17/21 08:35 **Matrix:** Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:55	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:55	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:55	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:55	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:55	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:55	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:55	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:55	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:55	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:55	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:55	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:55	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:55	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:55	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:55	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:55	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:55	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:55	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:55	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:55	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_BARTZ_POTAB LE **Lab ID:** 40237116006 Collected: 11/15/21 13:10 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:55	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:55	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:55	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:55	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:55	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:55	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:55	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:55	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:55	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:55	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:55	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:55	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:55	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:55	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 09:55	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 09:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/21/21 09:55	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Robert Berndt
N1859 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Berndt Residence
W1859 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. Berndt:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Berndt
			Sample ID	2021.11.15_ BERNDT_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Berndt
			Sample ID	2021.11.15_ BERNDT_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_BERNDT_POTA Lab ID: 40237116007 Collected: 11/15/21 13:45 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:13	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:13	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:13	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:13	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:13	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:13	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:13	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:13	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:13	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:13	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:13	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:13	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:13	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:13	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:13	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:13	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:13	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:13	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:13	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:13	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:13	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:13	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_BERNDT_POTA **Lab ID:** 40237116007 **Collected:** 11/15/21 13:45 **Received:** 11/17/21 08:35 **Matrix:** Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:13	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:13	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:13	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:13	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:13	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:13	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:13	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:13	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:13	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:13	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:13	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:13	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:13	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:13	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:13	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 10:13	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 10:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1		11/21/21 10:13	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Brad Carothers
N1796 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Carothers Residence
W1796 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. Carothers:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the shared potable well located at the Gehrke residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample your well. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Gehrke
			Sample ID	2021.11.16_ GEHRKE_ POTABLE
			Date	11/16/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Gehrke
			Sample ID	2021.11.16_ GEHRKE_ POTABLE
			Date	11/16/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT **Lab ID:** 40237116018 **Collected:** 11/16/21 12:55 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:57	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:57	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:57	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:57	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:57	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:57	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:57	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:57	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:57	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:57	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:57	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:57	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:57	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT **Lab ID:** 40237116018 Collected: 11/16/21 12:55 Received: 11/17/21 08:35 Matrix: Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:57	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:57	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:57	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:57	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:57	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:57	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:57	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 13:57	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 13:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 13:57	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Michelle & Mary Gehrke
N1804 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 16, 2021 Potable Well Results
Gehrke Residence
W1804 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Michelle and Mary Gehrke:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 16, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 16, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Gehrke
			Sample ID	2021.11.16_ GEHRKE_ POTABLE
			Date	11/16/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Gehrke
			Sample ID	2021.11.16_ GEHRKE_ POTABLE
			Date	11/16/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT **Lab ID:** 40237116018 **Collected:** 11/16/21 12:55 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:57	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:57	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:57	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:57	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:57	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:57	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:57	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:57	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:57	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:57	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:57	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:57	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:57	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:57	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:57	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:57	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_GEHRKE_POT **Lab ID:** 40237116018 **Collected:** 11/16/21 12:55 **Received:** 11/17/21 08:35 **Matrix:** Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:57	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:57	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:57	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:57	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:57	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:57	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:57	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:57	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:57	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:57	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:57	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:57	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:57	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:57	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 13:57	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 13:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 13:57	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Ronald and Victoria Hachtel
W6876 Hartwig Lane
Fort Atkinson, WI 53538

Re: **November 16, 2021 Potable Well Results
Hachtel Residence
W6876 Hartwig Lane
Fort Atkinson, WI 53538**

Dear Ronald and Victoria Hachtel:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 16, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an interior water spigot adjacent to the pressure tank. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 16, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Hachtel
			Sample ID	2021.11.16_ HACHTEL_ POTABLE
			Date	11/16/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Hachtel
			Sample ID	2021.11.16_ HACHTEL_ POTABLE
			Date	11/16/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
 ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_HATCHEL_POT Lab ID: 40237116017 Collected: 11/16/21 12:00 Received: 11/17/21 08:35 Matrix: Water
ABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:38	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:38	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:38	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:38	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:38	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:38	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:38	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:38	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:38	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:38	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:38	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:38	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:38	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:38	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:38	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:38	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:38	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:38	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:38	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:38	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:38	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_HATCHEL_POT ABLE Lab ID: 40237116017 Collected: 11/16/21 12:00 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:38	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:38	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:38	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:38	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:38	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:38	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:38	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:38	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:38	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:38	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:38	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:38	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:38	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:38	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		11/21/21 13:38	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 13:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		11/21/21 13:38	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Russell Hartwig
PO Box 25
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Hartwig Residence
W1975 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. Hartwig:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from two potable wells at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the samples. Sampling was conducted at an interior water spigot adjacent to a pressure tank within a barn (Sample Name: Hartwig A) and at an exterior water spigot (Sample Name: Hartwig B). The samples were collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the wells on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Hartwig A	Hartwig B
			Sample ID	2021.11.15_ HARTWIG_A_ POTABLE	2021.11.15_ HARTWIG_B_ POTABLE
			Date	11/15/2021	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260					
1,1,1,2-Tetrachloroethane	70	7		<0.36	<0.36
1,1,1-Trichloroethane	200	40		<0.30	<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38	<0.38
1,1,2-Trichloroethane	5	0.5		<0.34	<0.34
1,1-Dichloroethane	850	85		<0.30	<0.30
1,1-Dichloroethene	7	0.7		<0.58	<0.58
1,1-Dichloropropene	--	--		<0.41	<0.41
1,2,3-Trichlorobenzene	--	--		<1.0	<1.0
1,2,3-Trichloropropane	60	12		<0.56	<0.56
1,2,4-Trichlorobenzene	70	14		<0.95	<0.95
1,2,4-Trimethylbenzene	480	96		<0.45	<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4	<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31	<0.31
1,2-Dichlorobenzene	600	60		<0.33	<0.33
1,2-Dichloroethane	5	0.5		<0.29	<0.29
1,2-Dichloropropane	5	0.5		<0.45	<0.45
1,3,5-Trimethylbenzene	480	96		<0.36	<0.36
1,3-Dichlorobenzene	600	120		<0.35	<0.35
1,3-Dichloropropane	--	--		<0.30	<0.30
1,4-Dichlorobenzene	75	15		<0.89	<0.89
2,2-Dichloropropane	--	--		<4.2	<4.2
2-Chlorotoluene	--	--		<0.89	<0.89
4-Chlorotoluene	--	--		<0.89	<0.89
Benzene	5	0.5		<0.30	<0.30
Bromobenzene	--	--		<0.36	<0.36
Bromochloromethane	--	--		<0.36	<0.36
Bromodichloromethane	0.6	0.06		<0.42	<0.42
Bromoform	4.4	0.44		<3.8	<3.8
Bromomethane	10	1		<1.2	<1.2
Carbon tetrachloride	5	0.5		<0.37	<0.37
Chlorobenzene	100	20		<0.86	<0.86
Chloroethane	400	80		<1.4	<1.4
Chloroform	6	0.6		<1.2	<1.2
Chloromethane	30	3		<1.6	<1.6
Cyclohexane	--	--		<1.3	<1.3
Dibromochloromethane	60	6		<2.6	<2.6
Dibromomethane	--	--		<0.99	<0.99
Dichlorodifluoromethane	1000	200		<0.46	<0.46
Diisopropyl ether	--	--		<1.1	<1.1
Ethylbenzene	700	140		<0.33	<0.33
Hexachloro-1,3-butadiene	--	--		<2.7	<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Hartwig A	Hartwig B
			Sample ID	2021.11.15_ HARTWIG_A_ POTABLE	2021.11.15_ HARTWIG_B_ POTABLE
			Date	11/15/2021	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0	<1.0
Methyl-tert-butyl ether	60	12		<1.1	<1.1
Methylcyclohexane	--	--		<1.2	<1.2
Methylene Chloride	5	0.5		<0.32	<0.32
Naphthalene	100	10		<1.1	<1.1
Styrene	100	10		<0.36	<0.36
Tetrachloroethene	5	0.5		<0.41	<0.41
Toluene	800	160		<0.29	<0.29
Trichloroethene	5	0.5		<0.32	<0.32
Trichlorofluoromethane	3490	698		<0.42	<0.42
Vinyl chloride	0.2	0.02		<0.17	<0.17
cis-1,2-Dichloroethene	70	7		<0.47	<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36	<0.36
m&p-Xylene	--	--		<0.70	<0.70
n-Butylbenzene	--	--		<0.86	<0.86
n-Heptane	--	--		<1.6	<1.6
n-Hexane	--	--		<1.5	<1.5
n-Propylbenzene	--	--		<0.35	<0.35
o-Xylene	--	--		<0.35	<0.35
p-Isopropyltoluene	--	--		<1.0	<1.0
sec-Butylbenzene	--	--		<0.42	<0.42
tert-Butylbenzene	--	--		<0.59	<0.59
trans-1,2-Dichloroethene	100	20		<0.53	<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5	<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.

ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_A_P **Lab ID:** 40237116002 **Collected:** 11/15/21 11:40 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:40	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:40	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:40	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:40	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:40	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:40	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:40	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:40	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:40	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:40	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:40	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:40	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:40	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:40	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:40	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:40	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:40	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:40	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:40	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:40	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:40	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:40	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_A_P **Lab ID:** 40237116002 **Collected:** 11/15/21 11:40 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:40	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:40	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:40	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:40	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:40	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:40	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:40	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:40	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:40	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:40	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:40	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:40	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:40	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:40	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:40	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 08:40	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/21 08:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 08:40	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_B_P **Lab ID:** 40237116001 **Collected:** 11/15/21 10:50 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:21	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:21	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:21	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:21	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:21	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:21	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:21	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:21	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:21	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:21	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:21	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:21	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:21	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:21	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:21	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:21	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:21	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:21	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:21	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:21	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:21	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:21	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_HARTWIG_B_P Lab ID: 40237116001 Collected: 11/15/21 10:50 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:21	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:21	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:21	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:21	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:21	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:21	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:21	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:21	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:21	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:21	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:21	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:21	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:21	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:21	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		11/21/21 08:21	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/21 08:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/21/21 08:21	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Kevin Krause
W6884 Hartwig Lane
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Krause Residence
W6884 Hartwig Lane
Fort Atkinson, WI 53538**

Dear Mr. Krause:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an interior water spigot adjacent to the pressure tank. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The sample name (2021.11.15_Maasz_Potable) included the Maasz name for consistency with previous samples collected at this location. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Krause (former Maasz)
			Sample ID	2021.11.15_ MAASZ_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Krause (former Maasz)
			Sample ID	2021.11.15_ MAASZ_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
 ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_MAASZ_POTA BLE **Lab ID:** 40237116014 Collected: 11/15/21 18:25 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 12:24	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 12:24	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 12:24	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:24	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 12:24	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 12:24	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 12:24	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 12:24	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 12:24	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:24	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 12:24	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 12:24	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 12:24	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 12:24	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:24	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 12:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 12:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 12:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 12:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 12:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:24	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 12:24	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 12:24	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 12:24	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 12:24	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 12:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:24	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_MAASZ_POTA Lab ID: 40237116014 Collected: 11/15/21 18:25 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 12:24	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 12:24	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 12:24	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 12:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 12:24	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 12:24	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:24	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 12:24	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:24	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:24	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 12:24	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:24	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:24	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 12:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 12:24	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 12:24	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 12:24	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		11/21/21 12:24	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 12:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 12:24	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Robert Lamberson
N1962 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Lamberson Residence
W1962 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. Lamberson:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr.Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lamberson
			Sample ID	2021.11.15_ LAMBERSON_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lamberson
			Sample ID	2021.11.15_ LAMBERSON_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LAMBERSON_ Lab ID: 40237116003 Collected: 11/15/21 11:15 Received: 11/17/21 08:35 Matrix: Water
POTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 08:59	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 08:59	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 08:59	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:59	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 08:59	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 08:59	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 08:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 08:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 08:59	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:59	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 08:59	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 08:59	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 08:59	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 08:59	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 08:59	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 08:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 08:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 08:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 08:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 08:59	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:59	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 08:59	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 08:59	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 08:59	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 08:59	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 08:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 08:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 08:59	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LAMBERSON_ **Lab ID:** 40237116003 Collected: 11/15/21 11:15 Received: 11/17/21 08:35 Matrix: Water
POTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 08:59	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 08:59	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 08:59	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 08:59	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 08:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 08:59	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 08:59	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 08:59	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 08:59	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 08:59	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 08:59	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 08:59	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 08:59	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 08:59	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 08:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 08:59	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 08:59	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 08:59	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		11/21/21 08:59	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 08:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 08:59	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Lisa Lubbert
Well Location: 2270363E 333007N (NAD83 WIS FIPS 4803 FT)
Parcel No. 016-0514-0832-008
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Lubbert Residence
Well Location: 2270363E 333007N (NAD83 WIS FIPS 4803 FT)
Parcel No. 016-0514-0832-008
Fort Atkinson, WI 53538**

Dear Mrs. Lubbert:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot adjacent to a barn (Sample Name: Lubbert A). The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert A
			Sample ID	2021.11.15_ LUBBERT_A_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert A
			Sample ID	2021.11.15_ LUBBERT_A_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_A_P Lab ID: 40237116009 Collected: 11/15/21 14:50 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:51	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:51	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:51	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:51	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:51	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:51	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:51	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:51	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:51	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:51	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:51	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:51	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:51	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:51	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:51	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:51	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:51	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:51	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:51	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:51	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:51	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_A_P **Lab ID:** 40237116009 **Collected:** 11/15/21 14:50 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:51	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:51	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:51	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:51	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:51	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:51	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:51	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:51	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:51	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:51	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:51	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:51	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:51	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:51	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 10:51	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/21 10:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		11/21/21 10:51	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Bound Property Investments LLC
W6851 Christie Court
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results**
Bound Property Investments LLC
W6851 Christie Court
Fort Atkinson, WI 53538

Dear Resident:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot (Sample Name: Lubbert B). The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert B
			Sample ID	2021.11.15_LUBBERT_B_POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert B
			Sample ID	2021.11.15_ LUBBERT_B_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_B_P **Lab ID:** 40237116010 **Collected:** 11/15/21 15:25 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:09	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:09	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:09	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:09	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:09	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:09	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:09	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:09	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:09	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:09	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:09	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:09	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:09	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:09	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:09	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:09	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:09	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:09	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:09	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:09	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:09	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:09	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:09	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:09	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:09	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:09	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:09	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:09	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_B_P Lab ID: 40237116010 Collected: 11/15/21 15:25 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:09	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:09	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:09	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:09	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:09	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:09	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:09	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:09	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:09	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:09	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:09	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:09	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:09	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:09	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:09	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:09	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:09	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		11/21/21 11:09	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 11:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1		11/21/21 11:09	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Lisa Lubbert in care of W6855 Christie Court
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results**
Lisa Lubbert in care of W6855 Christie Court
Fort Atkinson, WI 53538

Dear Resident:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot (Sample Name: Lubbert C). The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr.Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert C
			Sample ID	2021.11.15_ LUBBERT_C_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert C
			Sample ID	2021.11.15_ LUBBERT_C_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_C_P Lab ID: 40237116011 Collected: 11/15/21 16:10 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:28	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:28	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:28	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:28	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:28	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:28	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:28	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:28	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:28	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:28	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:28	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:28	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:28	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:28	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:28	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:28	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:28	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:28	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:28	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:28	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:28	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_C_P **Lab ID:** 40237116011 **Collected:** 11/15/21 16:10 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:28	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:28	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:28	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:28	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:28	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:28	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:28	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:28	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:28	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:28	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:28	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:28	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:28	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:28	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 11:28	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/21 11:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 11:28	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Lisa Lubbert
W6856 Christie Court
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results**
Lisa Lubbert
W6856 Christie Court
Fort Atkinson, WI 53538

Dear Mrs. Lubbert:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot (Sample Name: Lubbert D). The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr.Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert D
			Sample ID	2021.11.15_ LUBBERT_D_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Lubbert D
			Sample ID	2021.11.15_ LUBBERT_D_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_D_P **Lab ID:** 40237116012 **Collected:** 11/15/21 16:35 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 11:47	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 11:47	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 11:47	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:47	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 11:47	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 11:47	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 11:47	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 11:47	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 11:47	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:47	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 11:47	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 11:47	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 11:47	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 11:47	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 11:47	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 11:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 11:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 11:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 11:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 11:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:47	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 11:47	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 11:47	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 11:47	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 11:47	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 11:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 11:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 11:47	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_LUBBERT_D_P Lab ID: 40237116012 Collected: 11/15/21 16:35 Received: 11/17/21 08:35 Matrix: Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 11:47	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 11:47	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 11:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 11:47	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 11:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 11:47	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 11:47	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 11:47	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 11:47	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 11:47	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 11:47	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 11:47	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 11:47	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 11:47	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 11:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 11:47	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 11:47	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 11:47	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 11:47	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/21/21 11:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 11:47	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Deanna & Michael Macleod
N1908 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Macleod Residence
W1908 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. and Mrs. Macleod:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Macleod
			Sample ID	2021.11.15_ MACLEOD_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Macleod
			Sample ID	2021.11.15_ MACLEOD_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_MACLEOD_PO Lab ID: 40237116004 Collected: 11/15/21 12:05 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:17	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:17	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:17	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:17	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:17	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:17	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:17	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:17	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:17	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:17	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:17	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:17	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:17	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:17	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:17	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:17	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:17	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:17	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:17	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_MACLEOD_PO Lab ID: 40237116004 Collected: 11/15/21 12:05 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:17	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:17	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:17	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:17	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:17	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:17	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:17	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:17	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:17	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:17	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:17	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:17	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:17	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:17	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:17	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		11/21/21 09:17	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/21 09:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 09:17	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Tyler Ness
N1811 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Ness Residence
W1811 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. Ness:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Ness
			Sample ID	2021.11.15_ NESS_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Ness
			Sample ID	2021.11.15_ NESS_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
 ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_NESS_POTABL **Lab ID:** 40237116008 **Collected:** 11/15/21 14:20 **Received:** 11/17/21 08:35 **Matrix:** Water
E

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 10:32	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 10:32	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 10:32	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:32	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 10:32	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 10:32	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 10:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 10:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 10:32	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:32	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 10:32	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 10:32	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 10:32	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 10:32	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 10:32	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 10:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 10:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 10:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 10:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 10:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:32	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 10:32	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 10:32	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 10:32	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 10:32	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 10:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 10:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 10:32	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_NESS_POTABL **Lab ID:** 40237116008 Collected: 11/15/21 14:20 Received: 11/17/21 08:35 Matrix: Water
E

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 10:32	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 10:32	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 10:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 10:32	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 10:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 10:32	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 10:32	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 10:32	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 10:32	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 10:32	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 10:32	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 10:32	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 10:32	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 10:32	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 10:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 10:32	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 10:32	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 10:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 10:32	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/21/21 10:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		11/21/21 10:32	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Kevin Sheridan
W6783 Westphal Lane
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results**
Overson Residence
W6783 Westphal Lane
Fort Atkinson, WI 53538

Dear Mr. Sheridan:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the July 20, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr.Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Overson
			Sample ID	2021.11.15_ OVERSON_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Overson
			Sample ID	2021.11.15_ OVERSON_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_OVERSON_PO Lab ID: 40237116005 Collected: 11/15/21 12:40 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 09:36	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 09:36	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 09:36	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:36	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 09:36	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 09:36	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 09:36	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 09:36	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 09:36	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:36	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 09:36	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 09:36	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 09:36	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 09:36	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 09:36	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 09:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 09:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 09:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 09:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 09:36	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:36	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 09:36	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 09:36	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 09:36	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 09:36	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 09:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 09:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 09:36	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.15_OVERSON_PO Lab ID: 40237116005 Collected: 11/15/21 12:40 Received: 11/17/21 08:35 Matrix: Water
TABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 09:36	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 09:36	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 09:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 09:36	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 09:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 09:36	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 09:36	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 09:36	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 09:36	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 09:36	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 09:36	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 09:36	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 09:36	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 09:36	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 09:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 09:36	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 09:36	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 09:36	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 09:36	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 09:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		11/21/21 09:36	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

K&J Pundsack Trust
W6871 Hartwig Lane
Fort Atkinson, WI 53538

Re: **November 16, 2021 Potable Well Results
Pundsack Residence
W6871 Hartwig Lane
Fort Atkinson, WI 53538**

Dear Resident:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 16, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr.Advisor, Lands & ROW

Attachments: November 16, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Pundsack
			Sample ID	2021.11.16_PUNDSACK_POTABLE
			Date	11/16/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Pundsack
			Sample ID	2021.11.16_ PUNDSACK_ POTABLE
			Date	11/16/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
 ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.16_PUNDSACK_P **Lab ID:** 40237116016 **Collected:** 11/16/21 11:30 **Received:** 11/17/21 08:35 **Matrix:** Water
OTABLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 13:01	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 13:01	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 13:01	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:01	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 13:01	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 13:01	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 13:01	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 13:01	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 13:01	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:01	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 13:01	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 13:01	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 13:01	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 13:01	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 13:01	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 13:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 13:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 13:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 13:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 13:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:01	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 13:01	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 13:01	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 13:01	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 13:01	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 13:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 13:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 13:01	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE
Pace Project No.: 40237116

Sample: 2021.11.16_PUNDSACK_P OTABLE Lab ID: 40237116016 Collected: 11/16/21 11:30 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 13:01	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 13:01	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 13:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 13:01	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 13:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 13:01	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 13:01	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 13:01	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 13:01	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 13:01	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 13:01	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 13:01	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 13:01	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 13:01	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 13:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 13:01	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 13:01	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 13:01	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1		11/21/21 13:01	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/21 13:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/21/21 13:01	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



David Schultz
Sr. Advisor
Lands & ROW
Enbridge Energy

Enbridge Energy, Limited Partnership
462 Midland Rd
Janesville, WI 53546
Tel 608-756-3167
David.schultz@enbridge.com

December 3, 2021

Zachary & Stephanie Wilson
N1828 Blackhawk Island Road
Fort Atkinson, WI 53538

Re: **November 15, 2021 Potable Well Results
Wilson Residence
W1828 Blackhawk Island Road
Fort Atkinson, WI 53538**

Dear Mr. and Mrs. Wilson:

WSP USA (WSP) has been retained by Enbridge to conduct sampling from the potable well at your residence. This sampling was requested by Enbridge as part of the ongoing site investigation activities at the Blackhawk Island Road Valve Site. This letter presents the sample results from the November 15, 2021 sampling event.

No Volatile Organic Compounds (VOCs) were detected in the sample. Sampling was conducted at an exterior water spigot. The sample was collected into laboratory supplied containers and submitted to Pace Analytical for VOC analysis. A summary table and analytical laboratory report pages with the well sampling results are attached for your reference. The Wisconsin Department of Natural Resources (WDNR) Enforcement Standard (ES) and Preventative Action Limit (PAL) for each compound are included in the summary table for your reference. These are established groundwater standards for VOCs.

Enbridge appreciates your cooperation and allowing our consultant to access and sample the well on your property. Please contact me with any questions at (608) 756-3167 or David.Schultz@enbridge.com.

Respectfully,

Sr. Advisor, Lands & ROW

Attachments: November 15, 2021 Pace Analytical Laboratory Report & Summary Table

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Wilson
			Sample ID	2021.11.15_ WILSON_ POTABLE
			Date	11/15/2021
Volatile Organic Compounds (VOCs) (ug/L) by EPA Method 8260				
1,1,1,2-Tetrachloroethane	70	7		<0.36
1,1,1-Trichloroethane	200	40		<0.30
1,1,2,2-Tetrachloroethane	0.2	0.02		<0.38
1,1,2-Trichloroethane	5	0.5		<0.34
1,1-Dichloroethane	850	85		<0.30
1,1-Dichloroethene	7	0.7		<0.58
1,1-Dichloropropene	--	--		<0.41
1,2,3-Trichlorobenzene	--	--		<1.0
1,2,3-Trichloropropane	60	12		<0.56
1,2,4-Trichlorobenzene	70	14		<0.95
1,2,4-Trimethylbenzene	480	96		<0.45
1,2-Dibromo-3-chloropropane	0.2	0.02		<2.4
1,2-Dibromoethane (EDB)	0.05	0.005		<0.31
1,2-Dichlorobenzene	600	60		<0.33
1,2-Dichloroethane	5	0.5		<0.29
1,2-Dichloropropane	5	0.5		<0.45
1,3,5-Trimethylbenzene	480	96		<0.36
1,3-Dichlorobenzene	600	120		<0.35
1,3-Dichloropropane	--	--		<0.30
1,4-Dichlorobenzene	75	15		<0.89
2,2-Dichloropropane	--	--		<4.2
2-Chlorotoluene	--	--		<0.89
4-Chlorotoluene	--	--		<0.89
Benzene	5	0.5		<0.30
Bromobenzene	--	--		<0.36
Bromochloromethane	--	--		<0.36
Bromodichloromethane	0.6	0.06		<0.42
Bromoform	4.4	0.44		<3.8
Bromomethane	10	1		<1.2
Carbon tetrachloride	5	0.5		<0.37
Chlorobenzene	100	20		<0.86
Chloroethane	400	80		<1.4
Chloroform	6	0.6		<1.2
Chloromethane	30	3		<1.6
Cyclohexane	--	--		<1.3
Dibromochloromethane	60	6		<2.6
Dibromomethane	--	--		<0.99
Dichlorodifluoromethane	1000	200		<0.46
Diisopropyl ether	--	--		<1.1
Ethylbenzene	700	140		<0.33
Hexachloro-1,3-butadiene	--	--		<2.7

Potable Well Analytical Results - November 2021
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Analyte	Enforcement Standard (a)	Preventative Action Limit (a)	Well Name	Wilson
			Sample ID	2021.11.15_ WILSON_ POTABLE
			Date	11/15/2021
Isopropylbenzene (Cumene)	--	--		<1.0
Methyl-tert-butyl ether	60	12		<1.1
Methylcyclohexane	--	--		<1.2
Methylene Chloride	5	0.5		<0.32
Naphthalene	100	10		<1.1
Styrene	100	10		<0.36
Tetrachloroethene	5	0.5		<0.41
Toluene	800	160		<0.29
Trichloroethene	5	0.5		<0.32
Trichlorofluoromethane	3490	698		<0.42
Vinyl chloride	0.2	0.02		<0.17
cis-1,2-Dichloroethene	70	7		<0.47
cis-1,3-Dichloropropene	0.4	0.04		<0.36
m&p-Xylene	--	--		<0.70
n-Butylbenzene	--	--		<0.86
n-Heptane	--	--		<1.6
n-Hexane	--	--		<1.5
n-Propylbenzene	--	--		<0.35
o-Xylene	--	--		<0.35
p-Isopropyltoluene	--	--		<1.0
sec-Butylbenzene	--	--		<0.42
tert-Butylbenzene	--	--		<0.59
trans-1,2-Dichloroethene	100	20		<0.53
trans-1,3-Dichloropropene	0.4	0.04		<3.5

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. February 2021.
ug/L = Micrograms per liter

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_WILSON_POTA BLE **Lab ID:** 40237116013 Collected: 11/15/21 17:10 Received: 11/17/21 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/21/21 12:05	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/21/21 12:05	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/21/21 12:05	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:05	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/21/21 12:05	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/21/21 12:05	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/21/21 12:05	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/21/21 12:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/21/21 12:05	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:05	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/21/21 12:05	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/21/21 12:05	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/21/21 12:05	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/21/21 12:05	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/21/21 12:05	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		11/21/21 12:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/21/21 12:05	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/21/21 12:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/21/21 12:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/21/21 12:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:05	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		11/21/21 12:05	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/21/21 12:05	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/21/21 12:05	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/21/21 12:05	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/21/21 12:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/21/21 12:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		11/21/21 12:05	108-87-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ENB LINE 13 MP312 VALVE SITE

Pace Project No.: 40237116

Sample: 2021.11.15_WILSON_POTA Lab ID: 40237116013 Collected: 11/15/21 17:10 Received: 11/17/21 08:35 Matrix: Water
BLE

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/21/21 12:05	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/21/21 12:05	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/21/21 12:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/21/21 12:05	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/21/21 12:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/21/21 12:05	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/21/21 12:05	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/21/21 12:05	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/21/21 12:05	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/21/21 12:05	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		11/21/21 12:05	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		11/21/21 12:05	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/21/21 12:05	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/21/21 12:05	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/21/21 12:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/21/21 12:05	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/21/21 12:05	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/21/21 12:05	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		11/21/21 12:05	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/21/21 12:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1		11/21/21 12:05	2199-69-1	


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ENCLOSURE D – HYDROGEOLOGIST CERTIFICATION

Potable Well Sampling Results – November 2021
Enbridge Line 13 MP 312 Valve Site
Blackhawk Island Road
Fort Atkinson, Wisconsin
BRRTS Number: 02-28-586199

I, Brian C. Kimpel, certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



12/14/2021

Brian C. Kimpel,
Supervisory Hydrogeologist, Wisconsin P.G. #1140

Date