From: Paddock, Jeffrey J - DNR

To: Saari, Christopher A - DNR; Nobile, Trevor W - DNR; Haaq, Christine T - DNR; Reif, Maizie L - DNR

 Subject:
 RE: 8.12.2022 - Enbridge Update

 Date:
 Monday, August 15, 2022 10:56:00 AM

Hello All,

Hopefully this is the last update regarding the spill response. There were no issues with the pipeline start up or additional issues over the weekend per Ross Peterson. I will plan on closing the spill files and opening an ERP case. I'm hoping to get the RP letter out this afternoon.

Thank you

#### We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

From: Saari, Christopher A - DNR < Christopher. Saari@wisconsin.gov>

Sent: Monday, August 15, 2022 10:53 AM

**To:** Paddock, Jeffrey J - DNR <jeffrey.paddock@wisconsin.gov>; Nobile, Trevor W - DNR

<Trevor.Nobile@wisconsin.gov>; Haag, Christine T - DNR <Christine.Haag@wisconsin.gov>; Reif,

Maizie L - DNR <Maizie.Reif@wisconsin.gov> **Subject:** RE: 8.12.2022 - Enbridge Update

Jeff, thanks for the continued excellent follow-up!

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Chris Saari

Phone: (715) 208-4004

Please note that my contact number has changed. You should use this phone number to reach me going

forward.

Christopher.Saari@Wisconsin.gov

**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

**Sent:** Friday, August 12, 2022 3:36 PM

To: Nobile, Trevor W - DNR < Trevor. Nobile@wisconsin.gov >; Saari, Christopher A - DNR

<<u>Christopher.Saari@wisconsin.gov</u>>; Haag, Christine T - DNR <<u>Christine.Haag@wisconsin.gov</u>>; Reif,

Maizie L - DNR < Maizie.Reif@wisconsin.gov>

Subject: 8.12.2022 - Enbridge Update

Hello again,

On 8/11/2022, Bad River Tribal representatives requested that the EPA inspect the discharge and meeting was held onsite at 11:30 on 8/12/2022.

- Enbridge personnel, including Ross Peterson, Dave Morrison from the EPA, and Phil Richard from DNR entered the site to observe the pipeline excavation and discussed previous actions that had been completed to address the two previously reported discharges. Naomi Tillison from the Bad River Tribe was not available, but the tribe's Public Safety Officer and Compliance Officer were also onsite. I was not able to attend the meeting.
- The welds on the pipeline had been repaired (attached photos). Enbridge opened the pipeline at approximately 11:30 and it was in full operation when the meeting concluded at approximately 12:30. The pipeline will be in operation for 12 hours and then a series of checks will be completed to make sure there are no leaks per Pipeline Hazardous Materials Safety Administration requirements. In case of a leak, Enbridge currently has a sump pump in the excavation and would pump crude into an onsite frac tank.
- Maintenance work will continue over the weekend and they expect that the excavations adjacent to the pipeline will be backfilled early next week.
- All parties met after and discussed previous actions and actions that will be taken when the
  site is transferred to the Environmental Repair Program. Dave Morrison confirmed that DNR
  would be the lead agency for additional response actions and requested that he be sent
  copies of any reports or data generated. Bad River also requested copies of any reports or
  data.

I also called Dave Morrison after the site visit was complete:

- He stated he saw no indication of a significant release during the site visit.
- We discussed the ERP and requirements under NR700
- Dave requested that he be sent reports generated during the ERP investigation.

I will call Ross Peterson Monday morning for an update. If there are no concerns, I will transfer the site to the ERP Program and send them a RP letter Monday afternoon.

Thank you

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>

From: Paddock, Jeffrey J - DNR

**Sent:** Thursday, August 11, 2022 10:01 AM

**To:** Nobile, Trevor W - DNR (<u>Trevor.Nobile@wisconsin.gov</u>) <<u>Trevor.Nobile@wisconsin.gov</u>>; Haag, Christine T - DNR (<u>Christine.Haag@wisconsin.gov</u>) <<u>Christine.Haag@wisconsin.gov</u>>; Saari, Christopher A - DNR (<u>Christopher.Saari@wisconsin.gov</u>) <<u>Christopher.Saari@wisconsin.gov</u>>

**Subject:** Enbridge Update

Hello all,

I just talked to Ross Peterson and got a brief update. Crews will be working today to repair the weld, hoping to complete it today but don't have a definite timeline. The pipeline will be shut down until the weld is repaired. No indication of additional discharge from the weld or weep.

The original spill is still open and a new spill was created in SERTs for the weep. I will close the original spill and this spill when they have the weep resolved and transfer the site to the ERP. I will send them a RP letter to kick off the ERP investigation, hopefully on Monday if they have the weep resolved.

Thank you

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

From: Paddock, Jeffrey J - DNR

Sent: Wednesday, August 10, 2022 10:34 PM

**To:** Nobile, Trevor W - DNR (<u>Trevor.Nobile@wisconsin.gov</u>) <<u>Trevor.Nobile@wisconsin.gov</u>>; Haag, Christine T - DNR (<u>Christine.Haag@wisconsin.gov</u>) <<u>Christine.Haag@wisconsin.gov</u>>; Saari, Christopher A - DNR (<u>Christopher.Saari@wisconsin.gov</u>) <<u>Christopher.Saari@wisconsin.gov</u>>

Subject: FW: Enbridge Update 8/10

Hello again,

Warden Supervisor Rick Peters arrived on the site at 22:00. Crews were still onsite sandblasting the pipe. Crew members told Warden Peters that section of pipeline was laid in 1953 and the weld was a 1976 weld. He took a photo of the top of the pipe (attached, photo 1), the area ring in the joint in question

They described a weep at the bottom of the pipe at the joint (attached photo 2) that is in the same excavation where impacted soil was identified last week. The weep consisted on an oily substance that did not drip, but could felt if one held their fingers in that area. The weep is the reason why they notified the NRC. As of earlier today, they did not think that the weep was the source of previously identified soil contamination. They are in the process of addressing the weep and it is my understanding that the pipeline is still shutdown.

Warden Peters did not observe petroleum odors, stained soil or any water in the excavation.

# Thank you

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

From: Paddock, Jeffrey J - DNR < jeffrey.paddock@wisconsin.gov>

Sent: Wednesday, August 10, 2022 8:20 PM

**To:** Nobile, Trevor W - DNR < <u>Trevor.Nobile@wisconsin.gov</u>>; Saari, Christopher A - DNR

< <a href="mailto:christine-Haag@wisconsin.gov">christine T - DNR < <a href="mailto:Christine.Haag@wisconsin.gov">christine.Haag@wisconsin.gov</a>>

Subject: Fwd: Enbridge Update 8/10

All,

See below for description of the reported discharge today.

It is my understanding that a warden will be able to visit the site tonight.

Thank you

# Get Outlook for iOS

**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

**Sent:** Wednesday, August 10, 2022 8:11:16 PM

**To:** Ross Peterson < <u>ROSS.PETERSON2@enbridge.com</u>>

**Subject:** Re: Enbridge Update 8/10

Thank you Ross, I'll forward this on.

# Get Outlook for iOS

**From:** Ross Peterson < <u>ROSS.PETERSON2@enbridge.com</u>>

**Sent:** Wednesday, August 10, 2022 8:06:20 PM

**To:** Paddock, Jeffrey J - DNR < jeffrey.paddock@wisconsin.gov>

**Subject:** Enbridge Update 8/10

# CAUTION: This email originated from outside the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe.

In regards to your question about the NRC report today, crews discovered a small area of staining on the pipe on a weld. As I mentioned, no material was released to soil or water as a result of their work. PHMSA has been notified through the NRC because of the repair per their requirements.

Our statement: As Enbridge crews were preparing Line 5 for planned maintenance activities off Holmes Road in the Town of Gingles, they discovered a small area of staining on the pipe on a weld. Line 5 has been shut down as crews make repairs. PHMSA has been notified because of the repair work. We will provide more information as it becomes available.

For any further media related questions, I will refer to you Juli Kellner of Enbridge – <u>juli.kellner@enbridge.com</u> 218-461-7837

Thanks,

-Ross

# **Ross Peterson**

Advisor Environment
Safety & Reliability, Environment Operations

**ENBRIDGE** 

218-341-3863 1613 24<sup>th</sup> Ave E., Superior, WI 54880

enbridge.com

Safety. Integrity. Respect. Inclusion.

From: Paddock, Jeffrey J - DNR

To: Paddock, Jeffrey J - DNR

Subject: Chris Saari text 2

**Date:** Tuesday, August 9, 2022 2:00:20 PM

**Attachments:** BF1D8912-5F4F-43C0-A2D1-FC08627015F7.jpeg

From: Paddock, Jeffrey J - DNR

To: Paddock, Jeffrey J - DNR

Subject: Chris Saari text 3

**Date:** Tuesday, August 9, 2022 2:01:23 PM

**Attachments:** 4FCB86E5-B663-4034-B436-3B1D403C3DE6.jpeg

From:Paddock, Jeffrey J - DNRTo:Paddock, Jeffrey J - DNR

**Subject:** Chris S text 1

**Date:** Tuesday, August 9, 2022 1:59:25 PM

**Attachments:** EDC1B4B6-E442-4A74-81B7-31BA245D9C34.jpeg

From: Paddock, Jeffrey J - DNR Paddock, Jeffrey J - DNR To:

Subject: Enbridge Texts

Date:

Tuesday, August 9, 2022 1:57:59 PM 3E4F9BC5-B054-47C2-BD5F-3D81372C3E80.jpeg **Attachments:** 

From: Sager, John E - DNR

To: Paddock, Jeffrey J - DNR; Saari, Christopher A - DNR; Nobile, Trevor W - DNR

**Subject:** FW: Enbridge article

**Date:** Monday, August 8, 2022 6:49:52 AM

See below. The Duluth News Tribune ran an article on the Enbridge Pipeline discharge in Ashland.

https://www.duluthnewstribune.com/news/wisconsin/dnr-investigates-oil-spill-on-contested-enbridge-line-5-near-ashland

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# John Sager

Hydrogeologist – Remediation and Redevelopment Program Wisconsin Department of Natural Resources 1701 N.  $4^{\rm th}$  St. Superior, WI 54880

Phone: (715) 919-7239 john.sager@wisconsin.gov



From: Nobile, Trevor W - DNR

To: <u>Paddock, Jeffrey J - DNR; Saari, Christopher A - DNR</u>

Subject: RE: Quick Update - Enbridge

Date: Monday, August 8, 2022 11:16:56 AM

Ok. Thanks, Jeff. Rest up!

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Trevor Nobile, P.G., CPG

Field Operations Director
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
Milwaukee Service Center
1027 W. St. Paul Ave
Milwaukee, WI 53233
Office/Cell: (414) 852-5310

trevor.nobile@wisconsin.gov



Fax: (414) 263-8550

From: Paddock, Jeffrey J - DNR <jeffrey.paddock@wisconsin.gov>

**Sent:** Monday, August 8, 2022 11:11 AM

To: Nobile, Trevor W - DNR < Trevor. Nobile@wisconsin.gov>; Saari, Christopher A - DNR

<Christopher.Saari@wisconsin.gov>
Subject: RE: Quick Update - Enbridge

They think that it is a historic spill associated with the pipeline, which they referred to as sloppy practices. They were not willing to provide a date, but they were suggesting it occurred decades ago.

My understanding, based off discussions with Chris, is that we would close the spill and send a RP letter. They will be submitting confirmation samples today and feel that the impacted soil has been addressed but have been proactive and fully anticipate taking this site through closure.

I was planning on drafting it today or tomorrow, but currently have a daughter home with covid and am likely coming down it myself. If there is an alternate determination or change in plans, let me know. If not, I will attempt to get it out later this week.

Thank you

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

#### Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

From: Nobile, Trevor W - DNR < <a href="mailto:Trevor.Nobile@wisconsin.gov">Trevor.Nobile@wisconsin.gov</a>>

Sent: Monday, August 8, 2022 10:58 AM

**To:** Paddock, Jeffrey J - DNR < <u>ieffrey.paddock@wisconsin.gov</u>>; Saari, Christopher A - DNR

<<u>Christopher.Saari@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

Ok. With that said, we are going to keep it open essentially for now? So do we know any next steps? Have they suggested anything? We may not know at this time, but I'm sure Noah will ask for some details if we have them. Also, if not from the pipeline have they suggested the where, how, and why of this historic discharge?

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Trevor Nobile, P.G., CPG

Field Operations Director
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
Milwaukee Service Center
1027 W. St. Paul Ave
Milwaukee, WI 53233
Office/Cell: (414) 852-5310

Fax: (414) 263-8550

trevor.nobile@wisconsin.gov



**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

Sent: Monday, August 8, 2022 10:50 AM

**To:** Saari, Christopher A - DNR < <a href="mailto:Christopher.Saari@wisconsin.gov">Christopher.Saari@wisconsin.gov</a>>; Nobile, Trevor W - DNR

<<u>Trevor.Nobile@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

That's correct.

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

**From:** Saari, Christopher A - DNR < <a href="mailto:Christopher.Saari@wisconsin.gov">Christopher.Saari@wisconsin.gov</a>>

**Sent:** Monday, August 8, 2022 10:46 AM

**To:** Paddock, Jeffrey J - DNR < jeffrey.paddock@wisconsin.gov >; Nobile, Trevor W - DNR

<<u>Trevor.Nobile@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

Thanks Jeff. I assume that last sentence means this will be handled as an ERP site going forward, rather than a Spill, correct?

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Chris Saari

Phone: (715) 208-4004

Please note that my contact number has changed. You should use this phone number to reach me going forward.

Christopher.Saari@Wisconsin.gov

**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

**Sent:** Monday, August 8, 2022 10:34 AM

**To:** Nobile, Trevor W - DNR < <u>Trevor.Nobile@wisconsin.gov</u>>; Saari, Christopher A - DNR

<<u>Christopher.Saari@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

Hi Trevor,

I just got off the phone with Ross Peterson. He said that Enbridge completed the excavation of impacted soil adjacent to the pipeline in the evening on August 5, 2022. They saw no sign of an active spill and feel that the impacted soil was the result of a historic discharge. The excavation is still open and they invited interested parties to look at the excavation. The cleanup will be covered under the Environmental Repair Program.

Thanks!

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

**From:** Nobile, Trevor W - DNR < <u>Trevor.Nobile@wisconsin.gov</u>>

Sent: Monday, August 8, 2022 9:43 AM

**To:** Paddock, Jeffrey J - DNR < <u>ieffrey.paddock@wisconsin.gov</u>>; Saari, Christopher A - DNR

<<u>Christopher.Saari@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

Thanks, Jeff. Keep me posted.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Trevor Nobile, P.G., CPG

Field Operations Director
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
Milwaukee Service Center
1027 W. St. Paul Ave
Milwaukee, WI 53233
Office/Cell: (414) 852-5310

trevor.nobile@wisconsin.gov



Fax: (414) 263-8550

From: Paddock, Jeffrey J - DNR < <a href="mailto:jeffrey.paddock@wisconsin.gov">jeffrey.paddock@wisconsin.gov</a>>

Sent: Monday, August 8, 2022 9:42 AM

To: Nobile, Trevor W - DNR < <a href="mailto:Trevor.Nobile@wisconsin.gov">Trevor.Nobile@wisconsin.gov</a>; Saari, Christopher A - DNR

< <u>Christopher.Saari@wisconsin.gov</u>> **Subject:** RE: Quick Update - Enbridge

I'm waiting on an update from Enbridge, I'll e-mail when I get it.

Thank you

## We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

**From:** Nobile, Trevor W - DNR < <u>Trevor.Nobile@wisconsin.gov</u>>

**Sent:** Monday, August 8, 2022 9:30 AM

**To:** Saari, Christopher A - DNR < <a href="mailto:Christopher.Saari@wisconsin.gov">Christopher.Saari@wisconsin.gov</a>>; Paddock, Jeffrey J - DNR

<jeffrey.paddock@wisconsin.gov>
Subject: Quick Update - Enbridge

# Jeff,

Could you provide me with a quick update? Essentially a status update on the where we are at now. Any new info, changes, updates, etc. Noah from Red Cliff reached out this morning and requested an update. I will plan to call him later this afternoon. Thanks.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Trevor Nobile, P.G., CPG

Field Operations Director
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
Milwaukee Service Center
1027 W. St. Paul Ave
Milwaukee, WI 53233
Office/Cell: (414) 852-5310

Fax: (414) 263-8550

trevor.nobile@wisconsin.gov



From: Sponseller, Bart A - DNR

To: Nobile, Trevor W - DNR; Saari, Christopher A - DNR; Paddock, Jeffrey J - DNR; Haag, Christine T - DNR

**Subject:** RE: Media Contact Summary Report - Enbridge discharge

**Date:** Friday, August 5, 2022 2:12:08 PM

Sarah Hoye will share the responses to the reporter's questions she shared with us. I'll let her know that Jeff was contacted around the same time and he will not respond.

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# **Bart Sponseller**

Phone: 608-219-6430

bart.sponseller@wisconsin.gov

From: Nobile, Trevor W - DNR < Trevor. Nobile@wisconsin.gov>

**Sent:** Friday, August 05, 2022 1:55 PM

**To:** Saari, Christopher A - DNR <Christopher.Saari@wisconsin.gov>; Paddock, Jeffrey J - DNR <jeffrey.paddock@wisconsin.gov>; Haag, Christine T - DNR <Christine.Haag@wisconsin.gov>;

Sponseller, Bart A - DNR <Bart.Sponseller@wisconsin.gov>

Subject: RE: Media Contact Summary Report - Enbridge discharge

#### Bart.

I believe this may be the same inquiry that you, Christine, and I worked on the response for Sarah Hoye at around 12:30/1:00. Wanted to confirm. I believe Sarah Hoye is going to follow up with Sarah (Journal Sentinel).

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

#### Trevor Nobile, P.G., CPG

Field Operations Director
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
Milwaukee Service Center
1027 W. St. Paul Ave
Milwaukee, WI 53233
Office/Cell: (414) 852-5310

Fax: (414) 263-8550

trevor.nobile@wisconsin.gov



**Sent:** Friday, August 5, 2022 1:49 PM

**To:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>; Haag, Christine T - DNR < <u>Christine.Haag@wisconsin.gov</u>>; Nobile, Trevor W - DNR < <u>Trevor.Nobile@wisconsin.gov</u>>;

Sponseller, Bart A - DNR < <a href="mailto:Bart.Sponseller@wisconsin.gov">Bart.Sponseller@wisconsin.gov</a>>

Subject: RE: Media Contact Summary Report - Enbridge discharge

Thanks Jeff.

Christine/Trevor, do we need to follow up on this or will OC take the lead?

## We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Chris Saari

Phone: (715) 208-4004

Please note that my contact number has changed. You should use this phone number to reach me going forward

Christopher.Saari@Wisconsin.gov

**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

**Sent:** Friday, August 5, 2022 1:47 PM

**To:** Haag, Christine T - DNR < <a href="mailto:Christine.Haag@wisconsin.gov">Christopher.Saari@wisconsin.gov</a>; Nobile, Trevor W - DNR < <a href="mailto:Trevor.Nobile@wisconsin.gov">Trevor.Nobile@wisconsin.gov</a>; Sponseller, Bart A - DNR < <a href="mailto:Bart.Sponseller@wisconsin.gov">Bart.Sponseller@wisconsin.gov</a>>

Subject: FW: Media Contact Summary Report - Enbridge discharge

Hello all,

A reporter from the Milwaukee Journal Sentinel left a message on my phone at 1:00 this afternoon requesting additional information on the Enbridge discharge. I did not return the call.

Thank you

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

**From:** Confirmation Message <<u>no-reply@wufoo.com</u>>

**Sent:** Friday, August 5, 2022 1:40 PM

To: Paddock, Jeffrey J - DNR < jeffrey.paddock@wisconsin.gov >

**Subject:** Media Contact Summary Report

CAUTION: This email originated from outside the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please be sure to forward your media contact information to your program and division leaders. Thank you.

# Media Contact Summary Report

Issue / Topic *	Enbridge Pipeline Discharge – SERTs # 20220803N02-1
Media Outlet *	Milwaukee Journal Sentinel
Reporter's Name	Sarah Openheim (sp?)
DNR Staff who received the media contact *	Jeff Paddock
Your Bureau/Division *	RR
Summary *	Left message at 13:00 8/5/2022 requesing additional information on Enbridge discharge that was reported on 8/3/2022 (SERTs #20220803NO-1).  Phone # 414-607-2159
Your email address *	jeffrey.paddock@wisconsin.gov

From: Saari, Christopher A - DNR
To: Paddock, Jeffrey J - DNR

**Subject:** FW: Enbridge spill south of Ashland - summary of 8/4 call

**Date:** Thursday, August 4, 2022 3:26:07 PM

Attachments: image001.png

image002.png image003.png image004.png image005.png

WI SPILL #18034 ID 20220803NO02-1 - CRUDE OIL.msq

## We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Chris Saari

Phone: (715) 208-4004

Please note that my contact number has changed. You should use this phone number to reach me going

forward.

Christopher.Saari@Wisconsin.gov

From: Haag, Christine T - DNR < Christine. Haag@wisconsin.gov>

Sent: Thursday, August 4, 2022 1:30 PM

**To:** Goodwill, Kris M - DNR <kris.goodwill@wisconsin.gov>; Sponseller, Bart A - DNR <Bart.Sponseller@wisconsin.gov>; Hoye, Sarah M -DNR <sarahm.hoye@wisconsin.gov>; Barry, Sarah K - DNR <sarahk.barry@wisconsin.gov>; Callan, Benjamin S - DNR <Benjamin.Callan@wisconsin.gov>; Saari, Christopher A - DNR <Christopher.Saari@wisconsin.gov>; Nobile, Trevor W - DNR

<Trevor.Nobile@wisconsin.gov>; Yach, James A - DNR <JamesA.Yach@wisconsin.gov>

**Subject:** FW: Enbridge spill south of Ashland - summary of 8/4 call

All – please see below for a summary of my call earlier this afternoon with Ben Connors, Sr., Deputy Director of Bad River's National Resources Department.

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Christine Haag

(she/her)

Phone: (608) 422-1148 christine.haag@wisconsin.gov

From: Haag, Christine T - DNR

Sent: Thursday, August 04, 2022 1:27 PM

To: nrdeputy@badriver-nsn.gov

**Subject:** Enbridge spill south of Ashland - summary of 8/4 call

Hello Ben:

I'm glad we had a chance to connect today on the status of the Enbridge discharge south of Ashland. Here is a summary of what we discussed, at your request.

DNR's current understanding of the Enbridge Line 5 discharge:

- Last night, Chris Saari with DNR traveled to the site. His summary: I stopped at the site at approximately 1845 hrs. yesterday evening and discussed the status with Dean Will, PLM Supervisor with Enbridge. Bad River Tribal Warden Pierce Maday was also at the site at that time. Will showed me the excavation area where the suspected contaminated soil was encountered. All suspect material had been excavated, placed on plastic sheeting and covered with plastic sheeting. I did not observe any petroleum odors or soil staining. There was a small amount of water in the bottom of the excavation, likely from rain that fell on August 2, and no sheening or signs of impact were evident on the water. There was a consultant from WSP present at the site also, but he was on the phone in his truck at the time of my visit, reportedly (per Will) talking with the environmental manager from Enbridge. Will said all further work on the pipeline is on hold until the Enbridge construction staff get further direction from their environmental staff. Maday and I departed the site at approximately 1910 hrs
- The discharge was reported to DNR's spills hotline by Enbridge last night. Please see the attached report.
- Enbridge believes that the discharge was historical and not an ongoing release.
- DNR's GIS staff plotted the discharge location as being ~1 mile west of the reservation boundary.

#### Next steps:

- Jeff Paddock with DNR talked to Ross Peterson with Enbridge the morning of 8/4. They reported that the line was pressure-tested last night, gradually re-pressurized, and there was no indication of a leak. Using field screening methods, (photo ionization detector, or PID) there was one area that was elevated in relation to the other samples tested. The apparently impacted material was excavated and stockpiled. Jeff is expecting a call from the pipeline engineer to get more information on the pressure testing process.
- Enbridge will be required to submit documentation of the environmental response actions to DNR. Based on the data and following the law, DNR will create an environmental repair case in our tracking system and will close it out if/when data is provided to demonstrate that no further action is needed.
- I flagged your concern for DNR staff on the proximity of Bear Trap Creek to the spill and asked for additional information. Early indication is that the discharge location is below grade and there isn't a pathway for migration to surface water, which is  $\sim 1/2$  mile or more, laterally.
- I also noted for DNR staff that you requested information on the volume of crude discharged and the volume of contaminated soil excavated for disposal. DNR is unlikely to receive information on the volume of crude lost since this did not show up on Enbridge's monitoring system as an active discharge. Enbridge will be required to document for DNR how much soil was excavated and where it was legally disposed.

I will keep you informed as DNR learns more.

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Christine Haag

(She/Her)

Director – Remediation & Redevelopment Program/EM Division Wisconsin Department of Natural Resources 101 S. Webster St. (RR/5), Madison, WI 53707

Cell Phone: (608) 422-1148 <a href="mailto:christine.haag@wisconsin.gov">christine.haag@wisconsin.gov</a>



From: Saari, Christopher A - DNR

To: Paddock, Jeffrey J - DNR; DNR DL NOR SIGNIFICANT SPILL

Subject: RE: Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency situation - Follow

Up

Date: Thursday, August 4, 2022 8:02:40 AM
Attachments: 20220803 Enbridge Photo 1.jpg

20220803 Enbridge Photo 2.jpg 20220803 Enbridge Photo 3.jpg

image001.png image002.png image003.png image004.png image005.png

FYI – I stopped at the site at approximately 1845 hrs. yesterday evening and discussed the status with Dean Will, PLM Supervisor with Enbridge. Bad River Tribal Warden Pierce Maday was also at the site at that time.

Will showed me the excavation area where the suspected contaminated soil was encountered. All suspect material had been excavated, placed on plastic sheeting and covered with plastic sheeting. I did not observe any petroleum odors or soil staining. There was a small amount of water in the bottom of the excavation, likely from rain that fell on August 2, and no sheening or signs of impact were evident on the water. There was a consultant from WSP present at the site also, but he was on the phone in his truck almost the entire time of my visit, reportedly (per Will) talking with the environmental manager from Enbridge. Will said all further work on the pipeline is on hold until the Enbridge construction staff get further direction from their environmental staff. Maday and I departed the site at approximately 1910 hrs.

Attached are a couple photos that I took during my site visit. Please let me know if you have any questions.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

Chris Saari

Phone: (715) 208-4004

Please note that my contact number has changed. You should use this phone number to reach me going

forward.

Christopher.Saari@Wisconsin.gov

From: Paddock, Jeffrey J - DNR <jeffrey.paddock@wisconsin.gov>

Sent: Wednesday, August 3, 2022 7:51 PM

To: DNR DL NOR SIGNIFICANT SPILL < DNRDLNORSIGNIFICANT SPILL@wisconsin.gov>

**Subject:** Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency

situation - Follow Up

- \*FOR SITUATIONAL AWARENESS GOVERNMENTAL COMMUNICATIONS\*
- \*INVESTIGATION ONGOING COMMUNICATION FOR SITUATIONAL AWARENESS

• \*\*Not for media release.\*\* If you receive any media inquiries, please contact Jeff Paddock at 715-828-8544 or Jeffrey.paddock@wisconsin.gov

Hello All,

Just a quick follow up on the Enbridge Line Five Activity. Out of an abundance of caution, the DNR recommended that Enbridge report the contaminated soil as a spill and Enbridge agreed to report the spill (attached). As previously stated, Enbridge did not find an indication of a leak when the pipeline was shut down. They slowly increased pressure to attempt to identify a leak and are now currently up to full pressure with no sign of a leak or alarm. They will continue to monitor the pipeline. Unless there are any unexpected developments, it appears that the impacted soil is from an historic discharge or an historic discharge not associated with the pipeline. If there are no unexpected developments, the site will likely be transferred and investigated under the Environmental Repair Program.

Thank you and please let me know if you have any questions.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

#### Jeff Paddock

Phone: 715-828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>

From: Paddock, Jeffrey J - DNR

Sent: Wednesday, August 3, 2022 4:49 PM

**To:** DNR DL NOR SIGNIFICANT SPILL < <u>DNRDLNORSIGNIFICANTSPILL@wisconsin.gov</u>>

Cc: Lynna M - DNR Martin (<u>Lynna.Martin@wisconsin.gov</u>) <<u>Lynna.Martin@wisconsin.gov</u>>

**Subject:** Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency situation

- \*FOR SITUATIONAL AWARENESS GOVERNMENTAL COMMUNICATIONS\*
- \*INVESTIGATION ONGOING COMMUNICATION FOR SITUATIONAL AWARENESS\*
- \*\*Not for media release.\*\* If you receive any media inquiries, please contact Jeff Paddock at 715-828-8544 or Jeffrey.paddock@wisconsin.gov

Hello All,

I wanted to notify you all regarding some activity associated with Enbridge Line 5 in Ashland County.

• Contractors working on Line 5 near Old Orchard Road and Holmes Road, South of Ashland, noted impacted soil adjacent to the pipeline and alerted Enbridge Emergency Response. The

- pipeline was shut down, per standard operating procedures.
- Enbridge personnel mobilized to the site and identified contaminated soil. They excavated around the pipe and saw no evidence of a leak. They will begin moving material through the pipe slowly to check if there is a leak. If there is a leak, they will immediately notify the spills hotline and myself. Ross Pederson (218-341-3863) is the Enbridge PM addressing the situation. They expect to be working through the night.
- Enbridge feels that it is likely historic contamination or contamination not associated with the pipeline. If that is the case, they will notify DNR of a non-emergency discharge.
- Line 5 carries crude oil or liquified natural gas, they do not know which is currently in the pipe in that location.
- Enbridge has notified the Ashland County Sheriff.

Based off their description, this does not appear to be an emergency at this point. However, there is a lot of activity currently around the pipeline and I wanted to alert people in case we get inquiries.

This will be the last e-mail unless a spill is reported.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Northern Region Spill Coordinator – Remediation and Redevelopment Program Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhinelander, WI 54501
Phone: (715) 828-8544

Jeffrey.Paddock@Wisconsin.gov



From: Paddock, Jeffrey J - DNR
To: Saari, Christopher A - DNR
Subject: RE: Enbridge Timeline

**Date:** Friday, August 5, 2022 5:19:00 AM

Attachments: image001.png

image002.png image003.png image004.png image005.png

Updated version, I noticed some spelling errors after I sent the last e-mail. Apparently the caps are foiling spell check. I would be able to update/modify this on Monday if needed.

8.4.2022 - 13:36 – JP RECEIVED A CALL FROM WARDEN LYNNA MARTIN. SAID THAT SHE HAD BEEN NOTIFIED BY ASHLAND COUNTY SHERIFFS DEPARTMENT THAT THEY HAD BEEN CONTACTED BY ENBRIDGE REGARDING CONTAMINATION ADJACENT TO LINE 5 PIPELINE SOUTH OF ASHLAND.

8.4.2022 - 13:41 - JP CALLED THE ENBRIDGE EMERGENCY LINE. THEY INDICTAED THAT CONTRACTORS HAD IDENTIFIED POTENTIAL CONTAMINATION WHILE WORKING ON LINE. SHUT DOWN OPERATIONS AND NOTIFIED ENBRIDGE EMERGENCY LINE. DID NOT FEEL THAT THERE WAS A MAJOR LEAK, LIKELY CONTAMINATED SOIL ADJACENT TO THE PIPELINE. NORMAL PROCEDURE TO NOTIFY LOCAL EMS. WILL CONTACT JP WHEN ENBRIDGE PERSONNEL ARE ONSITE.

8.4.2022 - 15:48 - ROSS PETERSON (RP), ENBRIDGE ENVIRONMENTAL MANAGER, CALLED JP. SAID THAT ENBRIDGE PERSONNEL AND CONSULTANTS WERE ONSITE. WERE IN THE PROCESS OF EXCAVATING SOIL, SAW NO EVIDENCE OF A LEAK IN THE PIPELINE, BUT THEY WOULD REPORT IT IF THEY IDENTIFIED A LEAK. PIPELINE WAS STILL SHUTDOWN AND THEY WOULD BEGIN TO INCREASE PRESSURE TO DETERMINE IF THERE WAS A LEAK.RP SAID THAT THE LINE WAS LINE 5 AND CARRIED EITHER CRUDE OIL OR LIQUIFIED NATURAL GAS.

- 8.3.2022 16:09 JP CONTACTED DO, NOTIFIED HER OF THE SITUATION.
- 8.3.2022 16:13 JP CONTACTED OCSC, NOTIFIED HER OF THE SITUATION.
- 8.3.2022 16:49 JP SENT E-MAIL TO SIGNIFICANT SPILL GROUP ALERTING THEM OF SITUATION.
- 8.3.2022 17:01 JP RECEIVED CALL FROM TREVOR NOBLE. SAID THAT CHRISTINE HAAG AND TREVOR DISCUSSED ENBRIDGE REPORTING CONTAMINATION AS A SPILL, ASKED JP TO CONTACT ENBRIDGE AND RECOMMEND THAT THEY REPORT A SPILL.
- 8.3.2022 17:12 JP CONTACTED RP, RECOMMENDED THAT THEY REPORT AS A SPILL, RP SAID THAT HE WOULD CONTACT SUPERVISORS AND LIKELY REPORT.
- 8.3.2022 19:08 ENBRIDGE REPORTED SPILL.
- 8.3.2022 19:27 JP CONTACTED RP, WHO INDICATED THAT ENBRDIGE HAD INCREASED PRESSURE TO MAXIMUM AND HAD NO ALARMS/SAW NO INDICATION OF LEAK.

8.3.2022 - 19:51 - JP SENT AN UPDATED E-MAIL TO SIG SPILL GROUP.

8.3.2022 - 19:53 - JP RECEIVED TEXT FROM CHRIS SAARI WITH PHOTOS OF SITE, CHRIS WENT TO SITE AND DISCUSSED EXCAVATION WIH ENBRIDGE. DID NOT OBSERVE SIGNS OF CONTAMINATION

8.4.2022 - 8:03 - CHRIS SAARI SENT E-MAIL DESCRIBING 8.3 SITE VISIT.

8.4.2022 - 11:12 - CHRIS SAARI CONTACTED JP, SAID CHRISTINE HAAG HAD BEEN GETTING ADDITIONAL INQUIRES ABOUT SAFETY OF PIPE.

8.4.2022 - 11:17 - JP FOLLOWED UP WITH RP, JP SAID THAT DNR HAD RECEIVED INQUIRIES REGARDING SAFETY IN PIPELINE. ASKED HOW ENBRIDGE KNEW THAT THE WAS NO LEAK AND THAT IS OK TO FULLY PRESSURIZE THE LINE. RP SAID THAT ENBRIDGE HAD EXCAVATED SOIL COMPLETELY AROUND THE PIPE, INCLUDING BELOW IT. SAID THAT THERE WAS ONLY ONE HIGH PID READING (300 PPM). THERE WAS SOME RESDIUAL CONTAMINATION LEFT IN PLACE RANGING FROM 8-12 PPM. PRESSURE TEST INDICATES THAT THERE IS CURRRENTLY NO LEAK. WILL HAVE PIPELINE SPECIALIST CALL JP AND OFFERED ANOTHER INSPECTION.

8.4.2022- 15:13 JP CALLD RP. RP SAID THAT ENGINEERS WERE CURRENTLY INVOLVED WITH PIPELINE EVALUATION. THEY CAN TELL IF THERE IS A LEAK THROUGH SENSORS LOCATED THROUGHOUT THE PIPLEINE THAT PROVIDE REAL TIME DATA AND PRESSURE INFORMATION. THEY ARE ALSO REQUIRED TO FOLLOW PIPELINE HAZARDOUS MATERIAL SAFETY ADMIN RULES WHEN RE PRESSURIZING A PIPELINE. HE ALSO INDICATED THAT THEY FOUND APPROXIMATELY ONE CUP OF PRODUCT WHILE EXCAVATING IMPACTED SOIL FROM PREVIOUSLY IDENTIFIED PLUME. THEY HAVE SHUTDOWN THE PIPELINE AND BAD RIVER NATURAL RESOURCES IS ONSITE. WILL PROVIDE AN UPDATE WHEN THEY DETERMINE IF HERE IS A LEAK.

8.4.2022 - 16:51 RP CONTACTED JP. SAID THAT THEY HAD FOUND NO EVIDENCE OF A LEAK AND THEY BEGAN TO INCREASE PRESSURE IN THE PIPELINE, DID NOT THINK HAT THE NEWLY IDENTIFIED PRODUCT WAS A LEAK AND FELT THAT IT WAS PART OF THE SAME PREVIOUSLY IDENTIFIED RELEASE.

8.4.2022 – JP E-MAILED SERTS REPORT TO RP.

#### We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

Jeff Paddock

Phone: 715-828-8544

Jeffrey.Paddock@Wisconsin.gov

From: Saari, Christopher A - DNR < Christopher. Saari@wisconsin.gov>

Sent: Thursday, August 4, 2022 9:17 PM

To: Paddock, Jeffrey J - DNR < jeffrey.paddock@wisconsin.gov>

**Subject:** Re: Enbridge Timeline

# Ok thanks Jeff, have a good weekend!

# Get Outlook for iOS

**From:** Paddock, Jeffrey J - DNR < <u>jeffrey.paddock@wisconsin.gov</u>>

**Sent:** Thursday, August 4, 2022 7:52:18 PM

**To:** Saari, Christopher A - DNR < <a href="mailto:Christopher.Saari@wisconsin.gov">Christopher.Saari@wisconsin.gov</a>>

**Subject:** Enbridge Timeline

Chris,

I cut and paste this timeline from SERTs.

8.4.2022 - 13:36 – JP RECEIVED A CALL FROM WARDEN LYNNA MARTIN. SAID THAT SHE HAD BEEN NOTIFIED BY ASHLAND COUNTY SHERIFFS DEPARTMENT THAT THEY HAD BEEN CONTACTED BY ENBRIDGE REGARDING CONTAMINATION ADJACENT TO LINE 5 PIPELINE SOUTH OF ASHLAND.

8.4.2022 - 13:41 - JP CALLED THE ENBRIDGE EMERGENCY LINE. THEY INDICTAED THAT CONTRACTORS HAD IDENTIFIED POTENTIAL CONTAMINATION WHILE WORKING ON LINE. SHUT DOWN OPERATIONS AND NOTIFIED ENBRIDGE EMERGENCY LINE. DID NOT FEEL THAT THERE WAS A MAJOR LEAK, LIKELY CONTAMANIATED SOILTHE PIPELINE. NORMAL PROCEDURE TO NOTIFY LOCL EMS. WILL CONTACT JP WHEN ENBRIDGE PERSONNEL ARE ONSITE.

8.4.2022 - 15:48 - ROSS PETERSON (RP), ENBRIDGE ENVIRONMENTAL MANAGER, CALLED JP. SAID THAT ENBRIDGE PERSONNEL AND CONSULTANTS WERE ONSITE. WERE IN THE PROCESS OF EXCAVATING SOIL, SAW NO EVIDENCE OF A LAK IN HE PIPELINE WAS A LEAK IN THE PIPELINE, BUT THEY WOULD REPORT IT IF THEY IDENTIFIED A LEAK. PIPELINE WAS STILL SHUTDOWN AND THEY WOULD BEGIN TO INCREASE PRESSURE TO DETERMINE IF THERE WAS A LEAK.RP SAID THAT THE LINE WAS LINE 5 AND CARRIED EITHER CRUDE OIL OR LIQUIFIED NATURAL GAS.

- 8.3.2022 16:09 JP CONTACTED DO, NOTIFIED HER OF THE SITUATION.
- 8.3.2022 16:13 JP CONTACTED OCSC, NOTIFIED HER OF THE SITUATION.
- 8.3.2022 16:49 JP SENT E-MAIL TO SIGNIFICANT SPILL GROUP ALERTING THEM OF SITUATION.
- 8.3.2022 17:01 JP RECEIVED CALL FROM TREVOR NOBLE. SAID THAT CHRISTINE HAAG AND TREVOR DISCUSSED ENBRIDGE REPORTING CONTAMINATION AS A SPILL, ASKED JP TO CONTACT ENBRIDGE AND RECOMMEND THAT THEY REPORT A SPILL.
- 8.3.2022 17:12 JP CONTACTED RP, RECOMMENDED THAT THEY REPOT AS A SPILL, RP SAID THAT HE WOULD CONTACT SUPERVISORS AND LIKELY REPORT.
- 8.3.2022 19:08 ENBRIDGE REPOTED SPILL.

8.3.2022 - 19:27 - JP CONTACTED RP, WHO INDICATED THAT ENBRDIGE HAD INCREASED PRESSURE TO MAXIMUM AND HAD NO ALARMS/SAW NO INDICATION OF LEAK.

8.3.2022 - 19:51 - JP SENT AN UPDATED E-MAIL TO SIG SPILL GROUP.

8.3.2022 - 19:53 - JP RECEIVED TEXT FROM CHRIS SAARI WITH PHOTOS OF SITE, WENT TO SITE AND DISCUSSED EXCAVATION WIH ENBRIDGE. ID NO OBSERVE SIGNS OF CONTAMINATION

8.4.2022 - 8:03 - HRIS SAARI SENT E-MAIL DESCRINING 8.3 SITE VISIT.

8.4.2022 - 11:12 - CHRIS SAARI CONTACTED JP, SAID CHRISTINE HAAG HAD BEEN GETTING ADDITIONAL INQUIRES ABOUT SAFETY OF PIPE.

8.4.2022 - 11:17 - JP FOLLOWED UP WITH RP, JP SAID THAT DNR HAD RECEIVED INQUIRIES REGARDING SAFETY IN PIPELINE. ASKED HOW AND ENBRIDGE KNEW THAT THE WAS NO LEAK AND THAT IS AS SAME TO FULLY PRESSURIZE THE LINE. RP SAID THAT ENBRIDGE HAD EXCAVATED SOIL COMPLETELY AROUND THE PIPE, INCLUDING BELOW IT. SAID THAT THERE WAS ONLY ONE HIGH PID READING (300 PPM). THERE WAS SOME RESDIUAL CONTAMINATION LEFT IN PLACE RANGING FROM 8-12 PPM. PRESSURE TEST INDICATES THAT THERE IS CURRRENTLY NO LEAK. WILL HAVE PIPELINE SPECIALIST CALL JP AND OFFERED ANOTHER INSPECTION.

8.4.2022- 15:13 JP CALLD RP. RP SAID THAT ENGINEERS WERE CURRENTLY INVOLVED WITH PIPELINE EVALUATION. THEY CAN TELL IF THERE IS A LEAK THROUGH SENSORS LOCATED THROUGHOUT THE PIPLEINE THAT PROVIDE REAL TIME DATA AND PRESSURE INFORMATION. THEY ARE ALSO REQUIRED TO FOLLOW PIPELINE HAZARDOUS MATERIAL SAFETY ADMIN RULES WHEN RE PRESSURIZING A PIPELINE. HE ALSO INIDCTAED THAT THEY FOUND APPROXIMATELY ONE CUP OF PRODUCT WHILE EXCAVATING IMPACTED SOIL FROM PREVIOUSLY IDENTIFIED PLUME. THEY HAVE SHUTDOWN THE PIPELINE AND BAD RIVER IS ONSITE NATURAL RESOURCES IS ONSITE. WILL PROVIDE AN UPDATE WHEN THEY DETERMINE IF HERE IS A LEAK.

8.4.2022 - 16:51 RP CONTACTED JP. SAID THAT THEY HAD FOUND NO EVIDENCE OF A LEAK AND HEY BEGUN TO INCREASE PRESSURE IN THE PIPELINE, DID NOT THINK HAT THE NEWLY IDENTIFIED PRODUCT WAS A LEAK AND FELT THAT IT WAS PART OF HE SAME PREVIOUSLY IDENTIFIED RELEASE.

8.4.2022 - JP E-MAILED SERTS REPORT TO RP.

Thanks and let me know if you need anything else.

## We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Northern Region Spill Coordinator – Remediation and Redevelopment Program Wisconsin Department of Natural Resources
107 Sutliff Avenue

Rhinelander, WI 54501 Phone: (715) 828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>



From: Paddock, Jeffrey J - DNR

POSS PETERSON 2 Parket

To: ROSS.PETERSON2@enbridge.com

**Subject:** SERTs Report

**Date:** Thursday, August 4, 2022 5:44:00 PM

Attachments: WI SPILL #18034 ID 20220803NO02-1 - CRUDE OIL.msg

image001.png image002.png image003.png image004.png image005.png

Hi Ross,

Here is the SERTs report, let me know if you need anything else.

Thanks

# We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Northern Region Spill Coordinator – Remediation and Redevelopment Program Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhinelander, WI 54501

Phone: (715) 828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>



From: Paddock, Jeffrey J - DNR
To: DNR DL NOR SIGNIFICANT SPILL

Subject: Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency situation - Follow Up

**Date:** Wednesday, August 3, 2022 7:51:18 PM

Attachments: image001.png

image002.png image003.png image004.png image005.png

WI SPILL #18034 ID 20220803NO02-1 - CRUDE OIL.msq

- \*FOR SITUATIONAL AWARENESS GOVERNMENTAL COMMUNICATIONS\*
- \*INVESTIGATION ONGOING COMMUNICATION FOR SITUATIONAL AWARENESS\*
- \*\*Not for media release.\*\* If you receive any media inquiries, please contact Jeff Paddock at 715-828-8544 or Jeffrey.paddock@wisconsin.gov

Hello All,

Just a quick follow up on the Enbridge Line Five Activity. Out of an abundance of caution, the DNR recommended that Enbridge report the contaminated soil as a spill and Enbridge agreed to report the spill (attached). As previously stated, Enbridge did not find an indication of a leak when the pipeline was shut down. They slowly increased pressure to attempt to identify a leak and are now currently up to full pressure with no sign of a leak or alarm. They will continue to monitor the pipeline. Unless there are any unexpected developments, it appears that the impacted soil is from an historic discharge or an historic discharge not associated with the pipeline. If there are no unexpected developments, the site will likely be transferred and investigated under the Environmental Repair Program.

Thank you and please let me know if you have any questions.

# We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

# Jeff Paddock

Phone: 715-828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>

From: Paddock, Jeffrey J - DNR

Sent: Wednesday, August 3, 2022 4:49 PM

**To:** DNR DL NOR SIGNIFICANT SPILL <DNRDLNORSIGNIFICANTSPILL@wisconsin.gov> **Cc:** Lynna M - DNR Martin (Lynna.Martin@wisconsin.gov) <Lynna.Martin@wisconsin.gov>

**Subject:** Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency

situation

\*FOR SITUATIONAL AWARENESS - GOVERNMENTAL COMMUNICATIONS\*

- \*INVESTIGATION ONGOING COMMUNICATION FOR SITUATIONAL AWARENESS\*
- \*\*Not for media release.\*\* If you receive any media inquiries, please contact Jeff
   Paddock at 715-828-8544 or <u>Jeffrey.paddock@wisconsin.gov</u>

Hello All,

I wanted to notify you all regarding some activity associated with Enbridge Line 5 in Ashland County.

- Contractors working on Line 5 near Old Orchard Road and Holmes Road, South of Ashland, noted impacted soil adjacent to the pipeline and alerted Enbridge Emergency Response. The pipeline was shut down, per standard operating procedures.
- Enbridge personnel mobilized to the site and identified contaminated soil. They excavated around the pipe and saw no evidence of a leak. They will begin moving material through the pipe slowly to check if there is a leak. If there is a leak, they will immediately notify the spills hotline and myself. Ross Pederson (218-341-3863) is the Enbridge PM addressing the situation. They expect to be working through the night.
- Enbridge feels that it is likely historic contamination or contamination not associated with the pipeline. If that is the case, they will notify DNR of a non-emergency discharge.
- Line 5 carries crude oil or liquified natural gas, they do not know which is currently in the pipe in that location.
- Enbridge has notified the Ashland County Sheriff.

Based off their description, this does not appear to be an emergency at this point. However, there is a lot of activity currently around the pipeline and I wanted to alert people in case we get inquiries.

This will be the last e-mail unless a spill is reported.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Northern Region Spill Coordinator – Remediation and Redevelopment Program Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhinelander, WI 54501
Phone: (715) 828-8544

Jeffrey.Paddock@Wisconsin.gov



From: Paddock, Jeffrey J - DNR
To: DNR DL NOR SIGNIFICANT SPILL

Cc: Martin, Lynna M - DNR

Subject: Enbridge Line 5 Activity - Ashland - Reported impacted soil, likely not a spill or emergency situation

Date: Wednesday, August 3, 2022 4:49:20 PM

Attachments: image001.png

image002.png image003.png image004.png image005.png

# \*FOR SITUATIONAL AWARENESS - GOVERNMENTAL COMMUNICATIONS\*

- \*INVESTIGATION ONGOING COMMUNICATION FOR SITUATIONAL AWARENESS\*
- \*\*Not for media release.\*\* If you receive any media inquiries, please contact Jeff Paddock at 715-828-8544 or Jeffrey.paddock@wisconsin.gov

Hello All,

I wanted to notify you all regarding some activity associated with Enbridge Line 5 in Ashland County.

- Contractors working on Line 5 near Old Orchard Road and Holmes Road, South of Ashland, noted impacted soil adjacent to the pipeline and alerted Enbridge Emergency Response. The pipeline was shut down, per standard operating procedures.
- Enbridge personnel mobilized to the site and identified contaminated soil. They excavated around the pipe and saw no evidence of a leak. They will begin moving material through the pipe slowly to check if there is a leak. If there is a leak, they will immediately notify the spills hotline and myself. Ross Pederson (218-341-3863) is the Enbridge PM addressing the situation. They expect to be working through the night.
- Enbridge feels that it is likely historic contamination or contamination not associated with the pipeline. If that is the case, they will notify DNR of a non-emergency discharge.
- Line 5 carries crude oil or liquified natural gas, they do not know which is currently in the pipe in that location.
- Enbridge has notified the Ashland County Sheriff.

Based off their description, this does not appear to be an emergency at this point. However, there is a lot of activity currently around the pipeline and I wanted to alert people in case we get inquiries.

This will be the last e-mail unless a spill is reported.

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# Jeff Paddock

Northern Region Spill Coordinator – Remediation and Redevelopment Program Wisconsin Department of Natural Resources
107 Sutliff Avenue

Rhinelander, WI 54501 Phone: (715) 828-8544

<u>Jeffrey.Paddock@Wisconsin.gov</u>



From: <a href="mailto:dnrlehotline@wisconsin.gov">dnrlehotline@wisconsin.gov</a>
To: <a href="mailto:paddock">Paddock</a>, Jeffrey J - DNR

**Subject:** WI SPILL #18034 ID 20220803NO02-1 - CRUDE OIL

Date: Wednesday, August 3, 2022 7:24:52 PM

SERTS ID:

20220803NO02-1

Reported:

08/03/2022 19:08

Occurred:

08/03/2022 12:00

Substance:

CRUDE OIL

Released Amt: 1 tbsp Recovered Amt: 1 tbsp

(Amounts are often estimated)

Reported by:

**ROSS PETERSON** 

ENVIRONMENTAL ADVISOR

**ENBRIDGE** 

ross.perterson2@enbridge.com

(218) 341-3863 Also RP Contact

Location:

NO REGION

ASHLAND COUNTY

ASHLAND, CITY OF

SPILL LOCATION

INTERSECTION OF OLD AIRPORT RD AND HOLMES INTERSECTION OF OLD AIRPORT RD AND HOLMES

Responsible Party:

**EMBRIDGE** 

Cause:

EQUIPMENT FAILURE

Cause Description:

PIPELINE ISSUES.

**Environmental Impact:** 

SOIL IMPACTED

Comments:

THEY ARE STILL INVESTIGATING HISTORIC POTENTIAL CONTAMINATION. THERE HAS BEEN NOTHING CONFIRMED.

Cleanup:

HYDRO EXCAVATED THE SOIL AND PUT INTO CONTAINERS. WILL BE DISPOSED OF.

# Notified CAROLINE RICE - SPOKE WITH at 19:17 by Phone

Submitted by: COREY POSTHUMA (608) 267-7691 dnrlehotline@wisconsin.gov

# Sent to:

anita.smith@wisconsin.gov caroline.rice@wisconsin.gov christine.haag@wisconsin.gov christopher.saari@wisconsin.gov claire.oconnell@wisconsin.gov codyw.heinze@wisconsin.gov connor.mulcahy@wisconsin.gov curtis.hedman@dhs.wisconsin.gov danielle.wincentsen@wisconsin.gov david.neste@wisconsin.gov dee.allen@ldftribe.com dmawemdutyofficer@wisconsin.gov dnrledo@wisconsin.gov dnrlehotline@wisconsin.gov dorothy.tank@ashlandcountysheriff.us echapman@ldftribe.com eric.struck@wisconsin.gov issac.ross@wisconsin.gov jane.pfeiffer@wisconsin.gov jayson.schrank@wisconsin.gov jeffrey.paddock@wisconsin.gov jessica.maloney@dhs.wisconsin.gov john.sager@wisconsin.gov khanson@ldftribe.com kondreck.robert@epa.gov ldfthpo@ldftribe.com maizie.reif@wisconsin.gov margaret.thelen@wisconsin.gov matthewa.thompson@wisconsin.gov natashak.gwidt@wisconsin.gov nathan.kloczko@dhs.wisconsin.gov nicholas.ramos@wisconsin.gov philip.richard@wisconsin.gov randy.books@wisconsin.gov richard.joslin@wisconsin.gov riley.neumann@wisconsin.gov ross.perterson2@enbridge.com roxanne.chronert@wisconsin.gov roy.irving@dhs.wisconsin.gov sarahp.yang@dhs.wisconsin.gov shanem.goss@wisconsin.gov stephend.mueller@wisconsin.gov timothy.haas@wisconsin.gov trevor.nobile@wisconsin.gov trevora.bannister@wisconsin.gov tyler.dix@wisconsin.gov zana.sijan@wisconsin.gov