

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
Enbridge Line 13 Blackhawk Valve		02-28-586199	
Address	City	State	ZIP Code
Blackhawk Island Road	Fort Atkinson	WI	53538

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Enbridge Energy, Limited Partnership (Responsible Party / Operator)		Tri-State Holdings LLC (property owner)	
Address	City	State	ZIP Code
11 East Superior Street - Suite 125	Duluth	MN	55802
Contact Person	Phone Number (include area code)		
Karl Beaster, P.G.	(715) 718-1040		

Person or company that collected samples

WSP USA Inc.

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) _____

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solvents	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: <u>diluent liquid</u>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input type="radio"/>
Sub-slab	<input type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name		First Name	
WSP USA Inc.		Huff		Tim	
Address			City	State	ZIP Code
5957 McKee Road, Suite 7			Madison	WI	53719
Phone # (inc. area code)	Email				
(314) 206-4212	tim.huff@wsp.com				

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name		First Name		Phone # (inc. area code)	
Rice		Caroline		(608) 219-2182	
Address			City	State	ZIP Code
3911 Fish Hatchery Rd			Fitchburg	WI	53711
Email					
caroline.rice@wisconsin.gov					



February 29, 2024

Karl Beaster, PG
Sr. Environmental Advisor
Enbridge Energy, Limited Partnership
11 East Superior Street, Suite 125
Duluth, MN 55802
karl.beaster@enbridge.com

**Subject: Monitoring Well Sampling Results – Q1 2024
Enbridge Line 13 MP 312, Blackhawk Island Rd Valve Site, Ft. Atkinson, WI
WDNR BRRTS #02-28-586199**

Dear Mr. Beaster:

WSP USA Inc. (WSP) is pleased to submit the following summary of sampling results for monitoring wells that were sampled between January 23 and 25, 2024, at the Line 13 Milepost (MP) 312 Valve Site located at the intersection of Blackhawk Island Road and Westphal Lane near Fort Atkinson, Wisconsin (Site). The samples were collected in accordance with the Work Plan for Groundwater Sampling and Monitoring Well Installation, dated July 8, 2022. In accordance with NR 716.09 (3)(a), Wis. Adm. Code, the Wisconsin Department of Natural Resources (WDNR) provided a notice to proceed in correspondence dated August 8, 2022. This summary of results is provided to fulfill the reporting requirements of NR 716.14, Wis. Adm. Code.

SAMPLING LOCATIONS AND PROCEDURES

WSP collected water samples from the 24 monitoring wells at the Site between January 23 and 25, 2024. The well locations are shown on Figure 1. One monitoring well MW-18-31 was excluded from this sampling event due to the presence of measurable free product in the well. Groundwater samples were collected in accordance with WSP's Standard Operating Procedures using low-flow purge and sample methods. Samples were analyzed by Pace Analytical of Green Bay, Wisconsin for:

- Volatile organic compounds (VOCs) by EPA Method 8260.
- Quality Assurance / Quality Control (QA/QC) samples included three duplicate samples, two equipment blank samples, and one trip blank sample, which were submitted with the monitoring well samples for VOCs analysis.

Samples were collected from six monitoring wells to assess geochemical conditions related to natural attenuation of petroleum compounds. Monitored Natural Attenuation (MNA) involves assessing geochemical trends by sampling for natural attenuation parameters inside and outside the area of impacted groundwater. Samples were collected from monitoring wells MW-02-25 and MW-17-20 to establish upgradient geochemical parameter concentrations. Samples from MW-01-32 and MW-14-31 were selected to be representative of near source impacted shallow groundwater. Samples from MW-10-32 and MW-06-32 were selected to be representative of mid-plume and downgradient impacted shallow groundwater.

WSP USA
Suite 250
701 Emerson Road
Creve Coeur, MO 63141

Tel: +1 314 206-4212
wsp.com



Samples for MNA assessment were analyzed by Pace Analytical of Green Bay, Wisconsin or Pace Analytical of Baton Rouge, Louisiana, for:

- Nitrate-nitrite as Nitrogen (EPA Method 353.2)
- Total Alkalinity as CaCO₃ (EPA Method 310.2)
- Total and Dissolved Iron and Manganese (EPA Method 6010D)
- Dissolved Carbon Dioxide, Methane, Ethane, and Ethene (EPA Method RSK-175)
- Sulfate (EPA Method 300.0)
- QA/QC samples for MNA parameters included one duplicate sample, which was submitted with the monitoring well samples.

VOCS SAMPLING RESULTS

The results were generally consistent with recent historical sampling results at the majority of monitoring well locations. Table 1 includes the laboratory analytical results for VOCs detected in one or more samples from the January sampling event. Table 2 includes the historical laboratory analytical results for select VOCs from previous sampling events. Enclosure A includes the laboratory reports. Benzene, toluene, ethylbenzene, and trichloroethene (TCE) were detected in one or more samples at concentrations above the WDNR Enforcement Standard (ES), Preventative Action Limit (PAL), or Vapor Risk Screening Level (VRSL).

Benzene was detected at a concentration above the ES of 5 micrograms per liter ($\mu\text{g/l}$) in the sample collected from monitoring well MW-01-32 (8,270 $\mu\text{g/l}$), and it was also detected at concentrations above the PAL of 0.5 $\mu\text{g/l}$ in the samples collected from MW-14-31 (1.4 $\mu\text{g/l}$), and MW-10-32 (1.2 $\mu\text{g/l}$). Benzene was not detected at concentrations above the ES or PAL in the samples collected from the other monitoring wells.

Ethylbenzene was not detected at a concentration above the ES of 700 $\mu\text{g/l}$ or PAL of 140 $\mu\text{g/l}$ in any of the samples collected during this monitoring event. Ethylbenzene was detected at an estimated concentration of 95.6 $\mu\text{g/l}$ in the sample collected from the monitoring well MW-01-32, which exceeded the residential VRSL. Toluene was detected at a concentration above the ES of 800 $\mu\text{g/l}$ in the sample collected from monitoring well MW-01-32 (1,570 $\mu\text{g/l}$).

Trichloroethene was detected at a concentration above the ES of 5.0 $\mu\text{g/l}$ in the sample collected at MW-06-60 (15.5 $\mu\text{g/l}$) and above the PAL of 0.5 $\mu\text{g/l}$ in the sample collected at MW-06-32 (2.9 $\mu\text{g/l}$). Trichloroethene is not associated with the diluent release.

No VOCs were detected above the laboratory method detection limits in the equipment blank or trip blank samples. The results for the duplicate samples collected at monitoring wells MW-01-32, MW-14-31, and MW-01-63 were generally consistent with their respective primary samples.

MNA PARAMETER SAMPLING RESULTS

Table 3 includes the laboratory analytical results for MNA parameters, Table 4 includes the historical results for MNA parameters, and Table 5 includes the historical field parameters. Enclosure A includes the laboratory reports. The January 2024 MNA sampling results were generally consistent with historical sampling results and confirm that anaerobic conditions with nitrate reduction, manganese reduction, iron reduction, sulfate reduction, and methanogenesis are occurring within shallow impacted groundwater in the source area and immediately downgradient of the source area.

In accordance with NR 712, Wis. Adm. Code., the certification of a hydrogeologist for this sampling results submittal is included in Enclosure B.



Please do not hesitate to contact me if you have questions.

Kind regards,


A handwritten signature in black ink, appearing to read 'Tim Huff'.

Timothy A. Huff
Assistant Vice President

TAH
\\corp.pbwan.net\us\centraldata\usmes100\es-shares\clients\enbridge\fort atkinson, wi - 113 mp312_work plans and reports\2024-02 mw sampling results to wdnr (q1)\2024.02.29_line13 mp312_monitoring well sampling results q1 2024.docx

Encl.

FIGURE



0 60 120
SCALE IN FEET

Z:\Acad\CADD\CLIENTS\ENBRIDGE\31401967.705\cadd\ENB_LOGO_PMS_RGB.jpg	FIGURE 1	LINE 13 MP 312 VALVE SITE FORT ATKINSON, WISCONSIN	Drawn By: <i>EGG</i>
	GROUNDWATER SAMPLING ANALYTICAL RESULTS FOR BENZENE (JANUARY 2024)	PREPARED FOR ENBRIDGE ENERGY LIMITED PARTNERSHIP	Checked: <i>TB 2/20/2024</i>
			Approved: <i>TAH</i>
			DWG Name: 314V6019.705F-001

TABLES

Table 1

Monitoring Well Sampling Analytical Results - January 2024 - VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds											
Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	1,2,4-Trimethylbenzene (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	480	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	96	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	551	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	2,310	5
MW-01-32	01/24/24	8,270	95.6 J	1,570	207.9 J	457 J	<183	166 J	<141	<56.1	<40.0
	Duplicate	8,290	89.4 J	1,520	173.4 J	398 J	<146	170 J	<113	<44.9	<32.0
MW-01-63	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
	Duplicate	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-02-25	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-02-55	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-03-25	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-04-29	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-05-30	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-05-60	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-06-32	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	2.9
MW-06-60	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	15.5
MW-06-100	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-07-32	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-07-60	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-08-27	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-09-33	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32

Table 1

Monitoring Well Sampling Analytical Results - January 2024 - VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds											
Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	1,2,4-Trimethylbenzene (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	480	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	96	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	551	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	2,310	5
MW-09-60	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-10-32	01/24/24	1.2	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	1.2 J	<0.45	<0.32
MW-11-32	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-12-31	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-13-33	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-14-31	01/25/24	1.4	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
	Duplicate	1.2	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-15-32	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-16-29	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
MW-17-20	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
TB012524	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
EB012524A	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32
EB012524B	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.45	<0.32

Table 1

**Monitoring Well Sampling Analytical Results - January 2024 - VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Volatile Organic Compounds

Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert- butyl ether (µg/L)	1,2,4- Trimethylbenze ne (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	480	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	96	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	551	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	2,310	5

General Notes

Shaded = Regulatory exceedance of PAL or ES

Boxed = Regulatory exceedance of residential or commercial VRSL

Bold = Enforcement Standard exceedance

Italics = Preventive Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. March 2023.

b/ WDNR Vapor Risk Screening Level (VRSL) based on U.S. Environmental Protection Agency (EPA) Vapor Intrusion Screening Levels (VISL). March 2023.

In accordance with WDNR Publications RR0136 and RR800, VRSL calculated using EPA VISL Calculator with a Hazard Quotient of 1, Target Risk of 10⁻⁵, Attenuation Factor of 0.001, and a site-specific average groundwater temperature of 12.83°C. VRSL for TCE is equal to the ES (5 ug/l).

J = Estimated concentration at or above the Limit of Detection and below the Limit of Quantitation.

NE = Not established.

"<" = Not detected above the reported method detection limit.

ug/L = Micrograms per liter.

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-01-32	10/09/20	23,700	222	7,650	728	NA	NA	NA	<249	<51.0
	01/15/21	24,400	244	10,400	775	NA	NA	NA	<249	<51.0
	04/01/21	17,600	220	9,280	758	1,180	178 J	259	89.9 J	<12.8
	07/08/21	21,800	188	8,150	586	933	<73.1	175 J	<56.5	<16.0
	10/26/21	18,900	167 J	7,830	503	556 J	<292	<239	<226	<63.9
	01/25/22	20,700	207	8,690	637	1,600	1,480	424 J	<144	<40.0
	04/20/22	22,200	223	9,560	743	1,460	272 J	290 J	<226	<63.9
	07/27/22	15,300	<40.6	647	58.5 J	636	1,210	<149	<141	<40.0
	10/25/22	2,230	159	<36.0	<131	4,120	778	1,790	687	<40.0
	01/18/23	15,900	138	5,140	445	558 J	<183	<149	<141	<40.0
	04/12/23	12,600	143	3,410	382	869	<183	226	<141	<40.0
	07/11/23	11,100	168	3,560	468 J	771	<183	178 J	<141	<40.0
	10/19/23	9,500	151	2,160	414 J	792	<183	173 J	<141	<40.0
	01/24/24	8,270	95.6 J	1,570	207.9 J	457 J	<183	166 J	<141	<40.0
MW-01-63	09/08/21	0.50 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	0.41 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	1.6 J	<0.32
	01/25/22	0.80 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	1.1	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/27/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-02-25	10/08/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/27/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/16/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	
MW-02-55	09/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/16/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

**Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

		Volatile Organic Compounds								
Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-03-25	10/08/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/17/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	
MW-04-29	10/08/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/26/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/17/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-05-30	10/08/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/09/21	0.61 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	09/01/21	1.3	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	2.0	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	1.9	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	1.2	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	1.6	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	1.1	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/16/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
MW-05-60	09/01/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	NA	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/20/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-06-32	10/08/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	1.0
	01/14/21	0.34 J	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	1.7
	04/01/21	3.4	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	0.95 J
	05/26/21	4.7	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	1.3
	06/24/21	6.3	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	1.3
	07/09/21	6.8	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	1.1
	08/31/21	7.5	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	0.53 J
	10/27/21	5.9	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	1.6
	01/24/22	4.7	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	1.9
	04/19/22	2.1	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	3.3
	07/26/22	0.86 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	2.7
	10/25/22	0.52 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	4
	01/18/23	0.53 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	4.7
	04/13/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	3.6
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	2.5
	10/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	2.3
	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	2.9
MW-06-60	08/31/21	<0.30	<0.33	0.33 J	<1.05	<1.3	<1.5	<1.2	<1.1	11.3
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	15.0
	01/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	12.5
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	16.9
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	19.7
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	17.4
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	15.6
	04/13/23	1.2	<0.33	0.76 J	<1.05	<1.3	<1.5	<1.2	<1.1	16.7
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	16.3
	10/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	9.4
	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	15.5

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-06-100	08/23/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	0.98 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	1.2	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	02/24/23	0.55 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	1.6	<0.33	1.1	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
MW-07-32	10/09/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/26/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-07-60	09/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/26/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	0.80 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
MW-08-27	10/09/20	<0.25	<0.32	<0.27	<0.73	NA	NA	NA	<1.2	<0.26
	01/14/21	<0.25	<0.32	<0.27	<0.26	NA	NA	NA	<1.2	<0.26
	04/01/21	<0.25	<0.32	<0.27	<0.73	<1.3	<1.7	<0.87	<1.2	<0.26
	07/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/26/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/16/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

**Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-09-33	09/02/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	0.57 J	<0.33	0.42 J	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/20/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	
MW-09-60	09/02/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	0.68 J	<0.33	0.47 J	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/23/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-10-32	09/08/21	8.9	<0.33	<0.29	<1.05	4.6 J	<1.5	<1.2	6.3	<0.32
	10/27/21	15.3	<0.33	<0.29	<1.05	22.5	10.6	12.0	11.4	<0.32
	01/25/22	19.9	<0.33	<0.29	<1.05	38.1	72.0	16.6	10.2	<0.32
	04/20/22	43.3	<0.33	<0.29	<1.05	31.8	21.9	13.2	5.1	<0.32
	07/27/22	22.1	0.91 J	<0.29	<1.0	18.8	18.4	11.5	7.1	<0.32
	10/25/22	156	0.91 J	<0.29	<1.32	38.5	<1.5	19.9	<1.1	<0.32
	01/18/23	17.3	0.68 J	<0.29	<1.05	39.6	9.5	20	3.7 J	<0.32
	04/13/23	1,310	0.91 J	<0.29	<1.05	17.1	1.6 J	12.2	11.7	<0.32
	07/11/23	135	<0.33	<0.29	<1.05	3.2 J	<1.5	1.9 J	9.8	<0.32
	10/17/23	1.1	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	4.5	<0.32
01/24/24	1.2	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	1.2 J	<0.32	
MW-11-32	09/08/21	2.2	<0.33	<0.29	<1.05	6.8	<1.5	2.0 J	<1.1	<0.32
	10/27/21	2.0	<0.33	<0.29	<1.05	3.9 J	<1.5	1.6 J	<1.1	0.47 J
	01/25/22	1.8	<0.33	<0.29	<1.05	4.2 J	17.2	2.0 J	<1.1	<0.32
	04/19/22	2.3	<0.33	<0.29	<1.05	6.5	<1.5	2.5 J	<1.1	<0.32
	07/26/22	2.1	<0.33	<0.29	<1.05	4.8 J	<1.5	1.7 J	<1.1	<0.32
	10/26/22	1.8	<0.33	<0.29	<1.05	2.2 J	<1.5	1.3 J	<1.1	<0.32
	01/18/23	0.51 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	0.47 J	<0.33	<0.29	<1.05	4.8 J	<1.5	<1.2	<1.1	<0.32
	07/12/23	0.48 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/18/23	1.6	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-12-31	09/01/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	
MW-13-33	09/08/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/27/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	0.40 J	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	02/24/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	0.66 J	<0.33	0.45 J	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-14-31	09/07/21	273	0.77 J	3.4	2.09 J	189	2.1 J	30.2	<1.1	<0.32
	10/27/21	402	0.78 J	1.3	0.45 J	44.4	2.7 J	10.4	<1.1	<0.32
	01/25/22	169	<0.33	0.37 J	0.40 J	69.4	115	25.4	<1.1	<0.32
	04/18/22	169	<1.3	1.4 J	<4.2	70.3	8.4J	19.6 J	<4.5	<1.3
	07/26/22	84.5	0.34 J	<0.29	0.37 J	54.3	13	23.2	<1.1	<0.32
	10/25/22 (c)	157	0.36 J	<0.29	0.50 J	39.2	<1.5	20.7	<1.1	<0.32
	01/19/23	118	<0.33	<0.29	0.45 J	8.7	<1.5	7.6	<1.1	<0.32
	04/12/23	104	0.49 J	<0.29	1.7 J	5.6	<1.5	5.5	<1.1	<0.32
	07/11/23	37.5	<0.33	<0.29	1.08 J	1.9 J	<1.5	2.8 J	<1.1	<0.32
	10/18/23	5.0	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/24	1.4	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
MW-15-32	09/02/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/19/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/14/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/10/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32

Table 2

Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Volatile Organic Compounds

Well ID	Sample Date	Volatile Organic Compounds								
		Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5
MW-16-29	09/01/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/25/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/18/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/26/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/19/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/13/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/17/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
01/25/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32	
MW-17-20	12/14/21	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/25/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/21/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/27/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/24/22	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/18/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	04/12/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	07/11/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	10/16/23	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
	01/24/24	<0.30	<0.33	<0.29	<1.05	<1.3	<1.5	<1.2	<1.1	<0.32
MW-18-31	08/23/22	13,400	133	1,410	211.2 J	445 J	<146	<119	<113	<32.0
	10/25/22	16,500	147	6,030	461	785	<146	188 J	<113	<32.0
	01/19/23	10,300	146	1,650	506	553	<146	126 J	<113	<32.0
	04/14/23	11,400	270	6,070	1,986	953	170 J	367 J	<113	<32.0
	07/11/23	14,600	222	2,710	717	964	<146	231 J	<113	<32.0
	10/20/23 (d)	NS	--	--	--	--	--	--	--	--
	01/23/24 (d)	NS	--	--	--	--	--	--	--	--

Table 2

**Historical Groundwater Sampling Results for VOCs
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Volatile Organic Compounds

Well ID	Sample Date	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes, Total (µg/L)	Cyclohexane (µg/L)	n-Hexane (µg/L)	Methylcyclohexane (µg/L)	Methyl-tert-butyl ether (µg/L)	Trichloroethene (µg/L)
	Enforcement Standard (a)	5	700	800	2,000	NE	600	NE	60	5
	Preventive Action Limit (a)	0.5	140	160	400	NE	120	NE	12	0.5
	Residential Vapor Risk Screening Level (b)	27.2	69.2	35,500	766	1,730	16.6	NE	7,270	5
	Commercial Vapor Risk Screening Level (b)	119	302	149,000	3,220	7,280	69.5	NE	31,800	5

General Notes

Shaded = Regulatory exceedance of PAL or ES

Boxed = Regulatory exceedance of residential or commercial VRSL

Bold = Enforcement Standard exceedance

Italics = Preventive Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. March 2023.

b/ WDNR Vapor Risk Screening Level (VRSL) based on U.S. Environmental Protection Agency (EPA) Vapor Intrusion Screening Levels (VISL). March 2023.

In accordance with WDNR Publications RR0136 and RR800, VRSL calculated using EPA VISL Calculator with a Hazard Quotient of 1, Target Risk of 10⁻⁵, Attenuation Factor of 0.001, and a site-specific average groundwater temperature of 12.83°C. VRSL for TCE is equal to the ES (5 ug/l).

c/ Duplicate sample results listed for this sample event as primary sample did not have any detected compounds and duplicate results were consistent with historical data.

d/ NS = Groundwater sample not collected due to presence of free product

NA = Not accessible.

NE = Not established.

"<" = Not detected above the reported method detection limit.

ug/L = Micrograms per liter.

Table 3

Monitoring Well Sampling Analytical Results - January 2024 - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

MNA Parameters												
Well ID	Sample Date	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Carbon dioxide (µg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Total Manganese (µg/L)	Dissolved Manganese (µg/L)	Total Alkalinity, as CaCO3 (mg/L)	Nitrate/Nitrite, as Nitrogen (mg/L)	Sulfate (mg/L)
	Enforcement Standard (a)	NE	NE	NE	NE	300	300	50	50	NE	10	250
	Preventive Action Limit (a)	NE	NE	NE	NE	150	150	25	25	NE	2	125
<u>Upgradient Locations</u>												
MW-02-25	01/24/24	379	<0.90	<0.79	93,900	<56.7	<29.6	3.7 J	3.3 J	472	0.34	4.0 J
MW-17-20	01/24/24	<3.8	<0.90	<0.79	64,700	<56.7	<29.6	3.5 J	<1.1	430	4.3	12.4
<u>Source Area Locations</u>												
MW-01-32	01/24/24	57.0	<0.90	<0.79	97,600	7,260	7,020	96.8	91.2	476	<0.059	<2.2
	Duplicate	60.1	<0.90	<0.79	93,900	7,020	6,680	92.5	91.3	476	<0.059	<0.44
MW-14-31	01/25/24	108	0.98 J	<0.79	214,000	4,480	3,720	396	379	608	<0.059	46.9
<u>Downgradient Locations</u>												
MW-06-32	01/23/24	7.5 J	<0.90	<0.79	166,000	<56.7	<29.6	35.7	32.6	546	15.8	33.2
MW-10-32	01/24/24	8.2 J	<0.90	<0.79	74,200	692	291	869	794	470	0.35	12.9

Table 3

Monitoring Well Sampling Analytical Results - January 2024 - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Well ID	Sample Date	Field Parameters (Final Reading)								
		Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
		Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE
Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE	
<u>Upgradient Locations</u>										
MW-02-25	01/24/24	6.5	6.68	0.912	0.0	1.80	10.50	141	Clear	None
MW-17-20	01/24/24	7.0	6.79	0.908	0.2	3.29	10.29	136	Clear	None
<u>Source Area Locations</u>										
MW-01-32	01/24/24	7.0	6.72	0.998	1.2	0.00	10.42	-135	Clear	Strong
	Duplicate	-	-	-	-	-	-	-	-	-
MW-14-31	01/25/24	5.0	6.60	1.14	0.4	0.00	15.81	-121	Clear	None
<u>Downgradient Locations</u>										
MW-06-32	01/23/24	8.0	6.74	1.09	12.1	0.00	12.29	66	Clear	None
MW-10-32	01/24/24	6.0	6.53	0.921	22.8	0.00	9.18	-8	Clear	None

General Notes

Shaded = Regulatory exceedance of PAL or ES

Bold = Enforcement Standard exceedance

Italics = Preventive Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health or Public Welfare Groundwater Standards. March 2023.

J = Estimated concentration at or above the Limit of Detection and below the Limit of Quantitation.

MNA = Monitored Natural Attenuation.

NA = Not analyzed

NE = Not established.

"<" = Not detected above the reported method detection limit.

ug/L = Micrograms per liter.

Table 4

Historical Monitoring Well Sampling Results - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

MNA Parameters												
Well ID	Sample Date	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Carbon dioxide (µg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Total Manganese (µg/L)	Dissolved Manganese (µg/L)	Total Alkalinity, as CaCO3 (mg/L)	Nitrate/Nitrite, as Nitrogen (mg/L)	Sulfate (mg/L)
	Enforcement Standard (a)	NE	NE	NE	NE	300	300	50	50	NE	10	250
	Preventive Action Limit (a)	NE	NE	NE	NE	150	150	25	25	NE	2	125
<u>Upgradient Locations</u>												
MW-02-25	04/19/22	120	0.18 J	<0.24	62,700	<56.7	<29.6	20	23.3	473	0.28	4.2 (b)
	07/25/22	30	0.17 J	0.40 J	58,100	<56.7	<29.6	14.6	1.2 J	488	0.26	4.1
	10/24/22	57	0.30 J	<0.24	339,000	<56.7	<29.6	1.9 J	1.7 J	492	0.26	3.3
	01/18/23	76	0.20 J	0.27 J	109,000	<56.7	<29.6	<1.5	<1.1	493	<0.059	3.7
	04/12/23	<3.8	0.10 J	<0.79	79,800	<56.7	<29.6	<1.5	<1.1	437	0.34	4.3
	07/10/23	<3.8	<0.90	<0.79	92,400	<56.7	<29.6	<1.5	<1.1	454	0.64	5.1
	10/16/23	195	<0.90	<0.79	64,300	<56.7	<29.6	3.3	3.2	458	0.42	4.7
	01/24/24	379	<0.90	<0.79	93,900	<56.7	<29.6	3.7 J	3.3 J	472	0.34	4.0 J
MW-17-20	04/19/22	<2.0	0.37 J	<0.24	37,900	<56.7	<29.6	17.1	13.7	391	0.74	3.1 (b)
	07/27/22	<2.0	0.76 J	0.88 J	43,000	<56.7	<29.6	3.0 J	3.1 J	393	0.70	3.7
	10/24/22	<2.0	0.49 J	0.34 J	264,000	<56.7	<29.6	2.3 J	2.3 J	399	0.67	3
	01/18/23	2.7 J	0.46 J	0.56 J	65,000	<56.7	<29.6	<1.5	<1.1	408	0.93	2.8
	04/12/23	<3.8	0.99 J	<0.89	66,300	<56.7	<29.6	<1.5	<1.1	404	1.8	4.3
	07/11/23	<3.8	<0.90	<0.79	74,500	<56.7	<29.6	1.6 J	<1.1	408	3.8	8.0
	10/16/23	<3.8	<0.90	<0.99	426,000	<56.7	<29.6	<1.5	<1.1	439	3.7	9.5
	01/24/24	<3.8	<0.90	<0.79	64,700	<56.7	<29.6	3.5 J	<1.1	430	4.3	12.4
<u>Source Area Locations</u>												
MW-01-32	04/20/22	210	1.2	0.29 J	67,300	6,830	6,130	122	112	538	<0.059	1.3 J (b)
	07/27/22	130	1.1	1.0	54,100	7,100	7,090	104	106	522	<0.059	<0.44
	10/25/22	220	1	0.57 J	94,100	7,550	7,500	210	203	528	<0.059	0.66 J
	01/18/23	39	0.69 J	0.73 J	133,000	7,490	7,050	304	294	548	<0.059	0.81 J
	04/12/23	140	1.0 J	0.89 J	175,000	7,110	7,760	515	572	551	<0.059	0.84 J
	07/11/23	88	<0.90	<0.79	172,000	9,370	9,630	183	178	539	<0.059	<0.44
	10/19/23	154	<0.90	1.1	135,000	9,330	8,770	108	103	556	<0.059	<2.2
	01/24/24	57	<0.90	<0.79	97,600	7,260	7,020	96.8	91.2	476	<0.059	<2.2
MW-14-31	04/18/22	120	1.7	<0.24	124,000	3,080	2,760	1,280	1,230	560	<0.059	0.79 J (b)
	07/26/22	160	1.4	0.53 J	123,000	4,350	3,940	859	848	569	<0.059	0.91 J
	10/25/22	210	0.97 J	<0.24	125,000	4,360	4,500	828	821	598	<0.059	2.8
	01/19/23	150	0.93 J	0.60 J	220,000	4,410	4,100	690	650	621	<0.059	6.7
	04/12/23	150	<0.90	<0.79	191,000	4,210	4,430	655	681	626	0.084 J	13.0
	07/11/23	160	<0.90	<0.79	892,000	4,970	5,060	521	512	632	<0.059	13.5
	10/18/23	124	1.3	1.2	714,000	4,470	4,180	448	430	592	<0.059	24.5
	01/25/24	108	0.98 J	<0.79	214,000	4,480	3,720	396	379	608	<0.059	46.9

Table 4

Historical Monitoring Well Sampling Results - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

MNA Parameters												
Well ID	Sample Date	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Carbon dioxide (µg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Total Manganese (µg/L)	Dissolved Manganese (µg/L)	Total Alkalinity, as CaCO3 (mg/L)	Nitrate/Nitrite, as Nitrogen (mg/L)	Sulfate (mg/L)
	Enforcement Standard (a)	NE	NE	NE	NE	300	300	50	50	NE	10	250
	Preventive Action Limit (a)	NE	NE	NE	NE	150	150	25	25	NE	2	125
<u>Downgradient Locations</u>												
MW-06-32	04/19/22	<2.0	0.20 J	<0.24	120,000	<56.7	<29.6	44.2	38.3	553	2.0	26.8 (b)
	07/26/22	3.1 J	0.66 J	0.66 J	107,000	<56.7	<29.6	37.2	35.4	562	1.6	24.4
	10/25/22	<2.0	0.41 J	0.38 J	91,200	<56.7	<29.6	28.8	23.6	560	1.2	21.2
	01/18/23	4.0 J	0.49 J	0.51 J	180,000	135	<29.6	30	22	576	3.3	22.8
	04/13/23	<3.8	<0.9	<0.79	169,000	<56.7	<29.6	16.4	17.0	614	5.5	25.1
	07/11/23	<3.8	<0.90	<0.79	177,000	<56.7	<29.6	31.3	25.7	560	7.9	27.4
	10/18/23	6.2	1.70	1.4	632,000	<56.7	<29.6	34.7	29.5	538	8.9	25.6
	01/23/24	7.5 J	<0.90	<0.79	166,000	<56.7	<29.6	35.7	32.6	546	15.8	33.2
MW-10-32	04/20/22	40	0.84 J	<0.24	87,500	1,340	1,230	595	565	442	<0.059	7.5 (b)
	07/27/22	54	1.7	0.99 J	114,000	1,680	1,530	534	536	453	0.12 J	8.7
	10/25/22	42	1	0.44 J	79,900	1,820	1,700	520	489	460	<0.059	7.4
	01/18/23	32	1.0	0.46 J	122,000	1,040	886	441	405	461	0.17 J	9.3
	04/13/23	49	2.0 J	0.89 J	102,000	1,360	1,340	511	544	451	0.063 J	4.6
	07/11/23	19	<0.90	<0.79	74,200	1,470	1,490	694	707	442	0.22 J	8.4
	10/17/23	27.8	<0.90	<0.79	539,000	429	258	797	774	451	0.28	10.7
	01/24/24	8.2 J	<0.90	<0.79	74,200	692	291	869	794	470	0.35	12.9

Table 4

**Historical Monitoring Well Sampling Results - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Well ID	Sample Date	Field Parameters (Final Reading)								
		Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
		Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE
Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE	
<u>Upgradient Locations</u>										
MW-02-25	04/19/22	13.5	7.21	0.858	1.1	5.82	9.92	174	Clear	None
	07/25/22	15	7.23	0.865	1.4	6.09	9.68	181	Clear	None
	10/24/22	6.75	6.98	0.848	0.0	2.11	15.43	156	Clear	None
	01/18/23	12	7.34	0.878	1.2	3.72	11.52	145	Clear	None
	04/12/23	10	6.93	0.807	6.0	4.37	14.18	377	Clear	None
	07/10/23	8	8.00	0.794	0.0	6.34	15.13	198	Clear	None
	10/16/23	6	7.88	0.802	5.3	4.01	12.97	154	Clear	None
	01/24/24	6.5	6.68	0.912	0.0	1.80	10.50	141	Clear	None
MW-17-20	04/19/22	16.125	7.40	0.779	4.2	7.40	10.98	179	Clear	None
	07/27/22	13.5	6.28	0.767	79.7	4.99	17.63	114	Clear	None
	10/24/22	8.5	7.06	0.714	1.4	3.29	17.35	173	Clear	None
	01/18/23	18.0	7.29	0.742	1.6	9.96	10.59	88	Clear	None
	04/12/23	12.0	7.09	0.794	14.0	5.62	15.34	425	Clear	None
	07/11/23	6.0	7.17	0.816	0.0	5.74	15.59	95	Clear	None
	10/16/23	7.0	7.77	0.781	0.0	4.93	16.11	154	Clear	None
	01/24/24	7.0	6.79	0.908	0.2	3.29	10.29	136	Clear	None
<u>Source Area Locations</u>										
MW-01-32	04/20/22	15	7.06	0.901	3.9	1.42	12.19	-110	Clear	Slight Odor
	07/27/22	16.5	6.23	0.977	36.7	0.49	20.75	-104	Clear	None
	10/25/22	2.5	6.44	1.01	10.3	0.01	13.06	-107	Clear	None
	01/18/23	3.5	6.87	1.140	54.7	2.06	11.09	-47	Clear	None
	04/12/23	10.5	6.73	1.140	35.4	0.00	15.88	33	Clear	None
	07/11/23	12	6.92	0.996	27.4	5.44	20.75	-57	Clear	None
	10/19/23	6.75	6.34	1.110	3.3	0.40	16.75	-116	Clear	None
	01/24/24	7.0	6.72	0.998	1.2	0.00	10.42	-135	Clear	Strong Odor
MW-14-31	04/18/22	7.5	7.42	1.01	8.4	0.00	8.45	-91	Clear	None
	07/26/22	9	6.80	0.98	0.0	0.00	19.22	-98	Clear	None
	10/25/22	6	6.43	1.08	0.0	0.08	13.40	-113	Clear	None
	01/19/23	8.75	6.32	1.22	46.6	1.52	14.01	-40	Clear	None
	04/12/23	9	6.63	1.190	0.0	1.42	16.94	49	Clear	None
	07/11/23	9	6.56	1.14	0.0	3.30	17.03	-40	Clear	None
	10/18/23	8	6.41	1.12	10.1	0.47	19.12	-92	Clear	None
	01/25/24	5	6.60	1.14	0.4	0.00	15.81	-121	Clear	None

Table 4

Historical Monitoring Well Sampling Results - MNA Parameters
 Line 13 MP312 Valve Site
 Fort Atkinson, Wisconsin

Well ID	Sample Date	Field Parameters (Final Reading)								
		Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
		Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
<u>Downgradient Locations</u>										
MW-06-32	04/19/22	13.75	6.41	1.06	0.0	0.35	14.46	125	Clear	None
	07/26/22	8	7.48	2.83	0.0	8.52	16.47	23	Clear	None
	10/25/22	11.25	6.47	1.14	0.0	0.56	12.62	-34	Clear	None
	01/18/23	10	6.62	1.18	55.1	3.02	12.95	251	Clear	None
	04/13/23	6	6.44	1.08	0.0	0.39	16.58	407	Cloudy	None
	07/11/23	12.5	6.92	1.12	1.3	0.81	16.37	94	Clear	None
	10/18/23	8	6.41	1.19	4.5	0.85	14.44	181	Clear	None
	01/23/24	8	6.74	1.09	12.1	0.00	12.29	66	Clear	None
MW-10-32	04/20/22	15	6.99	0.909	2.5	0.00	11.25	-66	Clear	None
	07/27/22	12	6.89	0.989	0.0	5.59	15.20	-116	Clear	None
	10/25/22	9.6	6.60	0.936	0.0	0.00	12.75	-106	Clear	None
	01/18/23	8	6.86	1.05	43.2	1.33	11.88	-8	Clear	None
	04/13/23	16	6.69	0.845	0.0	0.00	22.35	49	Clear	None
	07/11/23	9	6.10	0.981	0.0	1.06	18.91	-57	Clear	None
	10/17/23	7.5	6.59	0.9	0.0	5.25	19.38	-2	Clear	None
	01/24/24	6	6.53	0.921	22.8	0.00	9.18	-8	Clear	None

Table 4

Historical Monitoring Well Sampling Results - MNA Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Well ID	Sample Date	Field Parameters (Final Reading)								
		Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE

General Notes

Shaded = Regulatory exceedance of PAL or ES

Bold = Enforcement Standard exceedance

Italics = Preventive Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health or Public Welfare Groundwater Standards. March 2023.

b/ Samples were analyzed outside of laboratory hold time for sulfate.

J = Estimated concentration at or above the Limit of Detection and below the Limit of Quantitation.

MNA = Monitored Natural Attenuation.

NE = Not established.

"<" = Not detected above the reported method detection limit.

ug/L = Micrograms per liter.

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
 Line 13 MP312 Valve Site
 Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-01-32	10/09/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/15/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	8.25	6.90	0.909	5.2	2.65	12.11	-88	Clear	Mild Odor
	07/08/21	4.2	7.81	0.810	0.0	0.00	16.75	35	Clear	None
	10/26/21	10	7.04	0.655	4.4	0.70	15.33	-59	Clear	Slight Odor
	01/25/22	8	6.59	0.800	0.0	0.00	11.88	-20	Clear	Slight Odor
	04/20/22	15	7.06	0.901	3.9	1.42	12.19	-110	Clear	Slight Odor
	07/27/22	16.5	6.23	0.977	36.7	0.49	20.75	-104	Clear	None
	10/25/22	2.5	6.44	1.01	10.3	0.01	13.06	-107	Clear	None
	01/18/23	3.5	6.87	1.14	54.7	2.06	11.09	-47	Clear	None
	04/12/23	10.5	6.73	1.14	35.4	0.00	15.88	33	Clear	None
	07/11/23	12	6.92	0.996	27.4	5.44	20.75	-57	Clear	None
	10/19/23	6.75	6.34	1.11	3.3	0.40	16.75	-116	Clear	None
01/24/24	7	6.72	0.998	1.2	0.00	10.42	-135	Clear	Strong Odor	
MW-01-63	09/08/21	15.6	7.27	0.666	10.8	0.00	16.24	-192	Clear	None
	10/27/21	16.5	7.26	0.662	6.0	0.00	15.06	-168	Clear	None
	01/25/22	14	7.16	0.829	0.0	1.88	11.75	-57	Clear	None
	04/19/22	NA	7.51	0.844	8.3	4.39	13.38	-71	Clear	Slight Odor
	07/27/22	9	6.96	1.08	0.0	0.34	15.34	-119	Clear	None
	10/25/22	8	6.90	0.964	4.2	0.83	12.98	-75	Clear	None
	01/19/23	15	6.72	1.18	0.0	8.90	12.89	-83	Clear	None
	04/14/23	18	7.09	0.870	0.0	0.00	17.49	58	Clear	None
	07/11/23	7.5	7.27	0.954	0.0	4.14	15.92	-43	Clear	None
	10/19/23	12.5	7.00	0.905	0.0	1.07	15.04	-131	Clear	None
01/24/24	9	7.01	0.981	6.1	0.00	12.13	-113	Clear	Faint Odor	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-02-25	10/08/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	8.85	7.29	0.840	7.3	7.78	4.49	131	Clear	None
	07/08/21	8.4	7.08	0.767	0.0	0.79	13.31	278	Clear	None
	10/25/21	7.75	7.29	0.515	0.0	0.58	15.06	205	Clear	None
	01/24/22	8	7.12	0.756	0.0	0.00	9.64	83	Clear	None
	04/19/22	13.5	7.21	0.858	1.1	5.82	9.92	174	Clear	None
	07/27/22	15	7.23	0.865	1.4	6.09	9.71	183	Clear	None
	10/24/22	6.75	6.98	0.848	0.0	2.11	15.43	156	Clear	None
	01/18/23	12	7.34	0.878	1.2	3.72	11.52	145	Clear	None
	04/12/23	10	6.93	0.807	6.0	4.37	14.18	377	Clear	None
	07/10/23	8	8.00	0.794	0.0	6.34	15.13	198	Clear	None
	10/16/23	6	7.88	0.802	5.3	4.01	12.97	154	Clear	None
01/24/24	6.5	6.68	0.912	0.0	1.80	10.50	141	Clear	None	
MW-02-55	09/08/21	15	7.11	0.934	230	1.35	14.80	-69	Cloudy	None
	10/27/21	24	7.08	1.24	3.1	5.42	13.05	22	Clear	None
	01/24/22	23.5	7.32	1.09	15.5	0.93	10.19	-60	Clear	None
	04/19/22	13	6.73	1.23	4.7	3.17	10.68	3	Clear	None
	07/25/22	21	8.08	1.21	8.4	5.05	14.13	-56	Clear	None
	10/25/22	16.5	6.76	1.14	2.1	4.06	11.09	0	Clear	None
	01/18/23	22	7.42	1.13	60.9	11.04	11.21	-42	Clear	None
	04/12/23	13.5	7.15	0.941	38.1	2.78	16.48	340	Cloudy	None
	07/10/23	33	7.60	0.963	204	8.03	14.29	195	Clear	None
	10/16/23	8.87	6.86	0.954	13.9	5.13	12.92	189	Clear	None
01/24/24	15.6	6.83	1.02	8.6	2.46	10.38	125	Clear	None	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-03-25	10/08/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	5	7.20	0.952	3.1	0.00	8.00	146	Clear	None
	07/08/21	11.2	6.75	0.729	40.7	2.45	17.14	170	Clear	None
	10/25/21	11	7.18	0.561	0.0	3.00	13.81	244	Clear	None
	01/24/22	7	6.94	0.860	0.0	0.00	9.12	122	Clear	None
	04/18/22	9	7.21	0.974	1.3	0.46	7.81	202	Clear	None
	07/25/22	6	6.79	0.913	0.0	2.40	13.22	153	Clear	None
	10/24/22	7.5	6.79	0.937	0.0	1.11	15.59	147	Clear	None
	01/18/23	11	6.96	1.08	5.1	3.17	9.41	61	Clear	None
	04/12/23	10.5	6.83	1.11	2.9	1.86	12.06	398	Clear	None
	07/10/23	9	7.21	0.982	7.1	3.76	14.68	182	Clear	None
	10/17/23	9	6.88	1.04	0.0	4.04	11.45	197	Clear	None
01/25/24	4	6.50	1.10	0.0	2.61	10.45	166	Clear	None	
MW-04-29	10/08/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	5.25	6.92	0.878	6.1	6.55	8.58	164	Clear	None
	07/08/21	5.85	5.95	0.734	0.0	4.10	15.12	311	Clear	None
	10/26/21	9	7.10	0.604	13.3	4.69	13.05	177	Clear	None
	01/24/22	6	7.12	0.749	0.0	1.95	8.72	134	Clear	None
	04/18/22	10.5	7.38	0.802	5.5	3.02	8.53	201	Clear	None
	07/26/22	23	6.19	0.870	82.4	5.50	12.09	147	Clear	None
	10/24/22	6.25	6.87	0.773	0.6	2.93	17.39	174	Clear	None
	01/18/23	10.5	7.00	0.885	6.4	6.79	9.01	90	Clear	None
	04/12/23	7.5	6.94	0.887	0.0	6.55	11.58	445	Clear	None
	07/10/23	9	7.37	0.749	7.7	5.12	19.40	192	Clear	None
	10/17/23	8	6.95	0.924	0.0	5.70	11.82	172	Clear	None
01/25/24	7.2	6.39	0.933	0.0	3.00	10.56	210	Clear	None	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-05-30	10/08/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	6	6.77	1.13	10.1	3.47	8.26	160	Clear	None
	07/09/21	7.15	6.61	1.12	0.0	0.45	14.51	113	Clear	None
	09/01/21	13.2	6.70	0.932	2.1	0.85	15.11	140	Clear	None
	10/27/21	10	7.01	0.751	0.0	0.69	15.07	170	Clear	None
	01/25/22	7	6.76	0.986	0.0	0.00	8.99	178	Clear	None
	04/19/22	9	6.95	1.11	6.1	0.00	12.95	188	Clear	None
	07/26/22	7.5	7.24	3.02	0.0	1.49	21.08	61	Clear	None
	10/25/22	10.5	6.50	1.18	0.0	0.98	12.12	98	Clear	None
	01/19/23	7.5	5.65	1.44	0.0	2.29	12.49	161	Clear	None
	04/12/23	7.5	6.83	1.09	0.0	5.00	15.16	443	Clear	None
	07/11/23	15	6.16	1.05	2.1	3.83	19.79	175	Clear	None
	10/16/23	9.5	6.58	0.949	0.8	4.23	16.43	216	Clear	None
01/23/24	7.5	6.87	1.03	1.5	3.31	11.51	154	Clear	None	
MW-05-60	09/01/21	27.6	7.52	0.611	14.1	0.00	15.45	-530	Clear	None
	10/27/21	11	7.51	0.718	22.9	5.98	13.84	1	Clear	None
	01/25/22	16.5	7.32	0.858	0.0	0.00	11.14	-112	Clear	None
	04/19/22	17	6.76	0.920	0.4	0.88	12.20	63	Clear	None
	07/26/22	30	7.59	2.38	3.4	0.42	17.74	2	Clear	None
	10/25/22	15	6.80	0.968	0.0	0.64	11.62	-15	Clear	None
	01/19/23	12	6.50	1.22	0.0	10.43	11.59	-69	Clear	None
	04/13/23	21	6.87	0.989	962.0	2.75	13.77	293	Clear	None
	07/12/23	22.5	7.31	1.01	21.6	5.15	13.50	158	Clear	None
	10/20/23	6	7.12	0.835	10.2	7.98	13.09	136	Clear	None
	01/23/24	9.5	7.02	0.871	20.4	0.00	10.71	149	Clear	None

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-06-32	10/08/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	4.5	6.74	1.18	0.9	0.85	11.37	163	Clear	None
	05/26/21	6.25	6.73	0.991	6.1	0.00	21.41	127	Clear	None
	06/24/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/09/21	7.2	6.35	1.05	0.0	0.00	21.51	324	Clear	None
	08/31/21	13.2	6.66	0.824	3.3	0.00	22.41	149	Clear	None
	10/27/21	10	7.10	0.808	0.0	0.00	13.93	169	Clear	None
	01/24/22	11	6.40	0.939	0.0	0.00	11.09	56	Clear	None
	04/19/22	13.75	6.41	1.06	0.0	0.35	14.46	125	Clear	None
	07/26/22	8	7.48	2.83	0.0	8.52	16.47	23	Clear	None
	10/25/22	11.25	6.47	1.14	0.0	0.56	12.62	-34	Clear	None
	01/18/23	10	6.62	1.18	55.1	3.02	12.95	251	Clear	None
	04/13/23	6	6.44	1.08	0.0	0.39	16.58	407	Cloudy	None
	07/11/23	12.5	6.92	1.12	1.3	0.81	16.37	94	Clear	None
10/18/23	8	6.41	1.19	4.5	0.85	14.44	181	Clear	None	
01/23/24	8	6.74	1.09	12.1	0.00	12.29	66	Clear	None	
MW-06-60	08/31/21	18	7.32	0.626	9.5	0.14	15.47	-522	Clear	None
	10/27/21	22.5	7.35	0.680	31.0	0.00	14.07	-144	Clear	None
	01/24/22	8	7.24	0.930	0.0	0.00	9.77	-69	Clear	None
	04/19/22	12.5	6.66	1.03	5.9	0.00	12.75	-39	Clear	None
	07/26/22	7.5	7.70	2.61	0.0	0.95	17.96	-69	Clear	None
	10/25/22	9	6.65	0.933	4.1	0.00	12.18	-74	Clear	None
	01/19/23	13.5	6.47	1.26	0.0	11.02	10.63	-105	Clear	None
	04/13/23	9	6.88	1.12	0.0	0.00	13.40	1	Clear	None
	07/11/23	12	7.16	1.04	4.0	0.26	15.44	13	Clear	None
	10/19/23	10.6	6.77	1.17	0.0	0.99	13.93	-29	Clear	None
01/23/24	8.75	7.04	1.02	2.0	3.04	10.43	26	Clear	None	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-06-100	08/23/22	6	7.42	1.01	26.4	0.00	17.63	-554	Clear	None
	10/25/22	3.75	7.20	1.11	0.7	1.09	10.88	-191	Clear	None
	01/18/23	9	7.15	1.38	0.0	9.64	11.93	-309	Clear	Slight Odor
	02/24/23	7.5	7.93	1.11	0.0	0.33	11.85	-303	Clear	None
	04/14/23	9.00	7.17	1.01	0.0	0.00	13.69	-166	Clear	Odor
	07/11/23	9	7.34	1.05	0.0	3.89	16.60	-110	Clear	Odor
	10/19/23	8	7.15	0.995	0.0	7.06	13.62	-78	Clear	None
	01/23/24	7	7.15	0.916	19.1	0.00	11.67	-203	Clear	None
MW-07-32	10/09/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	13	7.44	0.905	17.0	12.90	9.76	189	Clear	None
	07/08/21	6.75	6.90	1.03	42.2	5.58	12.89	163	Clear	None
	10/26/21	11.5	7.15	0.721	9.3	6.29	13.09	159	Clear	None
	01/26/22	12	6.99	1.02	4.1	10.49	6.97	125	Clear	None
	04/19/22	24	7.12	1.05	15.1	8.25	9.94	210	Clear	None
	07/25/22	34	8.03	1.14	8.4	9.29	11.43	90	Clear	None
	10/25/22	12	6.80	0.940	0	7.60	10.50	100	Clear	None
	01/19/23	12	7.16	0.941	7.7	7.93	8.47	90	Clear	None
	04/14/23	12	7.48	0.846	0.0	7.13	10.71	259	Clear	None
	07/12/23	12	6.02	1.06	18.5	8.66	13.02	227	Clear	None
	10/18/23	18.2	6.92	0.806	60.8	6.01	14.34	198	Clear	None
01/25/24	11	6.98	0.855	10.2	4.15	10.81	106	Clear	None	
MW-07-60	09/08/21	10.5	7.48	0.428	0.0	0.00	14.49	-329	Clear	None
	10/26/21	10	7.61	0.549	0.0	1.00	13.80	-51	Clear	None
	01/26/22	13.5	7.33	0.763	0.0	0.00	7.70	-49	Clear	None
	04/19/22	10.5	7.74	0.717	2.5	0.00	10.18	-105	Clear	None
	07/25/22	15	8.24	0.892	10.3	1.27	13.77	-63	Clear	None
	10/25/22	15	7.03	0.790	3.8	5.11	1.03	-70	Clear	None
	01/19/23	10	7.30	0.845	4.5	3.82	9.92	19	Clear	None
	04/14/23	9	7.57	0.812	0.0	3.41	11.78	101	Clear	None
	07/12/23	18	7.76	0.892	1.1	4.56	11.93	49	Clear	None
	10/19/23	5.4	6.96	0.817	0.0	3.25	11.73	-6	Clear	None
	01/25/24	15	6.96	1.08	37.6	0.00	10.71	-89	Clear	None

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
 Line 13 MP312 Valve Site
 Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-08-27	10/09/20	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/14/21	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/21	17	7.48	1.12	7.8	3.66	9.30	167	Clear	None
	07/08/21	6	6.82	1.10	0.0	1.10	12.19	263	Clear	None
	10/26/21	10	7.14	0.765	3.5	8.63	14.10	196	Clear	None
	01/25/22	8	6.84	0.985	0.0	1.69	10.03	54	Clear	None
	04/18/22	13.5	7.40	1.14	7.0	4.22	8.12	198	Clear	None
	07/26/22	15	5.73	0.002	501	0.95	16.28	145	Clear	None
	10/26/22	6	6.94	1.11	1	8.23	10.00	158	Clear	None
	01/19/23	7.0	6.60	1.28	45.5	2.81	9.70	112	Clear	None
	04/14/23	24.5	7.02	0.921	0.0	5.29	13.86	309	Clear	None
	07/11/23	6	6.37	0.989	0.0	3.08	19.68	172	Clear	None
	10/16/23	8	7.48	1.00	0.0	4.10	12.31	188	Clear	None
01/24/24	6	6.87	1.07	4.9	0.00	10.22	112	Clear	None	
MW-09-33	09/02/21	12	7.35	1.01	0.0	2.88	15.44	50	Clear	None
	10/27/21	10.5	7.14	0.746	0.2	0.00	12.61	236	Clear	None
	01/26/22	10	7.19	0.971	0.0	2.67	10.42	126	Clear	None
	04/19/22	10.5	7.39	0.938	0.0	4.53	10.84	87	Clear	None
	07/25/22	15	4.55	1.07	0.0	0.20	13.10	214	Clear	None
	10/25/22	11.5	6.50	1.11	0.0	3.91	11.49	182	Clear	None
	01/19/23	8	7.10	1.01	11.9	6.63	10.10	99	Clear	None
	04/13/23	21	6.76	1.07	0.0	6.11	11.14	238	Clear	None
	07/12/23	--	6.69	1.01	397	14.44	11.96	206	Clear	None
	10/20/23	8.00	6.88	0.969	8.6	6.95	11.45	144	Clear	None
	01/23/24	3.25	7.03	1.03	45.0	4.20	7.30	127	Clear	None

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-09-60	09/02/21	18	7.53	0.729	0.0	0.60	15.02	-232	Clear	None
	10/27/21	13.5	7.28	0.611	1.6	0.00	13.09	-39	Clear	None
	01/26/22	19.5	7.09	0.860	0.0	0.57	6.50	24	Clear	None
	04/19/22	13.5	7.63	0.790	3.0	3.03	10.88	27	Clear	None
	07/25/22	19.5	6.30	0.899	20.1	4.00	16.78	132	Clear	None
	10/25/22	22	6.73	0.900	7.1	3.19	11.11	-49	Clear	None
	01/18/23	9	7.11	0.970	8.9	9.20	9.01	92	Clear	None
	04/13/23	16.5	6.25	0.930	18.1	5.09	11.49	239	Clear	None
	07/12/23	16.5	7.26	0.957	18.1	4.96	12.17	168	Clear	None
	10/19/23	11	6.90	0.887	0.0	5.27	12.19	120	Clear	None
01/23/24	11	7.07	0.817	15.9	0.02	10.04	107	Clear	None	
MW-10-32	09/08/21	10.5	6.93	0.737	0.0	0.00	15.97	-73	Clear	None
	10/27/21	18	6.80	0.918	0.0	1.26	15.43	-43	Clear	None
	01/25/22	7	6.66	0.813	0.0	0.00	10.72	0	Clear	None
	04/20/22	15	6.99	0.909	2.5	0.00	11.25	-66	Clear	None
	07/27/22	12	6.98	0.989	0.0	5.54	15.20	-116	Clear	None
	10/25/22	9.6	6.60	0.936	0.0	0.00	12.75	-106	Clear	None
	01/18/23	8	6.86	1.05	43.2	1.33	11.88	-8	Clear	None
	04/13/23	16	6.69	0.845	0.0	0.00	22.35	49	Clear	None
	07/11/23	9	6.10	0.981	0.0	1.06	18.91	-57	Clear	None
	10/17/23	7.5	6.59	0.900	0.0	5.25	19.38	-2	Clear	None
01/24/24	6	6.53	0.971	22.8	0.00	9.18	-8	Clear	None	
MW-11-32	09/08/21	12	7.09	0.735	0.0	0.00	15.87	-141	Clear	None
	10/27/21	13.5	6.89	1.05	0.0	0.22	14.99	-92	Clear	None
	01/25/22	10	6.69	0.966	0.0	0.00	11.05	-53	Clear	None
	04/19/22	15	7.07	1.01	17.9	1.08	15.28	-116	Clear	None
	07/26/22	16.5	6.41	1.04	148	0.00	18.48	-113	Clear	None
	10/26/22	10.5	6.00	1.21	0	0.00	10.60	-116	Clear	None
	01/18/23	10	6.73	1.15	63	2.21	12.32	-45	Clear	None
	04/13/23	11	6.56	0.955	0.0	0.00	17.86	80	Clear	None
	07/12/23	15	6.95	1.07	0.0	2.33	14.66	-42	Clear	None
	10/18/23	13	6.38	1.12	67.8	0.48	18.98	-78	Clear	None
01/24/24	7	6.65	1.04	6.0	0.00	13.23	-105	Clear	None	

Table 5

**Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin**

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-12-31	09/01/21	10.8	7.17	0.890	2.5	0.80	16.52	107	Clear	None
	10/25/21	15	6.95	1.09	0.0	3.14	14.30	170	Clear	None
	01/25/22	8	7.23	1.03	0.0	0.00	9.12	136	Clear	None
	04/18/22	10.5	7.42	1.18	3.1	0.33	10.11	198	Clear	None
	07/26/22	5.5	6.66	1.10	129	7.68	18.87	155	Clear	None
	10/24/22	11.5	6.96	1.03	0	5.80	15.06	167	Clear	None
	01/19/23	8	6.57	1.29	44.4	3.82	11.95	133	Clear	None
	04/13/23	9	6.81	1.12	0.0	2.76	17.47	145	Clear	None
	07/10/23	31.5	7.21	0.998	6.2	4.00	21.51	165	Clear	None
	10/18/23	16.05	6.78	1.05	15.6	5.09	16.14	191	Clear	None
01/25/24	18	6.70	1.22	14.0	2.31	12.35	137	Clear	None	
MW-13-33	09/08/21	19.2	6.17	0.892	0.0	1.11	12.89	-206	Clear	None
	10/27/21	16.5	7.35	0.660	5.1	0.00	13.44	30	Clear	None
	01/25/22	7	7.05	0.829	0.0	2.88	8.51	68	Clear	None
	04/18/22	16.5	7.60	0.795	12.3	5.53	9.35	154	Clear	None
	07/26/22	6	6.07	1.00	0.0	6.03	11.25	181	Clear	None
	10/24/22	11.5	6.87	0.770	1.5	7.85	14.24	177	Clear	None
	01/18/23	11	7.26	0.961	3.1	7.30	10.57	189	Clear	None
	02/24/23	16.5	7.34	0.901	4.0	9.74	10.22	174	Clear	None
	04/13/23	22.5	6.89	0.883	3.6	7.31	11.04	255	Clear	None
	07/12/23	20	6.70	0.989	9.2	10.23	13.50	196	Clear	None
10/18/23	24	6.86	0.837	10.0	6.67	13.18	190	Clear	None	
01/25/24	9	6.98	0.859	16.9	1.83	10.80	122	Clear	None	
MW-14-31	09/07/21	12	7.02	0.688	0.0	0.00	17.88	-193	Clear	None
	10/27/21	10	7.18	0.635	0.0	0.00	16.59	-45	Clear	None
	01/25/22	8	6.47	0.884	0.0	0.00	10.13	-6	Clear	None
	04/18/22	7.5	7.42	1.01	8.4	0.00	8.45	-91	Clear	None
	07/26/22	10.5	6.80	0.980	0.0	0.00	19.22	-98	Clear	None
	10/25/22 (c)	6	6.43	1.08	0.0	0.08	13.40	-113	Clear	None
	01/19/23	8.75	6.32	1.22	46.6	1.52	14.01	-40	Clear	None
	04/12/23	9	6.63	1.19	0.0	1.42	16.94	49	Clear	None
	07/11/23	9	6.56	1.14	0.0	3.30	17.03	-40	Clear	None
	10/18/23	8	6.41	1.12	10.1	0.47	19.12	-92	Clear	None
01/25/24	5	6.60	1.14	0.4	0.00	15.81	-121	Clear	None	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-15-32	09/02/21	16.8	7.36	0.890	0.0	1.19	15.78	28	Clear	None
	10/25/21	13.5	7.21	0.623	5.3	0.00	12.35	149	Clear	None
	01/25/22	13.5	7.24	0.833	0.0	0.56	7.30	134	Clear	None
	04/19/22	9	7.44	0.883	0.0	3.09	11.30	90	Clear	None
	07/26/22	9	6.97	1.01	5.2	5.10	14.54	88	Clear	None
	10/24/22	11.5	6.87	0.879	0.8	5.34	12.75	163	Clear	None
	01/18/23	9	7.00	1.05	2.9	10.16	9.95	178	Clear	None
	04/14/23	13.5	7.34	0.988	0.0	9.13	10.32	320	Clear	None
	07/10/23	27	7.17	0.907	13.4	8.28	19.12	188	Clear	None
	10/18/23	20.8	7.16	0.928	15.0	7.27	14.57	188	Clear	None
01/25/24	8.1	6.75	1.06	9.4	3.43	10.13	125	Clear	None	
MW-16-29	09/01/21	10.8	7.20	0.776	0.0	0.80	13.24	40	Clear	None
	10/25/21	10.5	7.13	0.631	0.3	0.00	13.56	187	Clear	None
	01/25/22	9	7.20	0.861	0.0	1.90	10.65	123	Clear	None
	04/18/22	10.5	7.42	1.00	1.9	4.57	9.43	199	Clear	None
	07/26/22	4.5	6.53	1.08	0.0	5.99	16.26	156	Clear	None
	10/24/22	7	6.87	0.896	0.0	4.87	17.26	189	Clear	None
	01/19/23	6	6.61	1.28	46.3	4.61	10.80	153	Clear	None
	04/13/23	6	6.80	0.991	0.0	5.47	14.21	411	Clear	None
	07/11/23	10.5	6.30	1.03	1.5	4.89	20.24	175	Clear	None
	10/17/23	7	7.12	1.02	0.0	6.24	14.74	132	Clear	None
01/25/24	7.5	6.69	1.06	0.0	3.43	11.18	185	Clear	None	
MW-17-20	12/14/21	7.0	6.76	0.750	34.4	1.51	13.56	111	Clear	None
	01/25/22	6.75	7.00	0.664	0.0	1.39	9.76	19	Clear	None
	04/21/22	16.125	7.40	0.779	4.2	7.40	10.98	179	Clear	None
	07/27/22	13.5	6.28	0.767	79.7	4.99	17.63	114	Clear	None
	10/24/22	8.5	7.06	0.714	1.4	3.29	17.35	173	Clear	None
	01/18/23	18.0	7.29	0.742	1.6	9.96	10.59	88	Clear	None
	04/12/23	12.0	7.09	0.794	14.0	5.62	15.34	425	Clear	None
	07/11/23	6.0	7.17	0.816	0.0	5.74	15.59	95	Clear	None
	10/16/23	7.0	7.77	0.781	0.0	4.93	16.11	154	Clear	None
01/24/24	7.0	6.79	0.908	0.2	3.29	10.29	136	Clear	None	

Table 5

Historical Monitoring Well Sampling Results for Field Parameters
Line 13 MP312 Valve Site
Fort Atkinson, Wisconsin

Field Parameters (Final Reading)										
Well ID	Sample Date	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Oxidation Reduction Potential (mV)	Appearance of Purge Water	Odor
	Enforcement Standard (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Preventive Action Limit (a)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Residential Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
	Commercial Vapor Risk Screening Level (b)	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-18-31	08/23/22	15.0	7.21	0.911	2.9	4.75	14.28	-294	Clear	None
	10/25/22	9	6.73	0.968	0.0	2.51	11.76	-128	Clear	None
	01/19/23	10.0	6.56	1.070	44.2	1.80	11.33	-87	Clear	None
	04/14/23	6.00	6.71	0.645	0.0	0.00	12.80	36	Clear	Odor
	07/11/23	15	6.13	0.933	0.0	0.31	26.14	-106	Clear	Odor
	10/20/23	--	--	--	--	--	--	--	--	--
	01/23/24	--	--	--	--	--	--	--	--	--

General Notes

Shaded = Regulatory exceedance of PAL or ES

Boxed = Regulatory exceedance of residential or commercial VRSL

Bold = Enforcement Standard exceedance

Italics = Preventive Action Limit exceedance

Acronyms and Abbreviations

a/ Wisconsin Department of Natural Resources (WDNR) Administrative Code Chapter NR 140.10, Table 1 - Public Health Groundwater Standards. June 2021.

b/ WDNR Vapor Risk Screening Level (VRSL) based on U.S. Environmental Protection Agency (EPA) Vapor Intrusion Screening Levels (VISL). February 2022.

In accordance with WDNR Publications RR0136 and RR800, VRSL calculated using EPA VISL Calculator with a Hazard Quotient of 1, Target Risk of 10⁻⁵, Attenuation Factor of 0.001, and a site-specific average groundwater temperature of 12.83°C. VRSL for TCE is equal to the ES (5 ug/l).

c/ Duplicate sample results listed for this sample event as primary sample did not have any detected compounds and duplicate results were consistent with historical data.

NA = Not accessible.

NE = Not established.

"<" = Not detected above the reported method detection limit.

L = liter; mS/cm = milliSiemens per centimeter; NTU = Nephelometric Turbidity Units' mg/L = milligrams per liter, mV = millivolts

ENCLOSURE A – LABORATORY ANALYTICAL RESULTS



February 13, 2024

Timothy Huff
WSP USA
211 North Broadway
Saint Louis, MO 63102

RE: Project: 31406019.705F-03.SUB L13 MP 31
Pace Project No.: 40273572

Dear Timothy Huff:

Enclosed are the analytical results for sample(s) received by the laboratory on January 26, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Baton Rouge
- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Timothy Babb, WSP



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

Pace Analytical Services Baton Rouge

7979 Innovation Park Drive Ste A, Baton Rouge, LA

70820-7402

Louisiana Dept of Environmental Quality (NELAC/LELAP):
01979

Florida Dept of Health (NELAC/FELAP): E87854

DoD ELAP (A2LA) #: 6429.01

Alabama DEM #: 41900

Alaska DEC-DW #: LA00024

Alaska DEC CS-LAP #: 21-001

Arkansas DEQ #: 88-0655

California ELAP #: 3063

Georgia DPD #: C050

Hawaii DOH State Laboratories Division

Illinois EPA #: 200048

Kansas DoHE #: E-10354

Kentucky DEP UST Branch #: 123054

Louisiana DOH #: LA036

Minnesota DOH #: 2233799

Mississippi State Dept of Health

Montana Department of Environmental Quality

Nebraska DHHS #: NE-OS-35.21

Nevada DCNR DEP #: LA00024

New York DOH #: 12149

North Carolina DEQ - WW & GW #: 618

North Dakota DEQ #: R195

Ohio EPA #: 87782

Oklahoma Dept of Environmental Quality #: 9403

Oregon ELAP #: 4168

Pennsylvania Dept of Environmental Protection #: 68-
05973

South Carolina DHEC #: 73006001

Texas CEQ #: T104704178-23-15

Utah DOH #: LA00024

Virginia DCLS #: 6460215

Washington Dept of Ecology #: C929

Wisconsin DNR #: 399139510

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40273572001	MW-01-32	Water	01/24/24 11:50	01/26/24 08:05
40273572002	MW-01-63	Water	01/24/24 14:00	01/26/24 08:05
40273572003	MW-02-25	Water	01/24/24 11:15	01/26/24 08:05
40273572004	MW-02-55	Water	01/24/24 12:35	01/26/24 08:05
40273572005	MW-03-25	Water	01/24/24 16:15	01/26/24 08:05
40273572006	MW-04-29	Water	01/25/24 08:55	01/26/24 08:05
40273572007	MW-05-30	Water	01/23/24 09:45	01/26/24 08:05
40273572008	MW-05-60	Water	01/23/24 10:05	01/26/24 08:05
40273572009	MW-06-32	Water	01/23/24 16:10	01/26/24 08:05
40273572010	MW-06-60	Water	01/23/24 15:47	01/26/24 08:05
40273572011	MW-06-100	Water	01/23/24 15:05	01/26/24 08:05
40273572012	MW-07-32	Water	01/25/24 12:40	01/26/24 08:05
40273572013	MW-07-60	Water	01/25/24 11:30	01/26/24 08:05
40273572014	MW-08-27	Water	01/24/24 15:45	01/26/24 08:05
40273572015	MW-09-33	Water	01/23/24 12:45	01/26/24 08:05
40273572016	MW-09-60	Water	01/23/24 13:00	01/26/24 08:05
40273572017	MW-10-32	Water	01/24/24 10:00	01/26/24 08:05
40273572018	MW-11-32	Water	01/24/24 09:10	01/26/24 08:05
40273572019	MW-12-31	Water	01/25/24 12:50	01/26/24 08:05
40273572020	MW-13-33	Water	01/25/24 14:00	01/26/24 08:05
40273572021	MW-14-31	Water	01/25/24 08:50	01/26/24 08:05
40273572022	MW-15-32	Water	01/25/24 14:30	01/26/24 08:05
40273572023	MW-16-29	Water	01/25/24 09:50	01/26/24 08:05
40273572024	MW-17-20	Water	01/24/24 14:10	01/26/24 08:05
40273572025	MW-101-32	Water	01/24/24 08:00	01/26/24 08:05
40273572026	MW-101-63	Water	01/24/24 07:00	01/26/24 08:05
40273572027	MW-114-31	Water	01/25/24 08:00	01/26/24 08:05
40273572028	EB012524A	Water	01/25/24 14:15	01/26/24 08:05
40273572029	EB012524B	Water	01/25/24 14:55	01/26/24 08:05
40273572030	TB012524	Water	01/25/24 00:00	01/26/24 08:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40273572001	MW-01-32	RSK175	LB	4	PASI-BR
		RSK175	LB	1	PASI-BR
		EPA 6010D	SIS	2	PASI-G
		EPA 6010D	SIS	2	PASI-G
		EPA 8260	EIB	68	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 310.2	MT	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40273572002	MW-01-63	EPA 8260	EIB	68	PASI-G
40273572003	MW-02-25	RSK175	LB	4	PASI-BR
		RSK175	LB	1	PASI-BR
		EPA 6010D	SIS	2	PASI-G
		EPA 6010D	SIS	2	PASI-G
		EPA 8260	EIB	68	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 310.2	MT	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40273572004	MW-02-55	EPA 8260	EIB	68	PASI-G
40273572005	MW-03-25	EPA 8260	EIB	68	PASI-G
40273572006	MW-04-29	EPA 8260	EIB	68	PASI-G
40273572007	MW-05-30	EPA 8260	EIB	68	PASI-G
40273572008	MW-05-60	EPA 8260	EIB	68	PASI-G
40273572009	MW-06-32	RSK175	LB	4	PASI-BR
		RSK175	LB	1	PASI-BR
		EPA 6010D	SIS	2	PASI-G
		EPA 6010D	SIS	2	PASI-G
		EPA 8260	EIB	68	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 310.2	MT	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40273572010	MW-06-60	EPA 8260	EIB	68	PASI-G
40273572011	MW-06-100	EPA 8260	EIB	68	PASI-G
40273572012	MW-07-32	EPA 8260	EIB	68	PASI-G
40273572013	MW-07-60	EPA 8260	EIB	68	PASI-G
40273572014	MW-08-27	EPA 8260	EIB	68	PASI-G
40273572015	MW-09-33	EPA 8260	EIB	68	PASI-G
40273572016	MW-09-60	EPA 8260	EIB	68	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory		
40273572017	MW-10-32	RSK175	LB	4	PASI-BR		
		RSK175	LB	1	PASI-BR		
		EPA 6010D	SIS	2	PASI-G		
		EPA 6010D	SIS	2	PASI-G		
		EPA 8260	EIB	68	PASI-G		
		EPA 300.0	HMB	1	PASI-G		
		EPA 310.2	MT	1	PASI-G		
		EPA 353.2	MT	1	PASI-G		
40273572018	MW-11-32	EPA 8260	EIB	68	PASI-G		
40273572019	MW-12-31	EPA 8260	EIB	68	PASI-G		
40273572020	MW-13-33	EPA 8260	EIB	68	PASI-G		
40273572021	MW-14-31	RSK175	LB	4	PASI-BR		
		RSK175	LB	1	PASI-BR		
		EPA 6010D	SIS	2	PASI-G		
		EPA 6010D	SIS	2	PASI-G		
		EPA 8260	CXJ	68	PASI-G		
		EPA 300.0	HMB	1	PASI-G		
		EPA 310.2	MT	1	PASI-G		
		EPA 353.2	MT	1	PASI-G		
		40273572022	MW-15-32	EPA 8260	CXJ	68	PASI-G
		40273572023	MW-16-29	EPA 8260	CXJ	68	PASI-G
40273572024	MW-17-20	RSK175	LB	4	PASI-BR		
		RSK175	LB	1	PASI-BR		
		EPA 6010D	SIS	2	PASI-G		
		EPA 6010D	SIS	2	PASI-G		
		EPA 8260	CXJ	68	PASI-G		
		EPA 300.0	HMB	1	PASI-G		
		EPA 310.2	MT	1	PASI-G		
		EPA 353.2	MT	1	PASI-G		
		40273572025	MW-101-32	RSK175	LB	4	PASI-BR
				RSK175	LB	1	PASI-BR
EPA 6010D	SIS			2	PASI-G		
EPA 6010D	SIS			2	PASI-G		
EPA 8260	CXJ			68	PASI-G		
EPA 300.0	HMB			1	PASI-G		
EPA 310.2	MT			1	PASI-G		
EPA 353.2	MT			1	PASI-G		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40273572026	MW-101-63	EPA 8260	CXJ	68	PASI-G
40273572027	MW-114-31	EPA 8260	CXJ	68	PASI-G
40273572028	EB012524A	EPA 8260	CXJ	68	PASI-G
40273572029	EB012524B	EPA 8260	CXJ	68	PASI-G
40273572030	TB012524	EPA 8260	CXJ	68	PASI-G

PASI-BR = Pace Analytical Services - Baton Rouge

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-01-32 Lab ID: 40273572001 Collected: 01/24/24 11:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/05/24 12:16	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/05/24 12:16	74-85-1	
Methane	57.0	ug/L	10.0	3.8	1		02/05/24 12:16	74-82-8	CL,P2
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	88	%	70-130		1		02/05/24 12:16		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	97600	ug/L	1200	585	1		01/31/24 14:38	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	7260	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 13:53	7439-89-6	
Manganese	96.8	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 13:53	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	7020	ug/L	100	29.6	1		01/30/24 14:38	7439-89-6	
Manganese, Dissolved	91.2	ug/L	5.0	1.1	1		01/30/24 14:38	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<44.4	ug/L	125	44.4	125		01/31/24 20:10	630-20-6	
1,1,1-Trichloroethane	<37.8	ug/L	125	37.8	125		01/31/24 20:10	71-55-6	
1,1,2,2-Tetrachloroethane	<47.2	ug/L	125	47.2	125		01/31/24 20:10	79-34-5	
1,1,2-Trichloroethane	<43.1	ug/L	125	43.1	125		01/31/24 20:10	79-00-5	
1,1-Dichloroethane	<37.0	ug/L	125	37.0	125		01/31/24 20:10	75-34-3	
1,1-Dichloroethene	<72.8	ug/L	125	72.8	125		01/31/24 20:10	75-35-4	
1,1-Dichloropropene	<51.3	ug/L	125	51.3	125		01/31/24 20:10	563-58-6	
1,2,3-Trichlorobenzene	<127	ug/L	625	127	125		01/31/24 20:10	87-61-6	
1,2,3-Trichloropropane	<69.4	ug/L	125	69.4	125		01/31/24 20:10	96-18-4	
1,2,4-Trichlorobenzene	<119	ug/L	625	119	125		01/31/24 20:10	120-82-1	
1,2,4-Trimethylbenzene	<56.1	ug/L	125	56.1	125		01/31/24 20:10	95-63-6	
1,2-Dibromo-3-chloropropane	<296	ug/L	625	296	125		01/31/24 20:10	96-12-8	
1,2-Dibromoethane (EDB)	<38.6	ug/L	125	38.6	125		01/31/24 20:10	106-93-4	
1,2-Dichlorobenzene	<40.7	ug/L	125	40.7	125		01/31/24 20:10	95-50-1	
1,2-Dichloroethane	<36.4	ug/L	125	36.4	125		01/31/24 20:10	107-06-2	
1,2-Dichloropropane	<56.0	ug/L	125	56.0	125		01/31/24 20:10	78-87-5	
1,3,5-Trimethylbenzene	<44.7	ug/L	125	44.7	125		01/31/24 20:10	108-67-8	
1,3-Dichlorobenzene	<43.9	ug/L	125	43.9	125		01/31/24 20:10	541-73-1	
1,3-Dichloropropane	<38.1	ug/L	125	38.1	125		01/31/24 20:10	142-28-9	
1,4-Dichlorobenzene	<112	ug/L	125	112	125		01/31/24 20:10	106-46-7	
2,2-Dichloropropane	<52.3	ug/L	125	52.3	125		01/31/24 20:10	594-20-7	
2-Chlorotoluene	<111	ug/L	625	111	125		01/31/24 20:10	95-49-8	
4-Chlorotoluene	<112	ug/L	625	112	125		01/31/24 20:10	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-01-32 Lab ID: 40273572001 Collected: 01/24/24 11:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	8270	ug/L	125	36.9	125		01/31/24 20:10	71-43-2	
Bromobenzene	<45.1	ug/L	125	45.1	125		01/31/24 20:10	108-86-1	
Bromochloromethane	<44.7	ug/L	125	44.7	125		01/31/24 20:10	74-97-5	
Bromodichloromethane	<51.9	ug/L	125	51.9	125		01/31/24 20:10	75-27-4	
Bromoform	<53.6	ug/L	125	53.6	125		01/31/24 20:10	75-25-2	
Bromomethane	<149	ug/L	625	149	125		01/31/24 20:10	74-83-9	
Carbon tetrachloride	<46.2	ug/L	125	46.2	125		01/31/24 20:10	56-23-5	
Chlorobenzene	<107	ug/L	125	107	125		01/31/24 20:10	108-90-7	
Chloroethane	<172	ug/L	625	172	125		01/31/24 20:10	75-00-3	
Chloroform	<63.0	ug/L	625	63.0	125		01/31/24 20:10	67-66-3	
Chloromethane	<204	ug/L	625	204	125		01/31/24 20:10	74-87-3	
Cyclohexane	457J	ug/L	625	161	125		01/31/24 20:10	110-82-7	
Dibromochloromethane	<330	ug/L	625	330	125		01/31/24 20:10	124-48-1	
Dibromomethane	<124	ug/L	625	124	125		01/31/24 20:10	74-95-3	
Dichlorodifluoromethane	<56.9	ug/L	625	56.9	125		01/31/24 20:10	75-71-8	
Diisopropyl ether	<138	ug/L	625	138	125		01/31/24 20:10	108-20-3	
Ethylbenzene	95.6J	ug/L	125	40.6	125		01/31/24 20:10	100-41-4	
Hexachloro-1,3-butadiene	<342	ug/L	625	342	125		01/31/24 20:10	87-68-3	
Isopropylbenzene (Cumene)	<125	ug/L	625	125	125		01/31/24 20:10	98-82-8	
Methyl-tert-butyl ether	<141	ug/L	625	141	125		01/31/24 20:10	1634-04-4	
Methylcyclohexane	166J	ug/L	625	149	125		01/31/24 20:10	108-87-2	
Methylene Chloride	<39.9	ug/L	625	39.9	125		01/31/24 20:10	75-09-2	
Naphthalene	<240	ug/L	625	240	125		01/31/24 20:10	91-20-3	
Styrene	<44.5	ug/L	125	44.5	125		01/31/24 20:10	100-42-5	
Tetrachloroethene	<51.1	ug/L	125	51.1	125		01/31/24 20:10	127-18-4	
Toluene	1570	ug/L	125	36.0	125		01/31/24 20:10	108-88-3	
Trichloroethene	<40.0	ug/L	125	40.0	125		01/31/24 20:10	79-01-6	
Trichlorofluoromethane	<52.3	ug/L	125	52.3	125		01/31/24 20:10	75-69-4	
Vinyl chloride	<21.8	ug/L	125	21.8	125		01/31/24 20:10	75-01-4	
cis-1,2-Dichloroethene	<58.9	ug/L	125	58.9	125		01/31/24 20:10	156-59-2	
cis-1,3-Dichloropropene	<29.7	ug/L	125	29.7	125		01/31/24 20:10	10061-01-5	
m&p-Xylene	88.9J	ug/L	250	87.5	125		01/31/24 20:10	179601-23-1	
n-Butylbenzene	<107	ug/L	125	107	125		01/31/24 20:10	104-51-8	
n-Heptane	<204	ug/L	625	204	125		01/31/24 20:10	142-82-5	
n-Hexane	<183	ug/L	625	183	125		01/31/24 20:10	110-54-3	
n-Propylbenzene	<43.2	ug/L	125	43.2	125		01/31/24 20:10	103-65-1	
o-Xylene	119J	ug/L	125	43.5	125		01/31/24 20:10	95-47-6	
p-Isopropyltoluene	<130	ug/L	625	130	125		01/31/24 20:10	99-87-6	
sec-Butylbenzene	<53.0	ug/L	125	53.0	125		01/31/24 20:10	135-98-8	
tert-Butylbenzene	<73.3	ug/L	125	73.3	125		01/31/24 20:10	98-06-6	
trans-1,2-Dichloroethene	<66.0	ug/L	125	66.0	125		01/31/24 20:10	156-60-5	
trans-1,3-Dichloropropene	<33.2	ug/L	125	33.2	125		01/31/24 20:10	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		125		01/31/24 20:10	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		125		01/31/24 20:10	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-01-32 Lab ID: 40273572001 Collected: 01/24/24 11:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		125		01/31/24 20:10	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	<2.2	mg/L	10.0	2.2	5		02/05/24 20:44	14808-79-8	D3,M0
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	476	mg/L	50.0	14.9	2		01/31/24 08:38		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/31/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-01-63 Lab ID: 40273572002 Collected: 01/24/24 14:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:19	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 14:19	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 14:19	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:19	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 14:19	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:19	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:19	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 14:19	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 14:19	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 14:19	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 14:19	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 14:19	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:19	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 14:19	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 14:19	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:19	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:19	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:19	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 14:19	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:19	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:19	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 14:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:19	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:19	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 14:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:19	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 14:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 14:19	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 14:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:19	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 14:19	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 14:19	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 14:19	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 14:19	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 14:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 14:19	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:19	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:19	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 14:19	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-01-63 Lab ID: 40273572002 Collected: 01/24/24 14:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 14:19	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:19	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 14:19	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 14:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:19	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 14:19	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 14:19	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 14:19	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 14:19	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:19	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:19	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 14:19	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:19	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:19	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:19	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 14:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 14:19	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 14:19	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 14:19	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		01/31/24 14:19	2037-26-5	HS
4-Bromofluorobenzene (S)	98	%	70-130		1		01/31/24 14:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/31/24 14:19	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-02-25 Lab ID: 40273572003 Collected: 01/24/24 11:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/05/24 12:00	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/05/24 12:00	74-85-1	
Methane	379	ug/L	10.0	3.8	1		02/05/24 12:00	74-82-8	CL,P2
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	81	%	70-130		1		02/05/24 12:00		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	93900	ug/L	1200	585	1		01/31/24 14:22	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	<56.7	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:04	7439-89-6	
Manganese	3.7J	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:04	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	<29.6	ug/L	100	29.6	1		01/30/24 14:40	7439-89-6	
Manganese, Dissolved	3.3J	ug/L	5.0	1.1	1		01/30/24 14:40	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:00	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:00	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 14:00	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 14:00	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:00	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 14:00	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:00	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:00	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 14:00	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 14:00	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 14:00	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 14:00	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 14:00	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:00	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 14:00	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 14:00	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:00	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:00	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:00	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 14:00	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:00	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:00	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:00	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-02-25 Lab ID: 40273572003 Collected: 01/24/24 11:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 14:00	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:00	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:00	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:00	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 14:00	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:00	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 14:00	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:00	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 14:00	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 14:00	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:00	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 14:00	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 14:00	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 14:00	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 14:00	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:00	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 14:00	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 14:00	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:00	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:00	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 14:00	75-09-2	
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 14:00	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:00	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:00	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 14:00	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 14:00	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:00	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 14:00	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 14:00	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 14:00	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 14:00	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:00	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:00	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 14:00	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:00	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:00	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:00	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 14:00	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 14:00	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 14:00	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 14:00	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/31/24 14:00	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 14:00	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-02-25 **Lab ID: 40273572003** Collected: 01/24/24 11:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 14:00	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	4.0J	mg/L	10.0	2.2	5		02/05/24 22:13	14808-79-8	D3
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	472	mg/L	25.0	7.4	1		01/31/24 08:39		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	0.34	mg/L	0.25	0.059	1		01/31/24 12:23		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-02-55 Lab ID: 40273572004 Collected: 01/24/24 12:35 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:38	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 14:38	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 14:38	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:38	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 14:38	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:38	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:38	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 14:38	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 14:38	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 14:38	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 14:38	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 14:38	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:38	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 14:38	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 14:38	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:38	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:38	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:38	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 14:38	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:38	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:38	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 14:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 14:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:38	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 14:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 14:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 14:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:38	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 14:38	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 14:38	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 14:38	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 14:38	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 14:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 14:38	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:38	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:38	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 14:38	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-02-55 Lab ID: 40273572004 Collected: 01/24/24 12:35 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 14:38	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:38	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 14:38	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 14:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:38	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 14:38	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 14:38	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 14:38	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 14:38	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:38	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:38	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 14:38	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:38	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:38	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:38	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 14:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 14:38	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 14:38	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 14:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 14:38	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 14:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 14:38	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-03-25 Lab ID: 40273572005 Collected: 01/24/24 16:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:58	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 14:58	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 14:58	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:58	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 14:58	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:58	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:58	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 14:58	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 14:58	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 14:58	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 14:58	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 14:58	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:58	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 14:58	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 14:58	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:58	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:58	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 14:58	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 14:58	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:58	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 14:58	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 14:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:58	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 14:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:58	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 14:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:58	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 14:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 14:58	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 14:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:58	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 14:58	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 14:58	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 14:58	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 14:58	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 14:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 14:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 14:58	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 14:58	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 14:58	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 14:58	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-03-25 Lab ID: 40273572005 Collected: 01/24/24 16:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 14:58	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 14:58	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 14:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 14:58	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 14:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 14:58	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 14:58	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 14:58	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 14:58	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 14:58	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 14:58	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 14:58	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 14:58	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:58	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 14:58	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 14:58	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 14:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 14:58	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 14:58	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 14:58	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 14:58	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		01/31/24 14:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/31/24 14:58	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-04-29 Lab ID: 40273572006 Collected: 01/25/24 08:55 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:17	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 15:17	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 15:17	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:17	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 15:17	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:17	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:17	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 15:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 15:17	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 15:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 15:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 15:17	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:17	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 15:17	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 15:17	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:17	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:17	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:17	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 15:17	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:17	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:17	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 15:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 15:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:17	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 15:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 15:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 15:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:17	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 15:17	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 15:17	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 15:17	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 15:17	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 15:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 15:17	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:17	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:17	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 15:17	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-04-29 Lab ID: 40273572006 Collected: 01/25/24 08:55 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 15:17	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:17	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 15:17	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 15:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 15:17	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 15:17	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 15:17	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 15:17	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:17	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:17	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 15:17	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:17	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:17	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:17	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 15:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 15:17	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 15:17	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 15:17	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 15:17	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1		01/31/24 15:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 15:17	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-05-30 Lab ID: 40273572007 Collected: 01/23/24 09:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:37	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:37	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 15:37	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 15:37	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:37	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 15:37	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:37	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:37	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 15:37	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 15:37	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 15:37	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 15:37	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 15:37	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:37	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 15:37	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 15:37	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:37	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:37	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:37	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 15:37	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:37	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:37	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:37	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 15:37	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:37	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:37	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:37	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 15:37	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:37	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 15:37	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:37	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 15:37	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 15:37	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:37	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 15:37	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 15:37	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 15:37	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 15:37	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:37	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:37	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 15:37	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 15:37	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:37	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:37	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 15:37	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-05-30 Lab ID: 40273572007 Collected: 01/23/24 09:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 15:37	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:37	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:37	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 15:37	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 15:37	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:37	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 15:37	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 15:37	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 15:37	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 15:37	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:37	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:37	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 15:37	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:37	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:37	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:37	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 15:37	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 15:37	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 15:37	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 15:37	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/31/24 15:37	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		01/31/24 15:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/31/24 15:37	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-05-60 Lab ID: 40273572008 Collected: 01/23/24 10:05 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:57	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 15:57	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 15:57	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:57	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 15:57	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:57	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:57	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 15:57	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 15:57	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 15:57	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 15:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 15:57	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:57	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 15:57	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 15:57	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:57	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:57	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 15:57	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 15:57	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:57	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 15:57	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 15:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:57	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 15:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:57	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 15:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:57	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 15:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 15:57	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 15:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:57	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 15:57	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 15:57	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 15:57	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 15:57	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 15:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 15:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 15:57	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 15:57	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 15:57	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 15:57	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-05-60 Lab ID: 40273572008 Collected: 01/23/24 10:05 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 15:57	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 15:57	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 15:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 15:57	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 15:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 15:57	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 15:57	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 15:57	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 15:57	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 15:57	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 15:57	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 15:57	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 15:57	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:57	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 15:57	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 15:57	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 15:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 15:57	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 15:57	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 15:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/31/24 15:57	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 15:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		01/31/24 15:57	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-32 Lab ID: 40273572009 Collected: 01/23/24 16:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/05/24 08:33	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/05/24 08:33	74-85-1	
Methane	7.5J	ug/L	10.0	3.8	1		02/05/24 08:33	74-82-8	CL,P2
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	80	%	70-130		1		02/05/24 08:33		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	166000	ug/L	1200	585	1		01/31/24 13:34	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	<56.7	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:08	7439-89-6	
Manganese	35.7	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:08	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	<29.6	ug/L	100	29.6	1		01/30/24 14:42	7439-89-6	
Manganese, Dissolved	32.6	ug/L	5.0	1.1	1		01/30/24 14:42	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:16	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:16	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 16:16	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 16:16	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:16	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 16:16	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:16	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:16	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 16:16	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 16:16	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 16:16	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 16:16	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 16:16	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:16	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 16:16	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 16:16	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:16	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:16	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:16	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 16:16	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:16	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:16	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-32 Lab ID: 40273572009 Collected: 01/23/24 16:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 16:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:16	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:16	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:16	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 16:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:16	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 16:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 16:16	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 16:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:16	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 16:16	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 16:16	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 16:16	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 16:16	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 16:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 16:16	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:16	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:16	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 16:16	75-09-2	
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 16:16	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:16	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 16:16	108-88-3	
Trichloroethene	2.9	ug/L	1.0	0.32	1		01/31/24 16:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:16	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 16:16	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 16:16	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 16:16	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 16:16	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:16	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:16	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 16:16	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:16	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:16	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:16	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 16:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 16:16	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 16:16	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 16:16	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 16:16	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		01/31/24 16:16	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-32 Lab ID: 40273572009 Collected: 01/23/24 16:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/31/24 16:16	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	33.2	mg/L	10.0	2.2	5		02/05/24 22:28	14808-79-8	
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	546	mg/L	50.0	14.9	2		01/31/24 08:35		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	15.8	mg/L	0.50	0.12	2		01/31/24 12:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-60 Lab ID: 40273572010 Collected: 01/23/24 15:47 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:31	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:31	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 19:31	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 19:31	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:31	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 19:31	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:31	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:31	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 19:31	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 19:31	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 19:31	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 19:31	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 19:31	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:31	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 19:31	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 19:31	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:31	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:31	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:31	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 19:31	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:31	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:31	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 19:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 19:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:31	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 19:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 19:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 19:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:31	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 19:31	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 19:31	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 19:31	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 19:31	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 19:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 19:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 19:31	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 19:31	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:31	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 19:31	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-60 Lab ID: 40273572010 Collected: 01/23/24 15:47 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 19:31	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:31	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 19:31	108-88-3	
Trichloroethene	15.5	ug/L	1.0	0.32	1		01/31/24 19:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:31	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 19:31	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 19:31	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 19:31	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 19:31	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:31	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:31	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 19:31	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:31	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:31	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:31	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 19:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 19:31	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 19:31	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 19:31	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 19:31	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 19:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		01/31/24 19:31	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-100 Lab ID: 40273572011 Collected: 01/23/24 15:05 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:35	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 16:35	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 16:35	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:35	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 16:35	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:35	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:35	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 16:35	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 16:35	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 16:35	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 16:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 16:35	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:35	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 16:35	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 16:35	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:35	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:35	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:35	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 16:35	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:35	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:35	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 16:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:35	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:35	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:35	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 16:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:35	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 16:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 16:35	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 16:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:35	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 16:35	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 16:35	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 16:35	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 16:35	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 16:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 16:35	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:35	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:35	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 16:35	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-06-100 **Lab ID: 40273572011** Collected: 01/23/24 15:05 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 16:35	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:35	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 16:35	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 16:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:35	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 16:35	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 16:35	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 16:35	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 16:35	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:35	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:35	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 16:35	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:35	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:35	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:35	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 16:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 16:35	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 16:35	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 16:35	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 16:35	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1		01/31/24 16:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/31/24 16:35	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-07-32 Lab ID: 40273572012 Collected: 01/25/24 12:40 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:55	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 16:55	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 16:55	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:55	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 16:55	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:55	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:55	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 16:55	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 16:55	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 16:55	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 16:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 16:55	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:55	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 16:55	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 16:55	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:55	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:55	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 16:55	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 16:55	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:55	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 16:55	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 16:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:55	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 16:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:55	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 16:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:55	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 16:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 16:55	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 16:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:55	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 16:55	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 16:55	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 16:55	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 16:55	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 16:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 16:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 16:55	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 16:55	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 16:55	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 16:55	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-07-32 Lab ID: 40273572012 Collected: 01/25/24 12:40 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 16:55	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 16:55	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 16:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 16:55	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 16:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 16:55	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 16:55	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 16:55	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 16:55	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 16:55	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 16:55	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 16:55	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 16:55	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:55	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 16:55	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 16:55	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 16:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 16:55	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 16:55	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 16:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	106	%	70-130		1		01/31/24 16:55	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		01/31/24 16:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 16:55	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-07-60 Lab ID: 40273572013 Collected: 01/25/24 11:30 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:15	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 17:15	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 17:15	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:15	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 17:15	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:15	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:15	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 17:15	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 17:15	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 17:15	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 17:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 17:15	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:15	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 17:15	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 17:15	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:15	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:15	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:15	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 17:15	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:15	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:15	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 17:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:15	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:15	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 17:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:15	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 17:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 17:15	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 17:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:15	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 17:15	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 17:15	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 17:15	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 17:15	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 17:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 17:15	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:15	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:15	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 17:15	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-07-60 Lab ID: 40273572013 Collected: 01/25/24 11:30 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 17:15	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:15	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 17:15	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 17:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:15	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 17:15	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 17:15	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 17:15	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 17:15	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:15	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:15	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 17:15	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:15	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:15	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:15	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 17:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 17:15	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 17:15	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 17:15	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 17:15	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 17:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/31/24 17:15	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-08-27 Lab ID: 40273572014 Collected: 01/24/24 15:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:34	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 17:34	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 17:34	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:34	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 17:34	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:34	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:34	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 17:34	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 17:34	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 17:34	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 17:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 17:34	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:34	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 17:34	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 17:34	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:34	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:34	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:34	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 17:34	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:34	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:34	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 17:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:34	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:34	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 17:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:34	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 17:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 17:34	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 17:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:34	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 17:34	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 17:34	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 17:34	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 17:34	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 17:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 17:34	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:34	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:34	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 17:34	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-08-27 Lab ID: 40273572014 Collected: 01/24/24 15:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 17:34	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:34	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 17:34	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 17:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:34	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 17:34	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 17:34	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 17:34	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 17:34	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:34	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:34	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 17:34	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:34	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:34	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:34	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 17:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 17:34	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 17:34	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 17:34	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 17:34	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		01/31/24 17:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 17:34	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-09-33 Lab ID: 40273572015 Collected: 01/23/24 12:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:54	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 17:54	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 17:54	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:54	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 17:54	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:54	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:54	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 17:54	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 17:54	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 17:54	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 17:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 17:54	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:54	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 17:54	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 17:54	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:54	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:54	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 17:54	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 17:54	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:54	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 17:54	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 17:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:54	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 17:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:54	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 17:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:54	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 17:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 17:54	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 17:54	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:54	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 17:54	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 17:54	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 17:54	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 17:54	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 17:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 17:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 17:54	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 17:54	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 17:54	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 17:54	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-09-33 **Lab ID: 40273572015** Collected: 01/23/24 12:45 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 17:54	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 17:54	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 17:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 17:54	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 17:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 17:54	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 17:54	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 17:54	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 17:54	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 17:54	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 17:54	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 17:54	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 17:54	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:54	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 17:54	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 17:54	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 17:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 17:54	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 17:54	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 17:54	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 17:54	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 17:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/31/24 17:54	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-09-60 Lab ID: 40273572016 Collected: 01/23/24 13:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:13	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 18:13	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 18:13	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:13	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 18:13	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:13	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:13	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 18:13	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 18:13	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 18:13	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 18:13	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 18:13	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:13	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 18:13	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 18:13	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:13	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:13	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:13	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 18:13	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:13	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:13	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 18:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:13	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 18:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:13	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 18:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 18:13	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 18:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:13	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 18:13	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 18:13	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 18:13	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 18:13	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 18:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 18:13	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:13	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:13	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 18:13	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-09-60 Lab ID: 40273572016 Collected: 01/23/24 13:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 18:13	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:13	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 18:13	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 18:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:13	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 18:13	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 18:13	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 18:13	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 18:13	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:13	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:13	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 18:13	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:13	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:13	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:13	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 18:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 18:13	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 18:13	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 18:13	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		1		01/31/24 18:13	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		01/31/24 18:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		01/31/24 18:13	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-10-32 **Lab ID: 40273572017** Collected: 01/24/24 10:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/05/24 11:44	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/05/24 11:44	74-85-1	
Methane	8.2J	ug/L	10.0	3.8	1		02/05/24 11:44	74-82-8	CL,P2
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	93	%	70-130		1		02/05/24 11:44		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	74200	ug/L	1200	585	1		01/31/24 14:06	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	692	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:10	7439-89-6	
Manganese	869	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:10	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	291	ug/L	100	29.6	1		01/30/24 14:43	7439-89-6	
Manganese, Dissolved	794	ug/L	5.0	1.1	1		01/30/24 14:43	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:51	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 19:51	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 19:51	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:51	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 19:51	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:51	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:51	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 19:51	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 19:51	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 19:51	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 19:51	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 19:51	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:51	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 19:51	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 19:51	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:51	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:51	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:51	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 19:51	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:51	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:51	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-10-32 Lab ID: 40273572017 Collected: 01/24/24 10:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	1.2	ug/L	1.0	0.30	1		01/31/24 19:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:51	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:51	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 19:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:51	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 19:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 19:51	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 19:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:51	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 19:51	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 19:51	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 19:51	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 19:51	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 19:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 19:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 19:51	98-82-8	
Methyl-tert-butyl ether	1.2J	ug/L	5.0	1.1	1		01/31/24 19:51	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:51	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 19:51	75-09-2	
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 19:51	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:51	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 19:51	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 19:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:51	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 19:51	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 19:51	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 19:51	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 19:51	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:51	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:51	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 19:51	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:51	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:51	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:51	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 19:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 19:51	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 19:51	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 19:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 19:51	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		01/31/24 19:51	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-10-32 **Lab ID: 40273572017** Collected: 01/24/24 10:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/31/24 19:51	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	12.9	mg/L	10.0	2.2	5		02/05/24 22:43	14808-79-8	
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	470	mg/L	25.0	7.4	1		01/31/24 08:40		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	0.35	mg/L	0.25	0.059	1		01/31/24 12:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-11-32 Lab ID: 40273572018 Collected: 01/24/24 09:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:32	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 18:32	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 18:32	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:32	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 18:32	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:32	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:32	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 18:32	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 18:32	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 18:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 18:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 18:32	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:32	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 18:32	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 18:32	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:32	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:32	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:32	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 18:32	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:32	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:32	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 18:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:32	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:32	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 18:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:32	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 18:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 18:32	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 18:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:32	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 18:32	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 18:32	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 18:32	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 18:32	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 18:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 18:32	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:32	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:32	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 18:32	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-11-32 Lab ID: 40273572018 Collected: 01/24/24 09:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 18:32	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:32	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 18:32	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 18:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:32	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 18:32	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 18:32	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 18:32	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 18:32	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:32	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:32	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 18:32	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:32	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:32	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:32	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 18:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 18:32	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 18:32	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 18:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/31/24 18:32	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/31/24 18:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/31/24 18:32	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-12-31 Lab ID: 40273572019 Collected: 01/25/24 12:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:52	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 18:52	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 18:52	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:52	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 18:52	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:52	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:52	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 18:52	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 18:52	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 18:52	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 18:52	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 18:52	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:52	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 18:52	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 18:52	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:52	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:52	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 18:52	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 18:52	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:52	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 18:52	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 18:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:52	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 18:52	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:52	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 18:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:52	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 18:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 18:52	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 18:52	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:52	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 18:52	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 18:52	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 18:52	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 18:52	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 18:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 18:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 18:52	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 18:52	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 18:52	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 18:52	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-12-31 **Lab ID: 40273572019** Collected: 01/25/24 12:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 18:52	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 18:52	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 18:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 18:52	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 18:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 18:52	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 18:52	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 18:52	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 18:52	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 18:52	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 18:52	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 18:52	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 18:52	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:52	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 18:52	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 18:52	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 18:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 18:52	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 18:52	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 18:52	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		01/31/24 18:52	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		01/31/24 18:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/31/24 18:52	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-13-33 Lab ID: 40273572020 Collected: 01/25/24 14:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:12	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/24 19:12	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/31/24 19:12	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:12	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/24 19:12	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:12	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:12	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/31/24 19:12	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/24 19:12	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/24 19:12	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/24 19:12	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/24 19:12	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:12	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/24 19:12	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/24 19:12	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:12	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:12	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/24 19:12	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/24 19:12	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:12	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:12	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/24 19:12	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/24 19:12	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:12	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/31/24 19:12	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:12	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/31/24 19:12	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:12	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/24 19:12	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:12	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/24 19:12	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/31/24 19:12	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:12	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/31/24 19:12	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/24 19:12	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/24 19:12	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/24 19:12	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 19:12	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/24 19:12	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/24 19:12	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/24 19:12	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/24 19:12	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/31/24 19:12	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/24 19:12	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-13-33 Lab ID: 40273572020 Collected: 01/25/24 14:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/31/24 19:12	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/24 19:12	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/24 19:12	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/24 19:12	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/24 19:12	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/24 19:12	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/24 19:12	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/24 19:12	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/31/24 19:12	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/24 19:12	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/24 19:12	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/31/24 19:12	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/31/24 19:12	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:12	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/24 19:12	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/24 19:12	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/24 19:12	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/24 19:12	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/24 19:12	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/31/24 19:12	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	70-130		1		01/31/24 19:12	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		01/31/24 19:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/31/24 19:12	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-14-31 Lab ID: 40273572021 Collected: 01/25/24 08:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	0.98J	ug/L	5.0	0.90	1		02/08/24 08:17	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/08/24 08:17	74-85-1	
Methane	108	ug/L	10.0	3.8	1		02/08/24 08:17	74-82-8	
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	82	%	70-130		1		02/08/24 08:17		CL
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	214000	ug/L	1200	585	1		01/31/24 15:09	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	4480	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:12	7439-89-6	
Manganese	396	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:12	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	3720	ug/L	100	29.6	1		01/30/24 14:45	7439-89-6	
Manganese, Dissolved	379	ug/L	5.0	1.1	1		01/30/24 14:45	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 16:49	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 16:49	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 16:49	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 16:49	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 16:49	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 16:49	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 16:49	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 16:49	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 16:49	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 16:49	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 16:49	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 16:49	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 16:49	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 16:49	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 16:49	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 16:49	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 16:49	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 16:49	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 16:49	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 16:49	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 16:49	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 16:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 16:49	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-14-31 Lab ID: 40273572021 Collected: 01/25/24 08:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	1.4	ug/L	1.0	0.30	1		01/30/24 16:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 16:49	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 16:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 16:49	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 16:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 16:49	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 16:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 16:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 16:49	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 16:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 16:49	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 16:49	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 16:49	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 16:49	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 16:49	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 16:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 16:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 16:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 16:49	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 16:49	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 16:49	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 16:49	75-09-2	
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 16:49	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 16:49	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 16:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 16:49	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 16:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 16:49	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 16:49	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 16:49	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 16:49	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 16:49	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 16:49	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 16:49	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 16:49	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 16:49	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 16:49	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 16:49	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 16:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 16:49	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 16:49	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 16:49	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/30/24 16:49	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1		01/30/24 16:49	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-14-31 Lab ID: 40273572021 Collected: 01/25/24 08:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/30/24 16:49	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	46.9	mg/L	10.0	2.2	5		02/05/24 22:57	14808-79-8	
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	608	mg/L	50.0	14.9	2		01/31/24 08:46		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/31/24 12:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-15-32 Lab ID: 40273572022 Collected: 01/25/24 14:30 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:09	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 17:09	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 17:09	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:09	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 17:09	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:09	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:09	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 17:09	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 17:09	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 17:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 17:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 17:09	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:09	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 17:09	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 17:09	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:09	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:09	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:09	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 17:09	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:09	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:09	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:09	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 17:09	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:09	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:09	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:09	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 17:09	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:09	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 17:09	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:09	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 17:09	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 17:09	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:09	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 17:09	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 17:09	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 17:09	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 17:09	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:09	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:09	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 17:09	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 17:09	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:09	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:09	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 17:09	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-15-32 Lab ID: 40273572022 Collected: 01/25/24 14:30 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 17:09	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:09	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:09	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 17:09	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 17:09	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:09	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 17:09	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 17:09	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 17:09	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 17:09	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:09	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:09	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 17:09	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:09	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:09	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:09	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 17:09	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 17:09	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 17:09	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 17:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/30/24 17:09	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/24 17:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		01/30/24 17:09	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-16-29 Lab ID: 40273572023 Collected: 01/25/24 09:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:29	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:29	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 17:29	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 17:29	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:29	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 17:29	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:29	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:29	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 17:29	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 17:29	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 17:29	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 17:29	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 17:29	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:29	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 17:29	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 17:29	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:29	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:29	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:29	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 17:29	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:29	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:29	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:29	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 17:29	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:29	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:29	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:29	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 17:29	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:29	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 17:29	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:29	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 17:29	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 17:29	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:29	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 17:29	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 17:29	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 17:29	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 17:29	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:29	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:29	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 17:29	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 17:29	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:29	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:29	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 17:29	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-16-29 Lab ID: 40273572023 Collected: 01/25/24 09:50 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 17:29	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:29	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:29	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 17:29	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 17:29	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:29	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 17:29	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 17:29	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 17:29	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 17:29	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:29	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:29	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 17:29	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:29	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:29	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:29	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 17:29	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 17:29	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 17:29	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 17:29	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		01/30/24 17:29	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		1		01/30/24 17:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/30/24 17:29	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-17-20 Lab ID: 40273572024 Collected: 01/24/24 14:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/07/24 07:59	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/07/24 07:59	74-85-1	
Methane	<3.8	ug/L	10.0	3.8	1		02/07/24 07:59	74-82-8	CL
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	87	%	70-130		1		02/07/24 07:59		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	64700	ug/L	1200	585	1		01/31/24 14:54	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	<56.7	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:13	7439-89-6	
Manganese	3.5J	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:13	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	<29.6	ug/L	100	29.6	1		01/30/24 14:47	7439-89-6	
Manganese, Dissolved	<1.1	ug/L	5.0	1.1	1		01/30/24 14:47	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:48	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 17:48	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 17:48	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:48	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 17:48	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:48	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:48	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 17:48	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 17:48	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 17:48	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 17:48	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 17:48	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:48	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 17:48	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 17:48	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:48	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:48	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 17:48	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 17:48	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:48	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 17:48	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-17-20 Lab ID: 40273572024 Collected: 01/24/24 14:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 17:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 17:48	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 17:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:48	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 17:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 17:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 17:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:48	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 17:48	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 17:48	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 17:48	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 17:48	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 17:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 17:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 17:48	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 17:48	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 17:48	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 17:48	75-09-2	
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 17:48	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 17:48	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 17:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 17:48	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 17:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 17:48	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 17:48	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 17:48	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 17:48	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 17:48	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 17:48	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 17:48	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 17:48	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:48	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 17:48	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 17:48	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 17:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 17:48	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 17:48	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 17:48	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		01/30/24 17:48	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/24 17:48	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-17-20 Lab ID: 40273572024 Collected: 01/24/24 14:10 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		01/30/24 17:48	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	12.4	mg/L	10.0	2.2	5		02/05/24 23:12	14808-79-8	
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	430	mg/L	25.0	7.4	1		01/31/24 08:41		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	4.3	mg/L	0.25	0.059	1		01/31/24 12:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-101-32 Lab ID: 40273572025 Collected: 01/24/24 08:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
BR RSK175 Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Ethane	<0.90	ug/L	5.0	0.90	1		02/05/24 11:28	74-84-0	
Ethene	<0.79	ug/L	5.0	0.79	1		02/05/24 11:28	74-85-1	
Methane	60.1	ug/L	10.0	3.8	1		02/05/24 11:28	74-82-8	CL,P2
Surrogates									
Methyl-tert-butyl-ether-d3 (S)	83	%	70-130		1		02/05/24 11:28		
BR RSK175 CO2 in Headspace									
Analytical Method: RSK175									
Pace Analytical Services - Baton Rouge									
Carbon dioxide	93900	ug/L	1200	585	1		01/31/24 13:50	124-38-9	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	7020	ug/L	100	56.7	1	01/30/24 05:55	01/30/24 14:15	7439-89-6	
Manganese	92.5	ug/L	5.0	1.5	1	01/30/24 05:55	01/30/24 14:15	7439-96-5	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Iron, Dissolved	6680	ug/L	100	29.6	1		01/30/24 14:49	7439-89-6	
Manganese, Dissolved	91.3	ug/L	5.0	1.1	1		01/30/24 14:49	7439-96-5	
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<35.5	ug/L	100	35.5	100		01/30/24 18:47	630-20-6	
1,1,1-Trichloroethane	<30.3	ug/L	100	30.3	100		01/30/24 18:47	71-55-6	
1,1,2,2-Tetrachloroethane	<37.8	ug/L	100	37.8	100		01/30/24 18:47	79-34-5	
1,1,2-Trichloroethane	<34.4	ug/L	100	34.4	100		01/30/24 18:47	79-00-5	
1,1-Dichloroethane	<29.6	ug/L	100	29.6	100		01/30/24 18:47	75-34-3	
1,1-Dichloroethene	<58.2	ug/L	100	58.2	100		01/30/24 18:47	75-35-4	
1,1-Dichloropropene	<41.0	ug/L	100	41.0	100		01/30/24 18:47	563-58-6	
1,2,3-Trichlorobenzene	<102	ug/L	500	102	100		01/30/24 18:47	87-61-6	
1,2,3-Trichloropropane	<55.5	ug/L	100	55.5	100		01/30/24 18:47	96-18-4	
1,2,4-Trichlorobenzene	<95.1	ug/L	500	95.1	100		01/30/24 18:47	120-82-1	
1,2,4-Trimethylbenzene	<44.9	ug/L	100	44.9	100		01/30/24 18:47	95-63-6	
1,2-Dibromo-3-chloropropane	<237	ug/L	500	237	100		01/30/24 18:47	96-12-8	
1,2-Dibromoethane (EDB)	<30.9	ug/L	100	30.9	100		01/30/24 18:47	106-93-4	
1,2-Dichlorobenzene	<32.6	ug/L	100	32.6	100		01/30/24 18:47	95-50-1	
1,2-Dichloroethane	<29.2	ug/L	100	29.2	100		01/30/24 18:47	107-06-2	
1,2-Dichloropropane	<44.8	ug/L	100	44.8	100		01/30/24 18:47	78-87-5	
1,3,5-Trimethylbenzene	<35.7	ug/L	100	35.7	100		01/30/24 18:47	108-67-8	
1,3-Dichlorobenzene	<35.1	ug/L	100	35.1	100		01/30/24 18:47	541-73-1	
1,3-Dichloropropane	<30.5	ug/L	100	30.5	100		01/30/24 18:47	142-28-9	
1,4-Dichlorobenzene	<89.2	ug/L	100	89.2	100		01/30/24 18:47	106-46-7	
2,2-Dichloropropane	<41.9	ug/L	100	41.9	100		01/30/24 18:47	594-20-7	
2-Chlorotoluene	<89.0	ug/L	500	89.0	100		01/30/24 18:47	95-49-8	
4-Chlorotoluene	<89.4	ug/L	500	89.4	100		01/30/24 18:47	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-101-32 Lab ID: 40273572025 Collected: 01/24/24 08:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	8290	ug/L	100	29.5	100		01/30/24 18:47	71-43-2	
Bromobenzene	<36.1	ug/L	100	36.1	100		01/30/24 18:47	108-86-1	
Bromochloromethane	<35.8	ug/L	100	35.8	100		01/30/24 18:47	74-97-5	
Bromodichloromethane	<41.5	ug/L	100	41.5	100		01/30/24 18:47	75-27-4	
Bromoform	<42.9	ug/L	100	42.9	100		01/30/24 18:47	75-25-2	
Bromomethane	<119	ug/L	500	119	100		01/30/24 18:47	74-83-9	
Carbon tetrachloride	<36.9	ug/L	100	36.9	100		01/30/24 18:47	56-23-5	
Chlorobenzene	<85.5	ug/L	100	85.5	100		01/30/24 18:47	108-90-7	
Chloroethane	<138	ug/L	500	138	100		01/30/24 18:47	75-00-3	
Chloroform	<50.4	ug/L	500	50.4	100		01/30/24 18:47	67-66-3	
Chloromethane	<164	ug/L	500	164	100		01/30/24 18:47	74-87-3	
Cyclohexane	398J	ug/L	500	129	100		01/30/24 18:47	110-82-7	
Dibromochloromethane	<264	ug/L	500	264	100		01/30/24 18:47	124-48-1	
Dibromomethane	<99.1	ug/L	500	99.1	100		01/30/24 18:47	74-95-3	
Dichlorodifluoromethane	<45.5	ug/L	500	45.5	100		01/30/24 18:47	75-71-8	
Diisopropyl ether	<110	ug/L	500	110	100		01/30/24 18:47	108-20-3	
Ethylbenzene	89.4J	ug/L	100	32.5	100		01/30/24 18:47	100-41-4	
Hexachloro-1,3-butadiene	<274	ug/L	500	274	100		01/30/24 18:47	87-68-3	
Isopropylbenzene (Cumene)	<100	ug/L	500	100	100		01/30/24 18:47	98-82-8	
Methyl-tert-butyl ether	<113	ug/L	500	113	100		01/30/24 18:47	1634-04-4	
Methylcyclohexane	170J	ug/L	500	119	100		01/30/24 18:47	108-87-2	
Methylene Chloride	<31.9	ug/L	500	31.9	100		01/30/24 18:47	75-09-2	
Naphthalene	<192	ug/L	500	192	100		01/30/24 18:47	91-20-3	
Styrene	<35.6	ug/L	100	35.6	100		01/30/24 18:47	100-42-5	
Tetrachloroethene	<40.9	ug/L	100	40.9	100		01/30/24 18:47	127-18-4	
Toluene	1520	ug/L	100	28.8	100		01/30/24 18:47	108-88-3	
Trichloroethene	<32.0	ug/L	100	32.0	100		01/30/24 18:47	79-01-6	
Trichlorofluoromethane	<41.9	ug/L	100	41.9	100		01/30/24 18:47	75-69-4	
Vinyl chloride	<17.4	ug/L	100	17.4	100		01/30/24 18:47	75-01-4	
cis-1,2-Dichloroethene	<47.2	ug/L	100	47.2	100		01/30/24 18:47	156-59-2	
cis-1,3-Dichloropropene	<23.7	ug/L	100	23.7	100		01/30/24 18:47	10061-01-5	
m&p-Xylene	77.2J	ug/L	200	70.0	100		01/30/24 18:47	179601-23-1	
n-Butylbenzene	<85.7	ug/L	100	85.7	100		01/30/24 18:47	104-51-8	
n-Heptane	<163	ug/L	500	163	100		01/30/24 18:47	142-82-5	
n-Hexane	<146	ug/L	500	146	100		01/30/24 18:47	110-54-3	
n-Propylbenzene	<34.5	ug/L	100	34.5	100		01/30/24 18:47	103-65-1	
o-Xylene	96.2J	ug/L	100	34.8	100		01/30/24 18:47	95-47-6	
p-Isopropyltoluene	<104	ug/L	500	104	100		01/30/24 18:47	99-87-6	
sec-Butylbenzene	<42.4	ug/L	100	42.4	100		01/30/24 18:47	135-98-8	
tert-Butylbenzene	<58.6	ug/L	100	58.6	100		01/30/24 18:47	98-06-6	
trans-1,2-Dichloroethene	<52.8	ug/L	100	52.8	100		01/30/24 18:47	156-60-5	
trans-1,3-Dichloropropene	<26.5	ug/L	100	26.5	100		01/30/24 18:47	10061-02-6	
Surrogates									
Toluene-d8 (S)	104	%	70-130		100		01/30/24 18:47	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		100		01/30/24 18:47	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-101-32 Lab ID: 40273572025 Collected: 01/24/24 08:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		100		01/30/24 18:47	2199-69-1	
300.0 IC Anions	Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay								
Sulfate	<0.44	mg/L	2.0	0.44	1		02/05/24 23:27	14808-79-8	
310.2 Alkalinity	Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay								
Alkalinity, Total as CaCO3	476	mg/L	50.0	14.9	2		01/31/24 08:45		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/31/24 12:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-101-63 Lab ID: 40273572026 Collected: 01/24/24 07:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 18:08	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 18:08	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 18:08	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:08	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 18:08	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 18:08	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 18:08	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 18:08	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 18:08	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 18:08	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 18:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 18:08	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 18:08	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 18:08	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 18:08	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:08	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:08	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:08	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 18:08	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:08	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 18:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 18:08	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 18:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 18:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 18:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 18:08	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 18:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 18:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 18:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 18:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 18:08	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 18:08	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 18:08	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 18:08	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 18:08	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 18:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 18:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 18:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 18:08	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 18:08	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 18:08	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 18:08	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-101-63 Lab ID: 40273572026 Collected: 01/24/24 07:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 18:08	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:08	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 18:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 18:08	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 18:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:08	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 18:08	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 18:08	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 18:08	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 18:08	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 18:08	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 18:08	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 18:08	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:08	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:08	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 18:08	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 18:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 18:08	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 18:08	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 18:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/30/24 18:08	2037-26-5	HS
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/24 18:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		01/30/24 18:08	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-114-31 Lab ID: 40273572027 Collected: 01/25/24 08:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 18:27	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:27	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 18:27	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 18:27	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:27	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 18:27	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 18:27	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 18:27	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 18:27	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 18:27	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 18:27	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 18:27	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 18:27	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 18:27	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 18:27	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 18:27	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:27	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:27	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 18:27	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 18:27	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:27	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 18:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 18:27	106-43-4	
Benzene	1.2	ug/L	1.0	0.30	1		01/30/24 18:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:27	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 18:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:27	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 18:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 18:27	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 18:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 18:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 18:27	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 18:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 18:27	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 18:27	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 18:27	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 18:27	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 18:27	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 18:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 18:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 18:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 18:27	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 18:27	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 18:27	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 18:27	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: MW-114-31 Lab ID: 40273572027 Collected: 01/25/24 08:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 18:27	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 18:27	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 18:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 18:27	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 18:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 18:27	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 18:27	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 18:27	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 18:27	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 18:27	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 18:27	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 18:27	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 18:27	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:27	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 18:27	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 18:27	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 18:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 18:27	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 18:27	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 18:27	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		01/30/24 18:27	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/24 18:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		01/30/24 18:27	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: EB012524A Lab ID: 40273572028 Collected: 01/25/24 14:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:15	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 12:15	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 12:15	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:15	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 12:15	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:15	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:15	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 12:15	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 12:15	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 12:15	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 12:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 12:15	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:15	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 12:15	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 12:15	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:15	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:15	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:15	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 12:15	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:15	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:15	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 12:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:15	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:15	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 12:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:15	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 12:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 12:15	75-00-3	
Chloroform	4.8J	ug/L	5.0	0.50	1		01/30/24 12:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:15	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 12:15	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 12:15	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 12:15	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 12:15	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 12:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 12:15	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:15	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:15	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 12:15	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: **EB012524A** Lab ID: **40273572028** Collected: 01/25/24 14:15 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 12:15	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:15	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 12:15	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 12:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:15	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 12:15	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 12:15	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 12:15	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 12:15	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:15	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:15	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 12:15	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:15	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:15	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:15	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 12:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 12:15	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 12:15	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 12:15	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1		01/30/24 12:15	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/24 12:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/30/24 12:15	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: EB012524B Lab ID: 40273572029 Collected: 01/25/24 14:55 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:35	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 12:35	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 12:35	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:35	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 12:35	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:35	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:35	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 12:35	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 12:35	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 12:35	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 12:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 12:35	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:35	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 12:35	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 12:35	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:35	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:35	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:35	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 12:35	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:35	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:35	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 12:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:35	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:35	74-97-5	
Bromodichloromethane	0.55J	ug/L	1.0	0.42	1		01/30/24 12:35	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 12:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:35	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 12:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 12:35	75-00-3	
Chloroform	4.5J	ug/L	5.0	0.50	1		01/30/24 12:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:35	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 12:35	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 12:35	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 12:35	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 12:35	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 12:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 12:35	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:35	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:35	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 12:35	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: EB012524B Lab ID: 40273572029 Collected: 01/25/24 14:55 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 12:35	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:35	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 12:35	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 12:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:35	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 12:35	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 12:35	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 12:35	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 12:35	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:35	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:35	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 12:35	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:35	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:35	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:35	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 12:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 12:35	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 12:35	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 12:35	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		01/30/24 12:35	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		01/30/24 12:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/30/24 12:35	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: TB012524 Lab ID: 40273572030 Collected: 01/25/24 00:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:54	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/24 12:54	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		01/30/24 12:54	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:54	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/24 12:54	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:54	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:54	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		01/30/24 12:54	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/24 12:54	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/24 12:54	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/24 12:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/24 12:54	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:54	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/24 12:54	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/24 12:54	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:54	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:54	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/24 12:54	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/24 12:54	106-46-7	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:54	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/24 12:54	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/24 12:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:54	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		01/30/24 12:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:54	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		01/30/24 12:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:54	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/24 12:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/24 12:54	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		01/30/24 12:54	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:54	74-87-3	
Cyclohexane	<1.3	ug/L	5.0	1.3	1		01/30/24 12:54	110-82-7	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/24 12:54	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/24 12:54	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/24 12:54	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/24 12:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/24 12:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/24 12:54	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/24 12:54	1634-04-4	
Methylcyclohexane	<1.2	ug/L	5.0	1.2	1		01/30/24 12:54	108-87-2	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/24 12:54	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Sample: TB012524 Lab ID: 40273572030 Collected: 01/25/24 00:00 Received: 01/26/24 08:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Oxygenates									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Naphthalene	<1.9	ug/L	5.0	1.9	1		01/30/24 12:54	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/24 12:54	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/24 12:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/24 12:54	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/24 12:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/24 12:54	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/24 12:54	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/24 12:54	156-59-2	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		01/30/24 12:54	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/24 12:54	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/24 12:54	104-51-8	
n-Heptane	<1.6	ug/L	5.0	1.6	1		01/30/24 12:54	142-82-5	
n-Hexane	<1.5	ug/L	5.0	1.5	1		01/30/24 12:54	110-54-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:54	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/24 12:54	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/24 12:54	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/24 12:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/24 12:54	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/24 12:54	156-60-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		01/30/24 12:54	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		01/30/24 12:54	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		01/30/24 12:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/30/24 12:54	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	317339	Analysis Method:	RSK175
QC Batch Method:	RSK175	Analysis Description:	BR RSK175W Headspace
		Laboratory:	Pace Analytical Services - Baton Rouge

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572025

METHOD BLANK: 1519048 Matrix: Water

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.90	5.0	02/05/24 08:04	
Ethene	ug/L	<0.79	5.0	02/05/24 08:04	
Methane	ug/L	<3.8	10.0	02/05/24 08:04	
Methyl-tert-butyl-ether-d3 (S)	%	94	70-130	02/05/24 08:04	

LABORATORY CONTROL SAMPLE & LCSD: 1519049 1519050

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	243	184	248	76	102	70-130	29	20	R1
Ethene	ug/L	296	220	293	74	99	70-130	29	20	R1
Methane	ug/L	945	685	883	73	93	70-130	25	20	R1
Methyl-tert-butyl-ether-d3 (S)	%				99	93	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch: 317977

Analysis Method: RSK175

QC Batch Method: RSK175

Analysis Description: BR RSK175W Headspace

Laboratory: Pace Analytical Services - Baton Rouge

Associated Lab Samples: 40273572024

METHOD BLANK: 1522321

Matrix: Water

Associated Lab Samples: 40273572024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.90	5.0	02/07/24 07:27	
Ethene	ug/L	<0.79	5.0	02/07/24 07:27	
Methane	ug/L	4.1J	10.0	02/07/24 07:27	
Methyl-tert-butyl-ether-d3 (S)	%	87	70-130	02/07/24 07:27	

LABORATORY CONTROL SAMPLE & LCSD: 1522322

1522323

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	243	222	225	91	93	70-130	1	20	
Ethene	ug/L	296	264	269	89	91	70-130	2	20	
Methane	ug/L	945	795	806	84	85	70-130	1	20	
Methyl-tert-butyl-ether-d3 (S)	%				81	88	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	318303	Analysis Method:	RSK175
QC Batch Method:	RSK175	Analysis Description:	BR RSK175W Headspace
		Laboratory:	Pace Analytical Services - Baton Rouge

Associated Lab Samples: 40273572021

METHOD BLANK: 1524148 Matrix: Water

Associated Lab Samples: 40273572021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.90	5.0	02/08/24 07:29	
Ethene	ug/L	<0.79	5.0	02/08/24 07:29	
Methane	ug/L	4.0J	10.0	02/08/24 07:29	
Methyl-tert-butyl-ether-d3 (S)	%.	78	70-130	02/08/24 07:29	

LABORATORY CONTROL SAMPLE: 1524149

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	243	209	86	70-130	
Ethene	ug/L	296	247	83	70-130	
Methane	ug/L	945	765	81	70-130	
Methyl-tert-butyl-ether-d3 (S)	%.			78	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1524162 1524163

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		20306148002 Result	Spike Conc.	Spike Conc.	Result						
Ethane	ug/L	33.7	243	243	229	228	80	80	70-130	1	20
Ethene	ug/L	5.4	296	296	231	230	76	76	70-130	0	20
Methane	ug/L	1640	945	945	2070	2130	46	52	70-130	3	20 M1
Methyl-tert-butyl-ether-d3 (S)	%.						86	84	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	317502	Analysis Method:	RSK175
QC Batch Method:	RSK175	Analysis Description:	BR RSK175 CO2 in Headspace
		Laboratory:	Pace Analytical Services - Baton Rouge

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 1519765 Matrix: Water

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Carbon dioxide	ug/L	812J	1200	01/31/24 12:46	

LABORATORY CONTROL SAMPLE & LCSD: 1519766 1519767

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Carbon dioxide	ug/L	33800	31400	29300	93	87	70-130	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	465844	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 6010D	Analysis Description:	ICP Metals, Trace, Dissolved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 2670714 Matrix: Water
 Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	<29.6	100	01/29/24 15:16	
Manganese, Dissolved	ug/L	<1.1	5.0	01/29/24 15:16	

LABORATORY CONTROL SAMPLE: 2670715

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10500	105	80-120	
Manganese, Dissolved	ug/L	250	259	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2670716 2670717

Parameter	Units	40273277001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	4080	10000	10000	14600	14600	106	105	75-125	0	20	
Manganese, Dissolved	ug/L	774	250	250	1010	1010	96	95	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	465900	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3010A	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 2670887 Matrix: Water
 Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<56.7	100	01/30/24 13:42	
Manganese	ug/L	<1.5	5.0	01/30/24 13:42	

LABORATORY CONTROL SAMPLE: 2670888

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	10000	10500	105	80-120	
Manganese	ug/L	250	260	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2670889 2670890

Parameter	Units	40273572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron	ug/L	7260	10000	10000	17900	17700	107	105	75-125	1	20	
Manganese	ug/L	96.8	250	250	356	353	104	102	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch: 465800 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV Oxygenates
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572002, 40273572003, 40273572004, 40273572005, 40273572006, 40273572007, 40273572008, 40273572009, 40273572010, 40273572011, 40273572012, 40273572013, 40273572014, 40273572015, 40273572016, 40273572017, 40273572018, 40273572019, 40273572020

METHOD BLANK: 2670556 Matrix: Water

Associated Lab Samples: 40273572001, 40273572002, 40273572003, 40273572004, 40273572005, 40273572006, 40273572007, 40273572008, 40273572009, 40273572010, 40273572011, 40273572012, 40273572013, 40273572014, 40273572015, 40273572016, 40273572017, 40273572018, 40273572019, 40273572020

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their test results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

METHOD BLANK: 2670556

Matrix: Water

Associated Lab Samples: 40273572001, 40273572002, 40273572003, 40273572004, 40273572005, 40273572006, 40273572007, 40273572008, 40273572009, 40273572010, 40273572011, 40273572012, 40273572013, 40273572014, 40273572015, 40273572016, 40273572017, 40273572018, 40273572019, 40273572020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromochloromethane	ug/L	<2.6	5.0	01/31/24 11:24	
Dibromomethane	ug/L	<0.99	5.0	01/31/24 11:24	
Dichlorodifluoromethane	ug/L	<0.46	5.0	01/31/24 11:24	
Diisopropyl ether	ug/L	<1.1	5.0	01/31/24 11:24	
Ethylbenzene	ug/L	<0.33	1.0	01/31/24 11:24	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	01/31/24 11:24	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	01/31/24 11:24	
m&p-Xylene	ug/L	<0.70	2.0	01/31/24 11:24	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	01/31/24 11:24	
Methylcyclohexane	ug/L	<1.2	5.0	01/31/24 11:24	
Methylene Chloride	ug/L	<0.32	5.0	01/31/24 11:24	
n-Butylbenzene	ug/L	<0.86	1.0	01/31/24 11:24	
n-Heptane	ug/L	<1.6	5.0	01/31/24 11:24	
n-Hexane	ug/L	<1.5	5.0	01/31/24 11:24	
n-Propylbenzene	ug/L	<0.35	1.0	01/31/24 11:24	
Naphthalene	ug/L	<1.9	5.0	01/31/24 11:24	
o-Xylene	ug/L	<0.35	1.0	01/31/24 11:24	
p-Isopropyltoluene	ug/L	<1.0	5.0	01/31/24 11:24	
sec-Butylbenzene	ug/L	<0.42	1.0	01/31/24 11:24	
Styrene	ug/L	<0.36	1.0	01/31/24 11:24	
tert-Butylbenzene	ug/L	<0.59	1.0	01/31/24 11:24	
Tetrachloroethene	ug/L	<0.41	1.0	01/31/24 11:24	
Toluene	ug/L	<0.29	1.0	01/31/24 11:24	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	01/31/24 11:24	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	01/31/24 11:24	
Trichloroethene	ug/L	<0.32	1.0	01/31/24 11:24	
Trichlorofluoromethane	ug/L	<0.42	1.0	01/31/24 11:24	
Vinyl chloride	ug/L	<0.17	1.0	01/31/24 11:24	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	01/31/24 11:24	
4-Bromofluorobenzene (S)	%	101	70-130	01/31/24 11:24	
Toluene-d8 (S)	%	107	70-130	01/31/24 11:24	

LABORATORY CONTROL SAMPLE: 2670557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.2	102	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	50.8	102	70-130	
1,1,2-Trichloroethane	ug/L	50	51.7	103	70-130	
1,1-Dichloroethane	ug/L	50	50.4	101	70-130	
1,1-Dichloroethene	ug/L	50	52.5	105	73-140	
1,2,4-Trichlorobenzene	ug/L	50	49.9	100	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.9	98	58-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

LABORATORY CONTROL SAMPLE: 2670557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	50	52.7	105	70-130	
1,2-Dichlorobenzene	ug/L	50	49.8	100	70-130	
1,2-Dichloroethane	ug/L	50	49.0	98	70-130	
1,2-Dichloropropane	ug/L	50	51.2	102	77-127	
1,3-Dichlorobenzene	ug/L	50	53.7	107	70-130	
1,4-Dichlorobenzene	ug/L	50	50.8	102	70-130	
Benzene	ug/L	50	49.9	100	70-130	
Bromodichloromethane	ug/L	50	52.1	104	70-130	
Bromoform	ug/L	50	50.1	100	70-130	
Bromomethane	ug/L	50	41.8	84	22-141	
Carbon tetrachloride	ug/L	50	52.4	105	70-135	
Chlorobenzene	ug/L	50	53.1	106	70-130	
Chloroethane	ug/L	50	48.0	96	59-141	
Chloroform	ug/L	50	52.0	104	80-124	
Chloromethane	ug/L	50	40.0	80	29-150	
cis-1,2-Dichloroethene	ug/L	50	51.5	103	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.6	101	70-130	
Cyclohexane	ug/L	50	50.2	100	50-150	
Dibromochloromethane	ug/L	50	53.2	106	70-130	
Dichlorodifluoromethane	ug/L	50	32.3	65	10-147	
Ethylbenzene	ug/L	50	54.5	109	80-125	
Isopropylbenzene (Cumene)	ug/L	50	54.9	110	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	57.3	115	64-131	
Methylcyclohexane	ug/L	50	51.3	103	50-150	
Methylene Chloride	ug/L	50	56.6	113	70-137	
o-Xylene	ug/L	50	55.1	110	70-130	
Styrene	ug/L	50	55.0	110	70-130	
Tetrachloroethene	ug/L	50	52.6	105	70-130	
Toluene	ug/L	50	52.2	104	80-120	
trans-1,2-Dichloroethene	ug/L	50	54.1	108	70-131	
trans-1,3-Dichloropropene	ug/L	50	50.9	102	70-130	
Trichloroethene	ug/L	50	50.4	101	70-130	
Trichlorofluoromethane	ug/L	50	51.5	103	69-141	
Vinyl chloride	ug/L	50	42.9	86	51-145	
1,2-Dichlorobenzene-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2671958 2671959

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40273572003	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	47.9	50.8	96	102	70-132	6	20		
1,1,1,2-Tetrachloroethane	ug/L	<0.38	50	50	46.7	51.3	93	103	70-131	9	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2671958 2671959												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40273572003 Result	Spike Conc.	Spike Conc.	MS Result							
1,1,2-Trichloroethane	ug/L	<0.34	50	50	47.5	51.3	95	103	70-130	8	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	46.4	49.4	93	99	70-131	6	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	48.7	51.8	97	104	69-146	6	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.1	49.8	92	100	70-130	8	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.4	50.7	95	101	56-130	7	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.8	50.5	98	101	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	47.2	50.0	94	100	70-130	6	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	47.4	49.6	95	99	70-130	5	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	47.2	48.7	94	97	77-129	3	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.4	55.7	103	111	70-130	8	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.4	51.7	97	103	70-130	7	20	
Benzene	ug/L	<0.30	50	50	46.8	50.1	94	100	70-130	7	20	
Bromodichloromethane	ug/L	<0.42	50	50	48.4	52.2	97	104	70-130	8	20	
Bromoform	ug/L	<0.43	50	50	46.9	49.9	94	100	70-130	6	20	
Bromomethane	ug/L	<1.2	50	50	41.4	45.3	83	91	12-159	9	26	
Carbon tetrachloride	ug/L	<0.37	50	50	49.6	52.3	99	105	70-135	5	20	
Chlorobenzene	ug/L	<0.86	50	50	49.7	52.4	99	105	70-130	5	20	
Chloroethane	ug/L	<1.4	50	50	43.9	46.1	88	92	56-143	5	20	
Chloroform	ug/L	<0.50	50	50	48.2	52.3	96	105	80-126	8	20	
Chloromethane	ug/L	<1.6	50	50	35.8	37.3	72	75	22-156	4	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.4	50.2	95	100	70-130	6	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	47.5	50.6	95	101	70-130	6	20	
Cyclohexane	ug/L	<1.3	50	50	46.4	48.8	93	98	50-150	5	26	
Dibromochloromethane	ug/L	<2.6	50	50	48.0	51.7	96	103	70-130	7	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	26.6	27.3	53	55	10-147	3	20	
Ethylbenzene	ug/L	<0.33	50	50	51.0	53.1	102	106	80-126	4	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	51.5	53.3	103	107	70-130	3	20	
m&p-Xylene	ug/L	<0.70	100	100	99.8	106	100	106	70-130	6	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	52.8	57.0	106	114	64-136	8	20	
Methylcyclohexane	ug/L	<1.2	50	50	46.6	49.9	93	100	50-150	7	20	
Methylene Chloride	ug/L	<0.32	50	50	52.5	56.7	105	113	70-137	8	20	
o-Xylene	ug/L	<0.35	50	50	51.6	54.5	103	109	70-130	5	20	
Styrene	ug/L	<0.36	50	50	51.9	55.5	104	111	70-133	7	20	
Tetrachloroethene	ug/L	<0.41	50	50	50.7	52.1	101	104	70-131	3	20	
Toluene	ug/L	<0.29	50	50	48.4	50.1	97	100	80-121	3	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	49.6	54.1	99	108	70-135	9	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	48.3	50.1	97	100	70-130	4	20	
Trichloroethene	ug/L	<0.32	50	50	46.2	49.4	92	99	70-130	7	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	48.0	49.7	96	99	67-142	4	20	
Vinyl chloride	ug/L	<0.17	50	50	39.0	40.8	78	82	45-147	5	20	
1,2-Dichlorobenzene-d4 (S)	%						98	97	70-130			
4-Bromofluorobenzene (S)	%						97	98	70-130			
Toluene-d8 (S)	%						104	104	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	465802	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV Oxygenates
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572021, 40273572022, 40273572023, 40273572024, 40273572025, 40273572026, 40273572027, 40273572028, 40273572029, 40273572030

METHOD BLANK: 2670560 Matrix: Water

Associated Lab Samples: 40273572021, 40273572022, 40273572023, 40273572024, 40273572025, 40273572026, 40273572027, 40273572028, 40273572029, 40273572030

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	01/30/24 10:37	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	01/30/24 10:37	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	01/30/24 10:37	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	01/30/24 10:37	
1,1-Dichloroethane	ug/L	<0.30	1.0	01/30/24 10:37	
1,1-Dichloroethene	ug/L	<0.58	1.0	01/30/24 10:37	
1,1-Dichloropropene	ug/L	<0.41	1.0	01/30/24 10:37	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	01/30/24 10:37	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	01/30/24 10:37	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	01/30/24 10:37	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	01/30/24 10:37	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	01/30/24 10:37	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	01/30/24 10:37	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	01/30/24 10:37	
1,2-Dichloroethane	ug/L	<0.29	1.0	01/30/24 10:37	
1,2-Dichloropropane	ug/L	<0.45	1.0	01/30/24 10:37	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	01/30/24 10:37	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	01/30/24 10:37	
1,3-Dichloropropane	ug/L	<0.30	1.0	01/30/24 10:37	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	01/30/24 10:37	
2,2-Dichloropropane	ug/L	<0.42	1.0	01/30/24 10:37	
2-Chlorotoluene	ug/L	<0.89	5.0	01/30/24 10:37	
4-Chlorotoluene	ug/L	<0.89	5.0	01/30/24 10:37	
Benzene	ug/L	<0.30	1.0	01/30/24 10:37	
Bromobenzene	ug/L	<0.36	1.0	01/30/24 10:37	
Bromochloromethane	ug/L	<0.36	1.0	01/30/24 10:37	
Bromodichloromethane	ug/L	<0.42	1.0	01/30/24 10:37	
Bromoform	ug/L	<0.43	1.0	01/30/24 10:37	
Bromomethane	ug/L	<1.2	5.0	01/30/24 10:37	
Carbon tetrachloride	ug/L	<0.37	1.0	01/30/24 10:37	
Chlorobenzene	ug/L	<0.86	1.0	01/30/24 10:37	
Chloroethane	ug/L	<1.4	5.0	01/30/24 10:37	
Chloroform	ug/L	<0.50	5.0	01/30/24 10:37	
Chloromethane	ug/L	<1.6	5.0	01/30/24 10:37	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	01/30/24 10:37	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	01/30/24 10:37	
Cyclohexane	ug/L	<1.3	5.0	01/30/24 10:37	
Dibromochloromethane	ug/L	<2.6	5.0	01/30/24 10:37	
Dibromomethane	ug/L	<0.99	5.0	01/30/24 10:37	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

METHOD BLANK: 2670560

Matrix: Water

Associated Lab Samples: 40273572021, 40273572022, 40273572023, 40273572024, 40273572025, 40273572026, 40273572027, 40273572028, 40273572029, 40273572030

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	<0.46	5.0	01/30/24 10:37	
Diisopropyl ether	ug/L	<1.1	5.0	01/30/24 10:37	
Ethylbenzene	ug/L	<0.33	1.0	01/30/24 10:37	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	01/30/24 10:37	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	01/30/24 10:37	
m&p-Xylene	ug/L	<0.70	2.0	01/30/24 10:37	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	01/30/24 10:37	
Methylcyclohexane	ug/L	<1.2	5.0	01/30/24 10:37	
Methylene Chloride	ug/L	<0.32	5.0	01/30/24 10:37	
n-Butylbenzene	ug/L	<0.86	1.0	01/30/24 10:37	
n-Heptane	ug/L	<1.6	5.0	01/30/24 10:37	
n-Hexane	ug/L	<1.5	5.0	01/30/24 10:37	
n-Propylbenzene	ug/L	<0.35	1.0	01/30/24 10:37	
Naphthalene	ug/L	<1.9	5.0	01/30/24 10:37	
o-Xylene	ug/L	<0.35	1.0	01/30/24 10:37	
p-Isopropyltoluene	ug/L	<1.0	5.0	01/30/24 10:37	
sec-Butylbenzene	ug/L	<0.42	1.0	01/30/24 10:37	
Styrene	ug/L	<0.36	1.0	01/30/24 10:37	
tert-Butylbenzene	ug/L	<0.59	1.0	01/30/24 10:37	
Tetrachloroethene	ug/L	<0.41	1.0	01/30/24 10:37	
Toluene	ug/L	<0.29	1.0	01/30/24 10:37	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	01/30/24 10:37	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	01/30/24 10:37	
Trichloroethene	ug/L	<0.32	1.0	01/30/24 10:37	
Trichlorofluoromethane	ug/L	<0.42	1.0	01/30/24 10:37	
Vinyl chloride	ug/L	<0.17	1.0	01/30/24 10:37	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	01/30/24 10:37	
4-Bromofluorobenzene (S)	%	94	70-130	01/30/24 10:37	
Toluene-d8 (S)	%	102	70-130	01/30/24 10:37	

LABORATORY CONTROL SAMPLE: 2670561

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.9	86	70-132	
1,1,1,2-Tetrachloroethane	ug/L	50	56.7	113	70-130	
1,1,2-Trichloroethane	ug/L	50	50.9	102	70-130	
1,1-Dichloroethane	ug/L	50	50.5	101	70-130	
1,1-Dichloroethene	ug/L	50	59.5	119	73-140	
1,2,4-Trichlorobenzene	ug/L	50	45.5	91	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.6	83	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	47.6	95	70-130	
1,2-Dichlorobenzene	ug/L	50	51.1	102	70-130	
1,2-Dichloroethane	ug/L	50	56.0	112	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

LABORATORY CONTROL SAMPLE: 2670561

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	55.5	111	77-127	
1,3-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,4-Dichlorobenzene	ug/L	50	50.5	101	70-130	
Benzene	ug/L	50	51.0	102	70-130	
Bromodichloromethane	ug/L	50	50.0	100	70-130	
Bromoform	ug/L	50	38.4	77	70-130	
Bromomethane	ug/L	50	66.6	133	22-141	
Carbon tetrachloride	ug/L	50	35.4	71	70-135	
Chlorobenzene	ug/L	50	51.6	103	70-130	
Chloroethane	ug/L	50	65.5	131	59-141	
Chloroform	ug/L	50	48.6	97	80-124	
Chloromethane	ug/L	50	57.0	114	29-150	
cis-1,2-Dichloroethene	ug/L	50	45.7	91	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.8	92	70-130	
Cyclohexane	ug/L	50	48.3	97	50-150	
Dibromochloromethane	ug/L	50	42.1	84	70-130	
Dichlorodifluoromethane	ug/L	50	40.2	80	10-147	
Ethylbenzene	ug/L	50	54.5	109	80-125	
Isopropylbenzene (Cumene)	ug/L	50	56.1	112	70-130	
m&p-Xylene	ug/L	100	110	110	70-130	
Methyl-tert-butyl ether	ug/L	50	37.8	76	64-131	
Methylcyclohexane	ug/L	50	49.2	98	50-150	
Methylene Chloride	ug/L	50	47.1	94	70-137	
o-Xylene	ug/L	50	55.6	111	70-130	
Styrene	ug/L	50	60.2	120	70-130	
Tetrachloroethene	ug/L	50	48.6	97	70-130	
Toluene	ug/L	50	52.9	106	80-120	
trans-1,2-Dichloroethene	ug/L	50	46.3	93	70-131	
trans-1,3-Dichloropropene	ug/L	50	45.2	90	70-130	
Trichloroethene	ug/L	50	51.0	102	70-130	
Trichlorofluoromethane	ug/L	50	66.0	132	69-141	
Vinyl chloride	ug/L	50	56.3	113	51-145	
1,2-Dichlorobenzene-d4 (S)	%			103	70-130	
4-Bromofluorobenzene (S)	%			108	70-130	
Toluene-d8 (S)	%			102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	465839	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 2670699 Matrix: Water
 Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	01/29/24 16:13	

LABORATORY CONTROL SAMPLE: 2670700

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	21.5	108	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2670701 2670702

Parameter	Units	2670701		2670702		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40273572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Sulfate	mg/L	<2.2	100	100	112	111	112	111	90-110	0	15 M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	466032	Analysis Method:	EPA 310.2
QC Batch Method:	EPA 310.2	Analysis Description:	310.2 Alkalinity
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 2671794 Matrix: Water
 Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Alkalinity, Total as CaCO3	mg/L	<7.4	25.0	01/31/24 08:32	

LABORATORY CONTROL SAMPLE: 2671795

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO3	mg/L	100	107	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2671796 2671797

Parameter	Units	40273572009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Alkalinity, Total as CaCO3	mg/L	546	200	200	758	737	106	95	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

QC Batch:	466050	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

METHOD BLANK: 2671901 Matrix: Water
 Associated Lab Samples: 40273572001, 40273572003, 40273572009, 40273572017, 40273572021, 40273572024, 40273572025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	01/31/24 12:07	

LABORATORY CONTROL SAMPLE: 2671902

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2671903 2671904

Parameter	Units	2671903		2671904		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, NO2 plus NO3	mg/L	14.7	12.5	27.3	27.4	101	101	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2671905 2671906

Parameter	Units	2671905		2671906		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.5	101	99	90-110	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 40273572

[1] The methane result for MW-17-20 was confirmed past its holding time, with a passing CCV.

ANALYTE QUALIFIERS

CL The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

P2 Re-extraction or re-analysis could not be performed due to insufficient sample amount.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40273572001	MW-01-32	RSK175	317339		
40273572003	MW-02-25	RSK175	317339		
40273572009	MW-06-32	RSK175	317339		
40273572017	MW-10-32	RSK175	317339		
40273572021	MW-14-31	RSK175	318303		
40273572024	MW-17-20	RSK175	317977		
40273572025	MW-101-32	RSK175	317339		
40273572001	MW-01-32	RSK175	317502		
40273572003	MW-02-25	RSK175	317502		
40273572009	MW-06-32	RSK175	317502		
40273572017	MW-10-32	RSK175	317502		
40273572021	MW-14-31	RSK175	317502		
40273572024	MW-17-20	RSK175	317502		
40273572025	MW-101-32	RSK175	317502		
40273572001	MW-01-32	EPA 3010A	465900	EPA 6010D	465982
40273572003	MW-02-25	EPA 3010A	465900	EPA 6010D	465982
40273572009	MW-06-32	EPA 3010A	465900	EPA 6010D	465982
40273572017	MW-10-32	EPA 3010A	465900	EPA 6010D	465982
40273572021	MW-14-31	EPA 3010A	465900	EPA 6010D	465982
40273572024	MW-17-20	EPA 3010A	465900	EPA 6010D	465982
40273572025	MW-101-32	EPA 3010A	465900	EPA 6010D	465982
40273572001	MW-01-32	EPA 6010D	465844		
40273572003	MW-02-25	EPA 6010D	465844		
40273572009	MW-06-32	EPA 6010D	465844		
40273572017	MW-10-32	EPA 6010D	465844		
40273572021	MW-14-31	EPA 6010D	465844		
40273572024	MW-17-20	EPA 6010D	465844		
40273572025	MW-101-32	EPA 6010D	465844		
40273572001	MW-01-32	EPA 8260	465800		
40273572002	MW-01-63	EPA 8260	465800		
40273572003	MW-02-25	EPA 8260	465800		
40273572004	MW-02-55	EPA 8260	465800		
40273572005	MW-03-25	EPA 8260	465800		
40273572006	MW-04-29	EPA 8260	465800		
40273572007	MW-05-30	EPA 8260	465800		
40273572008	MW-05-60	EPA 8260	465800		
40273572009	MW-06-32	EPA 8260	465800		
40273572010	MW-06-60	EPA 8260	465800		
40273572011	MW-06-100	EPA 8260	465800		
40273572012	MW-07-32	EPA 8260	465800		
40273572013	MW-07-60	EPA 8260	465800		
40273572014	MW-08-27	EPA 8260	465800		
40273572015	MW-09-33	EPA 8260	465800		
40273572016	MW-09-60	EPA 8260	465800		
40273572017	MW-10-32	EPA 8260	465800		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 31406019.705F-03.SUB L13 MP 31

Pace Project No.: 40273572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40273572018	MW-11-32	EPA 8260	465800		
40273572019	MW-12-31	EPA 8260	465800		
40273572020	MW-13-33	EPA 8260	465800		
40273572021	MW-14-31	EPA 8260	465802		
40273572022	MW-15-32	EPA 8260	465802		
40273572023	MW-16-29	EPA 8260	465802		
40273572024	MW-17-20	EPA 8260	465802		
40273572025	MW-101-32	EPA 8260	465802		
40273572026	MW-101-63	EPA 8260	465802		
40273572027	MW-114-31	EPA 8260	465802		
40273572028	EB012524A	EPA 8260	465802		
40273572029	EB012524B	EPA 8260	465802		
40273572030	TB012524	EPA 8260	465802		
40273572001	MW-01-32	EPA 300.0	465839		
40273572003	MW-02-25	EPA 300.0	465839		
40273572009	MW-06-32	EPA 300.0	465839		
40273572017	MW-10-32	EPA 300.0	465839		
40273572021	MW-14-31	EPA 300.0	465839		
40273572024	MW-17-20	EPA 300.0	465839		
40273572025	MW-101-32	EPA 300.0	465839		
40273572001	MW-01-32	EPA 310.2	466032		
40273572003	MW-02-25	EPA 310.2	466032		
40273572009	MW-06-32	EPA 310.2	466032		
40273572017	MW-10-32	EPA 310.2	466032		
40273572021	MW-14-31	EPA 310.2	466032		
40273572024	MW-17-20	EPA 310.2	466032		
40273572025	MW-101-32	EPA 310.2	466032		
40273572001	MW-01-32	EPA 353.2	466050		
40273572003	MW-02-25	EPA 353.2	466050		
40273572009	MW-06-32	EPA 353.2	466050		
40273572017	MW-10-32	EPA 353.2	466050		
40273572021	MW-14-31	EPA 353.2	466050		
40273572024	MW-17-20	EPA 353.2	466050		
40273572025	MW-101-32	EPA 353.2	466050		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

WSP Office Address 5957 McKee Road, Suite 7, Madison, WI 53719				Requested Analyses & Preservatives										No. 11511					
Project Name L13 MP 312 Valve Site		WSP Contact Name Tim Huff		VOCs (EPA Method 8260) Total Alkalinity as CaCO3 (Method 353.2) & Sulfate (Method 300.0) Total Iron and Dissolved Iron & Manganese (Method 6010) Methane, Ethene & Ethane Carbon Dioxide (EPA RSK-175) Nitrate + Nitrate (Method 353.2)										Laboratory Name & Location Pace Analytical - Green Bay, WI					
Project Location Ft Atkinson, WI		WSP Contact E-mail tim.huff@wsp.com												Laboratory Project Manager Dan Milewsky					
Project Number & Task 31406019.705F - 03.SUB		WSP Contact Phone 571-217-6759												Requested Turn-Around-Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> HR					
Sampler(s) Name(s) Cal Johnson (CJ) Timothy Babb (TTB)		Sampler(s) Signature(s) <i>[Signatures]</i>												Requested Deliverable <input checked="" type="checkbox"/> Level II <input type="checkbox"/> ERIMS EDD <input type="checkbox"/> Level III <input checked="" type="checkbox"/> GISKEY EDD <input type="checkbox"/> Level IV <input type="checkbox"/> EQUIS EDD					
Sample Identification		Matrix	Collection Start* Date Time		Collection Stop* Date Time		Number of Containers											Sample Comments	
MW-01-32		GW	1/24/24	1150	-	-		13	X	X	X	X	X	X					001
MW-01-63			1/24/24	1400	-	-		3	X										002
MW-02-25			1/24/24	1115	-	-		13	X	X	X	X	X	X					003
MW-02-55			1/24/24	1235	-	-		3	X										004
MW-03-25			1/24/24	1615	-	-		3	X										005
MW-04-29			1/25/24	0855	-	-		3	X										006
MW-05-30			1/23/24	0945	-	-		3	X										007
MW-05-60			1/23/24	1005	-	-		3	X										008
MW-06-32			1/23/24	1610	-	-		13	X	X	X	X	X	X					009
MW-06-60			1/23/24	1547	-	-		2	X										010
MW-06-100			1/23/24	1505	-	-		3	X										011
MW-07-32			1/25/24	1240	-	-		3	X										012
MW-07-60			1/25/24	1130	-	-		3	X										013
MW-08-27			1/24/24	1545	-	-		3	X										014
MW-09-33			1/23/24	1245	-	-	3	X										015	
Relinquished By (Signature) Cal Johnson		Date 1/25/24	Time 1700	Received By (Signature) <i>[Signature]</i>		Date	Time	Shipment Method CS Logistics (Logistics)		Tracking Number(s)									
Relinquished By (Signature) CS Logistics		Date 01/26/2024	Time 08:05	Received By (Signature) Matt Dorn		Date 01/26/2024	Time 08:05	Number of Packages 2		Custody Seal Number(s)									

*Use stop time/date for composite and/or air samples; use only start time/date for all other samples. Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (see comments)

CHAIN-OF-CUSTODY RECORD

4023572

WSP Office Address 5957 McKee Road, Suite 7, Madison, WI 53719							Requested Analyses & Preservatives										No. 1151				
Project Name L13 MP 312 Valve Site				WSP Contact Name Tim Huff			Number of Containers	VOCs (EPA Method 8260)	Total Alkalinity as CaCO3 (Method 353.2) & Sulfate (Method 300.0)	Total Iron and Dissolved Iron & Manganese (Method 6010)	Methane, Ethene & Ethane	Carbon Dioxide (EPA RSK-175)	Nitrate + Nitrate (Method 353.2)							Laboratory Name & Location Pace Analytical - Green Bay, WI	
Project Location Ft Atkinson, WI				WSP Contact E-mail tim.huff@wsp.com																Laboratory Project Manager Dan Milewsky	
Project Number & Task 31406019.705F - 03.SUB				WSP Contact Phone 571-217-6759																Requested Turn-Around-Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> _____ HR	
Sampler(s) Name(s) Cal Johnson (CES) Timothy Baldo (TTB)				Sampler(s) Signature(s) <i>Wm Ball</i>																Requested Deliverable <input checked="" type="checkbox"/> Level II <input type="checkbox"/> ERIMS EDD <input type="checkbox"/> Level III <input checked="" type="checkbox"/> GISKEY EDD <input type="checkbox"/> Level IV <input type="checkbox"/> EQUIS EDD	
Sample Identification		Matrix	Collection Start*		Collection Stop*		Sample Comments														
			Date	Time	Date	Time															
MW-09-60		6W	1/23/24	1300	-	-	3	X												016	
MW-10-32			1/24/24	1000	-	-	13	X	X	X	X	X	X							017	
MW-11-32			1/24/24	0910	-	-	3	X												018	
MW-12-31			1/25/24	1250	-	-	3	X												019	
MW-13-33			1/25/24	1400	-	-	3	X												020	
MW-14-31			1/25/24	0850	-	-	13	X	X	X	X	X	X							021	
MW-15-32			1/25/24	1430	-	-	3	X												022	
MW-16-29			1/25/24	0950	-	-	3	X												023	
MW-17-20			1/24/24	1410	-	-	13	X	X	X	X	X	X							024	
MW-101-32			1/24/24	0800	-	-	13	X	X	X	X	X	X							025	
MW-101-63			1/24/24	0700	-	-	3	X												026	
MW-114-31			1/25/24	0800	-	-	3	X												027	
EBO12524A		AQ	1/25/24	1415	-	-	3	X												028	
EBO12524B		AQ	1/25/24	1455	-	-	3	X												029	
TBO12524		AQ	-	-	-	-	2	X												030	
Relinquished By (Signature) <i>Cal Johnson</i>		Date 1/25/24	Time 1700	Received By (Signature) <i>Matt Von</i>			Date 01/26/2024	Time 08:05	Shipment Method		Tracking Number(s)										
Relinquished By (Signature) <i>C.S Logistics</i>		Date 01/26/2024	Time 08:05	Received By (Signature) <i>Matt Von</i>			Date 01/26/2024	Time 08:05	Number of Packages 2		Custody Seal Number(s)										

*Use stop time/date for composite and/or air samples; use only start time/date for all other samples.

Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (see comments)

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: WSP

WO#: **40273572**



40273572

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 131 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 1.0 /Corr: 0.5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 01/26/2024 Initials: mmx
 Labeled By Initials: JB

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>Sample point 029 is listed as EBB012524 on the via label. However the COC lists the ID as EBB012524B. mmx 01/26/2024</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>515</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____


Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

ENCLOSURE B – HYDROGEOLOGIST CERTIFICATION

Monitoring Well Sampling Results – Q1 2024
Enbridge Line 13 MP 312 Valve Site
Blackhawk Island Road
Fort Atkinson, Wisconsin
BRRTS Number: 02-28-586199

I, Brian C. Kimpel, certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



February 29, 2024

Brian C. Kimpel,
Supervisory Hydrogeologist, Wisconsin P.G. #1140

Date