



WISCONSIN DEPARTMENT OF NATURAL RESOURCES NOTICE OF FINAL GUIDANCE & CERTIFICATION

Pursuant to ch. 227, Wis. Stats., the Wisconsin Department of Natural Resources has finalized and hereby certifies the following guidance document.

DOCUMENT ID

WW-19-0067-C

DOCUMENT TITLE

DREDGING– MAINTENANCE WITHIN A DRAINAGE DISTRICT GENERAL PERMIT APPLICATION CHECKLIST

PROGRAM/BUREAU

WATERWAYS PROGRAM

STATUTORY AUTHORITY OR LEGAL CITATION

CH. 30, WIS. STATS.

DATE SENT TO LEGISLATIVE REFERENCE BUREAU (FOR PUBLIC COMMENTS)

11/25/19

DATE FINALIZED

12/23/19

DNR CERTIFICATION

I have reviewed this guidance document or proposed guidance document and I certify that it complies with sections 227.10 and 227.11 of the Wisconsin Statutes. I further certify that the guidance document or proposed guidance document contains no standard, requirement, or threshold that is not explicitly required or explicitly permitted by a statute or a rule that has been lawfully promulgated. I further certify that the guidance document or proposed guidance document contains no standard, requirement, or threshold that is more restrictive than a standard, requirement, or threshold contained in the Wisconsin Statutes.

12/16/19

Signature

Date

4. **Photographs** that clearly show the on-the-ground conditions of the existing project areas. Remember that too much snow cover or vegetation may obscure important details. If possible, have another person stand near the project area for size reference. Color images are preferred.

5. **Site maps** that clearly illustrate the location and perimeter of the project site, and its relationship to nearby water resources (e.g. lakes, rivers, streams, wetlands), major landmarks and roads. Provide copies of relevant maps (e.g. wetland, aerial, topographical, soil, floodplain, or zoning maps), with the project location clearly identified. The department offers a web mapping tool to assist in creating these maps at <http://dnr.wi.gov/topic/surfacewater/swdv/>.

6. **Plans and specifications** that show what you intend to do. Plan drawings should be clear and to scale. Be sure to draw all plans as accurately and detailed as possible. The department reserves the right to require additional information to evaluate the project.

7. **Narrative description** of your proposal on a separate page. Please include:

- What the project is, purpose of project, and need for the project
- How you intend to carry out the project, including methods, materials, and equipment
- Your proposed construction schedule and sequence of work
- What temporary and permanent erosion control measures will be used
- The location of any disposal area for dredged or excavated materials
- For disturbances or fill, provide a description of type, composition, and quality of materials
- How you plan to avoid, minimize and mitigate impacts to waterways
- Area (e.g. linear feet) impacted

8. **Proof of pre-application requirement submittal** - This would either be documentation from the local reviewer saying that no sampling will be required, or sampling results from the project area.

9. **Endangered and threatened resources** - The applicant is not required, but is encouraged to request an endangered resources (ER) review letter before applying for the permit. Information on how to obtain a review can be found by visiting the website at <http://dnr.wi.gov/topic/ERReview/Review.html>. The applicant can also visit the NHI Public Portal, <http://dnr.wi.gov/topic/ERReview/PublicPortal.html>, to determine if a full ER Review is required. Read the 'What is an ER Preliminary Assessment and what do the results mean?' section to determine follow-up steps.

10. **Historical and cultural resources** - If you are aware there is a historical or cultural resource present, you are **required** to contact the Wisconsin State Historical Society to verify and receive documentation that the activity will not result in an adverse impact to these resources.

Eligibility criteria:	
Projects that do not meet all criteria are not eligible for this general permit. If your project does not qualify for this general permit, you may apply for an individual permit.	
Dredging must be to maintain a district drain which is part of a drainage district established under ch. 88, Stats.	
Unless the department previously authorized the project under s. 30.20, Stats., the dredging may not be located in an area of special natural resource interest.	
Unless the department previously authorized the project under s. 30.20, Stats., the dredging may not be located where there are public rights features as described in s. NR 1.06.	
Dredging shall comply with s. ATCP 48.32	

Maintenance of the district ditch and any structures in the ditch shall comply with the established specifications and compliance plan under ss. ATCP 48.20 and 48.22.	
Dredging may not exceed the volume or extend beyond the dimensions of the previously dredged project.	
The total amount of material removed from the area shall be less than 3000 cubic yards or, if greater than 3000 cubic yards, a previous environmental assessment or environmental impact statement shall meet the requirements of s. NR 150.20 (2) (c).	
Any dredged material removed from the waterbody may not be permanently placed in a wetland, or floodway or re-deposited below the ordinary high water mark of a navigable waterway.	
Any dredged material removed from the waterbody may be temporarily stockpiled in an upland area provided it is separated from the stream by an installed silt fence or a protective, vegetated buffer strip not less than 20 feet in width.	
Dredged material may be temporarily placed for not more than 8 hours within a wetland or below the ordinary high water mark of a navigable waterway if the material is placed on matting with appropriate erosion control to prevent runoff. Any areas used for temporary placement shall be completely restored within 24 hours.	
The project shall be conducted in a manner that prevents dispersal of sediment away from the project site. Temporary control measures such as silt curtains shall be used as needed, and shall be installed prior to dredging and removed from the waterbody no more than 24 hours after dredging is complete. Any temporary control measures shall follow all state lighting requirements and may not obstruct navigation.	
Dredging shall be conducted to minimize the re-suspension of sediment to the maximum extent practicable in accordance with the following: <ul style="list-style-type: none"> • For trout streams identified under s. NR 1.02 (7) and perennial tributaries to those trout streams, the total suspended solid concentrations may not exceed 40 mg/L. • For all other waters, the total suspended solid concentrations may not exceed 80 mg/L. 	
The applicant shall provide information that the dredged material does not contain any hazardous substance as follows: <ul style="list-style-type: none"> • Through the collection and laboratory analysis of the dredged material in compliance with ch. NR 347; or • Through the review of historical dredge material information from the vicinity of the proposed project that was collected and analyzed in accordance with ch. NR 347; or • By assessing the potential for hazardous substances to be present based upon the characteristic of the watershed, industrial and municipal discharges to the waterbody and dredge material data from similar waterways. 	
If the project location is within the riparian zone, the applicant is the riparian owner or has permission of the riparian owner to dredge the bottom material.	
Erosion control measures shall meet or exceed the technical standards for erosion control approved by the department under subch. V of ch. NR 151. Any area where topsoil is exposed during placement, repair or removal of a structure shall be immediately seeded and mulched to stabilize disturbed areas and prevent soils from being eroded and washed into the waterway. These standards can be found at: http://dnr.wi.gov/topic/stormwater/standards/ .	
Unless part of a permanent storm water management system, all temporary erosion and sediment control practices will be removed upon final site stabilization. All areas disturbed during removal of temporary erosion and sediment control practices will be restored.	

<p>Any area within 75 feet of the ordinary high water mark, where topsoil is exposed during construction, shall be stabilized within 24 hours to prevent soil from being eroded and washed into the waterway.</p>	
<p>All equipment used for the project shall be designed and properly sized to minimize the amount of sediment that can escape into the water.</p>	
<p>The project plans minimize adverse impacts on fish movement, fish spawning, egg incubation periods and high stream flows, the project may not occur during the following time periods:</p> <ul style="list-style-type: none"> ✓ September 15 through May 15 for trout streams and navigable tributaries to trout streams. ✓ March 15 through May 15 for ALL waters located south of state highway 29. ✓ April 1 through June 1 for ALL waters located north of state highway 29. <p>Note: Per ch. NR 1.02(7), the department identifies and classifies trout streams to ensure adequate protection and proper management of this unique resource. To determine if a waterway is a trout stream, you may use the Designated Waters Theme on DNR's Surface Water Data Viewer: http://dnr.wi.gov/topic/surfacewater/swdv/</p>	
<p>All equipment used for the project including but not limited to tracked vehicles, barges, boats, hoses, sheet pile and pumps shall be de-contaminated for invasive and exotic viruses and species prior to use and after use.</p> <p>The following steps must be taken every time you move your equipment to avoid transporting invasive and exotic viruses and species. To the extent practicable, equipment and gear used on infested waters shall not be used on other non-infested waters.</p> <ul style="list-style-type: none"> • Inspect and remove aquatic plants, animals, and mud from your equipment. • Drain all water from your equipment that comes in contact with infested waters, including but not limited to tracked vehicles, barges, boats, hoses, sheet pile and pumps. • Dispose of aquatic plants, animals in the trash. Never release or transfer aquatic plants, animals or water from one waterbody to another. <p>Wash your equipment with hot (>104° F) or high pressure water, steam clean or allow your equipment to dry thoroughly for 5 days.</p>	
<p>Follow the most recent department approved washing and disinfection protocols and department approved best management practices to avoid the spread of invasive species as outlined in NR 40, Wis. Adm. Code. These protocols and practices can be found on the Department website at http://dnr.wi.gov/topic/Invasives/bmp.html Keyword: "equipment operator" and at http://dnr.wi.gov/topic/Invasives/documents/EquipOper.pdf</p>	