



---

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water (SDWA) Laboratories

---

### Bureau of Science Services

### Laboratory Certification and Registration Program



# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**AgSource Laboratories**  
ID: 737109450  
3700 Downwind Drive  
Marshfield WI 54449-  
Phone: (715) 898-1402  
Contact: Addie Seefeldt  
alseefeldt@agsource.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Fluoride - SM 4500F- C
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3- D
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2- B

#### Primary Inorganics (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Chromium - SM 3113B
- Copper - SM 3113B
- Lead - SM 3113B
- Selenium - SM 3113B

#### Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chloride - SM 4500-Cl- B
- Sulfate - EPA 300.0
- Sulfate - SM 4500-SO42- E

#### Secondary Contaminants (Metals)

- Calcium - SM 3111B
- Iron - SM 3111B
- Magnesium - SM 3111 B
- Sodium - SM 3111B

**Badger Laboratories & Eng Co Inc**  
ID: 445023150  
501 W Bell Street  
Neenah WI 54956-1392  
Phone: (920) 729-1100  
Contact: Brenda Benbrooks  
bbenbrooks@badgerlabs.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0

**Badger Laboratories & Eng Co Inc**  
ID: 445023150  
501 W Bell Street  
Neenah WI 54956-1392  
Phone: (920) 729-1100  
Contact: Brenda Benbrooks  
bbenbrooks@badgerlabs.com  
TYPE: Commercial Environmental Lab

- Nitrate - EPA 300.0

- Nitrite - EPA 300.0

#### Primary Inorganics (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - SM 3111D
- Cadmium - SM 3113B
- Chromium - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - SM 3113B
- Selenium - SM 3113B

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### Secondary Contaminants (Metals)

- Sodium - SM 3111B

**Branch River Testing Services LLC**  
ID: 405224600  
693 Lamers Clancy Road  
Greenleaf WI 54126-  
Phone: (920) 532-0016  
Contact: Joe Maitland  
branchrivertesting@yahoo.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Nitrate - Hach Method 10206

#### Primary Inorganics (Metals)

- Arsenic - SM 3113B

**Cardinal Environmental, Inc.**  
ID: 460024950

3303 Paine Ave  
Sheboygan WI 53081-  
Phone: (920) 459-2500  
Contact: Arthur Lautenbach  
alautenbach@cardinalenvironmental.com  
TYPE: Commercial Environmental Lab

**Cardinal Environmental, Inc.**  
ID: 460024950  
3303 Paine Ave  
Sheboygan WI 53081-  
Phone: (920) 459-2500  
Contact: Arthur Lautenbach  
alautenbach@cardinalenvironmental.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D
- Nitrite - SM 4500-NO2- B

**City of Milwaukee Health Department Lab**  
ID: 241311290  
Zeidler Municipal Bldg  
Milwaukee WI 53202-  
Phone: (414) 286-3526  
Contact: Sanjib Bhattacharyya  
sbhatt@milwaukee.gov  
TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganics (Metals)

- Lead - SM 3113B

**Clean Water Testing LLC**  
ID: 445126660  
1990 Prospect Court  
Appleton WI 54914-  
Phone: (920) 733-7590  
Contact: Rhonda Chier-Verhagen  
cwt@cleanwatertesting.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - SM 4500-NO3- F
- Nitrate + Nitrite - SM 4500-NO3- F
- Nitrite - SM 4500-NO2- B

#### Primary Inorganics (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - SM 3113B

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Clean Water Testing LLC**  
 ID: 445126660  
 1990 Prospect Court  
 Appleton WI 54914-  
 Phone: (920) 733-7590  
 Contact: Rhonda Chier-Verhagen  
 cwt@cleanwatertesting.com  
 TYPE: Commercial Environmental Lab

- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B
- Thallium - EPA 200.9

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chlorine, Total - SM 4500-Cl G
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

**Commercial Testing Laboratory Inc.**  
 ID: 617013980  
 PO Box 526  
 Colfax WI 54730-  
 Phone: (715) 962-3121  
 Contact: Pamela Gane  
 pamg@ctcolfax.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Cyanide - SM 4500-CN- C,E
- Fluoride - SM 4500F- C
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.9
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - EPA 200.9
- Mercury - EPA 245.2
- Nickel - EPA 200.7
- Selenium - EPA 200.9
- Thallium - EPA 200.9

Secondary Contaminants (Metals)

**Commercial Testing Laboratory Inc.**  
 ID: 617013980  
 PO Box 526  
 Colfax WI 54730-  
 Phone: (715) 962-3121  
 Contact: Pamela Gane  
 pamg@ctcolfax.com  
 TYPE: Commercial Environmental Lab

- Sodium - EPA 200.7

**CT Laboratories**

ID: 157066030

1230 Lange Ct.  
 Baraboo WI 53913-  
 Phone: (608) 356-2760  
 Contact: Colleen Stieve  
 cstieve@ctlaboratories.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - EPA 200.9
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - EPA 200.9
- Thallium - EPA 200.9

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C

Secondary Contaminants (Metals)

- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Silver - EPA 200.7

**CT Laboratories**  
 ID: 157066030  
 1230 Lange Ct.  
 Baraboo WI 53913-  
 Phone: (608) 356-2760  
 Contact: Colleen Stieve  
 cstieve@ctlaboratories.com  
 TYPE: Commercial Environmental Lab

- Sodium - EPA 200.7
- Zinc - EPA 200.7

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCs, REGULATED (group) - EPA 524.2
- ## VOCs, UNREGULATED (group) - EPA 524.2

**Culligan Analytical Laboratory**  
 ID: 399016200  
 9399 W. Higgins Rd  
 Rosemont IL 60018-  
 Phone: (847) 430-1284  
 Contact: Maria Mozdzen  
 maria.mozdzen@culligan.com  
 TYPE: Industrial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Lead - EPA 200.8
- Nickel - EPA 200.7
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Aluminum - EPA 200.7

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

### Culligan Analytical Laboratory

ID: 399016200

9399 W. Higgins Rd

Rosemont IL 60018-

Phone: (847) 430-1284

Contact: Maria Mozdzen  
maria.mozdzen@culligan.com

TYPE: Industrial Environmental Lab

- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Manganese - EPA 200.7
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7

### Davy Laboratories

ID: 632021390

115 South 6th Street

La Crosse WI 54601-

Phone: (608) 782-3130

Contact: Jennifer Buchholz  
jbuchholz@davyinc.com

TYPE: Commercial Environmental Lab

- Chromium - SM 3113B
- Copper - EPA 200.7
- Copper - SM 3111B
- Copper - SM 3113B
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - SM 3113B
- Selenium - SM 3113B
- Thallium - EPA 200.9

#### Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Conductivity - SM 2510 B
- Orthophosphate - EPA 365.1
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Turbidity - SM 2130B

#### Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - SM 3113B
- Calcium - EPA 200.7
- Calcium - SM 3111B
- Iron - EPA 200.7
- Iron - SM 3111B
- Manganese - EPA 200.7
- Manganese - SM 3111B
- Silver - EPA 200.7
- Silver - SM 3113B
- Sodium - EPA 200.7
- Sodium - SM 3111B
- Zinc - EPA 200.7
- Zinc - SM 3111B

#### SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Endrin - EPA 505
- Endrin - EPA 525.2

### Davy Laboratories

ID: 632021390

115 South 6th Street

La Crosse WI 54601-

Phone: (608) 782-3130

Contact: Jennifer Buchholz  
jbuchholz@davyinc.com

TYPE: Commercial Environmental Lab

- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 505
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

#### SOC - N/P Pesticides

- Alachlor - EPA 505
- Alachlor - EPA 525.2
- Atrazine - EPA 505
- Atrazine - EPA 525.2
- Simazine - EPA 505
- Simazine - EPA 525.2

#### SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Pentachlorophenol - EPA 525.2
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

#### SOC - Miscellaneous

- Benzo[a]pyrene - EPA 525.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2

#### Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

#### Volatile Organic Compounds (VOC)

- ## VOCs, REGULATED (group) - EPA 524.2

### Davy Laboratories

ID: 632021390

115 South 6th Street

La Crosse WI 54601-

Phone: (608) 782-3130

Contact: Jennifer Buchholz  
jbuchholz@davyinc.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.2
- Bromide - EPA 300.0

#### Primary Inorganics (Non-Metals)

- Cyanide - SM 4500-CN- C,E
- Cyanide, Amenable - SM 4500-CN- C,G
- Fluoride - EPA 300.0
- Fluoride - SM 4500F- C
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3- D
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2- B

#### Primary Inorganics (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Beryllium - SM 3113B
- Cadmium - EPA 200.7
- Cadmium - SM 3113B
- Chromium - EPA 200.7

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eau Claire City-County Health Department**  
 ID: 618019820  
 720 2nd Avenue  
 Eau Claire WI 54703-  
 Phone: (715) 839-4734  
 Contact: Ted Johnson  
 ted.johnson@co.eau-claire.wi.us  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

Primary Inorganics (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 52-

**Environmental Monitoring & Technologie**  
 ID: 999888890  
 8100 N. Austin Ave.  
 Morton Grove IL 60053-  
 Phone: (800) 246-0663  
 Contact: Sabina Stankevicius  
 sstankevicius@emt.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

**Eurofins Eaton Analytical, Inc. - Indiana**  
 ID: 999766900  
 110 South Hill Street  
 South Bend IN 46617-  
 Phone: (574) 233-4777  
 Contact: Dale Piechocki  
 DalePiechocki@eurofinsUS.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.2

- Bromate - EPA 300.1
- Bromate - EPA 317.0 Rev. 2.0
- Bromide - EPA 300.0
- Chlorite - EPA 300.0

Primary Inorganics (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Fluoride - SM 4500F- C
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Conductivity - SM 2510 B
- Diss. Org. Carbon (DOC) - SM5310 C
- Orthophosphate - SM 4500-P E
- pH - EPA 150.1
- Sulfate - EPA 300.0
- SUVA (calc.) - EPA 415.3
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310 C

**Eurofins Eaton Analytical, Inc. - Indiana**  
 ID: 999766900  
 110 South Hill Street  
 South Bend IN 46617-  
 Phone: (574) 233-4777  
 Contact: Dale Piechocki  
 DalePiechocki@eurofinsUS.com  
 TYPE: Commercial Environmental Lab

- Turbidity - EPA 180.1
- UV254 - SM5910 B

Secondary Contaminants (Metals)

- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.8

SOC - Organochlorine Pesticides

- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 525.2
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

- 3-Hydroxycarbofuran - EPA 531.2
- Aldicarb - EPA 531.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins Eaton Analytical, Inc. - Indiana**  
 ID: 999766900  
 110 South Hill Street  
 South Bend IN 46617-  
 Phone: (574) 233-4777  
 Contact: Dale Piechocki  
 DalePiechocki@eurofinsUS.com  
 TYPE: Commercial Environmental Lab

- Aldicarb Sulfone - EPA 531.2
  - Aldicarb Sulfoxide - EPA 531.2
  - Benzo[a]pyrene - EPA 525.2
  - Carbaryl - EPA 531.2
  - Carbofuran - EPA 531.2
  - Di(2-ethylhexyl)adipate - EPA 525.2
  - Di(2-ethylhexyl)phthalate - EPA 525.2
  - Dibromochloropropane (DBCP) - EPA 504
  - Diquat - EPA 549.2
  - Endothall - EPA 548.1
  - Ethylene Dibromide (EDB) - EPA 504.1
  - Glyphosate - EPA 547
  - Hexachlorobenzene - EPA 525.2
  - Hexachlorocyclopentadiene - EPA 525.2
  - Methomyl - EPA 531.2
  - Oxamyl (Vydate) - EPA 531.2
  - PCBs (as Aroclors) Screening - EPA 505
- Trihalomethanes (THM)
- ## THM (group) - EPA 524.2
  - ## THM (group) - EPA 551.1
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
  - ## VOCS, UNREGULATED (group) - EPA 524.2

**Eurofins S-F Analytical Laboratories Inc.**  
 ID: 241249360  
 2345 South 170th Street  
 New Berlin WI 53151-  
 Phone: (262) 754-5300  
 Contact: Fran Saunders  
 fransaunders@eurofinsus.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B

**Eurofins S-F Analytical Laboratories Inc.**  
 ID: 241249360  
 2345 South 170th Street  
 New Berlin WI 53151-  
 Phone: (262) 754-5300  
 Contact: Fran Saunders  
 fransaunders@eurofinsus.com  
 TYPE: Commercial Environmental Lab

- Lead - SM 3113B

**Kenosha County Division of Health Lab**

ID: 230153220

8600 Sheridan Road  
 Kenosha WI 53143-  
 Phone: (262) 605-6707

Contact: Alaina Engholt-Hutton  
 Alaina.Engholt-Hutton@kenoshacounty.or  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Kohler Co., Chemical & Metallurgical Lab**

ID: 460032870

444 Highland Drive  
 Kohler WI 53044-  
 Phone: (920) 457-4441

Contact: Lisa Escher  
 lisa.escher@kohler.com  
 TYPE: Industrial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8

**Kohler Co., Chemical & Metallurgical Lab**  
 ID: 460032870  
 444 Highland Drive  
 Kohler WI 53044-  
 Phone: (920) 457-4441  
 Contact: Lisa Escher  
 lisa.escher@kohler.com  
 TYPE: Industrial Environmental Lab

- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Sulfate - EPA 300.0

**L V Laboratories**

ID: 122046870

P.O. Box 343  
 Lancaster WI 53813-  
 Phone: (608) 723-4096

Contact: Lester Vondra  
 lesv@chorus.net  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Lab-Tech Services**

ID: 734044960

N6411 Vacha Lane  
 Deerbrook WI 54424-  
 Phone: (715) 623-6281

Contact: Dave Solin  
 Lab\_Tech\_Services@hotmail.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**LaCrosse Public Health Laboratory**  
ID: 632072980  
300 North 4th Street  
LaCrosse WI 54601-3299  
Phone: (608) 785-9733  
Contact: James Steinhoff  
jsteinhoff@lacrossecounty.org  
TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

#### Primary Inorganics (Metals)

- Arsenic - SM 3113B
- Lead - SM 3113B

**Luxerin Laboratory, LLC**  
ID: 420028730  
P.O. Box 694  
Fond du Lac WI 54937-  
Phone: (920) 921-1061  
Contact: Patrick Sheridan  
luxerin@hotmail.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Marathon County Public Health Laborato**  
ID: 737157080  
1000 Lake View Dr Suite #100  
Wausau WI 54403-  
Phone: (715) 261-1908  
Contact: Dale Grosskurth  
Dale.Grosskurth@co.marathon.wi.us  
TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: Christine MacMillan  
cmacmillan@NTLLABS.com  
TYPE: Commercial Environmental Lab

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: Christine MacMillan  
cmacmillan@NTLLABS.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.2
- Bromate - EPA 300.1
- Bromate - EPA 326.0
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1
- Chlorine Dioxide - SM 4500-ClO2 D
- Chlorite - EPA 300.1

#### Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Lead - SM 3113B
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Selenium - SM 3113B
- Thallium - EPA 200.8

#### Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: Christine MacMillan  
cmacmillan@NTLLABS.com  
TYPE: Commercial Environmental Lab

- Chlorine, Total - SM 4500-Cl G
- Conductivity - SM 2510 B
- Orthophosphate - EPA 300.0
- pH - EPA 150.1
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310 C
- Turbidity - SM 2130B

#### Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

#### SOC - Organochlorine Pesticides

- Aldrin - EPA 505
- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 505
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

#### SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**National Testing Laboratories, Inc.**  
 ID: 999462860  
 556 S Mansfield St  
 Ypsilanti MI 48197-  
 Phone: (734) 483-8333  
 Contact: Christine MacMillan  
 cmacmillan@NTLLABS.com  
 TYPE: Commercial Environmental Lab

- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dalapon - EPA 552.2
- Dicamba - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Silvex (2.4.5-TP) - EPA 515.4

SOC - Miscellaneous

- 3-Hydroxycarbofuran - EPA 531.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Benzo[a]pyrene - EPA 525.2
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2
- Methomyl - EPA 531.2
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 505

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524.2

**National Testing Laboratories, Inc.**  
 ID: 999462860  
 556 S Mansfield St  
 Ypsilanti MI 48197-  
 Phone: (734) 483-8333  
 Contact: Christine MacMillan  
 cmacmillan@NTLLABS.com  
 TYPE: Commercial Environmental Lab

- ## VOCS, UNREGULATED (group) - EPA 524.2

**Northern Lake Service Inc. - Waukesha**

ID: 268533760  
 2420 North Grandview Blvd  
 Waukesha WI 53188-  
 Phone: (262) 547-3406  
 Contact: Mark Milanowski  
 markm@nlslab.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Fluoride - SM 4500F- C
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

**Northern Lake Service Inc. (Crandon)**

ID: 721026460  
 400 North Lake Ave  
 Crandon WI 54520-1286  
 Phone: (715) 478-2777  
 Contact: Tom Priebe  
 TomP@nlslab.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.3

Primary Inorganics (Non-Metals)

- Cyanide - SM 4500-CN- C,E
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3- F
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - SM 4500-NO3- F
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2- B

Primary Inorganics (Metals)

- Antimony - EPA 200.8

**Northern Lake Service Inc. (Crandon)**  
 ID: 721026460  
 400 North Lake Ave  
 Crandon WI 54520-1286  
 Phone: (715) 478-2777  
 Contact: Tom Priebe  
 TomP@nlslab.com  
 TYPE: Commercial Environmental Lab

- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Orthophosphate - SM 4500-P E
- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

SOC - Organochlorine Pesticides

- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 525.2



# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Northern Lake Service Inc. (Crandon)**  
 ID: 721026460  
 400 North Lake Ave  
 Crandon WI 54520-1286  
 Phone: (715) 478-2777  
 Contact: Tom Priebe  
 TomP@nslab.com  
 TYPE: Commercial Environmental Lab

- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Miscellaneous

- 3-Hydroxycarbofuran - EPA 531.1
  - Aldicarb - EPA 531.1
  - Aldicarb Sulfone - EPA 531.1
  - Aldicarb Sulfoxide - EPA 531.1
  - Benzo[a]pyrene - EPA 525.2
  - Carbaryl - EPA 531.1
  - Carbofuran - EPA 531.1
  - Di(2-ethylhexyl)adipate - EPA 525.2
  - Di(2-ethylhexyl)phthalate - EPA 525.2
  - Dibromochloropropane (DBCP) - EPA 504
  - Diquat - EPA 549.2
  - Endothall - EPA 548.1
  - Ethylene Dibromide (EDB) - EPA 504.1
  - Glyphosate - EPA 547
  - Hexachlorobenzene - EPA 525.2
  - Hexachlorocyclopentadiene - EPA 525.2
  - Methomyl - EPA 531.1
  - Oxamyl (Vydate) - EPA 531.1
  - PCBs (as Aroclors) Screening - EPA 505
- Trihalomethanes (THM)
- ## THM (group) - EPA 524.2
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
  - ## VOCS, UNREGULATED (group) - EPA 524.2

**Pace Analytical Services,LLC-Green Bay**  
 ID: 405132750  
 1241 Bellevue Street  
 Green Bay WI 54302-  
 Phone: (920) 469-2436  
 Contact: Kate Verbeten  
 Kate.Verbeten@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

**Pace Analytical Services,LLC-Indianapoli**  
 ID: 999788130  
 7726 Moller Road  
 Indianapolis IN 46268-  
 Phone: (317) 228-3100  
 Contact: Lyle Cable  
 Lyle.Cable@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

**Pace Analytical Services,LLC-Indianapoli**  
 ID: 999788130  
 7726 Moller Road  
 Indianapolis IN 46268-  
 Phone: (317) 228-3100  
 Contact: Lyle Cable  
 Lyle.Cable@pacelabs.com  
 TYPE: Commercial Environmental Lab

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

**Pace Analytical Services,LLC-Minneapolis**  
 ID: 999407970  
 1700 SE Elm St. Suite 200  
 Minneapolis MN 55414-  
 Phone: (612) 607-1700  
 Contact: Janelle Ward  
 Janelle.Ward@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Mercury - EPA 245.1

SOC - Dioxin

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524.2

**Pace Analytical Services,LLC-Ormond Be**  
 ID: 399079670  
 8 East Tower Circle  
 Ormond Beach FL 32174-  
 Phone: (386) 672-5668  
 Contact: Lynn Baylor  
 lynn.baylor@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.2
- Bromate - EPA 300.1
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1

Primary Inorganics (Non-Metals)

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Pace Analytical Services,LLC-Ormond Beach**  
 ID: 399079670  
 8 East Tower Circle  
 Ormond Beach FL 32174-  
 Phone: (386) 672-5668  
 Contact: Lynn Baylor  
 lynn.baylor@pacelabs.com  
 TYPE: Commercial Environmental Lab

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Conductivity - SM 2510 B
- Foaming agents (MBAS) - SM 5540C
- Orthophosphate - EPA 300.0
- Orthophosphate - EPA 365.1
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Turbidity - EPA 180.1

Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Silica - EPA 200.7
- Silver - EPA 200.7
- Sodium - EPA 200.7
- Zinc - EPA 200.7

SOC - Organochlorine Pesticides

- Aldrin - EPA 525.2

**Pace Analytical Services,LLC-Ormond Beach**  
 ID: 399079670  
 8 East Tower Circle  
 Ormond Beach FL 32174-  
 Phone: (386) 672-5668  
 Contact: Lynn Baylor  
 lynn.baylor@pacelabs.com  
 TYPE: Commercial Environmental Lab

- Chlordane - EPA 508.1
- Dieldrin - EPA 508.1
- Endrin - EPA 508.1
- Heptachlor - EPA 508.1
- Heptachlor epoxide - EPA 508.1
- Lindane (gamma-BHC) - EPA 508.1
- Methoxychlor - EPA 508.1
- Toxaphene - EPA 508.1

SOC - N/P Pesticides

- Alachlor - EPA 508.1
- Atrazine - EPA 508.1
- Butachlor - EPA 508.1
- Butachlor - EPA 525.2
- Metolachlor - EPA 508.1
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 508.1
- Propachlor - EPA 525.2
- Simazine - EPA 508.1

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

- Benzof[a]pyrene - EPA 525.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Hexachlorobenzene - EPA 508.1
- Hexachlorocyclopentadiene - EPA 508.1
- PCBs (as Aroclors) Screening - EPA 508.1

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

**Pace Analytical Services,LLC-Ormond Beach**  
 ID: 399079670  
 8 East Tower Circle  
 Ormond Beach FL 32174-  
 Phone: (386) 672-5668  
 Contact: Lynn Baylor  
 lynn.baylor@pacelabs.com  
 TYPE: Commercial Environmental Lab

- ## VOCs, REGULATED (group) - EPA 524.2

**Public Health Madison-Dane County Lab**  
 ID: 113139620  
 210 Martin Luther King Jr Blvd  
 Madison WI 53703-  
 Phone: (608) 266-4821  
 Contact: Kirsti Sorsa  
 KSorsa@publichealthmdc.com  
 TYPE: Public Health Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Public Health Madison-Dane County Lab**  
 ID: 113139620  
 210 Martin Luther King Jr Blvd  
 Madison WI 53703-  
 Phone: (608) 266-4821  
 Contact: Kirsti Sorsa  
 KSorsa@publichealthmdc.com  
 TYPE: Public Health Lab

**Quality Water Testing, Inc.**  
 ID: 656111390  
 395 Reed St  
 Somerset WI 54025-  
 Phone: (715) 247-4873  
 Contact: Tim Butterfield  
 qualitywater@timbutterfielddrilling.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Rock County Health Department**  
 ID: 154077660  
 PO Box 1088  
 Janesville WI 53547-  
 Phone: (608) 757-5441  
 Contact: Rick Wietersen  
 wieterse@co.rock.wi.us  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Suburban Laboratories, Inc.**  
 ID: 399089350  
 1950 S. Batavia Ave. Suite 150  
 Geneva IL 60134-  
 Phone: (708) 544-3260  
 Contact: Melissa Amador  
 Melissa@suburbanlabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.3

Primary Inorganics (Non-Metals)

- Cyanide - SM 4500-CN- C,E
- Fluoride - SM 4500F- C
- Nitrate - EPA 353.2

**Suburban Laboratories, Inc.**  
 ID: 399089350  
 1950 S. Batavia Ave. Suite 150  
 Geneva IL 60134-  
 Phone: (708) 544-3260  
 Contact: Melissa Amador  
 Melissa@suburbanlabs.com  
 TYPE: Commercial Environmental Lab

- Nitrate + Nitrite - EPA 353.2

- Nitrite - SM 4500-NO2- B

Primary Inorganics (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Conductivity - SM 2510 B
- Orthophosphate - SM 4500-P E
- Sulfate - ASTM D516
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310 B

Secondary Contaminants (Metals)

- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

SOC - Organochlorine Pesticides

- Aldrin - EPA 505
- Chlordane - EPA 505
- Dieldrin - EPA 505

**Suburban Laboratories, Inc.**  
 ID: 399089350  
 1950 S. Batavia Ave. Suite 150  
 Geneva IL 60134-  
 Phone: (708) 544-3260  
 Contact: Melissa Amador  
 Melissa@suburbanlabs.com  
 TYPE: Commercial Environmental Lab

- Endrin - EPA 505

- Heptachlor - EPA 505

- Heptachlor epoxide - EPA 505

- Lindane (gamma-BHC) - EPA 505

- Methoxychlor - EPA 505

- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dicamba - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Silvex (2,4,5-TP) - EPA 515.4

SOC - Miscellaneous

- 3-Hydroxycarbofuran - EPA 531.1
- Aldicarb - EPA 531.1
- Aldicarb Sulfone - EPA 531.1
- Aldicarb Sulfoxide - EPA 531.1
- Benzo[a]pyrene - EPA 525.2
- Carbaryl - EPA 531.1
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Ethylene Dibromide (EDB) - EPA 504.1
- Hexachlorobenzene - EPA 505
- Hexachlorocyclopentadiene - EPA 505
- Methomyl - EPA 531.1
- Oxamyl (Vydate) - EPA 531.1
- PCBs (as Aroclors) Screening - EPA 505
- ## THM (group) - EPA 524.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Suburban Laboratories, Inc.**  
ID: 399089350  
1950 S. Batavia Ave. Suite 150  
Geneva IL 60134-  
Phone: (708) 544-3260  
Contact: Melissa Amador  
Melissa@suburbanlabs.com  
TYPE: Commercial Environmental Lab

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- Methyl tert-Butyl Ether - EPA 524.2

**SWD Labs, LLC**  
ID: 111083830  
PO Box 150  
Randolph WI 53956-  
Phone: (920) 326-5193  
Contact: Sharon Pluim  
sharonp@samswelldrilling.com  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Synergy Environmental Lab, LLC**  
ID: 445037560  
1990 Prospect Court  
Appleton WI 54914-  
Phone: (920) 830-2455  
Contact: Michael Ricker  
mrsynergy@wi.twcbc.com  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524.2

**TG Analytical Laboratories**  
ID: 445158340  
P.O. Box 170  
Greenville WI 54942-  
Phone: (920) 757-1355  
Contact: Daniel Schlenz  
dan@tgalabs.com  
TYPE: Commercial Environmental Lab

**TG Analytical Laboratories**  
ID: 445158340  
P.O. Box 170  
Greenville WI 54942-  
Phone: (920) 757-1355  
Contact: Daniel Schlenz  
dan@tgalabs.com  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics (Metals)

- Arsenic - SM 3113B
- Copper - SM 3113B
- Lead - SM 3113B

**Twin City Water Clinic**  
ID: 399073400  
617 - 13th Avenue South  
Hopkins MN 55343-  
Phone: (952) 935-3556  
Contact: William Van Arsdale  
tcwaterclinic@gmail.com  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- F

Primary Inorganics (Metals)

- Arsenic - SM 3113B

**U.S. Water, LLC**  
ID: 737240900  
6905 Venture Circle  
Weston WI 54476-  
Phone: (715) 842-2215  
Contact: Erica Meulemans  
erica@uswater.com  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Fluoride - HACH Method 10225
- Nitrate - Hach Method 10206
- Nitrite - SM 4500-NO2- B

Primary Inorganics (Metals)

- Arsenic - EPA 200.9
- Chromium - EPA 200.9

**U.S. Water, LLC**  
ID: 737240900  
6905 Venture Circle  
Weston WI 54476-  
Phone: (715) 842-2215  
Contact: Erica Meulemans  
erica@uswater.com  
TYPE: Commercial Environmental Lab

- Copper - EPA 200.9

- Lead - EPA 200.9

**UW-Oshkosh Env. Research & Innovatio**  
ID: 471183460  
800 Algoma Blvd  
Oshkosh WI 54901-  
Phone: (920) 424-3148  
Contact: Carmen Thiel  
thielc@uwosh.edu  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- F
- Nitrate + Nitrite - SM 4500-NO3- F
- Nitrite - SM 4500-NO2- B
- Nitrite - SM 4500-NO3- F

Primary Inorganics (Metals)

- Arsenic - SM 3113B

**UWSP Water and Environmental Analysis**  
ID: 750040280  
800 Reserve Street  
Stevens Point WI 54481-  
Phone: (715) 346-3209  
Contact: Bill DeVita  
wdevita@uwsp.edu  
TYPE: Commercial Environmental Lab

*Matrix: Drinking Water*

Primary Inorganics (Non-Metals)

- Nitrate + Nitrite - SM 4500-NO3- F

## Wisconsin Department of Natural Resources

### List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Walworth County Division of Public Health**  
 ID: 265178210  
 PO Box 1005  
 Elkhorn WI 53121-  
 Phone: (262) 741-3140  
 Contact: Erica Bergstrom  
 ebergstrom@co.walworth.wi.us  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - SM 4500-NO3- D

**Waukesha Co Dept of Parks & Land Use**  
 ID: 268511760  
 515 W Moreland Blvd, Rm AC260  
 Waukesha WI 53188-  
 Phone: (262) 896-8300  
 Contact: Mary Pakenham  
 mpakenham@waukeshacounty.gov  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - Orion 601

**Wisconsin State Laboratory of Hygiene**  
 ID: 113133790  
 2601 Agriculture Dr  
 Madison WI 53718-  
 Phone: (800) 442-4618  
 Contact: Susan Hill  
 hill@mail.slh.wisc.edu  
 TYPE: Public Health Lab

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524

**Water Diagnostics Laboratories**  
 ID: 246103990  
 8605 W. Freistadt Road  
 Mequon WI 53097-  
 Phone: (414) 350-1100  
 Contact: Tamara Sahai  
 waterdiagnostics@wi.rr.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - Hach Method 10206

**Wisconsin State Laboratory of Hygiene**  
 ID: 113133790  
 2601 Agriculture Dr  
 Madison WI 53718-  
 Phone: (800) 442-4618  
 Contact: Susan Hill  
 hill@mail.slh.wisc.edu  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- ## HALOACETIC ACIDS (5) - EPA 552.2

Primary Inorganics (Non-Metals)

- Cyanide - SM 4500-CN- C,E
- Fluoride - Technicon 380-75WE
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2- B

Primary Inorganics (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - SM 3113B
- Chromium - SM 3113B
- Copper - EPA 200.7
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B
- Thallium - EPA 200.9

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 375.2

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Trihalomethanes (THM)

- ## THM (group) - EPA 524.2

**Water Laboratories, Inc**  
 ID: 399044470  
 333 Main St NW  
 Elk River MN 55330-  
 Phone: (763) 441-7509  
 Contact: Kevin Kloepner  
 waterlabs@waterlabs.net  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganics (Non-Metals)

- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics (Metals)

- Arsenic - EPA 200.9
- Lead - SM 3113B