

PFAS Contamination in the Marinette Peshtigo Area

Listening Session 2

October 16, 2019





Welcome and Agenda

- What Is A Listening Session What To Expect From This Meeting And Future Meetings
- Upcoming Listening Session Schedule
- Brief History Timeline of Events to Date
- Updates Since Meeting on September 18th, 2019
- PFAS and Deer
- Listening Session Opportunity For Community Feedback



What is a Listening Session?

- Commitment made by DNR to provide a monthly, inperson forum for area residents to meet with DNR and DHS staff.
- Your opportunity to ask questions and discuss concerns about PFAS investigation in Marinette and Peshtigo





Listening Session Updates

- Since the last Listening Session in September,
 2019......What We Heard From You
- Communication
 - flyers delivered, radio/TV, social media, PSA
 - Post cards → to be delivered to community in November
- Accessibility of Information
 - Library case summary documents for review
 - Update the Marinette/Peshtigo Web site
- Investigation Progress
 - Biosolids Site Investigation Work Plan



What is a Listening Session?

- Committed to open and ongoing communication ask questions, give feedback, let us know what
 - topics you want to hear about:
 - Call (888-626-3244) or
 - email DNRJCIPFAS@wisconsin.gov

 Also – check out our FAQs and latest investigation information



- https://dnr.wi.gov/topic/Contaminants/Marinette.html



Listening Session Schedule

Developing agenda items

Listening Session	Date	Time(s)	Topics
Listening Session 1	Wednesday, September 18, 2019	6-7:30 p.m.	Foam/water Sampling
Listening Session 2	Wednesday, October 16, 2019	6-7:30 p.m.	Deer
Listening Session 3	Wednesday, November 20, 2019	noon-1:30 p.m. and 6-7:30 p.m.	Air Dispersion
Listening Session 4	Wednesday, December 18, 2019	6-7:30 p.m.	
Listening Session 5	Wednesday, January 15, 2020	noon-1:30 p.m. and 6-7:30 p.m.	TBD
Listening Session 6	Wednesday, February 19, 2020	6-7:30 p.m.	

- Public Meeting Long Term Potable Water Solutions
 - Holding off on scheduling this meeting so DNR can review analysis of options. This way, we are able to provide clear and complete information to the public.



PFAS in Marinette & Peshtigo Area



PFAS in Marinette & Peshtigo Area

- November 2017: Report PFAS release at Fire Training Center (FTC)
- 2018-2019: Site Investigation: soil, groundwater, surface water, sediment
 - Interim Action: Sampling of potable wells in study area & treatment systems installed on impacted wells
 - Interim Action: Ditch A & B surface water treatment systems
- September 2018: Initial Site Investigation Report
 - Interim Action: Long Term Drinking Water Options
- January 2020: 2nd Site Investigation Report
- Spring 2020: Fire Training Center (FTC) Clean-up Plan
- Other releases are at various stages of investigation




Project Updates – Drinking Water

- May/Sept 2019 Long Term Drinking Water Options Submitted
- Fact Sheet developed to outline options & what it will mean in the long term
- JCI will have a Public Comment Period + Survey of options
- DNR will hold a Public Meeting
- Opportunities to comment will be announced via Marinette/Peshtigo Website, DNR Marinette/Peshtigo email list, library

NRProject Updates – Site Investigation

- Heath Lane sample Results
 - Preliminary results have been submitted DNR evaluating data and determining if further site investigation efforts are needed
 - Data is available on BOTW





Menominee River


- 1) Chalk Hills Flowage (not shown here, ~50 miles upstream)
- 2) Upper Scott Flowage
- 3) Lower Scott Flowage
- 4) Menominee River ~250 meters downstream POTW outfall
- 5) Menominee River at mouth to Green Bay





Peshtigo River

- 1) Above Hwy 64 at boat landing
- 2) Below Peshtigo
 Flowage between
 railroad bridges
- 3) Below city of Peshtigo (river mile 7.65)





Menominee River

- 1) Chalk Hills Flowage (not shown here, ~50 miles upstream)
- 2) Upper Scott Flowage
- 3) Lower Scott Flowage
- 4) Menominee River ~250 meters downstream POTW outfall
- 5) Menominee River at mouth to Green Bay

June 27, 2019

05/29/19 (CHF) &	1) Menominee	2) Menominee	3) Menominee	4) Menominee	5) Menominee	Field Blank
06/27/19	River	River	River	River	River	
	Chalk Hills	Upper Scott	Lower Scott	BI WWTP	Mouth to	
	Flowage	Flowage	Flowage	outfall	Green Bay	
Analyte (ng/l)						
10:2 FTSA	ND	ND	ND	ND	ND	ND
11Cl-PF3OUdS	ND	ND	ND	ND	ND	ND
4:2 FTSA	ND	ND	ND	ND	ND	ND
6:2 FTSA	ND	ND	ND	ND	1.3	ND
8:2 FTSA	ND	ND	ND	ND	ND	ND
9CI-PF3ONS	ND	ND	ND	ND	ND	ND
DONA	ND	ND	ND	ND	ND	ND
FOSA	ND	ND	ND	ND	ND	ND
HFPO-DA	ND	ND	ND	ND	ND	ND
N-EtFOSA	ND	ND	ND	ND	ND	ND
N-EtFOSAA	ND	ND	ND	ND	ND	ND
N-EtFOSE	ND	ND	ND	ND	ND	ND
N-MeFOSA	ND	ND	ND	ND	ND	ND
N-MeFOSAA	ND	ND	ND	ND	ND	ND
N-MeFOSE	ND	ND	ND	ND	ND	ND
PFBA	ND	2.6	2.7	ND	2.5*	ND
PFBS	ND	ND	ND	ND	ND	ND
PFDA	ND	ND	ND	ND	ND	ND
PFDoA	ND	ND	ND	ND	ND	ND
PFDoS	ND	ND	ND	ND	ND	ND
PFDS	ND	ND	ND	ND	ND	ND
PFHpA	ND	0.3	0.24*	ND	0.41*	ND
PFHpS	ND	ND	ND	ND	ND	ND
PFHxA	ND	ND	ND	ND	ND	ND
PFHxDA	ND	ND	ND	ND	ND	ND
PFHxS	0.068*	0.088*	0.092*	ND	0.094*	ND
PFNA	0.18*	0.19*	0.18*	0.094*	0.19*	ND
PFNS	ND	ND	ND	ND	ND	ND
PFOA	0.32*	0.51*	0.44	ND	0.6	ND
PFODA	ND	ND	ND	ND	ND	ND
PFOS	0.31*	0.29*	0.3*	ND	0.31*	ND
PFPeA	ND	ND	ND	ND	ND	ND
PFPeS	ND	ND	ND	ND	ND	ND
PFTeDA	ND	ND	ND	ND	ND	ND
PFTrDA	ND	ND	ND	ND	ND	ND
PFUnA	ND	ND	ND	ND	ND	ND



Menominee River

- 1) Chalk Hills Flowage (not shown here, ~50 miles upstream)
- 2) Upper Scott Flowage
- 3) Lower Scott Flowage
- 4) Menominee River ~250 meters downstream
 POTW outfall
- 5) Menominee River at mouth to Green Bay

July 29, 2019

07/29/19	1) Menominee	Menominee	Menominee	4) Menominee	5) Menominee	Field Blank
	River	River	River	River	River	
	Chalk Hills	Upper Scott	Lower Scott	BIWWTP	Mouth to	
	Flowage	Flowage	Flowage	outfall	Green Bay	
Analyte (ng/l)						
10:2 FTSA	NS	ND	ND	ND	ND	ND
11CI-PF3OUdS	NS	ND	ND	ND	ND	ND
4:2 FTSA	NS	ND	ND	ND	ND	ND
6:2 FTSA	NS	ND	ND	ND	5.7	ND
8:2 FTSA	NS	ND	ND	ND	ND	ND
9CI-PF3ONS	NS NS	ND	ND	ND	ND	ND
DONA	NS	ND	ND	ND	ND	ND
FOSA	NS	ND	ND	ND	ND	ND
HFPO-DA	NS	ND	ND	ND	ND	ND
N-EtFOSA	NS	ND	ND	ND	ND	ND
N-EtFOSAA	NS	ND	ND	ND	ND	ND
N-EtFOSE	NS	ND	ND	ND	ND	ND
N-MeFOSA	NS	ND	ND	ND	ND	ND
N-MeFOSAA	NS	ND	ND	ND	ND	ND
N-MeFOSE	NS	ND	ND	ND	ND	ND
PFBA	NS	3.7	3.7	3.5	3.3	ND
PFBS	NS	0.17*	0.21*	ND	0.2*	ND
PFDA	NS	ND	ND	ND	ND	ND
PFDoA	NS	ND	ND	ND	ND	ND
PFDoS	NS	ND	ND	ND	ND	ND
PFDS	NS	ND	ND	ND	ND	ND
PFHpA	NS	0.48	0.53	0.51	0.65	ND
PFHpS	NS	ND	ND	ND	ND	ND
PFHxA	NS	ND	ND	ND	0.98	0.96
PFHxDA	NS	ND	ND	ND	ND	ND
PFHxS	NS	0.12*	0.11*	0.13*	0.15*	ND
PFNA	NS	0.25	0.26	0.29	0.26	ND
PFNS	NS	ND	ND	ND	ND	ND
PFOA	NS	0.67	0.71	0.71	0.82	ND
PFODA	NS	ND	ND	ND	ND	ND
PFOS	NS NS	0.31*	0.32*	0.32*	0.4*	ND
PFPeA	NS NS	ND	ND	ND	ND	ND
PFPeS	NS	ND	ND	ND	ND	ND
PFTeDA	NS	ND	ND	ND	ND	ND
PFTrDA	NS	ND	ND	ND	ND	ND
PFUnA	NS	ND	ND	ND	ND	ND

*Between LOD and LO ND =Non-Detect NS=No Sample



Menominee River

- 1) Chalk Hills Flowage (not shown here, ~50 miles upstream)
- 2) Upper Scott Flowage
- 3) Lower Scott Flowage
- 4) Menominee River ~250 meters downstream
 POTW outfall
- 5) Menominee River at mouth to Green Bay

September 16, 2019

09/16/2019	1) Menominee	2) Menominee	Menominee	4) Menominee	5) Menominee	Field Blank
	River	River	River	River	River	
	Chalk Hills	Upper Scott	Lower Scott	BIWWTP	Mouth to	
	Flowage	Flowage	Flowage	outfall	Green Bay	
Analyte (ng/l)						
10:2 FTSA	NS	ND	ND	ND	ND	ND
11CHPF3OUdS	NS NS	ND	ND	ND	ND	ND
4:2 FTSA	NS NS	ND	ND	ND	ND	ND
6:2 FTSA	NS	ND	ND	ND	2.5	ND
8:2 FTSA	NS	ND	ND	ND	ND	ND
9CI-PF3ONS	NS	ND	ND	ND	ND	ND
DONA	NS	ND	ND	ND	ND	ND
FOSA	NS	ND	ND	ND	ND	ND
HFPO-DA	NS	ND	ND	ND	ND	ND
N-EtFOSA	NS	ND	ND	ND	ND	ND
N-EtFOSAA	NS	ND	ND	ND	ND	ND
N-EtFOSE	NS	ND	ND	ND	ND	ND
N-MeFOSA	NS	ND	ND	ND	ND	ND
N-MeFOSAA	NS	ND	ND	ND	ND	ND
N-MeFOSE	NS NS	ND	ND	ND	ND	ND
PFBA	NS	3.2*	3.6*	3*	3.1*	ND
PFBS	NS	ND	ND	ND	ND	ND
PFDA	NS	ND	ND	ND	ND	ND
PFDoA	NS NS	ND	ND	ND	ND	ND
PFDoS	NS	ND	ND	ND	ND	ND
PFDS	NS	ND	ND	ND	ND	ND
PFHpA	NS	0.37*	0.44*	0.5*	0.61*	ND
PFHpS	NS	ND	ND	ND	ND	ND
PFHxA	NS	ND	ND	ND	ND	1.5
PFHxDA	NS NS	ND	ND	ND	ND	ND
PFHxS	NS NS	ND	ND	ND	ND	ND
PFNA	NS	0.18*	0.19*	0.21*	0.22*	ND
PFNS	NS NS	ND	ND	ND	ND	ND
PFOA	NS	0.5*	0.6*	0.56*	0.82	ND
PFODA	NS	ND	ND	ND	ND	ND
PFOS	NS NS	ND	ND	ND	ND	ND
PFPeA	NS NS	ND	ND	ND	ND	ND
PFPeS	NS	ND	ND	ND	ND	ND
PFTeDA	NS	ND	ND	ND	ND	ND
PFTrDA	NS	ND	ND	ND	ND	ND
PFUnA	NS	ND	ND	ND	ND	ND

^{*}Between LOD and LO ND =Non-Detect



Peshtigo River

- 1) Above Hwy 64 at boat landing
- 2) Below Peshtigo Flowage between railroad bridges
- 3) Below city of Peshtigo (river mile 7.65)

August 14, 2019

08/14/19 & 07/01/19 (St Louis)	1) Peshtigo River	2) Peshtigo River	3) Peshtigo River	
.,,,	Above HWY 64	Below Peshtigo	Below City Peshtigo	
		Flowage	,	
Analyte (ng/l)				
10:2 FTSA	ND	ND	ND	
11CI-PF3OUdS	ND	ND	ND	
4:2 FTSA	ND	ND	ND	
6:2 FTSA	ND	ND	0.17*	
8:2 FTSA	ND	ND	ND	
9CI-PF3ONS	ND	ND	ND	
DONA	ND	ND	ND	
FOSA	ND	ND	ND	
HFPO-DA	ND	ND	ND	
N-EtFOSA	ND	ND	ND	
N-EtFOSAA	ND	ND	ND	
N-EtFOSE	0.15*	ND	ND	
N-MeFOSA	ND	ND	ND	
N-MeFOSAA	ND	ND	ND	
N-MeFOSE	ND	ND	ND	
PFBA	4.8	4.6	4.6	
PFBS	0.26	ND	ND	
PFDA	ND	ND	ND	
PFDoA	ND	ND	ND	
PFDoS	ND	ND	ND	
PFDS	ND	ND	ND	
PFHpA	0.71	0.65	0.75	
PFHpS	ND	ND	ND	
PFHxA	ND	ND	0.85	
PFHxDA	ND	ND	ND	
PFHxS	ND	0.095*	0.093*	
PFNA	0.26	0.29	0.27	
PFNS	ND	ND	ND	
PFOA	0.73	0.87	1	
PFODA	ND	ND	ND	
PFOS	0.19*	0.27*	0.41	
PFPeA	ND	ND	ND	
PFPeS	ND	ND	ND	
PFTeDA	ND	ND	ND	
PFTrDA	ND	ND	ND	
PFUnA	ND	ND	ND	

^{*}Between LOD and LOO

ND =Non-Detect



PFAS in Wisconsin Wildlife

Sean M. Strom





Wildlife Contaminants Monitoring

- Program initiated in early 1980's
- Concerns regarding consumption of wild game
- Concerns regarding wildlife health

- DDT
- PCBs
- Mercury
- Lead
- Pesticides

- Pharmaceuticals
- Phthalates
- PFAS



Wildlife Consumption Advisories

- Existing waterfowl consumption advisories
 - Fox River/Lower Green Bay
 - Sheboygan River
 - Milwaukee Estuary
- Contaminant levels have not decreased since advisories created
- Advisories remain in effect until analysis suggests need for revision
- Advisories due to PCB and mercury contamination






Bald Eagle Bio-Sentinel Program

- Uses bald eagles to assess trends in environmental contaminants
- Sample different regions on a rotating basis
- Legacy and emerging contaminants
- Plasma, whole blood, feathers






Bald Eagle Populations Sampled 2011 - 2017




Total Bald Eagle Plasma PFAS by Region (2011 - 2016)






Marinette Eagle Sampling



Total BAEA Plasma PFAS





PFAS in Deer

- What do we know?
 - Michigan has reported results on nearly 150 deer
 - Many from sites contaminated with PFAS

- Only Ideer had PFAS levels that warranted an

advisory

HEALTH ADVISORY





PFAS in Deer

- Preliminary sampling plan
 - Sample approximately 20 deer in 2020
 - Focus collection in/around JCI complex
 - Work with DHS to interpret results and evaluate need for any advisory





Listening Session Format

• Format:

 Visit Stations for 45-mins and reconvene for 15-mins at the end to summarize

Ground Rules:

- Purpose of Listening Sessions
- -3-mins per person → everyone has the opportunity to ask their questions
- Keep comments constructive
- Attack the problem not the person



Listening Session

Break Into Stations: 6:30pm – 7:15pm

- Site Investigation and Clean-up
- Drinking Water
- Water Quality and Wastewater Biosolids
- Public Health
- PFAS in Deer

Re-convene as a group: 7:15 pm

- What we'll bring back to our team to discuss further
- What's Next
- Meeting Adjourn 7:30pm