From:	Joseph Cramer Jr
To:	DNR Racine Diversion Comments
Subject:	Please consider and acknowledge the added comments below.
Date:	Saturday, March 17, 2018 8:15:21 AM

Hello.
I commented at the public hearing on March 7th.

The further comments below come from what I heard at the public hearing from others about toxins used in the Foxconn manufacturing process.

The Racine diversion application says Foxconn is required to clean the water it takes in before returning the quantity not consumed to the Racine Water plant.
The discussion at the public hearing revealed that a significant part of the water taken in by Foxconn is consumed
in evaporating facilities which release that portion of water into the air.
I want to point out the urgency of the Foxconn facility, if approved, being required to strip out all toxins from any water piped
to Foxconn evaporative facilities. This same stripping must be required for any water released into the ground water below or near the proposed
Foxconn facility, or given to people at the facility for any use whatsoever.

The ugency of this point is increased by recent news that Governor Walker is now seeking a relaxation of air quality standards from President Trump.

The required stripping of toxins must meet the standards the Racine Water Utility requires of Foxconn before accepting any returned water, or even higher standards if possible.

Our air and groundwater must be protected.

Overall, I hope you will deny the Racine Diversion application because if approved, the approval will serve as a "textbook" case for all other
businesses seeking Great Lakes water at sites adjacent to but not within the Great Lakes basin, like the location of the proposed Foxconn plant.
These attempts may occur anywhere within the Great Lakes Basin.

I urgeb Wisconsin to uphold the spirit of the Great Lakes Compact it signed.

Sincerely,
Joseph Cramer
Sister Bay, Wisconsin