

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	Preventive		MW-1								
	Sample Interval (feet bls)	Action Limit	Enforcement Standard	14-24' 4/8/2010	14-24' 3/29/2011	14-24' 4/11/2012	14-24' 1/15/2013	14-24' 4/21/2013	14-24' 7/18/2013	14-24' 10/9/2013	14-24' 4/22/2014
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	7	70	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	0.5	5	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	0.7	7	<b>1.1</b>	<b>0.95</b>	<b>0.94 J</b>	<b>0.84 J</b>	<0.31	<0.31	0.62 J	<0.31	<0.31
1,2,4-Trimethylbenzene	96	480	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	0.005	0.05	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	60	600	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	0.5	5	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	96	480	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	0.5	5	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	0.44	4.4	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	1	10	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	0.5	5	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	0.6	6	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20
Chloromethane	3	30	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	7	70	<b>51</b>	<b>58</b>	<b>38</b>	<b>41</b>	<b>23</b>	<b>25</b>	<b>27</b>	<b>25</b>	
Dichlorodifluoromethane	200	1,000	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20
Ethylbenzene	140	700	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	12	60	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	0.5	5	<1	<1	<b>8.5</b>	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	10	100	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	NE	NE	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	NE	NE	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	NE	NE	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	10	100	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	NE	NE	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	0.5	5	<b>32</b>	<b>9</b>	<b>23</b>	<b>22</b>	<b>10</b>	<b>11</b>	<b>18</b>	<b>19</b>	
Toluene	160	800	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	20	100	0.97	0.93	0.77 J	0.78 J	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	0.5	5	<b>33</b>	<b>20</b>	<b>24</b>	<b>25</b>	<b>23</b>	<b>18</b>	<b>23</b>	<b>28</b>	
Vinyl chloride	0.02	0.2	<b>1.5</b>	<b>1.1</b>	<b>0.86</b>	<b>0.63</b>	<0.1	<0.1	<0.1	<0.10	
Xylenes, Total	400	2,000	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 2.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	Preventive		MW-1							
	Action	Enforcement	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'	14-24'
Sample Interval (feet bls)	Limit	Standard	4/8/2010	3/29/2011	4/11/2012	1/15/2013	4/21/2013	7/18/2013	10/9/2013	4/22/2014
Sample Date										
<b>Total PCBs (µg/L)</b>										
Aroclor 1016	0.003	0.03	NA	NA	NA	<0.17	NA	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	<0.091	NA	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	<0.13	NA	NA	NA	NA
<b>Dissolved PCBs (µg/L)</b>										
Aroclor 1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	0.003	0.03	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-2S								MW-2D		
	19-29' 4/8/2010	19-29' 3/30/2011	19-29' 4/11/2012	19-29' 1/14/2013	19-29' 4/20/2013	19-29' 7/18/2013	19-29' 10/10/2013	19-29' 4/17/2014	39-44' 4/8/2010	39-44' 10/1/2010	39-44' 3/30/2011
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<8	<0.25	<4
1,1,2-Trichloroethane	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<8	<0.25	<4
1,1-Dichloroethene	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
1,2,4-Trimethylbenzene	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
1,2-Dibromoethane	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<6.4	<0.2	<3.2
1,2-Dichlorobenzene	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<6.4	<0.2	<3.2
1,2-Dichloropropane	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<16	<0.5	<8
1,3,5-Trimethylbenzene	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<6.4	<0.2	<3.2
Benzene	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<6.4	<0.2	<3.2
Bromoform	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<6.4	<0.2	<3.2
Bromomethane	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
Carbon tetrachloride	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<26	<0.8	<13
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<6.4	<0.2	<3.2
Chloromethane	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<9.6	<0.3	<4.8
cis-1,2-Dichloroethene	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<16	0.67	<8
Dichlorodifluoromethane	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<16	<0.5	<8
Ethylbenzene	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
Isopropylbenzene	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Methyl tert-butyl ether	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<16	<0.5	<8
Methylene Chloride	<1	<1	<b>8.6</b>	<0.68	<0.68	<0.68	<0.68	<0.68	<32	<1	<16
Naphthalene	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<8	<0.25	<4
n-Butylbenzene	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<6.4	<0.2	<3.2
N-Propylbenzene	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
p-Isopropyltoluene	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<6.4	<0.2	<3.2
sec-Butylbenzene	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<8	<0.25	<4
Styrene	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<16	<0.5	<8
tert-Butylbenzene	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Tetrachloroethene	<b>1.6</b>	<b>1.3</b>	<b>1.2</b>	<b>1.3</b>	<b>1.3</b>	<b>0.81 J</b>	<b>1.1</b>	<b>1.3</b>	<b>1,400</b>	<b>1,300</b>	<b>1,000</b>
Toluene	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<16	<0.5	<8
trans-1,2-Dichloroethene	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<16	<0.5	<8
Trichloroethene	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<b>20</b>	<b>16</b>	<b>9.8</b>
Vinyl chloride	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<6.4	<0.2	<3.2
Xylenes, Total	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<16	<0.5	<8

Footnotes on Page 4.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-2S								MW-2D		
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	39-44'	39-44'	39-44'
Sample Interval (feet bls)	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/8/2010	10/1/2010	3/30/2011
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.091	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-2D (continued)						MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.31	<0.5	<0.5	<0.25	<0.25	<0.25	<8	<6.3	<1.6	<1.3	<0.25
1,1,2-Trichloroethane	<0.3	<0.56	<0.56	<0.28	<0.28	<0.28	<8	<6.3	<1.5	<1.4	<0.28
1,1-Dichloroethene	<0.29	<0.62	<0.62	<0.31	<0.31	<0.31	<16	<13	<1.5	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
1,2-Dibromoethane	<0.45	<0.72	<0.72	<0.36	<0.36	<0.36	NA	NA	<2.3	<1.8	<0.36
1,2-Dichlorobenzene	<0.21	<0.54	<0.54	<0.27	<0.27	<0.27	<6.4	<5	<1.1	<1.4	<0.27
1,2-Dichloropropane	<0.36	<0.4	<0.4	<0.2	<0.2	<0.20	<16	<13	<1.8	<1	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.36	<0.36	<0.18	<0.18	<0.18	<6.4	<5	<1.2	<0.9	<0.18
Benzene	<0.12	<0.15	<0.15	<0.074	<0.074	<0.074	<6.4	<5	<0.6	<b>1.5 J</b>	0.42 J
Bromoform	<0.45	<0.56	<0.56	<0.28	<0.28	<0.28	<6.4	<5	<2.3	<1.4	<0.28
Bromomethane	<0.49	<0.62	<0.62	<0.31	<0.31	<0.31	<16	<13	<2.5	<1.6	<0.31
Carbon tetrachloride	<0.28	<0.52	<0.52	<0.26	<0.26	<0.26	<26	<20	<1.4	<1.3	<0.26
Chloroform	<0.25	<0.4	<0.4	<0.2	<0.2	<0.20	<6.4	<5	<b>3.7 J</b>	<b>5</b>	<b>1.6</b>
Chloromethane	<0.24	<0.36	<0.36	<0.18	<0.18	<0.18	<9.6	<7.5	<1.2	<0.9	<0.18
cis-1,2-Dichloroethene	<0.22	<0.24	<0.24	<0.12	<0.12	<0.12	<b>83</b>	<b>37</b>	<b>89</b>	<b>98</b>	<0.12
Dichlorodifluoromethane	<0.26	<0.4	<0.4	<0.2	<0.2	<0.20	<16	<13	<1.3	<1	<0.2
Ethylbenzene	<0.14	<0.26	<0.26	<0.13	<0.13	<0.13	<16	<13	<0.7	<0.65	0.36 J
Isopropylbenzene	<0.21	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
Methyl tert-butyl ether	<0.28	<0.48	<0.48	<0.24	<0.24	<0.24	<16	<13	<1.4	<1.2	<0.24
Methylene Chloride	<b>8.1</b>	<1.4	<1.4	<0.68	<0.68	<0.68	<32	<25	<3.2	<3.4	<0.68
Naphthalene	<0.24	<0.32	<0.32	<0.16	<0.16	<0.16	<8	<6.3	<1.2	<0.8	<0.16
n-Butylbenzene	<0.21	<0.26	<0.26	<0.13	<0.13	<0.13	<6.4	<5	<1.1	<0.65	<0.13
N-Propylbenzene	<0.19	<0.26	<0.26	<0.13	<0.13	<0.13	<16	<13	<0.95	<0.65	<0.13
p-Isopropyltoluene	<0.24	<0.34	<0.34	<0.17	<0.17	<0.17	<6.4	<5	<1.2	<0.85	<0.17
sec-Butylbenzene	<0.19	<0.3	<0.3	<0.15	<0.15	<0.15	<8	<6.3	<0.95	<0.75	<0.15
Styrene	<0.26	<0.2	<0.2	<0.1	<0.1	<0.10	<16	<13	<1.3	<0.5	<0.1
tert-Butylbenzene	<0.24	<0.28	<0.28	<0.14	<0.14	<0.14	<6.4	<5	<1.2	<0.7	<0.14
Tetrachloroethene	<b>610</b>	<b>720</b>	<b>910</b>	<b>580</b>	<b>440</b>	<b>450</b>	<b>2,000</b>	<b>1,100</b>	<b>1,600</b>	<b>2,400</b>	<b>88</b>
Toluene	<0.15	<0.22	<0.22	<0.11	<0.11	<0.11	<16	<13	<0.75	<0.55	0.38 J
trans-1,2-Dichloroethene	<0.27	<0.5	<0.5	<0.25	<0.25	<0.25	<16	<13	5.4	6	<0.25
Trichloroethene	<b>5.4</b>	<b>5.1</b>	<b>6.4</b>	<b>4.1</b>	<b>3</b>	<b>2.5</b>	<b>130</b>	<b>66</b>	<b>120</b>	<b>160</b>	<0.19
Vinyl chloride	<0.13	<0.2	<0.2	<0.1	<0.1	<0.10	<6.4	<5	<0.65	<0.5	<0.1
Xylenes, Total	<0.3	<0.14	<0.14	<0.068	<0.068	<0.068	<16	<13	<1.5	<0.34	2.4

Footnotes on Page 6.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-2D (continued)						MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
Sample Interval (feet bls)	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/17/2014	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	<0.18
Aroclor 1232	NA	<0.096	NA	NA	NA	NA	NA	NA	NA	NA	<0.096
Aroclor 1242	NA	<0.14	NA	NA	NA	NA	NA	NA	NA	NA	<0.14
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-3S (continued)						MW-3D			
	19-29' 2/12/2013	19-29' 3/12/2013	19-29' 4/16/2013	19-29' 7/16/2013	19-29' 10/10/2013	19-29' 4/16/2014	48-53' 4/7/2010	48-53' 10/1/2010	48-53' 3/30/2011	48-53' 4/12/2012
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.5	<0.5	<1.3	<8	<0.25	<5	<0.31
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.56	<0.56	<1.4	<8	<0.25	<5	<0.3
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.62	<0.62	<1.6	<16	<0.5	<10	<0.29
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<6.4	<0.2	<4	<0.22
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.72	<0.72	<1.8	NA	NA	NA	<0.45
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.54	<0.54	<1.4	<6.4	<0.2	<4	<0.21
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.4	<0.4	<1.0	<16	<0.5	<10	<0.36
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.36	<0.36	<0.90	<6.4	<0.2	<4	<0.23
Benzene	<b>0.88</b>	<b>1</b>	<b>0.6</b>	<b>0.70 J</b>	<b>1</b>	<0.37	<6.4	0.31	<4	0.39 J
Bromoform	<0.28	<0.28	<0.28	<0.56	<0.56	<1.4	<6.4	<0.2	<4	<0.45
Bromomethane	<0.31	<0.31	<0.31	<0.62	<0.62	<1.6	<16	<0.5	<10	<0.49
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.52	<0.52	<1.3	<26	<0.8	<16	<0.28
Chloroform	<b>3</b>	<b>4.1</b>	<b>2.7</b>	<b>2.8</b>	<b>3.7</b>	<b>3.4 J</b>	<6.4	<b>0.78</b>	<4	<b>0.93 J</b>
Chloromethane	<0.18	<0.18	<0.18	<0.36	<0.36	<0.90	<9.6	<0.3	<6	<0.24
cis-1,2-Dichloroethene	1.6	5	<0.12	<b>14</b>	<b>58</b>	<0.60	<b>510</b>	<b>310</b>	<b>300</b>	<b>350</b>
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.4	<1.0	<16	<0.5	<10	<0.26
Ethylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<16	<0.5	<10	<0.14
Isopropylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<6.4	<0.2	<4	<0.21
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.48	<0.48	<1.2	<16	<0.5	<10	<0.28
Methylene Chloride	<0.68	<0.68	<0.68	<1.4	<1.4	<3.4	<32	<1	<20	<0.63
Naphthalene	<0.16	<0.16	<0.16	<0.32	<0.32	<0.80	<8	<0.25	<5	<0.24
n-Butylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<6.4	<0.2	<4	<0.21
N-Propylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<0.65	<16	<0.5	<10	<0.19
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.34	<0.34	<0.85	<6.4	<0.2	<4	<0.24
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.3	<0.3	<0.75	<8	<0.25	<5	<0.19
Styrene	<0.1	<0.1	<0.1	<0.2	<0.2	<0.50	<16	<0.5	<10	<0.26
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<0.70	<6.4	<0.2	<4	<0.24
Tetrachloroethene	<b>600</b>	<b>750</b>	<b>20</b>	<b>840</b>	<b>1,000</b>	<b>630</b>	<b>1,700</b>	<b>1,500</b>	<b>1,200</b>	<b>1,100</b>
Toluene	<0.11	<0.11	<0.11	<0.22	<0.22	<0.55	<16	<0.5	<10	<0.15
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.5	4.9	<1.3	<16	6.6	<10	5.9
Trichloroethene	<b>6.8</b>	<b>16</b>	<0.19	<b>26</b>	<b>100</b>	<b>6.9</b>	<b>270</b>	<b>200</b>	<b>170</b>	<b>160</b>
Vinyl chloride	<0.1	<0.1	<0.1	<0.2	<0.2	<0.50	<6.4	<0.2	<4	<0.13
Xylenes, Total	<0.068	<0.068	<0.068	<0.14	<0.14	<0.34	<16	<0.5	<10	<0.3

Footnotes on Page 8.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3S (continued)						MW-3D			
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	48-53'	48-53'	48-53'	48-53'
Sample Interval (feet bls)	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/16/2014	4/7/2010	10/1/2010	3/30/2011	4/12/2012
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-3D (continued)								MW-3D2	
	48-53' 11/30/2012	48-53' 1/16/2013	48-53' 2/12/2013	48-53' 3/13/2013	48-53' 4/16/2013	48-53' 7/16/2013	48-53' 10/10/2013	48-53' 4/18/2014	76-81' 12/31/2009	76-81' 4/7/2010
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.50	<6.3	<13
1,1,2-Trichloroethane	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<6.3	<13
1,1-Dichloroethene	<1.6	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<13	<25
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10
1,2-Dibromoethane	<1.8	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36	<0.72	NA	NA
1,2-Dichlorobenzene	<1.4	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<0.54	<5	<10
1,2-Dichloropropane	<1	<0.2	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<13	<25
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<5	<10
Benzene	<0.37	0.32 J	0.29 J	<0.074	0.27 J	<0.15	0.36 J	<0.15	<5	<10
Bromoform	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<5	<10
Bromomethane	<1.6	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<13	<25
Carbon tetrachloride	<1.3	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26	<0.52	<20	<40
Chloroform	<1	<b>0.89 J</b>	<0.2	<0.2	<0.2	<0.4	<b>0.85 J</b>	<0.40	<5	<10
Chloromethane	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<7.5	<15
cis-1,2-Dichloroethene	<b>520</b>	<b>290</b>	<b>200</b>	<b>54</b>	<b>210</b>	<b>200</b>	<b>180</b>	<b>170</b>	<b>520</b>	<b>510</b>
Dichlorodifluoromethane	<1	<0.2	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<13	<25
Ethylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<13	<25
Isopropylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10
Methyl tert-butyl ether	<1.2	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24	<0.48	<13	<25
Methylene Chloride	<3.4	<0.68	<0.68	<0.68	<0.68	<1.4	<0.68	<1.4	<25	<50
Naphthalene	<0.8	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16	<0.32	<6.3	<13
n-Butylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<5	<10
N-Propylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<13	<25
p-Isopropyltoluene	<0.85	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17	<0.34	<5	<10
sec-Butylbenzene	<0.75	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15	<0.30	<6.3	<13
Styrene	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<13	<25
tert-Butylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<5	<10
Tetrachloroethene	<b>1,800</b>	<b>660</b>	<b>760</b>	<b>150</b>	<b>740</b>	<b>920</b>	<b>620</b>	<b>730</b>	<b>4,900</b>	<b>4,400</b>
Toluene	<0.55	<0.11	<0.11	<0.11	<0.11	<0.22	<0.11	<0.22	<13	<25
trans-1,2-Dichloroethene	7.7	6	4	1.1	4.2	4.8	5.2	6.4	<13	<25
Trichloroethene	<b>250</b>	<b>140</b>	<b>130</b>	<b>30</b>	<b>120</b>	<b>130</b>	<b>100</b>	<b>130</b>	<b>280</b>	<b>240</b>
Vinyl chloride	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<5	<10
Xylenes, Total	<0.34	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068	<0.14	<13	<25

Footnotes on Page 10.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3D (continued)								MW-3D2	
	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	76-81'	76-81'
Sample Interval (feet bls)	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	4/18/2014	12/31/2009	4/7/2010
<b>Total PCBs</b>										
Aroclor 1016	NA	<0.18	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	<0.096	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	<0.14	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3D2 (continued)									
Sample Interval (feet bls)	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Date	7/1/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<13	<0.25	<13	<1.6	<1.3	<0.5	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<13	<0.25	<13	<1.5	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<25	<0.5	<25	<1.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<10	<0.2	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	NA	NA	NA	<2.3	<1.8	<0.72	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<10	<0.2	<10	<1.1	<1.4	<0.54	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<25	<0.5	<25	<1.8	<1	<0.4	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<10	<0.2	<10	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18
Benzene	<10	<0.2	<10	<0.6	<0.37	<0.15	<0.074	<0.074	<0.074	<0.074
Bromoform	<10	<0.2	<10	<2.3	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28
Bromomethane	<25	<0.5	<25	<2.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<40	<0.8	<40	<1.4	<1.3	<0.52	<0.26	<0.26	<0.26	<0.26
Chloroform	<10	0.37	<10	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2
Chloromethane	<15	<0.3	<15	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<b>460</b>	<b>400</b>	<b>440</b>	<b>440</b>	<b>420</b>	<b>320</b>	<b>250</b>	<b>100</b>	<b>45</b>	<b>10</b>
Dichlorodifluoromethane	<25	<0.5	<25	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<25	<0.5	<25	<0.7	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<10	<0.2	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<25	<0.5	<25	<1.4	<1.2	<0.48	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<50	<1	<50	<3.2	<3.4	<1.4	<b>7.3</b>	<0.68	<0.68	<0.68
Naphthalene	<b>240</b>	<0.25	<b>13</b>	<1.2	<0.8	<0.32	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<10	<0.2	<10	<1.1	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<25	<0.5	<25	<0.95	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<10	<0.2	<10	<1.2	<0.85	<0.34	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<13	<0.25	<13	<0.95	<0.75	<0.3	<0.15	<0.15	<0.15	<0.15
Styrene	<25	<0.5	<25	<1.3	<0.5	<0.2	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<10	<0.2	<10	<1.2	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>3,900</b>	<b>3,900</b>	<b>3,800</b>	<b>2,600</b>	<b>2,800</b>	<b>1,200</b>	<b>1,700</b>	<b>800</b>	<b>850</b>	<b>440</b>
Toluene	<25	<0.5	<25	<0.75	<0.55	<0.22	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<25	7	<25	6.4	5.6	4.9	3.2	0.62 J	<0.25	<0.25
Trichloroethene	<b>240</b>	<b>240</b>	<b>230</b>	<b>190</b>	<b>190</b>	<b>110</b>	<b>120</b>	<b>50</b>	<b>24</b>	<b>8.7</b>
Vinyl chloride	<10	<b>0.65</b>	<10	<0.65	<0.5	<0.2	<b>0.22 J</b>	<0.1	<0.1	<0.1
Xylenes, Total	<25	<0.5	<25	<1.5	<0.34	<0.14	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 12.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3D2 (continued)									
Sample Interval (feet bls)	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Date	7/1/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	<0.17	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	<0.093	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	<0.13	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-3D2 (continued)		MW-3D3							
	76-81' 10/10/2013	76-81' 4/16/2014	214-224' 7/24/2012	214-224' 11/27/2012	214-224' 1/18/2013	214-224' 2/15/2013	214-224' 3/13/2013	214-224' 4/19/2013	214-224' 7/16/2013	214-224' 10/7/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<1.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<1.4	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<1.6	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<1.8	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<1.4	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.90	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.37	<0.074	<0.074	0.30 J	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<1.4	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<1.6	<0.31	<0.31	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<1.3	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.90	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<b>21</b>	<b>210</b>	2.2	6.8	<b>15</b>	<b>7.7</b>	6.2	4	1.2	<0.12
Dichlorodifluoromethane	<0.2	<1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.65	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<1.2	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<3.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.80	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.65	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.65	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.85	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.75	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>150</b>	<b>1,800</b>	<b>6.6</b>	<b>1.7</b>	<b>1.3</b>	<b>0.72 J</b>	<b>0.95 J</b>	<b>0.63 J</b>	<0.17	<0.17
Toluene	<0.11	<0.55	<0.11	<0.11	0.21 J	<0.11	<0.11	0.53	2.8	<0.11
trans-1,2-Dichloroethene	0.52 J	3.1 J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<b>9.8</b>	<b>120</b>	<b>1.1</b>	<b>1.1</b>	0.40 J	<0.19	<0.19	<0.19	0.31 J	0.5
Vinyl chloride	<0.1	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.34	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 14.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3D2 (continued)		MW-3D3							
	76-81'	76-81'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'
Sample Interval (feet bls)	76-81'	76-81'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'
Sample Date	10/10/2013	4/16/2014	7/24/2012	11/27/2012	1/18/2013	2/15/2013	3/13/2013	4/19/2013	7/16/2013	10/7/2013
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	<0.18	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.096	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.14	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-3D3 (continued)			MW-4S						MW-4D
	214-224'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'
	4/16/2014	4/8/2010	3/30/2011	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/17/2014	4/8/2010
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25
1,1-Dichloroethene	<0.31	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2
1,2-Dibromoethane	<0.36	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2
1,2-Dichlorobenzene	<0.27	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2
1,2-Dichloropropane	<0.20	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2
Benzene	<0.074	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2
Bromoform	<0.28	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2
Bromomethane	<0.31	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5
Carbon tetrachloride	<0.26	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8
Chloroform	<0.20	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2
Chloromethane	<0.18	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3
cis-1,2-Dichloroethene	<0.12	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.5
Dichlorodifluoromethane	<0.20	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5
Ethylbenzene	<0.13	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5
Isopropylbenzene	<0.14	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2
Methyl tert-butyl ether	<0.24	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5
Methylene Chloride	<0.68	<1	<1	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<1
Naphthalene	<0.16	1.4	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.25
n-Butylbenzene	<0.13	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2
N-Propylbenzene	<0.13	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5
p-Isopropyltoluene	<0.17	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2
sec-Butylbenzene	<0.15	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25
Styrene	<0.10	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5
tert-Butylbenzene	<0.14	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2
Tetrachloroethene	<0.17	<b>1.5</b>	<b>1.6</b>	<b>0.96 J</b>	<b>1.4</b>	<b>1.8</b>	<b>0.90 J</b>	<b>1.2</b>	<b>1.9</b>	<b>0.9</b>
Toluene	<0.11	<0.5	<0.5	0.20 J	<0.11	<0.11	0.26 J	<0.11	<0.11	<0.5
trans-1,2-Dichloroethene	<0.25	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5
Trichloroethene	<0.19	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.2
Vinyl chloride	<0.10	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2
Xylenes, Total	<0.068	<0.5	<0.5	<0.3	<0.068	<0.068	0.28 J	<0.068	<0.068	<0.5

Footnotes on Page 16.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-3D3 (continued)			MW-4S						MW-4D
	214-224'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'
Sample Interval (feet bls)										
Sample Date	4/16/2014	4/8/2010	3/30/2011	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/17/2014	4/8/2010
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	<0.17	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.091	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.13	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-4D (continued)								MW-4D2		
	65-70' 4/8/2010	65-70' 3/30/2011	65-70' 4/10/2012	65-70' 1/16/2013	65-70' 4/18/2013	65-70' 7/17/2013	65-70' 10/8/2013	65-70' 4/17/2014	91-96' 3/30/2011	91-96' 4/10/2012	91-96' 1/16/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25
1,1,2-Trichloroethane	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28
1,1-Dichloroethene	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31
1,2,4-Trimethylbenzene	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14
1,2-Dibromoethane	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36
1,2-Dichlorobenzene	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27
1,2-Dichloropropane	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.36	<0.2
1,3,5-Trimethylbenzene	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18
Benzene	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074
Bromoform	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28
Bromomethane	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31
Carbon tetrachloride	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.25	<0.2
Chloromethane	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18
cis-1,2-Dichloroethene	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.5	<0.22	<0.12
Dichlorodifluoromethane	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.26	<0.2
Ethylbenzene	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13
Isopropylbenzene	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14
Methyl tert-butyl ether	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.28	<0.24
Methylene Chloride	<1	<1	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<0.63	<0.68
Naphthalene	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16
n-Butylbenzene	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13
N-Propylbenzene	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13
p-Isopropyltoluene	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17
sec-Butylbenzene	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15
Styrene	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.26	<0.1
tert-Butylbenzene	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14
Tetrachloroethene	<b>0.9</b>	<b>0.7</b>	<0.22	<0.17	<b>0.51 J</b>	<0.17	<0.17	<b>0.58 J</b>	<b>1.9</b>	<b>0.73 J</b>	<b>1.2</b>
Toluene	<0.5	<0.5	<0.15	<0.11	<0.11	0.36 J	<0.11	<0.11	<0.5	0.40 J	<0.11
trans-1,2-Dichloroethene	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25
Trichloroethene	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.2	<0.18	<0.19
Vinyl chloride	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.13	<0.1
Xylenes, Total	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068

Footnotes on Page 18.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-4D (continued)								MW-4D2		
	65-70'	65-70'	65-70'	65-70'	65-70'	65-70'	65-70'	65-70'	91-96'	91-96'	91-96'
Sample Interval (feet bls)	4/8/2010	3/30/2011	4/10/2012	1/16/2013	4/18/2013	7/17/2013	10/8/2013	4/17/2014	3/30/2011	4/10/2012	1/16/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	<0.16
Aroclor 1232	NA	NA	NA	<0.093	NA	NA	NA	NA	NA	NA	<0.087
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	<0.12
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-4D2 (continued)				MW-5S							
	91-96' 4/18/2013	91-96' 7/18/2013	91-96' 10/7/2013	91-96' 4/17/2014	34-44' 4/7/2010	34-44' 10/1/2010	34-44' 4/12/2012	34-44' 11/28/2012	34-44' 1/17/2013	34-44' 2/13/2013	34-44' 4/19/2013	
<b>VOCs (µg/L)</b>												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	NA	NA	<0.45	<0.36	<0.36	<0.36	<0.36	
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	
Benzene	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.49	<0.31	0.73 J	<0.31 *	<0.31	
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<b>1.2</b>	<b>1.1</b>	<0.26	<b>1.4</b>	<b>1.1</b>	
Chloroform	<0.2	<0.2	<0.2	<0.20	<0.2	0.55	<b>0.84 J</b>	<b>0.79 J</b>	<b>0.79 J</b>	<0.2	<0.2	
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	1.4	<b>10</b>	<b>13</b>	4.2	3.8	2.7	2	
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<1	<1	<0.63	<0.68	<0.68	<0.68	<0.68	
Naphthalene	<0.16	<0.16	<0.16	<0.16	1.4	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	
Styrene	<0.1	<0.1	<0.1	<0.10	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	
Tetrachloroethene	<b>0.92 J</b>	<b>1.2</b>	<b>0.84 J</b>	<b>1.5</b>	<b>41</b>	<b>670</b>	<b>360</b>	<b>240</b>	<b>260</b>	<b>210</b>	<b>130</b>	
Toluene	0.45 J	0.39 J	<0.11	<0.11	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.5	0.5	<0.27	<0.25	<0.25	<0.25	<0.25	
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<b>1</b>	<b>13</b>	<b>9.8</b>	<b>4.7</b>	<b>4.4</b>	<b>3.8</b>	<b>2.8</b>	
Vinyl chloride	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	

Footnotes on Page 20.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-4D2 (continued)				MW-5S						
	91-96'	91-96'	91-96'	91-96'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'
Sample Interval (feet bls)	4/18/2013	7/18/2013	10/7/2013	4/17/2014	4/7/2010	10/1/2010	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	<0.17	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	<0.091	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	<0.13	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-5S (continued)			MW-5D						
	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'
Sample Interval (feet bls)	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013
Sample Date	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<5	<0.31	<1.3	<0.5	<0.5	<0.5	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<5	<0.3	<1.4	<0.56	<0.56	<0.56	<1.4
1,1-Dichloroethene	<0.31	<0.31	<0.31	<10	<0.29	<1.6	<0.62	<0.62	<0.62	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<4	<0.22	<0.7	<0.28	<0.28	<0.28	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	NA	<0.45	<1.8	<0.72	<0.72	<0.72	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<4	<0.21	<1.4	<0.54	<0.54	<0.54	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.20	<10	<0.36	<1	<0.4	<0.4	<0.4	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<4	<0.23	<0.9	<0.36	<0.36	<0.36	<0.9
Benzene	<0.074	<0.074	<0.074	<4	0.29 J	<b>1.1 J</b>	<b>1.2</b>	<b>1</b>	<b>0.88 J</b>	<b>1.5 J</b>
Bromoform	<0.28	<0.28	<0.28	<4	<0.45	<1.4	<0.56	<0.56	<0.56	<1.4
Bromomethane	<0.31	<0.31	<0.31	<10	<0.49	<1.6	<0.62	<0.62 *	<0.62	<1.6
Carbon tetrachloride	<b>1.3</b>	<b>1.3</b>	<0.26	<16	<0.28	<1.3	<0.52	<0.52	<0.52	<1.3
Chloroform	<0.2	<b>0.61 J</b>	<0.20	<4	<0.25	<1	<b>1.0 J</b>	<0.4	<0.4	<1
Chloromethane	<0.18	<0.18	<0.18	<6	<0.24	<0.9	<0.36	<0.36	<0.36	<0.9
cis-1,2-Dichloroethene	2.9	2.9	<0.12	<b>48</b>	<b>26</b>	<b>93</b>	<b>110</b>	<b>94</b>	<b>100</b>	<b>120</b>
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<10	<0.26	<1	<0.4	<0.4	<0.4	<1
Ethylbenzene	<0.13	<0.13	<0.13	<10	<0.14	<0.65	<0.26	<0.26	<0.26	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<4	<0.21	<0.7	<0.28	<0.28	<0.28	<0.7
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<10	<0.28	<1.2	<0.48	<0.48	<0.48	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<20	<0.63	<3.4	<1.4	<1.4	<1.4	<3.4
Naphthalene	<0.16	<0.16	<0.16	<5	<0.24	<0.8	<0.32	<0.32	<0.32	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<4	<0.21	<0.65	<0.26	<0.26	<0.26	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<10	<0.19	<0.65	<0.26	<0.26	<0.26	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<4	<0.24	<0.85	<0.34	<0.34	<0.34	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<5	<0.19	<0.75	<0.3	<0.3	<0.3	<0.75
Styrene	<0.1	<0.1	<0.10	<10	<0.26	<0.5	<0.2	<0.2	<0.2	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<4	<0.24	<0.7	<0.28	<0.28	<0.28	<0.7
Tetrachloroethene	<b>190</b>	<b>170</b>	<b>47</b>	<b>1,100</b>	<b>400</b>	<b>2,000</b>	<b>1,800</b>	<b>1,700</b>	<b>1,200</b>	<b>2,000</b>
Toluene	<0.11	<0.11	<0.11	<10	0.30 J	<0.55	<0.22	<0.22	<0.22	<0.55
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<10	1.3	3.9 J	3.9	3.1	3.4	3.8 J
Trichloroethene	<b>3</b>	<b>2.9</b>	<0.19	<b>100</b>	<b>48</b>	<b>190</b>	<b>180</b>	<b>180</b>	<b>170</b>	<b>160</b>
Vinyl chloride	<0.1	<0.1	<0.10	<4	<0.13	<0.5	<0.2	<0.2	<0.2	<0.5
Xylenes, Total	<0.068	<0.068	<0.068	<10	<0.3	<0.34	<0.14	<0.14	<0.14	<0.34

Footnotes on Page 22.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-5S (continued)			MW-5D						
	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'	75-80'
Sample Interval (feet bls)	7/18/2013	10/4/2013	4/15/2014	4/7/2010	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	<0.17	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	<0.094	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	<0.13	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D (continued)		MW-5D2						MW-5D3
	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	225-235'
Sample Interval (feet bls)	10/4/2013	4/15/2014	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013	4/15/2014	11/28/2012
Sample Date	10/4/2013	4/15/2014	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013	4/15/2014	11/28/2012
<b>VOCs (µg/L)</b>									
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.50	<0.25
1,1,2-Trichloroethane	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28
1,1-Dichloroethene	<1.6	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<0.31
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
1,2-Dibromoethane	<1.8	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36	<0.72	<0.36
1,2-Dichlorobenzene	<1.4	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<0.54	<0.27
1,2-Dichloropropane	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<0.2
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18
Benzene	<b>2.8</b>	0.30 J	<0.074	<0.074	<0.074	<0.15	<0.074	<0.15	<0.074
Bromoform	<1.4	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28
Bromomethane	<1.6	<0.31	<0.31	<0.31 *	<0.31	<0.62	<0.31	<0.62	<0.31
Carbon tetrachloride	<1.3	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26	<0.52	<0.26
Chloroform	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<0.2
Chloromethane	<0.9	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18
cis-1,2-Dichloroethene	<b>140</b>	<b>77</b>	6.6	<b>9.2</b>	4.7	3.6	1.5	<0.24	3.1
Dichlorodifluoromethane	<1	<0.20	<0.2	<0.2	<0.2	<0.4	<0.2	<0.40	<0.2
Ethylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
Isopropylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
Methyl tert-butyl ether	<1.2	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24	<0.48	<0.24
Methylene Chloride	<3.4	<0.68	<0.68	<0.68	<0.68	<1.4	<b>5.7</b>	<1.4	<0.68
Naphthalene	<0.8	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16	<0.32	<0.16
n-Butylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
N-Propylbenzene	<0.65	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
p-Isopropyltoluene	<0.85	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17	<0.34	<0.17
sec-Butylbenzene	<0.75	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15	<0.30	<0.15
Styrene	<0.5	<0.10	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<0.1
tert-Butylbenzene	<0.7	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
Tetrachloroethene	<b>2,000</b>	<0.17	<b>650</b>	<b>650</b>	<b>640</b>	<b>710</b>	<b>110</b>	<b>520</b>	<b>19</b>
Toluene	<0.55	<0.11	0.7	0.22 J	0.35 J	2.4	0.43 J	<0.22	<0.11
trans-1,2-Dichloroethene	2.9 J	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.50	<0.25
Trichloroethene	<b>110</b>	<0.19	<b>9.5</b>	<b>8.4</b>	<b>7.4</b>	<b>8.1</b>	<b>6.1</b>	<b>7.1</b>	<b>2.6</b>
Vinyl chloride	<0.5	<0.10	<0.1	<0.1	<0.1	<0.2	<0.1	<0.20	<0.1
Xylenes, Total	<0.34	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068	<0.14	<0.068

Footnotes on Page 24.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-5D (continued)		MW-5D2						MW-5D3
	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	225-235'
Sample Interval (feet bls)	10/4/2013	4/15/2014	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013	4/15/2014	11/28/2012
<b>Total PCBs</b>									
Aroclor 1016	NA	NA	<0.19	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.1	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.14	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>									
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-5D3 (continued)						MW-6S			
	225-235' 1/18/2013	225-235' 2/13/2013	225-235' 4/21/2013	225-235' 7/17/2013	225-235' 10/7/2013	225-235' 4/16/2014	31.4-41.4' 12/31/2009	31.4-41.4' 4/7/2010	31.4-41.4' 7/1/2010	31.4-41.4' 10/1/2010
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	4.3	3.3	1.3	2.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2	<0.2	<0.2
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	0.92	7.3	0.27	4.6
Benzene	0.28 J	<0.074	<0.074	<0.074	<0.074	<0.074	<b>7.6</b>	<b>7.9</b>	<b>5</b>	<b>5.3</b>
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.2	<0.2
Bromomethane	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.3	<0.3
cis-1,2-Dichloroethene	<b>12</b>	<b>12</b>	1.6	2.1	4.5	<0.12	<0.5	<0.5	<0.5	<0.5
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	0.32 J	<0.13	<0.13	23	14	6	13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	12	9.4	5.3	7.5
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1	<1	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<b>26</b>	<b>14</b>	6.4	10
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	1.6	1.6	0.92	1.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	4.9	3.7	1.9	3.3
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	1.7	1.6	0.72	1.1
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	1.9	1.8	1.5	1.5
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	0.53	0.51	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	0.27	0.31	0.22	0.24
Tetrachloroethene	<b>0.59 J</b>	<b>0.83 J</b>	<b>1.8</b>	<b>0.78 J</b>	<b>1.5</b>	<0.17	<0.5	<0.5	<0.5	<0.5
Toluene	<0.11	<0.11	0.29 J	0.53	0.20 J	<0.11	3.3	3.3	1.2	1.8
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5
Trichloroethene	<0.19	<0.19	<0.19	<0.19	0.29 J	<0.19	<0.2	<0.2	<0.2	<0.2
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.2	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	0.68 J	<0.068	<0.068	9.6	8.2	2.6	4.5

Footnotes on Page 26.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-5D3 (continued)						MW-6S			
	225-235'	225-235'	225-235'	225-235'	225-235'	225-235'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'
Sample Interval (feet bls)	1/18/2013	2/13/2013	4/21/2013	7/17/2013	10/7/2013	4/16/2014	12/31/2009	4/7/2010	7/1/2010	10/1/2010
Sample Date										
<b>Total PCBs</b>										
Aroclor 1016	<0.16	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.09	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-6S (continued)							MW-6D		
	31.4-41.4' 12/28/2010	31.4-41.4' 4/11/2012	31.4-41.4' 1/17/2013	31.4-41.4' 4/20/2013	31.4-41.4' 7/18/2013	31.4-41.4' 10/7/2013	31.4-41.4' 4/17/2014	65.5-70.5' 12/31/2009	65.5-70.5' 4/7/2010	65.5-70.5' 7/1/2010
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<13	<20	<13
1,1,2-Trichloroethane	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<13	<20	<13
1,1-Dichloroethene	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<25	<40	<25
1,2,4-Trimethylbenzene	3.2	4.8	12	0.92 J	<0.14	1.4	2.0	<b>330</b>	<b>130</b>	<b>130</b>
1,2-Dibromoethane	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<b>15</b>	<16	<10
1,2-Dichlorobenzene	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<10	<16	<10
1,2-Dichloropropane	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<25	<40	<25
1,3,5-Trimethylbenzene	0.39	1.5	3.4	<0.18	<0.18	<0.18	0.73 J	23	<16	<10
Benzene	<b>5</b>	<b>4.1</b>	<b>9.3</b>	<b>1.9</b>	0.34 J	<b>2.6</b>	<b>2.8</b>	<b>3,900</b>	<b>3,200</b>	<b>2,900</b>
Bromoform	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<10	<16	<10
Bromomethane	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<25	<40	<25
Carbon tetrachloride	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<40	<64	<40
Chloroform	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<16	<10
Chloromethane	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<15	<24	<15
cis-1,2-Dichloroethene	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<25	<40	<25
Dichlorodifluoromethane	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<25	<40	<25
Ethylbenzene	15	9.8	40	0.18 J	<0.13	8	7.5	47	<40	26
Isopropylbenzene	6.4	4.1	12	<0.14	<0.14	3.2	2.6	54	43	32
Methyl tert-butyl ether	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<25	<40	<25
Methylene Chloride	<1	<b>8.3</b>	<0.68	<0.68	<0.68	<0.68	<0.68	<50	<80	<50
Naphthalene	<b>16</b>	<b>19</b>	<b>43</b>	<0.16	<0.16	3.8	4.2	<b>380</b>	<b>280</b>	<b>370</b>
n-Butylbenzene	0.86	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	12	<16	<10
N-Propylbenzene	3	1.8	6.8	<0.13	<0.13	1.3	1.5	49	<40	27
p-Isopropyltoluene	0.83	<0.24	2.4	<0.17	<0.17	<0.17	0.56 J	<10	<16	<10
sec-Butylbenzene	1	0.56 J	1.8	<0.15	<0.15	<0.15	0.82 J	<13	<20	<13
Styrene	1.1	<0.26	0.64 J	<0.1	<0.1	<0.1	<0.10	<25	<40	<25
tert-Butylbenzene	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<10	<16	<10
Tetrachloroethene	<0.5	<0.22	<0.17	<b>0.53 J</b>	<0.17	<0.17	<b>0.66 J</b>	<b>36</b>	<b>45</b>	<b>27</b>
Toluene	2	2.5	6.3	0.82	<0.11	1.1	1.1	130	100	88
trans-1,2-Dichloroethene	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<25	<40	<25
Trichloroethene	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<10	<16	<10
Vinyl chloride	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<10	<16	<10
Xylenes, Total	6.4	7.8	25	1.8	<0.068	3.3	2.8	<b>630</b>	320	250

Footnotes on Page 28.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-6S (continued)							MW-6D		
	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	65.5-70.5'	65.5-70.5'	65.5-70.5'
Sample Interval (feet bls)	12/28/2010	4/11/2012	1/17/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	12/31/2009	4/7/2010	7/1/2010
Sample Date										
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.094	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6D (continued)									MW-7
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'
Sample Interval (feet bls)	10/1/2010	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	8/26/2011
Sample Date	10/1/2010	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	8/26/2011
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<2.5	<10	<0.62	<0.5	<0.5	<0.5	<0.25	<0.50	<0.25
1,1,2-Trichloroethane	<0.25	<2.5	<10	<0.6	<0.56	<0.56	<0.56	<0.28	<0.56	<0.25
1,1-Dichloroethene	<0.5	<5	<20	<0.58	<0.62	<0.62	<0.62	<0.31	<0.62	<0.5
1,2,4-Trimethylbenzene	<b>160</b>	<b>180</b>	74	19	23	11	16	41	9.7	<0.2
1,2-Dibromoethane	<b>11</b>	<b>9.7</b>	<8	<0.9	<0.72	<0.72	<0.72	<0.36	<0.72	<0.2
1,2-Dichlorobenzene	<0.2	<2	<8	<0.42	<0.54	<0.54	<0.54	<0.27	<0.54	<0.2
1,2-Dichloropropane	<b>7.2</b>	<b>6</b>	<20	<0.72	<0.4	<b>1.9 J</b>	<0.4	<0.2	<0.40	<0.5
1,3,5-Trimethylbenzene	13	13	<8	<0.46	<0.36	<0.36	<0.36	0.71 J	<0.36	<0.2
Benzene	<0.2	<b>2,900</b>	<b>2,100</b>	<b>1,500</b>	<b>1,300</b>	<b>600</b>	<b>810</b>	<b>1,000</b>	<b>650</b>	<0.2
Bromoform	<0.2	<2	<8	<0.9	<0.56	<0.56	<0.56	<0.28	<0.56	<0.2
Bromomethane	<0.5	<5	<20	<0.98	<0.62	<0.62	<0.62	<0.31	<0.62	<0.5
Carbon tetrachloride	<0.8	<8	<32	<0.56	<0.52	<0.52	<0.52	<0.26	<0.52	<0.8
Chloroform	<0.2	<2	<8	<b>3.6</b>	<0.4	<0.4	<0.4	<0.2	<0.40	<0.2
Chloromethane	<0.3	<3	<12	<0.48	<0.36	<0.36	<0.36	<0.18	<0.36	<0.3
cis-1,2-Dichloroethene	1.4	<5	<20	<0.44	<0.24	<0.24	<0.24	0.89 J	2.8	<0.5
Dichlorodifluoromethane	<0.5	<5	<20	<0.52	<0.4	<0.4	<0.4	<0.2	<0.40	<0.5
Ethylbenzene	39	35	<20	8.7	7.5	3.5	7.1	8.1	6.7	<0.5
Isopropylbenzene	45	40	35	23	30	16	27	29	22	<0.2
Methyl tert-butyl ether	<0.5	<5	<20	<0.56	<0.48	<0.48	<0.48	<0.24	<0.48	<0.5
Methylene Chloride	<1	<10	<40	<1.3	<1.4	<1.4	<1.4	<0.68	<1.4	<1
Naphthalene	<b>370</b>	<b>360</b>	<b>190</b>	<b>110</b>	<b>54</b>	3.9	<b>50</b>	<b>72</b>	<b>12</b>	<0.25
n-Butylbenzene	10	7.9	<8	<0.42	<0.26	<0.26	5	<0.13	<0.26	<0.2
N-Propylbenzene	36	31	21	11	13	5.4	12	14	9.2	<0.5
p-Isopropyltoluene	6.5	5.1	<8	2.6	3.8	1.7 J	3.2	3.4	2.7	<0.2
sec-Butylbenzene	4.7	4.2	<10	2.2	3.4	2	3.2	3.2	3.0	<0.25
Styrene	3.5	<b>12</b>	<20	<0.52	<0.2	<0.2	<0.2	1	<0.20	<0.5
tert-Butylbenzene	<0.2	<2	<8	<0.48	<0.28	<0.28	<0.28	<0.14	<0.28	<0.2
Tetrachloroethene	<b>30</b>	<b>26</b>	<b>28</b>	<b>20</b>	<b>25</b>	<b>22</b>	<b>23</b>	<b>17</b>	<b>10</b>	<0.5
Toluene	120	120	58	36	30	9.4	24	38	25	<0.5
trans-1,2-Dichloroethene	<0.5	<5	<20	<0.54	<0.5	<0.5	<0.5	<0.25	<0.50	<0.5
Trichloroethene	<b>4.5</b>	<b>4.5</b>	<8	<b>3.9</b>	<b>11</b>	<b>13</b>	<b>12</b>	<b>18</b>	<b>24</b>	<0.2
Vinyl chloride	<0.2	<2	<8	<0.26	<0.2	<0.2	<0.2	<0.1	<0.20	<0.2
Xylenes, Total	<b>450</b>	400	130	40	40	12	34	63	16	<0.5

Footnotes on Page 30.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-6D (continued)									MW-7
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'
Sample Interval (feet bls)	10/1/2010	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	4/17/2014	8/26/2011
Sample Date										
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	<0.17	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.094	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.13	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-7 (continued)					MW-8					
	25-35'	25-35'	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'
Sample Interval (feet bls)	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
Sample Date	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<1	<0.63	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.22	<0.17	<0.17	<0.17	<0.17	<0.5	<0.22	<0.17	<0.17	<0.17	<0.17
Toluene	<0.15	<0.11	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.3	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 32.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-7 (continued)					MW-8					
	25-35'	25-35'	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'
Sample Interval (feet bls)	25-35'	25-35'	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'
Sample Date	4/10/2012	1/14/2013	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-9D							MW-9D2			
	44-49' 9/9/2011	44-49' 4/11/2012	44-49' 1/15/2013	44-49' 4/18/2013	44-49' 7/18/2013	44-49' 10/4/2013	44-49' 4/16/2014	64-69' 9/9/2011	64-69' 4/11/2012	64-69' 1/15/2013	64-69' 4/18/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25
1,1,2-Trichloroethane	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28
1,1-Dichloroethene	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14
1,2-Dibromoethane	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36
1,2-Dichlorobenzene	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27
1,2-Dichloropropane	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.36	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18
Benzene	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074
Bromoform	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28
Bromomethane	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31
Carbon tetrachloride	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26
Chloroform	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.25	<0.2	<0.2
Chloromethane	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18
cis-1,2-Dichloroethene	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<b>12</b>	<b>11</b>	<b>14</b>	<b>16</b>
Dichlorodifluoromethane	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.20	<0.5	<0.26	<0.2	<0.2
Ethylbenzene	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13
Isopropylbenzene	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14
Methyl tert-butyl ether	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	7.4	9.3	<b>20</b>	10
Methylene Chloride	<1	<b>9</b>	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<b>8.8</b>	<0.68	<0.68
Naphthalene	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16
n-Butylbenzene	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13
N-Propylbenzene	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13
p-Isopropyltoluene	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17
sec-Butylbenzene	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15
Styrene	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.10	<0.5	<0.26	<0.1	<0.1
tert-Butylbenzene	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14
Tetrachloroethene	<0.5	<0.22	<0.17	<0.17	<0.17	<0.17	<0.17	<b>29</b>	<b>10</b>	<b>26</b>	<b>28</b>
Toluene	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11
trans-1,2-Dichloroethene	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25
Trichloroethene	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<b>5</b>	<b>3.8</b>	<b>5.5</b>	<b>6</b>
Vinyl chloride	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.10	<0.2	<0.13	<0.1	<0.1
Xylenes, Total	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068

Footnotes on Page 34.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-9D								MW-9D2			
	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	44-49'	64-69'	64-69'	64-69'	64-69'
Sample Interval (feet bls)	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	4/16/2014	9/9/2011	4/11/2012	1/15/2013	4/18/2013	
Sample Date	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	4/16/2014	9/9/2011	4/11/2012	1/15/2013	4/18/2013	
<b>Total PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-9D2 (continued)			MW-10S						MW-11S
	64-69'	64-69'	64-69'	11-21'	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'
	7/18/2013	10/4/2013	4/16/2014	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.3
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.29
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	0.76 J	<0.14	<0.14	<0.14	<0.14	<0.14	0.55 J
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.45
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.21
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.36
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.23
Benzene	<0.074	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.12
Bromoform	<0.28	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.45
Bromomethane	<0.31	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.49
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.28
Chloroform	<0.2	<0.2	<0.20	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25
Chloromethane	<0.18	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.24
cis-1,2-Dichloroethene	<b>16</b>	<b>18</b>	<b>19</b>	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.22
Dichlorodifluoromethane	<0.2	<0.2	<0.20	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.26
Ethylbenzene	<0.13	<0.13	<0.13	0.20 J	<0.13	<0.13	<0.13	<0.13	<0.13	<0.14
Isopropylbenzene	<0.14	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.21
Methyl tert-butyl ether	12	<b>15</b>	9.6	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.28
Methylene Chloride	<0.68	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.63
Naphthalene	<0.16	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.24
n-Butylbenzene	<0.13	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.21
N-Propylbenzene	<0.13	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.19
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.24
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.19
Styrene	<0.1	<0.1	<0.10	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.26
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.24
Tetrachloroethene	<b>30</b>	<b>34</b>	<b>26</b>	<0.22	<0.17	<b>0.85 J</b>	<0.17	<0.17	<0.17	<0.22
Toluene	<0.11	<0.11	<0.11	0.54	<0.11	<0.11	<0.11	<0.11	<0.11	0.73
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.27
Trichloroethene	<b>6.3</b>	<b>7.4</b>	<b>6.5</b>	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.18
Vinyl chloride	<0.1	<0.1	<0.10	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.13
Xylenes, Total	<0.068	<0.068	<0.068	0.83 J	<0.068	<0.068	<0.068	<0.068	<0.068	0.86 J

Footnotes on Page 36.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-9D2 (continued)			MW-10S						MW-11S
	64-69'	64-69'	64-69'	11-21'	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'
Sample Interval (feet bls)	7/18/2013	10/4/2013	4/16/2014	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012
Sample Date										
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-11S (continued)					MW-12S					
	24-34'	24-34'	24-34'	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
	5/9/2012	1/15/2013	4/17/2013	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	1.2	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.21	<0.27	0.79 J	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<0.17	<0.17	<0.17	<0.17	<b>0.78 J</b>	<b>1.7</b>	<b>0.93 J</b>	<0.17	<b>1.3</b>	<b>1.5</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	0.64	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.18	0.26 J	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	1.6	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 38.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-11S (continued)					MW-12S					
	24-34'	24-34'	24-34'	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sample Interval (feet bls)	24-34'	24-34'	24-34'	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sample Date	5/9/2012	1/15/2013	4/17/2013	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13											
	44-48'	44-48'	44-48'	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Interval (feet bls)	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013
Sample Date	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013
<b>VOCs (µg/L)</b>												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.5	<0.25	<0.25	<0.50	<1.3	<1.3	<1.3	<2.5	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.56	<0.28	<0.28	<0.56	<1.4	<1.4	<1.4	<2.8	<1.4
1,1-Dichloroethene	<b>0.92 J</b>	<b>1.1</b>	<b>0.88 J</b>	<0.62	<b>0.85 J</b>	<b>1.1</b>	<b>1.3 J</b>	<b>2.8 J</b>	<b>3.1 J</b>	<1.6	<3.1	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.72	<0.36	<0.36	<0.72	<1.8	<1.8	<1.8	<3.6	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.54	<0.27	<0.27	<0.54	<1.4	<1.4	<1.4	<2.7	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.36	<0.18	<0.18	<0.36	<0.9	<0.9	<0.9	<1.8	<0.9
Benzene	0.34 J	0.38 J	0.32 J	0.38 J	0.34 J	0.46 J	<0.15	<0.37	<b>1.1 J</b>	<0.37	<0.74	<0.37
Bromoform	<0.28	<0.28	<0.28	<0.56	<0.28	<0.28	<0.56	<1.4	<1.4	<1.4	<2.8	<1.4
Bromomethane	<0.31	<0.31	<0.31	<0.62	<0.31	<0.31	<0.62	<1.6	<1.6	<1.6	<3.1	<1.6
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.52	<0.26	<0.26	<0.52	<1.3	<1.3	<1.3	<2.6	<1.3
Chloroform	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1
Chloromethane	<0.18	<0.18	<0.18	<0.36	<0.18	<0.18	<0.36	<0.9	<0.9	<0.9	<1.8	<0.9
cis-1,2-Dichloroethene	<b>540</b>	<b>450</b>	<b>460</b>	<b>460</b>	<b>430</b>	<b>480</b>	<b>450</b>	<b>3,500</b>	<b>3,100</b>	<b>2,900</b>	<b>3,200</b>	<b>2,300</b>
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.40	<1	<1	<1	<2	<1
Ethylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.48	<0.24	<0.24	<0.48	<1.2	<1.2	<1.2	<2.4	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<1.4	<0.68	<0.68	<1.4	<3.4	<3.4	<3.4	<6.8	<3.4
Naphthalene	<0.16	<0.16	<0.16	<0.32	<0.16	<0.16	<0.32	<0.8	<0.8	<0.8	<1.6	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.26	<0.65	<0.65	<0.65	<1.3	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.34	<0.17	<0.17	<0.34	<0.85	<0.85	<0.85	<1.7	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.3	<0.15	<0.15	<0.30	<0.75	<0.75	<0.75	<1.5	<0.75
Styrene	<0.1	<0.1	<0.1	<0.2	<0.1	<0.1	<0.20	<0.5	<0.5	<0.5	<1	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.28	<0.7	<0.7	<0.7	<1.4	<0.7
Tetrachloroethene	<b>640</b>	<b>760</b>	<b>630</b>	<b>680</b>	<b>720</b>	<b>800</b>	<b>750</b>	<b>3,800</b>	<b>4,300</b>	<b>2,900</b>	<b>3,800</b>	<b>2,800</b>
Toluene	<0.11	<0.11	<0.11	<0.22	<0.11	<0.11	<0.22	<0.55	<0.55	<0.55	<1.1	<0.55
trans-1,2-Dichloroethene	7.3	6.7	6.1	6.9	6.9	8.4	8.5	<b>60</b>	<b>56</b>	<b>48</b>	<b>52</b>	<b>37</b>
Trichloroethene	<b>230</b>	<b>200</b>	<b>220</b>	<b>230</b>	<b>220</b>	<b>290</b>	<b>300</b>	<b>1,100</b>	<b>1,000</b>	<b>800</b>	<b>940</b>	<b>630</b>
Vinyl chloride	<b>15</b>	<b>17</b>	<b>17</b>	<b>13</b>	<b>13</b>	<b>17</b>	<b>14</b>	<b>150</b>	<b>180</b>	<b>140</b>	<b>130</b>	<b>110</b>
Xylenes, Total	<0.068	<0.068	<0.068	<0.14	<0.068	<0.068	<0.14	<0.34	<0.34	<0.34	<0.68	<0.34

Footnotes on Page 40.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13											
Sample Interval (feet bls)	44-48'	44-48'	44-48'	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Date	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013
<b>Total PCBs</b>												
Aroclor 1016	<0.16	NA	NA	NA	NA	NA	NA	<0.16	NA	NA	NA	NA
Aroclor 1232	<0.085	NA	NA	NA	NA	NA	NA	<0.085	NA	NA	NA	NA
Aroclor 1242	<0.12	NA	NA	NA	NA	NA	NA	<0.12	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MP-13 (continued)										
	67-71'	67-71'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'
	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<2.5	4.8 J	4.5 J	<5	<2.5	<1.3	<2.5	<1.3	<0.5
1,1,2-Trichloroethane	<1.4	<1.4	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<2.8	<1.4	<0.56
1,1-Dichloroethene	<1.6	<1.6	<3.1	<3.1	<b>4.2 J</b>	<6.2	<3.1	<1.6	<3.1	<1.6	<0.62
1,2,4-Trimethylbenzene	<0.7	<0.70	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<0.7	<0.28
1,2-Dibromoethane	<1.8	<1.8	<3.6	<3.6	<1.8	<7.2	<3.6	<1.8	<3.6	<1.8	<0.72
1,2-Dichlorobenzene	<1.4	<1.4	<2.7	<2.7	<1.4	<5.4	<2.7	<1.4	<2.7	<1.4	<0.54
1,2-Dichloropropane	<1	<1.0	<2	<2	<1	<4	<2	<1	<2.0	<1	<0.4
1,3,5-Trimethylbenzene	<0.9	<0.90	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<1.8	<0.9	<0.36
Benzene	<0.37	<0.37	<0.74	<0.74	<0.37	<1.5	<0.74	<0.37	<0.74	<0.37	<0.15
Bromoform	<1.4	<1.4	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<2.8	<1.4	<0.56
Bromomethane	<1.6	<1.6	<3.1	<3.1	<1.6	<6.2	<3.1	<1.6	<3.1	<1.6	<0.62
Carbon tetrachloride	<1.3	<1.3	<2.6	<2.6	<1.3	<5.2	<2.6	<1.3	<2.6	<1.3	<0.52
Chloroform	<1	<1.0	<2	<2	<1	<4	<2	<1	<2.0	<1	<0.4
Chloromethane	<0.9	<0.90	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<1.8	<0.9	<0.36
cis-1,2-Dichloroethene	<b>1,500</b>	<b>1,300</b>	<b>1,900</b>	<b>1,800</b>	<b>2,100</b>	<b>2,700</b>	<b>1,700</b>	<b>1,200</b>	<b>2,200</b>	<b>1,100</b>	<b>690</b>
Dichlorodifluoromethane	<1	<1.0	<2	<2	<1	<4	<2	<1	<2.0	<1	<0.4
Ethylbenzene	<0.65	<0.65	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<0.65	<0.26
Isopropylbenzene	<0.7	<0.70	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<0.7	<0.28
Methyl tert-butyl ether	<1.2	<1.2	<2.4	<2.4	<1.2	<4.8	<2.4	<1.2	<2.4	<1.2	<0.48
Methylene Chloride	<3.4	<3.4	<6.8	<6.8	<3.4	<14	<6.8	<3.4	<6.8	<3.4	<1.4
Naphthalene	<0.8	<0.80	<1.6	<1.6	<0.8	<3.2	<1.6	<0.8	<1.6	<0.8	<0.32
n-Butylbenzene	<0.65	<0.65	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<0.65	<0.26
N-Propylbenzene	<0.65	<0.65	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<1.3	<0.65	<0.26
p-Isopropyltoluene	<0.85	<0.85	<1.7	<1.7	<0.85	<3.4	<1.7	<0.85	<1.7	<0.85	<0.34
sec-Butylbenzene	<0.75	<0.75	<1.5	<1.5	<0.75	<3	<1.5	<0.75	<1.5	<0.75	<0.3
Styrene	<0.5	<0.50	<1	<1	<0.5	<2	<1	<0.5	<1.0	<0.5	<0.2
tert-Butylbenzene	<0.7	<0.70	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<1.4	<0.7	<0.28
Tetrachloroethene	<b>2,000</b>	<b>1,600</b>	<b>5,600</b>	<b>6,800</b>	<b>7,000</b>	<b>7,900</b>	<b>6,800</b>	<b>5,400</b>	<b>7,900</b>	<b>1,800</b>	<b>1,100</b>
Toluene	<0.55	<0.55	<1.1	<1.1	<0.55	<2.2	<1.1	<0.55	<1.1	<0.55	<0.22
trans-1,2-Dichloroethene	<b>27</b>	<b>23</b>	<b>29</b>	<b>38</b>	<b>38</b>	<b>48</b>	<b>29</b>	19	<b>39</b>	15	9.5
Trichloroethene	<b>510</b>	<b>440</b>	<b>940</b>	<b>1,100</b>	<b>1,100</b>	<b>1,200</b>	<b>900</b>	<b>660</b>	<b>1,100</b>	<b>440</b>	<b>330</b>
Vinyl chloride	<b>92</b>	<b>83</b>	<b>64</b>	<b>120</b>	<b>110</b>	<b>99</b>	<b>75</b>	<b>48</b>	<b>87</b>	<b>33</b>	<b>23</b>
Xylenes, Total	<0.34	<0.34	<0.68	<0.68	<0.34	<1.4	<0.68	<0.34	<0.68	<0.34	<0.14

Footnotes on Page 42.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13 (continued)										
Sample Interval (feet bls)	67-71'	67-71'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'
Sample Date	10/7/2013	4/16/2014	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	<0.15	NA	NA	NA	NA	NA	NA	<0.15	NA
Aroclor 1232	NA	NA	<0.083	NA	NA	NA	NA	NA	NA	<0.083	NA
Aroclor 1242	NA	NA	<0.12	NA	NA	NA	NA	NA	NA	<0.12	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13 (continued)									
Sample Interval (feet bls)	102-106'	102-106'	102-106'	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'
Sample Date	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.5	<1.3	<1.3	<1.3	<1.3	<0.5	<1.3	<5	<2.5	1.1
1,1,2-Trichloroethane	<0.56	<1.4	<1.4	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28
1,1-Dichloroethene	<0.62	<1.6	<1.6	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.7	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14
1,2-Dibromoethane	<0.72	<1.8	<1.8	<1.8	<1.8	<0.72	<1.8	<7.2	<3.6	<0.36
1,2-Dichlorobenzene	<0.54	<1.4	<1.4	<1.4	<1.4	<0.54	<1.4	<5.4	<2.7	<0.27
1,2-Dichloropropane	<0.4	<1	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.9	<0.9	<0.9	<0.90	<0.36	<0.9	<3.6	<1.8	<0.18
Benzene	<0.15	<0.37	<0.37	<0.37	<0.37	<0.15	<0.37	<1.5	<0.74	0.29 J
Bromoform	<0.56	<1.4	<1.4	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28
Bromomethane	<0.62	<1.6	<1.6	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31
Carbon tetrachloride	<0.52	<1.3	<1.3	<1.3	<1.3	<0.52	<1.3	<5.2	<2.6	<0.26
Chloroform	<0.4	<1	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2
Chloromethane	<0.36	<0.9	<0.9	<0.9	<0.90	<0.36	<0.9	<3.6	<1.8	<0.18
cis-1,2-Dichloroethene	<b>520</b>	<b>720</b>	<b>660</b>	<b>600</b>	<b>770</b>	<b>910</b>	<b>1,000</b>	<b>930</b>	<b>760</b>	<b>650</b>
Dichlorodifluoromethane	<0.4	<1	<1	<1	<1.0	<0.4	<1	<4	<2	<0.2
Ethylbenzene	<0.26	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13
Isopropylbenzene	<0.28	<0.7	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14
Methyl tert-butyl ether	<0.48	<1.2	<1.2	<1.2	<1.2	<0.48	<1.2	<4.8	<2.4	<0.24
Methylene Chloride	<1.4	<3.4	<3.4	<3.4	<3.4	<1.4	<3.4	<14	<6.8	<0.68
Naphthalene	<0.32	<0.8	<0.8	<0.8	<0.80	<0.32	<0.8	<3.2	<1.6	<0.16
n-Butylbenzene	<0.26	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13
N-Propylbenzene	<0.26	<0.65	<0.65	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13
p-Isopropyltoluene	<0.34	<0.85	<0.85	<0.85	<0.85	<0.34	<0.85	<3.4	<1.7	<0.17
sec-Butylbenzene	<0.3	<0.75	<0.75	<0.75	<0.75	<0.3	<0.75	<3	<1.5	<0.15
Styrene	<0.2	<0.5	<0.5	<0.5	<0.50	<0.2	<0.5	<2	<1	<0.1
tert-Butylbenzene	<0.28	<0.7	<0.7	<0.7	<0.70	<0.28	<0.7	<2.8	<1.4	<0.14
Tetrachloroethene	<b>670</b>	<b>1,400</b>	<b>1,500</b>	<b>1,900</b>	<b>1,600</b>	<b>1,500</b>	<b>2,600</b>	<b>7,000</b>	<b>6,300</b>	<b>6,500</b>
Toluene	<0.22	<0.55	<0.55	<0.55	<0.55	<0.22	<0.55	<2.2	<1.1	<0.11
trans-1,2-Dichloroethene	4.8	6.6	6	7	9.8	12	17	12 J	12	9.7
Trichloroethene	<b>270</b>	<b>500</b>	<b>450</b>	<b>490</b>	<b>580</b>	<b>340</b>	<b>460</b>	<b>600</b>	<b>510</b>	<b>550</b>
Vinyl chloride	<b>13</b>	<b>20</b>	<b>19</b>	<b>20</b>	<b>23</b>	<b>36</b>	<b>54</b>	<b>13</b>	<b>9.3</b>	<b>8.1</b>
Xylenes, Total	<0.14	<0.34	<0.34	<0.34	<0.34	<0.14	<0.34	<1.4	<0.68	<0.068

Footnotes on Page 44.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13 (continued)									
Sample Interval (feet bls)	102-106'	102-106'	102-106'	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'
Sample Date	2/21/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	<0.15	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	<0.084	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	<0.12	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)										
Sample Interval (feet bls)	121-125'	135-139'	135-139'	135-139'	135-139'	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'
Sample Date	4/16/2014	12/4/2012	1/17/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/16/2013	4/17/2013	7/22/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<5.0	<0.5	<1.3	<2.5	<2.5	<1.3	<2.5	<1.3	<0.25	<0.5	<0.25
1,1,2-Trichloroethane	<5.6	<0.56	<1.4	<2.8	<2.8	<1.4	<2.8	<1.4	<0.28	<0.56	<0.28
1,1-Dichloroethene	<6.2	<b>1.5 J</b>	<1.6	<3.1	<3.1	<1.6	<3.1	<1.6	<b>0.97 J</b>	<0.62	<0.31
1,2,4-Trimethylbenzene	<2.8	<0.28	<0.7	<1.4	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14
1,2-Dibromoethane	<7.2	<0.72	<1.8	<3.6	<3.6	<1.8	<3.6	<1.8	<0.36	<0.72	<0.36
1,2-Dichlorobenzene	<5.4	<0.54	<1.4	<2.7	<2.7	<1.4	<2.7	<1.4	<0.27	<0.54	<0.27
1,2-Dichloropropane	<4.0	<0.4	<1	<2	<2	<1	<2.0	<1	<0.2	<0.4	<0.2
1,3,5-Trimethylbenzene	<3.6	<0.36	<0.9	<1.8	<1.8	<0.9	<1.8	<0.9	<0.18	<0.36	<0.18
Benzene	<1.5	0.41 J	<b>1.1 J</b>	<0.74	<0.74	<0.37	<0.74	<0.37	<0.074	<0.15	<0.074
Bromoform	<5.6	<0.56	<1.4	<2.8	<2.8	<1.4	<2.8	<1.4	<0.28	<0.56	<0.28
Bromomethane	<6.2	<0.62	<1.6	<3.1	<3.1	<1.6	<3.1	<1.6	<0.31	<0.62	<0.31
Carbon tetrachloride	<5.2	<0.52	<1.3	<2.6	<2.6	<1.3	<2.6	<1.3	<0.26	<0.52	<0.26
Chloroform	<4.0	<0.4	<1	<2	<2	<1	<2.0	<1	<0.2	<0.4	<0.2
Chloromethane	<3.6	<0.36	<0.9	<1.8	<1.8	<0.9	<1.8	<0.9	<0.18	<0.36	<0.18
cis-1,2-Dichloroethene	<b>720</b>	<b>1,100</b>	<b>910</b>	<b>540</b>	<b>420</b>	<b>380</b>	<b>370</b>	<b>970</b>	<b>730</b>	<b>460</b>	<b>200</b>
Dichlorodifluoromethane	<4.0	<0.4	<1	<2	<2	<1	<2.0	<1	<0.2	<0.4	<0.2
Ethylbenzene	<2.6	<0.26	<0.65	<1.3	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13
Isopropylbenzene	<2.8	<0.28	<0.7	<1.4	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14
Methyl tert-butyl ether	<4.8	<0.48	<1.2	<2.4	<2.4	<1.2	<2.4	<1.2	<0.24	<0.48	<0.24
Methylene Chloride	<14	<1.4	<3.4	<6.8	<6.8	<3.4	<6.8	<3.4	<0.68	<1.4	<0.68
Naphthalene	<3.2	<0.32	<0.8	<1.6	<1.6	<0.8	<1.6	<0.8	<0.16	<0.32	<0.16
n-Butylbenzene	<2.6	<0.26	<0.65	<1.3	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13
N-Propylbenzene	<2.6	<0.26	<0.65	<1.3	<1.3	<0.65	<1.3	<0.65	<0.13	<0.26	<0.13
p-Isopropyltoluene	<3.4	<0.34	<0.85	<1.7	<1.7	<0.85	<1.7	<0.85	<0.17	<0.34	<0.17
sec-Butylbenzene	<3.0	<0.3	<0.75	<1.5	<1.5	<0.75	<1.5	<0.75	<0.15	<0.3	<0.15
Styrene	<2.0	<0.2	<0.5	<1	<1	<0.5	<1.0	<0.5	<0.1	<0.2	<0.1
tert-Butylbenzene	<2.8	<0.28	<0.7	<1.4	<1.4	<0.7	<1.4	<0.7	<0.14	<0.28	<0.14
Tetrachloroethene	<b>6,700</b>	<b>1,900</b>	<b>2,300</b>	<b>3,800</b>	<b>4,200</b>	<b>6,500</b>	<b>5,200</b>	<b>1,400</b>	<b>930</b>	<b>840</b>	<b>510</b>
Toluene	<2.2	<0.22	<0.55	<1.1	<1.1	<0.55	<1.1	<0.55	<0.11	<0.22	<0.11
trans-1,2-Dichloroethene	10 J	17	15	8.5 J	5.4 J	<1.3	<2.5	15	13	7.5	3.3
Trichloroethene	<b>710</b>	<b>450</b>	<b>430</b>	<b>310</b>	<b>260</b>	<b>310</b>	<b>320</b>	<b>370</b>	<b>250</b>	<b>200</b>	<b>92</b>
Vinyl chloride	<b>6.2 J</b>	<b>50</b>	<b>42</b>	<b>11</b>	<b>8.1</b>	<b>5.8</b>	<b>4.0 J</b>	<b>41</b>	<b>27</b>	<b>6.8</b>	<b>0.74</b>
Xylenes, Total	<1.4	<0.14	<0.34	<0.68	<0.68	<0.34	<0.68	<0.34	<0.068	<0.14	<0.068

Footnotes on Page 46.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13 (continued)										
Sample Interval (feet bls)	121-125'	135-139'	135-139'	135-139'	135-139'	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'
Sample Date	4/16/2014	12/4/2012	1/17/2013	4/17/2013	7/22/2013	10/7/2013	4/16/2014	12/4/2012	1/16/2013	4/17/2013	7/22/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	<0.15	NA	NA	NA	NA	NA	<0.15	NA	NA	NA
Aroclor 1232	NA	<0.083	NA	NA	NA	NA	NA	<0.083	NA	NA	NA
Aroclor 1242	NA	<0.12	NA	NA	NA	NA	NA	<0.12	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MP-13 (continued)		MP-14									
	163-167' 10/7/2013	163-167' 4/16/2014	70-75' 1/21/2013	70-75' 4/16/2013	70-75' 7/16/2013	70-75' 7/22/2013	70-75' 10/8/2013	70-75' 4/14/2014	100-105' 1/21/2013	100-105' 4/16/2013	100-105' 7/16/2013	
<b>VOCs (µg/L)</b>												
1,1,1,2-Tetrachloroethane	<0.25	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<b>170</b>	<b>180</b>	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.48	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.30	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>680</b>	<b>870</b>	<b>0.71 J</b>	<0.17	<0.17	<0.17	<0.17	<0.17	<b>1.5</b>	<0.17	<0.17	<0.17
Toluene	<0.11	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	2.6	3.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<b>96</b>	<b>110</b>	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<b>0.72</b>	<b>0.56 J</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 48.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-13 (continued)			MP-14								
	163-167'	163-167'	70-75'	70-75'	70-75'	70-75'	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'
Sample Interval (feet bls)	163-167'	163-167'	70-75'	70-75'	70-75'	70-75'	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'
Sample Date	10/7/2013	4/16/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	
<b>Total PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-14 (continued)										
Sample Interval (feet bls)	100-105'	100-105'	100-105'	135-140'	135-140'	135-140'	135-140'	135-140'	135-140'	170 - 178'	170-178'
Sample Date	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.5	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36	<0.72	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<0.54	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.15	<0.074	<0.15	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<0.62	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26	<0.52	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<b>17</b>	<b>27</b>	<b>29</b>	<b>27</b>	<b>12</b>	<0.12	<0.12
Dichlorodifluoromethane	0.72 J	<0.2	<0.20	<0.2	<0.2	<0.4	<0.2	<0.4	<0.20	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24	<0.48	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<1.4	<0.68	<1.4	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16	<0.32	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17	<0.34	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15	<0.3	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.10	<0.1	<0.1	<0.2	<0.1	<0.2	<0.10	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<b>1.7</b>	<0.17	<b>1.7</b>	<b>430</b>	<b>820</b>	<b>920</b>	<b>970</b>	<b>350</b>	<b>1.2</b>	<b>9.2</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.22	<0.11	<0.22	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<0.5	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	0.24 J	<b>31</b>	<b>53</b>	<b>51</b>	<b>53</b>	<b>23</b>	<0.19	<b>0.78</b>
Vinyl chloride	<0.1	<0.1	<0.10	<0.1	<0.1	<0.2	<0.1	<b>0.53 J</b>	<0.10	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068	<0.14	<0.068	<0.068	<0.068

Footnotes on Page 50.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-14 (continued)										
Sample Interval (feet bls)	100-105'	100-105'	100-105'	135-140'	135-140'	135-140'	135-140'	135-140'	135-140'	170 - 178'	170-178'
Sample Date	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/21/2013	4/16/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MP-14 (continued)				MP-15							
	170-178' 7/16/2013	170-178' 7/22/2013	170-178' 10/8/2013	170-178' 4/14/2014	88-92' 1/22/2013	88-92' 4/15/2013	88-92' 7/22/2013	88-92' 10/8/2013	88-92' 4/15/2014	100-105' 1/22/2013	100-105' 4/15/2013	
<b>VOCs (µg/L)</b>												
1,1,1,2-Tetrachloroethane	<0.5	<0.25	<0.5	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	
1,1,2-Trichloroethane	<0.56	<0.28	<0.56	<0.56	<0.28	<b>2.2</b>	<0.28	<0.28	<0.28	<0.28	<0.28	
1,1-Dichloroethene	<0.62	<0.31	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	
1,2,4-Trimethylbenzene	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
1,2-Dibromoethane	<0.72	<0.36	<0.72	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
1,2-Dichlorobenzene	<0.54	<0.27	<0.54	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	
1,2-Dichloropropane	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	
1,3,5-Trimethylbenzene	<0.36	<0.18	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	
Benzene	<0.15	<0.074	<0.15	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	
Bromoform	<0.56	<0.28	<0.56	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	
Bromomethane	<0.62	<0.31	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	
Carbon tetrachloride	<0.52	<0.26	<0.52	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	
Chloroform	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	
Chloromethane	<0.36	<0.18	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	
cis-1,2-Dichloroethene	<b>22</b>	<b>21</b>	<b>22</b>	<b>19</b>	<b>7.5</b>	<b>23</b>	<b>14</b>	<b>20</b>	<b>23</b>	<b>9.3</b>	<b>37</b>	
Dichlorodifluoromethane	<0.4	<0.2	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	
Ethylbenzene	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
Isopropylbenzene	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
Methyl tert-butyl ether	<0.48	<0.24	<0.48	<0.48	2.3	0.84 J	<0.24	3.3	3.5	2.2	1.3	
Methylene Chloride	<1.4	<0.68	<1.4	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	
Naphthalene	<0.32	<0.16	<0.32	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	
n-Butylbenzene	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
N-Propylbenzene	<0.26	<0.13	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	
p-Isopropyltoluene	<0.34	<0.17	<0.34	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	
sec-Butylbenzene	<0.3	<0.15	<0.3	<0.30	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	
Styrene	<0.2	<0.1	<0.2	<0.20	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	
tert-Butylbenzene	<0.28	<0.14	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	
Tetrachloroethene	<b>520</b>	<b>520</b>	<b>640</b>	<b>630</b>	<b>130</b>	<b>160</b>	<b>130</b>	<b>220</b>	<b>300</b>	<b>230</b>	<b>440</b>	
Toluene	<0.22	<0.11	<0.22	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	
trans-1,2-Dichloroethene	<0.5	<0.25	<0.5	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	
Trichloroethene	<b>42</b>	<b>37</b>	<b>37</b>	<b>33</b>	<b>11</b>	<b>15</b>	<b>12</b>	<b>19</b>	<b>24</b>	<b>16</b>	<b>41</b>	
Vinyl chloride	<0.2	<0.1	<0.2	<0.20	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	
Xylenes, Total	<0.14	<0.068	<0.14	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	

Footnotes on Page 52.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-14 (continued)				MP-15							
	Sample Interval (feet bls)	170-178'	170-178'	170-178'	170-178'	88-92'	88-92'	88-92'	88-92'	88-92'	100-105'	100-105'
Sample Date	7/16/2013	7/22/2013	10/8/2013	4/14/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	
<b>Total PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-15 (continued)										
Sample Interval (feet bls)	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'	120-125'	120-125'	142-146'	142-146'	142-146'
Sample Date	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.5	<0.50	<0.5	<0.5	<1.3	<1.3	<1.3	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.56	<0.56	<0.56	<0.56	<1.4	<1.4	<1.4	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.62	<0.62	<0.62	<0.62	<1.6	<1.6	<1.6	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7	<0.7	<0.70	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.72	<0.72	<0.72	<0.72	<1.8	<1.8	<1.8	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.54	<0.54	<0.54	<0.54	<1.4	<1.4	<1.4	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.4	<0.40	<0.4	<0.4	<1	<1	<1.0	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.36	<0.36	<0.36	<0.36	<0.9	<0.9	<0.90	<0.18	<0.18	<0.18
Benzene	<0.074	<0.15	<0.15	<0.15	<0.15	<0.37	<0.37	<0.37	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.56	<0.56	<0.56	<0.56	<1.4	<1.4	<1.4	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.62	<0.62	<0.62	<0.62	<1.6	<1.6	<1.6	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.52	<0.52	<0.52	<0.52	<1.3	<1.3	<1.3	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.4	<0.40	<0.4	<0.4	<1	<1	<1.0	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.36	<0.36	<0.36	<0.36	<0.9	<0.9	<0.90	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<b>68</b>	<b>76</b>	<b>96</b>	<b>200</b>	<b>230</b>	<b>250</b>	<b>220</b>	<b>230</b>	<b>9.7</b>	<b>75</b>	<b>110</b>
Dichlorodifluoromethane	<0.2	<0.4	<0.40	<0.4	<0.4	<1	<1	<1.0	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65	<0.65	<0.65	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7	<0.7	<0.70	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.48	<0.48	<0.48	<0.48	<1.2	<1.2	<1.2	2	<0.24	<0.24
Methylene Chloride	<0.68	<1.4	<1.4	<1.4	<1.4	<3.4	<3.4	<3.4	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.32	<0.32	<0.32	<0.32	<0.8	<0.8	<0.80	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65	<0.65	<0.65	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.26	<0.26	<0.26	<0.26	<0.65	<0.65	<0.65	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.34	<0.34	<0.34	<0.34	<0.85	<0.85	<0.85	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.3	<0.30	<0.3	<0.3	<0.75	<0.75	<0.75	<0.15	<0.15	<0.15
Styrene	<0.1	<0.2	<0.20	<0.2	<0.2	<0.5	<0.5	<0.50	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.28	<0.28	<0.28	<0.28	<0.7	<0.7	<0.70	<0.14	<0.14	<0.14
Tetrachloroethene	<b>660</b>	<b>690</b>	<b>890</b>	<b>1,100</b>	<b>1,900</b>	<b>2,100</b>	<b>1,800</b>	<b>2,000</b>	<b>170</b>	<b>580</b>	<b>640</b>
Toluene	<0.11	<0.22	<0.22	<0.22	<0.22	<0.55	<0.55	<0.55	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	0.51 J	<0.5	1.2 J	1.3 J	1.7 J	<1.3	<1.3	<1.3	<0.25	0.86 J	0.97 J
Trichloroethene	<b>65</b>	<b>72</b>	<b>92</b>	<b>160</b>	<b>210</b>	<b>220</b>	<b>190</b>	<b>210</b>	<b>14</b>	<b>78</b>	<b>100</b>
Vinyl chloride	<0.1	<0.2	<0.20	<0.2	<b>1</b>	<b>1.9 J</b>	<0.5	<0.50	<0.1	<b>0.39 J</b>	<b>0.58</b>
Xylenes, Total	<0.068	<0.14	<0.14	<0.14	<0.14	<0.34	<0.34	<0.34	<0.068	<0.068	<0.068

Footnotes on Page 54.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-15 (continued)										
Sample Interval (feet bls)	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'	120-125'	120-125'	142-146'	142-146'	142-146'
Sample Date	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MP-15 (continued)						MP-16				
	142-146' 10/8/2013	142-146' 4/15/2014	177 - 187' 1/22/2013	177-187' 4/15/2013	177-187' 7/22/2013	177-187' 10/8/2013	177-187' 4/15/2014	80-84' 1/22/2013	80-84' 4/16/2013	80-84' 1/22/2013	80-84' 1/22/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.5	<0.50	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.56	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.72	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.54	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.15	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.56	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.62	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.52	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<b>140</b>	<b>140</b>	<b>9.5</b>	6.7	6	<b>16</b>	<b>17</b>	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.4	<0.40	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.48	<0.48	2.5	1.6	0.86 J	0.90 J	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<1.4	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.32	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.26	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.34	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.3	<0.30	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.2	<0.20	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.28	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>840</b>	<b>970</b>	<b>240</b>	<b>140</b>	<b>110</b>	<b>100</b>	<b>73</b>	<b>0.76 J</b>	<0.17	<b>0.76 J</b>	<b>0.76 J</b>
Toluene	<0.22	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	1.4 J	1.5 J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<b>130</b>	<b>130</b>	<b>17</b>	<b>12</b>	<b>7.7</b>	<b>12</b>	<b>12</b>	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<b>0.76 J</b>	<0.20	<0.1	<0.1	<0.1	<b>0.34 J</b>	<0.10	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.14	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 56.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-15 (continued)						MP-16				
	142-146'	142-146'	177 - 187'	177-187'	177-187'	177-187'	177-187'	80-84'	80-84'	80-84'	80-84'
Sample Interval (feet bls)	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/16/2013	1/22/2013	1/22/2013
Sample Date	10/8/2013	4/15/2014	1/22/2013	4/15/2013	7/22/2013	10/8/2013	4/15/2014	1/22/2013	4/16/2013	1/22/2013	1/22/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)											
	80-84'		80-84'		80-84'		80-84'		106-116'		106-116'	
Sample Interval (feet bls)	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	106-116'	106-116'	106-116'	106-116'
Sample Date	1/22/2013	4/16/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	
<b>VOCs (µg/L)</b>												
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	2.6	5.8	<b>9.5</b>	<b>10</b>
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2 *	<0.2	<0.20	<0.2	<0.2	<0.2 *	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>0.76 J</b>	<0.17	<b>0.76 J</b>	<0.17	<0.17	<b>0.76 J</b>	<b>0.56 J</b>	<b>23</b>	<b>330</b>	<b>90</b>	<b>94</b>	
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<b>3.8</b>	<b>44</b>	<b>12</b>	<b>13</b>	
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 58.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-16 (continued)											
Sample Interval (feet bls)	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	80-84'	106-116'	106-116'	106-116'	106-116'
Sample Date	1/22/2013	4/16/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	
<b>Total PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-16 (continued)										
	106-116'	140-144'	140-144'	140-144'	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	175-179'
Sample Interval (feet bls)	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014
Sample Date	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	5.4	1.9	1.2	<0.12	<0.12	1.4	1.9	0.99 J	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.20	<0.2	<0.2	<0.2 *	<0.2	<0.20	<0.2	<0.2	<0.2 *	<0.2	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>330</b>	<b>14</b>	<b>11</b>	<b>23</b>	<b>37</b>	<b>38</b>	<b>13</b>	<b>6.7</b>	<b>2.2</b>	<b>3.7</b>	<b>3.8</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<b>30</b>	<b>2.1</b>	<b>2</b>	<b>3</b>	<b>6.1</b>	<b>6.1</b>	<b>2.2</b>	<b>1.2</b>	0.42 J	<b>0.98</b>	<b>0.87</b>
Vinyl chloride	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.1	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 60.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MP-16 (continued)											
Sample Interval (feet bls)	106-116'	140-144'	140-144'	140-144'	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	175-179'	
Sample Date	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	1/22/2013	4/16/2013	7/23/2013	10/9/2013	4/15/2014	
<b>Total PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>												
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-17					MW-18S					
	160-170' 1/17/2013	160-170' 4/20/2013	160-170' 7/18/2013	160-170' 10/8/2013	160-170' 4/22/2014	20-30' 11/28/2012	20-30' 1/15/2013	20-30' 2/12/2013	20-30' 3/12/2013	20-30' 4/19/2013	20-30' 7/17/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.25	<0.5	<0.50	<1.3	<0.25	<0.5	<1.3	<1.3	<1.3
1,1,2-Trichloroethane	<0.56	<b>11</b>	<0.28	<0.56	<0.56	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4
1,1-Dichloroethene	<0.62	<0.62	<0.31	<0.62	<0.62	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
1,2-Dibromoethane	<0.72	<0.72	<0.36	<0.72	<0.72	<1.8	<0.36	<0.72	<1.8	<1.8	<1.8
1,2-Dichlorobenzene	<0.54	<0.54	<0.27	<0.54	<0.54	<1.4	<0.27	<0.54	<1.4	<1.4	<1.4
1,2-Dichloropropane	<0.4	<0.4	<0.2	<0.4	<0.40	<1	<0.2	<0.4	<1	<1	<1
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.18	<0.36	<0.36	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9
Benzene	<b>20</b>	<b>1.2</b>	<0.074	<0.15	<0.15	<b>3.2</b>	0.46 J	<b>1.4</b>	<b>1.9 J</b>	<b>2.2 J</b>	<0.37
Bromoform	<0.56	<0.56	<0.28	<0.56	<0.56	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4
Bromomethane	<0.62	<0.62	<0.31	<0.62	<0.62	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6
Carbon tetrachloride	<b>1.2 J</b>	<0.52	<0.26	<0.52	<0.52	<1.3	<0.26	<0.52	<1.3	<1.3	<1.3
Chloroform	<b>1.8 J</b>	<0.4	<b>0.86 J</b>	<0.4	<b>1.1 J</b>	<b>7.2</b>	<b>2.3</b>	<b>4.5</b>	<b>7.5</b>	<b>6.2</b>	<1
Chloromethane	<0.36	<0.36	<0.18	<0.36	<0.36	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9
cis-1,2-Dichloroethene	3.5	1.7 J	1.6	<0.24	2.7	<b>150</b>	<b>40</b>	<b>77</b>	<b>110</b>	<b>99</b>	<b>70</b>
Dichlorodifluoromethane	<0.4	<0.4	<0.2	<0.4	<0.40	<1	<0.2	<0.4	<1	<1	<1
Ethylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
Isopropylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
Methyl tert-butyl ether	<0.48	<0.48	<0.24	<0.48	<0.48	<1.2	<0.24	<0.48	<1.2	<1.2	<1.2
Methylene Chloride	<1.4	<1.4	<0.68	<1.4	<1.4	<3.4	<0.68	<1.4	<3.4	<3.4	<3.4
Naphthalene	<0.32	<0.32	<0.16	<0.32	<0.32	<0.8	<0.16	<0.32	<0.8	<0.8	<0.8
n-Butylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
N-Propylbenzene	<0.26	<0.26	<0.13	<0.26	<0.26	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65
p-Isopropyltoluene	<0.34	<0.34	<0.17	<0.34	<0.34	<0.85	<0.17	<0.34	<0.85	<0.85	<0.85
sec-Butylbenzene	<0.3	<0.3	<0.15	<0.3	<0.30	<0.75	<0.15	<0.3	<0.75	<0.75	<0.75
Styrene	<0.2	<0.2	<0.1	<0.2	<0.20	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5
tert-Butylbenzene	<0.28	<0.28	<0.14	<0.28	<0.28	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7
Tetrachloroethene	<b>1,300</b>	<b>790</b>	<b>470</b>	<b>800</b>	<b>970</b>	<b>3,300</b>	<b>690</b>	<b>1,900</b>	<b>2,600</b>	<b>2,600</b>	<b>2,900</b>
Toluene	1.8	<0.22	0.69	<0.22	<0.22	1.1 J	<0.11	<0.22	<0.55	<0.55	<0.55
trans-1,2-Dichloroethene	1.5 J	<0.5	0.68 J	<0.5	<0.50	7.4	2.6	3.8	5.3	4.1 J	2.6 J
Trichloroethene	<b>86</b>	<b>46</b>	<b>33</b>	<b>49</b>	<b>51</b>	<b>230</b>	<b>59</b>	<b>130</b>	<b>160</b>	<b>170</b>	<b>140</b>
Vinyl chloride	<0.2	<0.2	<0.1	<0.2	<0.20	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5
Xylenes, Total	3.1	<0.14	0.56 J	<0.14	<0.14	<0.34	<0.068	<0.14	<0.34	<0.34	<0.34

Footnotes on Page 62.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-17					MW-18S					
	160-170'	160-170'	160-170'	160-170'	160-170'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'
Sample Interval (feet bls)	160-170'	160-170'	160-170'	160-170'	160-170'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'
Sample Date	1/17/2013	4/20/2013	7/18/2013	10/8/2013	4/22/2014	11/28/2012	1/15/2013	2/12/2013	3/12/2013	4/19/2013	7/17/2013
<b>Total PCBs</b>											
Aroclor 1016	<0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.093	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-18S (continued)		MW-19D								MW-19D2
	20-30'	20-30'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'
	10/9/2013	4/22/2014	11/29/2012	1/16/2013	2/11/2013	3/11/2013	4/19/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.5
1,1,2-Trichloroethane	<1.4	<0.28	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.56
1,1-Dichloroethene	<1.6	<0.31	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<0.62
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.70	<0.28
1,2-Dibromoethane	<1.8	<0.36	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<0.72
1,2-Dichlorobenzene	<1.4	<0.27	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.54
1,2-Dichloropropane	<1	<0.20	<1	<1	<1	<1	<1	<1	<1	<1.0	<0.4
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.90	<0.36
Benzene	<b>1.3 J</b>	0.38 J	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.15
Bromoform	<1.4	<0.28	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<0.56
Bromomethane	<1.6	<0.31	<1.6	<1.6	<1.6 *	<1.6	<1.6	<1.6	<1.6	<1.6	<0.62
Carbon tetrachloride	<1.3	<0.26	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.52
Chloroform	<b>5.2</b>	<b>1.4</b>	<1	<1	<1	<1	<1	<1	<1	<1.0	<0.4
Chloromethane	<0.9	<0.18	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.90	<0.36
cis-1,2-Dichloroethene	<b>78</b>	<b>21</b>	<b>530</b>	<b>170</b>	<b>450</b>	<b>420</b>	<b>520</b>	<b>540</b>	<b>300</b>	<b>49</b>	<b>250</b>
Dichlorodifluoromethane	<1	<0.20	<1	<1	<1	<1	<1	<1	<1	<1.0	<0.4
Ethylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26
Isopropylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.70	<0.28
Methyl tert-butyl ether	<1.2	<0.24	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<0.48
Methylene Chloride	<3.4	<0.68	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<1.4
Naphthalene	<0.8	<0.16	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.80	<0.32
n-Butylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26
N-Propylbenzene	<0.65	<0.13	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.26
p-Isopropyltoluene	<0.85	<0.17	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.34
sec-Butylbenzene	<0.75	<0.15	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.3
Styrene	<0.5	<0.10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.50	<0.2
tert-Butylbenzene	<0.7	<0.14	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.70	<0.28
Tetrachloroethene	<b>1,800</b>	<b>520</b>	<b>2,400</b>	<b>1,700</b>	<b>2,700</b>	<b>2,100</b>	<b>2,200</b>	<b>2,700</b>	<b>1,500</b>	<b>1,400</b>	<b>680</b>
Toluene	<0.55	<0.11	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.22
trans-1,2-Dichloroethene	4.6 J	1.3	7.2	<1.3	4.4 J	5.1	6.3	8.1	4.1 J	<1.3	3.4
Trichloroethene	<b>150</b>	<b>43</b>	<b>230</b>	<b>69</b>	<b>180</b>	<b>180</b>	<b>200</b>	<b>240</b>	<b>150</b>	<b>68</b>	<b>110</b>
Vinyl chloride	<0.5	<0.10	<b>9.1</b>	<b>3.2</b>	<b>8</b>	<b>11</b>	<b>18</b>	<b>20</b>	<b>6.6</b>	<0.50	<b>0.93 J</b>
Xylenes, Total	<0.34	<0.068	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.14

Footnotes on Page 64.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-18S (continued)		MW-19D								MW-19D2
	20-30'	20-30'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'
Sample Interval (feet bls)	10/9/2013	4/22/2014	11/29/2012	1/16/2013	2/11/2013	3/11/2013	4/19/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012
Sample Date											
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D2 (continued)							MW-20D		
Sample Interval (feet bls)	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'
Sample Date	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012	1/16/2013	2/12/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.5	<1.3	<0.5	<0.5	<1.3	<1.3	<0.25	<0.25
1,1,2-Trichloroethane	<0.56	<0.56	<0.56	<1.4	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28
1,1-Dichloroethene	<0.62	<0.62	<0.62	<1.6	<0.62	<0.62	<1.6	<1.6	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.70	<0.7	<0.14	<0.14
1,2-Dibromoethane	<0.72	<0.72	<0.72	<1.8	<0.72	<0.72	<1.8	<1.8	<0.36	<0.36
1,2-Dichlorobenzene	<0.54	<0.54	<0.54	<1.4	<0.54	<0.54	<1.4	<1.4	<0.27	<0.27
1,2-Dichloropropane	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<1.0	<1	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.36	<0.9	<0.36	<0.36	<0.90	<0.9	<0.18	<0.18
Benzene	<0.15	<0.15	<0.15	<0.37	<0.15	<0.15	<0.37	<0.37	<0.074	<0.074
Bromoform	<0.56	<0.56	<0.56	<1.4	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28
Bromomethane	<0.62	<0.62 *	<0.62	<1.6	<0.62	<0.62	<1.6	<1.6	<0.31	<0.31
Carbon tetrachloride	<0.52	<0.52	<0.52	<1.3	<0.52	<0.52	<1.3	<1.3	<0.26	<0.26
Chloroform	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<1.0	<1	<0.2	<0.2
Chloromethane	<0.36	<0.36	<0.36	<0.9	<0.36	<0.36	<0.90	<0.9	<0.18	<0.18
cis-1,2-Dichloroethene	<b>320</b>	<b>270</b>	<b>260</b>	<b>200</b>	<b>98</b>	<b>120</b>	<b>330</b>	<b>370</b>	0.69 J	<b>20</b>
Dichlorodifluoromethane	<0.4	<0.4	<0.4	<1	<0.4	<0.4	<1.0	<1	<0.2	<0.2
Ethylbenzene	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13
Isopropylbenzene	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.70	<0.7	<0.14	<0.14
Methyl tert-butyl ether	<0.48	<0.48	<0.48	<1.2	<0.48	<0.48	<1.2	<1.2	<0.24	<0.24
Methylene Chloride	<1.4	<1.4	<1.4	<3.4	<1.4	<1.4	<3.4	<3.4	<0.68	<0.68
Naphthalene	<0.32	<0.32	<0.32	<0.8	<0.32	<0.32	<0.80	<0.8	<0.16	<0.16
n-Butylbenzene	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13
N-Propylbenzene	<0.26	<0.26	<0.26	<0.65	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13
p-Isopropyltoluene	<0.34	<0.34	<0.34	<0.85	<0.34	<0.34	<0.85	<0.85	<0.17	<0.17
sec-Butylbenzene	<0.3	<0.3	<0.3	<0.75	<0.3	<0.3	<0.75	<0.75	<0.15	<0.15
Styrene	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.50	<0.5	<0.1	<0.1
tert-Butylbenzene	<0.28	<0.28	<0.28	<0.7	<0.28	<0.28	<0.70	<0.7	<0.14	<0.14
Tetrachloroethene	<b>1,200</b>	<b>1,300</b>	<b>1,400</b>	<b>1,000</b>	<b>1,200</b>	<b>950</b>	<b>1,900</b>	<b>1,600</b>	<b>190</b>	<b>690</b>
Toluene	<0.22	<0.22	<0.22	<0.55	<0.22	<0.22	<0.55	<0.55	0.45 J	<0.11
trans-1,2-Dichloroethene	4.9	4.2	4.2	2.6 J	<0.5	<0.5	5.0	5	<0.25	<0.25
Trichloroethene	<b>160</b>	<b>150</b>	<b>150</b>	<b>130</b>	<b>110</b>	<b>120</b>	<b>170</b>	<b>170</b>	<b>0.54</b>	<b>20</b>
Vinyl chloride	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<b>7.9</b>	<b>3.2</b>	<0.1	<0.1
Xylenes, Total	<0.14	<0.14	<0.14	<0.34	<0.14	<0.14	<0.34	<0.34	<0.068	<0.068

Footnotes on Page 66.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-19D2 (continued)							MW-20D		
	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'
Sample Interval (feet bls)	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012	1/16/2013	2/12/2013
Sample Date	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/17/2014	11/29/2012	1/16/2013	2/12/2013
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-20D					MW-20D2					
	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'
Sample Interval (feet bls)	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/15/2014	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013
Sample Date	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/15/2014	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<1.3	<0.5	<1.3	<0.50	<0.5	<0.25	<0.25	<0.25	<1.3	<0.25
1,1,2-Trichloroethane	<0.28	<1.4	<0.56	<1.4	<0.56	<0.56	<0.28	<0.28	<0.28	<1.4	<0.28
1,1-Dichloroethene	<0.31	<1.6	<0.62	<1.6	<0.62	<0.62	<0.31	<0.31	<0.31	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
1,2-Dibromoethane	<0.36	<1.8	<0.72	<1.8	<0.72	<0.72	<0.36	<0.36	<0.36	<1.8	<0.36
1,2-Dichlorobenzene	<0.27	<1.4	<0.54	<1.4	<0.54	<0.54	<0.27	<0.27	<0.27	<1.4	<0.27
1,2-Dichloropropane	<0.2	<1	<0.4	<1	<0.40	<0.4	<0.2	<0.2	<0.2	<1	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.9	<0.36	<0.9	<0.36	<0.36	<0.18	<0.18	<0.18	<0.9	<0.18
Benzene	<0.074	<0.37	<0.15	<0.37	<0.15	<0.15	<0.074	0.19 J	<0.074	<0.37	<0.074
Bromoform	<0.28	<1.4	<0.56	<1.4	<0.56	<0.56	<0.28	<0.28	<0.28	<1.4	<0.28
Bromomethane	<0.31	<1.6	<0.62	<1.6	<0.62	<0.62	<0.31	<0.31	<0.31	<1.6	<0.31
Carbon tetrachloride	<0.26	<1.3	<0.52	<1.3	<0.52	<0.52	<0.26	<0.26	<0.26	<1.3	<0.26
Chloroform	<0.2	<1	<0.4	<1	<0.40	<0.4	0.47 J	<0.2	<0.2	<1	<0.2
Chloromethane	<0.18	<0.9	<0.36	<0.9	<0.36	<0.36	<0.18	<0.18	<0.18	<0.9	<0.18
cis-1,2-Dichloroethene	<b>39</b>	<b>220</b>	<b>180</b>	<b>170</b>	<b>140</b>	<b>330</b>	<0.12	2.8	2.8	<b>30</b>	<0.12
Dichlorodifluoromethane	<0.2	<1	<0.4	<1	<0.40	<0.4	<0.2	<0.2	<0.2	<1	<0.2
Ethylbenzene	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
Isopropylbenzene	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
Methyl tert-butyl ether	<0.24	<1.2	<0.48	<1.2	<0.48	<0.48	<0.24	<0.24	<0.24	<1.2	<0.24
Methylene Chloride	<0.68	<3.4	<1.4	<3.4	<1.4	<1.4	<0.68	<0.68	<0.68	<3.4	<0.68
Naphthalene	<0.16	<0.8	<0.32	<0.8	<0.32	<0.32	<0.16	<0.16	<0.16	<0.8	<0.16
n-Butylbenzene	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
N-Propylbenzene	<0.13	<0.65	<0.26	<0.65	<0.26	<0.26	<0.13	<0.13	<0.13	<0.65	<0.13
p-Isopropyltoluene	<0.17	<0.85	<0.34	<0.85	<0.34	<0.34	<0.17	<0.17	<0.17	<0.85	<0.17
sec-Butylbenzene	<0.15	<0.75	<0.3	<0.75	<0.30	<0.3	<0.15	<0.15	<0.15	<0.75	<0.15
Styrene	<0.1	<0.5	<0.2	<0.5	<0.20	<0.2	<0.1	<0.1	<0.1	<0.5	<0.1
tert-Butylbenzene	<0.14	<0.7	<0.28	<0.7	<0.28	<0.28	<0.14	<0.14	<0.14	<0.7	<0.14
Tetrachloroethene	<b>650</b>	<b>1,100</b>	<b>1,000</b>	<b>1,200</b>	<b>780</b>	<b>1,300</b>	<b>190</b>	<b>700</b>	<b>490</b>	<b>1,100</b>	<b>53</b>
Toluene	<0.11	<0.55	<0.22	<0.55	<0.22	<0.22	0.34 J	<0.11	<0.11	<0.55	<0.11
trans-1,2-Dichloroethene	<0.25	<1.3	2.2	<1.3	2.0	4.3	<0.25	<0.25	<0.25	<1.3	<0.25
Trichloroethene	<b>29</b>	<b>100</b>	<b>100</b>	<b>89</b>	<b>83</b>	<b>150</b>	<0.19	<b>7.9</b>	<b>5.3</b>	<b>41</b>	<0.19
Vinyl chloride	<0.1	<b>1.0 J</b>	<0.2	<0.5	<b>0.76 J</b>	<b>1.7</b>	<0.1	<0.1	<0.1	<0.5	<0.1
Xylenes, Total	<0.068	<0.34	<0.14	<0.34	<0.14	<0.14	<0.068	<0.068	<0.068	<0.34	<0.068

Footnotes on Page 68.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-20D					MW-20D2					
	60-90'	60-90'	60-90'	60-90'	60-90'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'
Sample Interval (feet bls)	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/15/2014	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013
Sample Date	3/12/2013	4/18/2013	7/17/2013	10/9/2013	4/15/2014	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D2 (continued)		MW-21D							
	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Interval (feet bls)	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Date	10/15/2013	4/15/2014	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/10/2013	4/15/2014
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<1.3	<0.5	<0.25	<0.5	<0.5	<1.3	<1.3	<1.3	<1.3
1,1,2-Trichloroethane	<0.28	<1.4	<0.56	<0.28	<0.56	<0.56	<1.4	<1.4	<1.4	<1.4
1,1-Dichloroethene	<0.31	<1.6	<0.62	<0.31	<0.62	<0.62	<1.6	<1.6	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70
1,2-Dibromoethane	<0.36	<1.8	<0.72	<0.36	<0.72	<0.72	<1.8	<1.8	<1.8	<1.8
1,2-Dichlorobenzene	<0.27	<1.4	<0.54	<0.27	<0.54	<0.54	<1.4	<1.4	<1.4	<1.4
1,2-Dichloropropane	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0
1,3,5-Trimethylbenzene	<0.18	<0.90	<0.36	<0.18	<0.36	<0.36	<0.9	<0.9	<0.9	<0.90
Benzene	<0.074	<0.37	<0.15	<0.074	<0.15	<0.15	<0.37	<0.37	<0.37	<0.37
Bromoform	<0.28	<1.4	<0.56	<0.28	<0.56	<0.56	<1.4	<1.4	<1.4	<1.4
Bromomethane	<0.31	<1.6	<0.62	<0.31	<0.62 *	<0.62	<1.6	<1.6	<1.6	<1.6
Carbon tetrachloride	<0.26	<1.3	<0.52	<0.26	<0.52	<0.52	<1.3	<1.3	<1.3	<1.3
Chloroform	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0
Chloromethane	<0.18	<0.90	<0.36	<0.18	<0.36	<0.36	<0.9	<0.9	<0.9	<0.90
cis-1,2-Dichloroethene	1.4	<0.60	<b>380</b>	<b>85</b>	<b>270</b>	<b>310</b>	<b>310</b>	<b>370</b>	<b>360</b>	<b>320</b>
Dichlorodifluoromethane	<0.2	<1.0	<0.4	<0.2	<0.4	<0.4	<1	<1	<1	<1.0
Ethylbenzene	<0.13	<0.65	<0.26	0.43 J	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65
Isopropylbenzene	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70
Methyl tert-butyl ether	<0.24	<1.2	<0.48	<0.24	<0.48	<0.48	<1.2	<1.2	<1.2	<1.2
Methylene Chloride	<0.68	<3.4	<1.4	<0.68	<1.4	<1.4	<3.4	<3.4	<3.4	<3.4
Naphthalene	<0.16	<0.80	<0.32	<0.16	<0.32	<0.32	<0.8	<0.8	<0.8	<0.80
n-Butylbenzene	<0.13	<0.65	<0.26	<0.13	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65
N-Propylbenzene	<0.13	<0.65	<0.26	<0.13	<0.26	<0.26	<0.65	<0.65	<0.65	<0.65
p-Isopropyltoluene	<0.17	<0.85	<0.34	<0.17	<0.34	<0.34	<0.85	<0.85	<0.85	<0.85
sec-Butylbenzene	<0.15	<0.75	<0.3	<0.15	<0.3	<0.3	<0.75	<0.75	<0.75	<0.75
Styrene	<0.1	<0.50	<0.2	<0.1	<0.2	<0.2	<0.5	<0.5	<0.5	<0.50
tert-Butylbenzene	<0.14	<0.70	<0.28	<0.14	<0.28	<0.28	<0.7	<0.7	<0.7	<0.70
Tetrachloroethene	<b>380</b>	<b>1,600</b>	<b>1,200</b>	<b>700</b>	<b>1,600</b>	<b>1,500</b>	<b>1,100</b>	<b>1,700</b>	<b>1,600</b>	<b>1,800</b>
Toluene	<0.11	<0.55	<0.22	0.38 J	<0.22	<0.22	<0.55	<0.55	<0.55	<0.55
trans-1,2-Dichloroethene	<0.25	<1.3	5.1	<0.25	<0.5	2.9	<1.3	5.2	6.2	5.0
Trichloroethene	<b>4.5</b>	<b>2.7</b>	<b>180</b>	<b>23</b>	<b>130</b>	<b>160</b>	<b>140</b>	<b>180</b>	<b>160</b>	<b>180</b>
Vinyl chloride	<0.1	<0.50	<b>1.4</b>	<0.1	<0.2	<0.2	<0.5	<0.5	<0.5	<b>1.5 J</b>
Xylenes, Total	<0.068	<0.34	<0.14	2.5	<0.14	<0.14	<0.34	<0.34	<0.34	<0.34

Footnotes on Page 70.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-20D2 (continued)				MW-21D					
	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Interval (feet bls)	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'
Sample Date	10/15/2013	4/15/2014	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/10/2013	4/15/2014
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-21D2								MW-22S	
	110-170' 11/28/2012	110-170' 1/17/2013	110-170' 2/14/2013	110-170' 3/12/2013	110-170' 4/17/2013	110-170' 7/18/2013	110-170' 10/15/2013	110-170' 4/15/2014	25-35' 1/15/2013	25-35' 3/7/2013
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5	<1.3	<0.25	NA
1,1,2-Trichloroethane	<1.4	<b>1.4</b>	<1.4	<1.4	<2.8	<1.4	<0.56	<1.4	<0.28	NA
1,1-Dichloroethene	<1.6	<0.31	<1.6	<1.6	<3.1	<1.6	<0.62	<1.6	<0.31	NA
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	0.86 J	NA
1,2-Dibromoethane	<1.8	<0.36	<1.8	<1.8	<3.6	<1.8	<0.72	<1.8	<0.36	NA
1,2-Dichlorobenzene	<1.4	<0.27	<1.4	<1.4	<2.7	<1.4	<0.54	<1.4	<0.27	NA
1,2-Dichloropropane	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	<0.2	NA
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36	<0.90	<0.18	NA
Benzene	<0.37	0.25 J	<0.37	<0.37	<0.74	<0.37	<0.15	<0.37	<b>1.1</b>	NA
Bromoform	<1.4	<0.28	<1.4	<1.4	<2.8	<1.4	<0.56	<1.4	<0.28	NA
Bromomethane	<1.6	<0.31	<1.6 *	<1.6	<3.1	<1.6	<0.62	<1.6	<0.31	NA
Carbon tetrachloride	<1.3	<0.26	<1.3	<1.3	<2.6	<1.3	<0.52	<1.3	<0.26	NA
Chloroform	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	<b>1</b>	NA
Chloromethane	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36	<0.90	<0.18	NA
cis-1,2-Dichloroethene	<b>300</b>	<0.12	<0.6	<0.6	<b>190</b>	<b>220</b>	<b>110</b>	<b>110</b>	1.8	NA
Dichlorodifluoromethane	<1	<0.2	<1	<1	<2	<1	<0.4	<1.0	<0.2	NA
Ethylbenzene	<0.65	0.62	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	0.5	NA
Isopropylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	<0.14	NA
Methyl tert-butyl ether	<1.2	<0.24	<1.2	<1.2	<2.4	<1.2	<0.48	<1.2	<0.24	NA
Methylene Chloride	<3.4	<0.68	<3.4	<3.4	<6.8	<3.4	<1.4	<3.4	<0.68	NA
Naphthalene	<0.8	<0.16	<0.8	<0.8	<1.6	<0.8	<0.32	<0.80	<0.16	NA
n-Butylbenzene	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	<0.13	NA
N-Propylbenzene	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26	<0.65	<0.13	NA
p-Isopropyltoluene	<0.85	<0.17	<0.85	<0.85	<1.7	<0.85	<0.34	<0.85	<0.17	NA
sec-Butylbenzene	<0.75	<0.15	<0.75	<0.75	<1.5	<0.75	<0.3	<0.75	<0.15	NA
Styrene	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2	<0.50	<0.1	NA
tert-Butylbenzene	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28	<0.70	<0.14	NA
Tetrachloroethene	<b>2,600</b>	<b>1,200</b>	<b>3,900</b>	<b>2,200</b>	<b>3,500</b>	<b>2,500</b>	<b>1,500</b>	<b>1,900</b>	<b>180</b>	NA
Toluene	<0.55	0.48 J	<0.55	<0.55	<1.1	<0.55	<0.22	<0.55	1.7	NA
trans-1,2-Dichloroethene	2.7 J	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5	<1.3	<0.25	NA
Trichloroethene	<b>160</b>	<0.19	<b>11</b>	<b>14</b>	<b>150</b>	<b>210</b>	<b>120</b>	<b>130</b>	<b>4.8</b>	NA
Vinyl chloride	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2	<0.50	<0.1	NA
Xylenes, Total	<0.34	4.3	<0.34	<0.34	<0.68	<0.34	<0.14	<0.34	1.5	NA

Footnotes on Page 72.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-21D2								MW-22S	
	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	25-35'	25-35'
Sample Interval (feet bls)	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013	4/15/2014	1/15/2013	3/7/2013
Sample Date										
<b>Total PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	12	<0.033
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	<0.49	13
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	<0.69	<0.099
<b>Dissolved PCBs</b>										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.037
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.11
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.038

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-22S (continued)				MW-22D					
	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Interval (feet bls)	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Date	4/19/2013	7/16/2013	10/10/2013	4/18/2014	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013	4/18/2014
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	NA	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	NA	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	NA	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	NA	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	NA	<0.26	<0.26	<0.26	<0.26
Chloroform	<b>0.91 J</b>	<b>1.4</b>	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	0.47 J	NA	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	6.1	3.8	<b>97</b>	<b>46</b>	3.6	NA	4.9	3.7	<0.12	2.6
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.20	<0.2	NA	<0.2	<0.2	<0.2	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	NA	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	NA	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	NA	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	NA	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	NA	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.10	<0.1	NA	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>160</b>	<b>210</b>	<b>13</b>	<b>23</b>	<b>520</b>	NA	<b>450</b>	<b>270</b>	<b>190</b>	<b>430</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	NA	<0.11	0.37 J	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<b>5.4</b>	<b>8.5</b>	<b>6.1</b>	<b>4.2</b>	<b>5.8</b>	NA	<b>5.8</b>	<b>5</b>	<b>4.9</b>	<b>6.8</b>
Vinyl chloride	<0.1	<0.1	<0.1	<0.10	<0.1	NA	<0.1	<0.1	<0.1	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	NA	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 74.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-22S (continued)				MW-22D					
	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Interval (feet bls)	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Date	4/19/2013	7/16/2013	10/10/2013	4/18/2014	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013	4/18/2014
<b>Total PCBs</b>										
Aroclor 1016	4	<0.064	<0.064	<0.065	2.4	<0.033	<0.064	<0.063	<0.063	<0.065
Aroclor 1232	<0.19	<0.19	12	<0.20	<0.092	2.6	<0.19	<0.19	3.3	<0.19
Aroclor 1242	<0.19	4.7	<0.19	7.1	<0.13	<0.1	<0.19	0.97	<0.19	<0.19
<b>Dissolved PCBs</b>										
Aroclor 1016	<0.068	<0.065	<0.063	<0.067	NA	<0.033	<0.064	<0.064	<0.065	<0.066
Aroclor 1221	<0.2	<0.19	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20
Aroclor 1232	<0.2	<0.19	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20
Aroclor 1242	<0.2	<0.19	<0.19	0.28 J	NA	<0.1	<0.19	<0.19	<0.19	<0.20
Aroclor 1248	<0.2	<0.19	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20
Aroclor 1254	<0.2	<0.19	<0.19	<0.20	NA	<0.1	<0.19	<0.19	<0.19	<0.20
Aroclor 1260	<0.071	<0.068	<0.066	<0.070	NA	<0.035	<0.067	<0.067	<0.068	<0.069

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-23S						MW-23D				
	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
	1/15/2013	4/19/2013	7/16/2013	9/5/2013	10/10/2013	4/18/2014	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<b>1.8</b>	<0.28	<0.28	NA	<0.28	NA	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	NA	<0.36	NA	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	NA	<0.27	NA	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18
Benzene	<b>0.73</b>	<0.074	<0.074	<0.074	<0.074	<0.074	0.32 J	NA	<0.074	NA	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	NA	<0.28	NA	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	NA	<0.26	NA	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2
Chloromethane	1.2	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18
cis-1,2-Dichloroethene	<0.12	3.7	<b>29</b>	<b>27</b>	<b>16</b>	<b>16</b>	<0.12	NA	<0.12	NA	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.2	NA	<0.2	NA	<0.2
Ethylbenzene	0.43 J	<0.13	<0.13	<0.13	<0.13	<0.13	0.20 J	NA	<0.13	NA	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	NA	<0.24	NA	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	NA	<0.68	NA	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	NA	<0.16	NA	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	NA	<0.17	NA	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	NA	<0.15	NA	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	NA	<0.1	NA	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14
Tetrachloroethene	<b>290</b>	<b>580</b>	<b>420</b>	<b>240</b>	<b>130</b>	<b>210</b>	<b>100</b>	NA	<b>86</b>	NA	<b>170</b>
Toluene	1.3	<0.11	<0.11	<0.11	<0.11	<0.11	0.6	NA	<0.11	NA	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25
Trichloroethene	<b>0.64</b>	<b>1.4</b>	<b>20</b>	<b>17</b>	<b>15</b>	<b>11</b>	<0.19	NA	<b>0.53</b>	NA	0.21 J
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.10	<0.1	NA	<0.1	NA	<0.1
Xylenes, Total	0.95 J	<0.068	<0.068	<0.068	<0.068	<0.068	0.68 J	NA	<0.068	NA	<0.068

Footnotes on Page 76.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-23S						MW-23D				
	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Interval (feet bls)	1/15/2013	4/19/2013	7/16/2013	9/5/2013	10/10/2013	4/18/2014	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013
<b>Total PCBs</b>											
Aroclor 1016	<0.19	NA	<0.063	<0.028	<0.066	NA	<0.16	<0.034	NA	<0.065	<0.067 *
Aroclor 1232	<0.11	NA	<0.19	<0.083	<0.2	NA	<0.089	<0.1	NA	<0.19	<0.2
Aroclor 1242	<0.15	NA	<0.19	<0.083	<0.2	NA	<b>0.24 J</b>	<0.1	NA	<0.19	<0.2
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	<0.063	<0.026	<0.064	NA	NA	<0.034	NA	<0.066	<0.068 *
Aroclor 1221	NA	NA	<0.19	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2
Aroclor 1232	NA	NA	<0.19	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2
Aroclor 1242	NA	NA	<0.19	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2
Aroclor 1248	NA	NA	<0.19	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2
Aroclor 1254	NA	NA	<b>0.48</b>	<0.078	<0.19	NA	NA	<0.1	NA	<0.2	<0.2
Aroclor 1260	NA	NA	<0.066	<0.027	<0.067	NA	NA	<0.035	NA	<0.069 *	<0.071

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bls) Sample Date	MW-23D (continued)		MW-24				MW-25D			
	45-50'	45-50'	30-40'	30-40'	30-40'	30-40'	120-130'	120-130'	120-130'	120-130'
	10/10/2013	4/18/2014	4/29/2013	7/19/2013	10/8/2013	4/17/2014	5/6/2013	7/19/2013	10/9/2013	4/21/2014
<b>VOCs (µg/L)</b>										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.2	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	0.31 J	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<b>5.3</b>	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<b>160</b>	<b>190</b>	<b>3</b>	<b>3</b>	<b>3.3</b>	<b>2.8</b>	<b>0.76 J</b>	<b>2.8</b>	<b>3.1</b>	<b>1.3</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.1	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	0.37 J	<0.068	<0.068	<0.068	0.36 J	<0.068	<0.068

Footnotes on Page 78.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-23D (continued)		MW-24				MW-25D			
	45-50'	45-50'	30-40'	30-40'	30-40'	30-40'	120-130'	120-130'	120-130'	120-130'
Sample Interval (feet bls)	45-50'	45-50'	30-40'	30-40'	30-40'	30-40'	120-130'	120-130'	120-130'	120-130'
Sample Date	10/10/2013	4/18/2014	4/29/2013	7/19/2013	10/8/2013	4/17/2014	5/6/2013	7/19/2013	10/9/2013	4/21/2014
<b>Total PCBs</b>										
Aroclor 1016	<0.064	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>										
Aroclor 1016	<0.065	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	<0.19	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	<0.067	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID Sample Interval (feet bls) Sample Date	MW-25D2				MW-26S			MW-27D		MW-27D2	
	160-170' 5/6/2013	160-170' 7/19/2013	160-170' 10/4/2013	160-170' 4/21/2014	7-17' 8/23/2013	7-17' 10/9/2013	7-17' 4/22/2014	130-140' 12/26/2013	130-140' 4/18/2014	170-180' 12/26/2013	170-180' 4/18/2014
<b>VOCs (µg/L)</b>											
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.20	<0.20	<0.20	<0.22	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	0.85 J	2.6	3.7	<b>12</b>
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.20	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	1.3	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.10	<0.10	<0.10	<0.10	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<0.17	<0.17	<0.17	<b>1.4</b>	<0.17	<0.17	<b>1.8</b>	<b>5.4</b>	<b>11</b>	<b>44</b>
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	0.53	<0.11	0.20 J	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<b>1.3</b>	<b>3.5</b>	<b>7.2</b>	<b>25</b>
Vinyl chloride	<0.1	<0.1	<0.1	<0.10	<0.1	<0.1	<0.10	<0.10	<0.10	<0.10	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 80.

**Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.**

Well ID	MW-25D2				MW-26S			MW-27D		MW-27D2	
	160-170'	160-170'	160-170'	160-170'	7-17'	7-17'	7-17'	130-140'	130-140'	170-180'	170-180'
Sample Interval (feet bls)	160-170'	160-170'	160-170'	160-170'	7-17'	7-17'	7-17'	130-140'	130-140'	170-180'	170-180'
Sample Date	5/6/2013	7/19/2013	10/4/2013	4/21/2014	8/23/2013	10/9/2013	4/22/2014	12/26/2013	4/18/2014	12/26/2013	4/18/2014
<b>Total PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Dissolved PCBs</b>											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

- 100** Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.
- 100** Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.
- < Constituent not detected above noted laboratory detection limit.
- \* Data is suspect and not used in evaluation.
- B Compound was found in the blank and the sample.
- bls Below land surface.
- DUP Duplicate sample.
- J Result is between the method detection limit and the limit of quantitation.
- µg/L Micrograms per liter.
- NA Not analyzed.
- NE Not established.
- ND Total detected PCBs were reported less than the laboratory detection limit.
- PCBs Polychlorinated Biphenyls.
- VOCs Volatile Organic Compounds.