

Spreadsheet for NR-40 Synonyms	"(Accepted)" status based on reference No. 2 (ITIS)	"(Basionym)" = Original name on which a new name is based (Based on reference No. 1 (GRIN))	Denotes specific subspecies to be listed	Problem with nomenclature: Spelling/acceptance discrepancies	Species is no longer of concern to NR-40	Notes from "Terrestrial Plants - Regulated Recommendations"	Created by Kyle Lichtenberg for Kelly Kearns Dec. '14- Jan. '15. Please contact me with any questions regarding how to read this spreadsheet via email at <a href="mailto:lichtenberg.kyle@gmail.com">lichtenberg.kyle@gmail.com</a> . I will keep the file saved to assist in answering any questions that might come up.	
Common Name	Common Name Synonyms	Scientific Name	Scientific Name Synonyms	Subordinate taxa	Synonyms of Subordinate taxa	Synonyms of Synonyms of Sub. Taxa	Exempt Cultivars	Notes
<b>Prohibited Statewide</b>								
Amur cork tree	Amur corktree, Japanese corktree, Sakhalin corktree, Lavalie corktree, Chinese corktree, phellodendron, phellodendron-bark	<i>Phellodendron amurense</i> Rupr. (1,2,6,8,10) (Accepted)	<i>Phellodendron japonicum</i> Maxim. (1,2,6)	<i>Phellodendron amurense</i> var. <i>sachalinense</i> F. Schmidt (1)			Male cultivars and seedling understock	
			<i>Phellodendron sachalinense</i> (F. Schmidt) Sarg. (1,2,6)					
			<i>Phellodendron lavallei</i> Dode (1,2,6)					
			<i>Phellodendron wilsonii</i> Hayata & Kaneh. (1,10)					
Anchored water hyacinth	rooted water-hyacinth	<i>Eichhornia azurea</i> (Sw.) Kunth (1,2,6,10) (Accepted)						
Asian Ioseneri bittersweet		<i>Celastrus laeseneri</i> Rehder & E. H. Wilson (basionym) (1)		<i>Celastrus rosthornianus</i> Loes. var. <i>laeseneri</i> (Rehder & E. H. Wilson) C. Y. Wu ex Y. C. Ho (1)				
Asian marshweed	ambulia, limnophila	<i>Limnophila sessiliflora</i> (Vahl) Blume (1,2,6,7,10) (Accepted)	<i>Hottonia sessiliflora</i> Vahl (basionym) (1,10)					
			<i>Terebinthina sessiliflora</i> (Vahl) Kuntze (7)					
			<i>Ambulia sessiliflora</i> (Vahl) Baillon ex Wettstein (10)					
			<i>Limnophila taoyuanensis</i> Yang & Yen (10)					
Bittercress	hairy bittercress, hoary bitter-cress, common bittercress, wood bittercress, woodland bittercress, umbel bittercress, wavy bittercress, wavy-leaved bittercress	<i>Cardamine hirsuta</i> L. (1,2,6,8,10) (Accepted)	<i>Cardamine konaensis</i> (St. John) (7,8)	<i>Cardamine hirsuta</i> ssp. <i>flexuosa</i> (With.) Forbes & Hemsl. (2,7,8)	<i>Cardamine flexuosa</i> With. (2,6,7,8) (Accepted)			Appears crossed out on "Terrestrial Plants - Regulated Recommendations"
				<i>Cardamine hirsuta</i> var. <i>kamtschatica</i> (Regel) O.E. Schulz (2)	<i>Cardamine umbellata</i> Greene (2,6) (Accepted)			
					<i>Cardamine oligosperma</i> Nutt. ssp. <i>kamtschatica</i> (Regel) Cody (6)			
					<i>Cardamine kamtschatica</i> (Regel) Piper (6)			
					<i>Cardamine oligosperma</i> Nutt. var. <i>kamtschatica</i> (Regel) Detling (6)			
				<i>Cardamine hirsuta</i> var. <i>formosana</i> Hayata (10)				
Butterfly dock	pestilence wort, bog-rhubarb, butterbur, umbrella plant	<i>Petasites hybridus</i> (L.) G. Gaertn., B. Mey. & Scherb. (1,2,6) (Accepted)	<i>Petasites officinalis</i> Moench (2,6)					
			<i>Petasites officinalis</i> Moench (1)					
			<i>Petasites vulgaris</i> Hill (2,6)					
			<i>Tussilago hybrida</i> L. (basionym) (1)					
Chinese wisteria	Chinese-glycine	<i>Wisteria sinensis</i> (Sims) DC. (1,2,6,7) (Accepted)	<i>Rehsonia sinensis</i> (Sims) Stritch (2,6,7)	<i>Wisteria sinensis</i> var. <i>alba</i> Lindl. (1,7)				
			<i>Glycine sinensis</i> Sims (basionym) (1,7,10)	<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>sinensis</i> (Sims) Makino (7)				
			<i>Kraunhia sinensis</i> (Sims) Greene (1)	<i>Wisteria chinensis</i> DC. var. <i>albiflora</i> (Lem.) W. Miller (7)				
			<i>Kraunhia sinensis</i> (Sims) Makino (7)	<i>Wisteria sinensis</i> (Sims) Sweet var. <i>albiflora</i> Lem. (7,10)				
			<i>Kraunhia chinensis</i> (Greene) (7)	<i>Wisteria sinensis</i> f. <i>alba</i> (Lindley) Rehder & E. H. Wilson (10)				
			<i>Millettia chinensis</i> (Benth.) (7)					
			<i>Wisteria chinensis</i> DC. (7)					
			<i>Wisteria alba</i> Lindley (10)					
			<i>Wisteria praecox</i> Handel-Mazzetti (10)					
Colt's foot	assfoot, British tobacco, bull's-foot, clayweed, cleats, colt-herb, coltsfoot, coughwort, dove-dock, dummyweed, Foalfoot, ginger, gingerroot, gowan, hoofs, horsefoot, horsehoof, kuan dong, sowfoot, tussilage	<i>Tussilago farfara</i> L. (1,2,6,7,8,10) (Accepted)						

Common Barberry	barberry, European barberry, jaundice-berry, piprage	<i>Berberis vulgaris</i> L. (1,2,6,8,10) (Accepted)	<i>Berberis jacquinii</i> hort. ex K. Koch (1)	<i>Berberis vulgaris</i> var. <i>purpurea</i> Bertin ex Jacques & Hérincq (1)				
			<i>Berberis sanguinea</i> hort. ex K. Koch (1)	<i>Berberis vulgaris</i> f. <i>atropurpurea</i> Regel (1)				
Diffuse knapweed	white knapweed, small-flower star thistle, tumble knapweed	<i>Centaurea diffusa</i> Lam. (1,2,6,7,8,10) (Accepted)	<i>Acosta diffusa</i> (Lam.) Soják (2,6,7,8,10)					
Ducklettuce	duck-lettuce, water plantain ottelia	<i>Ottelia alismoides</i> (L.) Pers. (1,2,6,10) (Accepted)	<i>Stratiotes alismoides</i> L. (2,6,10)	<i>Ottelia alismoides</i> f. <i>oryzeturum</i> Komarov (10)				
			<i>Damasonium alismoides</i> (Linnaeus) R. Brown (10)					
			<i>Ottelia condorensis</i> Gagnepain (10)					
			<i>Ottelia dioecia</i> S. Z. Yan (10)					
			<i>Ottelia indica</i> Planchon ex Dalzell & A. Gibson (10)					
Five-leaf akebia	Chocolate vine, fiveleaf, Akebia	<i>Akebia quinata</i> (Houtt.) Decne. (1,2,6,7,10) (Accepted)	<i>Rajania quinata</i> Thunb. ex Houtt. (basionym) (1,7,10)	<i>Akebia quinata</i> var. <i>polyphylla</i> Nakai (10)				CVs= Silver Bells
			<i>Akebia micrantha</i> Nakai (10)	<i>Akebia quinata</i> var. <i>yiehii</i> W. C. Cheng (10)				
Floating marsh pennywort	Floating pennywort	<i>Hydrocotyle ranunculoides</i> L. f. (1,2,6) (Accepted)						
Giant reed	arundo grass, bamboo reed, cane, cow cane, donax cane, giant cane, reed grass, river cane, Spanish cane, Spanish-reed, wild cane	<i>Arundo donax</i> L. (1,2,6,7,10) (Accepted)	<i>Arundo bifaria</i> Retz. (2,7)	<i>Arundo donax</i> var. <i>angustifolia</i> Döll (2,7)				
			<i>Arundo glauca</i> Bubani (2,7)	<i>Arundo donax</i> var. <i>lanceolata</i> Döll (2)				
			<i>Arundo latifolia</i> Salisb. (2,7)	<i>Arundo donax</i> f. <i>donax</i> L. (2) (Accepted)				
			<i>Arundo sativa</i> Lam. (2,7)	<i>Arundo donax</i> f. <i>versicolor</i> (Mill.) Beetle (2) (Accepted)	<i>Arundo versicolor</i> Mill. (2,6,7)			
			<i>Cynodon donax</i> (L.) Raspail (2,7)		<i>Arundo donax</i> var. <i>versicolor</i> (Mill.) Stokes (2,6,7)			
			<i>Donax arundinaceus</i> P. Beauv. (2,7,10)		<i>Arundo donax</i> var. <i>variegata</i> Vilm. (2)			
			<i>Donax donax</i> (L.) Asch. & Graebn. (2,7)		<i>Arundo donax</i> var. <i>versicolor</i> (Mill.) Kunth (2)			
			<i>Scolochloa arundinacea</i> (P. Beauv.) Mert. & Koch (2)	<i>Arundo donax</i> var. <i>donax</i> L. (2) (Accepted)				
			<i>Scolochloa donax</i> (L.) Gaudin (2,10)	<i>Arundo donax</i> var. <i>caleotricha</i> Hack. (7,10)				
			<i>Arundo bengalensis</i> Retz. (7)	<i>Arundo donax</i> var. <i>procerior</i> Kunth. (7)				
			<i>Arundo scriptoria</i> L. (7)					
			<i>Aira bengalensis</i> (Retz.) J.F. Gmel. (7,10)					
			<i>Amphidonax bengalensis</i> (Retz.) Nees ex Steud. (7,10)					
			<i>Amphidonax bifaria</i> (Retz.) Nees ex Steud. (7)					
			<i>Arundo aegyptiaca</i> hort. ex Vilm. (7)					
			<i>Arundo bambusifolia</i> Hook. f. (7)					
			<i>Arundo caleotricha</i> (Hack.) Honda. (7,10)					
			<i>Arundo longifolia</i> Salisb. ex Hook. f. (7)					
			<i>Donax bengalensis</i> (Retz.) P. Beauv. (7,10)					
			<i>Donax bifarius</i> (Retz.) Trin. ex Spreng. (7)					
Giant salvinia		<i>Salvinia biloba</i> Raddi (1,2,6) (Accepted)	<i>Salvinia herzogii</i> de la Sota (2,6)					<i>Salvinia herzogii</i> is not an accepted name (2)
Giant salvinia	African payal, African pyle, kariba-weed, koi kandy, water spangles, water fern, aquarium watermoss	<i>Salvinia molesta</i> D.S. Mitchell (2,6,7) (Accepted)	<i>Salvinia auriculata</i> Aubl. (7)					
Graceful cattail	Bullrush	<i>Typha laxmannii</i> Lepech. (1,10,11)	<i>Typha stenophylla</i> Fisch. & C.A. Mey. (10,11)	<i>Typha laxmannii</i> var. <i>mangolica</i> Kronfeld (10)				
			<i>Typha martini</i> Thoms. ex Aitch. (10)	<i>Typha laxmannii</i> var. <i>planifolia</i> Kronf. (10)				
Hawaii arrowhead	arrowhead, common arrowhead, Old World arrowhead, giant arrowhead	<i>Sagittaria sagittifolia</i> L. (1,2,6,7,10) (Accepted)	<i>Sagittaria leucopetala</i> (Miq.) Bergman (10)	<i>Sagittaria sagittifolia</i> subsp. <i>sagittifolia</i> (1)				
	Chinese arrowhead, swamp-potato, swan-potato			<i>Sagittaria sagittifolia</i> subsp. <i>leucopetala</i> (Miq.) Hartog (1,10)	<i>Sagittaria japonica</i> hort. (1,7)			
					<i>Sagittaria sagittifolia</i> var. <i>edulis</i> Siebold ex Miq. (1,7)			

					<i>Sagittaria sagittifolia</i> var. <i>leucopetala</i> Miq. (1,7)			
					<i>Sagittaria sinensis</i> Sims (1,7,10)			
					<i>Sagittaria trifolia</i> L. (1,7,10)			
					<i>Sagittaria trifolia</i> var. <i>edulis</i> (Siebold ex Miq.) Ohwi, nom. inval. (1,7)			
					<i>Sagittaria trifolia</i> var. <i>sinensis</i> (Sims) Makino (1,7)			
Himalayan blackberry	Himalaya blackberry, Himalaya giant blackberry, Himalaya-berry, Armenian blackberry	<i>Rubus armeniacus</i> Focke (1,2,6,7)	<i>Rubus discolor</i> Weihe & Nees (6,7,10)	<i>Rubus hedycarpus</i> var. <i>armeniacus</i> (Focke) Focke (1)				<i>Rubus armeniacus</i> is not accepted (2) <i>Rubus bifrons</i> is accepted (6) <i>Rubus discolor</i> is accepted (7)
			<i>Rubus procerus</i> auct. non P.J. Müll. ex Genev. (1,2,6,10)					
	Link's blackberry	<i>Rubus bifrons</i> Vest ex Tratt. (2,6) (Accepted)	<i>Rubus linkianus</i> Ser. (2,6)					
			<i>Rubus procerus</i> auct. non P.J. Müll. ex Genev. (2,6,7)					
			<i>Rubus armeniacus</i> Focke (2,6,7)					
	Elmleaf blackberry	<i>Rubus ulmifolius</i> Schott (2,6)	<i>Rubus discolor</i> Weihe & Nees (2,6,7)	<i>Rubus ulmifolius</i> var. <i>inermis</i> (Willd.) Focke (2,6)				
			<i>Rubus ulmifolius</i> Schott (2)	<i>Rubus ulmifolius</i> var. <i>ulmifolius</i> Schott (2,6)				
			<i>Rubus mussolinii</i> Hruby (6)	<i>Rubus ulmifolius</i> var. <i>anoplothrysus</i> Sudre (2)				
			<i>Rubus grabowskii</i> Weihe ex Gunther et al. (7)					
			<i>Rubus macrostemon</i> (Focke) Sampaio (7)					
			<i>Rubus praecox</i> Bertol. (7)					
			<i>Rubus thyranthus</i> (Focke) Foerster. (7)					
Indian swampweed	East Indian hygrophila, East Indian swampweed, Miramar weed, hygro	<i>Hygrophila polysperma</i> (Roxb.) T. Anderson (1,2,6,7,10) (Accepted)	<i>Hemidelphis polysperma</i> (Roxb.) Nees in Wall., Pl. Asiat. Rar. (7,10)					
			<i>Adenosma polysperma</i> (Roxburgh) Sprengel (10)					
			<i>Justicia polysperma</i> Roxb., Fl. Ind. (7,10)					
Japanese chaff flower		<i>Achyranthes japonica</i> (Miq.) Nakai (1,2,6) (Accepted)		<i>Achyranthes japonica</i> var. <i>hachioensis</i> Honda (2,6)				
				<i>Achyranthes bidentata</i> var. <i>japonica</i> Miq. (basionym) (1,10)				
Japanese wisteria		<i>Wisteria floribunda</i> (Willd.) DC. (1,2,6,7,10) (Accepted)	<i>Kraunhia floribunda</i> (Willd.) Taub. (1,2,6,7)	<i>Wisteria floribunda</i> (Willd.) DC. var. <i>alba</i> DC. (1)				
			<i>Rehsonia floribunda</i> (Willd.) Stritch (2,6,7)	<i>Kraunhia floribunda</i> (Willd.) Taub. f. <i>albiflora</i> Makino (7)				
			<i>Glycine floribunda</i> Willd. (basionym) (1,7)	<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>pleniflora</i> Makino (7)				
			<i>Kraunhia brachybotrys</i> (Siebold & Zucc.) Greene (7)	<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>typica</i> Makino (7)				
			<i>Dolichos japonicus</i> Spreng. (7)	<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>brachybotrys</i> (Siebold & Zucc.) Makino (7)				
			<i>Millettia floribunda</i> (Willd.) Matsum. (7)	<i>Kraunhia sinensis</i> (Sims) Makino f. <i>albiflora</i> Makino (7)				
			<i>Phaseoloides brachybotrys</i> (Siebold & Zucc.) Kuntze (7)	<i>Kraunhia sinensis</i> (Sims) Makino var. <i>brachybotrys</i> (Siebold & Zucc.) Makino (7)				
			<i>Phaseoloides floribunda</i> (Willd.) Kuntze (7)	<i>Kraunhia sinensis</i> (Sims) Makino var. <i>floribunda</i> (Willd.) Makino (7)				
			<i>Wisteria brachybotrys</i> Siebold & Zucc. (7)	<i>Kraunhia sinensis</i> (Sims) Makino var. <i>pleniflora</i> Makino (7)				
			<i>Wisteria macrobotrys</i> Siebold ex Neubert (7)	<i>Wisteria chinensis</i> DC. var. <i>flore-plena</i> (Carrière) W.Mill. (7)				
			<i>Wisteria multijuga</i> Van Houtte (7)	<i>Wisteria chinensis</i> DC. var. <i>macrobotrys</i> (Siebold ex Neubert) Lavalée (7)				
				<i>Wisteria chinensis</i> DC. var. <i>multijuga</i> (Van Houtte) Hook.f. (7)				
				<i>Wisteria floribunda</i> (Willd.) DC. f. <i>alba</i> (Carrière) Rehder & E.H. Wilson (7)				

				<i>Wisteria floribunda</i> (Willd.) DC. f. <i>macrobotrys</i> (Siebold ex Neubert) Rehder & E.H.Wilson (7)				
				<i>Wisteria floribunda</i> (Willd.) DC. f. <i>rosea</i> (Bean) Rehder & E.H.Wilson (7)				
				<i>Wisteria floribunda</i> (Willd.) DC. f. <i>variegata</i> (G.Nicholson) Rehder & E.H.Wilson (7)				
				<i>Wisteria multijuga</i> Van Houtte var. <i>rosea</i> Bean (7)				
				<i>Wisteria multijuga</i> Van Houtte var. <i>alba</i> Carrière (7)				
				<i>Wisteria multijuga</i> Van Houtte var. <i>variegata</i> G.Nicholson (7)				
				<i>Wisteria polystachya</i> K.Koch f. <i>alba</i> (Carrière) Zabel (7)				
				<i>Wisteria polystachya</i> K.Koch f. <i>multijuga</i> (Van Houtte) Zabel (7)				
				<i>Wisteria polystachya</i> K.Koch f. <i>variegata</i> (G.Nicholson) Zabel (7)				
				<i>Wisteria sinensis</i> (Sims) Sweet f. <i>violaceo-plena</i> Rehder & E.H.Wilson (7)				
				<i>Wisteria sinensis</i> (Sims) Sweet var. <i>violaceo-plena</i> C.K.Schneid. (7)				
Java water-dropwort	Vietnamese parsley, Stolon waterdropwort, Chinese-celery, Indian-pennywort, water-celery, water-dropwort	<i>Oenanthe javanica</i> (Blume) DC. (1,2,6,8,10) (Accepted)	<i>Phellandrium stoloniferum</i> Roxb. (10)	<i>Oenanthe javanica</i> ssp. <i>stolonifera</i> (Wall. ex DC.) Murata (1,2,6)	<i>Oenanthe stolonifera</i> Wall. ex DC. (1,2,6,10)			
			<i>Sium javanicum</i> Blume (10)	<i>Oenanthe javanica</i> ssp. <i>javanica</i> (Blume) DC. (2,6,10)				
Lesser celandine	fig buttercup, pilewort	<i>Ranunculus ficaria</i> L. (1,2,6,7,8) (Accepted)	<i>Ficaria ficaria</i> (L.) H. Karst. (2)	<i>Ranunculus ficaria</i> var. <i>ficaria</i> L. (2)				
			<i>Ficaria verna</i> Huds. (1,2,6)	<i>Ranunculus ficaria</i> L. subsp. <i>bulbilifer</i> Lambinon (8)				
				<i>Ranunculus ficaria</i> L. subsp. <i>calthifolius</i> (Rchb.) Arcang. (8)				
				<i>Ranunculus ficaria</i> var. <i>bulbifera</i> Marsden-Jones (2,6)	<i>Ranunculus ficaria</i> ssp. <i>bulbifera</i> (Marsden-Jones) Lawalrée (2,6)			
				<i>Ranunculus ficaria</i> L. subsp. <i>ficaria</i> (8)				
				<i>Ranunculus ficaria</i> L. var. <i>bulbifera</i> Albert (8)				
Medusahead	Medusahead-rye, Medusa's-head	<i>Taeniatherum caput-medusae</i> (L.) Nevski (1,2,6,9,10) (Accepted)	<i>Hordelymus caput-medusae</i> (L.) Pignatti (2)	<i>Taeniatherum caput-medusae</i> var. <i>caput-medusae</i> (L.) Nevski (2) (Accepted)	<i>Taeniatherum crinitum</i> var. <i>caput-medusae</i> (L.) Wipff (2,6)			
			<i>Hordeum caput-medusae</i> (L.) Coss. & Durieu (2)		<i>Taeniatherum caput-medusae</i> ssp. <i>caput-medusae</i> (L.) Nevski (1,2)	<i>Elymus caput-medusae</i> L. (1,2,6,10)		
			<i>Leptothrix caput-medusae</i> (L.) Dumort. (2)	<i>Taeniatherum caput-medusae</i> var. <i>crinitum</i> (Schreb.) Humphries (2) (Accepted)	<i>Hordeum crinitum</i> (Schreb.) Desf. (2)			
					<i>Leptothrix crinita</i> (Schreb.) Dumort. (2)			
					<i>Taeniatherum crinitum</i> (Schreb.) Nevski (2)			
					<i>Elymus caput-medusae</i> ssp. <i>crinitus</i> (Schreb.) Nyman (2)			
					<i>Hordelymus caput-medusae</i> ssp. <i>crinitus</i> (Schreb.) Pignatti (2)			
					<i>Elymus caput-medusae</i> var. <i>crinitus</i> (Schreb.) Ball (2)			
					<i>Taeniatherum caput-medusae</i> ssp. <i>crinitum</i> (Schreb.) Melderis (1,2,6)	<i>Elymus crinitus</i> Schreb. (1,2,6)		
						<i>Hordeum crinitum</i> (Schreb.) Desf. (1)		
						<i>Taeniatherum crinitum</i> (Schreb.) Nevski (1,10)		
				<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>asperum</i> (Simonk.) Melderis (1)	<i>Cuviera caput-medusae</i> var. <i>aspera</i> Simonk. (1)			

					<i>Taeniatherum asperum</i> (Simonk.) Nevski (1,2,6)			
Mosquito fern	Water-velvet, feathered mosquito fern, mosquito fern, ferny azolla, green azolla	<i>Azolla pinnata</i> R. Br. (1,2,6,7) (Accepted)		<i>Azolla pinnata</i> R. Br. subsp. <i>asiatica</i> R. M. K. Saunders & K. Fowler (1)	<i>Azolla imbricata</i> (Roxb. ex Griff.) Nakai (1)			
					<i>Salvinia imbricata</i> Roxb. ex Griff. (1)			
				<i>Azolla pinnata</i> R. Br. subsp. <i>africana</i> (Desv.) R. M. K. Saunders & K. Fowler (1)				
				<i>Azolla pinnata</i> R. Br. subsp. <i>pinnata</i> (1)				
Mudmat	mudmats	<i>Glossostigma cleistanthum</i> W.R. Barker (2,6) (Accepted)	<i>Glossostigma diandrum</i> (L.) Kuntze (1)					<i>Glossostigma cleistanthum</i> is not an accepted name (1)
			<i>Glossostigma spathulatum</i> Wight & Arn. (1)					
			<i>Limosella diandra</i> L. (basionym) (1)					
Narrow leaf bittercress	Narrow-leaf bittercress	<i>Cardamine impatiens</i> L. (1,2,6,10) (Accepted)	<i>Cardamine basisagittata</i> W. T. Wang (10)	<i>Cardamine impatiens</i> L. var. <i>pectinata</i> (Pall. ex DC.) Trautv. (1)	<i>Cardamine pectinata</i> Pall. ex DC. (1)			
			<i>C. dasycarpa</i> Marschall von Bieberstein (10)	<i>Cardamine impatiens</i> L. var. <i>impatiens</i> (1)				
			<i>C. glaphyropoda</i> O. E. Schulz (10)	<i>C. glaphyropoda</i> var. <i>crenata</i> T. Y. Cheo & R. C. Fang (10)				
				<i>C. impatiens</i> var. <i>angustifolia</i> O. E. Schulz (10)				
				<i>C. impatiens</i> var. <i>dasycarpa</i> (Marschall von Bieberstein) T. Y. Cheo & R. C. Fang (10)				
				<i>C. impatiens</i> subsp. <i>elongata</i> O. E. Schulz (10)				
				<i>C. impatiens</i> var. <i>eriocarpa</i> de Candolle (10)				
				<i>C. impatiens</i> var. <i>fumaria</i> H. Léveillé (10)				
				<i>C. impatiens</i> var. <i>microphylla</i> O. E. Schulz (10)				
				<i>C. impatiens</i> var. <i>obtusifolia</i> Knaf (10)				
				<i>C. impatiens</i> var. <i>villosa</i> O. E. Schulz (10)				
				<i>C. nakaiana</i> H. Léveillé (10)				
				<i>C. senanensis</i> Franchet & Savatier (10)				
Policeman's helmet	ornamental jewelweed, Himalayan balsam, Indian balsam, Washington orchid	<i>Impatiens glandulifera</i> Royle (1,2,6,7,10) (Accepted)	<i>Impatiens roylei</i> Walp. (1,2,6,7,10)					
			<i>Impatiens glanduligera</i> Lindley (7)					
Russian knapweed	hardheads, Turestan thistle, blueweed, creeping knapweed, mountain-bluet, Russian centaurea	<i>Rhaponticum repens</i> (L.) Hidalgo (1,2,10) (Accepted)	<i>Centaurea repens</i> L. (Basionym) (1,2,6,7,8,10)					<i>Centaurea repens</i> is not an accepted name (2) <i>Acroptilon repens</i> is accepted (6,7) <i>Rhaponticum repens</i> is accepted (1) <i>C. repens</i> is accepted (8)
			<i>Acroptilon repens</i> (L.) DC. (1,2,6,7,8,10)					
			<i>Centaurea picris</i> Pall. ex Willd. (1,2,6,7,8,10)					
			<i>Serratula picris</i> (Pallas ex Willdenow) M. Bieberstein (10)					
Sacred lotus	East Indian lotus, lotus, lotusroot, Oriental lotus	<i>Nelumbo nucifera</i> Gaertn. (1,2,6,10) (Accepted)	<i>Nelumbium nelumbo</i> (L.) Druce (2,6)	<i>Nelumbo nucifera</i> Gaertn. subsp. <i>lutea</i> (Willd.) Borsch & Barthlott (8)				
		<i>Nelumbo lutea</i> Willd. (8)	<i>Nelumbo nelumbo</i> (L.) Druce, nom. inval. (1)	<i>Nelumbo pentapetala</i> sensu Fernald, non <i>Nymphaea pentaphylla</i> Walter (8)				<i>Nelumbo lutea</i> is accepted by (8)
			<i>Nelumbium speciosum</i> Willd. (2,6,10)	<i>N. nucifera</i> var. <i>macrorhizomata</i> Nakai (10)				
			<i>Nelumbo speciosa</i> Willd. (1,2,6)					
			<i>Nelumbo caspica</i> Eichw. (1)					
			<i>Nelumbo komarovii</i> Grossh. (1,10)					
			<i>Nymphaea nelumbo</i> L. (1,10)					
			<i>Nelumbium luteum</i> Willd. (8)					
Southern cattail	cattail, lesser reed-mace, narrow-leaf cumbungi	<i>Typha domingensis</i> Pers. (1,2,6) (Accepted)	<i>Typha angustata</i> Bory & Chaub. (2,6,10)					
			<i>Typha australis</i> Schum. & Thonn. (10)					
Wanded loosestrife	European wand loosestrife, purple loosestrife	<i>Lythrum virgatum</i> L. (1,2,6,10) (Accepted)						

Water-hyacinth	common water-hyacinth, floating waterhyacinth, lilac devil, water orchid	<i>Eichhornia crassipes</i> (Mart.) Solms (1,2,6,7,10) (Accepted)	<i>Eichhornia speciosa</i> Kunth (2,6,7,10)					
			<i>Piaropus crassipes</i> (Mart.) Raf. (2,6,7)					
			<i>Pontederia crassipes</i> Mart. (basionym) (1,7,10)					
			<i>Piaropus mesomelas</i> (7)					
			<i>Heteranthera formosa</i> (Miq.) (7,10)					
Water lettuce	Nile-cabbage, shellflower, water-cabbage, waterbonnet, tropical duckweed	<i>Pistia stratiotes</i> L. (1,2,6,7,10) (Accepted)	<i>Apiospermum obcordatum</i> Klotzsch, nom. illeg. superfl. (10)					
			<i>Pistia obcordata</i> Schleiden, nom. illeg. superfl. (10)					
Water soldiers	water-aloë, water-soldier	<i>Stratiotes aloides</i> L. (1,2,6) (Accepted)						
Water spinach	swamp morningglory, Chinese waterspinach, water-convolvulus, aquatic morning glory, kang kong, swamp cabbage, ung-choi, water bindweed	<i>Ipomoea aquatica</i> Forssk. (1,2,6,7,10) (Accepted)	<i>Ipomoea reptans</i> Poir. (1,2,7,10)					
			<i>Ipomoea reptans</i> auct. (6)					
			<i>Convolvulus repens</i> Vahl (7,10)					
			<i>Ipomoea repens</i> Roth (7,10)					
			<i>Ipomoea subdentata</i> Miq. (7,10)					
Wavy leaf basket grass	wavyleaf basketgrass, basketgrass, bristle basket grass, woods grass	<i>Oplismenus hirtellus</i> (L.) P. Beauv. (1,2,6,10) (Accepted)	<i>Oplismenus undulatifolius</i> (Ard.) P. Beauv. (2,7,10)	<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>capensis</i> (Hochst.) Mez ex U. Scholz (1)	<i>Oplismenus africanus</i> var. <i>capensis</i> (Hochst.) Stapf (1)	<i>Oplismenus capensis</i> Hochst. (basionym) (1)		
			<i>Oplismenus coreanus</i> Nakai (2)	<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>hirtellus</i> (1)				
			<i>Orthopogon bolosii</i> Vayr. (2)	<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>setarius</i> (Lam.) Mez ex Ekman (1)	<i>Oplismenus setarius</i> (Lam.) Roem. & Schult. (1)			
Wavy leaf basket grass			<i>Orthopogon undulatifolius</i> (Ard.) Spreng. (2)	<i>Oplismenus hirtellus</i> (L.) P. Beauv. ssp. <i>undulatifolius</i> (Ard.) U. Scholz (1,7)	<i>Oplismenus undulatifolius</i> (Ard.) Roem. & Schult. (1,2,6)	<i>Panicum undulatifolium</i> Ard. (basionym) (1,2,6,7)		Species of concern
			<i>Orthopogon undulatus</i> Link (2)					
			<i>Oplismenus africanus</i> P. Beauv. (1)					
			<i>Panicum hirtellum</i> L. (basionym) (1)					
			<i>Panicum setarium</i> Lam. (1)					

Prohibited/Restricted								
Dalmation toadflax	Dalmation toadflax, Balkan toadflax, broadleaf toadflax	<i>Linaria dalmatica</i> (L.) Mill. (1,2,6,8) (Accepted)	<i>Antirrhinum dalmaticum</i> L. (basionym) (1,8)	<i>Linaria dalmatica</i> ssp. <i>dalmatica</i> (L.) Mill. (2,6) (Accepted)	<i>Linaria genistifolia</i> ssp. <i>dalmatica</i> (L.) Maire & Petitm. (1,2,6,8)			Need to find out more about the population in WI. If isolated, it should be Prohibited. If more common than originally thought, it should be Restricted or split listed.
			<i>Linaria genistifolia</i> (L.) Mill., sensu Salamun (8)		<i>Linaria jattoe</i> Palanza (2,6)			Corrected spelling of species
				<i>Linaria dalmatica</i> ssp. <i>macedonica</i> (Griseb.) D.A. Sutton (2,6) (Accepted)	<i>Linaria macedonica</i> Griseb. (2,6)			
					<i>Linaria dalmatica</i> var. <i>macedonica</i> (Griseb.) Vandas (2,6)			
Grecian foxglove	digitalis, woolly digitalis, woolly foxglove	<i>Digitalis lanata</i> Ehrh. (1,2,6,8) (Accepted)						Need to find out more about the size and distribution of the populations.
Johnsongrass	Johnson grass, Aleppo grass, evergreen millet, means grass, aleppo milleterass	<i>Sorghum halepense</i> (L.) Pers. (1,2,6,7,8,10) (Accepted)	<i>Holcus halepensis</i> L. (Basionym) (1,2,6,7,10)	<i>Andropogon halepensis</i> ssp. <i>anatherus</i> Piper (2)				Prohibited in north, Restricted in south
			<i>Andropogon miliformis</i> Schult. (1)	<i>Andropogon halepensis</i> var. <i>anatherus</i> Piper (1,7)				
			<i>Sorghum miliaecum</i> (Roxb.) Snowden (1,2,6,7)	<i>Andropogon sorghum</i> ssp. <i>halepensis</i> (L.) Hack. (2,7)				
			<i>Andropogon arundinaceus</i> Scop. (2,7)	<i>Andropogon halepensis</i> var. <i>genuinus</i> Stapf ex Hook. F. (2,7)				
			<i>Andropogon controversus</i> Steud. (1,2)	<i>Andropogon halepensis</i> var. <i>muticus</i> (Hack.) Asch. & Graebn. (2,7)				
			<i>Andropogon halepensis</i> (L.) Brot. (1,2,7,10)	<i>Andropogon sorghum</i> var. <i>corymbosus</i> Hack. (2)				

			<i>Andropogon miliaceus</i> Roxb. (1,2)	<i>Andropogon sorghum</i> var. <i>halapensis</i> (L.) Hack. (2,10)				
			<i>Blumenbachia halepensis</i> (L.) Koeler (2,7)	<i>Andropogon sorghum</i> var. <i>perennis</i> Bertoni (2)				
			<i>Milium halepense</i> (L.) Cav. (2,7)	<i>Sorghum halepense</i> var. <i>genuinum</i> Hack. (2)				
			<i>Rhaphis halepensis</i> (L.) Roberty (2)	<i>Sorghum halepense</i> var. <i>halapense</i> (L.) Pers. (2)				
			<i>Sorghum controversum</i> (Steud.) Snowden (1,2,7)	<i>Sorghum halepense</i> var. <i>muticum</i> (Hack.) Hayek (2,7)				
			<i>Sorghum halepense</i> (L.) Pers. (2)	<i>Sorghum halepense</i> var. <i>muticum</i> (Hack.) Parodi (2)				
			<i>Trachypogon avenaceus</i> Nees (2)	<i>Sorghum saccharatum</i> var. <i>halapense</i> (L.) Kuntze (2,7)				
			<i>Holcus exiguus</i> Forssk. (1)	<i>Andropogon sorghum</i> subvar. <i>genuinus</i> Hack. (2,7)				
			<i>Sorghum alnum</i> Parodi (7)	<i>Andropogon sorghum</i> subvar. <i>leiocladus</i> Hack. (2)				
				<i>Andropogon sorghum</i> subvar. <i>muticum</i> Hack. (2)				
				<i>Andropogon sorghum</i> subvar. <i>trachycladus</i> Hack. (2)				
				<i>Sorghum halepense</i> f. <i>halapense</i> (L.) Pers. (2)				
				<i>Sorghum halepense</i> f. <i>muticum</i> (Hack.) C.E. Hubb. (2)				
				<i>Holcus halepensis</i> var. <i>milliformis</i> (Schult.) Hitchc. (1)				
				<i>Holcus sorghum</i> var. <i>exiguus</i> (Forssk.) Hitchc. (1)				
				<i>Sorghum miliaceum</i> var. <i>parvispicula</i> Snowden (1)				
				<i>Andropogon halepensis</i> (L.) Brot. var. <i>muticum</i> (Hack.) Asch & Graebn. (7)				
				<i>Andropogon halepensis</i> (L.) Brot. var. <i>typicus</i> Asch & Graebn. (7)				
				<i>Andropogon sorghum</i> (L.) Brot. subvar. <i>leiostachys</i> Hack (7)				
				<i>Sorghum alnum</i> Parodi var. <i>typicum</i> Parodi (7)				
				<i>Holcus halepensis</i> L. var. <i>genuinus</i> Honda (10)				
Seaside goldenrod	salt-marsh goldenrod	<i>Solidago sempervirens</i> L. (1,2,6,8,10) (Accepted)	<i>Aster sempervirens</i> (Linnaeus) Kuntze (10)	<i>Solidago sempervirens</i> ssp. <i>mexicana</i> (L.) Semple (2) (Accepted)	<i>Solidago angustifolia</i> Elliot (2,6)			Restricted in counties where it is currently found with a few county buffer and Prohibited in the rest of the state
					<i>Solidago mexicana</i> L. (2,6)			
					<i>Solidago petiolata</i> auct. non Mill. (2,6)			
					<i>Solidago sempervirens</i> var. <i>mexicana</i> (L.) Fernald (2,6)			
				<i>Solidago sempervirens</i> ssp. <i>sempervirens</i> L. (2) (Accepted)	<i>Solidago sempervirens</i> var. <i>sempervirens</i> L. (2,6)			

Restricted Statewide								
Amur maple	ginnala maple, tartar maple, Mangolian vaahtera, Siberian maple	<i>Acer tataricum</i> L. (1,7,10)	<i>Acer ginnala</i> (Maximowicz) (7,10)	<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm. (1,2,6,8,10)	<i>Acer ginnala</i> subsp. <i>theiferum</i> (W. P. Fang) W. P. Fang (1,7)		Exempt all cultivars	<i>Acer tataricum</i> subsp. <i>ginnala</i> is not an accepted name (2) But is accepted by (1) <i>Acer ginnala</i> is accepted by (7)
					<i>Acer ginnala</i> Maxim. (2,6,8) (Accepted) (Basionym)			Species of concern
					<i>Acer theiferum</i> W. P. Fang (1,7)			
	Tartarian maple			<i>Acer tataricum</i> L. subsp. <i>tataricum</i> (1,7)				
				<i>Acer tataricum</i> L. subsp. <i>semenovii</i> (Regel & Herder) A. E. Murray (1,7)	<i>Acer semenovii</i> Regel & Herder (1)			
					<i>Acer ginnala</i> var. <i>semenovii</i> (Regel & Herder) Pax (1)			

				<i>Acer tataricum</i> L. subsp. <i>aidzense</i> (Franch.) P. C. DeLong (1,7)	<i>Acer tataricum</i> var. <i>aidzense</i> Franch. (1)			
				<i>Acer ginnala</i> var. <i>euginnala</i> (Pax) (7)				
				<i>Acer tataricum</i> subsp. <i>tataricum</i> var. <i>terminaloides</i> (7)				
				<i>Acer tataricum</i> var. <i>laciniatum</i> (Regel) (7,10)				
Aquatic forget-me-not	forget-me-not, yelloweye forget-me-not, true forget-me-not, water forget-me-not, water scorpion-grass	<i>Myosotis scorpioides</i> L. (1,2,6,8) (Accepted)	<i>Myosotis palustris</i> (L.) Hill (1,2,6,8)					
Balfour's touch-me-not	Kashmir balsam	<i>Impatiens balfourii</i> Hook. f. (1,2,6,8,10) (Accepted)						
Bishop's goutweed	ashweed, bishop's-weed, goutweed, ground-elder, herb-Gerard	<i>Aegopodium podagraria</i> L. (1,2,6,8,10) (Accepted)		<i>Aegopodium podagraria</i> var. <i>variegatum</i> L.H. Bailey (2,6,8)				
Black alder	alder, European alder, European black alder, common alder, sticky alder	<i>Alnus glutinosa</i> (L.) Gaertn. (1,2,6,7,8,10) (Accepted)	<i>Betula glutinosa</i> (L.) Lam. (1,2,7)	<i>Betula alnus</i> var. <i>glutinosa</i> L. (1,2,7,8,10) (Basionym)			Exempt all cultivars and hybrids	
			<i>Alnus alnus</i> (L.) Britton (2,6,7,8)	<i>Alnus glutinosa</i> subsp. <i>barbata</i> (C. A. Mey.) Yalt. (1)				
			<i>Alnus barbata</i> C. A. Mey. (1,7)	<i>Alnus glutinosa</i> var. <i>barbata</i> (C. A. Mey.) Ledeb. (1)				
			<i>Betula alnus</i> L. (1)					
			<i>Alnus rotundifolia</i> Miller (7)					
			<i>Alnus vulgaris</i> Hill (8)					
Black knapweed	lesser knapweed, common knapweed, Spanish buttons (meadow knapweed or protean knapweed)	<i>Centaurea nigra</i> L. (1,2,6,8,10) (Accepted)	<i>C. nemoralis</i> Jordan (10)	<i>Centaurea X moncktonii</i> C.E. Britton (2) (Accepted)	<i>Centaurea debeauxii</i> ssp. <i>thuilieri</i> Dostál (2)			
				<i>Centaurea jacea</i> Linnaeus subsp. <i>nigra</i> (Linnaeus) Bonnier & Layens (10)	<i>Centaurea pratensis</i> Thuill. non Salisb. (2)			
					<i>Centaurea nigra</i> var. <i>radiata</i> DC. (2,6,8)			
Black locust	false acacia, yellow locust, Post locust	<i>Robinia pseudoacacia</i> L. (1,2,6,7,8,10) (Accepted)	<i>Robinia pseudo-acacia</i> L. (2)	<i>Robinia pseudoacacia</i> var. <i>rectissima</i> (L.) Raber (1,2,6,7,8)			Exempt cultivars - ALL	
			<i>R. pyramidalis</i> Pepin (10)	<i>Robinia pseudoacacia</i> var. <i>pyramidalis</i> Pepin (1,2,6,10)			Purple robe, Lace Lady, twisty baby, Tortuosa, Umbraculifera	
				<i>Robinia pseudoacacia</i> f. <i>inermis</i> (Mirb.) Rehder (1,2,6)				
				<i>Robinia pseudoacacia</i> L. var. <i>umbraculifera</i> DC. (1,10)				
				<i>Robinia pseudoacacia</i> var. <i>microphylla</i> Lodd. ex Loudon (1)				
				<i>Robinia pseudoacacia</i> var. <i>rozynskiana</i> Späth (1)				
				<i>Robinia pseudoacacia</i> var. <i>semperflorens</i> Carrière (1)				
				<i>Robinia pseudoacacia</i> f. <i>erecta</i> Rehder (1)				
				<i>Robinia pseudoacacia</i> f. <i>microphylla</i> (Lodd. ex Loudon) Rehder (1)				
				<i>Robinia pseudoacacia</i> f. <i>pyramidalis</i> (Pépin) Rehder (1)				
				<i>Robinia pseudoacacia</i> f. <i>rehderi</i> C. K. Schneid. (1)				
				<i>Robinia pseudoacacia</i> f. <i>rozynskiana</i> (Späth) Rehder (1)				
				<i>Robinia pseudoacacia</i> f. <i>semperflorens</i> (Carrière) Voss (1)				
				<i>Robinia pseudoacacia</i> var. <i>inermis</i> Candolle (10)				
Brown knapweed	brown-ray knapweed	<i>Centaurea jacea</i> L. (1,2,6,8,10) (Accepted)	<i>Centaurea pratensis</i> Thuill. (1)					
			<i>Jacea pratensis</i> Lamarck (10)					
Burning bush	winged burning bush, winged euonymus, winged spindle tree, corky spindle tree	<i>Euonymus alatus</i> (Thunb.) Siebold (1,2,6,7,10) (Accepted)	<i>Euonymus alata</i> (Thunb.) Siebold (2,6,7)	<i>Euonymus alatus</i> var. <i>alatus</i> (Thunb.) Siebold (2,6) (Accepted)			Restrict the straight species and cv <i>Nordine</i> and exempt all other cultivars	
			<i>Celastrus alatus</i> Thunb. (1,2,6,7,10) (Basionym)	<i>Euonymus alatus</i> var. <i>apterus</i> Regel (1,2,6) (Accepted)				



			<i>Euonymus subtriflorus</i> Blume (1)	<i>Euonymus alatus</i> (Thunb.) Siebold f. <i>striatus</i> (Thunb.) Makino (1)	<i>Celastrus striatus</i> Thunb. (1,10)			
			<i>Euonymus thunbergianus</i> Blume (1)		<i>Euonymus alatus</i> var. <i>ciliato-dentatus</i> Franch. & Sav. (1,2,6)			
			<i>Euonymus aptera</i> Regel (2,6)		<i>Euonymus alatus</i> f. <i>subtriflorus</i> (Blume) Ohwi (1)			
			<i>Euonymus apterus</i> Regel (2,6)		<i>Euonymus alatus</i> var. <i>subtriflorus</i> (Blume) Franch. & Sav. (1)			
			<i>E. ellipticus</i> (Chen H. Wang) C. Y. Cheng (10)	<i>Euonymus alatus</i> (Thunb.) Siebold var. <i>pubescens</i> Maxim. (1,10)	<i>Euonymus sacrosanctus</i> Koidz. (1)			
			<i>E. striatus</i> (Thunberg) Loesener (10)	<i>Euonymus alatus</i> var. <i>ellipticus</i> Chen H. Wang (10)				
				<i>E. alatus</i> var. <i>microphyllus</i> Chen H. Wang (10)				
				<i>E. alatus</i> var. <i>pilosus</i> Loesener & Rehder (10)				
				<i>E. verrucosus</i> Scopoli var. <i>tchefouensis</i> Debeaux (10)				
Crown vetch	purple crownvetch, Varia crownvetch, axseed, trailing crown-vetch	<i>Securigera varia</i> (L.) Lassen (1,2,6,8,10) (Accepted)	<i>Coronilla varia</i> L. (1,2,6,7,8,10) (Basionym)	<i>Securigera varia</i> (L.) Lassen subsp. <i>orientalis</i> Jahn (7)				<i>Coronilla varia</i> is not accepted (2) But is accepted by (7,8)
Field scabiosa	bluebuttons, gypsy's-rose	<i>Knautia arvensis</i> (L.) J.M. Coult. (1,2,6,8,10) (Accepted)	<i>Scabiosa arvensis</i> L. (1,2,6,8,10) (Basionym)					
Garden heliotrope	valerian, garden valerian, common valerian	<i>Valeriana officinalis</i> L. (1,2,6,8,10) (Accepted)	<i>Valeriana alternifolia</i> Bunge (10)	<i>Valeriana officinalis</i> L. var. <i>latifolia</i> Miq. (1,10)	<i>Valeriana dageletiana</i> Nakai ex F. Maek. (1)			
			<i>V. chinensis</i> Kreyer ex Komarov (10)	<i>Valeriana officinalis</i> L. var. <i>officinalis</i> (1)	<i>Valeriana stubendorffii</i> Kreyer ex Kom. (1,10)			
			<i>V. coreana</i> Briquet (10)	<i>V. alternifolia</i> f. <i>angustifolia</i> (Komarov) Kitagawa (10)				
			<i>V. dubia</i> Bunge (10)	<i>V. alternifolia</i> var. <i>angustifolia</i> (Komarov) S. H. Li (10)				
			<i>V. fauriei</i> Briquet (10)	<i>V. alternifolia</i> f. <i>verticillata</i> (Komarov) S. X. Li (10)				
			<i>V. leiocarpa</i> Kitagawa (10)	<i>V. coreana</i> subsp. <i>leiocarpa</i> (Kitagawa) Voroschilov (10)				
			<i>V. nipponica</i> Nakai ex Kitagawa (10)	<i>V. fauriei</i> var. <i>leiocarpa</i> (Kitagawa) Kitagawa (10)				
			<i>V. pseudofficinalis</i> C. Y. Cheng & H. B. Chen (10)	<i>V. officinalis</i> var. <i>alternifolia</i> (Bunge) Ledebour (10)				
			<i>V. subbipinnatifolia</i> A. I. Baranov (10)	<i>V. stubendorffii</i> f. <i>angustifolia</i> Komarov (10)				
			<i>V. tianschanica</i> Kreyer ex Handel-Mazzetti (10)	<i>V. stubendorffii</i> f. <i>verticillata</i> Komarov (10)				
Garden yellow loosestrife	loosestrife, garden loosestrife, willowweed, willowwort, yellow loosestrife	<i>Lysimachia vulgaris</i> L. (1,2,6,8,10) (Accepted)						
Japanese barberry	Japanese berberis, Thunberg's barberry, crimson pygmy	<i>Berberis thunbergii</i> DC. (1,2,6,7,8,10) (Accepted)		<i>Berberis thunbergii</i> var. <i>atropurpurea</i> Chenault (1,2,6,7)				Restrict straight species and the cultivars: 'Tara', 'Crimson Velvet', 'Sparkle', 'Anderson's Lustre Green', 'Marshall Upright', 'Erecta', 'Bailgreen', 'Jade Carousel', 'Red Rocket', 'Monomb' Cherry Bomb, 'Painter's Palette', 'Inermis', 'Wild type/parent species; var. <i>atropurpurea</i> ; 'Bailone' Ruby Carousel; 'Pow Wow'; 'JN Redleaf', 'Gold Ring', 'Rose Glow', 'Kelleris', 'Kobold's 'JN Variegated' Stardust; 'Bailse' Golden Carousel; <i>B. koreana</i> x <i>B. thunbergii</i> hybrid; Silver Mile; 'Antares'
				<i>Berberis thunbergii</i> DC. var. <i>maximowiczii</i> (Regel) Regel (1,7)	<i>Berberis maximowiczii</i> Regel (1) (Basionym)			
				<i>Berberis thunbergii</i> DC. var. <i>minor</i> Rehder (1,7)				
Moneywort	creeping-Jenny	<i>Lysimachia nummularia</i> L. (1,2,6,8,10) (Accepted)						Corrected spelling of species
Queen of the meadow	meadowsweet	<i>Filipendula ulmaria</i> (L.) Maxim. (1,2,6,10) (Accepted)	<i>Thecanisia ulmaria</i> (L.) Raf. (2)	<i>Filipendula ulmaria</i> ssp. <i>denudata</i> (J. Presl & C. Presl) Hayek (2,6)	<i>Filipendula denudata</i> (J. Presl & C. Presl) Rydb. (2,6)			
			<i>Spiraea denudata</i> J. Presl & C. Presl (2)		<i>Filipendula ulmaria</i> var. <i>denudata</i> (J. Presl & C. Presl) Hayne ex Maxim. (2,6)			
			<i>Thecanisia discolor</i> Raf. (2)	<i>Filipendula ulmaria</i> ssp. <i>ulmaria</i> (L.) Maxim. (2,6,8)	<i>Spiraea ulmaria</i> L. (1,2,6,8,10) (Basionym)			
			<i>Filipendula denudata</i> (J. Presl & C. Presl) Fritsch (2)	<i>Filipendula ulmaria</i> (L.) Maxim. var. <i>ulmaria</i> (8)				
Reed Canary grass	gardener's-garters, ribbon grass, variegated grass	<i>Phalaris arundinacea</i> L. (1,2,6,7,8,10) (Accepted)	<i>Phalaris arundinacea</i> (L.) Raeusch. (6)	<i>Phalaris arundinacea</i> L. var. <i>picta</i> L. (1,2,6,8)	<i>Phalaroides arundinacea</i> (L.) Raeusch. var. <i>picta</i> (L.) Tzvelev (2,6,7,8)		Only ribbon grass cultivar 'Picta'	Species of concern
			<i>Phalaroides arundinacea</i> (L.) Raeusch. (7,8)		<i>Phalaris japonica</i> Steud. (2)			
			<i>Phalaroides arundinacea</i> (L.) Rauschert (1,2)		<i>Phalaris picta</i> (L.) Sloboda (2)			

			<i>Arundo colorata</i> Aiton (2,10)		<i>Phalaris arundinacea</i> ssp. <i>picta</i> (L.) Arcang. (2)			
			<i>Arundo riparia</i> Salisb. (2,10)		<i>Phalaroides arundinacea</i> ssp. <i>japonica</i> (Steud.) Tzelev (2)			
			<i>Balclutha arundinacea</i> (L.) Dumort. (2)		<i>Balclutha arundinacea</i> var. <i>picta</i> (L.) Nyman (2)			
			<i>Balclutha colorata</i> P. Gaertn., B. Mey. & Scherb. (2)		<i>Balclutha arundinacea</i> var. <i>picta</i> (L.) Peterm. (2)			
			<i>Calamagrostis colorata</i> (Aiton) Sibth. (2)		<i>Balclutha arundinacea</i> var. <i>variegata</i> Coss. & Germ. (2)			
			<i>Calamagrostis variegata</i> With. (2,10)		<i>Digraphis arundinacea</i> var. <i>picta</i> (L.) Pacher (2)			
			<i>Digraphis americana</i> Elliott ex Loud. (2)		<i>Phalaris americana</i> var. <i>picta</i> Eaton & Wright (2)			
			<i>Digraphis arundinacea</i> (L.) Trin. (2,10)		<i>Phalaris arundinacea</i> var. <i>japonica</i> (Steud.) Hack. (2,7)			
			<i>Endallex arundinacea</i> Raf. (2)		<i>Phalaris arundinacea</i> var. <i>variegata</i> Parnell (2,7)			
			<i>Endallex arundinacea</i> Raf. ex B.D. Jacks. (2)		<i>Phalaris arundinacea</i> f. <i>luteo-picta</i> Voss (2)			
			<i>Phalaridantha arundinacea</i> (L.) St. Lag. (2)		<i>Phalaris arundinacea</i> f. <i>picta</i> (L.) Asch. & Graebn. (2)			
			<i>Typhoides arundinacea</i> (L.) Moench (2,10)		<i>Phalaris arundinacea</i> f. <i>picta</i> (L.) Paunero (2)			
					<i>Phalaris arundinacea</i> f. <i>variegata</i> (Parnell) Druce (1,2,7,8)			
					<i>Phalaris arundinacea</i> var. <i>colorata</i> Hartm. (2)			
					<i>Phalaris arundinacea</i> var. <i>genuina</i> Hack. (2)			
					<i>Phalaris arundinacea</i> f. <i>coarctata</i> (Prah) Junge (2)			
					<i>Phalaris arundinacea</i> f. <i>minor</i> Jansen & Wacht. (2)			
					<i>Phalaris arundinacea</i> f. <i>pallens</i> Stebler ex Hegi (2)			
					<i>Phalaris arundinacea</i> f. <i>pallida</i> Schwarz (2)			
					<i>Phalaris arundinacea</i> f. <i>ramifera</i> Junge (2)			
					<i>Phalaris arundinacea</i> f. <i>ramosa</i> Gaudin (2)			
					<i>Phalaris arundinacea</i> ssp. <i>typica</i> Paunero (2)			
Rose acacia	bristly locust, moss locust	<i>Robinia hispida</i> L. (1,2,6,8,10) (Accepted)		<i>Robinia hispida</i> var. <i>fertilis</i> (Ashe) R.T. Clausen (1,2,6) (Accepted)	<i>Robinia fertilis</i> Ashe (1,2,6)			
	bristly locust				<i>Robinia grandiflora</i> Ashe (2,6)			
					<i>Robinia pedunculata</i> Ashe (2,6)			
	bristly locust			<i>Robinia hispida</i> var. <i>hispida</i> L. (1,2,6) (Accepted)	<i>Robinia grandiflora</i> auct. non Ashe nec L. nec C.K. Schneid. (2,6)			
					<i>Robinia pallida</i> Ashe (2,6)			
					<i>Robinia speciosa</i> Ashe (2,6)			
	Kelsey's locust			<i>Robinia hispida</i> var. <i>kelseyi</i> (J.F. Cowell ex Hutch.) Isely (1,2,6) (Accepted)	<i>Robinia kelseyi</i> J.F. Cowell ex Hutch. (1,2,6)			
	bristly locust			<i>Robinia hispida</i> var. <i>nana</i> (Elliott) DC. (2,6) (Accepted)	<i>Robinia elliotii</i> (Chapm.) Ashe (2,6)			
					<i>Robinia nana</i> Elliott (2,6)			
	bristly locust			<i>Robinia hispida</i> var. <i>rosea</i> Pursh (2,6) (Accepted)	<i>Robinia albicans</i> Ashe (2,6)			
					<i>Robinia boyntonii</i> Ashe (2,6)			
					<i>Robinia leucantha</i> Rehder (2,6)			
Scarlet pimpernel	burnet-saxifrage, pimpinella, solidstem burnet saxifrage, hollowstem burnet saxifrage	<i>Pimpinella saxifraga</i> L. (1,2,6,8) (Accepted)		<i>Pimpinella saxifraga</i> ssp. <i>nigra</i> (Mill.) Gaudin (2,6) (Accepted)				

				<i>Pimpinella saxifraga</i> ssp. <i>saxifraga</i> L. (2,6) (Accepted)				
				<i>Pimpinella saxifraga</i> var. <i>major</i> L. (2)	<i>Pimpinella major</i> (L.) Huds. (2) (Accepted)	<i>Pimpinella magna</i> L. (2)		
Siberian elm	Chinese elm, dwarf elm, littleleaf elm	<i>Ulmus pumila</i> L. (1,2,6,8,10) (Accepted)	<i>Ulmus manshurica</i> Nakai (8,10)	<i>Ulmus pumila</i> L. var. <i>arborea</i> Litv. (1)	<i>Ulmus turkestanica</i> Regel (1,8)		Exempt all hybrids and parent species for use as root stock	
				<i>Ulmus pumila</i> L. var. <i>pilosa</i> Rehder (1)				
				<i>Ulmus pumila</i> X <i>rubra</i> [unnamed hybrid] (6,8)	<i>Ulmus</i> X <i>notha</i> Wilhelm & G. Ware, nom. inval. (6)			
				<i>Ulmus campestris</i> Linnaeus var. <i>pumila</i> (Linnaeus) Maximowicz (10)				
				<i>U. pumila</i> var. <i>microphylla</i> Persoon (10)				
Siberian peashrub	Siberian peatree	<i>Caragana arborescens</i> Lam. (1,2,6,8,10) (Accepted)	<i>Caragana fruticosa</i> (Pall.) Besser (1,2,6)	<i>Caragana arborescens</i> Lam. var. <i>pendula</i> Carrière (1,6)			Exempt the cultivars <i>Lorbergii</i> , <i>Pendula</i> and <i>Walkerii</i>	
			<i>Caragana sibirica</i> Medik. (1,10)	<i>Caragana arborescens</i> var. <i>redawskii</i> Bean (1)				
			<i>Robinia caragana</i> L. (1,10)	<i>Robinia altagana</i> var. <i>fruticosa</i> Pall. (1)				
				<i>Caragana arborescens</i> f. <i>lorbergii</i> Koehne (1)				
				<i>Caragana fruticosa</i> (Pallas) Besser var. <i>multiflora</i> H. Xie & Y. T. Zhao (10)				
Spiny naiad	holly-leaf waternymph, holly-leaved waternymph, holly-leaf naiad, marine waternymph, marine naiad, spiny waternymph, prickly waternymph, prickly naiad	<i>Najas marina</i> L. (1,2,6,8,10) (Accepted)	<i>Najas gracilis</i> (Morong) Small (2,6,8)	<i>Najas major</i> var. <i>angustifolia</i> A. Braun ex K. Schum. (2,6,8)				
	Slender naiad		<i>Najas major</i> All. (2,6,8,10)	<i>Najas marina</i> var. <i>recurvata</i> Dudley (2,6,8)				
			<i>Najas fucoides</i> Griff. (10)					
Tyrol knapweed	alpine knapweed, short-fringed knapweed, Vochin knapweed, wocheiner knapweed	<i>Centaurea nigrescens</i> Willd. (1,2,8,10) (Accepted)	<i>Centaurea vachinensis</i> auct. non Bernh. ex Rchb. (2,6,8,10)	<i>Centaurea dubia</i> ssp. <i>vachinensis</i> (Bernh. ex Rchb.) Hayek (2,6,8,10)				
			<i>Centaurea pratensis</i> Thuill., nom. illeg., non Salisb. (6)	<i>Centaurea debeauxii</i> Gren. & Godr. ssp. <i>thullieri</i> Dostal (6)				
				<i>Centaurea nigrescens</i> Willd. subsp. <i>nigrescens</i> (1)				
				<i>Centaurea nigrescens</i> Willd. subsp. <i>transalpina</i> (Schleich. ex DC.) Nyman (1)	<i>Centaurea dubia</i> Suter (1,2)			
					<i>Centaurea transalpina</i> auct. non Schleich. ex DC. (1,2,10) (Basionym)			
				<i>C. jacea</i> Linnaeus subsp. <i>nigrescens</i> (Willdenow) Celakovsky (10)				
White bedstraw	false baby's breath, hedge bedstraw, wild madder	<i>Galium mollugo</i> L. (1,2,6,8,10) (Accepted)	<i>Galium erectum</i> Huds. (2,6,8)	<i>Galium mollugo</i> ssp. <i>erectum</i> (Huds.) Briq. (2,6,8)				
			<i>Galium asperifolium</i> Wall. in Roxb. (10)	<i>Galium mollugo</i> var. <i>erectum</i> (Huds.) Domin (2,6,8)				
			<i>Galium mollugo</i> auct. non L.; Hook. f. (10)	<i>Galium mollugo</i> subsp. <i>asperifolium</i> (Wall.) Kitam. (10)				
White mulberry	mulberry, Russian mulberry, silkworm mulberry, Chinese white mulberry, common mulberry	<i>Morus alba</i> L. (1,2,6,7,8,10) (Accepted)	<i>Morus tatarica</i> L. (2,6,7,8,10)	<i>Morus alba</i> var. <i>tatarica</i> (L.) Ser. (2,6,7,8,10)			Exempt male cultivars	
			<i>Morus atropurpurea</i> Roxb. (1,10)	<i>Morus alba</i> f. <i>tatarica</i> Ser. (1)				
			<i>Morus multicaulis</i> Perr. (1)	<i>Morus alba</i> var. <i>multicaulis</i> (Perr.) Loudon (1,2,6,7)				
			<i>Morus indica</i> L. (10)	<i>Morus alba</i> var. <i>constantinopolitana</i> Loudon (1)				
				<i>Morus alba</i> L. f. <i>incurva</i> F.Seym. (8)				
				<i>Morus alba</i> var. <i>purpurea</i> Bureau (10)				
White poplar	abele, silver poplar, silverleaf poplar	<i>Populus alba</i> L. (1,2,6,7,8,10) (Accepted)	<i>Populus caspica</i> Bornm (10)	<i>Populus alba</i> var. <i>bolleana</i> (Lauche) Ed. Otto (1,2,6,7,8)				

				<i>Populus alba</i> var. <i>pyramidalis</i> Bunge (2,6,7,8)				
				<i>Populus alba</i> var. <i>croatica</i> Wesm. (1)				
				<i>Populus alba</i> var. <i>nivea</i> Aiton (1,2,6)				
	gray poplar			<i>Populus X canescens</i> (Aiton) Sm. (pro sp.) (2,6,8) (Accepted)	<i>Populus alba</i> var. <i>canescens</i> Aiton (2,6)	<i>Populus hybrida</i> M. Bieb. (2,6)		
Woodland forget-me-not	garden forget-me-not, wood forget-me-not	<i>Myosotis sylvatica</i> Ehrh. ex Hoffm. (1,2,6,8,10) (Accepted)	<i>Myosotis sylvaticum</i>					<i>Myosotis sylvaticum</i> is not a valid name (2)
	Asian forget-me-not	<i>Myosotis alpestris</i> auct. non F.W. Schmidt (6)	<i>Myosotis alpestris</i> hort. (1)	<i>Myosotis sylvatica</i> Ehrh. var. <i>alpestris</i> auct. non (F.W. Schmidt) Koch (6)				
			<i>Myosotis oblongata</i> Link (1)	<i>Myosotis alpestris</i> F.W. Schmidt ssp. <i>asiatica</i> Vesterg. (6)				
Wormwood	absinthe, absinthium, absinth wormwood, absinth sagewort, common sagewort, insipid absinth	<i>Artemisia absinthium</i> L. (1,2,6,8,10) (Accepted)	<i>Artemesia absinthium</i>	<i>Artemisia absinthium</i> var. <i>absinthium</i> L. (2)				<i>Artemesia absinthium</i> is not a valid name (2)
				<i>Artemisia absinthium</i> var. <i>insipida</i> Stechmann (2,6)				
Yellow iris	yellow flag, flag iris, yellow flag iris, pale yellow flag, water flag, yellow water iris	<i>Iris pseudacorus</i> L. (1,2,6,8,10) (Accepted)	<i>Iris acarifformis</i> Boreau (7)	<i>Iris pseudacorus</i> L. var. <i>parviflora</i> Bastard (7)				
			<i>Iris acoroides</i> Spach (7)					
			<i>Iris bastardi</i> Boreau (7)					
			<i>Iris curtopetala</i> F. Delaroché (7)					
			<i>Iris flava</i> Tornab. (7)					
			<i>Iris lutea</i> Lam. (7)					
			<i>Iris paludosa</i> Pers. (7)					
			<i>Iris sativa</i> Mill. (7)					