

**WISCONSIN DEPARTMENT OF NATURAL RESOURCES  
CREEL SURVEY REPORT**

**GRINDSTONE LAKE  
SAWYER COUNTY**

**2015-2016**



**Treaty Fisheries Publication**

**March, 2016**

## INTRODUCTION

The Wisconsin Department of Natural Resources regularly conducts fishery surveys of area lakes and reservoirs to gather information on species composition, population size, reproductive success, size/age distribution, and growth rates. The information from the netting and electrofishing surveys helps the WDNR determine the best management practices for that body of water. Another important aspect of a fishery is the amount of harvest that is occurring on the lake. This information is collected by creel census or creel survey.

On lakes in the Ceded Territory of Wisconsin, harvest of fish is divided between sport anglers and the six Chippewa tribal bands. The six Chippewa tribal bands harvest fish under rights governed by federal treaties of 1837 and 1842. Most tribal fish harvest is done by spearing during a short period of time in the spring. All speared fish are individually counted by tribal creel clerks, allowing for a complete “census” of the tribal fish harvest in the spring.

Information is also collected on the effects of sport angler harvest on fish populations. Because it would be impractical and costly to conduct a complete “census” of the fish harvested by sport anglers on area lakes, a creel survey is conducted to estimate the amount of fish harvested by sports anglers.

A creel survey is a sampling tool used to measure the fishing activities of the sport anglers and to estimate the amount of fish harvested on a body of water. Creel surveys are designed to have a creel clerk on a lake, work random shifts, and forty hours each week throughout the fishing season. Each month these shifts cover a sample of all the daylight hours. Creel clerks travel their lakes using a boat, snowmobile or vehicle to count and to interview anglers.

The information collected from anglers during the interview includes the species of fish being targeted, catch and harvest, lengths of harvested fish, and hours of fishing effort. Typically only anglers that have completed their fishing trip are interviewed because it provides the most accurate information and it avoids the need to disturb anglers while they are fishing.

You may have encountered one of the DNR creel clerks on a recent fishing trip. The survey only takes a moment of your time and we appreciate your cooperation during an interview. The information collected gives the DNR valuable knowledge required for management of the fishery.

The data collected during the survey is processed by a computer program and summarized by month to calculate estimates of the total fishing pressure, fishing effort directed at each species, catch and harvest rates, and the number of fish caught and harvested.

This creel survey report will provide you with four types of estimated information for this body of water:

1. Overall fishing pressure
2. Fishing effort directed at each species
3. Catch and harvest rates
4. Numbers of fish caught and harvested.

Also included in this report are physical information about the lake, discussion of results of this survey and detailed summaries by species.

# GENERAL LAKE INFORMATION

## Location

Grindstone Lake is located southeast of Hayward in Sawyer County.

## Physical Characteristics

Grindstone Lake is a 3,111 acre drainage lake in the Chippewa River basin. The lake has a maximum depth of 60 feet and the water clarity is high. There is a public boat landing in the southwest corner of the lake off Hwy K. There is another access at Northwoods Beach for small boats.

## Seasons Surveyed

An open water creel survey was conducted from opening day of gamefish season on May 2, 2015 and ran through the end of October. Winter creel was conducted from December 1<sup>st</sup> through the close of the gamefish season on March 6, 2016.

## Harvest Regulations

The following seasons, daily bag limits, and length limits were in place on this lake in 2015-2016:

<u>Species</u>	<u>Season</u>	<u>Bag Limit</u>	<u>Min. Size</u>
Walleye	05/02-3/06	3	*special
Largemouth Bass	05/02-3/06	5	14"
Smallmouth Bass	06/20-3/06	5	14"
Muskellunge	05/23-11/30	1	50"
Northern Pike	05/02-3/06	5	none
Panfish	all year	25	none

\*No minimum length limit, but walleye from 14"-18" may not be kept and only one over 18" is allowed.

# SPECIES CATCH AND HARVEST INFORMATION

Angling information is summarized on a single page for each species. If a page for a particular species is not present in this section it is because no one reported fishing for that species and/or none were caught. Each species page has up to five graphs covering the following:

## FIGURE 1

### ESTIMATED DIRECTED FISHING EFFORT

Total calculated number of hours during each month that anglers spent fishing for this species.

## FIGURE 2

### ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES

Calculated number of hours it takes an angler to catch or harvest a fish of this species. Only information from anglers who were **specifically** targeting this species is reported here.

## FIGURE 3

### ESTIMATED TOTAL ANGLER CATCH AND HARVEST

Calculated number of fish of this species caught or harvested by all anglers. This estimate also includes **incidental** catch and harvest of fish by anglers that were not specifically targeting this species.

## FIGURE 4

### LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK

All fish of this species measured by the clerk during the entire creel survey season.

## **FIGURE 5**

### **AVERAGE LENGTH AND LARGEST FISH HARVESTED**

Average length and the largest fish of this species harvested each month. Only those fish measured by the creel clerk are reported here.

Questions about the report can be directed to  
Gene Hatzenbeler  
WDNR Spooner Office  
810 W. Maple Street  
Spooner, WI 54801  
Phone: (715)635-4164  
Email: [Gene.Hatzenbeler@Wisconsin.gov](mailto:Gene.Hatzenbeler@Wisconsin.gov)

## **Seasonal Angler Effort Summary**

The table provides a summary by month of the total angler hours and total angler hours per acre. Also, the table compares county average and ceded territory average to current survey results.

## **ACKNOWLEDGEMENTS**

The completion of this survey was possible because of the efforts of the following Treaty Assessment Staff: Gene Hatzenbeler, Todd Brecka, Misty Rood, Jill Sunderland, Mac McInroy and Jake Jacobson. We would especially like to recognize the efforts of our creel clerk Marty Kangas who collected the angler interviews.

The Department would like to thank George and Jeanette Long. They generously allowed the department to keep a boat and snowmobile at their property during this survey.

We would also like to thank all the anglers who took the time to offer information about their fishing trip to the survey clerk. Without your cooperation this survey would not have been possible.

Additional copies of this report and those covering other local lakes can be obtained from the Treaty Fisheries Biologist in Spooner or WDNR Webpage.

# WALLEYE

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF FISH MEASURED BY CLERK

















FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



# NORTHERN PIKE



# MUSKELLUNGE



# SMALLMOUTH BASS

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK











FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED





# LARGEMOUTH BASS



# BLUEGILL

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK

















FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



# PUMPKINSEED



# BLACK CRAPPIE



# YELLOW PERCH

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK





FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



# ROCK BASS

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK






FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



## TOTAL ANNUAL ANGLER DIRECTED EFFORT BY SPECIES Grindstone Lake 2015-16

This graph illustrates the percentage of time that anglers spent fishing for each species during the entire creel survey. The percentages are based on the species of fish anglers told the clerk they were fishing for, not what they actually caught. If a particular species is not present in the graph it is because no one reported they were fishing for that species.



# SEASONAL ANGLER EFFORT SUMMARY

## 2015-16

Estimated angler fishing effort on Grindstone Lake for each month surveyed and by season(Summer and Winter).

Month	Number of Angler Party Interviews	Total Angler Hours	Total Angler Hours/Acre	Sawyer County Average Hours/Acre	Ceded Territory Average Hours/Acre
May	71	3364	1.1	4.8	5.1
June	74	5326	1.7	6.4	6.4
July	59	4393	1.4	6.0	6.9
August	60	5375	1.7	5.3	5.4
September	39	3520	1.1	4.5	3.3
October	70	1815	0.6	2.2	1.5
December	2	70	0.0	0.5	1.1
January	35	2328	0.7	0.7	1.6
February	30	2424	0.8	0.6	1.5
March	12	644	0.2	NA	0.2
*Summer Total	373	23792	7.6	29.1	28.6
*Winter Total	79	5466	1.8	1.7	4.4
Grand Total	452	29258	9.4	30.9	33.0

\*"Summer" is May-October; "Winter" is December-March

\*March includes only data collected to the end of the gamefish season.

**Number of Angler Party Interviews** is the number of groups of anglers interviewed by the creel clerk. A party is considered the members of a group who fish together in the same boat, ice shanty, or from shore. The clerk fills out one interview form for each group of anglers. The number of individual anglers actually contacted by the clerk is usually much greater than the number of groups listed in this table since most groups consist of more than one angler.

**Total Angler Hours** is the estimated total number of hours that anglers spent fishing on this lake during each month surveyed.

**Total Angler Hours/Acre** is the total angler hours divided by the area of the lake in acres. This is useful if you wish to compare effort on this lake to others.

**County Average Hours/Acre** is the average angler effort in hours per acre for county lakes that have been surveyed since 1990. This value can be useful in comparisons as well.

**Ceded Territory Average Hours/Acre** is the average angler effort in hours per acre for inland lakes in the ceded territory surveyed between 1990 and 2013. This value can be used to compare this lake to other lakes in the ceded territory.



**CREEL SURVEY HISTORY/SYNOPSIS**

GRINDSTONE LAKE, SAWYER COUNTY

CREEL YEAR: 2015-16

<b>SPECIES</b>	<b>DIRECTED EFFORT (Hours)</b>	<b>PERCENT OF TOTAL</b>	<b>TOTAL CATCH</b>	<b>SPECIFIC CATCH RATE (Hrs/Fish)</b>	<b>TOTAL HARVEST</b>	<b>SPECIFIC HARVEST RATE (Hrs/Fish)</b>	<b>MEAN LENGTH OF HARVESTED FISH</b>
Walleye	12270	34.2%	3705	3.5	668	20.4	18.8
Northern Pike	684	1.9%	239	18.3	77	24.4	26.9
Muskellunge	2696	7.5%	38	125.0	0	NA	NA
Smallmouth Bass	11572	32.3%	11772	1.1	61	434.8	16.5
Largemouth Bass	843	2.4%	400	5.3	10	NA	17.9
Bluegill	2948	8.2%	13820	0.2	4160	0.7	7.3
Pumpkinseed	191	0.5%	41	7.1	31	11.1	7.5
Black Crappie	658	1.8%	37	17.9	37	17.9	12.5
Yellow Perch	3162	8.8%	14561	0.2	2682	1.2	9.1
Rock Bass	846	2.4%	2623	0.8	253	3.5	7.9

CREEL YEAR: 2012-13

<b>SPECIES</b>	<b>DIRECTED EFFORT (Hours)</b>	<b>PERCENT OF TOTAL</b>	<b>TOTAL CATCH</b>	<b>SPECIFIC CATCH RATE (Hrs/Fish)</b>	<b>TOTAL HARVEST</b>	<b>SPECIFIC HARVEST RATE (Hrs/Fish)</b>	<b>MEAN LENGTH OF HARVESTED FISH</b>
Walleye	10841	28.87%	2670	4.2	389	25.0	19.0
Northern Pike	1672	4.45%	267	33.3	66	100.0	26.8
Muskellunge	2704	7.20%	79	100.0	0	NA	NA
Smallmouth Bass	11580	30.84%	11072	1.1	271	50.0	15.2
Largemouth Bass	969	2.58%	441	5.3	22	100.0	16.8
Bluegill	2693	7.17%	5789	0.6	1119	2.6	7.6
Pumpkinseed	390	1.04%	164	12.5	150	12.5	7.9
Black Crappie	949	2.53%	23	50.0	4	NA	10.1
Yellow Perch	4942	13.45%	17448	0.4	2035	2.8	9.6
Rock Bass	810	2.16%	2131	0.7	1049	0.9	8.2