

**LTA:212Ka15**

**NAME:**  
Lower Namekagon Rolling Barrens

**ACRES:**  
40510.508

**SQUARE MILES:**  
63.298

**DESCRIPTION:**  
The characteristic landform pattern is rolling outwash plain. Soils are predominantly excessively drained sand over acid sand outwash. Common habitat types include QGCe and Pam.

**CLIMATE**

CODE	PERCENT
30	13
31	87

**GEOLOGY**

**BEDROCK TYPE DESCRIPTION**  
Sandstone

**AVERAGE DEPTH TO BEDROCK**  
10000

**BEDROCK DEPTH DESCRIPTION**  
Bedrock is between 100 feet and 50 feet of the land surface

**GEOMORPHOLOGY**

**GEOMORPHOLOGY PROCESS**  
Glacial Meltwater Deposition

**TOPOGRAPHY**  
Rolling

**SURFACE**  
Pitted Outwash Plain

**SOIL INFORMATION**

**SOIL ASSOCIATIONS**  
Menahga-Mahtomedi

**SOIL DESCRIPTION**  
Excessively drained sandy soils with a sand surface over non-calcareous sand or gravelly sand outwash.

**SURFACE TEXTURES**  
S

**GENERAL TEXTURES**  
Sandy

**FAMILY TEXTURES**  
S

**DRAINAGE CLASSES**  
ED

**PARENT MATERIAL**  
Outwash

**KOTAR'S HABITAT**

HABITAT 1	HABITAT 2	HABITAT 3	HABITAT 4	HABITAT 5	HABITAT 6

\*Listed in order of probability occurrence, with each having an occurrence of 10% or greater

**WISCLAND LAND COVER**

COVER TYPE CLASS	ACRES	PERCENT
Agricultural Land	4	0
Bare Land	45	0
Forested Wetland	1686	4
Grassland	570	1
Nonforested Wetland	4056	10
Open Water	3191	8
Shrubland	6302	16
Upland Broad-leaved Deciduous	9772	24
Upland Coniferous Forest	10832	27
Upland Mixed Deciduous/Conifer	4049	10

**FINLEY'S PRESETTLEMENT VEGETATION INFORMATION**

CODE	PERCENT	DEFINITION
Hydrographic	3	Water
PW/PR	0	White Pine, Red Pine
PJ/OX	90	Jack Pine, Scrub Oak and Barrens
SC	1	Swamp Conifers - White Cedar, Black Spruce, Tamarack, Hemlock
LH	3	Lowland Hardwoods - Willow, Soft Maple, Box Elder, Ash, Elm, Cotton Wood, River Birch

**HYDROLOGY**

PERENNIAL STREAMS	INTERMITTENT STREAMS	OPEN WATER	MARSH ACRES	DEPTH TO AQUIFER	SURFACE DRAINAGE
65 Miles	0 Miles	2688 Acres	2424 Acres	20'-50'	deranged