

Lake Superior Estuaries Annotated Bibliography

Completed spring 2012 by Amy Staffen, WDNR-Bureau of Endangered Resources

Database locations:

- Mendeley Online Bibliographic Database. Group: "Lake Superior Estuaries" – <http://www.mendeley.com>. Includes abstracts, key words, & web URLs.
- Wisconsin Department of Natural Resources "Coastal Wetlands" webpage – <http://dnr.wi.gov>
- Saint Louis River National Estuarine Research Reserve (in-house EndNote bibliographic database).

Topics

- Aquatic Macroinvertebrates
- Biological Indicators
- Birds
- Climate Change
- Conservation
- Ecology
- Environmental Impact Statements
- Estuaries
- Fish
- Food Chain
- Geomorphology
- Great Lakes – Coastal Wetlands
- Great Lakes – General
- Great Lakes – other than Lake Superior
- Herptiles
- Hydrology
- Indicator Species
- Invasive Species
- Invertebrates – terrestrial or semi-aquatic
- Land-use Planning
- Macrofauna
- Microfauna & Meiofauna
- Monitoring
- Nutrient Cycling & Chemistry
- Palynology
- Plants
- Policy
- Recreation
- Remote Sensing
- Restoration
- Sediment Contaminants
- Water Quality

Acknowledgements

This project was funded by the Wisconsin Coastal Management Program and the National Oceanic and Atmospheric Administration, Office of Ocean and Coastal Resource Management under the Coastal Zone Management Act, Grant # NA11NOS4190097.



Aquatic Macroinvertebrates

- Bowden, R. J. (1975). *Wisconsin Tributary Loadings to the Upper Great Lakes*. Springfield, Virginia. Retrieved from <http://nepis.epa.gov>.
- Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.
- Breneman, D., & Richards, C. (1994). *Benthic macroinvertebrate survey of the St. Louis River estuary in the vicinity of the U.S. Steel and Interlake Tar Superfund Sites*.
- Breneman, D., Richards, C., & Lozano, S. (2000). Environmental Influences on Benthic Community Structure in a Great Lakes Embayment. *Journal of Great Lakes Research*, 26(3), 287–304.
- Cooper, M. J., Uzarski, D. G., & Burton, T. M. (2007). Macroinvertebrate community composition in relation to anthropogenic disturbance, vegetation, and organic sediment depth in four Lake Michigan drowned river-mouth wetlands. *Wetlands*, 27(4), 894–903.
- Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197.
- Diamond, S. A., Milroy, N. J., Mattson, V. R., Heinis, L. J., & Mount, D. R. (2003). Photoactivated toxicity in amphipods collected from polycyclic aromatic hydrocarbon-contaminated sites. *Environmental Toxicology and Chemistry*, 22(11), 2752–2760.
- Envirodyne Engineers Inc. (1983). Revised benthos analysis : Duluth-Superior harbor, fall 1982 and spring 1983. U.S. Army Corps of Engineers, Detroit District.
- Epstein, E.J., Judziewicz, E. J., & Smith, W. A. (1997). *Wisconsin's Lake Superior coastal wetlands evaluation - including other selected natural features of the Lake Superior Basin* (p. 330). Madison, WI USA. Retrieved from <http://dnr.wi.gov/wetlands/cw/>
- Epstein, Eric J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.

- Francko, D. A., & Whyte, R. S. (1999). Midsummer photosynthetic carbon budget for Old Woman Creek wetlands, Ohio: Relative contribution of aquatic macrophytes versus phytoplankton. *Ohio Journal of Science*, 33(2), 6–9.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007a). Atlas of the Dragonfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve and State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007b). Atlas of the Mayfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Klarer, D. M., & Millie, D. F. (1992). Aquatic macrophytes and algae at Old Woman Creek Estuary and other Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 18(4), 622–633.
- MacKenzie, R. A., Kaster, J. L., & Val Klump, J. (2004). The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. *Journal of Great Lakes Research*, 30(1), 58–69.
- Riffell, S. K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.
- Roush, T. (1984). St. Louis Bay benthic macroinvertebrate survey. In A. R. Carlson & N. A. Thomas (Eds.), *Chemical and Biological Studies Related to the Water Quality of St. Louis Bay of Lake Superior* (pp. 57–72). U.S. Environmental Protection Agency.
- Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Trebitz, A. S., West, C. W., Hoffman, J. C., Kelly, J. R., Peterson, G. S., & Grigorovich, I. A. (2010). Status of Non-Indigenous Benthic Invertebrates in the Duluth-Superior Harbor and the Role of Sampling Methods in Their Detection. *Journal of Great Lakes Research*, 36(4), 747–756.

Biological Indicators

- Albert, D. A., & Minc, L. D. (2004). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health & Management*, 7(2), 233–247.
- Brazner, J. C., Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human

influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.

Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.

Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, 11(6), 1609–1622.

Deegan, L., Finn, J., Ayvazian, S., Ryder-Kieffer, C., & Buonaccorsi, J. (1997). Development and validation of an estuarine biotic integrity index. *Estuaries and Coasts*, 20(3), 601–617.

Frieswyk, C. B., Johnston, C. A., & Zedler, J. B. (2007). Identifying and Characterizing Dominant Plants as an Indicator of Community Condition. *Journal of Great Lakes Research*, 33(Special Issue 3), 125–135.

Howe, R. W., Regal, R. R., Hanowski, J., Niemi, G. J., Danz, N. P., & Smith, C. R. (2007). An Index of Ecological Condition Based on Bird Assemblages in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 93–105.

Lawson, R. (2004). Coordinating coastal wetlands monitoring in the North American Great Lakes. *Aquatic Ecosystem Health & Management*, 7(2), 215–221.

Maynard, L., & Wilcox, D. (1997). Coastal wetlands. *State of the Lakes Ecosystem Conference (SOLEC) 1996*. U.S. Environmental Protection Agency.

Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2006). Properties and Performance of the Floristic Quality Index in Great Lakes Coastal Wetlands. *Wetlands*, 26(3), 718–735.

Niemi, G. J., Kelly, J., & Danz, N. (2007). Environmental indicators for the North American Great Lakes Coastal Region: Introduction and Prospectus. *Journal of Great Lakes Research*, 33(3), 1–12.

Price, S. J., Howe, R. W., Hanowski, J. M., Regal, R. R., Niemi, G. J., & Smith, C. R. (2007). Are Anurans of Great Lakes Coastal Wetlands Reliable Indicators of Ecological Condition. *Journal of Great Lakes Research*, 33(sp3), 211–223.

Uzarski, D. G., Burton, T. M., & Genet, J. A. (2004). Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. *Aquatic Ecosystem Health & Management*, 7(2), 269–288.

Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Birds

Agassiz, L. (1850). *Lake Superior, its physical character, vegetation, and animals, compared with those of other and similar regions.* (p. 428). Boston: Gould, Kendall and Lincoln.

Beals, E. (1958). Notes on the summer birds of the Apostle Islands. *The Passenger Pigeon*, 20, 151–160.

Beer, J. R., & Dahlberg, B. L. (1965). Notes on the winter birds of the Apostle Islands. *The Passenger Pigeon*, 27, 141–143.

Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.

Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.

Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.

Craigie, G. E., Timmermans, S. T. A., & Ingram, J. W. (2003). *Interactions Between Marsh Bird Population Indices and Great Lakes Water Levels: A Case Study of Lake Ontario Hydrology.*

Craven, S. R., & Lev, E. (2012). Double-crested Cormorants in the Apostle Islands , Wisconsin , USA : Population Trends , Food Habits , and Fishery Depredations. *Colonial Waterbirds*, 10(1), 64–71.

Danz, N., Niemi, G., Regal, R., & Hollenhorst, T. (2007). Integrated Measures of Anthropogenic Stress in the U.S. Great Lakes Basin. *Environmental Management*, 39(5), 631–647.

Davis, T. E. (1978). *Assessment of habitat types and bird populations in the lower St. Louis River.* Duluth, Minnesota.

- Davis, T. E., & Erwin, R. M. (1982). *Potential impacts of extended winter navigation upon migratory nongame birds of the upper United States Great Lakes*. Laurel, Maryland.
- Davis, T. E., & Niemi, G. J. (1980). Larid breeding populations in the western tip of Lake Superior. *Loon*, 52, 3–14.
- Davis, T. E., Niemi, G. J., Hofslund, P. B., & Kotar, J. (1977). Assessment of habitat types and bird populations in the Duluth-Superior harbor. Duluth, Minnesota: University of Minnesota.
- Elias, J. E., & Meeker, J. E. (1999). Plant communities and birds of six Lake Superior coastal wetlands. *The Passenger Pigeon*, 61(3), 323–336.
- Epstein, E.J., Judziewicz, E. J., & Smith, W. A. (1997). *Wisconsin's Lake Superior coastal wetlands evaluation - including other selected natural features of the Lake Superior Basin* (p. 330). Madison, WI USA.
- Epstein, Eric J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.
- Graetz, J., & Matteson, S. (1996). The status of Black Terns in Wisconsin. *The Passenger Pigeon*, 58(3), 241–248.
- Grandmaison, D. D., & Niemi, G. J. (2007). Local and Landscape Influence on Red-winged Blackbird (*Agelaius phoeniceus*) Nest Success in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 292–304.
- Hanowski, J., Danz, N., & Howe, R. (2007). Consideration of geography and wetland geomorphic type in the development of great lakes coastal wetland bird indicators. *EcoHealth*, 4(2), 194–205.
- Hanowski, J. M., Danz, N. P., Howe, R. W., Regal, R. R., & Niemi, G. J. (2007). Considerations for Monitoring Breeding Birds in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 245–252.
- Howe, R. W., Regal, R. R., Hanowski, J., Niemi, G. J., Danz, N. P., & Smith, C. R. (2007). An Index of Ecological Condition Based on Bird Assemblages in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 93–105.
- Koch, R. G. (1981). *Vegetation and floristics of Allouez Bay, Superior, Wisconsin* (p. 36). Superior, Wisconsin.
- Meyer, S., Ingram, J., & Holmes, K. (2006). Vulnerability of marsh birds in Great Lakes coastal wetlands to climate-induced hydrological change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities*:

Vulnerabilities to climate change and response to adaptation strategies (pp. 79–100). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.

- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Niemi, G.J., Kelly, J., & Danz, N. (2007). Environmental indicators for the North American Great Lakes Coastal Region: Introduction and Prospectus. *Journal of Great Lakes Research*, 33(3), 1–12.
- Niemi, Gerald J. (1980). Breeding bird censuses of wetlands in the St. Louis River estuary. *American Birds*, 34, 95–100.
- Niemi, Gerald J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.
- Peterson, A. R. (1979). Fish and Wildlife Survey of the St. Louis River.
- Prince, H. H., Padding, P. I., & Knapton, R. W. (1992). Waterfowl Use of the Laurentian Great Lakes. *Journal of Great Lakes Research*, 18(4), 673–699.
- Riffell, S. K., Keas, B. E., & Burton, T. M. (2001). Area and Habitat Relationships of Birds in Great Lakes Coastal Wet Meadows. *Wetlands*, 21(4), 492–507.
- Temple, S. A. (1990). Patterns of abundance and diversity of birds on the Apostle Islands. *The Passenger Pigeon*, 52(3), 219–258.
- Timmermans, S. T. A., S Badzinski, S., & W Ingram, J. (2008). Associations between breeding marsh bird abundances and Great Lakes hydrology. *Journal of Great Lakes Research*, 34(2), 351–364.
- Van Stappen, J. F., & Dallman, M. E. (1996). Apostle Islands National Lakeshore 1995 Breeding Bird Survey Report. *The Passenger Pigeon*, 58(1), 35–48.

Climate Change

- Doka, S., Bakelaar, C., & Bouvier, L. (2006). Coastal wetland fish community assessment of climate change in the lower Great Lakes. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 101–127). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Hebb, A., Snell, E., & Sabila, G. (2006). Coastal wetland vegetation community response to climate change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerability to Climate Change and Response to Adaptation Strategies* (pp. 37–78). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Johnston, C. A., Zedler, J. B., & Tulbure, M. G. (2010). Latitudinal gradient of floristic condition among Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 36(4), 772–779. doi:10.1016/j.jglr.2010.09.001
- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes *Typha X glauca* Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.
- Meyer, S., Galloway, M., Grabas, G., & Ingram, J. (2006). Vulnerability of wetland plant communities in Great Lakes coastal wetlands to climate-induced hydrologic change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 21–35). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Meyer, S., Ingram, J., & Holmes, K. (2006). Vulnerability of marsh birds in Great Lakes coastal wetlands to climate-induced hydrological change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 79–100). Toronto, Ontario: Canada and Department of Fisheries and Oceans.
- Mortsch, L. D. (1998). Assessing the impact of climate change on the Great Lakes shoreline wetlands. *Climatic Change*, 40(2), 391–416.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L.

Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.

Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Conservation

Hanselmann, D. P., & Vogel, T. L. (1978). Old Woman Creek, Ohio: The designation of a freshwater estuarine sanctuary. *Coastal Zone Management Journal*, 4(3), 329–336.

Loftus, K., Smardon, R., & Potter, B. (2004). Strategies for the stewardship and conservation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health Management*, 7(2), 305–330.

Notton, T., Techtmann, C., & Notbohm, B. (2002). *A string of pearls: The estuaries of Chequamegon Bay*. University of Wisconsin Board of Regents, University of Wisconsin-Extension, Cooperative Extension.

Ecology

Albert, D. A., & Minc, L. D. (2004). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management*, 7(2), 233–247.

Brazner, J. C., Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.

Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.

Dabydeen, S., & RG., K. (1977). Vegetation and floristics of a sand spoil deposit - Barker's Island in Superior Harbor, Douglas County, Wisconsin. *Michigan Botanist*, 16(1), 39–46.

Elias, J. E., & Meeker, J. E. (1999). Plant communities and birds of six Lake Superior coastal wetlands. *The Passenger Pigeon*, 61(3), 323–336. Retrieved from

Epstein, E. J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.

- Johnston, C. A., & Brown, T. N. (2012). Water Chemistry Distinguishes Wetland Plant Communities of the Great Lakes Coast. *Aquatic Botany*, *In press*.
- Judziewicz, E. J., & Koch, R. G. (1993). Flora and vegetation of the Apostle Islands National Lakeshore and Madeline Island, Ashland and Bayfield Counties, Wisconsin. *The Michigan Botanist*, *32*(2), 43–189.
- Kerfoot, W. C., Robbins, J. A., & Weider, L. J. (1999). A new approach to historical reconstruction: Combining descriptive and experimental paleolimnology. *Limnology and Oceanography*, *44*(5), 1232–1247.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lakela, O. (1939). A Floristic Study of a Developing Plant Community on Minnesota Point, Minnesota. *Ecology*, *20*(4), 544–552.
- Lawson, R. (2004). Coordinating coastal wetlands monitoring in the North American Great Lakes. *Aquatic Ecosystem Health & Management*, *7*(2), 215–221.
- Mayer, T., Edsall, T., & Munawar, M. (2004). Factors affecting the evolution of coastal wetlands of the Laurentian Great Lakes: An overview. *Aquatic Ecosystem Health & Management*, *7*(2), 171–178.
- Meeker, James. (1993). *The ecology of “wild” wild-rice (Zizania palustris var. palustris) in the Kakagon Sloughs, a riverine wetland on Lake Superior*. University of Wisconsin - Madison.
- Meeker, Jim, & Fewless, G. (2008). Change in Wisconsin’s coastal wetlands. In D. M. Waller & T. P. Rooney (Eds.), *The Vanishing Present: Wisconsin’s Changing Lands, Waters, and Wildlife* (pp. 183–192). Chicago, Illinois: University of Chicago Press.
- Minc, L. D. (1997). *Great Lakes Coastal Wetlands: An Overview of Controlling Abiotic Factors, Regional Distribution, and Species Composition* (p. 307). Michigan Natural Features Inventory.
- Minnesota Pollution Control Agency. (1977). Study of Minnesota’s tributaries to Lake Superior. Roseville, Minnesota.: Minnesota Pollution Control Agency.
- Notton, T., Techtmann, C., & Notbohm, B. (2002). *A string of pearls: The estuaries of Chequamegon Bay*. University of Wisconsin Board of Regents, University of Wisconsin-Extension, Cooperative Extension.
- Reid, G. K., & Wood, R. D. (1976). *Ecology of Inland Waters and Estuaries* (p. 485).

Steedman, R. J., & Regier, H. A. (1987). Ecosystem Science for the Great Lakes: Perspectives on Degradative and Rehabilitative Transformations. *Canadian Journal of Fisheries and Aquatic Sciences*, 44(S2), s95–s103.

Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.

Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.

Wilson, S. D., & Keddy, P. A. (2012). Measuring Diffuse Competition Along an Environmental Gradient : Results from a Shoreline Plant Community. *The American Naturalist*, 127(6), 862–869.

Environmental Impact Statements

Chiu, S., & Woodall, A. (1974). *St. Louis River basin model: documentation and sensitivity analysis report* (p. 147). Kansas City, Missouri.

U.S. Army Corps of Engineers. (1998). *Phase II report: Final dredged material management plan study and final environmental impact statement - Duluth-Superior Harbor, Minnesota and Wisconsin*. Detroit, Michigan.

U.S.-Army-Corps-of-Engineers. (2010). *Beneficial use of dredged material, Duluth-Superior Harbor, Minnesota and Wisconsin*. Detroit, Michigan.

Estuaries

Albert, D. A., Wilcox, D. A., Igram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic classification for Great Lakes coastal wetlands. *Journal of Great Lakes Research: Special Issue on Great Lakes Nearshore and Coastal Habitats*, 31(Supplement 1), 129–146.

Auer, N. A. (1996). Importance of habitat and migration to sturgeons with emphasis on lake sturgeon. *Canadian Journal of Fisheries and Aquatic Sciences*, 53(S1), 152–160.

Bedford, K.W., Lindsay, D. A., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 1: A review of estuary hydraulics and transport as applied to rivers tributary to Lake Erie*. (p. 262). Columbus, OH: Ohio State University Water Resources Center.

- Bedford, Keith W. (1992). The Physical Effects of the Great Lakes on Tributaries and Wetlands. *Journal of Great Lakes Research*, 18(4), 571–589.
- Brammell, B. F., Struewing, I. T., Klarer, D. M., & Lynn, S. G. (2009). An evaluation of the ichthyofauna of Old Woman Creek Estuary, a unique aquatic resource. *Journal Of Freshwater Ecology*, 24(4), 521–528.
- Brant, R. A., & Herdendorf, C. E. (1972). Delineation of Great Lakes estuaries. *Proceedings of the 15th Conference on Great Lakes Research* (pp. 710–718). International Association of Great Lakes Research.
- Brazner, J. C., Campana, S. E., Tanner, D. K., & Schram, S. T. (2004). Reconstructing Habitat Use and Wetland Nursery Origin of Yellow Perch from Lake Superior using Otolith Elemental Analysis. *Journal of Great Lakes Research*, 30(4), 492–507.
- Bronte, C. R., Evrard, L. M., Brown, W. P., Mayo, K. R., & Edwards, A. J. (1998). Fish Community Changes in the St. Louis River Estuary, Lake Superior, 1989–1996: Is It Ruffe or Population Dynamics? *Journal of Great Lakes Research*, 24(2), 309–318.
- Cooper, M. J., Uzarski, D. G., & Burton, T. M. (2007). Macroinvertebrate community composition in relation to anthropogenic disturbance, vegetation, and organic sediment depth in four Lake Michigan drowned river-mouth wetlands. *Wetlands*, 27(4), 894–903.
- Deegan, L., Finn, J., Ayvazian, S., Ryder-Kieffer, C., & Buonaccorsi, J. (1997). Development and validation of an estuarine biotic integrity index. *Estuaries and Coasts*, 20(3), 601–617.
- Dyer, K. (1990). The rich diversity of estuaries. *Estuaries and Coasts*, 13(4), 504–505.
- Edsall, T. A., Gorman, O. T., & Evrard, L. M. (2004). Burrowing mayflies as indicators of ecosystem health: Status of populations in two western Lake Superior embayments. *Aquatic Ecosystem Health & Management*, 7(4), 507–513.
- Hanselmann, D. P., & Vogel, T. L. (1978). Old Woman Creek, Ohio: The designation of a freshwater estuarine sanctuary. *Coastal Zone Management Journal*, 4(3), 329–336.
- Heath, R. T. (1992). Nutrient dynamics in Great Lakes coastal wetlands: Future directions. *Journal of Great Lakes Research*, 18(4), 590–602.
- Herdendorf, C. (2004). Morphometric factors in the formation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health and Management*, 7(2), 179–197.
- Herdendorf, C.E., & Hume, T. M. (1991). *Morphometry and water storage in Old Woman Creek: A freshwater estuary in western Lake Erie* (p. 66). Columbus, OH.

- Herdendorf, C.E., & Wilson, A. M. (1987). *Limnological survey of Old Woman Creek Estuary, Lake Erie* (p. 81). Put-in-Bay, OH.
- Herdendorf, Charles E. (1990). Great Lakes Estuaries. *Estuaries*, 13(4), 493–503.
doi:10.2307/1351795
- Herdendorf, Charles E. (1992). Lake Erie Coastal Wetlands: An overview. *Journal of Great Lakes Research*, 18(4), 533–551.
- Hoffman, J. C., Cotter, A. M., Peterson, G. S., Corry, T. D., & Kelly, J. R. (2011). Rapid stable isotope turnover of larval fish in a Lake Superior coastal wetland: Implications for diet and life history studies. *Aquatic Ecosystem Health & Management*, 14(4), 403–413.
- Hoffman, W. S. (1985). *The fishes of Old Woman Creek: State Nature Preserve and National Estuarine Research Reserve Technical Report No. 4* (p. 24). Columbus, OH.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007a). Atlas of the Dragonfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve and State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007b). Atlas of the Mayfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Kennedy, V. S. (1984). *The estuary as a filter* (p. 511). New York, NY: Academic Press.
- Keough, J. R., Thompson, T. A., Guntenspergen, G. R., & Wilcox, D. A. (1999). Hydrogeomorphic factors and ecosystem responses in coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 821–834.
- Kepner, R.L., J., & Pratt, J. R. (1996). Characterization of surface-associated Protozoan communities in a Lake Erie coastal wetland (Old Woman Creek, Ohio). *Journal of Great Lakes Research*, 22(1), 63–76.
- Klarer, D. M. (1983). A survey of phytoplankton in Old Woman Creek estuary. *Ohio Journal of Science*, 83(2), 93.
- Klarer, D. M., & Millie, D. F. (1992). Aquatic macrophytes and algae at Old Woman Creek Estuary and other Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 18(4), 622–633.

- Klarer, D. M., & Millie, D. F. (1994). Regulation of phytoplankton dynamics in a Laurentian Great Lakes estuary. *Hydrobiologia*, 286(2), 97–108.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Krieger, K.A., & Klarer, D. M. (1991). Zooplankton dynamics in a Great Lakes coastal marsh. *Journal of Great Lakes Research*, 17(2), 255–269.
- Krieger, Kenneth A. (1989). Lake Erie Estuarine Systems: Issues, Resources, Status, and Management. *NOAA Estuary-of-the-Month Seminar Series No. 14*. Washington, D.C.: NOAA Estuarine Programs Office.
- Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.
- Lawrie, A. H., & Rahrer, J. F. (1972). Lake Superior: Effects of Exploitation and Introductions on the Salmonid Community. *Journal of the Fisheries Research Board of Canada*, 29(6), 765–776.
- Matisoff, G., Bonniwell, C., & Whiting, P. J. (2002). Radionuclides as Indicators of Sediment Transport in Agricultural Watersheds that Drain to Lake Erie. *Journal of Environmental Quality*, 31(1), 62–72.
- Matisoff, G., & Eaker, J. P. (1992). Summary of Sediment Chemistry Research at Old Woman Creek, Ohio. *Journal of Great Lakes Research*, 18(4), 603–621.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- NOAA. (2011). *National Estuarine Research Reserve System Strategic Plan 2011-2016* (p. 12). Silver Spring, MD.
- Niemi, G. J. (1980). Breeding bird censuses of wetlands in the St. Louis River estuary. *American Birds*, 34, 95–100.
- Notton, T., Techtman, C., & Notbohm, B. (2002). *A string of pearls: The estuaries of Chequamegon Bay*. University of Wisconsin Board of Regents, University of Wisconsin-Extension, Cooperative Extension.

- Ogle, D. H., Selgeby, J. H., Newman, R. M., & Henry, M. G. (1995). Diet and feeding periodicity of ruffe in the St. Louis River estuary, Lake Superior. *Transactions of the American Fisheries Society*, 124(3), 356–369.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Reid, G. K., & Wood, R. D. (1976). *Ecology of Inland Waters and Estuaries* (p. 485).
- Robinson, P., & Shepard, R. (2008). An assessment of Wisconsin's Great Lakes freshwater estuary applied research, management, and outreach needs. Madison, Wisconsin: University of Wisconsin - Extension.
- Saltonstall, K., Burdick, D., Miller, S., & B., S. (2005). Native and Non-native Phragmites: Challenges in Identification, Research, and Management of the Common Reed. National Estuarine Research Reserve.
- Schram, S.T. (1983). *Population characteristics of northern pike in a Lake Superior estuary* (p. 8). Madison, Wisconsin.
- Schram, Stephen T, Margenau, T. L., & Blust, W. H. (1992). Population biology and management of the Walleye in western Lake Superior. *Wisconsin Department of Natural Resources Technical Bulletin*, 177, 1–28.
- Schubel, J., & Pritchard, D. (1990). Great Lakes estuaries—Phooey. *Estuaries and Coasts*, 13(4), 508–509.
- Sierszen, M. E., Brazner, J. C., & Morrice, J. A. (2001). Nutrient-mediated shifts in coastal wetland food web structure. *Abstracts from the 44th Conference on Great Lakes Research* (p. 123). Green Bay, Wisconsin.
- Simon, T. P., & Vondruska, J. T. (1991). Larval identification of the ruffe, *Gymnocephalus cernuus* (Linnaeus) (Percidae: Percini), in the St. Louis River Estuary, Lake Superior drainage basin, Minnesota. *Canadian Journal of Zoology*, 69(2), 436–442.
- Smith, P. L., Ragotzkie, R. A., Andren, A. W., & Harris, H. J. (1988). Estuary rehabilitation: The Green Bay story. *Oceanus*, 31(3), 12–20.
- Sorensen M; Huls, H; Costello, M, J. S. (2004). Analyses of Lake Superior Seiche Activity for Estimating Effects on Pollution Transport in the St. Louis River Estuary under Extreme Conditions. *Journal of Great Lakes Research*, 30(2), 293–300.
- Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State

Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.

- Trebitz, A. S., Morrice, J. A., & Cotter, A. M. (2002). Relative Role of Lake and Tributary in Hydrology of Lake Superior Coastal Wetlands. *Journal of Great Lakes Research*, 28(2), 212–227.
- Trebitz, Anett S. (2006). Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *Journal of Great Lakes Research*, 32(1), 102–116.
- Trexel-Knoll, D., & Francko, D. A. (2009). Changes in the Old Woman Creek plant community following reduced water levels. Ohio Department of Natural Resources Division of Wildlife – Old Woman Creek National Estuarine Research Reserve.
- Wasson, K., Lohrer, D., Crawford, M., & Rumrill, S. (2002). Non-native species in our nation's estuaries: A framework for an invasion monitoring program. National Estuarine Research Reserve.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Wilson, C., Matisoff, G., & Whiting, P. (2010). The Movement of Sediment in the Old Woman Creek Watershed. Case Western Reserve University.
- Yeo, I.-Y., Guldmann, J.-M., & Gordon, S. I. (2007). A hierarchical optimization approach to watershed land use planning. *Water Resources Research*, 43(11), 1–17.

Fish

- Agassiz, L. (1850). *Lake Superior, its physical character, vegetation, and animals, compared with those of other and similar regions*. (p. 428). Boston: Gould, Kendall and Lincoln.
- Auer, N. A. (1996). Importance of habitat and migration to sturgeons with emphasis on lake sturgeon. *Canadian Journal of Fisheries and Aquatic Sciences*, 53(S1), 152–160.
- Bergstrom, M. A., Evrard, L. M., & Mensinger, A. F. (2008). Distribution, Abundance, and Range of the Round Goby, *Apollina melanostoma*, in the Duluth-Superior Harbor and St. Louis River Estuary, 1998–2004. *Journal of Great Lakes Research*, 34(3), 535–543.
- Bergstrom, M., & Mensinger, A. (2009). Interspecific Resource Competition between the Invasive Round Goby and Three Native Species: Logperch, Slimy Sculpin, and

- Spoonhead Sculpin. *Transactions of the American Fisheries Society*, 138(5), 1009–1017.
- Brammell, B. F., Struewing, I. T., Klarer, D. M., & Lynn, S. G. (2009). An evaluation of the ichthyofauna of Old Woman Creek Estuary, a unique aquatic resource. *Journal Of Freshwater Ecology*, 24(4), 521–528.
- Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Brazner, J., Tanner, D., & Morrice, J. (2001). Fish-Mediated Nutrient and Energy Exchange between a Lake Superior Coastal Wetland and its Adjacent Bay. *Journal of Great Lakes Research*, 27(1), 98–111.
- Brazner, J.C., Tanner, D. K., & Jensen, D. A. (1997). Seasonal abundance and distribution of ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *International Symposium on the Biology & Management of the Eurasian Ruffe* (pp. 21–23). Ann Arbor, MI.
- Brazner, J.C., Tanner, D. K., Jensen, D. A., & Lemke, A. E. (1998). Relative abundance and distribution of Ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *Journal of Great Lakes Research*, 24(2), 293–303.
- Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.
- Brazner, John C, Tanner, D. K., Detenbeck, N. E., Batterman, S. L., Stark, S. L., Jagger, L. A., & Snarski, V. M. (2004). Landscape Character and Fish Assemblage Structure and Function in Western Lake Superior Streams: General Relationships and Identification of Thresholds. *Environmental Management*, 33(6), 855–875.
- Brazner, John C. (1994). *Patterns in fish assemblages from coastal wetland and other littoral habitats in Green Bay, Lake Michigan*. University of Wisconsin-Madison.
- Brazner, John C., Campana, S. E., & Tanner, D. K. (2004). Habitat Fingerprints for Lake Superior Coastal Wetlands Derived from Elemental Analysis of Yellow Perch Otoliths. *Transactions of the American Fisheries Society*, 133(3), 692–704.
- Brazner, John C., Campana, S. E., Tanner, D. K., & Schram, S. T. (2004). Reconstructing Habitat Use and Wetland Nursery Origin of Yellow Perch from Lake Superior using Otolith Elemental Analysis. *Journal of Great Lakes Research*, 30(4), 492–507.

- Briggs, M. (1978). *PCB's in white suckers from the St. Louis River at Cloquet and Brookston* (p. 1). St. Paul, MN.
- Bronte, C. R., Ebener, M. P., Schreiner, D. R., DeVault, D. S., Petzold, M. M., Jensen, D. A., Richards, C., et al. (2003). Fish community change in Lake Superior, 1970–2000. *Canadian Journal of Fisheries and Aquatic Sciences*, 60(12), 1552–1574.
- Bronte, C. R., Evrard, L. M., Brown, W. P., Mayo, K. R., & Edwards, A. J. (1998). Fish Community Changes in the St. Louis River Estuary, Lake Superior, 1989–1996: Is It Ruffe or Population Dynamics? *Journal of Great Lakes Research*, 24(2), 309–318.
- Brown, W. P. (1997). *The early life history of Ruffe (Gymnocephalus cernuus) in the St. Louis River estuary*. University of Minnesota - Duluth, MN.
- Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.
- Cholwek, G., Yule, D., Eitrem, M., Quinlan, H., & Doolittle, T. (2005). *Mapping Potential Lake Sturgeon Habitat in the Lower Bad River Complex*. *Geology* (pp. 1–9). Ashland, Wisconsin.
- Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.
- Collins, H. L., Brown, W., & Edwards, A. (1995). *The early life history of ruffe (Gymnocephalus cernuus) in the St. Louis River Estuary, 1992-1994 and spatial changes in the distribution and abundance of ruffe (Gymnocephalus cernuus) and native fishes in the St. Louis River Estuary, 1989-1994*. Duluth, Minnesota.
- Cone, D., Eurell, T., & Beasle, V. (1994). A Report of Dactylogyrus amphibothrium (Monogenea) on the Gills of European Ruffe in Western Lake Superior. *The Journal of Parasitology*, 80(3), 476–478.
- Craven, S. R., & Lev, E. (2012). Double-crested Cormorants in the Apostle Islands , Wisconsin , USA : Population Trends , Food Habits , and Fishery Depredations. *Colonial Waterbirds*, 10(1), 64–71.
- Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197. doi:10.1016/S0380-1330(92)71329-X

- Crossman, E. J., & Cudmore, B. C. (1998). Biodiversity of the fishes of the Laurentian Great Lakes: A Great Lakes Fishery Commission project. *Italian Journal of Zoology*, 65(sup1), 357–361.
- Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, 11(6), 1609–1622.
- Danz, N., Niemi, G., Regal, R., & Hollenhorst, T. (2007). Integrated Measures of Anthropogenic Stress in the U.S. Great Lakes Basin. *Environmental Management*, 39(5), 631–647.
- Dawson, H. A., Reinhardt, U. G., & Savino, J. F. (2006). Use of Electric or Bubble Barriers to Limit the Movement of Eurasian Ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research*, 32(1), 40–49.
- DeVore, P.W., & Hargis, J. R. (1982). *Spatial and temporal patterns of habitat utilization by young-of-year walleye (Stizostedion v. vitreum) in the St. Louis River estuary* (p. 16).
- DeVore, Phillip W. (1978). Fishery resources of the Superior-Duluth Estuary. Superior, Wisconsin: Center for Lake Superior Environmental Studies.
- Deegan, L., Finn, J., Ayvazian, S., Ryder-Kieffer, C., & Buonaccorsi, J. (1997). Development and validation of an estuarine biotic integrity index. *Estuaries and Coasts*, 20(3), 601–617.
- Doka, S., Bakelaar, C., & Bouvier, L. (2006). Coastal wetland fish community assessment of climate change in the lower Great Lakes. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 101–127). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Dopazo, S. N., Corkum, L. D., & Mandrak, N. E. (2008). Fish Assemblages and Environmental Variables Associated with Gobiids in Nearshore Areas of the Lower Great Lakes. *Journal of Great Lakes Research*, 34(3), 450–460.
- Dubois, R. B., & Pratt, D. M. (1994). History of the fishes of the Bois Brule River System, Wisconsin, with emphasis on the salmonids and their management. *Transactions of the Wisconsin Academy of Science, Arts and Letters*, 82(1994), 33–71.
- EA Engineering Science and Technology. (1987). Survey of Ichthyoplankton and adult fish in the St. Louis River near M.L. Hibbard Station. Minnesota Power.
- EA Engineering Science and Technology. (1988). Spatial and temporal distribution patterns of fishes in the St. Louis River system. Minnesota Power.

- Edsall, T. A., Selgeby, J. H., DeSorcie, Timothy J. I., & French, J. P. (1993). Growth-Temperature Relation for Young-Of-The-Year Ruffe. *Journal of Great Lakes Research*, 19(3), 630–633.
- Fairchild, D. J., & Howard McCormick, J. (1996). Effects of Temperature on Hatching and Development of Ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research*, 22(1), 89–94.
- Goodyear, C. D., Edsall, T. A., Moss, G. D., & Polanski, P. E. (1982). *Lake Superior Atlas of the spawning and nursery areas of Great Lakes fishes. Volume II* (p. 124). Ann Arbor, MI: Great Lakes Fishery Laboratory, U.S. Fish and Wildlife Service.
- Great Lakes Fishery Commission. (2007). *The state of Lake Superior in 2000*. (M. P. Ebener, Ed.). Ann Arbor, Michigan. Retrieved from <http://hdl.handle.net/1873/9674>
- Hansen, G., & Jones, M. L. (2008). A rapid assessment approach to prioritizing streams for control of Great Lakes sea lampreys (*Petromyzon marinus*): a case study in adaptive management. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(11), 2471–2484.
- Herdendorf, C. E., Hartley, S. M., & Barnes, M. D. (1981). Fish and wildlife resources of the Great Lakes coastal wetlands within the United States. Washington, D.C.: U.S. Fish and Wildlife Service.
- Hoffman, J. C., Cotter, A. M., Peterson, G. S., Corry, T. D., & Kelly, J. R. (2011). Rapid stable isotope turnover of larval fish in a Lake Superior coastal wetland: Implications for diet and life history studies. *Aquatic Ecosystem Health & Management*, 14(4), 403–413.
- Hoffman, W. S. (1985). *The fishes of Old Woman Creek: State Nature Preserve and National Estuarine Research Reserve Technical Report No. 4* (p. 24). Columbus, OH.
- Horns, W. H., Brown, W. P., Hulse, S. R., & Bronte, C. R. (2000). Seasonal Changes in Ruffe Abundance in Two Lake Superior Tributaries: Implications for Control. *North American Journal of Fisheries Management*, 20(3), 822–826.
- Jaworski, E., Raphael, C. N., Mansfield, P. J., & Williamson, B. B. (1979). *Impact of Great Lakes water level fluctuations on coastal wetlands*. (C E Herdendorf, S. M. Hartley, & M. D. Barnes, Eds.) *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States* (Vol. 1, p. 363). US Fish and Wildlife Service.
- Johnson, D. L. (1989). Lake Erie wetlands: Fisheries considerations. In K. A. Krieger (Ed.), *Lake Erie Estuarine Systems: Issues, Resource, Status, and Management* (pp. 257–273). Washington, D.C.: NOAA Estuarine Programs Office.

- Jude, D. J., & Pappas, J. (1992). Fish Utilization of Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 18(4), 651–672.
- Keough, J. R., Sierszen, M. E., & Hagley, C. A. (1996). Analysis of a Lake Superior coastal food web with stable isotope techniques. *Limnology and Oceanography*, 41(1), 136–146.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lawrie, A. H., & Rahrer, J. F. (1972). Lake Superior: Effects of Exploitation and Introductions on the Salmonid Community. *Journal of the Fisheries Research Board of Canada*, 29(6), 765–776.
- Lynch, M. P., & Mensinger, A. F. (2012). Seasonal abundance and movement of the invasive round goby (*Neogobius melanostomus*) on rocky substrate in the Duluth-Superior Harbor of Lake Superior. *Ecology of Freshwater Fish*, 21(1), 64–74.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Niemi, G. J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.
- Ogle, D.H., Selgeby, J. H., Newman, R. M., & Henry, M. G. (1995). Diet and feeding periodicity of ruffe in the St. Louis River estuary, Lake Superior. *Transactions of the American Fisheries Society*, 124(3), 356–369.
- Ogle, Derek H, Selgeby, J. H., Saving, J. E., Newman, R. M., & Henry, M. G. (1996). Predation on Ruffe by Native Fishes of the St. Louis River Estuary, Lake Superior, 1989–1991. *North American Journal of Fisheries Management*, 16(1), 115–123.
- Patronski, T., Charbonneau, C., Dryer, P., Cochrane, J., Smith, D. R., Ania, A., Deloria, C., et al. (2008). *Fish Passage and Stream Barrier Management in the Bad River Watershed in Northern Wisconsin*. Shepherdstown, West Virginia: National Conservation Training Center.
- Peterson, A. R. (1979). *Fish and Wildlife Survey of the St. Louis River*.

- Peterson, G. S., Hoffman, J. C., Trebitz, A. S., West, C. W., & Kelly, J. R. (2011). Establishment patterns of non-native fishes: Lessons from the Duluth–Superior harbor and lower St. Louis River, an invasion-prone Great Lakes coastal ecosystem. *Journal of Great Lakes Research*, 37(2), 349–358.
- Schram, S.T. (1983). *Population characteristics of northern pike in a Lake Superior estuary* (p. 8). Madison, Wisconsin.
- Schram, Stephen T, Lindgren, J., & Evrard, L. M. (1999). Reintroduction of Lake Sturgeon in the St. Louis River, Western Lake Superior. *North American Journal of Fisheries Management*, 19(3), 815–823.
- Schram, Stephen T, Margenau, T. L., & Blust, W. H. (1992). Population biology and management of the Walleye in western Lake Superior. *Wisconsin Department of Natural Resources Technical Bulletin*, 177, 1–28.
- Schreiner, D. R., Cullis, K. I., Donofrio, M. C., Fischer, G. J., Hewitt, L., Mumford, K. G., Pratt, D. M., et al. (2008). Management Perspectives on Coaster Brook Trout Rehabilitation in the Lake Superior Basin. *North American Journal of Fisheries Management*, 28(4), 1350–1364.
- Schuldt, R. J., & Goold, R. (1980). Changes in the Distribution of Native Lampreys in Lake Superior Tributaries in Response to Sea Lamprey (*Petromyzon marinus*) Control, 1953–77. *Canadian Journal of Fisheries and Aquatic Sciences*, 37(11), 1872–1885.
- Simon, T. P., & Vondruska, J. T. (1991). Larval identification of the ruffe, *Gymnocephalus cernuus* (Linnaeus) (Percidae: Percini), in the St. Louis River Estuary, Lake Superior drainage basin, Minnesota. *Canadian Journal of Zoology*, 69(2), 436–442.
- Sloss, B. L., Jennings, M. J., Franckowiak, R., & Pratt, D. M. (2008). Transactions of the American Fisheries Society Genetic Identity of Brook Trout in Lake Superior South Shore Streams : Potential for Genetic Monitoring of Stocking and Rehabilitation Efforts. *Transactions of the American Fisheries Society*, 137(4), 1244–1251.
- Steedman, R. J., & Regier, H. A. (1987). Ecosystem Science for the Great Lakes: Perspectives on Degradative and Rehabilitative Transformations. *Canadian Journal of Fisheries and Aquatic Sciences*, 44(S2), s95–s103.
- Stott, W., & Quinlan, H. (2008). *Genetic origins of Coaster Brook Trout from three national parks, one national wildlife refuge, and four Indian reservations in Minnesota, Wisconsin, and Michigan* (pp. 1–26).

- Tanner, D. K., Brazner, J. C., & Brady, V. J. (2000). Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland. *Canadian Journal of Fisheries and Aquatic Sciences*, 57(6), 1243–1251.
- Torblaa, R. L., & Westman, R. W. (1980). Ecological Impacts of Lampricide Treatments on Sea Lamprey (*Petromyzon marinus*) Ammocoetes and Metamorphosed Individuals. *Canadian Journal of Fisheries and Aquatic Sciences*, 37(11), 1835–1850.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, A., Kelly, J., Hoffman, J., Peterson, G., & West, C. (2009). Exploiting habitat and gear patterns for efficient detection of rare and non-native benthos and fish in Great Lakes coastal ecosystems. *Aquatic Invasions*, 4(4), 651–667.
- Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, Anett S., Brazner, J. C., Brady, V. J., Axler, R., & Tanner, D. K. (2007). Turbidity Tolerances of Great Lakes Coastal Wetland Fishes. *North American Journal of Fisheries Management*, 27(2), 619–633.
- Trebitz, Anett S., Brazner, J. C., Pearson, M. S., Peterson, G. S., Tanner, D. K., & Taylor, D. L. (2009). Patterns in habitat and fish assemblages within Great Lakes coastal wetlands and implications for sampling design. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1343–1354.
- Trebitz, Anett S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- Uzarski, D. G., Burton, T. M., Cooper, M. J., Ingram, J. W., & Timmermans, S. T. A. (2005). Fish Habitat Use Within and Across Wetland Classes in Coastal Wetlands of the Five Great Lakes: Development of a Fish-based Index of Biotic Integrity. *Journal of Great Lakes Research*, 31(Supplement 1), 171–187.
- Wagner, G. (1910). On the Stickleback of Lake Superior. *Science*, 32(809), 28–30.
- Webb, P. W. (2008). The Impact of Changes in Water Level and Human Development on Forage Fish Assemblages in Great Lakes Coastal Marshes. *Journal of Great Lakes Research*, 34(4), 615–630.

Wei, A., Chow-Fraser, P., & Albert, D. (2004). Influence of shoreline features on fish distribution in the Laurentian Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences*, 61(7), 1113–1123.

Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Food Chain

Brazner, J. C., Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.

Keough, J. R., Sierszen, M. E., & Hagley, C. A. (1996). Analysis of a Lake Superior coastal food web with stable isotope techniques. *Limnology and Oceanography*, 41(1), 136–146.

Krieger, K. A. (1992). The ecology of invertebrates in Great Lakes coastal wetlands: current knowledge and research needs. *Journal of Great Lakes Research*, 18(4), 634–650.

Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.

Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.

Sierszen, M. E., Morrice, J. A., Moffett, M. F., & West, C. W. (2004). Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *Journal of Great Lakes Research*, 30(1), 31–43.

Sierszen, M. E., Brazner, J. C., & Morrice, J. A. (2001). Nutrient-mediated shifts in coastal wetland food web structure. *Abstracts from the 44th Conference on Great Lakes Research* (p. 123). Green Bay, Wisconsin.

Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006a). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.

Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006b). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.

Geomorphology

- Albert, D.A., & Minc, L. D. (2004). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management*, 7(2), 233–247.
- Albert, D.A., Wilcox, D. A., Igram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic classification for Great Lakes coastal wetlands. *Journal of Great Lakes Research: Special Issue on Great Lakes Nearshore and Coastal Habitats*, 31(Supplement 1), 129–146.
- Albert, Dennis A, Wilcox, D. A., Ingram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic Classification for Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 31(Supplement 1), 129–146.
- Bailey, K. M., & Bedford, B. L. (2003). Transient geomorphic control of water table and hydraulic head reversals in a coastal freshwater peatland. *Wetlands*, 23(4), 969–978.
- Barlaz, D. (1983). Physical characteristics of sediments and Holocene geological history of the Duluth-Superior Harbor, Lake Superior. *Conference on Great Lakes Research Vol. 26* (p. 35).
- Becker, B. L., Lusch, D. P., & Qi, J. G. (2007). A classification-based assessment of the optimal spectral and spatial resolutions for Great Lakes coastal wetland imagery. *Remote Sensing of Environment*, 108(1), 111–120.
- Bedford, K. W., Prater, M. D., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 4: The effects of Lake Erie/Sandusky Bay seiche oscillations on the formation of Sandusky Bay.* (p. 203). Columbus, OH: Ohio State University Water Resources Center.
- Bedford, K. W., Worthy, M. C., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 2: Littoral drift at estuary mouths -- a case study at Old Woman Creek in Lake Erie.* (p. 198). Columbus, OH: Ohio State University Water Resources Center.
- Bowers, R., & De Szalay, F. A. (2004). Effects of Hydrology on Unionids (Unionidae) and Zebra Mussels (Dreissenidae) in a Lake Erie Coastal Wetland. *The American Midland Naturalist*, 151(2), 286–300.
- Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to

Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.

Brazner, John C, Tanner, D. K., Detenbeck, N. E., Batterman, S. L., Stark, S. L., Jagger, L. A., & Snarski, V. M. (2004). Landscape Character and Fish Assemblage Structure and Function in Western Lake Superior Streams: General Relationships and Identification of Thresholds. *Environmental Management*, 33(6), 855–875.

Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.

Carlson, M. L., Kowalski, K. P., & Wilcox, D. A. (2009). Promoting species establishment in a Phragmites-dominated Great Lakes coastal wetland. *Natural Areas Journal*, 29(3), 263–280.

Cholwek, G., Yule, D., Eitrem, M., Quinlan, H., & Doolittle, T. (2005). *Mapping Potential Lake Sturgeon Habitat in the Lower Bad River Complex*. *Geology* (pp. 1–9). Ashland, Wisconsin.

Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.

Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197.

Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, 11(6), 1609–1622.

Doka, S., Bakelaar, C., & Bouvier, L. (2006). Coastal wetland fish community assessment of climate change in the lower Great Lakes. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 101–127). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.

Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.

Epstein, E. J., Galvin, A., & Smith, W. A. (2002). *A Data Compilation and Assessment of Coastal Wetlands of Wisconsin's Great Lakes*. Madison, WI USA.

- Epstein, E. J., Judziewicz, E. J., & Smith, W. A. (1997). *Wisconsin's Lake Superior coastal wetlands evaluation - including other selected natural features of the Lake Superior Basin* (p. 330). Madison, WI USA.
- Fitzpatrick, F. A. (2001). Effects of Land-Cover Change, Floods, and Stream Position on Geomorphic Processes—Implications for Restoration Activities. *Proceedings of Wetlands Engineering and River Restoration Conference*. American Society of Civil Engineers (ASCE).
- Fitzpatrick, F. A. (2007). Effects of episodic overbank sedimentation on channel morphology, floodplain connectivity, and riparian vegetation. *Geological Society of America Annual Meeting* (pp. 39–9). Denver, Colorado.
- Fitzpatrick, F. A., Peppler, M. C., Schwar, H. E., Hoopes, J. A., & Diebel, M. W. (2005). *Monitoring Channel Morphology and Bluff Erosion at Two Installations of Flow-Deflecting Vanes, North Fish Creek, Wisconsin, 2000–03* (p. 42). Reston, Virginia.
- Frieswyk, C. B., Johnston, C. A., & Zedler, J. B. (2007). Identifying and Characterizing Dominant Plants as an Indicator of Community Condition. *Journal of Great Lakes Research*, 33(Special Issue 3), 125–135.
- Gathman, J. P., & Burton, T. M. (2011). A Great Lakes Coastal Wetland Invertebrate Community Gradient : Relative Influence of Flooding Regime and Vegetation Zonation. *Wetlands*, 31(2), 329–341.
- Gottgens, J. F., Swartz, B. P., Kroll, R. W., & Eboch, M. (1998). Long-term GIS-based records of habitat changes in a Lake Erie coastal marsh. *Wetlands Ecology and Management*, 6(1), 5–17.
- Great Lakes Coastal Wetlands Consortium. (2008). *Great Lakes coastal wetlands monitoring plan*. (Thomas M Burton, J. C. Brazner, J. J. H. Cibrowski, G. P. Grabas, J. Hummer, J. Schneider, & D. G. Uzarski, Eds.) *Wetlands* (p. 283). Ann Arbor, MI.
- Hanowski, J., Danz, N., & Howe, R. (2007). Consideration of geography and wetland geomorphic type in the development of great lakes coastal wetland bird indicators. *EcoHealth*, 4(2), 194–205.
- Hanowski, J. M., Danz, N. P., Howe, R. W., Regal, R. R., & Niemi, G. J. (2007). Considerations for Monitoring Breeding Birds in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 245–252.
- Hebb, A., Snell, E., & Sabila, G. (2006). Coastal wetland vegetation community response to climate change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerability to Climate Change and Response to Adaptation Strategies* (pp. 37–78). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.

- Hecnar, S. J. (2004). Great Lakes wetlands as amphibian habitats: A review. *Aquatic Ecosystem Health Management*, 7(2), 289–303.
- Herdendorf, C. (2004). Morphometric factors in the formation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health and Management*, 7(2), 179–197.
- Herdendorf, C.E., & Hume, T. M. (1991). *Morphometry and water storage in Old Woman Creek: A freshwater estuary in western Lake Erie* (p. 66). Columbus, OH.
- Herdendorf, Charles E. (1990). Great Lakes Estuaries. *Estuaries*, 13(4), 493–503.
- Herdendorf, Charles E. (1992). Lake Erie Coastal Wetlands: An overview. *Journal of Great Lakes Research*, 18(4), 533–551.
- Host, G. E., Schuldt, J., Ciborowski, J. J. H., Johnson, L. B., Hollenhorst, T., & Richards, C. (2005). Use of GIS and remotely sensed data for a priori identification of reference areas for Great Lakes coastal ecosystems. *International Journal of Remote Sensing*, 26(23), 5325–5342.
- Jaworski, E., Raphael, C. N., Mansfield, P. J., & Williamson, B. B. (1979). *Impact of Great Lakes water level fluctuations on coastal wetlands*. (C E Herdendorf, S. M. Hartley, & M. D. Barnes, Eds.) *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States* (Vol. 1, p. 363). US Fish and Wildlife Service.
- Johnston, Carol A, Bedford, B. L., Bourdaghs, M., Brown, T., Frieswyk, C., Tulbure, M., Vaccaro, L., et al. (2007). Plant Species Indicators of Physical Environment in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(Special Issue 3), 106–124.
- Johnston, Carol A, Zedler, J. B., & Tulbure, M. G. (2010). Latitudinal gradient of floristic condition among Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 36(4), 772–779.
- Johnston, Charlotte A., Bridgham, S. D., & Schubauer-Berigan, J. P. (2001). Nutrient dynamics in relation to geomorphology of riverine wetlands. *Soil Science Society of America Journal*, 65(2), 557–577.
- Jude, D. J., & Pappas, J. (1992). Fish Utilization of Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 18(4), 651–672.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007a). Atlas of the Dragonfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve and State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.

- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007b). Atlas of the Mayfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Keough, J. R., Thompson, T. A., Guntenspergen, G. R., & Wilcox, D. A. (1999). Hydrogeomorphic factors and ecosystem responses in coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 821–834.
- Krieger, K. A. (1992). The ecology of invertebrates in Great Lakes coastal wetlands: current knowledge and research needs. *Journal of Great Lakes Research*, 18(4), 634–650.
- Larsen, C. E. (1994). Beach Ridges as Monitors of Isostatic Uplift in the Upper Great Lakes. *Journal of Great Lakes Research*, 20(1), 108–134.
- Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.
- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes *Typha X glauca* Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.
- Loftus, K., Smardon, R., & Potter, B. (2004). Strategies for the stewardship and conservation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health Management*, 7(2), 305–330.
- Lougheed, V. L., Crosbie, B., & Chow-Fraser, P. (2001). Primary determinants of macrophyte community structure in 62 marshes across the Great Lakes basin: latitude, land use, and water quality effects. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(8), 1603–1612.
- MacKenzie, Richard A, Kaster, J. L., & Val Klump, J. (2004). The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. *Journal of Great Lakes Research*, 30(1), 58–69.
- MacKenzie, Richard Ames. (2001). *Great Lakes coastal wetlands-estuarine systems : invertebrate communities, particle dynamics and biogeochemical cycles*. University of Wisconsin - Milwaukee.
- Martin, L. (1965). The Wisconsin coast of Lake Superior. *Physical Geography of Wisconsin* (pp. 446–479). Madison, Wisconsin: University of Wisconsin Press.

- Matisoff, G., Bonniwell, C., & Whiting, P. J. (2002). Radionuclides as Indicators of Sediment Transport in Agricultural Watersheds that Drain to Lake Erie. *Journal of Environmental Quality*, 31(1), 62–72.
- Matisoff, G., & Eaker, J. P. (1992). Summary of Sediment Chemistry Research at Old Woman Creek, Ohio. *Journal of Great Lakes Research*, 18(4), 603–621.
- Mayer, T., Edsall, T., & Munawar, M. (2004). Factors affecting the evolution of coastal wetlands of the Laurentian Great Lakes: An overview. *Aquatic Ecosystem Health & Management*, 7(2), 171–178.
- Maynard, L., & Wilcox, D. (1997). Coastal wetlands. *State of the Lakes Ecosystem Conference (SOLEC) 1996*. U.S. Environmental Protection Agency.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- Meyer, S., Galloway, M., Grabas, G., & Ingram, J. (2006). Vulnerability of wetland plant communities in Great Lakes coastal wetlands to climate-induced hydrologic change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 21–35). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Meyer, S., Ingram, J., & Holmes, K. (2006). Vulnerability of marsh birds in Great Lakes coastal wetlands to climate-induced hydrological change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 79–100). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Minc, L. D., & Albert, D. A. (1998). *Great Lakes Coastal Wetlands: Abiotic and Floristic Characterization: A Summary of Reports Prepared for Michigan Natural Features Inventory*. Michigan Natural Features Inventory (Vol. 5, p. 13). The Nature Conservancy.
- Mitsch, W., & Reeder, B. (1992). Nutrient and hydrologic budgets of a great lakes coastal freshwater wetland during a drought year. *Wetlands Ecology and Management*, 1(4), 211–222.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2006). Properties and Performance of the Floristic Quality Index in Great Lakes Coastal Wetlands. *Wetlands*, 26(3), 718–735.

- Mortsch, L. D. (1998). Assessing the impact of climate change on the Great Lakes shoreline wetlands. *Climatic Change*, 40(2), 391–416.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Price, S. J., Howe, R. W., Hanowski, J. M., Regal, R. R., Niemi, G. J., & Smith, C. R. (2007). Are Anurans of Great Lakes Coastal Wetlands Reliable Indicators of Ecological Condition. *Journal of Great Lakes Research*, 33(sp3), 211–223.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Riffell, S K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.
- Riffell, Samuel K, Keas, B. E., & Burton, T. M. (2001). Area and Habitat Relationships of Birds in Great Lakes Coastal Wet Meadows. *Wetlands*, 21(4), 492–507.
- Rothman, E., & Bouchard, V. (2007). Regulation of carbon processes by macrophyte species in a Great Lakes coastal wetland. *Wetlands*, 27(4), 1134–1143.
- Sager, P. E., Richman, S., Harris, H. J., & Fewless, G. (1985). Preliminary observations on the seiche-induced flux of carbon, nitrogen and phosphorus in a Great Lakes coastal marsh. In H. H. Price & F. M. D'Itri (Eds.), *Coastal wetlands* (pp. 59–86). Chelsea, Michigan: Lewis Publishers.
- Sierszen, M E, Morrice, J. A., Moffett, M. F., & West, C. W. (2004). Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *Journal of Great Lakes Research*, 30(1), 31–43.
- Sierszen, M.E., Brazner, J. C., & Morrice, J. A. (2001). Nutrient-mediated shifts in coastal wetland food web structure. *Abstracts from the 44th Conference on Great Lakes Research* (p. 123). Green Bay, Wisconsin.
- Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.

- Timmermans, S. T. A., S Badzinski, S., & W Ingram, J. (2008). Associations between breeding marsh bird abundances and Great Lakes hydrology. *Journal of Great Lakes Research*, 34(2), 351–364.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, A. S., Morrice, J. A., & Cotter, A. M. (2002). Relative Role of Lake and Tributary in Hydrology of Lake Superior Coastal Wetlands. *Journal of Great Lakes Research*, 28(2), 212–227.
- Trebitz, Anett S. (2006). Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *Journal of Great Lakes Research*, 32(1), 102–116.
- Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, Anett S, & Taylor, D. L. (2007). Exotic and invasive aquatic plants in great lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *Journal of Great Lakes Research*, 33(4), 705–721.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.
- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Uzarski, D. G., Burton, T. M., Cooper, M. J., Ingram, J. W., & Timmermans, S. T. A. (2005). Fish Habitat Use Within and Across Wetland Classes in Coastal Wetlands of the Five Great Lakes: Development of a Fish-based Index of Biotic Integrity. *Journal of Great Lakes Research*, 31(Supplement 1), 171–187.
- Vance, H. D., & Francko, D. A. (1997). Allelopathic potential of *Nelumbo lutea* (Willd.) Pers. to alter growth of *Myriophyllum spicatum* L. and *Potamogeton pectinatus* L. *Journal Of Freshwater Ecology*, 12(3), 405–409.
- Wattrus, N. J., & Rausch, D. E. (2001). A preliminary survey of relict shoreface-attached sand ridges in Western Lake Superior. *Marine Geology*, 179(3–4), 163–177.

- Webb, P. W. (2008). The Impact of Changes in Water Level and Human Development on Forage Fish Assemblages in Great Lakes Coastal Marshes. *Journal of Great Lakes Research*, 34(4), 615–630.
- Wei, A., Chow-Fraser, P., & Albert, D. (2004). Influence of shoreline features on fish distribution in the Laurentian Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences*, 61(7), 1113–1123.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Wilcox, D. A., & Whillans, T. H. (1999). Techniques for restoration of disturbed coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 835–857.
- Yeo, I.-Y., Guldmann, J.-M., & Gordon, S. I. (2007). A hierarchical optimization approach to watershed land use planning. *Water Resources Research*, 43(11), 1–17.

Great Lakes – Coastal Wetlands

- Albert, D. A., & Minc, L. D. (2004a). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health & Management*, 7(2), 233–247.
- Albert, D.A., & Minc, L. D. (2004b). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management*, 7(2), 233–247.
- Albert, D.A., Wilcox, D. A., Igram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic classification for Great Lakes coastal wetlands. *Journal of Great Lakes Research: Special Issue on Great Lakes Nearshore and Coastal Habitats*, 31(Supplement 1), 129–146.
- Albert, Dennis A, Wilcox, D. A., Ingram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic Classification for Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 31(Supplement 1), 129–146.
- Bailey, K. M., & Bedford, B. L. (2003). Transient geomorphic control of water table and hydraulic head reversals in a coastal freshwater peatland. *Wetlands*, 23(4), 969–978.
- Becker, B. L., Lusch, D. P., & Qi, J. G. (2007). A classification-based assessment of the optimal spectral and spatial resolutions for Great Lakes coastal wetland imagery. *Remote Sensing of Environment*, 108(1), 111–120.
- Bowers, R., & De Szalay, F. A. (2004). Effects of Hydrology on Unionids (Unionidae) and Zebra Mussels (Dreissenidae) in a Lake Erie Coastal Wetland. *The American Midland Naturalist*, 151(2), 286–300.

- Brant, R. A., & Herdendorf, C. E. (1972). Delineation of Great Lakes estuaries. *Proceedings of the 15th Conference on Great Lakes Research* (pp. 710–718). International Association of Great Lakes Research.
- Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.
- Brazner, John C. (1994). *Patterns in fish assemblages from coastal wetland and other littoral habitats in Green Bay, Lake Michigan*. University of Wisconsin-Madison.
- Brazner, John C., Campana, S. E., & Tanner, D. K. (2004). Habitat Fingerprints for Lake Superior Coastal Wetlands Derived from Elemental Analysis of Yellow Perch Otoliths. *Transactions of the American Fisheries Society*, 133(3), 692–704.
- Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.
- Burton, T. M., Uzarski, D. G., & Genet, J. A. (2004). Invertebrate habitat use in relation to fetch and plant zonation in northern Lake Huron coastal wetlands. *Aquatic Ecosystem Health & Management*, 7(2), 249–267.
- Carlson, M. L., Kowalski, K. P., & Wilcox, D. A. (2009). Promoting species establishment in a Phragmites-dominated Great Lakes coastal wetland. *Natural Areas Journal*, 29(3), 263–280.
- Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.
- Craigie, G. E., Timmermans, S. T. A., & Ingram, J. W. (2003). *Interactions Between Marsh Bird Population Indices and Great Lakes Water Levels: A Case Study of Lake Ontario Hydrology*.
- Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197.

- Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, *11*(6), 1609–1622.
- Doka, S., Bakelaar, C., & Bouvier, L. (2006). Coastal wetland fish community assessment of climate change in the lower Great Lakes. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 101–127). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Dubois, R. B., Pleski, J. M., Smith, W. A., & Epstein, E. J. (2002). Odonata of Coastal Peatland Habitats Adjacent to Lake Superior in Wisconsin. *Great Lakes Entomologist*, *42*(3 & 4), 158–172. Retrieved from <http://wiatri.net/ecoatlas/ReportFiles/103OdonataPeatlandReport.pdf>
- Dubois, R. B., Pleski, J. M., Smith, W. A., Epstein, E. J., & Mead, K. (2005). First records for *Aeshna sitchensis* (Odonata: Aeshnidae) and *Enallagma clausum* (Odonata: Coesnagrionidae), and a Northwestern record for the state-endangered *Somatochlora incurvata* (Odonata: Corduliidae) in Wisconsin. *Great Lakes Entomologist*, *37*, 126–130.
- Elias, J. E., & Meeker, J. E. (1999). Plant communities and birds of six Lake Superior coastal wetlands. *The Passenger Pigeon*, *61*(3), 323–336.
- Epstein, E. J., Galvin, A., & Smith, W. A. (2002). *A Data Compilation and Assessment of Coastal Wetlands of Wisconsin's Great Lakes*. Madison, WI USA.
- Epstein, E. J., Judziewicz, E. J., & Smith, W. A. (1997). *Wisconsin's Lake Superior coastal wetlands evaluation - including other selected natural features of the Lake Superior Basin* (p. 330). Madison, WI USA.
- Francko, D. A., & Whyte, R. S. (1999). Midsummer photosynthetic carbon budget for Old Woman Creek wetlands, Ohio: Relative contribution of aquatic macrophytes versus phytoplankton. *Ohio Journal of Science*, *33*(2), 6–9.
- Frieswyk, C B, Johnston, C. A., & Zedler, J. B. (2007). Identifying and Characterizing Dominant Plants as an Indicator of Community Condition. *Journal of Great Lakes Research*, *33*(Special Issue 3), 125–135.

- Frieswyk, C.B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380.
- Frieswyk, Christin Beth. (2005). *Evaluating resilience: The implications of invasive species and natural water-level fluctuation on Great Lakes coastal wetlands*. University of Wisconsin-Madison.
- Gathman, J. P., & Burton, T. M. (2011). A Great Lakes Coastal Wetland Invertebrate Community Gradient : Relative Influence of Flooding Regime and Vegetation Zonation. *Wetlands*, 31(2), 329–341.
- Gottgens, J. F., Swartz, B. P., Kroll, R. W., & Eboch, M. (1998). Long-term GIS-based records of habitat changes in a Lake Erie coastal marsh. *Wetlands Ecology and Management*, 6(1), 5–17.
- Grandmaison, D. D., & Niemi, G. J. (2007). Local and Landscape Influence on Red-winged Blackbird (*Agelaius phoeniceus*) Nest Success in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 292–304.
- Great Lakes Coastal Wetlands Consortium. (2008). *Great Lakes coastal wetlands monitoring plan*. (Thomas M Burton, J. C. Brazner, J. J. H. Cibrowski, G. P. Grabas, J. Hummer, J. Schneider, & D. G. Uzarski, Eds.) *Wetlands* (p. 283). Ann Arbor, MI.
- Great Lakes Regional Collaboration. (2008). *Great Lakes Regional Collaboration Habitat/Wetlands Initiative: A Progress Report and Call to Action*.
- Hanowski, J., Danz, N., & Howe, R. (2007). Consideration of geography and wetland geomorphic type in the development of great lakes coastal wetland bird indicators. *EcoHealth*, 4(2), 194–205.
- Hanowski, J. M., Danz, N. P., Howe, R. W., Regal, R. R., & Niemi, G. J. (2007). Considerations for Monitoring Breeding Birds in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 245–252.
- Hanselmann, D. P., & Vogel, T. L. (1978). Old Woman Creek, Ohio: The designation of a freshwater estuarine sanctuary. *Coastal Zone Management Journal*, 4(3), 329–336.
- Heath, R. T. (1992). Nutrient dynamics in Great Lakes coastal wetlands: Future directions. *Journal of Great Lakes Research*, 18(4), 590–602.
- Hebb, A., Snell, E., & Sabila, G. (2006). Coastal wetland vegetation community response to climate change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerability to Climate Change and Response to Adaptation Strategies* (pp. 37–78). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.

- Hecnar, S. J. (2004). Great Lakes wetlands as amphibian habitats: A review. *Aquatic Ecosystem Health Management*, 7(2), 289–303. doi:10.1080/14634980490461542
- Herdendorf, C. (2004). Morphometric factors in the formation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health and Management*, 7(2), 179–197.
- Herdendorf, C.E., Hartley, S. M., & Barnes, M. D. (1981). Fish and wildlife resources of the Great Lakes coastal wetlands within the United States. Washington, D.C.: U.S. Fish and Wildlife Service.
- Herdendorf, Charles E. (1990). Great Lakes Estuaries. *Estuaries*, 13(4), 493–503.
- Herdendorf, Charles E. (1992). Lake Erie Coastal Wetlands: An overview. *Journal of Great Lakes Research*, 18(4), 533–551.
- Hoffman, J. C., Cotter, A. M., Peterson, G. S., Corry, T. D., & Kelly, J. R. (2011). Rapid stable isotope turnover of larval fish in a Lake Superior coastal wetland: Implications for diet and life history studies. *Aquatic Ecosystem Health & Management*, 14(4), 403–413.
- Host, G. E., Schuldt, J., Ciborowski, J. J. H., Johnson, L. B., Hollenhorst, T., & Richards, C. (2005). Use of GIS and remotely sensed data for a priori identification of reference areas for Great Lakes coastal ecosystems. *International Journal of Remote Sensing*, 26(23), 5325–5342.
- Howe, R. W., Regal, R. R., Hanowski, J., Niemi, G. J., Danz, N. P., & Smith, C. R. (2007). An Index of Ecological Condition Based on Bird Assemblages in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 93–105.
- Jaworski, E., Raphael, C. N., Mansfield, P. J., & Williamson, B. B. (1979). *Impact of Great Lakes water level fluctuations on coastal wetlands*. (C E Herdendorf, S. M. Hartley, & M. D. Barnes, Eds.) *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States* (Vol. 1, p. 363). US Fish and Wildlife Service.
- Johnson, D. L. (1989). Lake Erie wetlands: Fisheries considerations. In K.A. Krieger (Ed.), *Lake Erie Estuarine Systems: Issues, Resource, Status, and Management* (pp. 257–273). Washington, D.C.: NOAA Estuarine Programs Office.
- Johnston, C. A., Bedford, B. L., Bourdaghs, M., Brown, T., Frieswyk, C., Tulbure, M., Vaccaro, L., et al. (2007). Plant Species Indicators of Physical Environment in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(Special Issue 3), 106–124.

- Johnston, C. A., Zedler, J. B., & Tulbure, M. G. (2010). Latitudinal gradient of floristic condition among Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 36(4), 772–779.
- Jude, D. J., & Pappas, J. (1992). Fish Utilization of Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 18(4), 651–672.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007a). Atlas of the Dragonfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve and State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007b). Atlas of the Mayfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Kepner, R.L., J., & Pratt, J. R. (1996). Characterization of surface-associated Protozoan communities in a Lake Erie coastal wetland (Old Woman Creek, Ohio). *Journal of Great Lakes Research*, 22(1), 63–76.
- Klarer, D. M., & Millie, D. F. (1992). Aquatic macrophytes and algae at Old Woman Creek Estuary and other Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 18(4), 622–633.
- Krieger, K. A. (1992). The ecology of invertebrates in Great Lakes coastal wetlands: current knowledge and research needs. *Journal of Great Lakes Research*, 18(4), 634–650.
- Krieger, K.A. (2003). Effectiveness of a coastal wetland in reducing pollution of a Laurentian Great Lake. *Wetlands*, 23(4), 778–791.
- Krieger, K.A., & Klarer, D. M. (1991). Zooplankton dynamics in a Great Lakes coastal marsh. *Journal of Great Lakes Research*, 17(2), 255–269.
- Lakela, O. (1939). A Floristic Study of a Developing Plant Community on Minnesota Point, Minnesota. *Ecology*, 20(4), 544–552.
- Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.
- Lawson, R. (2004). Coordinating coastal wetlands monitoring in the North American Great Lakes. *Aquatic Ecosystem Health & Management*, 7(2), 215–221.

- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes *Typha X glauca* Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.
- Loftus, K., Smardon, R., & Potter, B. (2004). Strategies for the stewardship and conservation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health Management*, 7(2), 305–330.
- Lougheed, V. L., Crosbie, B., & Chow-Fraser, P. (2001). Primary determinants of macrophyte community structure in 62 marshes across the Great Lakes basin: latitude, land use, and water quality effects. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(8), 1603–1612.
- MacKenzie, Richard A, Kaster, J. L., & Val Klump, J. (2004). The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. *Journal of Great Lakes Research*, 30(1), 58–69.
- MacKenzie, Richard Ames. (2001). *Great Lakes coastal wetlands-estuarine systems : invertebrate communities, particle dynamics and biogeochemical cycles*. University of Wisconsin - Milwaukee.
- Mayer, T., Edsall, T., & Munawar, M. (2004). Factors affecting the evolution of coastal wetlands of the Laurentian Great Lakes: An overview. *Aquatic Ecosystem Health & Management*, 7(2), 171–178.
- Maynard, L., & Wilcox, D. (1997). Coastal wetlands. *State of the Lakes Ecosystem Conference (SOLEC) 1996*. U.S. Environmental Protection Agency.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, 16(2), 219–231.
- Meeker, J. E. (2004). Great Lakes Wetlands. *Wetlands*, 24(1), 228–229.
- Meeker, James. (1993). *The ecology of “wild” wild-rice (Zizania palustris var. palustris) in the Kakagon Sloughs, a riverine wetland on Lake Superior*. University of Wisconsin - Madison.
- Meeker, Jim, & Fewless, G. (2008). Change in Wisconsin’s coastal wetlands. In D. M. Waller & T. P. Rooney (Eds.), *The Vanishing Present: Wisconsin’s Changing Lands, Waters, and Wildlife* (pp. 183–192). Chicago, Illinois: University of Chicago Press.

- Meyer, S., Galloway, M., Grabas, G., & Ingram, J. (2006). Vulnerability of wetland plant communities in Great Lakes coastal wetlands to climate-induced hydrologic change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 21–35). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Meyer, S., Ingram, J., & Holmes, K. (2006). Vulnerability of marsh birds in Great Lakes coastal wetlands to climate-induced hydrological change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 79–100). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Minc, L.D. (1997). *Great Lakes Coastal Wetlands: An Overview of Controlling Abiotic Factors, Regional Distribution, and Species Composition* (p. 307). Michigan Natural Features Inventory.
- Minc, Leah D., & Albert, D. A. (1998). *Great Lakes Coastal Wetlands: Abiotic and Floristic Characterization: A Summary of Reports Prepared for Michigan Natural Features Inventory*. Michigan Natural Features Inventory (Vol. 5, p. 13). The Nature Conservancy.
- Minc, Leah D. (1997a). *Vegetative Response in Michigan's Great Lakes Marshes to Great Lakes Water-Level Fluctuations* (p. 65). Michigan Natural Features Inventory. Retrieved from <http://mnfi.anr.msu.edu/pub/publications90.cfm>
- Minc, Leah D. (1997b). *Vegetation of the Great Lakes Coastal Marshes and Wetlands of MN, WI, OH, PA, and NY* (p. 60). Michigan Natural Features Inventory.
- Mitsch, W., & Reeder, B. (1992). Nutrient and hydrologic budgets of a great lakes coastal freshwater wetland during a drought year. *Wetlands Ecology and Management*, 1(4), 211–222.
- Mitsch, W.J. (Ed.). (1989). *Wetlands of Ohio's Coastal Lake Erie: A Hierarchy of Systems* (p. 186). Columbus, OH: Ohio State University, Ohio Sea Grant College Program.
- Mitsch, William J. (1992). Combining Ecosystem and Landscape Approaches to Great Lakes Wetlands. *Journal of Great Lakes Research*, 18(4), 552–570.
- Morrice, J. A., Danz, N. P., Regal, R. R., Kelly, J. R., Niemi, G. J., Reavie, E. D., Hollenhorst, T., et al. (2008). Human influences on water quality in Great Lakes coastal wetlands. *Environmental Management*, 41(3), 347–57.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2002). Effects of plant community composition and exposure to wave action on invertebrate habitat

use of Lake Huron coastal wetlands. *Lakes & Reservoirs: Research and Management*, 7, 255–269.

- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2006). Properties and Performance of the Floristic Quality Index in Great Lakes Coastal Wetlands. *Wetlands*, 26(3), 718–735.
- Mortsch, L. D. (1998). Assessing the impact of climate change on the Great Lakes shoreline wetlands. *Climatic Change*, 40(2), 391–416.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Price, S.J., Marks, D. R., Howe, R. W., Hanowski, J. M., & Niemi, G. J. (2004). The importance of spatial scale for conservation and assessment of anuran populations in coastal wetlands of the western Great Lakes. *Landscape Ecology*, 20, 441–454.
- Price, Steven J, Howe, R. W., Hanowski, J. M., Regal, R. R., Niemi, G. J., & Smith, C. R. (2007). Are Anurans of Great Lakes Coastal Wetlands Reliable Indicators of Ecological Condition. *Journal of Great Lakes Research*, 33(sp3), 211–223.
- Prince, H. H., Padding, P. I., & Knapton, R. W. (1992). Waterfowl Use of the Laurentian Great Lakes. *Journal of Great Lakes Research*, 18(4), 673–699.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Riffell, S K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.
- Riffell, Samuel K, Keas, B. E., & Burton, T. M. (2001). Area and Habitat Relationships of Birds in Great Lakes Coastal Wet Meadows. *Wetlands*, 21(4), 492–507.
- Rothman, E., & Bouchard, V. (2007). Regulation of carbon processes by macrophyte species in a Great Lakes coastal wetland. *Wetlands*, 27(4), 1134–1143.
- Sager, P. E., Richman, S., Harris, H. J., & Fewless, G. (1985). Preliminary observations on the seiche-induced flux of carbon, nitrogen and phosphorus in a Great Lakes coastal marsh. In H. H. Price & F. M. D'Itri (Eds.), *Coastal wetlands* (pp. 59–86). Chelsea, Michigan: Lewis Publishers.

- Sierszen, M E, Morrice, J. A., Moffett, M. F., & West, C. W. (2004). Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *Journal of Great Lakes Research*, 30(1), 31–43.
- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006a). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.
- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006b). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.
- Simon, T. P., & Steward, P. M. (Eds.). (2007). *Coastal wetlands of the Laurentian Great Lakes: health, habitat, and indicators* (p. 540). Bloomington, Indiana: AuthorHouse.
- Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, A., Kelly, J., Hoffman, J., Peterson, G., & West, C. (2009). Exploiting habitat and gear patterns for efficient detection of rare and non-native benthos and fish in Great Lakes coastal ecosystems. *Aquatic Invasions*, 4(4), 651–667.
- Trebitz, A. S., Morrice, J. A., & Cotter, A. M. (2002). Relative Role of Lake and Tributary in Hydrology of Lake Superior Coastal Wetlands. *Journal of Great Lakes Research*, 28(2), 212–227.
- Trebitz, Anett S. (2006). Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *Journal of Great Lakes Research*, 32(1), 102–116.
- Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, Anett S, & Taylor, D. L. (2007). Exotic and invasive aquatic plants in great lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *Journal of Great Lakes Research*, 33(4), 705–721.

- Trebitz, Anett S., Brazner, J. C., Brady, V. J., Axler, R., & Tanner, D. K. (2007). Turbidity Tolerances of Great Lakes Coastal Wetland Fishes. *North American Journal of Fisheries Management*, 27(2), 619–633.
- Trebitz, Anett S., Brazner, J. C., Cotter, A. M., Knuth, M. L., Morrice, J. A., Peterson, G. S., Sierszen, M. E., et al. (2007). Water Quality in Great Lakes Coastal Wetlands : Basin-wide Patterns and Responses to an Anthropogenic Disturbance Gradient. *Journal of Great Lakes Research*, 33(3), 67–85.
- Trebitz, Anett S., Brazner, J. C., Pearson, M. S., Peterson, G. S., Tanner, D. K., & Taylor, D. L. (2009). Patterns in habitat and fish assemblages within Great Lakes coastal wetlands and implications for sampling design. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1343–1354.
- Trebitz, Anett S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- Trexel-Knoll, D., & Francko, D. A. (2009). Changes in the Old Woman Creek plant community following reduced water levels. Ohio Department of Natural Resources Division of Wildlife – Old Woman Creek National Estuarine Research Reserve.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.
- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Uzarski, D.G., Burton, T. M., & Genet, J. A. (2004). Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. *Aquatic Ecosystem Health & Management*, 7(2), 269–288.
- Uzarski, Donald G, Burton, T. M., Cooper, M. J., Ingram, J. W., & Timmermans, S. T. A. (2005). Fish Habitat Use Within and Across Wetland Classes in Coastal Wetlands of the Five Great Lakes: Development of a Fish-based Index of Biotic Integrity. *Journal of Great Lakes Research*, 31(Supplement 1), 171–187.
- Vance, H. D., & Francko, D. A. (1997). Allelopathic potential of *Nelumbo lutea* (Willd.) Pers. to alter growth of *Myriophyllum spicatum* L. and *Potamogeton pectinatus* L. *Journal Of Freshwater Ecology*, 12(3), 405–409.

- Webb, P. W. (2008). The Impact of Changes in Water Level and Human Development on Forage Fish Assemblages in Great Lakes Coastal Marshes. *Journal of Great Lakes Research*, 34(4), 615–630.
- Wieten, A., Cooper, M., Parker, A., & Uzarski, D. (n.d.). Great Lakes coastal wetland habitat use by seven turtle species: influences of wetland type, vegetation, and abiotic conditions. *Wetlands Ecology and Management*.
- Wilcox, D.A. (2004). Implications of hydrologic variability on the succession of plants in Great Lakes wetlands. *Aquatic Ecosystem Health & Management*, 7(2), 223–231.
- Wilcox, Douglas A, Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Wilcox, Douglas A, & Whillans, T. H. (1999). Techniques for restoration of disturbed coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 835–857.
- Wilson, C., Matisoff, G., & Whiting, P. (2010). The Movement of Sediment in the Old Woman Creek Watershed. Case Western Reserve University.
- Yeo, I.-Y., Guldmann, J.-M., & Gordon, S. I. (2007). A hierarchical optimization approach to watershed land use planning. *Water Resources Research*, 43(11), 1–17.

Great Lakes – General

- Bauer, C., Bobeldyk, A., & Lamberti, G. (2007). Predicting habitat use and trophic interactions of Eurasian ruffe, round gobies, and zebra mussels in nearshore areas of the Great Lakes. *Biological Invasions*, 9(6), 667–678.
- Bedford, K.W. (1989). The effects of Lake Erie on its tributaries – resulting tributary transport mechanisms and contrasts with marine estuaries. In K.A. Krieger (Ed.), *Lake Erie Estuarine Systems: Issues, Resources, Status, and Management* (pp. 71–123). Washington, D.C.: NOAA Estuarine Program Office.
- Bedford, K.W., Fischer, L. D., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 3: A laterally averaged model of momentum and energy transport with application to seiche hydraulics.* (p. 178). Columbus, OH: Ohio State University Water Resources Center.
- Bedford, K.W., Lindsay, D. A., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 1: A review of estuary hydraulics and transport as applied to rivers tributary to Lake Erie.* (p. 262). Columbus, OH: Ohio State University Water Resources Center.

- Bedford, K.W., Prater, M. D., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 4: The effects of Lake Erie/Sandusky Bay seiche oscillations on the formation of Sandusky Bay.* (p. 203). Columbus, OH: Ohio State University Water Resources Center.
- Bedford, K.W., Worthy, M. C., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 2: Littoral drift at estuary mouths -- a case study at Old Woman Creek in Lake Erie.* (p. 198). Columbus, OH: Ohio State University Water Resources Center.
- Bedford, Keith W. (1992). The Physical Effects of the Great Lakes on Tributaries and Wetlands. *Journal of Great Lakes Research*, 18(4), 571–589.
- Brazner, J. C., Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Cangelosi, A. A., Mays, N. L., Balcer, M. D., Reavie, E. D., Reid, D. M., Sturtevant, R., & Gao, X. (2007). The response of zooplankton and phytoplankton from the North American Great Lakes to filtration. *Harmful Algae*, 6(4), 547–566.
- Cooper, M. J., Uzarski, D. G., & Burton, T. M. (2007). Macroinvertebrate community composition in relation to anthropogenic disturbance, vegetation, and organic sediment depth in four Lake Michigan drowned river-mouth wetlands. *Wetlands*, 27(4), 894–903.
- Crossman, E. J., & Cudmore, B. C. (1998). Biodiversity of the fishes of the Laurentian Great Lakes: A Great Lakes Fishery Commission project. *Italian Journal of Zoology*, 65(sup1), 357–361.
- Davis, T. E., & Erwin, R. M. (1982). *Potential impacts of extended winter navigation upon migratory nongame birds of the upper United States Great Lakes.* Laurel, Maryland.
- Dyer, K. (1990). The rich diversity of estuaries. *Estuaries and Coasts*, 13(4), 504–505.
- Goodyear, C. D., Edsall, T. A., Moss, G. D., & Polanski, P. E. (1982). *Lake Superior Atlas of the spawning and nursery areas of Great Lakes fishes. Volume II* (p. 124). Ann Arbor, MI: Great Lakes Fishery Laboratory, U.S. Fish and Wildlife Service.
- Gray, A., Garono, R. J., & Kooser, J. G. (1997). Insect and plant community structure along a river to lake gradient at Old Woman Creek. *Ohio Journal of Science*, 97(2), 27.

- Great Lakes Regional Collaboration. (2008). *Great Lakes Regional Collaboration Habitat/Wetlands Initiative: A Progress Report and Call to Action*.
- Hartig, J. H., Kelso, J. R., & Wooley, C. (1996). Are habitat rehabilitation initiatives uncoupled from aquatic resource management objectives in the Great Lakes? *Canadian Journal of Fisheries and Aquatic Sciences*, 53(S1), 424–431.
- Heath, R. T. (1992). Nutrient dynamics in Great Lakes coastal wetlands: Future directions. *Journal of Great Lakes Research*, 18(4), 590–602.
- Judziewicz, E. J., & Koch, R. G. (1993). Flora and vegetation of the Apostle Islands National Lakeshore and Madeline Island, Ashland and Bayfield Counties, Wisconsin. *The Michigan Botanist*, 32(2), 43–189.
- Keddy, P. A., & Reznicek, A. A. (1986). Great Lakes Vegetation Dynamics: The Role of Fluctuating Water Levels and Buried Seeds. *Journal of Great Lakes Research*, 12(1), 25–36.
- Keough, J. R., Thompson, T. A., Guntenspergen, G. R., & Wilcox, D. A. (1999). Hydrogeomorphic factors and ecosystem responses in coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 821–834.
- Krieger, Kenneth A. (1989). Lake Erie Estuarine Systems: Issues, Resources, Status, and Management. *NOAA Estuary-of-the-Month Seminar Series No. 14*. Washington, D.C.: NOAA Estuarine Programs Office.
- Larsen, C. E. (1994). Beach Ridges as Monitors of Isostatic Uplift in the Upper Great Lakes. *Journal of Great Lakes Research*, 20(1), 108–134.
- Lynch, M. P., & Mensinger, A. F. (2012). Seasonal abundance and movement of the invasive round goby (*Neogobius melanostomus*) on rocky substrate in the Duluth-Superior Harbor of Lake Superior. *Ecology of Freshwater Fish*, 21(1), 64–74.
- Rao, Y. R., & Schwab, D. J. (2007). Transport and Mixing Between the Coastal and Offshore Waters in the Great Lakes: a Review. *Journal of Great Lakes Research*, 33(1), 202–218.
- Robinson, P., & Shepard, R. (2008). An assessment of Wisconsin's Great Lakes freshwater estuary applied research, management, and outreach needs. Madison, Wisconsin: University of Wisconsin - Extension.
- Schubel, J., & Pritchard, D. (1990). Great Lakes estuaries—Phooey. *Estuaries and Coasts*, 13(4), 508–509.
- Smith, P. L., Ragotzkie, R. A., Andren, A. W., & Harris, H. J. (1988). Estuary rehabilitation: The Green Bay story. *Oceanus*, 31(3), 12–20.

Timmermans, S. T. A., S Badzinski, S., & W Ingram, J. (2008). Associations between breeding marsh bird abundances and Great Lakes hydrology. *Journal of Great Lakes Research*, 34(2), 351–364.

Wei, A., Chow-Fraser, P., & Albert, D. (2004). Influence of shoreline features on fish distribution in the Laurentian Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences*, 61(7), 1113–1123.

Great Lakes – other than Lake Superior

Brazner, J. C. (1994). *Patterns in fish assemblages from coastal wetland and other littoral habitats in Green Bay, Lake Michigan*. University of Wisconsin-Madison.

Cooper, M. J., Uzarski, D. G., & Burton, T. M. (2007). Macroinvertebrate community composition in relation to anthropogenic disturbance, vegetation, and organic sediment depth in four Lake Michigan drowned river-mouth wetlands. *Wetlands*, 27(4), 894–903.

Frieswyk, C.B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380.

Frieswyk, Christin Beth. (2005). *Evaluating resilience: The implications of invasive species and natural water-level fluctuation on Great Lakes coastal wetlands*. University of Wisconsin-Madison.

Jaworski, E., Raphael, C. N., Mansfield, P. J., & Williamson, B. B. (1979). *Impact of Great Lakes water level fluctuations on coastal wetlands*. (C. E. Herdendorf, S. M. Hartley, & M. D. Barnes, Eds.) *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States* (Vol. 1, p. 363). US Fish and Wildlife Service.

Johnson, D. L. (1989). Lake Erie wetlands: Fisheries considerations. In K. A. Krieger (Ed.), *Lake Erie Estuarine Systems: Issues, Resource, Status, and Management* (pp. 257–273). Washington, D.C.: NOAA Estuarine Programs Office.

MacKenzie, R. A., Kaster, J. L., & Val Klump, J. (2004). The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. *Journal of Great Lakes Research*, 30(1), 58–69.

Minc, L. D. (1997). *Vegetative Response in Michigan's Great Lakes Marshes to Great Lakes Water-Level Fluctuations* (p. 65). Michigan Natural Features Inventory.

Riffell, S K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.

- Riffell, Samuel K, Keas, B. E., & Burton, T. M. (2001). Area and Habitat Relationships of Birds in Great Lakes Coastal Wet Meadows. *Wetlands*, 21(4), 492–507.
- Sager, P. E., Richman, S., Harris, H. J., & Fewless, G. (1985). Preliminary observations on the seiche-induced flux of carbon, nitrogen and phosphorus in a Great Lakes coastal marsh. In H. H. Price & F. M. D'Itri (Eds.), *Coastal wetlands* (pp. 59–86). Chelsea, Michigan: Lewis Publishers.
- Smith, P. L., Ragotzkie, R. A., Andren, A. W., & Harris, H. J. (1988). Estuary rehabilitation: The Green Bay story. *Oceanus*, 31(3), 12–20.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.
- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Uzarski, D. G., Burton, T. M., & Genet, J. A. (2004). Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. *Aquatic Ecosystem Health & Management*, 7(2), 269–288.

Herptiles

- Brazner, J C, Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.
- Brazner, John C, Danz, N. P., Trebitz, A. S., Niemi, G. J., Regal, R. R., Hollenhorst, T., Host, G. E., et al. (2007). Responsiveness of Great Lakes Wetland Indicators to Human Disturbances at Multiple Spatial Scales: A Multi-Assemblage Assessment. *Journal of Great Lakes Research*, 33(sp3), 42–66.
- Casper, G.S. (2001). *Amphibian inventory of the Apostle Islands National Lakeshore, with an evaluation of malformity rates, monitoring recommendations, and notes on reptiles*. Bayfield, Wisconsin.
- Casper, Gary S. (2001). *Reptile surveys of Long, Michigan, and Stockton Islands, and Little Sand Bay, in the Apostle Islands National Lakeshore, with notes on amphibians* (p. 14). Bayfield, Wisconsin.
- Casper, Gary S. (2002). *A Review of the Amphibians and Reptiles of the Lake Superior Watershed*. *Review Literature And Arts Of The Americas*.

- Epstein, E. J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.
- Hecnar, S. J. (2004). Great Lakes wetlands as amphibian habitats: A review. *Aquatic Ecosystem Health Management*, 7(2), 289–303.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Price, S.J., Marks, D. R., Howe, R. W., Hanowski, J. M., & Niemi, G. J. (2004). The importance of spatial scale for conservation and assessment of anuran populations in coastal wetlands of the western Great Lakes. *Landscape Ecology*, 20, 441–454.
- Price, Steven J, Howe, R. W., Hanowski, J. M., Regal, R. R., Niemi, G. J., & Smith, C. R. (2007). Are Anurans of Great Lakes Coastal Wetlands Reliable Indicators of Ecological Condition. *Journal of Great Lakes Research*, 33(sp3), 211–223.
- Trebitz, A. S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- Wieten, A., Cooper, M., Parker, A., & Uzarski, D. (n.d.). Great Lakes coastal wetland habitat use by seven turtle species: influences of wetland type, vegetation, and abiotic conditions. *Wetlands Ecology and Management*.

Hydrology

- Albert, D.A., & Minc, L. D. (2004). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management*, 7(2), 233–247.
- Albert, D.A., Wilcox, D. A., Igram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic classification for Great Lakes coastal wetlands. *Journal of Great Lakes Research: Special Issue on Great Lakes Nearshore and Coastal Habitats*, 31(Supplement 1), 129–146.
- Albert, Dennis A, Wilcox, D. A., Ingram, J. W., & Thompson, T. A. (2005). Hydrogeomorphic Classification for Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 31(Supplement 1), 129–146.
- Bailey, K. M., & Bedford, B. L. (2003). Transient geomorphic control of water table and hydraulic head reversals in a coastal freshwater peatland. *Wetlands*, 23(4), 969–978.
- Bedford, K.W. (1989). The effects of Lake Erie on its tributaries – resulting tributary transport mechanisms and contrasts with marine estuaries. In K. A. Krieger (Ed.),

Lake Erie Estuarine Systems: Issues, Resources, Status, and Management (pp. 71–123). Washington, D.C.: NOAA Estuarine Program Office.

Bedford, K.W., Fischer, L. D., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 3: A laterally averaged model of momentum and energy transport with application to seiche hydraulics.* (p. 178). Columbus, OH: Ohio State University Water Resources Center.

Bedford, K.W., Lindsay, D. A., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 1: A review of estuary hydraulics and transport as applied to rivers tributary to Lake Erie.* (p. 262). Columbus, OH: Ohio State University Water Resources Center.

Bedford, K.W., Prater, M. D., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 4: The effects of Lake Erie/Sandusky Bay seiche oscillations on the formation of Sandusky Bay.* (p. 203). Columbus, OH: Ohio State University Water Resources Center.

Bedford, K.W., Worthy, M. C., Mattox, W. G., & Herdendorf, C. E. (1983). *Analysis of Great Lakes Seiche Affected Estuary Transport. Vol. 2: Littoral drift at estuary mouths -- a case study at Old Woman Creek in Lake Erie.* (p. 198). Columbus, OH: Ohio State University Water Resources Center.

Bedford, Keith W. (1992). The Physical Effects of the Great Lakes on Tributaries and Wetlands. *Journal of Great Lakes Research*, 18(4), 571–589.

Bowers, R., & De Szalay, F. A. (2004). Effects of Hydrology on Unionids (Unionidae) and Zebra Mussels (Dreissenidae) in a Lake Erie Coastal Wetland. *The American Midland Naturalist*, 151(2), 286–300.

Brazner, J. C., Tanner, D. K., Detenbeck, N. E., Batterman, S. L., Stark, S. L., Jagger, L. A., & Snarski, V. M. (2004). Landscape Character and Fish Assemblage Structure and Function in Western Lake Superior Streams: General Relationships and Identification of Thresholds. *Environmental Management*, 33(6), 855–875.

Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.

Cholwek, G., Yule, D., Eitrem, M., Quinlan, H., & Doolittle, T. (2005). *Mapping Potential Lake Sturgeon Habitat in the Lower Bad River Complex.* *Geology* (pp. 1–9). Ashland, Wisconsin.

- Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.
- Doka, S., Bakelaar, C., & Bouvier, L. (2006). Coastal wetland fish community assessment of climate change in the lower Great Lakes. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 101–127). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Fitzpatrick, F. A. (2001). Effects of Land-Cover Change, Floods, and Stream Position on Geomorphic Processes—Implications for Restoration Activities. *Proceedings of Wetlands Engineering and River Restoration Conference*. American Society of Civil Engineers (ASCE).
- Fitzpatrick, F. A. (2007). Effects of episodic overbank sedimentation on channel morphology, floodplain connectivity, and riparian vegetation. *Geological Society of America Annual Meeting* (pp. 39–9). Denver, Colorado.
- Fitzpatrick, F. A., Knox, J. C., & Whitman, H. E. (1999). *Effects of Historical Land-Cover Changes on Flooding and Sedimentation, North Fish Creek, Wisconsin (Water-Resources Investigations Report 99-4083)*. North.
- Fitzpatrick, F. A., Pepler, M. C., Schwar, H. E., Hoopes, J. A., & Diebel, M. W. (2005). *Monitoring Channel Morphology and Bluff Erosion at Two Installations of Flow-Deflecting Vanes, North Fish Creek, Wisconsin, 2000–03* (p. 42). Reston, Virginia.
- Frieswyk, C.B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380.
- Frieswyk, Christin Beth. (2005). *Evaluating resilience: The implications of invasive species and natural water-level fluctuation on Great Lakes coastal wetlands*. University of Wisconsin-Madison.
- Gathman, J. P., & Burton, T. M. (2011). A Great Lakes Coastal Wetland Invertebrate Community Gradient: Relative Influence of Flooding Regime and Vegetation Zonation. *Wetlands*, 31(2), 329–341.

- Gottgens, J. F., Swartz, B. P., Kroll, R. W., & Eboch, M. (1998). Long-term GIS-based records of habitat changes in a Lake Erie coastal marsh. *Wetlands Ecology and Management*, 6(1), 5–17.
- Hebb, A., Snell, E., & Sabila, G. (2006). Coastal wetland vegetation community response to climate change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerability to Climate Change and Response to Adaptation Strategies* (pp. 37–78). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Herdendorf, C. (2004). Morphometric factors in the formation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health and Management*, 7(2), 179–197.
- Herdendorf, C. E., & Hume, T. M. (1991). *Morphometry and water storage in Old Woman Creek: A freshwater estuary in western Lake Erie* (p. 66). Columbus, OH.
- Jaworski, E., Raphael, C. N., Mansfield, P. J., & Williamson, B. B. (1979). *Impact of Great Lakes water level fluctuations on coastal wetlands*. (C E Herdendorf, S. M. Hartley, & M. D. Barnes, Eds.) *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States* (Vol. 1, p. 363). US Fish and Wildlife Service.
- Keddy, P. A., & Reznicek, A. A. (1986). Great Lakes Vegetation Dynamics: The Role of Fluctuating Water Levels and Buried Seeds. *Journal of Great Lakes Research*, 12(1), 25–36.
- Keough, J. R., Thompson, T. A., Guntenspergen, G. R., & Wilcox, D. A. (1999). Hydrogeomorphic factors and ecosystem responses in coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 821–834.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Krieger, K. A. (2003). Effectiveness of a coastal wetland in reducing pollution of a Laurentian Great Lake. *Wetlands*, 23(4), 778–791.
- Lenz, B. N., Saad, D. A., & Fitzpatrick, F. A. (2003). *Simulation of Ground-Water Flow and Rainfall Runoff with Emphasis on the Effects of Land Cover, Whittlesey Creek, Bayfield County, Wisconsin, 1999–2001*. Reston, Virginia.
- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes *Typha X glauca* Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.

- Martin, L. (1965). The Wisconsin coast of Lake Superior. *Physical Geography of Wisconsin* (pp. 446–479). Madison, Wisconsin: University of Wisconsin Press.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, 16(2), 219–231.
- Meeker, J., & Fewless, G. (2008). Change in Wisconsin's coastal wetlands. In D. M. Waller & T. P. Rooney (Eds.), *The Vanishing Present: Wisconsin's Changing Lands, Waters, and Wildlife* (pp. 183–192). Chicago, Illinois: University of Chicago Press.
- Meyer, S., Galloway, M., Grabas, G., & Ingram, J. (2006). Vulnerability of wetland plant communities in Great Lakes coastal wetlands to climate-induced hydrologic change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 21–35). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Meyer, S., Ingram, J., & Holmes, K. (2006). Vulnerability of marsh birds in Great Lakes coastal wetlands to climate-induced hydrological change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 79–100). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Minc, L.D. (1997). *Great Lakes Coastal Wetlands: An Overview of Controlling Abiotic Factors, Regional Distribution, and Species Composition* (p. 307). Michigan Natural Features Inventory.
- Minc, Leah D., & Albert, D. A. (1998). *Great Lakes Coastal Wetlands: Abiotic and Floristic Characterization: A Summary of Reports Prepared for Michigan Natural Features Inventory*. Michigan Natural Features Inventory (Vol. 5, p. 13). The Nature Conservancy.
- Minc, Leah D. (1997). *Vegetative Response in Michigan's Great Lakes Marshes to Great Lakes Water-Level Fluctuations* (p. 65). Michigan Natural Features Inventory.
- Minnesota Pollution Control Agency. (1977). Study of Minnesota's tributaries to Lake Superior. Roseville, Minnesota.: Minnesota Pollution Control Agency.

- Minnesota Pollution Control Agency. (1984). St. Louis River high-flow event monitoring. Minnesota Pollution Control Agency, Division of Water Quality, Monitoring and Analysis Section.
- Mitsch, W., & Reeder, B. (1992). Nutrient and hydrologic budgets of a great lakes coastal freshwater wetland during a drought year. *Wetlands Ecology and Management*, 1(4), 211–222.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2002). Effects of plant community composition and exposure to wave action on invertebrate habitat use of Lake Huron coastal wetlands. *Lakes & Reservoirs: Research and Management*, 7, 255–269.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2004). Temporal Dynamics of Nutrients (N and P) and Hydrology in a Lake Superior Coastal Wetland. *Journal of Great Lakes Research*, 30(Supplement 1), 82–96.
- Mortsch, L. D. (1998). Assessing the impact of climate change on the Great Lakes shoreline wetlands. *Climatic Change*, 40(2), 391–416.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Patronski, T., Charbonneau, C., Dryer, P., Cochrane, J., Smith, D. R., Ania, A., Deloria, C., et al. (2008). Fish Passage and Stream Barrier Management in the Bad River Watershed in Northern Wisconsin. Shepherdstown, West Virginia: National Conservation Training Center.
- Rao, Y. R., & Schwab, D. J. (2007). Transport and Mixing Between the Coastal and Offshore Waters in the Great Lakes : a Review. *Journal of Great Lakes Research*, 33(1), 202–218.
- Sager, P. E., Richman, S., Harris, H. J., & Fewless, G. (1985). Preliminary observations on the seiche-induced flux of carbon, nitrogen and phosphorus in a Great Lakes coastal marsh. In H. H. Price & F. M. D'Itri (Eds.), *Coastal wetlands* (pp. 59–86). Chelsea, Michigan: Lewis Publishers.
- Sierszen, M.E., Brazner, J. C., & Morrice, J. A. (2001). Nutrient-mediated shifts in coastal wetland food web structure. *Abstracts from the 44th Conference on Great Lakes Research* (p. 123). Green Bay, Wisconsin.

- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006a). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.
- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006b). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.
- Sorensen M; Huls, H; Costello, M, J. S. (2004). Analyses of Lake Superior Seiche Activity for Estimating Effects on Pollution Transport in the St. Louis River Estuary under Extreme Conditions. *Journal of Great Lakes Research*, 30(2), 293–300.
- Timmermans, S. T. A., S Badzinski, S., & W Ingram, J. (2008). Associations between breeding marsh bird abundances and Great Lakes hydrology. *Journal of Great Lakes Research*, 34(2), 351–364.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, A. S., Morrice, J. A., & Cotter, A. M. (2002). Relative Role of Lake and Tributary in Hydrology of Lake Superior Coastal Wetlands. *Journal of Great Lakes Research*, 28(2), 212–227.
- Trebitz, Anett S. (2006). Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *Journal of Great Lakes Research*, 32(1), 102–116.
- Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, Anett S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- Trexel-Knoll, D., & Francko, D. A. (2009). Changes in the Old Woman Creek plant community following reduced water levels. Ohio Department of Natural Resources Division of Wildlife – Old Woman Creek National Estuarine Research Reserve.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.

Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.

Webb, P. W. (2008). The Impact of Changes in Water Level and Human Development on Forage Fish Assemblages in Great Lakes Coastal Marshes. *Journal of Great Lakes Research*, 34(4), 615–630.

Wilcox, D.A. (2004). Implications of hydrologic variability on the succession of plants in Great Lakes wetlands. *Aquatic Ecosystem Health & Management*, 7(2), 223–231.

Wilcox, Douglas A, Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Wilcox, Douglas A, & Whillans, T. H. (1999). Techniques for restoration of disturbed coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 835–857.

Indicator Species

Brazner, J. C., Campana, S. E., & Tanner, D. K. (2004). Habitat Fingerprints for Lake Superior Coastal Wetlands Derived from Elemental Analysis of Yellow Perch Otoliths. *Transactions of the American Fisheries Society*, 133(3), 692–704.

Hanowski, J., Danz, N., & Howe, R. (2007). Consideration of geography and wetland geomorphic type in the development of great lakes coastal wetland bird indicators. *EcoHealth*, 4(2), 194–205.

Hanowski, J. M., Danz, N. P., Howe, R. W., Regal, R. R., & Niemi, G. J. (2007). Considerations for Monitoring Breeding Birds in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 245–252.

Johnston, C. A., Bedford, B. L., Bourdaghs, M., Brown, T., Frieswyk, C., Tulbure, M., Vaccaro, L., et al. (2007). Plant Species Indicators of Physical Environment in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(Special Issue 3), 106–124.

Invasive Species

Bergstrom, M. A., Evrard, L. M., & Mensinger, A. F. (2008). Distribution, Abundance, and Range of the Round Goby, *Apollina melanostoma*, in the Duluth-Superior Harbor and St. Louis River Estuary, 1998–2004. *Journal of Great Lakes Research*, 34(3), 535–543.

Bergstrom, M., & Mensinger, A. (2009). Interspecific Resource Competition between the Invasive Round Goby and Three Native Species: Logperch, Slimy Sculpin, and

Spoonhead Sculpin. *Transactions of the American Fisheries Society*, 138(5), 1009–1017.

Bowers, R., & De Szalay, F. A. (2004). Effects of Hydrology on Unionids (Unionidae) and Zebra Mussels (Dreissenidae) in a Lake Erie Coastal Wetland. *The American Midland Naturalist*, 151(2), 286–300.

Brazner, J. C., Tanner, D. K., & Jensen, D. A. (1997). Seasonal abundance and distribution of ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *International Symposium on the Biology & Management of the Eurasian Ruffe* (pp. 21–23). Ann Arbor, MI.

Brazner, J. C., Tanner, D. K., Jensen, D. A., & Lemke, A. E. (1998). Relative abundance and distribution of Ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *Journal of Great Lakes Research*, 24(2), 293–303.

Bronte, C. R., Ebener, M. P., Schreiner, D. R., DeVault, D. S., Petzold, M. M., Jensen, D. A., Richards, C., et al. (2003). Fish community change in Lake Superior, 1970–2000. *Canadian Journal of Fisheries and Aquatic Sciences*, 60(12), 1552–1574.

Bronte, C. R., Evrard, L. M., Brown, W. P., Mayo, K. R., & Edwards, A. J. (1998). Fish Community Changes in the St. Louis River Estuary, Lake Superior, 1989–1996: Is It Ruffe or Population Dynamics? *Journal of Great Lakes Research*, 24(2), 309–318.

Brown, W. P. (1997). *The early life history of Ruffe (Gymnocephalus cernuus) in the St. Louis River estuary*. University of Minnesota - Duluth, MN.

Cangelosi, A. A., Mays, N. L., Balcer, M. D., Reavie, E. D., Reid, D. M., Sturtevant, R., & Gao, X. (2007). The response of zooplankton and phytoplankton from the North American Great Lakes to filtration. *Harmful Algae*, 6(4), 547–566.

Carlson, M. L., Kowalski, K. P., & Wilcox, D. A. (2009). Promoting species establishment in a Phragmites-dominated Great Lakes coastal wetland. *Natural Areas Journal*, 29(3), 263–280.

Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.

Collins, H. L., Brown, W., & Edwards, A. (1995). *The early life history of ruffe (Gymnocephalus cernuus) in the St. Louis River Estuary, 1992-1994 and spatial changes in the distribution and abundance of ruffe (Gymnocephalus cernuus) and native fishes in the St. Louis River Estuary, 1989-1994*. Duluth, Minnesota.

- Cone, D., Eurell, T., & Beasle, V. (1994). A Report of *Dactylogyrus amphibothrium* (Monogenea) on the Gills of European Ruffe in Western Lake Superior. *The Journal of Parasitology*, 80(3), 476–478.
- Dawson, H. A., Reinhardt, U. G., & Savino, J. F. (2006). Use of Electric or Bubble Barriers to Limit the Movement of Eurasian Ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research*, 32(1), 40–49.
- Dopazo, S. N., Corkum, L. D., & Mandrak, N. E. (2008). Fish Assemblages and Environmental Variables Associated with Gobiids in Nearshore Areas of the Lower Great Lakes. *Journal of Great Lakes Research*, 34(3), 450–460.
- Dubois, R. B., & Pratt, D. M. (1994). History of the fishes of the Bois Brule River System, Wisconsin, with emphasis on the salmonids and their management. *Transactions of the Wisconsin Academy of Science, Arts and Letters*, 82(1994), 33–71.
- Edblom, T., Gilbert, J., Dlutkowski, L., & Peterson, S. (1995). *Purple Loosestrife Surveys in Wisconsin and Michigan during 1995* (p. 33). Odanah, Wisconsin.
- Edsall, T. A., Selgeby, J. H., DeSorcie, Timothy J. I., & French, J. P. (1993). Growth-Temperature Relation for Young-Of-The-Year Ruffe. *Journal of Great Lakes Research*, 19(3), 630–633.
- Fairchild, D. J., & Howard McCormick, J. (1996). Effects of Temperature on Hatching and Development of Ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research*, 22(1), 89–94.
- Frieswyk, C.B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380. 2
- Frieswyk, Christin Beth. (2005). *Evaluating resilience: The implications of invasive species and natural water-level fluctuation on Great Lakes coastal wetlands*. University of Wisconsin-Madison.
- Gilbert, J., Carlson, B., & LaRue, R. (1995). *Purple loosestrife survey of the Bad River Watershed, 1994*. Odanah, Wisconsin.
- Great Lakes Fishery Commission. (2007). *The state of Lake Superior in 2000*. (M. P. Ebener, Ed.). Ann Arbor, Michigan.
- Hansen, G., & Jones, M. L. (2008). A rapid assessment approach to prioritizing streams for control of Great Lakes sea lampreys (*Petromyzon marinus*): a case study in adaptive management. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(11), 2471–2484.

- Horns, W. H., Brown, W. P., Hulse, S. R., & Bronte, C. R. (2000). Seasonal Changes in Ruffe Abundance in Two Lake Superior Tributaries: Implications for Control. *North American Journal of Fisheries Management*, 20(3), 822–826.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes Typha X glauca Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.
- Lynch, M. P., & Mensinger, A. F. (2012). Seasonal abundance and movement of the invasive round goby (Neogobius melanostomus) on rocky substrate in the Duluth-Superior Harbor of Lake Superior. *Ecology of Freshwater Fish*, 21(1), 64–74.
- Ogle, D.H., Selgeby, J. H., Newman, R. M., & Henry, M. G. (1995). Diet and feeding periodicity of ruffe in the St. Louis River estuary, Lake Superior. *Transactions of the American Fisheries Society*, 124(3), 356–369.
- Ogle, Derek H, Selgeby, J. H., Saving, J. E., Newman, R. M., & Henry, M. G. (1996). Predation on Ruffe by Native Fishes of the St. Louis River Estuary, Lake Superior, 1989–1991. *North American Journal of Fisheries Management*, 16(1), 115–123. doi:10.1577/1548-8675(1996)016<0115:PORBNF>2.3.CO;2
- Patronski, T., Charbonneau, C., Dryer, P., Cochrane, J., Smith, D. R., Ania, A., Deloria, C., et al. (2008). Fish Passage and Stream Barrier Management in the Bad River Watershed in Northern Wisconsin. Shepherdstown, West Virginia: National Conservation Training Center.
- Peterson, G. S., Hoffman, J. C., Trebitz, A. S., West, C. W., & Kelly, J. R. (2011). Establishment patterns of non-native fishes: Lessons from the Duluth-Superior harbor and lower St. Louis River, an invasion-prone Great Lakes coastal ecosystem. *Journal of Great Lakes Research*, 37(2), 349–358.
- Rothman, E., & Bouchard, V. (2007). Regulation of carbon processes by macrophyte species in a Great Lakes coastal wetland. *Wetlands*, 27(4), 1134–1143.
- Saltonstall, K., Burdick, D., Miller, S., & B., S. (2005). Native and Non-native Phragmites: Challenges in Identification, Research, and Management of the Common Reed. National Estuarine Research Reserve.
- Schuldt, R. J., & Goold, R. (1980). Changes in the Distribution of Native Lampreys in Lake Superior Tributaries in Response to Sea Lamprey (Petromyzon marinus) Control, 1953–77. *Canadian Journal of Fisheries and Aquatic Sciences*, 37(11), 1872–1885.

- Simon, T. P., & Vondruska, J. T. (1991). Larval identification of the ruffe, *Gymnocephalus cernuus* (Linnaeus) (Percidae: Percini), in the St. Louis River Estuary, Lake Superior drainage basin, Minnesota. *Canadian Journal of Zoology*, 69(2), 436–442.
- Torblaa, R. L., & Westman, R. W. (1980). Ecological Impacts of Lampricide Treatments on Sea Lamprey (*Petromyzon marinus*) Ammocoetes and Metamorphosed Individuals. *Canadian Journal of Fisheries and Aquatic Sciences*, 37(11), 1835–1850.
- Trebitz, A. S., & Taylor, D. L. (2007). Exotic and invasive aquatic plants in great lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *Journal of Great Lakes Research*, 33(4), 705–721.
- Trebitz, A. S., West, C. W., Hoffman, J. C., Kelly, J. R., Peterson, G. S., & Grigorovich, I. A. (2010). Status of Non-Indigenous Benthic Invertebrates in the Duluth-Superior Harbor and the Role of Sampling Methods in Their Detection. *Journal of Great Lakes Research*, 36(4), 747–756.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.
- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Vance, H. D., & Francko, D. A. (1997). Allelopathic potential of *Nelumbo lutea* (Willd.) Pers. to alter growth of *Myriophyllum spicatum* L. and *Potamogeton pectinatus* L. *Journal of Freshwater Ecology*, 12(3), 405–409.
- Wasson, K., Lohrer, D., Crawford, M., & Rumrill, S. (2002). Non-native species in our nation's estuaries: A framework for an invasion monitoring program. National Estuarine Research Reserve.

Invertebrates – Terrestrial or Semi-aquatic

- Bowers, R., & De Szalay, F. A. (2004). Effects of Hydrology on Unionids (Unionidae) and Zebra Mussels (Dreissenidae) in a Lake Erie Coastal Wetland. *The American Midland Naturalist*, 151(2), 286–300.
- Burton, T. M., Uzarski, D. G., & Genet, J. A. (2004). Invertebrate habitat use in relation to fetch and plant zonation in northern Lake Huron coastal wetlands. *Aquatic Ecosystem Health & Management*, 7(2), 249–267.

- Dubois, R. B., Pleski, J. M., Smith, W. A., & Epstein, E. J. (2002). Odonata of Coastal Peatland Habitats Adjacent to Lake Superior in Wisconsin. *Great Lakes Entomologist*, 42(3 & 4), 158–172.
- Dubois, R. B., Pleski, J. M., Smith, W. A., Epstein, E. J., & Mead, K. (2005). First records for *Aeshna sitchensis* (Odonata: Aeshnidae) and *Enallagma clausum* (Odonata: Coesnagrionidae), and a Northwestern record for the state-endangered *Somatochlora incurvata* (Odonata: Corduliidae) in Wisconsin. *Great Lakes Entomologist*, 37, 126–130.
- Edsall, T. A., Gorman, O. T., & Evrard, L. M. (2004). Burrowing mayflies as indicators of ecosystem health: Status of populations in two western Lake Superior embayments. *Aquatic Ecosystem Health & Management*, 7(4), 507–513.
- Gathman, J. P., & Burton, T. M. (2011). A Great Lakes Coastal Wetland Invertebrate Community Gradient : Relative Influence of Flooding Regime and Vegetation Zonation. *Wetlands*, 31(2), 329–341.
- Gray, A., Garono, R. J., & Kooser, J. G. (1997). Insect and plant community structure along a river to lake gradient at Old Woman Creek. *Ohio Journal of Science*, 97(2), 27.
- Keller, T. S., Stearns, A. M., & Krieger, K. A. (2007). Atlas of the Dragonfly Larvae Recorded at the Old Woman Creek National Estuarine Research Reserve and State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Krieger, K. A. (1992). The ecology of invertebrates in Great Lakes coastal wetlands: current knowledge and research needs. *Journal of Great Lakes Research*, 18(4), 634–650.
- MacKenzie, R. A. (2001). *Great Lakes coastal wetlands-estuarine systems: invertebrate communities, particle dynamics and biogeochemical cycles*. University of Wisconsin - Milwaukee.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2002). Effects of plant community composition and exposure to wave action on invertebrate habitat use of Lake Huron coastal wetlands. *Lakes & Reservoirs: Research and Management*, 7, 255–269.
- Niemi, G. J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.

- Riffell, S. K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.
- Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.
- Uzarski, D. G., Burton, T. M., & Genet, J. A. (2004). Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. *Aquatic Ecosystem Health & Management*, 7(2), 269–288.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Land-Use Planning

- Bad River Watershed Association. (2011). DRAFT Marengo River Watershed Partnership Project Watershed Action Plan. Ashland, WI: Bad River Watershed Association.
- Brazner, J. C., Tanner, D. K., Detenbeck, N. E., Batterman, S. L., Stark, S. L., Jagger, L. A., & Snarski, V. M. (2004). Landscape Character and Fish Assemblage Structure and Function in Western Lake Superior Streams: General Relationships and Identification of Thresholds. *Environmental Management*, 33(6), 855–875.
- Brown, T., & Hollenhorst, T. (2006). *A natural resources analysis for Duluth's Natural Resources Inventory (2006 City of Duluth Comprehensive Plan)*. 2006 City of Duluth Comprehensive Plan (pp. 1–26). Duluth, MN.
- Danz, N., Niemi, G., Regal, R., & Hollenhorst, T. (2007). Integrated Measures of Anthropogenic Stress in the U.S. Great Lakes Basin. *Environmental Management*, 39(5), 631–647.
- Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Dubois, R. B., & Pratt, D. M. (1994). History of the fishes of the Bois Brule River System, Wisconsin, with emphasis on the salmonids and their management. *Transactions of the Wisconsin Academy of Science, Arts and Letters*, 82(1994), 33–71.

- Duluth-Superior Metropolitan Interstate Committee. (2003). Superior Port Land Use Plan, 1–98.
- Elias, J. E., & Meyer, M. W. (2003). Comparisons of undeveloped and developed shorelands, northern Wisconsin, and recommendations for restoration. *Wetlands*, 23(4), 800–816.
- Fitzpatrick, F. A. (2001). Effects of Land-Cover Change, Floods, and Stream Position on Geomorphic Processes—Implications for Restoration Activities. *Proceedings of Wetlands Engineering and River Restoration Conference*. American Society of Civil Engineers (ASCE).
- Fitzpatrick, F. A., Knox, J. C., & Whitman, H. E. (1999). *Effects of Historical Land-Cover Changes on Flooding and Sedimentation, North Fish Creek, Wisconsin (Water-Resources Investigations Report 99-4083)*. North.
- Frieswyk, C. B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380.
- Grandmaison, D. D., & Niemi, G. J. (2007). Local and Landscape Influence on Red-winged Blackbird (*Agelaius phoeniceus*) Nest Success in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 292–304.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lenz, B. N., Saad, D. A., & Fitzpatrick, F. A. (2003). *Simulation of Ground-Water Flow and Rainfall Runoff with Emphasis on the Effects of Land Cover, Whittlesey Creek, Bayfield County, Wisconsin, 1999–2001*. Reston, Virginia.
- Lougheed, V. L., Crosbie, B., & Chow-Fraser, P. (2001). Primary determinants of macrophyte community structure in 62 marshes across the Great Lakes basin: latitude, land use, and water quality effects. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(8), 1603–1612. doi:10.1139/cjfas-58-8-1603
- Mayer, T., Edsall, T., & Munawar, M. (2004). Factors affecting the evolution of coastal wetlands of the Laurentian Great Lakes: An overview. *Aquatic Ecosystem Health & Management*, 7(2), 171–178.
- Metropolitan Interstate Committee. (1978). Land use and management plan for the Duluth-Superior harbor. Metropolitan Interstate Committee.
- Riffell, S. K. (1999). Road mortality of dragonflies (Odonata) in a Great Lakes coastal wetland. *Great Lakes Entomologist*, 32(1-2), 63–74.

- Sapper, B. (2002). *Our Watershed, Our Water: Understanding and Protecting a Watershed (Chequamegon Bay, Wisconsin)*. Madison, WI: Madison Environmental Group, Inc.
- Schomberg, J., Hagley, C., Desotelle, D., & O'Halloran, S. (2006). *Building Superior Coastal Communities* (p. 32). Duluth, Minnesota.
- St. Louis River Citizen Action Committee. (2002). Lower St. Louis River habitat plan.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, Anett S., Brazner, J. C., Cotter, A. M., Knuth, M. L., Morrice, J. A., Peterson, G. S., Sierszen, M. E., et al. (2007). Water Quality in Great Lakes Coastal Wetlands : Basin-wide Patterns and Responses to an Anthropogenic Disturbance Gradient. *Journal of Great Lakes Research*, 33(3), 67–85.
- Trebitz, Anett S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- Uzarski, D. G., Burton, T. M., Cooper, M. J., Ingram, J. W., & Timmermans, S. T. A. (2005). Fish Habitat Use Within and Across Wetland Classes in Coastal Wetlands of the Five Great Lakes: Development of a Fish-based Index of Biotic Integrity. *Journal of Great Lakes Research*, 31(Supplement 1), 171–187.
- Webb, P. W. (2008). The Impact of Changes in Water Level and Human Development on Forage Fish Assemblages in Great Lakes Coastal Marshes. *Journal of Great Lakes Research*, 34(4), 615–630.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Yeo, I.-Y., Guldmann, J.-M., & Gordon, S. I. (2007). A hierarchical optimization approach to watershed land use planning. *Water Resources Research*, 43(11), 1–17.

Macrofauna

Epstein, E. J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.

Koch, R. G. (1980). *Wisconsin Point: A review of the fauna and flora with management suggestions* (p. 35). Superior, Wisconsin.

Trebitz, A. S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.

Microfauna & Meiofauna

Bowden, R. J. (1975). *Wisconsin Tributary Loadings to the Upper Great Lakes*. Springfield, Virginia.

Cangelosi, A. A., Mays, N. L., Balcer, M. D., Reavie, E. D., Reid, D. M., Sturtevant, R., & Gao, X. (2007). The response of zooplankton and phytoplankton from the North American Great Lakes to filtration. *Harmful Algae*, 6(4), 547–566.

Envirodyne Engineers Inc. (1983). Revised benthos analysis : Duluth-Superior harbor, fall 1982 and spring 1983. U.S. Army Corps of Engineers, Detroit District.

Francko, D. A., & Whyte, R. S. (1999). Midsummer photosynthetic carbon budget for Old Woman Creek wetlands, Ohio: Relative contribution of aquatic macrophytes versus phytoplankton. *Ohio Journal of Science*, 33(2), 6–9.

Keough, J. R., Sierszen, M. E., & Hagley, C. A. (1996). Analysis of a Lake Superior coastal food web with stable isotope techniques. *Limnology and Oceanography*, 41(1), 136–146.

Kepner, R.L., J., & Pratt, J. R. (1996). Characterization of surface-associated Protozoan communities in a Lake Erie coastal wetland (Old Woman Creek, Ohio). *Journal of Great Lakes Research*, 22(1), 63–76.

Klarer, D. M. (1983). A survey of phytoplankton in Old Woman Creek estuary. *Ohio Journal of Science*, 83(2), 93.

Klarer, D. M., & Millie, D. F. (1992). Aquatic macrophytes and algae at Old Woman Creek Estuary and other Great Lakes coastal wetlands. *Journal of Great Lakes Research*, 18(4), 622–633.

Klarer, D. M., & Millie, D. F. (1994). Regulation of phytoplankton dynamics in a Laurentian Great Lakes estuary. *Hydrobiologia*, 286(2), 97–108.

- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Krieger, K. A., & Klarer, D. M. (1991). Zooplankton dynamics in a Great Lakes coastal marsh. *Journal of Great Lakes Research*, 17(2), 255–269.
- Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.
- Niemi, G. J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.
- Sierszen, M. E., Morrice, J. A., Moffett, M. F., & West, C. W. (2004). Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *Journal of Great Lakes Research*, 30(1), 31–43.

Monitoring

- Breneman, D., Richards, C., & Lozano, S. (2000). Environmental Influences on Benthic Community Structure in a Great Lakes Embayment. *Journal of Great Lakes Research*, 26(3), 287–304.
- Casper, G. S. (2002). *A Review of the Amphibians and Reptiles of the Lake Superior Watershed. Review Literature And Arts Of The Americas*.
- Craigie, G. E., Timmermans, S. T. A., & Ingram, J. W. (2003). *Interactions Between Marsh Bird Population Indices and Great Lakes Water Levels: A Case Study of Lake Ontario Hydrology*.
- Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, 11(6), 1609–1622. doi:10.1016/j.ecolind.2011.04.005
- Danz, N., Niemi, G., Regal, R., & Hollenhorst, T. (2007). Integrated Measures of Anthropogenic Stress in the U.S. Great Lakes Basin. *Environmental Management*, 39(5), 631–647.
- Deegan, L., Finn, J., Ayvazian, S., Ryder-Kieffer, C., & Buonaccorsi, J. (1997). Development and validation of an estuarine biotic integrity index. *Estuaries and Coasts*, 20(3), 601–617.

- Doucette, W. J., Johnson, P. K., & Caple, R. (1985). Use of Volatile Chloroorganics as a Measure of the Rehabilitation of the St. Louis River and Bay. *Journal of Great Lakes Research*, 11(1), 77–81.
- Edblom, T., Gilbert, J., Dlutkowski, L., & Peterson, S. (1995). *Purple Loosestrife Surveys in Wisconsin and Michigan during 1995* (p. 33). Odanah, Wisconsin.
- Edsall, T. A., Gorman, O. T., & Evrard, L. M. (2004). Burrowing mayflies as indicators of ecosystem health: Status of populations in two western Lake Superior embayments. *Aquatic Ecosystem Health & Management*, 7(4), 507–513.
- Great Lakes Coastal Wetlands Consortium. (2008). *Great Lakes coastal wetlands monitoring plan*. (T. M. Burton, J. C. Brazner, J. J. H. Cibrowski, G. P. Grabas, J. Hummer, J. Schneider, & D. G. Uzarski, Eds.) *Wetlands* (p. 283). Ann Arbor, MI.
- Hanowski, J. M., Danz, N. P., Howe, R. W., Regal, R. R., & Niemi, G. J. (2007). Considerations for Monitoring Breeding Birds in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(sp3), 245–252.
- Hansen, G., & Jones, M. L. (2008). A rapid assessment approach to prioritizing streams for control of Great Lakes sea lampreys (*Petromyzon marinus*): a case study in adaptive management. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(11), 2471–2484.
- Host, G. E., Schuldt, J., Cibrowski, J. J. H., Johnson, L. B., Hollenhorst, T., & Richards, C. (2005). Use of GIS and remotely sensed data for a priori identification of reference areas for Great Lakes coastal ecosystems. *International Journal of Remote Sensing*, 26(23), 5325–5342.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lawson, R. (2004). Coordinating coastal wetlands monitoring in the North American Great Lakes. *Aquatic Ecosystem Health & Management*, 7(2), 215–221.
- Minnesota Pollution Control Agency. (1971). *Water quality monitoring stations: Lake Superior Basin*. Roseville, Minnesota: Minnesota Pollution Control Agency.
- Minnesota Pollution Control Agency. (1984). *St. Louis River high-flow event monitoring*. Minnesota Pollution Control Agency, Division of Water Quality, Monitoring and Analysis Section.
- Niemi, G. J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors

for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.

Price, S. J., Howe, R. W., Hanowski, J. M., Regal, R. R., Niemi, G. J., & Smith, C. R. (2007). Are Anurans of Great Lakes Coastal Wetlands Reliable Indicators of Ecological Condition. *Journal of Great Lakes Research*, 33(sp3), 211–223.

Stearns, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. Huron, OH: Ohio Department of Natural Resources - Division of Wildlife.

Trebitz, A., Kelly, J., Hoffman, J., Peterson, G., & West, C. (2009). Exploiting habitat and gear patterns for efficient detection of rare and non-native benthos and fish in Great Lakes coastal ecosystems. *Aquatic Invasions*, 4(4), 651–667.

Trebitz, A. S., Brazner, J. C., Pearson, M. S., Peterson, G. S., Tanner, D. K., & Taylor, D. L. (2009). Patterns in habitat and fish assemblages within Great Lakes coastal wetlands and implications for sampling design. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1343–1354.

Trebitz, A. S., West, C. W., Hoffman, J. C., Kelly, J. R., Peterson, G. S., & Grigorovich, I. A. (2010). Status of Non-Indigenous Benthic Invertebrates in the Duluth-Superior Harbor and the Role of Sampling Methods in Their Detection. *Journal of Great Lakes Research*, 36(4), 747–756.

Van Stappen, J. F., & Dallman, M. E. (1996). Apostle Islands National Lakeshore 1995 Breeding Bird Survey Report. *The Passenger Pigeon*, 58(1), 35–48.

Wasson, K., Lohrer, D., Crawford, M., & Rumrill, S. (2002). Non-native species in our nation's estuaries: A framework for an invasion monitoring program. National Estuarine Research Reserve.

Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Nutrient Cycling & Chemistry

Bahnick, D. A., Horton, J. A., & Roubal, R. K. (1970). Comparison of the Water Quality of the Bois Brule and Poplar Rivers, Wisconsin - Both Tributary to Lake Superior. *Center for Lake Superior Environmental Studies*, 16.

Boreen, A. L., Edhlund, B. L., Cotner, J. B., & McNeill, K. (2008). Indirect Photodegradation of Dissolved Free Amino Acids: The Contribution of Singlet

Oxygen and the Differential Reactivity of DOM from Various Sources. *Environmental Science & Technology*, 42(15), 5492–5498.

- Bowden, R. J. (1975). *Wisconsin Tributary Loadings to the Upper Great Lakes*. Springfield, Virginia.
- Brazner, J., Tanner, D., & Morrice, J. (2001). Fish-Mediated Nutrient and Energy Exchange between a Lake Superior Coastal Wetland and its Adjacent Bay. *Journal of Great Lakes Research*, 27(1), 98–111.
- Bridgham, S. D., Johnston, C. A., Schubauer-Berigan, J. P., & Weishampel, P. (2001). Phosphorus Sorption Dynamics in Soils and Coupling with Surface and Pore Water in Riverine Wetlands, 65(2), 577–588.
- Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the Great Lakes Coastal Wetlands Colloquium* (pp. 3–13). Chelsea, Michigan: Lewis Publishers.
- Fitzpatrick, F. A., Knox, J. C., & Whitman, H. E. (1999). *Effects of Historical Land-Cover Changes on Flooding and Sedimentation, North Fish Creek, Wisconsin (Water-Resources Investigations Report 99-4083)*. North.
- Francko, D. A., & Whyte, R. S. (1999). Midsummer photosynthetic carbon budget for Old Woman Creek wetlands, Ohio: Relative contribution of aquatic macrophytes versus phytoplankton. *Ohio Journal of Science*, 33(2), 6–9.
- Heath, R. T. (1992). Nutrient dynamics in Great Lakes coastal wetlands: Future directions. *Journal of Great Lakes Research*, 18(4), 590–602.
- Johnston, C. A., Bridgham, S. D., & Schubauer-Berigan, J. P. (2001). Nutrient dynamics in relation to geomorphology of riverine wetlands. *Soil Science Society of America Journal*, 65(2), 557–577.
- Krieger, K. A. (2003). Effectiveness of a coastal wetland in reducing pollution of a Laurentian Great Lake. *Wetlands*, 23(4), 778–791.
- Lavrentyev, P. J., McCarthy, M. J., Klarer, D. M., Jochem, F., & Gardner, W. S. (2004). Estuarine microbial food web patterns in a Lake Erie coastal wetland. *Microbial Ecology*, 48(4), 567–577.
- Lenz, B. N., Saad, D. A., & Fitzpatrick, F. A. (2003). *Simulation of Ground-Water Flow and Rainfall Runoff with Emphasis on the Effects of Land Cover, Whittlesey Creek, Bayfield County, Wisconsin, 1999–2001*. Reston, Virginia.

- MacKenzie, R. A. (2001). *Great Lakes coastal wetlands-estuarine systems: invertebrate communities, particle dynamics and biogeochemical cycles*. University of Wisconsin - Milwaukee.
- Matisoff, G., Bonniwell, C., & Whiting, P. J. (2002). Radionuclides as Indicators of Sediment Transport in Agricultural Watersheds that Drain to Lake Erie. *Journal of Environmental Quality*, 31(1), 62–72.
- Matisoff, G., & Eaker, J. P. (1992). Summary of Sediment Chemistry Research at Old Woman Creek, Ohio. *Journal of Great Lakes Research*, 18(4), 603–621.
- Maynard, L., & Wilcox, D. (1997). Coastal wetlands. *State of the Lakes Ecosystem Conference (SOLEC) 1996*. U.S. Environmental Protection Agency.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, 16(2), 219–231.
- Mitsch, W., & Reeder, B. (1992). Nutrient and hydrologic budgets of a great lakes coastal freshwater wetland during a drought year. *Wetlands Ecology and Management*, 1(4), 211–222.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2004). Temporal Dynamics of Nutrients (N and P) and Hydrology in a Lake Superior Coastal Wetland. *Journal of Great Lakes Research*, 30(Supplement 1), 82–96.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Sierszen, M.E., Brazner, J. C., & Morrice, J. A. (2001). Nutrient-mediated shifts in coastal wetland food web structure. *Abstracts from the 44th Conference on Great Lakes Research* (p. 123). Green Bay, Wisconsin.
- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006a). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.
- Sierszen, Michael E., Peterson, G. S., Trebitz, A. S., Brazner, J. C., & West, C. W. (2006b). Hydrology and nutrient effects on food-web structure in ten Lake Superior coastal wetlands. *Wetlands*, 26(4), 951–964.

Tanner, D. K., Brazner, J. C., & Brady, V. J. (2000). Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland. *Canadian Journal of Fisheries and Aquatic Sciences*, 57(6), 1243–1251.

Trebitz, A. S., Brazner, J. C., Cotter, A. M., Knuth, M. L., Morrice, J. A., Peterson, G. S., Sierszen, M. E., et al. (2007). Water Quality in Great Lakes Coastal Wetlands : Basin-wide Patterns and Responses to an Anthropogenic Disturbance Gradient. *Journal of Great Lakes Research*, 33(3), 67–85.

Trebitz, A. S., Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.

Palynology

Kerfoot, W. C., Robbins, J. A., & Weider, L. J. (1999). A new approach to historical reconstruction: Combining descriptive and experimental paleolimnology. *Limnology and Oceanography*, 44(5), 1232–1247.

Plants

Agassiz, L. (1850). *Lake Superior, its physical character, vegetation, and animals, compared with those of other and similar regions*. (p. 428). Boston: Gould, Kendall and Lincoln.

Albert, D. A., & Minc, L. D. (2004a). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health & Management*, 7(2), 233–247.

Albert, D. A., & Minc, L. D. (2004b). Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management*, 7(2), 233–247.

Brazner, J. C., Danz, N. P., Niemi, G. J., Regal, R. R., Trebitz, A. S., Howe, R. W., Hanowski, J. M., et al. (2007). Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecological Indicators*, 7(3), 610–635.

Brown, T., & Hollenhorst, T. (2006). *A natural resources analysis for Duluth's Natural Resources Inventory (2006 City of Duluth Comprehensive Plan)*. 2006 City of Duluth Comprehensive Plan (pp. 1–26). Duluth, MN.

Burkman, P. (2008). The Effects of Fire on Beach Grass (*Ammophila breviligulata*) at Apostle Islands National Lakeshore. *Society*. U.S. National Park Service Publications and Papers.

Burton, T. M. (1985). Effects of Water Level Fluctuations on Great Lakes Coastal Marshes. In H. H. Price & F. M. D'Itri (Eds.), *Coastal Wetlands: Proceedings of the*

Great Lakes Coastal Wetlands Colloquium (pp. 3–13). Chelsea, Michigan: Lewis Publishers.

- Carlson, M. L., Kowalski, K. P., & Wilcox, D. A. (2009). Promoting species establishment in a Phragmites-dominated Great Lakes coastal wetland. *Natural Areas Journal*, 29(3), 263–280.
- Coles, A. C. (2002). The assessment of herbaceous plant cover in wetlands as an indicator of function. *Ecological Indicators*, 2(3), 287–293.
- Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197.
- Cvetkovic, M., & Chow-Fraser, P. (2011). Use of ecological indicators to assess the quality of Great Lakes coastal wetlands. *Ecological Indicators*, 11(6), 1609–1622.
- Dabydeen, S., & RG., K. (1977). Vegetation and floristics of a sand spoil deposit - Barker's Island in Superior Harbor, Douglas County, Wisconsin. *Michigan Botanist*, 16(1), 39–46.
- Edblom, T., Gilbert, J., Dlutkowski, L., & Peterson, S. (1995). *Purple Loosestrife Surveys in Wisconsin and Michigan during 1995* (p. 33). Odanah, Wisconsin.
- Eggers, S. D., & Reed, D. M. (1987). *Wetland plants and plant communities of Minnesota and Wisconsin* (p. 201). St. Paul, Minnesota: U.S. Army Corps of Engineers, St. Paul District.
- Elias, J. E., & Meeker, J. E. (1999). Plant communities and birds of six Lake Superior coastal wetlands. *The Passenger Pigeon*, 61(3), 323–336.
- Elias, J. E., & Meyer, M. W. (2003). Comparisons of undeveloped and developed shorelands, northern Wisconsin, and recommendations for restoration. *Wetlands*, 23(4), 800–816.
- Epstein, E.J., Judziewicz, E. J., & Smith, W. A. (1997). *Wisconsin's Lake Superior coastal wetlands evaluation - including other selected natural features of the Lake Superior Basin* (p. 330). Madison, WI USA.
- Epstein, Eric J. (1997). *Biotic inventory of the St. Louis River estuary and associated lands*. Madison, Wisconsin.
- Francko, D. A., & Whyte, R. S. (1995). *A study of littoral vegetation in the Old Woman Creek NERR* (p. 20). Columbus, OH.

- Frieswyk, C. B., Johnston, C. A., & Zedler, J. B. (2007). Identifying and Characterizing Dominant Plants as an Indicator of Community Condition. *Journal of Great Lakes Research*, 33(Special Issue 3), 125–135.
- Gilbert, J., Carlson, B., & LaRue, R. (1995). *Purple loosestrife survey of the Bad River Watershed, 1994*. Odanah, Wisconsin.
- Gray, A., Garono, R. J., & Kooser, J. G. (1997). Insect and plant community structure along a river to lake gradient at Old Woman Creek. *Ohio Journal of Science*, 97(2), 27.
- Hebb, A., Snell, E., & Sabila, G. (2006). Coastal wetland vegetation community response to climate change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerability to Climate Change and Response to Adaptation Strategies* (pp. 37–78). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Johnson, C. C. (2003a). *Predicting the early vegetation of a wetland created from dredged sediments in Duluth-Superior harbor, Minnesota-Wisconsin, USA*. University of Minnesota-Duluth.
- Johnson, C. C. (2003b). *Predicting the early vegetation of a wetland created from dredged sediments in Duluth-Superior harbor, Minnesota-Wisconsin, USA*. University of Minnesota-Duluth.
- Johnston, C. A. (2003). Shrub species as indicators of wetland sedimentation. *Wetlands*, 23(4), 911–920.
- Johnston, C. A., Bedford, B. L., Bourdags, M., Brown, T., Frieswyk, C., Tulbure, M., Vaccaro, L., et al. (2007). Plant Species Indicators of Physical Environment in Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, 33(Special Issue 3), 106–124.
- Judziewicz, Emmet J., & Koch, R. G. (1993). Flora and vegetation of the Apostle Islands National Lakeshore and Madeline Island, Ashland and Bayfield Counties, Wisconsin. *The Michigan Botanist*, 32(2), 43–189.
- Judziewicz, Emmett J., & Nekola, J. C. (1997). Recent Wisconsin records for some interesting vascular plants in the western Great Lakes region. *The Michigan Botanist*, 36, 91–118.
- Keddy, P. A., & Reznicek, A. A. (1986). Great Lakes Vegetation Dynamics: The Role of Fluctuating Water Levels and Buried Seeds. *Journal of Great Lakes Research*, 12(1), 25–36.

- Koch, R. G. (1980). *Wisconsin Point: A review of the fauna and flora with management suggestions* (p. 35). Superior, Wisconsin.
- Koch, R. G. (1981). *Vegetation and floristics of Allouez Bay, Superior, Wisconsin* (p. 36). Superior, Wisconsin.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lakela, O. (1939). A Floristic Study of a Developing Plant Community on Minnesota Point, Minnesota. *Ecology*, 20(4), 544–552.
- Lishawa, S. C., Albert, D. A., & Tuchman, N. C. (2010). Water Level Decline Promotes *Typha X glauca* Establishment and Vegetation Change in Great Lakes Coastal Wetlands. *Wetlands*, 30(6), 1085–1096.
- Lougheed, V. L., Crosbie, B., & Chow-Fraser, P. (2001). Primary determinants of macrophyte community structure in 62 marshes across the Great Lakes basin: latitude, land use, and water quality effects. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(8), 1603–1612.
- Meeker, J. (1993). *The ecology of “wild” wild-rice (Zizania palustris var. palustris) in the Kakagon Sloughs, a riverine wetland on Lake Superior*. University of Wisconsin - Madison.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, 16(2), 219–231.
- Meyer, S., Galloway, M., Grabas, G., & Ingram, J. (2006). Vulnerability of wetland plant communities in Great Lakes coastal wetlands to climate-induced hydrologic change. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 21–35). Toronto, Ontario: Environment Canada and Department of Fisheries and Oceans.
- Minc, L.D. (1997). *Great Lakes Coastal Wetlands: An Overview of Controlling Abiotic Factors, Regional Distribution, and Species Composition* (p. 307). Michigan Natural Features Inventory.
- Minc, Leah D. (1997a). *Vegetative Response in Michigan’s Great Lakes Marshes to Great Lakes Water-Level Fluctuations* (p. 65). Michigan Natural Features Inventory.
- Minc, Leah D. (1997b). *Vegetation of the Great Lakes Coastal Marshes and Wetlands of MN, WI, OH, PA, and NY* (p. 60). Michigan Natural Features Inventory.

- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2002). Effects of plant community composition and exposure to wave action on invertebrate habitat use of Lake Huron coastal wetlands. *Lakes & Reservoirs: Research and Management*, 7, 255–269.
- Morrice, J. A., Kelly, J. R., Trebitz, A. S., Cotter, A. M., & Knuth, M. L. (2006). Properties and Performance of the Floristic Quality Index in Great Lakes Coastal Wetlands. *Wetlands*, 26(3), 718–735.
- Mortsch, L., Ingram, J., Doka, S., & Hebb, A. (2006). Integrated assessment: vulnerability of Great Lakes coastal wetland communities to climate change. In L. Mortsch, J. Ingram, S. Doka, & A. Hebb (Eds.), *Great Lakes coastal wetland communities: Vulnerabilities to climate change and response to adaptation strategies* (pp. 129–178). Environment Canada and Department of Fisheries and Oceans.
- Niemi, G. J., Reavie, E. D., Peterson, G. S., Kelly, J. R., Johnston, C. A., Johnson, L. B., Howe, R. W., et al. (2011). An integrated approach to assessing multiple stressors for coastal Lake Superior. *Aquatic Ecosystem Health & Management*, 14(4), 356–375.
- Peterson, A. R. (1979). Fish and Wildlife Survey of the St. Louis River.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Rothman, E., & Bouchard, V. (2007). Regulation of carbon processes by macrophyte species in a Great Lakes coastal wetland. *Wetlands*, 27(4), 1134–1143.
- Trebitz, A. S., Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, A. S., & Taylor, D. L. (2007). Exotic and invasive aquatic plants in great lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *Journal of Great Lakes Research*, 33(4), 705–721.
- Trexel-Knoll, D., & Francko, D. A. (2009). Changes in the Old Woman Creek plant community following reduced water levels. Ohio Department of Natural Resources Division of Wildlife – Old Woman Creek National Estuarine Research Reserve.
- Tuchman, N. C., Larkin, D. J., Geddes, P., Wildova, R., Jankowski, K., & Goldberg, D. E. (2009). Patterns of Environmental Change Associated with *Typha x glauca* Invasion in a Great Lakes Coastal Wetland. *Wetlands*, 29(3), 964–975.

- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native *Phragmites australis* and *Typha*. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Vance, H. D., & Francko, D. A. (1997). Allelopathic potential of *Nelumbo lutea* (Willd.) Pers. to alter growth of *Myriophyllum spicatum* L. and *Potamogeton pectinatus* L. *Journal Of Freshwater Ecology*, 12(3), 405–409.
- Wilcox, D.A. (2004). Implications of hydrologic variability on the succession of plants in Great Lakes wetlands. *Aquatic Ecosystem Health & Management*, 7(2), 223–231.
- Wilcox, Douglas A, Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Wilson, S. D., & Keddy, P. A. (2012). Measuring Diffuse Competition Along an Environmental Gradient : Results from a Shoreline Plant Community. *The American Naturalist*, 127(6), 862–869.

Policy

- Doka, S., Ingram, J., Mortsch, L., & Hebb, A. (2006). Preparing for climate change: Assessing adaptation strategies for coastal wetlands. In L. Mortsch, J. Ingram, A. Hebb, & S. Doka (Eds.), *Great Lakes Coastal Wetland Communities: Vulnerabilities to Climate Change and Response to Adaptation Strategies* (pp. 179–247). Toronto, Ontario: Environment Canada and the Department of Fisheries and Oceans.
- Loftus, K., Smardon, R., & Potter, B. (2004). Strategies for the stewardship and conservation of Great Lakes coastal wetlands. *Aquatic Ecosystem Health Management*, 7(2), 305–330.
- NOAA. (2011). *National Estuarine Research Reserve System Strategic Plan 2011-2016* (p. 12). Silver Spring, MD.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.

Recreation

- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.

Remote Sensing

- Becker, B. L., Lusch, D. P., & Qi, J. G. (2007). A classification-based assessment of the optimal spectral and spatial resolutions for Great Lakes coastal wetland imagery. *Remote Sensing of Environment*, 108(1), 111–120.
- Cholwek, G., Yule, D., Eitrem, M., Quinlan, H., & Doolittle, T. (2005). *Mapping Potential Lake Sturgeon Habitat in the Lower Bad River Complex*. *Geology* (pp. 1–9). Ashland, Wisconsin.
- Frieswyk, C. B., & Zedler, J. B. (2007). Vegetation Change in Great Lakes Coastal Wetlands: Deviation from the Historical Cycle. *Journal of Great Lakes Research*, 33(2), 366–380.
- Gottgens, J. F., Swartz, B. P., Kroll, R. W., & Eboch, M. (1998). Long-term GIS-based records of habitat changes in a Lake Erie coastal marsh. *Wetlands Ecology and Management*, 6(1), 5–17.
- Host, G. E., Schuldt, J., Ciborowski, J. J. H., Johnson, L. B., Hollenhorst, T., & Richards, C. (2005). Use of GIS and remotely sensed data for a priori identification of reference areas for Great Lakes coastal ecosystems. *International Journal of Remote Sensing*, 26(23), 5325–5342.
- Lenz, B. N., Saad, D. A., & Fitzpatrick, F. A. (2003). *Simulation of Ground-Water Flow and Rainfall Runoff with Emphasis on the Effects of Land Cover, Whittlesey Creek, Bayfield County, Wisconsin, 1999–2001*. Reston, Virginia.

Restoration

- Biohabitats Inc. (2007). *Hog Island and Newton Creek ecological restoration management plan*.
- Brazner, J. C., Campana, S. E., Tanner, D. K., & Schram, S. T. (2004). Reconstructing Habitat Use and Wetland Nursery Origin of Yellow Perch from Lake Superior using Otolith Elemental Analysis. *Journal of Great Lakes Research*, 30(4), 492–507.
- Burkman, P. (2008). The Effects of Fire on Beach Grass (*Ammophila breviligulata*) at Apostle Islands National Lakeshore. *Society*. U.S. National Park Service Publications and Papers.
- Chow-Fraser, P. (2005). Ecosystem response to changes in water level of Lake Ontario marshes: lessons from the restoration of Cootes Paradise Marsh. (H. Coops & K. E. Havens, Eds.) *Hydrobiologia*, 539(1), 189–204.
- Coles, A. C. (2002). The assessment of herbaceous plant cover in wetlands as an indicator of function. *Ecological Indicators*, 2(3), 287–293.

- Edsall, T. A., Gorman, O. T., & Evrard, L. M. (2004). Burrowing mayflies as indicators of ecosystem health: Status of populations in two western Lake Superior embayments. *Aquatic Ecosystem Health & Management*, 7(4), 507–513.
- Eger, P., Johnson, A., Melchert, G., Antonson, D., & Dewar, S. (2000). *The use of dredge material as an organic substrate to create wetlands in taconite tailings basins*.
- Elias, J. E., & Meyer, M. W. (2003). Comparisons of undeveloped and developed shorelands, northern Wisconsin, and recommendations for restoration. *Wetlands*, 23(4), 800–816.
- Fitzpatrick, F. A. (2001). Effects of Land-Cover Change, Floods, and Stream Position on Geomorphic Processes—Implications for Restoration Activities. *Proceedings of Wetlands Engineering and River Restoration Conference*. American Society of Civil Engineers (ASCE).
- Fitzpatrick, F. A., Knox, J. C., & Whitman, H. E. (1999). *Effects of Historical Land-Cover Changes on Flooding and Sedimentation, North Fish Creek, Wisconsin (Water-Resources Investigations Report 99-4083)*. North.
- Fitzpatrick, F. A., Pepler, M. C., Schwar, H. E., Hoopes, J. A., & Diebel, M. W. (2005). *Monitoring Channel Morphology and Bluff Erosion at Two Installations of Flow-Deflecting Vanes, North Fish Creek, Wisconsin, 2000–03* (p. 42). Reston, Virginia.
- Great Lakes Fishery Commission. (2007). *The state of Lake Superior in 2000*. (M. P. Ebener, Ed.). Ann Arbor, Michigan.
- Great Lakes Regional Collaboration. (2008). *Great Lakes Regional Collaboration Habitat/Wetlands Initiative: A Progress Report and Call to Action*.
- Hartig, J. H., Kelso, J. R., & Wooley, C. (1996). Are habitat rehabilitation initiatives uncoupled from aquatic resource management objectives in the Great Lakes? *Canadian Journal of Fisheries and Aquatic Sciences*, 53(S1), 424–431.
- Hoffman, J. C., Cotter, A. M., Peterson, G. S., Corry, T. D., & Kelly, J. R. (2011). Rapid stable isotope turnover of larval fish in a Lake Superior coastal wetland: Implications for diet and life history studies. *Aquatic Ecosystem Health & Management*, 14(4), 403–413.
- Hong, P. K. A., & Nakra, S. (2009). Rapid extraction of sediment contaminants by pressure cycles. *Chemosphere*, 74(10), 1360–1366.
- Hong, P. K. A., Nakra, S., Kao, C. M. J., & Hayes, D. F. (2008). Pressure-assisted ozonation of PCB and PAH contaminated sediments. *Chemosphere*, 72(11), 1757–1764.

- Johnson, C. C. (2003a). *Predicting the early vegetation of a wetland created from dredged sediments in Duluth-Superior harbor, Minnesota-Wisconsin, USA*. University of Minnesota-Duluth.
- Johnson, C. C. (2003b). *Predicting the early vegetation of a wetland created from dredged sediments in Duluth-Superior harbor, Minnesota-Wisconsin, USA*. University of Minnesota-Duluth.
- Johnston, C. A. (2003). Shrub species as indicators of wetland sedimentation. *Wetlands*, 23(4), 911–920.
- Mayer, T., Edsall, T., & Munawar, M. (2004). Factors affecting the evolution of coastal wetlands of the Laurentian Great Lakes: An overview. *Aquatic Ecosystem Health & Management*, 7(2), 171–178.
- Notton, T., Techtmann, C., & Notbohm, B. (2002). *A string of pearls: The estuaries of Chequamegon Bay*. University of Wisconsin Board of Regents, University of Wisconsin-Extension, Cooperative Extension.
- Park Point Community Club. (1999). Minnesota point environmental management plan. Duluth, Minnesota: Duluth Office of Planning and Development funding provided by Legislation Commission on Minnesota Resources.
- Reeder, B. C. (1994). Estimating the Role of Autotrophs in Nonpoint-Source Phosphorus Retention in a Laurentian Great-Lakes Coastal Wetland. *Ecological Engineering*, 3(2), 161–169.
- Saltonstall, K., Burdick, D., Miller, S., & B., S. (2005). Native and Non-native Phragmites: Challenges in Identification, Research, and Management of the Common Reed. National Estuarine Research Reserve.
- Schram, S. T., Lindgren, J., & Evrard, L. M. (1999). Reintroduction of Lake Sturgeon in the St. Louis River, Western Lake Superior. *North American Journal of Fisheries Management*, 19(3), 815–823.
- St. Louis River Citizen Action Committee. (2002). Lower St. Louis River habitat plan.
- Tulbure, M. G., Johnston, C. A., & Auger, D. L. (2007). Rapid Invasion of a Great Lakes Coastal Wetland by Non-native Phragmites australis and Typha. *Journal of Great Lakes Research*, 33(sp3), 269–279.
- Wilcox, D. A., & Whillans, T. H. (1999). Techniques for restoration of disturbed coastal wetlands of the Great Lakes. *Wetlands*, 19(4), 835–857.

Sediment Contaminants

- Breneman, D., Richards, C., & Lozano, S. (2000). Environmental Influences on Benthic Community Structure in a Great Lakes Embayment. *Journal of Great Lakes Research*, 26(3), 287–304. doi:10.1016/S0380-1330(00)70693-9
- Briggs, M. (1978). *PCB's in white suckers from the St. Louis River at Cloquet and Brookston* (p. 1). St. Paul, MN.
- Crane, J L, MacDonald, D. D., Ingersoll, C. G., Smorong, D. E., Lindskoog, R. A., Severn, C. G., Berger, T. A., et al. (2002). Evaluation of Numerical Sediment Quality Targets for the St. Louis River Area of Concern. *Archives of Environmental Contamination and Toxicology*, 43(1), 1–10. Retrieved from <http://dx.doi.org/10.1007/s00244-002-1155-x>
- Crane, J.L. (2004). *Quality assurance project plan (QAPP): Phase II GIS-based sediment quality database for the St. Louis River Area of Concern*. St. Paul, Minnesota. Retrieved from <http://www.pca.state.mn.us/index.php/view-document.html?gid=7209>
- Crane, J.L., McDonald, D. D., Ingersoll, C. G., Smorong, D. E., Lindskoog, R. A., Severn, C. G., Berger, T. A., et al. (2000). *Development of a framework for evaluating numerical sediment quality targets and sediment contamination in the St. Louis River area of concern*.
- Crane, J.L., & Schubauer-Berigan, M. (1997). *Survey of sediment quality in the Duluth/Superior harbor: 1993 sampling results*. Chicago, Illinois.
- Crane, J.L., Schubauer-Berigan, M., & Schmude, K. (1997). *Sediment assessment of hotspot areas in the Duluth/Superior Harbor*. Chicago, Illinois.
- Crane, Judy L, Richards, C., Breneman, D., Lozano, S., & Schuldt, J. A. (2005). Evaluating methods for assessing sediment quality in a Great Lakes embayment. *Aquatic Ecosystem Health & Management*, 8(3), 323–349.
- Crane, Judy L. (2006). *Phase IV GIS-based sediment quality database for the St. Louis River Area of Concern-Wisconsin Focus -- Overview of Sediment Quality Conditions in the St. Louis River Area of Concern*. St. Paul, Minnesota.
- Crane, Judy L., & Myre, P. L. (2005). *Phase III GIS-based Sediment Quality Database for the St. Louis River Area of Concern (AOC)-Minnesota Focus -- Addendum to the Phase II Technical Documentation -- Final Report*. Two Harbors, Minnesota.
- Hong, P. K. A., & Nakra, S. (2009). Rapid extraction of sediment contaminants by pressure cycles. *Chemosphere*, 74(10), 1360–1366.

- Hong, P. K. A., Nakra, S., Kao, C. M. J., & Hayes, D. F. (2008). Pressure-assisted ozonation of PCB and PAH contaminated sediments. *Chemosphere*, 72(11), 1757–1764.
- Krieger, K. A. (2003). Effectiveness of a coastal wetland in reducing pollution of a Laurentian Great Lake. *Wetlands*, 23(4), 778–791.
- Metropolitan Interstate Committee. (1981). Recommendations for a comprehensive plan for the disposal of maintenance dredged material in the Duluth-Superior harbor. MPCA Northeast office.
- Minnesota Pollution Control Agency. (1999). Lake Superior/Duluth-Superior harbor toxics loading study-submitted to U.S. EPA Region V, Chicago, IL. Lake Superior/Duluth-Superior harbor toxics loading study-submitted to U.S. EPA Region V, Chicago, IL Duluth Office of Planning and Development.
- Minnesota Pollution Control Agency. (2005). Comparison of surficial sediment quality in the St. Louis River area of concern, MN/WI, with other North American sites. *Environmental Bulletin*.
- Minnesota Pollution Control Agency. (2006). Sediment quality conditions in the lower St. Louis river, Minnesota/Wisconsin.
- U.S. Environmental Protection Agency. (1975). Report on the degree of pollution of bottom sediments; Duluth-Superior, Minnesota, Wisconsin. 1975 Harbor Sediment Sampling Program, May 27-28, 1975. United States Environmental Protection Agency,.

Water Quality

- Anderson, D. D., Landwehr, T. J., & Whiting, R. J. (1979). *Monitoring of turbidity and suspended solid changes as a result of dipper dredging : Duluth-Superior harbor, Lake Superior, Minnesota-Wisconsin*.
- Bad River Watershed Association. (2011). DRAFT Marengo River Watershed Partnership Project Watershed Action Plan. Ashland, WI: Bad River Watershed Association.
- Bahnick, D A., Horton, J. A., & Roubal, R. K. (1970). Comparison of the Water Quality of the Bois Brule and Poplar Rivers, Wisconsin - Both Tributary to Lake Superior. *Center for Lake Suoerior Environmental Studies*, 16.
- Bahnick, D.A., & Markee, T. P. (1985). Occurrence and Transport of Organic Microcontaminants in the Duluth-Superior Harbor. *Journal of Great Lakes Research*, 11(2), 143–155.

- Bahnick, D.A., Swenson, W. A., Markee, T. P., Call, D. J., Anderson, C. A., & Morris, R. T. (1981). Development of bioassay procedures for defining pollution of harbor sediments - Part I. Superior, Wisconsin: University of Wisconsin - Superior.
- Banks, G., & Brooks, K. (1992). *The St. Louis River remedial action plan: Erosion-sedimentation and nonpoint source pollution in the Nemadji river watershed: Status of our knowledge.*
- Bennett, P., & Sydor, M. (1974). Use of ERTS in measurements of water quality in Lake Superior and the Duluth Superior Harbor. In F. Shahrokhi (Ed.), *Remote Sensing of earth resources. Volume 3 - Proceedings of the Third Conference on Earth Resources Observation and Information Analysis System* (pp. 85–92). Tullahoma, Tennessee.
- Bowden, R. J. (1975). *Wisconsin Tributary Loadings to the Upper Great Lakes.* Springfield, Virginia.
- Breneman, D., Richards, C., & Lozano, S. (2000). Environmental Influences on Benthic Community Structure in a Great Lakes Embayment. *Journal of Great Lakes Research*, 26(3), 287–304.
- Carlson, A. R., & Thomas, N. A. (1984). *Chemical and Biological Studies Related to the Water Quality of St. Louis Bay of Lake Superior.* Duluth, MN.
- City of Duluth. (n.d.). St. Louis River estuary water quality data. Duluth, Minnesota: City of Duluth.
- City of Duluth. (1934). A winter survey of St. Louis River, Bay, and Harbor. Duluth, Minnesota: City of Duluth.
- Crane, J.L. (2004). *Quality assurance project plan (QAPP): Phase II GIS-based sediment quality database for the St. Louis River Area of Concern.* St. Paul, Minnesota.
- Crane, J.L., McDonald, D. D., Ingersoll, C. G., Smorong, D. E., Lindskoog, R. A., Severn, C. G., Berger, T. A., et al. (2000). *Development of a framework for evaluating numerical sediment quality targets and sediment contamination in the St. Louis River area of concern.*
- Crane, J.L., & Schubauer-Berigan, M. (1997). *Survey of sediment quality in the Duluth/Superior harbor: 1993 sampling results.* Chicago, Illinois.
- Crane, Judy L. (2006). *Phase IV GIS-based sediment quality database for the St. Louis River Area of Concern-Wisconsin Focus -- Overview of Sediment Quality Conditions in the St. Louis River Area of Concern.* St. Paul, Minnesota.

- Crane, Judy L., & Myre, P. L. (2005). *Phase III GIS-based Sediment Quality Database for the St. Louis River Area of Concern (AOC)-Minnesota Focus -- Addendum to the Phase II Technical Documentation -- Final Report*. Two Harbors, Minnesota.
- Croft, M. V., & Chow-Fraser, P. (2007). Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. *Journal of Great Lakes Research*, 33(Special Issue 3), 172–197.
- Danz, N., Niemi, G., Regal, R., & Hollenhorst, T. (2007). Integrated Measures of Anthropogenic Stress in the U.S. Great Lakes Basin. *Environmental Management*, 39(5), 631–647.
- Diamond, S. A., Milroy, N. J., Mattson, V. R., Heinis, L. J., & Mount, D. R. (2003). Photoactivated toxicity in amphipods collected from polycyclic aromatic hydrocarbon-contaminated sites. *Environmental Toxicology and Chemistry*, 22(11), 2752–2760.
- Doucette, W. J., Johnson, P. K., & Caple, R. (1985). Use of Volatile Chloroorganics as a Measure of the Rehabilitation of the St. Louis River and Bay. *Journal of Great Lakes Research*, 11(1), 77–81.
- Fitzpatrick, F. A. (2007). Effects of episodic overbank sedimentation on channel morphology, floodplain connectivity, and riparian vegetation. *Geological Society of America Annual Meeting* (pp. 39–9). Denver, Colorado.
- Fitzpatrick, F. A., Knox, J. C., & Whitman, H. E. (1999). *Effects of Historical Land-Cover Changes on Flooding and Sedimentation, North Fish Creek, Wisconsin (Water-Resources Investigations Report 99-4083)*. North.
- Great Lakes Indian Fish & Wildlife Commission. (2011). *Iron Mining In the Lake Superior Basin (Project Report 11-1)*. Odanah, Wisconsin: Great Lakes Indian Fish and Wildlife Commission.
- Johnston, C. A. (2003). Shrub species as indicators of wetland sedimentation. *Wetlands*, 23(4), 911–920.
- Johnston, C. A., & Brown, T. N. (2012). Water Chemistry Distinguishes Wetland Plant Communities of the Great Lakes Coast. *Aquatic Botany*, *In press*.
- Kraft, G. J., Mechenich, C., Mechenich, D. J., & Szczytko, S. W. (2007). *Assessment of coastal water resources and watershed conditions at Apostle Islands National Lakeshore (Wisconsin)*. Fort Collins, Colorado.
- Lawrie, A. H., & Rahrer, J. F. (1972). Lake Superior: Effects of Exploitation and Introductions on the Salmonid Community. *Journal of the Fisheries Research Board of Canada*, 29(6), 765–776.

- Lougheed, V. L., Crosbie, B., & Chow-Fraser, P. (2001). Primary determinants of macrophyte community structure in 62 marshes across the Great Lakes basin: latitude, land use, and water quality effects. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(8), 1603–1612.
- MacKenzie, R. A., Kaster, J. L., & Val Klump, J. (2004). The ecological patterns of benthic invertebrates in a Great Lakes coastal wetland. *Journal of Great Lakes Research*, 30(1), 58–69.
- McCarthy, M. J., Gardner, W. S., Lavrentyev, P. J., Moats, K. M., Jochem, F. J., & Klarer, D. M. (2007). Effects of Hydrological Flow Regime on Sediment-water Interface and Water Column Nitrogen Dynamics in a Great Lakes Coastal Wetland (Old Woman Creek, Lake Erie). *Journal of Great Lakes Research*, 33(1), 219–231.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, 16(2), 219–231.
- Minnesota Pollution Control Agency. (1969). Report on water quality and sources of wastes in the Lake Superior Basin. Minnesota Pollution Control.
- Minnesota Pollution Control Agency. (1971). Water quality monitoring stations: Lake Superior Basin. Roseville, Minnesota: Minnesota Pollution Control Agency.
- Minnesota Pollution Control Agency. (1992). Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources.
- Minnesota Pollution Control Agency. (1999). Lake Superior/Duluth-Superior harbor toxics loading study-submitted to U.S. EPA Region V, Chicago, IL. Lake Superior/Duluth-Superior harbor toxics loading study-submitted to U.S. EPA Region V, Chicago, IL Duluth Office of Planning and Development.
- Morrice, J. A., Danz, N. P., Regal, R. R., Kelly, J. R., Niemi, G. J., Reavie, E. D., Hollenhorst, T., et al. (2008). Human influences on water quality in Great Lakes coastal wetlands. *Environmental Management*, 41(3), 347–57.
- Peterson, A. R. (1979). Fish and Wildlife Survey of the St. Louis River.
- Roush, T. (1984). St. Louis Bay benthic macroinvertebrate survey. In A. R. Carlson & N. A. Thomas (Eds.), *Chemical and Biological Studies Related to the Water Quality of St. Louis Bay of Lake Superior* (pp. 57–72). U.S. Environmental Protection Agency.
- Sapper, B. (2002). Our Watershed, Our Water: Understanding and Protecting a Watershed (Chequamegon Bay, Wisconsin). Madison, WI: Madison Environmental Group, Inc.

- Smith, P. L., Ragotzkie, R. A., Andren, A. W., & Harris, H. J. (1988). Estuary rehabilitation: The Green Bay story. *Oceanus*, 31(3), 12–20.
- Sorensen M; Huls, H; Costello, M, J. S. (2004). Analyses of Lake Superior Seiche Activity for Estimating Effects on Pollution Transport in the St. Louis River Estuary under Extreme Conditions. *Journal of Great Lakes Research*, 30(2), 293–300.
- Trebitz, A S, Brazner, J. C., Danz, N. P., Pearson, M. S., Peterson, G. S., Tanner, D. K., Taylor, D. L., et al. (2009). Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(8), 1328–1342.
- Trebitz, Anett S, Morrice, J. A., Taylor, D. L., Anderson, R. L., West, C. W., & Kelly, J. R. (2005). Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands*, 25(3), 505–519.
- Trebitz, Anett S., Brazner, J. C., Brady, V. J., Axler, R., & Tanner, D. K. (2007). Turbidity Tolerances of Great Lakes Coastal Wetland Fishes. *North American Journal of Fisheries Management*, 27(2), 619–633.
- Trebitz, Anett S., Brazner, J. C., Cotter, A. M., Knuth, M. L., Morrice, J. A., Peterson, G. S., Sierszen, M. E., et al. (2007). Water Quality in Great Lakes Coastal Wetlands : Basin-wide Patterns and Responses to an Anthropogenic Disturbance Gradient. *Journal of Great Lakes Research*, 33(3), 67–85.
- Trebitz, Anett S., Brazner, J. C., Tanner, D. K., & Meyer, R. (2011). Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquatic Ecosystem Health & Management*, 14(4), 443–455.
- United States Department of the Interior. (1970). *An appraisal of water pollution in the Lake Superior Basin* (p. 54). Washington, D.C.
- Uzarski, D. G., Burton, T. M., Cooper, M. J., Ingram, J. W., & Timmermans, S. T. A. (2005). Fish Habitat Use Within and Across Wetland Classes in Coastal Wetlands of the Five Great Lakes: Development of a Fish-based Index of Biotic Integrity. *Journal of Great Lakes Research*, 31(Supplement 1), 171–187.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black, M. G., & Uzarski, D. G. (2002). Hydrologic variability and the application of index of biotic integrity metrics to wetlands: a Great Lakes evaluation. *Wetlands*, 22(3), 588–615.
- Wilson, C., Matisoff, G., & Whiting, P. (2010). The Movement of Sediment in the Old Woman Creek Watershed. Case Western Reserve University.