


Winter Severity Index – Through April 11, 2018

STATION	DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		Total		WSI
	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	
Antigo	12	0	13	0	13	0	1	0	No Report		39	0	39
Barnes	9	0	15	1	17	6	3	8	No Report		44	15	59
Barron	7	0	15	0	16	3	4	11	3	7	45	21	66
Brule	8	0	14	1	16	9	1	20	2	9	41	39	80
Copper Falls	8	0	13	0	16	5	3	0	1	5	41	10	51
Crandon	11	0	13	0	16	2	1	0	2	7	43	9	52
Eagle River	9	0	12	0	15	1	3	3	2	5	41	9	50
Escanaba Lake	7	0	13	0	16	6	4	15	1	3	41	24	65
Florence East	8	0	13	0	14	2	0	0	No Report		35	2	37
Gile	7	0	9	15	15	28	2	28	1	12	34	83	117
Gordon	9	0	16	0	20	6	3	17	2	10	50	33	83
Grantsburg	7	0	15	0	19	3	1	0	No Report		42	3	45
Hayward	8	0	13	0	15	4	0	5	1	0	37	9	46
Ladysmith	9	0	21	0	21	3	3	6	3	2	57	11	68
Mercer	11	0	17	3	18	19	2	28	1	11	49	61	110
Merrill	8	0	13	0	15	2	1	5	1	9	38	16	54
Minong	8	0	15	0	17	8	1	17	1	9	42	34	76
Park Falls	10	0	13	3	19	15	1	17	1	6	44	41	85
Pattison	6	0	14	0	15	2	0	0	No Report		35	2	37
Pembine	10	0	11	0	13	1	0	0	2	0	36	1	37
Prentice	7	0	12	0	14	18	1	11	3	9	37	38	75
Rhineland	10	0	16	0	15	1	2	1	4	2	47	4	51
Saxon	7	0	7	0	12	9	0	11	No Report		26	20	46
Spoooner	7	0	18	0	16	6	4	9	4	10	49	25	74
Summit Lake	12	0	13	0	13	0	2	0	2	7	42	7	49
Tomahawk	10	0	14	0	14	0	3	5	1	1	42	6	48
Trout Lake	7	0	10	0	16	14	2	21	1	11	36	46	82
Upton	7	0	9	18	15	28	0	17	1	9	32	72	104
Wausaukee	10	0	12	0	10	0	0	0	0	0	32	0	32
Webster	7	0	13	0	15	0	3	0	1	0	39	0	39
White Lake	12	0	13	0	13	0	2	0	No Report		40	0	40
Winter	10	0	16	0	19	6	1	13	2	3	48	22	70


STATION	DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		Total		WSI
	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	
Woodruff	9	0	12	0	13	10	2	25	2	12	38	47	85
Washington Island	5	0	4	1	5	0	0	0	No Report		14	1	15
Casco	7	0	8	0	8	0	0	0	No Report		23	0	23
Ephraim	6	0	3	2	6	0	0	0	No Report		15	2	17
Peshtigo	9	0	6	0	9	0	0	0	0	0	24	0	24
Appleton	6	0	9	0	8	0	0	0	0	0	23	0	23
Brillion	10	0	9	0	9	0	0	0	0	0	28	0	28
Fond du Lac	7	0	9	0	8	0	0	0	0	0	24	0	24
Manitowoc	7	0	6	0	4	0	0	0	No Report		17	0	17
Denmark	8	0	7	0	5	0	0	0	No Report		20	0	20
Oconto Falls	11	0	9	0	10	0	0	0	No Report		30	0	30
Oshkosh	6	0	10	0	7	0	0	0	0	0	23	0	23
Shiocton	7	0	8	0	6	0	0	0	0	0	21	0	21
Sturgeon Bay	7	0	6	0	4	0	0	0	No Report		17	0	17
Shawano	7	0	7	0	5	0	0	0	0	0	19	0	19
Wisconsin Rapids	9	0	10	0	9	0	0	0	0	0	28	0	28
Eau Claire	7	0	14	0	14	0	0	0	No Report		35	0	35
Darboy	7	0	8	0	7	0	0	0	No Report		22	0	22
Black River Falls	11	0	13	0	12	0	2	0	No Report		38	0	38
Neillsville	11	0	13	0	12	0	2	0	2	0	40	0	40
Collins	6	0	9	0	9	0	0	0	0	0	24	0	24
Sandhill	10	0	9	0	11	0	0	0	No Report		30	0	30

Winter Severity Index - December 2017




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and 100 or greater is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index – Through January 2018




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and 100 or greater is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov

Winter Severity Index – Through February 2018




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI less than 50 is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and 100 or greater is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index – Through March 2018



This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI less than 50 is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and 100 or greater is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index – Through April 11, 2018



This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI less than 50 is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and 100 or greater is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.