Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis, Stats., and chs. NR 153 and NR 155, Wis, Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis, Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

Bitti do docomboa in tito moti at	, c. c							
1. GRANT TYPE. Check	the one that applies.							T Y
☐ Targeted Runoff Management Grant – Agricultural				Targeted Runoff Management Grant – Urban				
Urban Nonpoint Source & Storm Water Management Grant – Construction			Urban Nonpoint Source & Storm Water Management Grant - Planning					
☐ Notice of Discharge Grant								
2. PROJECT NAME & LO	OCATION.		=0 22 6				\$55 TUE OF	
2,1. Project Name:			2,2, Grant Number:					
Hahn Farm NOI			TRC-LW20-11000-10E					
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershed Code			ed Code:		
Columbia County LWCD			Duck Creek/Rockey Run LW20					
NOTE FOR SECTION 2.6 (whic	h follows):							
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.								
2.6 Site Location(s) →	A.	В.		C.	N. O. S.	D.	E.	11.5
Name of Cost-Share Recipient or Governmental Unit	Adam/Jeff Hahn							
Cost-Share Agreement Number (Agricultural only)	TRM-Hahn-10							
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	070700050102							
Nearest Surface Receiving Water Affected								
Name:	Unnnamed							
Waterbody Identification Code(s) (WBIC):	1268100							
Nearest Impaired Water Affected								
Name:	Wisconsin River							
Waterbody Identification Code(s) (WBIC):	1179900							
Pollutants Reduced	610.3 lbs/P			(a)				
Impairments/Impacts Addressed	Phosporus runoff							

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
 Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A.	В.	C.	D.	E.
Project Coordinates:					
Town	12N				
Range	11E				
Section	11				
Quarter	SE		i.		
Quarter-Quarter	sw				
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	43 deg, 31', 1" N				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	89 deg, 9', 33" W				

3. SUMMARY OF RESULTS.	A. D. R. Salley			
able A. Agricultural Projects Ch. NR	151 Performance Standards ar	nd Prohibitions and Other	Water Resources Management Priorities	
.1. Management Measures	Units of Measure	Quantity	Measurement Method Used	
Sheet, rill and wind erosion	Acres meeting "T"	acres		
Manure Storage Facilities: New Construction/Alterations	Number of facilities	facilities		
	Number of animal units	animal units		
Manure Storage Facilities: Closure	Number of facilities	facilities		
Manure Storage Facilities:	Number of facilities	facilities		
Failing/Leaking Facilities	Number of animal units	animal units		
	Pollutant load reduction	211 lbs.	Barney	
Clean Water Diversions in WQMA	Number of farms with diversions	1 farms		
	Number animal units	460 animal units	Animal unit calc worksheet	
Nutrient Management on Agricultural Land	Acres planned	1502 acres	Nutrient Mgmt Plan Checklist	
Prohibition: Manure Storage Overflow	Number of farms	farms		
Profibilion. Manufe Storage Overnow	Number of animal units	animal units		
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms		
	Pollutant load reduction	399.3 lbs.	Barney	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	1 facilities		
	Number of animal units	460 animal units	Animal unit calc worksheet	
Back the same of t	Feet of bank protected	feet		
Prohibition: Unlimited Livestock Access	Number of farms	farms		

Table A. Agricultural Projects.

(continued)

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)

• Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

A.2. Other Management Measures		SECURE SHIP OF BUILDING	Measurement Method Used
	Units (use feet, acres or		THE RESERVE OF THE PARTY OF THE
Other and and Other P. D. J. C.	number as applicable)		
Streambank & Shoreline Protection	Pollutant load reduction (if		
	method available)	±*	
Other:	Units (use feet, acres or		
	number as applicable)		
	Pollutant load reduction (if		
	method available) Units (use feet, acres or		
	number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable)		
Other.	Pollutant load reduction (if		
	method available)		
ble B. Urban Construction Projects S	serving Developed Areas.		
Required Management Measures	Units of Measure	Quantity	Measurement Method Used
20-40% Total Suspended Solids (TSS)	TSS reduced	lbs.	
Reduction for NR 216 communities	TSS reduction	%	
2. Other Management Measures	Mexical Company	Levis Barrier	
	TSS reduced	lbs.	
20-40% Reduction in TSS for			
20-40% Reduction in TSS for non-NR 216 communities	TSS reduction	%	
non-NR 216 communities	Pre-development stay-on	%	·
	Pre-development stay-on volume	%	
non-NR 216 communities Infiltration	Pre-development stay-on volume Stay-on volume		
non-NR 216 communities	Pre-development stay-on volume Stay-on volume	%	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour	Pre-development stay-on volume Stay-on volume Change in cubic feet per	% ft³/year	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	% ft³/year ft³/sec	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	% ft³/year ft³/sec feet ☐Yes ☐ No	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	% ft³/year ft³/sec feet Yes No tons	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected	% ft³/year ft³/sec feet ☐Yes ☐ No	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas Streambank & Shoreline Protection	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	% ft³/year ft³/sec feet Yes No tons	
non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected Pollutant load reduction (if	% ft³/year ft³/sec feet Yes No tons	

Existing Developed Urban Areas

C.2. Estimate total acres covered by the

New Development

Total Acres

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
 Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:		acres		acres		acres		
C.3. Products developed (check all below that ap	pply)		dentify Documents by Name (if	applicable)				
Storm Water Plan								
Construction or Eros	ion Ordinances							
Post-construction Sto	orm Water							
Other Types of Storr Ordinances	n Water Quality							
Financing Methods: in evaluated	dentified and							
Financing Methods: c	leveloped or					s.		
☐ I & E Plan								
I & E Implementation	Activities							
Other:								
C.4. Identify the Storm Wa addressed (check all the	ter goals hat apply)					(Section 2		
Reduce TSS								
Maintain infiltration		Comments:						
Control Peak Flow								
☐ Protective Areas								
Control of Fueling &	Maintenance							
Remove Illicit Discha	arges							
Other:								
4. Satisfaction of No	tice Require	ements. If cost sharing for this p	oject was offered under a form	al notice pursu	ant to	chs. NR 151 or 243,		
Notice Information				Notice	Satisf	action Information		
Chs. NR 151 or 243 Notice Type	Issue Date	From (Name)	To (Name)	Satist Yes	No	Date Letter Sent		
NR 151	10/2009	Columbia County	Adam & Jeff Hahn	\boxtimes		8/22/2014		
	Li.	·	- 1					

7. Grantee Certification.

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)

The Hahn TRM project was a barnyard runoff control project which included many different BMP's installed to address the issue. Among the various BMP's installed to correct the problems on this site included a full barnyard runoff control system, clean water practices, animal trails and walkways, and livestock fencing. The project was installed and meets all NRCS Standards and State of Wisconsin Construction Specs.

6. Summary of Project Challenges. (Space will expand to fit your text.)

Checking here certifies that, to the best of your knowledge, the information contained in this report is correct.

We did run into a large cost overrun on the project due to the actual planned costs coming a lot higher then the cost estimate made at the time of the grant application. Various aspect of the plan had to be changed to meet NRCS Standards and bring the allowable pollution reduction to an acceptable level under the standards. The project was also cost shared through the Columbia County Land and Resource Management Plan to make up for the higher cost of the project.

Name of Authorized Representative (type or print) ψ	Title of Authorized Representative	(type or print) ψ		
Kurt Calkins Director of LWCD				
Signature of Authorized Representative		Date 8/12/201		
8. For Departmental Use Only.	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -			
Regional NPS Coordinator – Please complete the following:				
8.A. Check here if you have received the following from the project sponsor. one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	nts c version to the Community Financial	Assistance Grants Manager.		
8.B. Comments about this project:				
8.C. Type or print Name of Regional NPS Coordinator →				
8.D. Signature of Regional NPS Coordinator		8.E. Date		