

Lake Name Wormer Lake	County Burrmett	WBIC	AIS sign? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Secchi (ft or m) 15	Conductivity (ZM tow if ≥ 99 umhos/cm)
Date(s) July 29, 2013	Data collectors Mike Mathison	Start time (nearest 15 min) 9:30	End time (nearest 15 min) 12:30	Total collector time (hrs x # collectors)	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why**	Species (density 1-5)***
BL1	45.86407	92.22210	N		
TS1	45.40073	92.22174	N		
TS2	45.79757	92.22260	N		
MS1	45.79691	92.22402	N		CMS-2
MS2	45.79178	92.22375	N		PS-2
TS3	45.78992	92.22188	N		
TS4	45.79503	92.21893	N		
TS5	45.60020	92.21710	N		

Lake Name Wagner Lake	County Burrmett	WBIC	AIS sign? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Secchi (ft or m) 15	Conductivity (ZM tow if ≥ 99 umhos/cm)
Date(s) July 29, 2013	Data collectors M. Kelle, M. Math, E. Von	Start time (nearest 15 min) 9:30	End time (nearest 15 min) 12:30	Total collector time (hrs x # collectors)	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why**	Species (density 1-5)***
BL1	45.86407	92.22210	N		
TS1	45.40073	92.22174	N		
TS2	45.79757	92.22260	N		
MS1	45.79691	92.22402	N		CMS-2
MS2	45.79178	92.22375	N		PLS-2
TS3	45.78992	92.22188	N		
TS4	45.79503	92.21893	N		
TS5	45.60020	92.21716	N		

***For lakes/sites not snorkeled, substitute:**

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
 Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

****If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).**

***** Density Ratings**

- 1 - A few plants or invertebrates
- 2 - One or a few plant beds or colonies of invertebrates
- 3 - Many small beds or scattered plants or colonies of invertebrates
- 4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea Tow Monitoring Report form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DH1	30 ft	obliq	30	Y	Y	
DH2	30 ft	obliq	30	Y	Y	
DH3	30 ft	obliq	30	Y	Y	

10/18/13

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DH1	30 ft	30	Y	Y	
DH2	30 ft	30	Y	Y	
DH3	30 ft	30	Y	Y	

10/18/13

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other _____

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse or Other _____

Step 6: Data was entered into SWIMS on 8/16/13 by Michael Wampfler

Step 7: Data was proofed on _____ by _____

Notes:

***For lakes/sites not snorkeled, substitute:**

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
 Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

****If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).**

***** Density Ratings**

- 1 - A few plants or invertebrates
- 2 - One or a few plant beds or colonies of invertebrates
- 3 - Many small beds or scattered plants or colonies of invertebrates

- 4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea Tow Monitoring Report form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DH1	30 ft	obliq	30	Y	Y	
DH2	30 ft	obliq	30	Y	Y	
DH3	30 ft	obliq	30	Y	Y	

Step 3: Collect Veliger Tows from 3 sites: the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DH1	30 ft	30	Y	Y	
DH2	30 ft	30	Y	Y	
DH3	30 ft	30	Y	Y	

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse or Other

Step 6: Data was entered into SWIMS on 8/16/13 by Michael Wampler

Step 7: Data was proofed on _____ by _____

Notes: