



\*For lakes/sites not snorkeled, substitute:

- Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
- Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
- 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

\* Density Ratings

- 1 - A few plants or invertebrates
- 2 - One or a few plant beds or colonies of invertebrates
- 3 - Many small beds or scattered plants or colonies of invertebrates
- 4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Report form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
	6M	obliq	50			

Step 3: Collect Veiliger Tows from 3 sites, the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veiliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
OS	2M	50cm		Y	

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other \_\_\_\_\_


Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other \_\_\_\_\_

Step 6: Data was entered into SWIMS on \_\_\_\_\_ by \_\_\_\_\_

Step 7: Data was proofed on \_\_\_\_\_ by \_\_\_\_\_

Notes:

Clear Sunny



Lake Name	County	WBIC	AIS sign	Secch (ft or m)	Conductivity (ZM tow if >= 99 umhos/cm)
Pelican	Owida		<input checked="" type="checkbox"/> Y		120
Date(s)	Data collectors	Start time (nearest 15 min)		End time (nearest 15 min)	Total collector time (hrs x # collectors)
6/16/13	Ferris Paul	9:30		4 pm	13 (60 min x 2 collectors)
<p><b>Look for the following species:</b> Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.</p>					
<p><b>STEP 1:</b> Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.</p>					
Site	Latitude	Longitude	Snorkel (Y or N)	If N snorkel, indicate why*	Species, density 1-5*
TS1	45.49499°	-89.19343°	Y		rusty crayfishes
BL1	45.49828°	-89.16915°	Y		rusty crayfishes
TS2	45.50032°	-89.16655°	Y		rusty crayfishes
BL2	45.51212°	-89.16172°	Y		rusty crayfishes
BL3	45.51887°	-89.18512°	Y		BMS, CNS 1, 1

needs AIS sign

\*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first  
 Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first  
 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 - A few plants or invertebrates
- 2 - One or a few plant beds or colonies of invertebrates
- 3 - Many small beds or scattered plants or colonies of invertebrates
- 4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Rept form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
351	15'	obliq	50	Y	Y	N
351	24'	obliq	50	Y	Y	N
351						

Step 3: Collect Velliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Velliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
3d	4m	50	Y		

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other \_\_\_\_\_

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other \_\_\_\_\_

Step 6: Data was entered into SWIMS on 8/11/13 by Ryan Nottel

Step 7: Data was proofed on 10/23/13 by Jennifer Steltgen

Notes: