

Sheet 1 of 2

Lake Name Cable	County Bayfield	WBIC 2729700	AIS sign? <input checked="" type="radio"/> Y <input type="radio"/> N	Secchi (ft or m) not recorded	Conductivity (ZM tow if ≥ 99 umhos/cm) N/A
Date(s) 7/18/2013	Data collectors Maxie Briggs, Parker Hastings, Emily Alvarez	Start time (nearest 15 min) 11:00 AM	End time (nearest 15 min) 4 pm	Total collector time (hrs x # collectors) 20 hrs	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why**	Species (density 1-5)***
BL1	N 46.22858°	W 091.30988°	Y		
1	N 46.23059°	W 091.31063°	Y		
2	N 46.22866°	W 091.30615°	Y		
3	N. 46.22189	W 091.30148	Y		Yellow Iris (2 density)
4	N 46.22420	W 091.30667	Y		
5	N 46.22710	W 091.30544	Y		
6					FW sponge 3

***For lakes/sites not snorkeled, substitute:**

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
 Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

****If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).**

***** Density Ratings**

- 1 – A few plants or invertebrates
- 2 – One or a few plant beds or colonies of invertebrates
- 3 – Many small beds or scattered plants or colonies of invertebrates
- 4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea Tow Monitoring Report form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
		<i>See Second sheet</i>				

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
		<i>See 2nd sheet</i>			

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other _____

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse or Other _____

Step 6: Data was entered into SWIMS on _____ by _____

Step 7: Data was proofed on _____ by _____

Notes:

AIS Early Detection Monitoring Data Form

sheet 2 of 2

e = 10/3

Form 3200-xxx (R 6/2013)

Lake Name Cable	County Bayco	WBIC 2729700	AIS sign? (Y) N	Secchi (ft or m) not recorded	Conductivity (ZM tow if ≥ 99 umhos/cm) not recorded
Date(s) 7/18	Data collectors Parker Matzinger Diane	Start time (nearest 15 min) 11:00 AM 11 AM	End time (nearest 15 min) 4 pm	Total collector time (hrs x # collectors) 20	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why**	Species (density 1-5)***
*					
1D	46.2237	91.3072	Y		yellow Tils - 1
2D	46.2204	91.3065			
3D	46.2135	91.3038			
4D (stand)	46.2219	91.3015			

***For lakes/sites not snorkeled, substitute:**

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

****If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).**

***** Density Ratings**

1 - A few plants or invertebrates

2 - One or a few plant beds or colonies of invertebrates

3 - Many small beds or scattered plants or colonies of invertebrates

4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea Tow Monitoring Report form to Science Services.

Site	Depth sampled	Method (hor, <u>obliq</u> , vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1	45'-6	"		Y	Y	10/25/13
2	30'-6	Obli.	50cm	Y	Y	"
3	30'-6	"	"	Y	Y	"

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service. *separate date = 8/17/13*

Site	Depth sampled	Net diameter (30 or <u>50</u> cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1	39'	DH "	Y	Y	10/25/13
2	38'	DH "	Y	Y	"
3	38'	DS "	Y	Y	"

Step 4: Were plant voucher specimens submitted? Yes (circle) No (circle) If yes, where? (circle) Freckmann Herbarium, Other _____

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes (circle) No (circle) If yes, where? (circle) UW La Crosse or Other _____

Step 6: Data was entered into SWIMS on 8/3/13 by DKD

Step 7: Data was proofed on 8/23/13 by DKD

Notes: