



ORIGINAL

North American Hydro Holdings, Inc.
116 State Street, P.O. Box 167, Neshkoro, WI 54960 USA
Tel 920-293-4628 Fax 920-293-8087 Email nah@nahydro.com Web www.nahydro.com

May 21, 2009

Ms. Kimberly D. Bose, Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, DC 20426

FILED
SECRETARY OF THE
COMMISSION
2009 MAY 28 P 1:38
FEDERAL ENERGY
REGULATORY COMMISSION

**RE: Addendum (May 2009) to the Water Quality Monitoring Plan
Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project –
FERC Project #2689 N.E.W. Hydro**

0'38

Dear Ms. Bose:

Enclosed is 1 original and 8 copies of the Addendum (May 2009) to the Water Quality Monitoring Plan Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project – FERC Project #2689, N.E.W. Hydro.

The Addendum identifies the monitoring equipment that will be used, report formats furnished with written submissions to agencies, and the designated contact person for each agency involved. Monitoring will begin on July 1, 2009 and continue through September 30, 2009 for the monitoring year.

If you have any questions concerning the report, please contact Mr. Gary Rast at the North American Hydro offices @ 920-293-4628, ext 15. He can also be reached by e-mail at gary.rast@nahydro.com.

Sincerely,
North American Hydro Holdings
Agent for Licensee

FOR
Charles Alsberg
Executive Vice President



**Attachment: Addendum (May 2009) to the Water Quality Monitoring Plan Per License
Article 404 – Oconto Falls (Lower) Hydroelectric Project FERC Project
#2689**

**Cc: Mr. Nick Utrup - USFWS
MR. Jim Reyburn - WDNR
Ms. Peggy Harding – FERC Chicago Regional Office
Corporate Office - NAHH**

ORIGINAL

FILED
SECRETARY OF THE
COMMISSION

2009 MAY 28 P 1:39

FEDERAL ENERGY
REGULATORY COMMISSION

ADDENDUM
(May 2009)

to the

Water Quality Monitoring Plan

Per License Article 404

for the

Oconto Falls (Lower) Hydroelectric Project
FERC Project #2689
N.E.W. Hydro

Oconto River, Oconto County, Wisconsin

Submitted By:
North American Hydro
116 North State Street
P.O. Box 167
Neshkoro, WI 54960

May 2009

Introduction

This Water Quality Monitoring Plan for the Oconto Falls (Lower) Hydroelectric Project, FERC Project # 2689, City of Oconto Falls, Oconto County, Wisconsin has been written in generic terms in order to encompass technological advancements and potential agency personnel changes during the 30-year term of license. Therefore, current equipment manufacturers, equipment model specifications and reference to specific Wisconsin Department of Natural Resources (WDNR), United States Department of the Interior – Fish and Wildlife Service (USFWS) and Federal Energy Regulatory Commission (FERC) agency personnel have purposely been excluded from this plan.

Prior to the execution of a Water Quality Study, the licensee will refine the Water Quality Monitoring Plan in consultation with the WDNR and the USFWS. The plan refinement will specify the sampling equipment to be used during the study period and the specific agency personnel to whom data and report submissions will be sent. It will be submitted in the form of an addendum to the Water Quality Monitoring Plan and will be sent to all designated agency personnel on or before May 31 of the sampling year in order to provide timely notice of the sampling event and reporting requirements.

**Water Quality Monitoring Plan
Per License Article 404**

for the

**Oconto Falls (Lower) Hydroelectric Project
FERC Project # 2689
N.E.W. Hydro, Inc.**

Oconto River, Oconto County, Wisconsin

Requirement for Studies

The Federal Energy Regulatory Commission (FERC), has stipulated as a requirement of the Oconto Falls (Lower) Hydroelectric Project License (Article 404), issued May 11, 1994, that a Water Quality Study shall be performed beginning five (5) years after license issuance and once every five (5) years thereafter for the thirty (30) year term of license. Article 404 also requires that a monitoring plan should be filed with the Commission within four (4) years of license issuance.

Purpose of Studies

The license states that "the purpose of the monitoring plan is to ensure that streamflows downstream of the Oconto Falls Project, as measured immediately downstream of the project tailrace, maintain the state minimum DO concentration standard of 5.0 milligrams per liter, a maximum water temperature of 89°F, and a pH between 6.0 and 9.0 units in the Oconto River at the same locations as the DO monitoring".

Study Sampling Periods

Study sampling will be conducted July 1, 1999 through September 30, 1999 and every 5th year interval thereafter for the term of the license. The July through September sampling period represents the typical annual period of minimum dissolved oxygen levels in the Oconto River resulting from a combination of high ambient temperature, low river flow, and aerobic oxygen consumptive processes.

Equipment Assignment

The following equipment has been acquired and is scheduled to be used for the July 1 thru September 30, 2009 water quality study at the Oconto Falls (Lower) Hydroelectric Project – FERC Project #2689.

Reservoir: Hach HQ40d series portable meter with a detachable cable and probe with 1 meter markers on the cable. The probe contains both Dissolved Oxygen and Temperature sensors. This equipment will be used to obtain weekly surface to bottom 1 – meter profile data in the reservoir. The meter was calibrated in late March 2009 and retains calibration for 1 year per Hach/Hydrolab specifications.

Tailrace: Hach/Hydrolab MS5 Mini Sonde with the capability to measure and record Dissolved Oxygen, Temperature, Conductivity, and pH as well as Date, Time, and Battery Voltage. The Hach/Hydrolab Mini Sonde will obtain and store continuous 30 – minute interval Tailrace sample data during the study. The sonde will be checked over, cleaned, batteries changed as needed, and data downloaded every 2 weeks. The unit will be calibrated at least monthly for pH and Conductivity and approximately every 8 weeks for Dissolved Oxygen. The calibration guidelines were obtained from Hach/Hydrolab company representatives. The equipment was inspected and factory calibrated in May 2009.

Report Formats

In addition to the printed reports, data will be furnished on a CD in Microsoft Excel and Microsoft Word formats.

Agency Contact Personnel

All Water Quality Study correspondence, reports, and any notifications will be directed to the following agency personnel:

U.S. Fish and Wildlife Service

Mr. Nick Utrup
Wisconsin Hydropower Coordinator
U.S. Fish and Wildlife Service
Green Bay Ecological Services Field Office
2661 Scott Tower Drive
New Franken, WI 54229

E-Mail: Nick.Utrup@fws.gov
Direct Phone: 1-920-866-1736
Office Phone: 1-920-866-1717
Mobil: 1-920-530-9937
Fax: 1-920-866-1710

Wisconsin Department of Natural Resources

Mr. Jim Reyburn
Water Quality Biologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
Green Bay, WI 54307

E-Mail: james.reyburn@wisconsin.gov
Direct Phone: 1-920-662-5465
Office Phone: 1-920-662-5100

Federal Energy Regulatory Commission

Ms. Kimberly D. Bose, Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, DC 20426

Ms. Peggy Harding, P.E. Regional Manager
Federal Energy Regulatory Commission - Chicago Regional Office
230 South Dearborn Street, Suite 3130
Chicago, IL 60604



North American Hydro Holdings, Inc.
116 State Street, P.O. Box 167, Neshkoro, WI 54960 USA
Tel 920-293-4628 Fax 920-293-8087 Email nah@nahydro.com Web www.nahydro.com

May 21, 2009

Mr. Nick Utrup
Wisconsin Hydropower Coordinator
U.S. Fish and Wildlife Service
Green Bay Ecological Services Field Office
2661 Scott Tower Drive
New Franken, WI 54229

**RE: Addendum (May 2009) to the Water Quality Monitoring Plan
Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project –
FERC Project #2689 N.E.W. Hydro**


Dear Mr. Utrup:

Enclosed is the Addendum (May 2009) to the Water Quality Monitoring Plan Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project – FERC Project #2689, N.E.W. Hydro.

The Addendum identifies the monitoring equipment that will be used, report formats furnished with written submissions to agencies, and the designated contact person for each agency involved. Monitoring will begin on July 1, 2009 and continue through September 30, 2009 for the monitoring year.

If you have any questions concerning the report, please contact Mr. Gary Rast at the North American Hydro offices @ 920-293-4628, ext 15. He can also be reached by e-mail at gary.rast@nahydro.com.

Sincerely,
North American Hydro Holdings
Agent for Licensee


407 Charles Alsberg
Executive Vice President



Attachment: Addendum (May 2009) to the Water Quality Monitoring Plan Per License
Article 404 - Oconto Falls (Lower) Hydroelectric Project FERC Project
#2689

Cc: Mr. Jim Reyburn - WDNR
Ms. Kimberly D. Bose - FERC
Ms. Peggy Harding - FERC Chicago Regional Office
Corporate Office - NAHH



North American Hydro Holdings, Inc.
118 State Street, P.O. Box 167, Neshkoro, WI 54960 USA
Tel 920-293-4628 Fax 920-293-8087 Email nah@nahydro.com Web www.nahydro.com

May 21, 2009

Mr. Jim Reyburn
Water Quality Biologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
Green Bay, WI 54307

**RE: Addendum (May 2009) to the Water Quality Monitoring Plan
Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project –
FERC Project #2689 N.E.W. Hydro**

Dear Mr. Reyburn:

Enclosed is the Addendum (May 2009) to the Water Quality Monitoring Plan Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project – FERC Project #2689, N.E.W. Hydro.

The Addendum identifies the monitoring equipment that will be used, report formats furnished with written submissions to agencies, and the designated contact person for each agency involved. Monitoring will begin on July 1, 2009 and continue through September 30, 2009 for the monitoring year.

If you have any questions concerning the report, please contact Mr. Gary Rast at the North American Hydro offices @ 920-293-4628, ext 15. He can also be reached by e-mail at gary.rast@nahydro.com.

Sincerely,
North American Hydro Holdings
Agent for Licensee

for 
Charles Alsberg
Executive Vice President



Attachment: Addendum (May 2009) to the Water Quality Monitoring Plan Per License
Article 404 – Oconto Falls (Lower) Hydroelectric Project FERC Project
#2689

Cc: Mr. Nick Utrup - USFWS
Ms. Kimberly D. Bose - FERC
Ms. Peggy Harding – FERC Chicago Regional Office
Corporate Office - NAHH



North American Hydro Holdings, Inc.
116 State Street, P.O. Box 167, Neashkoro, WI 54960 USA
Tel 920-293-4628 Fax 920-293-8087 Email nah@nahydro.com Web www.nahydro.com

May 21, 2009

Ms. Peggy Harding, P.E. Regional Manager
Federal Energy Regulatory Commission - Chicago Regional Office
230 South Dearborn Street, Suite 3130
Chicago, IL 60604

**RE: Addendum (May 2009) to the Water Quality Monitoring Plan
Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project -
FERC Project #2689 N.E.W. Hydro**


Dear Ms. Harding:

Enclosed is 1 original and 2 copies of the Addendum (May 2009) to the Water Quality Monitoring Plan Per License Article 404 for the Oconto Falls (Lower) Hydroelectric Project - FERC Project #2689, N.E.W. Hydro.

The Addendum identifies the monitoring equipment that will be used, report formats furnished with written submissions to agencies, and the designated contact person for each agency involved. Monitoring will begin on July 1, 2009 and continue through September 30, 2009 for the monitoring year.

If you have any questions concerning the report, please contact Mr. Gary Rast at the North American Hydro offices @ 920-293-4628, ext 15. He can also be reached by e-mail at gary.rast@nahydro.com.

Sincerely,
North American Hydro Holdings
Agent for Licensee


for Charles Alsberg
Executive Vice President



Attachment: Addendum (May 2009) to the Water Quality Monitoring Plan Per License
Article 404 - Oconto Falls (Lower) Hydroelectric Project FERC Project
#2689

Cc: Mr. Nick Utrup - USFWS
Ms. Kimberly D. Bose - FERC
Mr. Jim Reyburn - WDNR
Corporate Office - NAHH