

Instructions: Bold fields must be completed.

Station Summary				
Waterbody Name CHAP CREEK		Waterbody ID Code 2155000		Sample ID (YYYYMMDD-CY-FD) 2016/11/14-09-07
Sampling Location DS 3m				Database Key 169417062
SWIMS Station ID 10008681		SWIMS Station Name CHAP CREEK AT 270TH ST. [1]		
Latitude	Longitude	Lat/Long Determination Method (circle) SWIMS SWDV GPS		Datum Used if using GPS WGS84 or NAD83
Basin (WMU) LOWER CHIPPEWA		Watershed Name LOWER YELLOW (CHIPPEWA CO.) RIVER		County CHIPPEWA
Sample and Site Descriptors				
Sample Collector (Last Name, First) CHRISTOPHER J WILLGER, MYCAL C RAI			Project Name BIG DRYWOOD/LITTLE DRYWOOD TWA 2018	
Sampling Device				
<input checked="" type="checkbox"/> D-Frame Kick Net <input type="checkbox"/> Surber Sampler <input type="checkbox"/> Eckman <input type="checkbox"/> Ponar <input type="checkbox"/> Artificial Substrate <input type="checkbox"/> Hess Sampler <input type="checkbox"/> Other: _____				
Habitat Sampled				
<input type="checkbox"/> Riffle <input checked="" type="checkbox"/> Run <input type="checkbox"/> Pool <input type="checkbox"/> Other <input type="checkbox"/> Shoreline Composite <input type="checkbox"/> Proportionally-Sampled Habitat <input type="checkbox"/> Littoral Zone <input type="checkbox"/> Profundal Zone <input type="checkbox"/> Wetland				
Total Sampling Time (min) 30 sec	Estimated Area Sampled (m²) 1	Number of Samples in Composite 1		Replicate No. 1 of 1
Reason For Sampling				
<input type="checkbox"/> Least Impacted Reference <input type="checkbox"/> Baseline <input type="checkbox"/> Impact / Treatment Site <input type="checkbox"/> Control Site <input type="checkbox"/> Trend <input checked="" type="checkbox"/> Other: _____				
Water Temp. (C)	D.O. (mg/l)	D.O. (% sat.)	pH (su)	Conductivity (umhos/cm)
Water Color			Estimated Stream Velocity (m/s)	
<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid <input type="checkbox"/> Stained			<input checked="" type="checkbox"/> Slow (< 0.15 m/s) <input checked="" type="checkbox"/> Moderate (0.15 m/s - 0.5 m/s) <input type="checkbox"/> Fast (> 0.5 m/s)	
Measured Velocity	circle units m/s or f/s	Average Stream Depth of reach (m) 0.25		Average Stream Width of reach (m) 2m
Composition of Substrate Sampled (Percent):				
Bedrock: _____ Boulders (basketball or larger): _____ Rubble (tennisball to basketball): _____ Gravel (ladybug to tennisball): _____ Sand: _____ Clay: _____ Silt/Muck: _____ Overhanging Vegetation: 100 Aquatic Macrophytes: _____ Leaf Snags: _____ Coarse Woody Debris: _____ Other (_____): _____				
Embeddedness of Substrate at Sample Site (%) N/A				
Canopy Cover at Sample Site (%) 0				

Stream and Watershed Descriptors

N = Not a problem
 U = Uncertain
 PL = Present, Low Impact
 PH = Present, High Impact

Factors that may be influencing Water Resource Integrity		Local	Water-shed	Factors that may be influencing Water Resource Integrity		Local	Water-shed
Biological				Chemical			
Algae: - Diatoms / Periphyton				Chlorine			
- Filamentous Algae				Dissolved Oxygen			
- Planktonic Algae				Nutrients (P, N...)			
Iron Bacteria				Toxics: - Inorganic (Metals)			
Macrophytes				- Organic (PCBs, pesticides...)			
Slimes				Other - Specify:			
Other - Specify:				Sources of Stream Impacts			
				Bank Erosion			
				Point Source - Specify:			
				Pasturing of Livestock		PH	
Bank Erosion				Runoff: - Barnyard		PL	
Channelization: - Upstream				- Construction		N	
- Downstream				- Cropland		PH	
Hydraulic Scour / Channel Incision				- Urban		N	
Impoundment: - Upstream				Septic Systems			
- Downstream				Tile Drainage - Organic Soils			
Low Flow				- Mineral Soils			
Sedimentation				Springs			
Sludge				Tributary(s)			
Thermal				Wetland			
Turbidity				Other - Specify:			
Other - Specify:							

Comments

Special Instructions for Laboratory

For Lab Use Only

Sample Sorter <i>Kyle Wilcox</i>	Taxonomist <i>Dimick Jeffrey</i>	Estimated Percent of Sample Sorted <i>20%</i>
Date Processed <i>5/29/19</i>	Specimens Saved <i>Subsample archived in DBL until Jul 2022</i>	

C2 = 62 E3 = 35
A1 = 49
(146)